

Vanderbilt Industries

PRICEBOOK 2014





bright blue.

LIST

Controller		
VBB	bright blue Reader Controller Includes: (1) NEMA 1 rated enclosure 14" x 14" x 3.5", (1) VBB Reader Controller Board - Total 32 Device Capacity, 64 Mb Flash Memory and 64 Mb SRAM. UL 294 Listed. Database: 8GB Flash Drive. Power Requirements 24 VDC 1A UL listed with battery back up (sold separately). Includes enclosure, lock and tamper switch.	\$2,272.00
Reader Interface		
VBB-RI	bright blue Reader Interface Includes: (1) NEMA 1 rated enclosure 7.5" x 8.25" x 3.5", (1) VBB Reader interface Board - Connects to 1 credential reader and has (4) unsupervised contact inputs and (2) 1A output relays. Can be powered at the VBB or at separate locations.	\$342.00
VBB-NRI	bright blue Network Reader Interface Includes: (1) NEMA 1 rated enclosure 7.5" x 8.25" x 3.5" and (1) VBB Reader Interface Board. IP-based reader interface allows connection to (1) credential reader via RS-485 protocol, and then to VBB Controller Board via standard network Ethernet connection. (4) unsupervised contact inputs and (2) 1A output relays. Must be powered separately (recommend VBB-3APS).	\$764.00
PIM400-485-VBB	Panel Interface Module for Schlage AD-400 Series w/VBB Supports up to (16) wireless Schlage AD-400 Locks. Features 900 MHz Spread Spectrum RF technology and AES-128 bit encryption. Dimensions: 7.1"H x 7.1"W x 3.0"D. 12/24VDC PIM power supply sold separately (593PI-12DC) .	\$1,485.00
593PI-12DC	12VDC Power Supply for PIM400-485-VBB 120 VAC to 12 VDC, Used to power PIM400-485-VBB.	\$139.00
VLOCKRI	Optional Enclosure Lock with Tamper Switch (VBB-RI) For use with the VBB-RI enclosure. Includes (2) keys and tamper switch.	\$42.00
VLOCK	Optional Enclosure Lock with Tamper Switch (VBB-NRI) For use with the VBB-NRI enclosure. Includes (2) keys and tamper switch.	\$42.00



bright blue.

LIST

Power Supplies and Accessories		
VBB-3APS	<p>24 VDC 3A Power Supply/Charger 24 VDC 3A supervised power supply/charger (85-260VAC Input). Power supply for the VBB Reader Controller or for 24 VDC peripheral devices such as VBB-RI reader interfaces. Designed for hardwire installations (not a plug-in device). Enclosure Dimensions: 14" x 9" x 3.5". Supplied with two 12 VDC 7AH batteries. UL 294 Listed.</p>	\$438.00
VBB-5APS	<p>24 VDC 5A Power Supply/Charger 24 VDC 5A supervised power supply/charger (85-264VAC Input). Power supply for the VBB Reader Controller or for 24 VDC peripheral devices such as VBB-RI reader interfaces and electronic locks. Designed for hardwire installations (not a plug-in device). Enclosure Dimensions: 14" x 14" x 4.75". Supplied with two 12 VDC 7AH batteries. UL 294 Listed.</p>	\$486.00
VBB-10APS	<p>24 VDC 10A Power Supply/Charger 24 VDC 10A or 12VDC 20A supervised power supply/charger (90-132VAC Input). Power supply for 24 VDC peripheral devices such as VBB-RI reader interfaces and electronic locks. Designed for hardwire installations (not a plug-in device). Enclosure Dimensions: 14" x 14" x 4.75". Supplied with two 12 VDC 7AH batteries.</p>	\$762.00
PDD-FT	<p>DC Fire Transfer Relay Module The PDD-FT transfers the input power from the normally ON output pair to normally Off output pair when triggered. Installs on a power supply input with an EOL at the fire alarm panel. The transferred power would be used to unlock doors, shut down air systems or return elevators to an exit floor.</p>	\$100.00
DCPM-1	<p>Adjustable DC Output Voltage Module A versatile linear module designed to work in conjunction with standard power supplies (i.e. VBB-5APS, VBB-10APS). This module supplies separate voltage outputs of 6-26 VDC 1A to peripheral access control devices such as a 12 VDC PIM400-485-VBB wireless module. Modules can be paralleled together for higher output. Dimensions: 2.4" x 1.1" x 2".</p>	\$85.00
PDM-4	<p>Low Voltage 4-Output Power Distribution Module Distributes a single AC or DC Input to 4 protected outputs with 2 Amp fuses.</p>	\$90.00



bright blue.

LIST

PDM-8	Low Voltage 8-Output Power Distribution Module Distributes a single AC or DC Input to 8 protected outputs with 1 Amp fuses.	\$125.00
PDM-9	Low Voltage 9-Output Power Distribution Module Distributes a single AC or DC Input to 9 protected outputs with 1 Amp fuses.	\$132.00
Standalone Printers and Badging Accessories		
VEVPE-S	Single-Sided Badge Printer Single sided printer. Features color dye-sublimation and monochrome thermal transfer, 300dpi and edge-to-edge printing for 10 to 50 mil cards. eMedia CS Card Designer software included. USB (cable supplied) and Ethernet interfaces. Cleaning kit, reject tray and power supply included. NOTE: Badge printer is a standalone system.	\$3,930.00
VEVPE-D	Dual-Sided Badge Printer Double sided printer. Features color dye-sublimation and monochrome thermal transfer, 300dpi and edge-to-edge printing for 10 to 50 mil cards. eMedia CS Card Designer software included. USB (cable supplied) and Ethernet interfaces. Cleaning kit, reject tray and power supply included. NOTE: Badge printer is a standalone system.	\$5,210.00
VEVPE-SR5	Color Ribbon Cartridge for Single-Sided Printing 5 panel color ribbon. YMCKO - Allows 300 prints per roll.	\$170.00
VEVPE-DR6	Color Ribbon Cartridge for Dual-Sided Printing 6 panel color ribbon. YMCKOK - Allows 300 prints per roll.	\$170.00
VEVPE-RBLK	Black Monochrome Ribbon Cartridge Black Monochrome Ribbon. Allows 1000 prints per roll.	\$106.00
VEVPE-CLN	Advanced Cleaning Kit Cleaning kit includes (2) pre-saturated T cards, (2) adhesive cards, (1) pen and (40) wipes.	\$60.00
VPEBRIBBON	Color Ribbon Cartridge (Pebble Printer Only) 5 panel color ribbon. Allows 250 prints per ribbon.	\$150.00
VPEBRIBBON-B	Black Only Ribbon Cartridge (Pebble Printer Only) 2 panel black & clear ribbon. Allows 500 prints per ribbon.	\$106.00



bright blue.

LIST

Demo Kit		
VBBDEMOKT	bright blue Demonstration/Training Kit Allows the capability of demonstrating the Vanderbilt bright blue software and hardware. Kit includes: VBB Reader Controller, VBB-RI Reader Interface, Card Reader, (3) Proximity Credentials, Door Position Switch, Request-to-Exit Button, Push-button Override and a Plug-in Power Supply. The VBB is a fully functioning reader controller with connectors for additional reader interfaces. The hardware is housed in the bright blue metal enclosure and easily travels in a hard plastic case with telescoping handle and wheels. Requires Laptop (not included).	\$2,660.00
Video Integration		
VEVMS-VBB4	4 Channel NVR, 500 GB Supports up to (4) IP cameras; includes (1) 500GB SATA hard drive and Video Management Client Software CD.	\$3,900.00
VEVMS-VBB8	8 Channel NVR, 500 GB Supports up to (8) IP cameras; includes (1) 500GB SATA hard drive and Video Management Client Software CD.	\$4,600.00
VEVMS-ANX	4 Channel Analog Capture Card Analog capture card for connecting up to (4) analog cameras.	\$544.00



Readers & Credentials

LIST

Vanderbilt Proximity Readers		
VP-300	Proximity Reader (Mullion) Vanderbilt 125 kHz proximity mullion/surface mountable reader. Read range up to 6". Reader comes kitted in white data box with two (2) covers (black and off-white), instruction manual and mounting hardware.	\$130.00
VP-500	Proximity Reader (Wall Mount) Vanderbilt 125 kHz proximity single gang wall mount reader. Read range up to 8". Reader comes kitted in white data box with two (2) covers (black and off-white), instruction manual and mounting hardware.	\$175.00
VP-640	Proximity Reader w/Keypad (Wall Mount) Vanderbilt 125 kHz proximity single gang wall mount reader with keypad. Read range up to 8". Reader comes kitted in white data box with two (2) covers (black and off-white), instruction manual and mounting hardware.	\$395.00
<i>*24VDC required when powered from VI panels</i>		
Vanderbilt Proximity Credentials		
VPSC-1	Proximity Card (Clamshell) Standard Proximity Card (Clamshell Style), supports 125 kHz proximity technology.	\$3.18
VPSM-2P	Proximity Card (ISO) Printable Proximity Card (ISO Style), supports 125 kHz proximity technology.	\$5.20
VPSI-4	Image Proximity Card (Thicker .0046 mil) Printable Proximity Card (Thicker .0046 mil for added durability), supports 125 kHz proximity technology. Ensure printer support for card thickness (VEVPE Series or Nisca recommended).	\$3.18
VPSM-2S	Dual-Tech ISO Card (Proximity and Magstripe) Printable Proximity Card (ISO Style), supports 125 kHz proximity and magstripe technologies.	\$6.10
VPSK-3	Proximity Key Ring Tag 125kHz proximity tag designed to be carried on a key ring, includes a reinforcing brass eyelet, and is backed by a lifetime warranty.	\$5.70



Readers & Credentials

LIST

Long Range Readers

VWRR-42	Long Range Receiver 433 MHz Receiver with Wiegand output for long range applications up to 150 ft. Transmitters available in 2 or 4 button configuration (sold separately).	\$416.00
VWRT-2	Two Button Transmitter w/ Built in Fob 433 MHz Transmitter in 2-button configuration for use with long range receiver. Can also be used as a proximity credential.	\$35.00
VWRT-4	Four Button Transmitter w/ Built in Fob 433 MHz Transmitter in 4-button configuration for use with long range receiver. Can also be used as a proximity credential.	\$35.00

Vanderbilt VI-Key Bluetooth Readers

V-EK6	Bluetooth Proximity Reader Vanderbilt Bluetooth proximity smartphone reader. Can operate up to 30' (10M). For use with Vanderbilt access control systems; communicates Wiegand data to Vanderbilt reader interface. <i>NOTE: For use with Android or iPhones</i>	\$460.00
--------------	---	-----------------

Vanderbilt VIZpin Standalone Visitor Portal Management System available (Bluetooth); Contact your Vanderbilt Sales Representative for pricing and information; VI-Key training and annual partner subscription required.

Vanderbilt VI-Key Accessories

VMKC-04	Programming Cable USB to serial cable for updating firmware on V-EK6 & V-EK7 readers in lieu of bluetooth connection.	\$108.00
VFOB10	Bluetooth FOBs (10 pack) For use with V-EK6 & V-EK7 readers; ideal for gate and overhead door applications.	\$498.00



Readers & Credentials

LIST

Scramble Keypads		
SERIII-W	Scramble Keypad (Gray) The keypad is designed to prevent onlookers from detecting the code being entered. Each key is lighted by an LED with a different set of numbers every time the keypad is used. Weatherized for outdoor applications with a Wiegand output. This unit may be powered from the VRCNX Reader Controller boards via a reader interface. Power requirements: 8-14 VDC. Standard color is gray; also available in black.	\$1,425.00
SERIII-WB	Scramble Keypad (Black) The keypad is designed to prevent onlookers from detecting the code being entered. Each key is lighted by an LED with a different set of numbers every time the keypad is used. Weatherized for outdoor applications with a Wiegand output. This unit may be powered from the SRCNX Reader Controller boards via a reader interface. Power requirements: 8-14 VDC. Color is black.	\$1,425.00
SMK-2	Scramble Keypad Surface Mount Kit (Gray) Surface Mount Kit and tamper proof screws. Standard color is gray, also available in black.	\$195.00
SMK-2B	Scramble Keypad Surface Mount Kit (Black) Surface Mount Kit and tamper proof screws.	\$195.00
SSMK-2	Scramble Keypad Surface Mount Kit (ADA Compliant) Surface Mount Kit and tamper proof screws. ADA Compliant. (Add Suffix B for Black Screws)	\$370.00
PMK-2	Panel Mount Kit (Gray)	\$160.00
PMK-2B	Panel Mount Kit (Black)	\$160.00
SPMK-2	Panel Mount Kit w/Steel Back Box (Gray) Steel back box with tamper proof screws	\$195.00
SPMK-2B	Panel Mount Kit w/Steel Back Box (Black) Steel back box with tamper proof screws	\$195.00
Electronic Keypads		
EKPDMWG	Electronic Keypad (Mullion Mount) Stainless faceplate with keypad. Weatherized for outdoor use - 2x6 Matrix (5 or 12 VDC) Wiegand output. This unit may be powered from the SRCNX Reader Controller Boards via the Reader Interface.	\$360.00
EKPDWG	Electronic Keypad Stainless faceplate with keypad. Weatherized for outdoor use - 3x5 Matrix (5 or 12 VDC) Wiegand output. This unit may be powered from the SRCNX Reader Controller Boards via the Reader Interface.	\$522.00



Readers & Credentials

LIST

Magnetic Stripe Readers		
MR5	Magnetic Stripe Card Reader (Mullion) Weatherized for outdoor use with a cast metal housing and optional wall plate. The SMR5 has one LED. Standard color is black, also available in Beige. Standard is 5 VDC. Must specify for 12 VDC.	\$284.00
MR10	Magnetic Stripe Card Reader (Mercury) Weatherized for outdoor use with a cast metal housing and optional wall plate. The SMR10 has two LED's. Standard color is black, also available in Beige. Standard is 5 VDC. Must specify for 12 VDC.	\$380.00
MR20	Magnetic Stripe Card Reader with Keypad (Mercury) Weatherized for outdoor use with a cast metal housing and optional wall plate. The SMR20 has integrated membrane keypad. Standard color is black, also available in Beige. Standard is 5 VDC. Must specify for 12 VDC.	\$550.00
WP10	Wall Plate for Mercury Magnetic Stripe Card Reader Metal Wall Plate (Beige or Black) for MR5, MR10 and MR20 magnetic card readers.	\$16.00
WS10	Weather Shield for MR5, MR10 and MR20 Readers Brushed Stainless vertical mount.	\$64.00
Magnetic Stripe Credentials		
MSH	Magnetic Stripe Card Includes encoding and sequential stamp number. Minimum order quantity is 100 cards. NOTE: Encoding encrypted for use with Vanderbilt Access Control Systems.	\$2.73
MSHSUB	Magnetic Stripe Card (Dye Sublimation) Magnetic Stripe plain white card for dye sublimation printing. Includes encoding and sequential stamp number. Minimum order quantity is 100 cards. NOTE: Encoding encrypted for use with Vanderbilt Access Control Systems.	\$3.38
ENCODE	Magnetic Stripe Card Encoding Only Magnetic Stripe Card encoding.	\$1.20
MSCLN	Magnetic Stripe Cleaning Card Magnetic Stripe Cleaning Card	\$2.94
Barcode Readers		
BSRW	Barcode Reader Surface Mount Provides output in TTL level or open-collector interfaces. Optics may be high or low resolution, visible or infrared.	\$460.00
Barium Ferrite Readers		
BFTRU	BaFe Touch Reader-Wiegand Format Wiegand format. Requires a 12 VDC power supply.	\$1,300.00



Readers & Credentials

LIST

XceedID 125 kHz Single Frequency Proximity Technology		
PR10	125 kHz Proximity Reader – Mini Mullion	135.00
aptiQ 13.56 MHz Single Frequency Smart Technology		
SM10	13.56 MHz Smart Reader - Mini Mullion	145.00
aptiQ Multi-Technology: 125kHz Proximity and 13.56 MHz Contactless Smart Card Technology		
MT11	Multi-Technology Reader - Mullion	275.00
MT15	Multi-Technology Reader - Single Gang	275.00
MTK15	Multi-Technology Keypad - Single Gang	450.00
MTMS15	Multi-Technology Magstripe Reader	500.00
MTMSK15	Multi-Technology Magstripe Reader with Keypad	675.00
XceedID Proximity Credentials		
7410	Proximity Card Clamshell	\$3.25
7510	Proximity Card ISO Glossy White	\$5.53
7510M1	Proximity and Magnetic Stripe Card ISO Glossy White (includes encoding)	\$6.15
7610	Proximity Keyfob (minimum order is 50)	\$5.70
7710	Proximity Sticky Disk (35mm Disk) (minimum order is 50)	\$5.20
IBF-110	Combo Keyfob, 125 kHz Proximity and iButton (minimum order is 50)	\$12.85
IBWB-110	Combo Keyfob, 125 kHz Proximity without iButton (minimum order is 50)	\$6.80
aptiQ™ Smart Cards using MIFARE DESFire™ EV1 Technology		
8420	aptiQ Smart Card 2K byte/16k bit Clamshell	\$6.35
8440	aptiQ Smart Card 4K byte/32k bit Clamshell	\$7.15
8480	aptiQ Smart Card 8K byte/64k bit Clamshell	\$8.70
8520	aptiQ Smart Card 2K byte/16k bit ISO Glossy White	\$6.80
8540	aptiQ Smart Card 4K byte/32k bit ISO Glossy White	\$7.60
8580	aptiQ Smart Card 8K byte/64k bit ISO Glossy White	\$9.20
8520M1	aptiQ Smart Card 2K byte/16k bit with Magnetic Stripe ISO Glossy White	\$7.45
8540M1	aptiQ Smart Card 4K byte/32k bit with Magnetic Stripe ISO Glossy White	\$8.25
8580M1	aptiQ Smart Card 8K byte/64k bit with Magnetic Stripe ISO Glossy White	\$9.85
8620	aptiQ Smart Card 2K byte/16k bit KEYFOB (minimum order of 50)	\$7.10
8640	aptiQ Smart Card 4K byte/32k bit KEYFOB (minimum order of 50)	\$7.90
8680	aptiQ Smart Card 8K byte/64k bit KEYFOB (minimum order of 50)	\$9.35
8720	aptiQ Smart Card 2K byte/16k bit PVC Patch	\$6.25
8740	aptiQ Smart Card 4K byte/32k bit PVC Patch	\$7.05
8780	aptiQ Smart Card 8K byte/64k bit PVC Patch	\$8.60



Readers & Credentials

LIST

Dual Technology: Proximity and aptiQ™ Smart Cards using MIFARE DESFire™ EV1		
8920	Proximity and aptiQ Smart Card Combo 2K byte/16k bit ISO Glossy White	\$10.00
8940	Proximity and aptiQ Smart Card Combo 4K byte/32k bit ISO Glossy White	\$10.90
8980	Proximity and aptiQ Smart Card Combo 8K byte/64k bit ISO Glossy White	\$12.60
8920M1	Proximity and aptiQ Smart Card Combo 2K byte/16k bit with Magnetic Stripe ISO Glossy White	\$10.35
8940M1	Proximity and aptiQ Smart Card Combo 2K byte/16k bit with Magnetic Stripe ISO Glossy White	\$11.25
8980M1	Proximity and aptiQ Smart Card Combo 2K byte/16k bit with Magnetic Stripe ISO Glossy White	\$12.95
aptiQ Smart Cards using MIFARE		
9420	MIFARE Smart Card 2.5k bit Clamshell	\$3.85
9451	MIFARE Smart Card 1K byte/8k bit Clamshell	\$5.85
9520	MIFARE Smart Card 2.5k bit ISO Glossy White	\$4.70
9520M1	MIFARE Smart Card 2.5k bit with magnetic stripe ISO Glossy White	\$5.32
9551	MIFARE Contactless Smart Card 1K byte/8k bit ISO Glossy White	\$5.75
9551M1	MIFARE Contactless Smart Card 1K byte/8k bit with magnetic stripe ISO Glossy White	\$6.37
9558	MIFARE Contactless Smart Card 4K byte/32k bit ISO Glossy White	\$8.10
9558M1	MIFARE Contactless Smart Card 4K byte/32k bit with magnetic stripe ISO Glossy White	\$8.72
9651	MIFARE Smart Keytag 1k bit Keytag (minimum order is 50)	\$6.55
9751	MIFARE Smart Cards 1K byte/8k bit PVC Patch	\$6.00
9758	MIFARE Smart Cards 4K byte/32k bit PVC Patch	\$8.90
Dual-Technology Proximity and Contactless Smart Card using MIFARE		
9951	Proximity and Contactless Smart Card Combo ISO Glossy White 125kHz/13.56MHz MIFARE 1K byte/8k bit Smart Card	\$7.85
9951M1	Proximity and Contactless Smart Card Combo with Magnetic Stripe ISO Glossy White 125kHz/13.56MHz MIFARE 1K byte/8k bit Smart Card	\$8.20
9958	Proximity and Contactless Smart Card Combo ISO Glossy White 125kHz/13.56MHz MIFARE 4K byte/32k bit Smart Card	\$9.45
9958M1	Proximity and Contactless Smart Card Combo with Magnetic Stripe ISO Glossy White 125kHz/13.56MHz MIFARE 4K byte/32k bit Smart Card	\$9.80
IBF-151	Combo Keyfob, 13.56 MHz MIFARE (1K byte/8k bit) and iButton	\$14.50
IBWB-151	Combo Keyfob, 13.56 MHz MIFARE (1K byte/8k bit) without iButton	\$8.40



Readers & Credentials

LIST

aptiQmobile Credentials™

9100	aptiQmobile™ Virtual Credential (minimum order 25) Compatible with NFC-enabled phones and iPhones with an aptiQmobile case (sold separately). Minimum order is 25.	6.99*
-------------	--	--------------

**Standard discounts do not apply; Contact your sales representative for pricing.*

aptiQmobile™ Compatible iPhone Cases

KIT420B	aptiQmobile™ compatible iPhone 4 Case Black	\$125.00
KIT420W	aptiQmobile™ compatible iPhone 4 Case White	\$125.00
KIT520B	aptiQmobile™ compatible iPhone 5 Case Black	\$125.00
KIT520W	aptiQmobile™ compatible iPhone 5 Case White	\$125.00

HID Proximity Readers

5365	MiniProx Proximity Reader The S5365 Proximity Reader has a slim, mullion style design. Its secure potted electronics is ideal for indoor or outdoor applications. 125kHz transmit frequency. Wiegand interface. The MiniProx Reader accepts 5-16 VDC volts. Dimensions: 6.0" x 1.7" x 1.0". Charcoal Gray (Optional Color: Beige)	\$276.00
5395	Thinline II Switch Plate Proximity Reader (Wall Mount) Thinline II Switch Plate Proximity Reader is housed in an industry-standard switch plate style. 125kHz transmit frequency. Wiegand interface. The Thinline II Reader accepts 5-16 VDC. Dimensions: 4.7" x 3.0" x .68". Black (Optional colors: Beige, White, Gray)	\$281.00
5455	ProxPro II Reader Wall Mount The ProxPro II is a proximity card reader that mounts to a single gang box. The S5455 has an IP65 rating. The reader can be mounted to glass (using the optional glass mounting kit). 125kHz transmit frequency. Wiegand interface. The ProxPro II Reader accepts 5-16 VDC. Dimensions: 5.0" x 5.0" x 1.0". Charcoal Gray (Optional Color: Beige).	\$286.00
5355K	ProxPro Proximity Reader with Keypad (Wall Mount) The ProxPro Proximity Card Reader with Keypad combines all of the electronics into a single enclosure that mounts to a standard single-gang electrical box. With its weatherproof design, the reader is easily mounted either indoor or outdoor. 125kHz transmit frequency. The ProxPro Reader accepts 10-28.5 VDC. Dimensions: 5.0" x 5.0" x 1.0". Charcoal Gray (Optional Color: Beige).	\$503.00



Readers & Credentials

		LIST
5375	<p>MaxiProx Long Range Proximity Reader (18"-24" Read Range)</p> <p>The signal processing techniques incorporated in this reader provide a high tolerance to burst and other transient types of ambient RF interference. 125kHz transmit frequency. Wiegand interface. The MaxiProx Reader accepts 12-24 VDC volts. Dimensions: 11.8" x 11.8" x 1.0". Charcoal Gray (only).</p>	\$822.00
6005B	<p>Prox Point Plus Proximity Reader</p> <p>Prox Point Plus Proximity Reader is housed in a small, unobtrusive weatherproof housing. 125kHz transmit frequency. Wiegand interface. The Prox Point Plus Reader accepts 5-16 VDC. Dimensions: 3.1" x 1.7" x .66". Available in Black.</p>	\$142.00
HID Proximity Credentials (500 card minimum on CUSTOM orders)		
1326	<p>ProxCARD II Proximity Access Card (Clamshell)</p> <p>The ProxCARD II incorporates 125kHz proximity technology. The standard ProxCARD II is a clam shell style card and can be carried in a wallet or on a strap clip. The 1326 card comes standard with the Schlage Logo and sequentially numbered heat stamp. For plain white specify PL. (Cards will be shipped with Schlage logo unless otherwise specified). Minimum order is 100 cards. Dimensions: 2.135" x 3.385" x .075".</p>	\$3.43
1386	<p>ISOProx II Proximity Access Card</p> <p>The ISOPROX II 125kHz Proximity Access Card offers proximity technology and photo identification on a single access control card. The ISOPROX II card meets ISO standards for thickness, is for use with all direct image printers and comes with a sequentially numbered heat stamp. Can be printed on both sides of the card. Minimum order is 100 cards. Dimensions: 2.125" x 3.370" x .030".</p>	\$6.30
1336	<p>DuoProx II Proximity Card with Magnetic Stripe</p> <p>The DuoProx II Multiple Technology Card offers 125kHz proximity, magnetic stripe, heat stamp and photo identification technologies on a single access control card. The DuoProx II card meets ISO standards for thickness. For use with all direct image printers and magnetic stripe readers. Minimum order is 100 cards. Dimensions: 2.125" x 3.370" x .030". Includes magstripe encoding.</p>	\$6.45
1351	<p>ProxPass II Long Range Vehicle Tag</p> <p>ProxPass is a 125kHz active tag specifically designed for vehicle access control. The ProxPass tag provides hands free access when used with the HID 5375 MaxiProx reader. Available in beige only with the HID logo. The ProxPass has a read range of 6 to 8 feet. Must order minimum of 10.</p>	\$39.08



Readers & Credentials

LIST

1346	<p>ProxKey II Proximity Access Keyfob</p> <p>The ProxKey II Proximity Keyfob incorporates 125kHz proximity technology into a device approximately the size of an automotive key and will fit most key rings. The ProxKey II Keyfob can be programmed with information formatted for universal compatibility with all HID proximity readers. (Each ProxKey II Keyfob is provided a sequential external number for easy identification and control). Dimensions: 1.90" x 0.90" x 0.345". Minimum order is 100 keyfobs.</p>	\$6.82
1391	<p>MicroProx Proximity Access Tag</p> <p>The MicroProx Tag provides the convenience of HID's 125kHz proximity technology in a small disk-shaped transponder. Simply attach the adhesive-backed Tag to any non-metallic card or device, and you instantly have a proximity card. Provides a sequential external number for easy identification and control. Minimum order is 100 tags.</p>	\$4.58

HID Contactless Smart Cards (500 card minimum on CUSTOM orders)

1430	<p>HID MiFARE 13.56 MHz Contactless Smart Card</p> <p>1K memory with 16 sectors</p>	\$4.10
1431	<p>HID 125kHz Proximity/MiFARE 13.56 MHz Contactless Smart Card</p> <p>1K memory with 16 sectors</p>	\$7.70
2000	<p>iCLASS 13.56 MHz Contactless Smart Card</p> <p>2k Bits (256 Bytes) with 2 application areas (Minimum order - 100 cards)</p>	\$4.95
2001	<p>iCLASS 13.56 MHz Contactless Smart Card</p> <p>16k Bits (2k Bytes) with 2 application areas (Minimum order - 100 cards)</p>	\$8.95
2002	<p>iCLASS 13.56 MHz Contactless Smart Card</p> <p>16k Bits (2k Bytes) with 16 application areas (Minimum order - 100 cards)</p>	\$8.95
2004	<p>iCLASS 13.56 MHz Contactless Smart Card</p> <p>32k Bits (4k Bytes) with 16 application areas (Minimum order - 100 cards)</p>	\$9.32
2020	<p>iCLASS 13.56 MHz/Prox 125kHz Card</p> <p>2k Bits (256 Bytes) with 2 application areas (Minimum order - 100 cards)</p>	\$10.65
2021	<p>iCLASS 13.56 MHz/Prox 125kHz Card</p> <p>16k Bits (2k Bytes) with 2 application areas (Minimum order - 100 cards)</p>	\$12.58



Readers & Credentials

		LIST
2024	iCLASS Prox Contactless Smart Card 32k bit (Application Areas: 16k/16 + 16k/1)	\$12.80
2022	iCLASS 13.56 MHz/Prox 125kHz Card 16k Bits (2k Bytes) with 16 application areas (Minimum order - 100 cards)	\$12.58
2050	iCLASS 13.56 MHz Contactless Smart Key 2k Bits (256 Bytes) with 2 application areas (Minimum order - 100 cards)	\$6.43
2051	iCLASS 13.56 MHz Contactless Smart Key 16k Bits (2k Bytes) w/ 2 application areas (Minimum order - 100 keys)	\$10.70
2052	iCLASS 13.56 MHz Contactless Smart Key 16k Bits (2k Bytes) w/ 16 application areas (Minimum order - 100 keys)	\$10.70
2060	iCLASS 13.56 MHz Contactless Smart Tag 2k Bits (256 Bytes) with 2 application areas (Minimum order - 100 tags)	\$4.33
2061	iCLASS 13.56 MHz Tag 16k Bits (2k Bytes) with 2 application areas (Minimum order - 100 tags)	\$7.45
2062	iCLASS 13.56 MHz Tag 16k Bits (2k Bytes) with 16 application areas (Minimum order - 100 tags)	\$7.45
iCLASS SE / multiCLASS SE Contactless Smart Card Reader, 13.56 MHz Only (& 125 kHz)		
<i>*SIO or Standard 13.56MHz Interpreter, Wiegand or Clock-and-Data Interface, Pigtail or Terminal Strip</i>		
900	iCLASS SE R10 / multiCLASS SE RP10 Contactless Smart Card Reader, Mini-Mullion	\$141.00
900P	iCLASS SE R10 / multiCLASS SE RP10 Contactless Smart Card Reader, Mini-Mullion with 125K Prox	\$183.00
910	iCLASS SE R15 / multiCLASS SE RP15 Contactless Smart Card Reader, Mullion	\$275.00
910P	iCLASS SE R15 / multiCLASS SE RP15 Contactless Smart Card Reader, Mullion with 125K Prox	\$317.00
930	iCLASS SE R30 / multiCLASS SE RP30 Contactless Smart Card Reader, EU/Asia Square	\$265.00
930P	iCLASS SE R30 / multiCLASS SE RP30 Contactless Smart Card Reader, EU/Asia Square with 125K Prox	\$307.00
920	iCLASS SE R40 / multiCLASS SE RP40 Contactless Smart Card Reader, Wall Switch	\$275.00



Readers & Credentials

LIST

920P	iCLASS SE R40 / multiCLASS SE RP40 Contactless Smart Card Reader, Wall Switch with 125K Prox	\$317.00
921	iCLASS SE RK40 / multiCLASS SE RPK40 Contactless Smart Card Keypad Reader, Wall Switch	\$505.00
921P	iCLASS SE RK40 / multiCLASS SE RPK40 Contactless Smart Card Keypad Reader, Wall Switch with 125K Prox	\$547.00
iCLASS SE Decor Smart Card Reader, 13.56 MHz Only		
95A	iCLASS SE Decor R95A Contactless Smart Card Reader, EU/Asia SquareEuropean style mounting this includes the HID (Legrand) faceplate and bezel	\$265.00

*Please contact factory for quotes on HID items not in pricebook

NOTE: Credentials are not eligible for return/credit unless they are determined to be defective by Vanderbilt.



Services

LIST

**Normal discounts do not apply*

bright blue Dealer Training Courses & Maintenance Contract

VBBT	bright blue Dealer Training 2-day dealer training course in Parsippany, NJ. Technician will be trained in hardware installation, system administration and troubleshooting.	\$475.00 per person
EU-MNT-BB-1	bright blue Maintenance Contract 12 months of factory software support for a bright blue system. This option includes unlimited telephone and remote access Monday through Friday, 8am-6pm EST. Customer is responsible for assigning up to two dedicated trained contacts which will be authorized to receive support. Software for upgrades are included; labor for upgrade is not included (purchase separately - VBBUP-TECH). Note: See maintenance agreement for details.	\$395.00

** View our training schedule at <http://vanderbiltindustries.com/calendar/>*

VDVIDEO	Video Solutions Dealer Training 2-day dealer training course in Parsippany, NJ. Technician will be trained in programming and administration of Schlage Enterprise Video Management System as well as video integration to the bright blue Intelligent Access Management System	\$475.00 per person
----------------	---	-------------------------------



Services

LIST

Enterprise Video Management System Maintenance		
VEVMS-MTA	<p>Enterprise Video Management System Maintenance A</p> <p>One year factory maintenance for existing 4 & 8 channel units. Covers all hardware, software and software upgrades to the most current version. Defective hardware will be replaced with comparable items. Customer is responsible for shipment of unit to the factory for repair. Unit will be returned via ground at no charge to the customer. Alternate shipping methods available at additional cost. Must be purchased within 90 days of new unit.</p>	\$1,240.00
VEVMS-MTB	<p>Enterprise Video Management System Maintenance B</p> <p>One year factory maintenance for the new and existing 16 & 32 channel units. Covers all hardware, software and software upgrades to the most current version. Defective hardware will be replaced with comparable items. Customer is responsible for shipment of unit to the factory for repair. Unit will be returned via ground at no charge to the customer. Alternate shipping methods available at additional cost. **Upgrades from VEVMS v7.0 to v9.0 will require additional hardware, please contact factory for pricing. Must be purchased within 90 days of new unit.</p>	\$2,750.00
Technical Services		
VBBUP-TECH	<p>bright blue Version Upgrade via Remote Session</p> <p>All upgrades must be performed by Vanderbilt Technical Support. Upon receipt of order, you will be contacted to schedule remote session upgrade. Note: Does not include additional database services or programming outside of upgrade. Upgrades will be scheduled during standard business hours 8:30 am - 5:00 pm M-F.</p>	\$333.00
VBBUP-RMA	<p>bright blue Version Upgrade via RMA</p> <p>System upgrade performed on panel returned to factory via RMA. You will be contacted with return details upon receipt of order.</p>	\$266.00
VTECH-HR	<p>Support</p> <p>Technical Support on an hourly basis.</p>	\$250.00



Schlage AD-Series TOP SKUS

LIST

AD-300 Hardwired Locks / Cylindrical

AD300-CY-70-MT-BD-SPA-626	AD-300 Cylindrical	\$ 1,576.00
AD300-CY-70-MT-JD-SPA-626	AD-300 Cylindrical	\$ 1,550.00
AD300-CY-70-MT-PD-SPA-626	AD-300 Cylindrical	\$ 1,576.00
AD300-CY-70-MTK-BD-SPA-626	AD-300 Cylindrical	\$ 1,627.00
AD300-CY-70-MTK-JD-SPA-626	AD-300 Cylindrical	\$ 1,601.00
AD300-CY-70-MTK-PD-SPA-626	AD-300 Cylindrical	\$ 1,627.00

AD-300 Hardwired Locks / Mortise

AD300-MS-70-MT-BD-SPA-626	AD-300 Mortise	\$ 1,736.00
AD300-MS-70-MT-JD-SPA-626	AD-300 Mortise	\$ 1,710.00
AD300-MS-70-MT-PD-SPA-626	AD-300 Mortise	\$ 1,736.00
AD300-MS-70-MTK-BD-SPA-626	AD-300 Mortise	\$ 1,787.00
AD300-MS-70-MTK-JD-SPA-626	AD-300 Mortise	\$ 1,761.00
AD300-MS-70-MTK-PD-SPA-626	AD-300 Mortise	\$ 1,787.00

AD-400 Hardwired Locks / Cylindrical

AD400-CY-70-MT-BD-SPA-626	AD-400 Cylindrical	\$ 1,737.00
AD400-CY-70-MT-JD-SPA-626	AD-400 Cylindrical	\$ 1,711.00
AD400-CY-70-MT-PD-SPA-626	AD-400 Cylindrical	\$ 1,737.00
AD400-CY-70-MTK-BD-SPA-626	AD-400 Cylindrical	\$ 1,788.00
AD400-CY-70-MTK-JD-SPA-626	AD-400 Cylindrical	\$ 1,762.00
AD400-CY-70-MTK-PD-SPA-626	AD-400 Cylindrical	\$ 1,788.00

AD-400 Hardwired Locks / Mortise

AD400-MS-70-MT-BD-SPA-626	AD-400 Mortise	\$ 1,903.00
AD400-MS-70-MT-JD-SPA-626	AD-400 Mortise	\$ 1,877.00
AD400-MS-70-MT-PD-SPA-626	AD-400 Mortise	\$ 1,903.00
AD400-MS-70-MTK-BD-SPA-626	AD-400 Mortise	\$ 1,954.00
AD400-MS-70-MTK-JD-SPA-626	AD-400 Mortise	\$ 1,928.00
AD400-MS-70-MTK-PD-SPA-626	AD-400 Mortise	\$ 1,954.00



Schlage AD-Series TOP SKUS

LIST

AD-Series Accessories

PIM400-TD2	Wiegand PIM AD-400	\$ 677.00
RLBD	Dry Contact Board	\$ 195.00
WPR400-MT	Wireless Hand Held Reader	\$ 1,166.00
WPR400-MTK	Wireless Hand Held Reader w/Keypad	\$ 1,217.00
TK400	Wireless Test Kit	\$ 1,324.00
WRI400	Outdoor Wireless Reader	\$ 798.00
ECK400	Elevator Control Kit	\$ 2,250.00
GCK400	Gate Control Kit	\$ 2,350.00
PIB300-2D	PIB AD-300	\$ 383.00
593PI-12DC	PIM 12 VDC Power Supply	\$ 93.00
HHD-Kit	Handheld Device w/SUS and HH-USB Cable	\$ 995.10
COMM400L	Wireless AD-400 Communication Kit	\$ 290.00
COMM300L	Hardwired AD-300 Communication Kit	\$ 190.00

** Contact factory for pricing and information on offline/standalone locks*

VANDERBILT
INDUSTRIES

vanderbiltindustries.com