

LAFAYETTE

RADIO ELECTRONICS

RADIO SET SALE

CUT TO 10.44

CLOCK RADIO
See Page 41



CUT 10.00

2-PIECE AM/FM
STEREO RADIO
See Page 40

CUT TO 6.95

"MINI" RADIO
See Page 41



CUT 20.00

STEREO FM/AM
CLOCK RADIO
See Page 40



CUT 10.00

FM STEREO
CAR RADIO
See Page 47

TAPE RECORDER SALE

CUT 40.00

Model
1725-8L III
See Page 35



CUT 20.00

Model
RK III

See insert opposite pg. 27

CUT 20.00

BATTERY AC
STEREO
CASSETTE
RECORDER
See Pg. 27



HOLIDAY
CATALOG
701

Index:

Opp. Page 32

Easy Pay Plan:

Page 13

Store Addresses:

Opp. Page 81

HI-FI PHONO SALE

**CUT
20.00**

STEREO PHONO
SYSTEM
Model LSC 40
See insert
Opp. Pg. 32



MAIL ORDER
AND SALES CENTER
111 Jericho Turnpike
Syosset, L.I.
New York 11791

CASSETTES make IDEAL GIFTS

Simple to Operate—No Tape Threading

NEW Lafayette RK-210 Car Cassette Stereo Tape Player/Recorder



99⁹⁵

With
Mounting Hardware,
Remote Control Mike,
Less Speakers

Push-In Front Loading of Cassette Tapes

- 20 Watts Peak Music Power
- Automatic Stop/Automatic Eject
- Automatic Level Control on Record

Full Feature instant-on solid state cassette car stereo tape player with built-in monaural recording system. Operates with any 12 volt negative ground system. Designed for convenience—front loading tape insertion with automatic stop and ejection when tape is finished playing or recording. Pushbutton fast forward and rewind. Manual stop and eject button. Separate tone, volume, and balance controls. Record safety button and indicator light. Built-in ALC for record. Professional AC record bias system. Plays-back 4 Track 2 channel stereo; Records 2 Track monaural. Channel Separation 30

- Pushbutton Fast Forward and Rewind
- Professional AC Bias Recording and AC Erase System

db. Power Output: 20 watts peak per channel. 14 transistors and 4 diodes. Includes mounting bracket, hardware, connecting cables, remote control mike with coiled cord and suction cup stand. Handsome black enclosure with brushed aluminum front panel. Size: 8 $\frac{3}{8}$ " x 8 $\frac{3}{8}$ " x 3". Shpg. wt., 7 lbs. Imported.

99 G 15802WX No Money Down* Net 99.95

Deluxe Set of 2 Lafayette Rear Deck Matched Speakers.

99 G 62986 Imported. Shpg. wt., 4 lbs. Net 9.95

Lafayette RK-70 Solid-State Portable Cassette Recorder



Our Sensational
Low Price of

24⁹⁵

Gift Packed to Include
Remote Control Mike,
Carrying Strap,
and Earphone

- No Tape Threading
- 5-Pushbutton Controls Including Cassette Pop-Up
- Automatic Record Level Control
- Ideal for Use in the Office for Dictation
- Ideal for Classroom Work for the Student

Handsome, low-cost quality portable cassette recorder. Use for dictation or classroom work; take along to a party, the beach, or a picnic. Simple to use—no tape threading. Advanced solid-state circuitry features 5-transistors, 1-thermistor, and 2-diodes. Constant 1 $\frac{7}{8}$ ips speed capstan drive. Pushbutton controls include Stop/Cassette Pop-Up, Fast-Forward, Tape Rewind, Play, Safety Record button, Automatic Level Control (ALC) to keep loud tones from distorting. Records up to 120 minutes (both tracks) on a cassette. Large 2 $\frac{3}{4}$ " speaker for excellent sound reproduction. Operates on 4 "C" batteries or 110V., 60 Hz AC with optional adapter (see below). Remote control mike and earphone. Size: 9 $\frac{3}{4}$ "D x 5 $\frac{1}{4}$ "W x 2 $\frac{1}{2}$ "H. Imported. Shpg. wt., 4 lbs.

27 G 01738L Net 24.95

ACCESSORIES FOR RK-70

27 G 01142L AC Adapter. Shpg. wt., $\frac{1}{2}$ lb. Net 3.95

28 G 01223 Lafayette 60-Minute Tape Cassette Net 1.19

99 G 62572 "C" Batteries (4-req.) Net ea. .14

See Pages 24 thru 36 For Lafayette's Complete
Listing of Tape Recorders and Accessories

*See Page 13 for Full Credit Details on Easy Pay Plan

Our Most Revolutionary STEREOPHONIC PHONOGRAPH



Diamond Needle
Made in U.S.A.



Lafayette LSC-50 Solid State Modular Hi-Fi Phono System featuring TWO 360° Omni-directional 8" Speaker Systems

69⁹⁵ No Money Down*
With Plastic Dust-Cover



HEART OF THE SYSTEM OMNIDIRECTIONAL SOUND

Spreads sound throughout the entire room.
You sit anywhere you want and hear stereo.

- 2 IC's and 4 Transistors
- Stereo Headphone Jack for Private Listening

Presenting a new, imaginative and modernistic design in stereo phonos. Thrill to breathtaking hi-fi sound from our handsome 3-piece modular hi-fi phono system. Featuring 2 revolutionary, omni-directional speaker systems with 360° sound dispersion. Sound waves from a wide range 8" speaker are beamed off a uniquely designed cone deflector dispersing sounds in all directions. Solid state stereo amplifier has two integrated circuits (IC's) and 4 transistors. Delivers a big 10-watts of power. Has 3 controls: Volume Left, Volume Right, Continuous Tone (Bass/Treble), plus a stereo headphone jack for private listening. BSR 4-speed stereo automatic "Mini-Changer" features automatic shut-off after last

- BSR 4-Speed Automatic Stereo Record Changer
- 10 Watt Stereo Amplifier

record has been played. Plays all size records: 7", 10" and 12"; and all speeds: 16 $\frac{2}{3}$, 33 $\frac{1}{3}$, 45, and 78 RPM. Intermixes 12" and 10" records of the same speed. Tone arm is equipped with a stereo turnover cartridge with diamond LP needle. Attractive wood cabinetry is covered with simulated walnut vinyl. Includes plastic dust cover, and speaker hook-up cable. Size: Amplifier/Changer Control Section—17 $\frac{1}{2}$ Lx10 $\frac{1}{2}$ Dx7"H (with tinted plastic dust cover); Speaker Systems (each): 9Wx9Dx12 $\frac{1}{2}$ "H. For 117 VAC, 60 Hz. Shpg. wt., 25 lbs.
24 G 03160WX Net 69.95
24 G 02568 45 RPM Spindle 11.49
Replacement needle for LSC-50
24 G 02386 Net 1.99



LAFAYETTE 4-SPEED SOLID-STATE PSYCHEDELIC PHONOGRAPH

29⁹⁵

- Beautiful Color Lights Are Activated When Record Is Playing
- 3 x 5" Front Mount Speaker

MADE IN THE U.S.A.

Become the center of attraction, the hit of the party with your psychedelic phono. Beautiful array of color lights are activated when a record is playing. Large, 3x5" front mounted speaker provides fine tonal quality. Plays all size monaural and stereo records at 16 $\frac{2}{3}$, 33 $\frac{1}{3}$, 45 and 78 RPM. A single lever selects any speed. 2 controls: On-Off/volume (light intensity) and tone. Built-in 45 RPM adapter disc. Dual turnover cartridge with 2 synthetic sapphire needles. Case colors: bottom section—psychedelic blue, white, and orange; top section—blue; white portable carrying strap. Size: 12 $\frac{1}{2}$ Wx7 $\frac{7}{8}$ Hx11"D. Shpg. wt., 10 lbs.

24 G 0291FW

Net 29.95



See Pages 20-23 For Complete Lafayette
Listing of Stereo Compacts and Phonographs

*See Page 13 for Full Credit Details on Easy Pay Plan

BONUS SPECIAL!



SAVE \$20.00

Regularly \$59.90 Per Pair

Now Only **39⁹⁰** Per Pair

With Purchase of Any Hi-Fi Stereo System on Pages 7, 8, 9, and 11.

OFFER EXPIRES JANUARY 1, 1970

Lafayette's Special Remote Speaker Bonus Offer makes it easy for you to purchase two excellent hi-fi stereo speaker systems for your den, recreation room, bedroom, etc., at the same time you purchase your hi-fi stereo system. You can get a pair of our famous best-selling Lafayette "Criterion 50" speaker systems at the special price of \$39.90, a saving of \$20.00 over the regular catalog price, when you buy any of the Lafayette systems shown on pages 7, 8, 9, and 11. See page 14 for a full description of the "Criterion 50" speakers.

Lafayette AWARD-WINNING LR-1500T 220 Watt Deluxe Solid State AM/FM Stereo Receiver



LR-1500T

COMPUTOR-MATIC^{T.M.} PAT. PENDING
Protective Circuitry For Audio Driver And Power Stages

ONLY

299⁹⁵

With Case

No Money Down*

AAA 2-YEAR GUARANTEE

See Page 12 For Terms



4 IC's + 2 FET's
40 Transistors
35 Diodes
2 Thermistors

- 220 Watts ± 1 db.† Output Power
- IHF FM Sensitivity 1.5 μ v
- Automatic Stereo FM Switching
- Adjustable Automatic Interstation Muting

Lafayette's finest deluxe solid state AM/FM stereo receiver! The LR-1500T 220-watt stereo receiver is expressly engineered to blend the ultimate in high fidelity sound with superb performance, long life, and space-age reliability. In addition to its complement of fine quality transistors the LR-1500T includes 4 revolutionary new Integrated Circuits (IC's) and 2 high-performance Field Effect Transistors to provide truly sterling FM stereo reception. You'll hear more stations — the weak as well as the strong, with amazing, noise-free clarity! Features new patent pending computer designed protective circuitry for virtually foolproof protection against burnout or failure of audio driver and power output transistors. Utilizes a complete set of automatic and manual controls such as: Automatic FM stereo/mono switching; sharp, adjustable Muting circuit to silence the receiver when tuning between stations; dual system speaker switch permits enjoyment of stereo in one or two rooms separately or simultaneously; direct tape monitor switch for tape monitoring without changing cable connections; a front panel

- Center Channel Monaural Output
- Built-in AM and FM Antennas
- Illuminated Selector Function Indicator Jewels
- Exclusive Front and Rear Panel Tape Output Jacks

stereo headphone jack for enjoyable private stereo listening; and a center channel low level output for monaural amplifier and speaker. Separate input jacks provide for two magnetic phono and for ceramic/crystal cartridges. AM rf section has a separate 3-gang tuning condenser and rf stage to accommodate the full sound potential of standard AM broadcasting. Incorporates built-in FM and AM antennas plus connections for external local and distant FM and AM antennas. Distinctively styled to enhance any decor. Features a handsome gold anodized extruded aluminum front panel with matching knobs and includes an attractive vinyl-clad metal enclosure finished with the simulated look of rich walnut wood-grain. For 117V., 50/60 Hz AC. Imported. Size: 16 $\frac{3}{4}$ x4 $\frac{5}{8}$ x14 $\frac{1}{4}$ "D. Shpg. wt., 37 lbs. † = 175 Watts IHF Output Power.

99 G 01901WX Net **299.95**
Attractive Oiled Walnut Wood Cabinet for LR-1500T.
21 G 01582WX Shpg. wt., 6 lbs. Net **19.95**
See Pg. 5 Cat. 700 For Complete LR-1500T Specifications.

4 Lafayette Cat. No. 701

*See Page 13 for Full Credit Details on Easy Pay Plan

ACCLAIMED BY THE PROFESSIONAL CRITICS



(A) DELUXE 150-WATT SOLID-STATE AM/FM STEREO RECEIVER



4—IC's + 36—Transistors
+ 2—FET's + 31—Diodes

Only **239⁹⁵** With Case

LR-1000TA

COMPUTOR-MATIC™ PAT. PEND.
Protective Circuitry For Audio Power Stages

AAA 2-YEAR GUARANTEE
See Page 12 For Terms

(B) 75-WATT SOLID-STATE AM/FM STEREO RECEIVER



4—IC's + 29—Transistors
+ 2—FET's + 17—Diodes

Only **179⁹⁵** With Case



LR-500TA

AAA 2-YEAR GUARANTEE
See Page 12 For Terms

(A) DELUXE 150-WATT SOLID-STATE AM/FM STEREO RECEIVER LR-1000TA

- 150 Watts ±1 db. Output Power†
- IHF Sensitivity 1.65µV • Interstation Muting Control
- Automatic FM Stereo Switching • Center Channel Output
- Built-in FM Antenna Plus Flexible Swivel-Mount AM Antenna
- High/Low Phono Sensitivity Switch
- Exclusive Front and Rear Tape Output Jacks

(B) 75-WATT SOLID-STATE AM/FM STEREO RECEIVER LR-500TA

- 75-Watts† Of Flawless Stereo Output Power
- Automatic FM Stereo Switching and Indicator Light
- Illuminated Tuning Meter for Accurate FM/AM Tuning
- Fused Output Transistors
- Exclusive Front and Rear Panel Tape Output Jacks
- Main and/or Remote Speaker Mode Switch
- Front Panel Stereo Phone Jack

Every performance feature that you'd expect to find along with many extras to obtain the superb character of brilliant sound. The LR-1000TA features the new space age miracle, Integrated Circuits (IC's) plus FET's in the tuner front end to assure outstanding selectivity, stability, and superior capture ratio. Ingenious COMPUTOR-MATIC™ circuitry (patent pending) provides protection of audio driver and power output transistors. Advanced circuitry is complemented by all the controls you need to adjust the sound to your particular taste. Fine features include special high and low frequency switchable noise filters, front panel headphone output jack, tape output jack for direct tape recording, tape monitor plus tape monitor illuminated jewel indicator, loudness switch, signal strength tuning meter for normal or center scale tuning, colored function lights, and automatic FM stereo indicator light. Complete input and output facilities designed for easy installation and connection to any program source or external component. With 1 switched and 1 unswitched AC receptacle. The LR-1000TA's professional styling is enhanced by a brushed gold anodized extruded aluminum front panel and a simulated walnut grain metal case. For 105-120 VAC, 50/60 Hz. Size: 15 7/8 x 5 1/2 x 13" D (incl. rear projections). Imported.

The LR-500TA incorporates 4 revolutionary Integrated Circuits and 2 high-performance Field-Effect Transistors to provide magnificent FM Stereo reception. Advanced solid-state engineering of its AM broadcast stages lets you hear your favorite AM stations with maximum possible fidelity. There are built-in AM and FM antennas for local stations, plus provision for an external antenna for those distant, hard-to-get stations. AM antenna has flexible swivel mounting for optimum reception. 4 rugged, silicon output transistors delivering 75 watts of stereo music power with full-fidelity assure you of stunning audio realism. Unit incorporates every needed control for complete flexibility of operation, plus a full range of stereo inputs including ceramic and magnetic phono to accommodate virtually any external program source. You get outputs for stereo tape recording (both front and rear of unit for convenience), provision for 4, 8, and 16 ohm main and remote speakers, plus a stereo headphone receptacle. There's a handsome, brushed gold anodized extruded aluminum front panel with matching knobs and, at no extra cost, you get a vinyl clad, heavy gauge metal enclosure with the simulated look of rich walnut wood-grain. Imported. 15W x 12D x 5"H. For 117 VAC, 50/60 Hz. Shpg. wt., 27 lbs.

†New rating standard used by major audio mfrs.
99 G 02081WX No Money Down* Shpg. wt., 27 lbs. Net 239.95
Attractive Oiled Walnut Wood Cabinet for LR-1000TA
21 G 01574WX Shpg. wt., 6 lbs. Net 19.95

†Rating standard used by major audio hi-fidelity manufacturers.
99 G 01943WX No Money Down* Net 179.95
Optional Attractive Oiled Walnut Cabinet for LR-500TA
21 G 01566WX Shpg. wt., 6 lbs. Net 19.95

*See Page 13 for Full Credit Details on Easy Pay Plan

Space-Age Performance plus Styling of Distinction



LAFAYETTE 100-WATT SOLID-STATE AM/FM STEREO RECEIVER

LR-775

199⁹⁵
WITH CASE

- 100-Watts \pm 1 dbt of Exemplary Stereo Power
- 4-Gang FM Tuning Condenser
- Fused Output Transistors
- 1.7 μ v IHF Sensitivity
- Automatic FM Stereo Switching and Stereo Indicator Light
- Front and Rear Panel Tape Output Jacks
- Speaker Mode Switch Selects Main, Main and Remote, or Remote Speakers
- Pushbutton Switches Select Loudness, Stereo/Mono, Tape Monitor and High Filter

4 IC's + 24 Transistors
+ 4 FET's + 25 Diodes

AAA 2-YEAR GUARANTEE
See Page 12 For Terms

This new 100-watt stereo receiver is one of Lafayette's finest with its distinctive styling and advanced solid state circuitry, truly a thing of beauty with top-notch stereo performance. The large tuning panel is black when the power is off, thus blending harmoniously even with the most luxurious decors. When the power is turned on, the tuning meter, FM Stereo indicator and AM and FM dials light up and are revealed with the utmost clarity, thus enhancing the attractive appearance of the LR-775 and that of the room in which it performs. Another styling innovation is the aluminum and black knobs which contrast nicely with the gold anodized brushed aluminum panel trim. The LR-775's sensitive FM Stereo circuitry will receive even the weakest signals while maintaining excellent fidelity and freedom from distortion. The AM tuner section offers very good selectivity plus a

built-in, flexible-mount ferrite loopstick antenna for optimum sensitivity. A meticulously designed amplifier section gives faithful reproduction with more than adequate volume from any program source. Output transistors are fused for full overload protection. The LR-775 also has a selector switch for Aux Phono, FM, MPX Filter, and AM; Front and Rear panel jacks for tape outputs; Rear panel stereo inputs for magnetic and ceramic phono, Aux. Tape Record, and Tape Play; and one switched plus one unswitched AC convenience outlets. Complete with built-in FM antenna and provisions for external AM and FM antennas. Power requirements: 105-120 VAC, 50/60 Hz. Size: 14 $\frac{1}{2}$ Wx4Hx10 $\frac{1}{4}$ "D. Imported. Shpg. wt., 16 $\frac{1}{2}$ lbs. \dagger New rating used by major audio mfrs.

99 G 02156WX No Money Down*

Net 199.95

NEW

LAFAYETTE SOLID-STATE AM/FM STEREO TUNER



LT-725
ONLY **99⁹⁵**
No Money Down*

AAA 2-YEAR GUARANTEE

See Page 12 For Terms

4 IC's — 2 FET's
18 Transistors — 21 Diodes

The new Lafayette LT-725 establishes performance standards for excellence in pace-setting, flexibility of controls, ease of operation, and convenience. Its distinctive styling will compliment any home decor. In addition to high performance and unique circuit design, the LT-725 boasts an ultra-modern exterior with space-age styling. The most striking of these is the elegant ebony faceplate with gold embossed lettering; equally impressive when the unit is "On", the logging scale, tuning meter and stereo indicator are illuminated into a soft, rich blend from behind the face-plate. The front panel also features a row of push-buttons for the functions of Stereo/Mono mode, MPX Filter, FM/AM reception, and tuning meter for center channel tuning and signal strength indication. There are tape output jacks at the rear and front panels; and rear inputs for external FM and AM antennas. Complete with built-in FM and AM antennas, AC fuse holder and grounding post. Output suitable for any quality stereo amplifier. Size: 12Wx3 $\frac{3}{4}$ Hx9 $\frac{1}{8}$ "D. Imported. Shpg. wt., 10 lbs.

99 G 02164WX

Net 99.95

- 1.7 μ v IHF Sensitivity
- Illuminated Signal-Strength Tuning Meter For Normal and Center Scale Tuning
- Automatic Stereo Switching and Stereo Indicator Light
- Internal FM Antenna plus Flexible Mount AM Loopstick Antenna
- Beautifully Styled Dial That Illuminates with "Power-On"
- Front Panel Tape Output Jack
- 40db Stereo Separation

See Pages 7 and 9 of Catalog 700 For Complete Specifications On Above Units.

NEW LAFAYETTE 50-Watt AM/FM Stereo Receiver LR-100



33 Transistors
25 Diodes
2 Thermistors
ONLY
129⁹⁵
with Case
No Money Down*

LR-100

AAA 2 YEAR GUARANTEE

See Page 12 for Terms

- 50 Watts ± 1 db, 40 Watts IHF Stereo Output
- 4-gang FM Tuning Condenser for Sensitivity of 2.5 μ v
- Illuminated Signal Strength Tuning Meter
- Built-in FM plus Flexible-Mount AM Antenna

An outstanding hi-fi value, the Lafayette LR-100 features deluxe decorator-designed styling plus full-range, full-fidelity sound from thrilling stereo or mono FM broadcasts, AM broadcasts, as well as phono or tape. A full complement of front panel tone controls (Bass, Treble, Volume/Balance) and push-button switches (Loudness, Stereo/Mono, High Filter) enable the LR-100 to be tailored to the acoustical characteristics of any room, and to match the sound characteristics of virtually any phono cartridge, tape player or speaker system—performance features normally included only on much more expensive hi-fi components. Excellent sensitivity, selectivity, and capture ratio are inherent in the technologically advanced and long-life circuitry of the LR-100. You will be delighted with the

- Front and Rear Panel Tape Output Jacks
 - Front Panel Stereo Headphone Jack
 - High Frequency Filter
 - Automatic FM Stereo Switching and Stereo Indicator Light
- clear reception of the weak as well as the stronger stations! The amplifier section has power to spare . . . 50 watts will drive main and remote stereo speakers, and will easily fill any room with clean, wall-to-wall sound. Some additional fine features of the LR-100 are: automatic stereo switching; signal-strength tuning meter for more accurate tuning; MPX filter; FM stereo indicator light; front and rear panel tape outputs for easier tape recording; stereo headphone output for enjoyable private listening; fused speaker outputs; distinctively styled front panel and attractive simulated walnut grain vinyl-clad metal case. Size: 14 $\frac{1}{2}$ Wx4 $\frac{1}{2}$ Hx10 $\frac{1}{2}$ "D. For 117 VAC 50/60 Hz. Imported. Shpg. wt., 21 lbs.
99 G 02214WX

Net 129.95

50-WATT AM/FM STEREO SYSTEMS with LR-100

- Lafayette LR-100 50-Watt \pm Solid-State AM/FM Stereo Receiver 129.95
 - Garrard Model 4CB 4-Speed Automatic Turntable 44.50
 - Pickering PAT/E-1 Elliptical Stereo Cartridge with Diamond Stylus 24.95
 - Garrard Base for Automatic Turntable 5.50
 - Two Lafayette Criterion 25A Efficient Wide-Range 2-Way Bookshelf Speaker Systems (Oiled Walnut) 38.50
 - 30 ft. Speaker Cable .70
- Total 244.10

Complete 50-watt stereo system above. \pm 1db rating used by major audio hi-fi mfrs. Shpg. wt., 53 lbs.
21 G 94769WXM Net 199.95
Same system as 21 G 94769WXM except with 2 famous Criterion 50 30-watt 2-way book shelf speaker systems attractively finished in oiled walnut. Shpg. wt., 91 lbs.
21 G 94793WXM Net 219.95
YOU SAVE 45.55 From Individual Catalog Prices.

STEREO BONUS SPECIAL . . .
SAVE \$20.00 MORE!
(See Page 4 for Details)

Above stereo system 21 - 94769WXM PLUS 2 famous Lafayette Criterion 50 2-way speaker systems for excellent remote stereo in your den, recreation room, bedroom, etc. Shpg. wt., 109 lbs.
21 G 92763WXM Net 239.85
YOU SAVE 64.15 From Individual Catalog Prices.

21 - 94793WXM stereo system above PLUS 2-Lafayette Criterion 50 speakers systems for remote stereo.
21 G 92771WXM Shpg. wt., 147 lbs. Net 259.85
YOU SAVE 65.55 From Individual Catalog Prices.

21 G 40267W Dust Cover for 40B Turntable. Net 5.50



Alternate Speaker Systems

Criterion 25A

Criterion 50



Pickering PAT E-1 Stereo Cartridge



LR-100

System Price

199⁹⁵

No Money Down*



Model 40B

SAVE 44.15
From Individual Catalog Prices

SEE PAGES 14 thru 19 for full description of above components.



LR-1000TA



MODEL 40B



ELLIPTICAL
CARTRIDGE
PICKERING
PAT. E-1



CRITERION 100A



ALTERNATE SPEAKERS CRITERION VI

Selected 150 Watt STEREO SYSTEMS with LR-1000TA AM/FM Stereo Receiver

**SAVE
57.55**

From Individual
Catalog Prices

SYSTEM PRICE

ONLY **347⁹⁵**

No Money Down*

This fine 150-watt stereo system features the Lafayette LR-1000TA 150-Watt† Solid State AM/FM Stereo Receiver cited by audio critics for its outstanding performance characteristics and fine circuitry innovations; the Garrard Model 40B 4-Speed Automatic Turntable; matching base for turntable; Pickering PAT/E-1 Elliptical Stereo Cartridge with high compliance diamond stylus; and 2 Lafayette Criterion 100A 2-way ducted port systems with 10" woofer, 4" tweeter and brilliance control in an attractively styled oiled walnut finished enclosure. Includes speaker cable. Shpg. wt., 109 lbs. 21 G 92029WXM Net 347.95
Same system as above except with 2 Lafayette Criterion VI new deluxe 4-way, 6-speaker systems with 12" woofer, 5" midrange, two 3" tweeters two 1½" super tweeters, brilliance and presence controls in an oiled walnut finished encl. instead of Criterion 100A's. 21 G 92748WXM No Money Down* Shpg. wt., 139 lbs. Net 401.95
YOU SAVE 63.55 From Individual Catalog Prices

LAFAYETTE BONUS SPECIAL . . . SAVE \$20.00 MORE!

See Page 4 For Details

21 G 92029WXM stereo system plus 2 famous Lafayette Criterion 50 2-way oiled walnut bookshelf speaker systems for superb remote stereo in your den, recreation room, bedroom, etc. Shpg. wt., 165 lbs. 21 G 92599WXM No Money Down* Net 387.85

YOU SAVE 77.55 From Individual Catalog Prices

21 G 92748WXM stereo system PLUS 2 Lafayette Criterion 50 speaker systems for remote stereo. Shpg. wt., 195 lbs. 21 G 92755WXM No Money Down* Net 441.85

YOU SAVE 83.55 From Individual Catalog Prices

†±1db rating standard used by major audio hi-fidelity mfrs.



LR-1500T



MODEL SL-55B



ELLIPTICAL
CARTRIDGE
PICKERING
V15/ACE-3



CRITERION 100A



ALTERNATE SPEAKERS CRITERION 3X

Deluxe 220 Watt AM/FM STEREO SYSTEMS Featuring AWARD WINNING LR-1500T

**SAVE
68.55**

From Individual
Catalog Prices

SYSTEM PRICE

ONLY **416⁹⁵**

No Money Down*

This expertly matched stereo system includes our finest receiver, the award-winning Lafayette LR-1500T 220-Watt† Solid State AM/FM Stereo Receiver which features advanced solid state circuitry with 4 Integrated Circuits, 2 F.E.T.'s, 40 discrete transistors and Computer-Matic® protective circuitry for extraordinary performance; Garrard Synchro-Lab Model SL55B 4-Speed Automatic Turntable with attractive matching base, Pickering V-15/ACE-3 Elliptical Stereo Cartridge with high compliance diamond stylus; and 2 Lafayette Criterion 100A 2-way speaker systems with 10" woofer, 4" tweeter, tuned ducted port and high frequency brilliance control in attractive oiled-walnut finished enclosures. Complete with speaker cable. †±1db rating standard used by major audio hi-fidelity mfrs. Shpg. wt., 117 lbs. 21 G 92110WXM No Money Down* Net 416.95
Same system as above except with 2 Lafayette Criterion 3X 3-way acoustic suspension speaker systems with 12" woofer, 6½" mid-

range and 3" tweeter in an oiled walnut finished enclosure instead of Criterion 100A's. Shpg. wt., 111 lbs.

21 G 92615WXM No Money Down* Net 497.95
YOU SAVE 77.55 From Individual Catalog Prices

LAFAYETTE BONUS SPECIAL . . . SAVE \$20.00 MORE!

See Page 4 For Details

21 G 92110WXM system above plus 2 Lafayette best selling Criterion 50 2-way speaker systems for remote stereo. Wt., 173 lbs. 21 G 92623WXM No Money Down* Net 456.85

YOU SAVE 88.55 From Individual Catalog Prices

21 G 92615WXM stereo system above plus 2 Lafayette Criterion 50 2-way speaker systems for remote stereo reproduction. 21 G 92631WXM Shpg. wt., 167 lbs. Net 537.85

YOU SAVE 97.55 From Individual Catalog Prices

*See Page 13 for Full Credit Details on Easy Pay Plan

For Complete Description of Above Components See Pages 4, 5, 14-19.

SPECIAL SYSTEM HI-FI QUOTATION

Select Your
Own System
and
SAVE

**MAIL THE
CARD
TODAY**

Or Bring Into
Your Local Store

No Charge

No Obligation

Name _____
please print

Address _____

City _____ State _____ Zip _____

Select Your Own Hi-Fi System and Get Lafayette's Special Low Price

A component hi-fi music system must consist of, at least, all of the following:

Receiver or Amplifier plus Music Source (changer, turntable, tuner or tape deck) and Hi-Fi Speakers.

HOW MANY	COMPONENT	MFR's NAME AND MODEL
	RECEIVER or AMPLIFIER	
	Case for Above	<input type="checkbox"/> Walnut <input type="checkbox"/> Metal <input type="checkbox"/> No Case
	TUNER	
	Case for Above	<input type="checkbox"/> Walnut <input type="checkbox"/> Metal <input type="checkbox"/> No Case
	CHANGER or TURNTABLE	
	Cartridge	
	Base for Above	<input type="checkbox"/> No Base
	Dust Cover for Above	<input type="checkbox"/> Yes <input type="checkbox"/> No
	45-rpm Spindle for Above	<input type="checkbox"/> Yes <input type="checkbox"/> No
	SPEAKER	
	Wood finish, if in enclosures _____	
	OTHER ITEMS _____ _____	

701

**SPECIAL
SYSTEM HI-FI
QUOTATION**

**Select Your
Own System
and
SAVE**

**MAIL THE
CARD
TODAY**

**Or Bring Into
Your Local Store**

**No Charge
No Obligation**

**PLACE
STAMP
HERE**

**LAFAYETTE RADIO ELECTRONICS
DEPT. 701
BOX 600, SYOSSET, L.I., N.Y. 11791**



RUSH —Special Hi-Fi System Price Requested

Please Fill Out Other Side Before Mailing



LR-500TA



ELLIPTICAL
CARTRIDGE
PICKERING
PAT/E-1

MODEL 408



CRITERION 50



ALTERNATE SPEAKERS

CRITERION 100A

75 Watt STEREO SYSTEMS with Acclaimed LR-500TA AM/FM Stereo Receiver

**SAVE
49.10**

From Individual
Catalog Prices

ONLY

SYSTEM PRICE
265⁹⁵

No Money Down*

Unusually described for outstanding performance as well as for value are these 75-watt stereo systems featuring the Lafayette LR-500TA 75-watt Solid State AM-FM Stereo Receiver, acclaimed by the critics for its performance and versatility. Standard Model 408 & Special Automatic Tunable with attractive face. Featuring PAT/E-1 Elliptical Stereo Cartridge with high performance Diamond stylus. 2 dynamic Lafayette Criterion 50 2-way ducted bass speaker systems with 8" woofer and 4" tweeter or dual sealed bass speaker systems with 8" woofer and 4" tweeter in dual sealed bass cabinet. Complete with speaker cable. 7-1/2" x 11-1/2" cabinet standard used by major audio retailers. Ship. wt. 27 lbs. 21" x 34" x 10" HIN. Net 265.95

Same system as above except with 2 Lafayette Criterion 100A Dual speaker systems with 10" woofer and 4" tweeter with brilliance control in wired cabinet. Replaces Model 408 instead of Criterion 50's.

21" x 34" x 10" HIN. No Money Down* Ship. wt. 27 lbs. Net 265.95
YOU SAVE 49.10 From Individual Catalog Prices.

LAFAYETTE BONUS SPECIAL... SAVE \$20.00 MONEY!
SEE PAGE 4 FOR DETAILS

Model 21" x 34" x 10" HIN. No Money Down* Ship. wt. 27 lbs. Net 265.95
Model 21" x 34" x 10" HIN. No Money Down* Ship. wt. 27 lbs. Net 265.95
YOU SAVE 49.10 From Individual Catalog Prices.

Model 21" x 34" x 10" HIN. No Money Down* Ship. wt. 27 lbs. Net 265.95
Model 21" x 34" x 10" HIN. No Money Down* Ship. wt. 27 lbs. Net 265.95
YOU SAVE 49.10 From Individual Catalog Prices.



LR-775



ELLIPTICAL
CARTRIDGE
PICKERING
PAT/E-1

MODEL 408



CRITERION 50



ALTERNATE
SPEAKERS

CRITERION 100A

Choice 100 Watt STEREO SYSTEMS with LR-775 AM/FM Stereo Receiver

**SAVE
50.55**

From Individual
Catalog Prices

ONLY

SYSTEM PRICE
284⁹⁵

No Money Down*

This complete variable stereo system consists of new Lafayette LR-775 100-watt Solid State AM-FM Stereo Receiver with advanced 20-12 kHz stereo circuitry. Cartridge Model 408 & Special Automatic Tunable. Matching base for readability. Featuring PAT/E-1 Elliptical Stereo Cartridge with high performance Diamond stylus and 2 dynamic Lafayette Criterion 50 2-way ducted bass speaker systems with 8" woofer and 4" tweeter or dual sealed bass cabinets. With 200W 7-1/2" x 11-1/2" cabinet used by major audio retailers. Ship. wt. 27 lbs. 21" x 34" x 10" HIN. Net 284.95

Same system as above except with 2 Lafayette Criterion 100A 10" x 8" speaker systems with 10" woofer and 4" tweeter plus two 24" x 12" x 12" speaker cabinets with automatic 300" scientific deflection in automatic stereo bass control enclosure instead of the Criterion 50's.

21" x 34" x 10" HIN. No Money Down* Ship. wt. 27 lbs. Net 284.95
YOU SAVE 50.55 From Individual Catalog Prices.

LAFAYETTE BONUS SPECIAL... SAVE \$30.00 MONEY!
SEE PAGE 4 FOR DETAILS

Model 21" x 34" x 10" HIN. No Money Down* Ship. wt. 27 lbs. Net 284.95
Model 21" x 34" x 10" HIN. No Money Down* Ship. wt. 27 lbs. Net 284.95
YOU SAVE 50.55 From Individual Catalog Prices.

Model 21" x 34" x 10" HIN. No Money Down* Ship. wt. 27 lbs. Net 284.95
Model 21" x 34" x 10" HIN. No Money Down* Ship. wt. 27 lbs. Net 284.95
YOU SAVE 50.55 From Individual Catalog Prices.

*See Page 13 for Full Credit Details on Easy Pay Plan

For Complete Description of Above Components See Pages 4-6, 14-15

Lafayette STEREO AMPLIFIERS *make valued gifts*



- 50 Watts ± 1 db, 40 Watts IHF Output Power
- Frequency Response: 20-20,000 Hz ± 1.5 DB
- 18 Transistors, 4 Diodes, 2 Thermistors
- Main-Remote Speaker Switch
- Front Panel Stereo Headphone Jack
- Attractive Front Panel Plus Simulated Walnut Case

50 WATT SOLID STATE STEREO AMPLIFIER

LA-324

59⁹⁵ No Money Down*

with case

99 G 02206WX

AAA 2 Year Guarantee. See Page 12 for Terms.



- 80 Watts IHF Stereo Power • Fused Output Transistors
- 2 FET's, 16 Transistors, 6 Diodes, 2 Thermistors
- Main-Remote Separate/Simultaneous Speaker Switch
- Front Panel Stereo Headphone Jack
- Decorator Styling of Distinction

80 WATT SOLID STATE STEREO AMPLIFIER

LA-750

79⁹⁵ No Money Down*

with case

99 G 02149WX

AAA 2 Year Guarantee. See Page 12 for Terms.



- 110 Watts ± 1 db, 85 Watts IHF Stereo Power
- 20 Transistors, 4 Diodes • Fused Output Transistors
- Front and Rear Tape Output Jacks
- Main and Remote Speaker Switches
- Front Panel Stereo Headphone Jack

110 WATT SOLID STATE STEREO AMPLIFIER

LA-85TA

99⁹⁵ No Money Down*

with case

99 G 02065WX

AAA 2 Year Guarantee. See Page 12 for Terms.



- 160 Watts ± 1 db, 125 Watts IHF Output Power
- 20 Transistors, 4 Diodes
- Front Panel Microphone/Musical Instrument Jack
- Main-Remote Speaker Mode Switch
- High Gain plus Low Gain Magnetic Phono Inputs
- High Gain plus Low Gain Tuner Inputs

160 WATT SOLID STATE STEREO AMPLIFIER

LA-125TA

129⁹⁵ No Money Down*

with case

99 G 02073WX

AAA 2 Year Guarantee. See Page 12 for Terms.

See Pages 10, 15-17 Cat. 700 for Full Description of Amplifiers

*See Page 13 for Full Credit Details on Easy Pay Plan

Give LAFAYETTE Stereo Hi-Fi For Lasting Pleasure



SAVE up to \$46.55

From Individual Catalog Prices



**SAVE \$20.00 More On
BONUS SPECIAL**

Good Only to
Jan. 1, 1970



LA-324

50 WATT STEREO SYSTEMS

SAVE 34.15

System Price

From Individual Catalog Prices

Only **139⁹⁵**

No Money Down*

- Lafayette LA-324 50-Watt† Solid-State Stereo Amplifier
- Garrard Model 40B 4-Speed Automatic Turntable
- Pickering PAT/E-1 Elliptical Stereo Cartridge with Diamond Stylus
- Garrard Matching Base for Turntable
- 2 Lafayette Criterion 25A 2-Way Shelf Speaker Systems (Oiled Walnut)

Above stereo system complete with cable, 21 G 92219WXM Wt., 41 lbs. Net 139.95
Same system as above except with 2 Lafayette Criterion "OMNI-1" 5 speaker decedator-styled speaker systems with 360° acoustic deflector. Wt., 83 lbs.

21 G 92284WXM Net 177.95
YOU SAVE 37.55 From Individual Catalog Prices.

CRITERION 50

BONUS SPECIALS!


21—92219WXM stereo system above PLUS 2 famous Lafayette Criterion 50 2-way speaker systems as remote speakers for your den, recreation room, bedroom, etc.
21 G 92680WXM Wt., 97 lbs. Net 179.85
YOU SAVE 54.15 From Individual Catalog Prices.

Stereo System 21—92284WXM above PLUS 2 Lafayette Criterion 50 2-way speaker systems. Shpg. wt., 139 lbs.
21 G 92698WXM Net 217.85
You SAVE 57.55 From Individual Catalog Prices.




Model 40B

Elliptical Cartridge
Pickering PAT/E-1



Criterion 25A

ALTERNATE SPEAKER SYSTEMS



Criterion "Omni-1"



LA-750

80 WATT STEREO SYSTEMS

SAVE 36.15

System Price

From Individual Catalog Prices

Only **157⁹⁵**

No Money Down*

- Lafayette LA-750 80-Watt (IHF) Solid State Stereo Amplifier
- Garrard Model 40B 4-Speed Automatic Turntable
- Garrard Matching Base for Turntable
- Pickering PAT/E-1 Elliptical Stereo Cartridge with Diamond Stylus
- 2 Lafayette Criterion 25A 2-Way Shelf Speaker Systems (Oiled Walnut)

Complete stereo system above with cable, 21 G 92318WXM Wt., 44 lbs. Net 157.95
Above system except with 2 Lafayette Criterion "OMNI-1" 5-speaker thin-line speaker systems with 360° acoustic deflector, 21 G 92359WXM Wt., 86 lbs. Net 195.95
YOU SAVE 39.55 From Individual Catalog Prices.

CRITERION 50

BONUS SPECIALS!

Stereo system 21—92318WXM above PLUS 2 Lafayette Criterion 50 2-way speaker systems for remote stereo in den, recreation room, bedroom, etc.

21 G 92706WXM Wt., 100 lbs. Net 197.85
YOU SAVE 56.15 From Individual Catalog Prices.

21—92359WXM stereo system above PLUS 2 Lafayette Criterion 50 2-way speaker systems, 21 G 92714WXM Wt., 142 lbs. Net 235.85
YOU SAVE 59.55 From Individual Catalog Prices.



LA-85TA

110 WATT STEREO SYSTEMS

SAVE 40.55

System Price

From Individual Catalog Prices

Only **194⁹⁵**

No Money Down*

- Lafayette LA-85TA 110-Watt† Solid State Stereo Amplifier
- Garrard Model 40B 4-Speed Automatic Turntable
- Garrard Matching Turntable Base
- Pickering PAT/E-1 Elliptical Stereo Cartridge with Diamond Stylus.
- 2 Lafayette Best-Selling Criterion 50 2-Way Speaker Systems with 8" woofer, 4" tweeter and ducted port in handsome oiled walnut finished enclosure.

Complete stereo system above plus cable, 21 G 92482WXM Wt., 87 lbs. Net 194.95

CRITERION 50

BONUS SPECIALS!

Complete 110-Watt, stereo system as above PLUS 2 more famous Lafayette Criterion 50 2-way speaker systems for remote stereo, 21 G 92722WXM Wt., 143 lbs. Net 234.85
YOU SAVE 60.55 From Individual Catalog Prices.



Model 40B

Elliptical Cartridge
Pickering PAT/E-1



Criterion 50



Criterion 100A



LA-125TA

160 WATT STEREO SYSTEMS

SAVE 46.55

System Price

From Individual Catalog Prices

Only **248⁹⁵**

No Money Down*

- Lafayette LA-125TA 160-Watt† Solid State Stereo Amplifier with Computer-Matic Protective Circuitry.
- Garrard Model 40B 4-Speed Automatic Turntable.
- Garrard Matching Base for Turntable
- Pickering PAT/E-1 Elliptical Stereo Cartridge with Diamond Stylus.
- 2 Lafayette Criterion 100A 2-Way Speaker Systems with 10" Woofer, 4" Tweeter, Ducted Port and Brilliance Control (Oiled Walnut).

Above stereo system complete with cable, 21 G 92417WXM Wt., 93 lbs. Net 248.95

CRITERION 50

BONUS SPECIALS!

160-Watt† stereo system above PLUS 2 best-selling Lafayette Criterion 50 2-way speaker systems for outstanding remote stereo, 21 G 92730WXM Wt., 149 lbs. Net 288.85
YOU SAVE 66.55 From Individual Catalog Prices.

See Pages 10, 15-17, 42-50 and 70-73 Catalog 700 for full description of components on this page.

† = ± 1 db Standard used by major hi-fi audio mftrs.

*See Page 13 for Full Credit Details on Easy Pay Plan



"Stereo 25" 20-Watt Solid-State Stereo Amplifier



NEW

Only
39⁹⁵
With Case

No Money Down*

- 20 Watts \pm 1 db† of Stereo Power at 4 or 8 Ohms
- 20-20,000 Hz \pm 1 db Frequency Response
- Main/Remote Speaker Switch
- Front Panel Stereo Headphone Jack

The new Stereo 25 faithfully reproduces the full spectrum of audio sound with adequate volume and very low distortion. Solid state design assures top-notch performance. Convenient operating features include front panel rocker switches for activation of source (tuner, phono or auxiliary), selection of stereo or mono output, selection of remote or main speakers, and power on/off. A full complement of controls is supplied for best stereo effects and permits you to "tailor" the sound to suit your taste! Front panel controls include separate bass, treble, concentric volume/balance and stereo headphone jack for private listening. Stereo outputs are available for 4-16 ohm main speakers and for remote speakers in the den, dining room or patio area. Attractive, modern styling with a matte black and satin gold front panel is complemented by a handsome walnut grained vinyl clad metal enclosure. Fused AC line and separately fused speaker outputs prevent damage to output transistors. Operates on 105-120 VAC, 50/60 Hz. Size: 10 $\frac{1}{4}$ "x3 $\frac{1}{2}$ "x6 $\frac{1}{4}$ "D. Imported. †Rating standard used by major audio Hi-Fi mfrs.

99 G 02271WX Shpg. wt., 10 lbs.

Net 39.95



Minuette
Mark II

Model 30

**THE COMPLETE
SYSTEM**

99⁹⁵ with case
No Money Down*

20 WATT STEREO PHONO SYSTEM with "STEREO 25"

This value-packed stereo system includes the new Lafayette "Stereo 25" 20-Watt Solid State Stereo Amplifier; Garrard Model 30 4-Speed Automatic Turntable with oversized turntable, ceramic stereo cartridge and long-life diamond stylus; Matching turntable base; and 2 Lafayette Minuette Mark II oiled-walnut 2-way bookshelf speaker systems with 5x7" woofer, 2 $\frac{1}{2}$ " tweeter and brilliance control. With speaker cable. Shpg. wt., 38 lbs.

21 G 92573WXM

Net 99.95

LAFAYETTE AAA GUARANTY

- LAFAYETTE HIGH FIDELITY SPEAKERS = 5 YEARS
- LAFAYETTE HIGH FIDELITY RECEIVERS = 2 YEARS
- LAFAYETTE HIGH FIDELITY TUNERS = 2 YEARS
- LAFAYETTE HIGH FIDELITY AMPLIFIERS = 2 YEARS

All Lafayette high fidelity components identified as covered by Lafayette's AAA guaranty are guaranteed to be free of defects in material or workmanship from the date of sale for the time period shown above. During that period we will repair (or at our option replace) them without charge for either material or labor. Material must be returned prepaid to us for our inspection. This guaranty does not apply to items which have been subjected to misuse, abuse, alteration, repair without our authorization or used in violation of operating instructions, nor to normal wear and tear. The speaker guaranty does not cover external parts such as cabinets, grille cloth etc. Serial number must not be defaced. Guaranty is not transferrable.

OTHER GUARANTEES

All merchandise not covered either by the special guarantees on this page or by other specific guarantees in the catalog are covered by a 90 day repair or replacement guarantee (at our option) against defects in material or workmanship.

12 Lafayette Cat. No. 701

LAFAYETTE AAM GUARANTY

This guaranty covers Lafayette items so indicated in our catalog which contain several integrated sections in a single unit such as compacts and integrated entertainment centers. The time period for each section is as follows:

SPEAKERS	5 YRS.
RECEIVER OR TUNER SECTION	2 YRS.
AMPLIFIER SECTION	2 YRS.
RECORDER SECTION	3 MOS.
CHANGER SECTION	3 MOS.

The terms and conditions of this guaranty are otherwise identical to the AAA Guaranty.

SATISFACTION GUARANTEED

If for any reason you are not satisfied with your purchase, return it to us within 30 days after we ship it, in the original factory carton and we will exchange it or return your money (less transportation charges). Merchandise returned must be in good condition and not soldered or abused—no holes drilled or changes made in any other way. This policy does not apply to kits, nor to pre-recorded tape, records, books or merchandise not regularly stocked that has been ordered especially for you.

*See Page 13 for Full Credit Details on Easy Pay Plan

OPEN AN EASY-PAY CREDIT ACCOUNT TODAY

EXTENDED PLAN

**TAKE UP TO
2 Years
To Pay**

2

EASY PAY CREDIT PLANS

STANDARD PLAN

**TAKE UP TO
16 Months
To Pay**

TO SUIT YOUR INDIVIDUAL NEEDS

Pay balance in 30 days and save the entire FINANCE CHARGE.

NO MONEY DOWN

- It's easy to open a credit account. Simply fill in application on back of order blank when you send your order.
- Add-on any time you like. No money down and usually at no increase in monthly payment.

EASY PAY PAYMENT SCHEDULE

\$250.01 to \$500.00		STANDARD PLAN		EXTENDED PLAN	
If Unpaid Balance (Amount Financed) Is From	To	Add for FINANCE CHARGE	Monthly Payment Is	Add for FINANCE CHARGE	Monthly Payment Is
\$490.01	\$500.00	\$64.75	\$35.00	\$98.00	\$25.00
480.01	490.00	63.50	34.50	96.00	24.50
470.01	480.00	62.25	33.50	94.00	24.00
460.01	470.00	61.00	33.00	92.00	23.50
450.01	460.00	59.50	32.50	90.00	23.00
440.01	450.00	58.25	31.50	88.00	22.50
430.01	440.00	57.00	31.00	86.00	22.00
420.01	430.00	55.75	30.00	84.00	21.50
410.01	420.00	54.25	29.50	82.00	21.00
400.01	410.00	53.00	29.00	80.00	20.50
390.01	400.00	51.75	28.00	78.00	20.00
380.01	390.00	50.50	27.50	76.00	19.50
370.01	380.00	49.00	26.50	74.00	19.00
360.01	370.00	47.75	26.00	72.00	18.50
350.01	360.00	46.50	25.00	70.00	18.00
340.01	350.00	45.25	24.50	68.00	17.50
330.01	340.00	43.75	24.00	66.00	17.00
320.01	330.00	42.50	23.00	64.00	16.50
310.01	320.00	41.25	22.50	62.00	16.00
300.01	310.00	40.00	22.00	60.00	15.50
290.01	300.00	38.50	21.00	58.00	14.50
280.01	290.00	37.25	20.00	56.00	14.00
270.01	280.00	36.00	19.50	54.00	13.50
260.01	270.00	34.50	19.00	52.00	13.00
250.01	260.00	33.25	18.00	50.00	12.50

\$100.01 to \$250.00		STANDARD PLAN		EXTENDED PLAN	
If Unpaid Balance (Amount Financed) Is From	To	Add for FINANCE CHARGE	Monthly Payment Is	Add for FINANCE CHARGE	Monthly Payment Is
\$240.01	\$250.00	\$32.00	\$17.50	\$48.00	\$12.00
230.01	240.00	30.50	17.00	46.00	11.50
220.01	230.00	29.25	16.00	44.00	11.00
210.01	220.00	28.00	15.50	42.00	10.50
200.01	210.00	26.50	15.00	40.00	10.00
195.01	200.00	25.75	14.50	39.00	9.75
190.01	195.00	25.25	14.00	38.00	9.50
185.01	190.00	24.50	13.75	37.00	9.25
180.01	185.00	23.75	13.50	36.00	9.00
175.01	180.00	23.25	13.00	35.00	8.75
170.01	175.00	22.50	12.50	34.00	8.50
165.01	170.00	22.00	12.00	33.00	8.25
160.01	165.00	21.25	11.50	32.00	8.00
155.01	160.00	20.50	11.00	31.00	7.75
150.01	155.00	20.00	10.75	30.00	7.50
145.01	150.00	19.25	10.50	29.00	7.25
140.01	145.00	18.50	10.50	28.00	7.00
135.01	140.00	16.75	10.50	27.00	6.75
130.01	135.00	16.25	10.25	26.00	6.50
125.01	130.00	14.50	10.25	24.00	6.50
120.01	125.00	14.00	10.00	23.00	6.25
115.01	120.00	12.50	10.00	21.00	6.25
110.01	115.00	12.00	10.00	20.00	6.00
105.01	110.00	10.50	10.00	18.35	6.00
100.01	105.00	9.25	10.00	17.50	5.75

The ANNUAL PERCENTAGE RATE of each FINANCE CHARGE set forth in the above tables is 17.75%. The number of payments will be the Total of Payments (Amount Financed plus the FINANCE CHARGE) divided by the amount of one monthly payment.

\$50.01 to \$100.00		STANDARD PLAN			EXTENDED PLAN		
If Unpaid Balance (Amount Financed) Is From	To	Add for FINANCE CHARGE	Monthly Payment Is	ANNUAL PERCENTAGE RATE	Add for FINANCE CHARGE	Monthly Payment Is	ANNUAL PERCENTAGE RATE
\$95.01	\$100.00	\$9.25	\$10.00	18.50%	\$15.65	\$5.50	17.50%
90.01	95.00	9.25	9.75	19.50	14.85	5.50	17.50
85.01	90.00	9.25	9.50	22.50	13.45	5.25	17.75
80.01	85.00	9.25	9.25	23.75	12.00	5.25	17.75
75.01	80.00	9.00	9.00	24.50	10.70	5.00	17.75
70.01	75.00	8.40	8.00	24.50	10.00	5.00	18.75
65.01	70.00	7.80	7.50	24.50	10.00	5.00	21.25
60.01	65.00	7.20	7.00	24.50	10.00	5.00	24.50
55.01	60.00	6.65	6.50	24.50	8.55	5.00	24.50
50.01	55.00	6.10	6.00	24.50	7.25	5.00	24.50

Up to \$50.00		STANDARD PLAN	
If Unpaid Balance (Amount Financed) Is From	To	Add for FINANCE CHARGE	Monthly Payment Is
\$40.01	\$50.00	\$5.00	\$5.00
30.01	40.00	4.00	5.00
20.01	30.00	3.00	5.00
10.00	20.00	2.00	5.00


OVER \$500.00. Please write for terms for amounts to be financed over \$500.00.

Number of payments will be Total of Payments (Amount Financed plus the FINANCE CHARGE) divided by the amount of one monthly payment.

Depend on Lafayette for Complete Stocks, Lowest Prices, Fastest Service

LAFAYETTE Criterion Bookshelf Speaker Systems

NEW! Criterion "VI" 50 Watt 6-Speaker 4-Way System



5 Yr. AAA Guarantee. See Page 12.

74⁹⁵

- Enclosure Uses "Sonic Tube" for Deep, Reinforced Bass
- 12" Woofer with 4 1/2 lb. Magnet Structure and Large 2" Voice Coil

- 5" Midrange Speaker Housed in a Sealed Fiberglass-Filled Sub-Enclosure
- Frequency Response: 20-20,000 Hz
- Fine Furniture in Rich, Hand-Rubbed Oiled Walnut on 4 Sides

Here's a bookshelf system with the big, multi-dimensional sound that only multiple speakers can produce . . . and at an unbeatable price too! Every musical instrument is reproduced with brilliant realism because there are 6 speakers covering four portions of the entire audio spectrum. There's a big 12" speaker for the lows, a 5" unit for the midrange, two 3" tweeters for the highs and two 1 1/2" super-tweeters for the ultra high frequencies. The enclosure is also equipped with a tuned "sonic tube" that makes use of the acoustic output from the rear of the woofer to produce deep, reinforced bass for which this type of system is famous. And best of all, this system is efficient enough for use even with low powered stereo components — actually make them sound better too! Yet, because it can handle up to 50 watts of power, you can also use this system safely with high powered components, either now or in the future. Includes continuously variable midrange and high frequency level controls and polarized terminals. Enclosure is

of 3/4" construction and is fiberglass filled. Tastefully styled with a fine furniture finish of oiled walnut on four sides for vertical or horizontal placement either on a shelf or floor standing. Snap-out front panel with subdued dark brown tweed grille cloth that blends unobtrusively with any decor. **SPECIFICATIONS:** Overall Response: 20-20,000 Hz. Power Handling Capacity: Up to 50 Watts. Impedance; 8 ohms. Crossover Frequencies: 800 and 5,000 Hz (6 db/octave LC network), 12,000 Hz (mechanical). Controls: Continuously Variable Midrange and High Frequency. Enclosure: Ducted-Port System using Tuned "Sonic Tube". Speaker Components: 12" Bass Speaker (20-800 Hz), 5" midrange (800-5,000 Hz), two 3" High Frequency Units (5,000-12,000 Hz), two 1 1/2" Super High Frequency Units (12,000-20,000 Hz). Dimensions: 24x14 1/2 x 12". Imported. Shpg. wt., 45 lbs.

99 G 02263WX No Money Down*

Net 74.95

Criterion "25A" 2-Speaker 2-Way Air Suspension 8" System

19⁹⁵
2 For 38.50



5 Yr. AAA Guarantee
See page 12

- 25 Watts Power Handling Capacity
- 8" Woofer, 2 1/2" Tweeter
- Frequency Response: 55-19,500 Hz.
- Rich, Hand Rubbed Oiled Walnut Finish

FULL SIZE PERFORMANCE . . . achieves a purity of sound and music quality that is astounding for a speaker system measuring only 12 3/8 x 10 1/4 x 7" D. Perfect for use anywhere in your home or office. System consists of a powerful 8" woofer which provides smooth bass sound reproduction down to 55 Hz, and a 2 1/2" cone tweeter that gives you sparkling clean high frequency response. Built-in 8,000 Hz. electrical crossover network. Power handling capacity of 25 watts makes it compatible for use with most amplifiers and receivers. Interior of cabinet is designed to damp out standing waves and other spurious vibrations. Voice Coil Impedance: 8 ohms. Woofer: 8" high compliance with 32.6 oz. magnet structure; rolled edge suspension. Tweeter: 2 1/2" cone type with 2.4 oz. magnet structure. Imported. Shpg. wt., 9 lbs.

99 G 02255WX
Set of 2 for Stereo SAVE 1.40 No Money Down*

Net 19.95
Net 38.50

Criterion "50"—Our Best-Selling Bookshelf Speaker System

29⁹⁵
5 Yr. AAA Guarantee
See page 12



- 30-Watts Power Handling Capacity
- 8" Woofer Plus 4" Tweeter
- Frequency Response: 35-18,000 Hz
- Highly Efficient—Perfect for Low Power Amplifiers

A true 2-way bookshelf-type speaker system that offers impressive hi-fi sound, yet measures only 19Wx8 5/8 x 10 3/4" H. Contains two separate speakers—you get an 8-inch woofer with a 32.6 oz. magnet structure and a 4-inch tweeter with a 3.7 oz. magnet structure to provide realistic wide-range reproduction. An acoustically "tuned" enclosure, fully lined, assures smooth, resonant-free sound output with extended bass response. The enclosure is finished on all four sides in a rich, hand-rubbed oiled walnut veneer and tastefully framed in an ebony and gold picture frame molding with white and gold acoustic grill material. Truly, an outstanding buy at this low price. Designed for vertical or horizontal placement. Overall response: 35-18,000 Hz. 3000 Hz electrical crossover. Nominal impedance: 8 ohms. Imported. Shpg. wt., 28 lbs.

99 G 01281WX

Net 29.95

LAFAYETTE Criterion® Acoustic Suspension Speaker Systems

Deluxe Criterion "5XA" 75 Watt 12 Inch 3-Way System




5 Yr. AAA Guarantee. See Page 12.

- Lafayette's Finest Bookshelf Speaker System
- 12" Woofer Features Special Ribbon Type Copper Voice Coil Edgewound on Aluminum Form
- 12" Woofer has 6 lb. 2 oz. Magnet Structure

Now, Lafayette brings you our all deluxe Criterion 5XA . . . a 3-way bookshelf speaker system that provides a higher level of musical performance than any bookshelf system we have produced before. It provides astonishing range and clarity, with a deep, solid bass response that makes a stunning impact on the listener. Employing the acoustic suspension principle, the 5XA uses three outstanding speakers to cover the full spectrum of sound. Each was carefully designed for optimum response. The 12-inch acoustic suspension woofer with 6 lb. 2 oz. magnet structure has an exceptionally compliant, long-throw suspension. Its uniquely constructed voice coil consists of heavy ribbon-shaped copper wire edge-wound on an aluminum form. Remarkably low bass response—undistorted even at high power levels. An acoustically isolated 6½-inch midrange

12" Heavy-Duty Acoustic Suspension Woofer with 6 lb. 2 oz. Magnet Structure.

Fully Air Tight ¾" Enclosure, Internally Braced and Fiber Glass Filled.



6½" Acoustically Isolated Midrange Speaker.

4" Super Tweeter With Aluminum Cone.

129⁹⁵

- Individual Level Controls for Precise Midrange and Tweeter Adjustments
- Decorator Styled for Vertical or Horizontal Placement. Oiled Walnut Finish on All 4 Sides


speaker with 12 oz. magnet structure provides flawless reproduction—free of annoying peaks, yet adding true "presence" to the system. Extending response to beyond audibility is a 4-inch super tweeter with a specially designed aluminum cone for brilliant reproduction of the high frequencies to 25,000 Hz and without any shrillness to mar listening enjoyment. Low loss 12 db/octave LC network. Crossover frequencies: midrange at 800 Hz, treble at 4500 Hz. Separate, continuously variable mid and treble range controls provide full adjustment of the system to suit the acoustics of your listening area. The ¾" enclosure has a fine furniture finish in oiled walnut on all four sides. Impedance: 8 ohms. Size: 23½ x 14½ x 11½" D. Shpg. wt., 47 lbs.

99 G 02180WX No Money Down*

Net 129.95

Criterion "150" 2 Speaker 2-Way System

49⁹⁵



5 Yr. AAA Guarantee See Page 12

- Power Handling Capacity: 40 Watts
- Overall Response: 20-20,000 Hz
- 10" Woofer Has Ribbon Type Copper Wire Edge-Wound Voice Coil on an Aluminum Form
- High Frequency Brilliance Control

High quality, excellent performance, and handsome decorator styling keynote the exciting Lafayette "Criterion 150" Speaker System. It utilizes the famous acoustic suspension design principle to develop extended bass with velvet smooth high frequency response in a cabinet of compact proportions. The system's main working element is a special 10" high compliance woofer with a 2 lb. 2 oz. magnet structure for powerful deep bass response down to 20 Hz. 3½ inch tweeter extends high frequency response to beyond audibility for thrilling clarity and wide angle dispersion. Built-in (LC) Electrical Crossover Network is adjusted for 2000 Hz. Features High Frequency Brilliance control on rear of cabinet. Impedance: 8-ohms. Luxurious oiled walnut veneer enclosure with gold frame molding and beige grille. Shelf size: 19W x 11H x 9"D. Imported.

99 G 01810WX Shpg. wt., 17 lbs..No Money Down* Net 49.95

Criterion "3X" 12 Inch 3-Way System

89⁹⁵



5 Yr. AAA Guarantee See Page 12

- Power Handling Capacity: 60 Watts
- 12" Woofer with 6 lb. 2 oz. Magnet Structure and Heavy Ribbon Shaped Copper Wire Edge-Wound Voice Coil on an Aluminum Form
- Overall Response: 20-25,000 Hz
- Separate Midrange and High Frequency Controls

This brilliant performing 3-way speaker system gives you the deep, powerful bass that is so necessary to proper musical enjoyment. Heart of the system is a special 12" high compliance woofer with a 6 lb. 2 oz. magnet structure. Midrange frequencies are flawlessly reproduced by a 6½" cone driver with a 12 oz. magnet structure. A 3" metallic, dome-type tweeter with a 10.6 oz. magnet structure extends high frequency response to beyond audibility to provide brilliant, peak-free reproduction of the highs. Electrical LC network ensures smooth crossovers at 1200 and 6000 Hz between speaker units. Fully air-tight enclosure is solid ¾" construction and finished on all four sides in rich, hand-rubbed oiled walnut veneer. Impedance: 8 ohms. Size: 23x13½x11¾" D. Imported Shpg. wt., 32 lbs.

99 G 01760WX No Money Down*

Net 89.95

*See Page 13 for Full Credit Details on Easy Pay Plan


New! LAFAYETTE **CRITERION**® "80" 100 Watt 6-Speaker 4-way Acoustic Suspension Console Speaker System

*The Finest Reproducer of Sound
Offered by LAFAYETTE
for the Home....*

159⁹⁵ 5 YR. AAA GUARANTEE
No Money Down* **SEE PAGE 12**

- Overall Response 18-25,000 Hz.
- 12" Acoustic Suspension Woofer with over 6-lb. Magnet Structure and Edge-Wound Ribbon-Type Copper Voice Coil on an Aluminum Form.
- 6½" Acoustically Isolated Midrange Speaker with 12-oz. Magnet Structure.
- Four Tweeters—Two 3" Tweeters and Two 1½" Super Tweeters.
- Separate Midrange and High Frequency Level Controls.
- Enclosure in Rich, Hand-rubbed Oiled Walnut Finish.

A no-compromise 6-speaker system created for just one purpose—the authentic reproduction of a massive symphony orchestra. Brings the spectacular realism of a living performance right into your home. This major accomplishment was achieved by careful selection and design of speaker units and enclosure. A 12" acoustic suspension woofer in a large air-tight enclosure over 3½ cubic feet in overall size results in remarkably powerful, solid bass. Added to this is an acoustically isolated 6½" midrange speaker that offers natural "presence" without exaggerated midrange peaks. Four tweeters spread across the front in a calculated configuration ensure a wide dispersion of the highs and reduce high frequency "beaming." Two of these are 3" units covering the 4,500 to 12,000 Hz range, and two are ultra-high frequency 1½" aluminum cone units that extend response to well beyond audibility. Crossover frequencies: electrical at 800 and 4500 Hz, mechanical at 12,000 Hz. Handsome enclosure is finished in a rich, hand-rubbed oiled walnut with dark brown tweed grille cloth. Impedance 8 ohms. Dimensions: 30"H x 18"W x 12"D. Imported. Shpg. wt., 66 lbs. Net 159.95



• 36" Enclosure in Rich, Hand-rubbed Oiled Walnut Finish

Revolutionary LAFAYETTE "Poly-Planar" Speakers

12" SPEAKER
10⁹⁵

FRONT VIEW



5" SPEAKER
5⁹⁵

SIDE VIEW



Replaces Cone Speakers in Any Application

Lafayette "Poly-Planar" wafer-type component loudspeakers employ a lightweight acoustic panel supported by a frame of polystyrene plastic material to reproduce a range of frequencies from 40 Hz to 20,000 Hz. This material also permits the speakers to be made impervious to extremes of temperature, humidity, shock and vibration.

12" LAFAYETTE POLY-PLANAR WIDE RANGE SPEAKER—Unique physical and audio characteristics permit a wide range of uses: Hi-Fidelity speaker systems, phono, public address, architectural application (Build Poly-Planars into walls, closet doors, ceilings) Use it as it is or cover it, baffle it, enclose it. Specifications: Power Capacity 20 watts Peak; Frequency Range, 40-20,000 Hz; Voice Coil diameter, 1"; Magnet weight, 4.8 oz.; Imp. 8 ohms; Size: 17½"Dx14"½"Hx11¾"W. 21 G 56016 Shpg. wt., 2 lbs. Net 10.95

5" LAFAYETTE POLY-PLANAR WIDE RANGE SPEAKER—Same physical and audio characteristics as above 12" speaker but especially designed for small space applications such as automobile speakers, extension speakers. Specifications: Power capacity, 5 watts Peak; Imp., 8 ohms; Frequency range, 60 Hz to 20,000 Hz; Voice Coil diameter, ¾". Size ¾"Dx8½"Hx4½"W. Shpg. wt., 1 lb. 21 G 56024 Net 5.95

The Amazing LAFAYETTE Sound Reproducer

Compact Enough
To Be Used
Anywhere

Only
7⁹⁵



Turns Walls,
Doors, Ceilings, Windows,
Furniture, etc Into a Speaker

• For Stereo or As Extra Speaker Throughout Your Home or Office

New, startling development for providing sound almost anywhere. Coneless reproducer attaches to wall, doors, ceilings, or most any object. Transforms the whole surface into a sounding board for beautiful "sound reproduction". Easily connects to speaker leads of any radio, phono, tape player, amplifier, receiver or other sound equipment. Perfect for use in background music or PA systems. For 4, 8, or 16 ohm solid-state or tube equipment. Can be used in a car. Built-in magnet for attaching to metal objects and screw for attaching to wood, plastic, etc. Size 2" dia. x 1½"H. Shpg. wt., 1 lb. 21 G 01590 Net 7.95

Quality Stereo Headphones for Private Listening

LAFAYETTE Model SP55 Stereophonic Headphones

- Frequency Response 30-15,000 Hz
- Air-Cushioned Headband
- Soft Foam Rubber Ear Cushions for Maximum Comfort and Bass Response
- Two 2½" Wide Range Transducers

11⁹⁵

Improved version of our widely acclaimed F-767 series stereo headphone. Provides outstanding full-fidelity private stereo listening. Extremely comfortable headband is covered with an air-filled vinyl bag which serves as a gentle cushion. Soft foam rubber ear pads keep out external noise and provide maximum bass response. Sensitivity is very high—a signal power of 1 to 2mw will produce adequate listening volume. Two specially designed full range 2½" transducers are precisely matched to each ear cup. Complete with attached stereo phone plug, overload cylindrical junction box for connection of the headphones to equipment which does not have stereo phone jacks, 5 ft. cord, and instructions. Frequency Response: 30-15,000 Hz. Impedance: 8 ohms per phone. Imported. Shpg. wt., 2½ lbs.

99 G 01935

Net 11.95



LAFAYETTE Model 8X Stereo Headphones

- Soft Rubber Cushion Earcups
- With 5 ft. Coiled Cord
- Frequency Response: 35-15,000 Hz

7⁹⁵

The moment you put this headset on you will be enveloped in breathtaking full-dimensional stereo sound with the best "seat" in the house. Wonderfully comfortable too. Soft rubber cushion earcups block out most external noise. Lightweight vinyl covered headband adjusts to fit easily...lets you listen comfortably to your favorite programs hour after hour without fatigue. The big 2" transducers in each earcup bring to your ears smooth, full fidelity sound and complete stereo separation. The headset weighs only 11 oz. Frequency response: 35 to 15,000 Hz. Output: 100 mw. Matches 8 or 16-ohm Impedance. Supplied complete with 5-ft. coiled cord and standard 1/4" phone plug. Imported. Shpg. wt., 1¼ lbs.

99 G 01802

Net 7.95



Accessories for LAFAYETTE Stereo Headphones



A Stereo Headphone Remote Control Box For connecting 1 or 2 stereo headphones to a hi-fi system without the need of continually disconnecting speakers. Separate volume controls are provided for each headset. Speaker muting switch permits using stereo headphones and speakers together, or stereo phones only. Impedance: 4-16 ohms. 4¼W x 1¼H x 1¼"D. Imported. Shpg. wt., 1¼ lbs.

99 G 00366

Net 4.95

B 25 Ft. Universal Stereo Headphone Extension Cord Listen to stereo through your favorite stereo headphone anywhere in the room. Ideal for use with Lafayette, and many other headsets. 3-conductor cable. With a ¼" 3-circuit plug on one end, a 3-circuit jack on the other end. Imported. Shpg. wt., 1 lb.

99 G 01166

Net 2.29


LAFAYETTE Criterion® "Omni-1" 5-Speaker Thin-Line System With Acoustic Deflector for 360° Radiation

- Power Handling Capacity 30 Watts
- 8" High-Compliance Woofer
- Four 3½" Tweeters

39⁹⁵

Deluxe omni-directional 5-speaker system in a convenient thin-line configuration. A new concept features a horizontal line source of four 3½" diameter tweeters mounted with a textured acoustic deflector to give 360° radiation and a listening illusion that is free, open and expansive. As sound is radiated from both, front and back, the Omni-1 is perfect for use as part of a room divider—or it may be situated close to a wall. The ultra-slim enclosure is only 5½" deep, and is finished in a rich, hand rubbed oiled walnut veneer. A luxurious brown/black decorator grille cloth covers the front, back and top surfaces. The extended bass is produced by a high compliance 8" diameter woofer with a four layer voice coil and ultra low free air resonance. Dimensions: 22" high x 17¼" wide x 5½" deep. Frequency Response: 40 Hz to 18,000 Hz. Power Handling Capacity: 30 watts program material. Nominal Impedance: 8 ohms. Shpg. wt., 30 lbs.

21 G 01624WX No Money Down* Net 39.95



SYSTEM DESIGN



Made in U.S.A.
5 Year AAA Guarantee
See Page 12

*See Page 13 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 701 17

Quality LAFAYETTE and Garrard Automatic Turntables

LAFAYETTE Model 200 4-Speed Automatic Stereo Turntables

Deluxe LAFAYETTE Model 400 4-Speed Automatic Stereo Turntable



Made in U.S.A.

- Heavy 10" Turntable Platter
- Plays 16 $\frac{2}{3}$, 33 $\frac{1}{3}$, 45, 78 RPM

Quality 4-speed automatic changer providing outstanding performance at a low, low price. Heavy duty 10" turntable platter delivers no noticeable hum, rumble, or wow. Plays 16 $\frac{2}{3}$, 33 $\frac{1}{3}$, 45, 78 RPM records automatically or manually. An extra added feature is a 7", 10", or 12" record selector knob. Manual intermix of up to seven 7", 10", or 12" records of the same speed. Automatic shut-off after last record has been played. Balanced featherweight tone arm is equipped with a turnover stereo cartridge with dual synthetic sapphire stylus. Dimensions: 13 $\frac{1}{2}$ " x 12", 4 $\frac{7}{8}$ " above, 2 $\frac{1}{2}$ " below mounting surface. For 117 VAC 60 Hz. Brown with gold trim. Shpg. wt., 10 lbs.

21 G 01541W Net 19.95

ACCESSORIES FOR MODEL 200

21 G 02010W Oiled Walnut Recessed Base. Shpg. wt., 2 lbs. Net 4.50
 24 G 09043W Tinted Plastic Dust Cover. Shpg. wt., 1 lb. Net 3.95
 21 G 02028 45 RPM Spindle. Shpg. wt., 6 oz. Net .99



Diamond Needle

Made in U.S.A.



SALE

24⁹⁵ WAS 29.95
1969 Cat. 694

- Heavy 11" Turntable
- Balanced 4 Pole Motor

Features a professional type tubular arm with adjustable counterweight. Elegantly styled with gold plated overarm. Plays 16 $\frac{2}{3}$, 33 $\frac{1}{3}$, 45, and 78 RPM records, both stereo and monaural, either automatically or manually. Spindle prevents double record drops. Changer automatically turns off after last record has been played. Automatically intermixes up to seven 10" and 12" records of the same speed. Arm comes equipped with turnover stereo cartridge with .7 mil diamond stylus for LP records, and 3 mil synthetic sapphire for 78 RPM records. Dim.: 13 $\frac{3}{8}$ " x 12", 2 $\frac{1}{2}$ " below and 5 $\frac{1}{2}$ " above mounting surface. For 117 VAC 60 Hz. Beautiful brown and gold trim. Shpg. wt., 12 lbs.

21 G 01558W Net 24.95

ACCESSORIES FOR MODEL 400

21 G 02036W Oiled Walnut Recessed Base. Shpg. wt., 2 lbs. Net 4.50
 24 G 09043W Tinted Plastic Dust Cover. Shpg. wt., 1 lb. Net 3.95
 21 G 01053 45 RPM Spindle. Wt., 6 oz. Net 1.65

Garrard Model 40B 4-Speed Automatic Stereo Turntable



Only 1¢ More



24.95
Pickering PAT/E-1

Only \$5 More



29.95
Pickering V15/ACE-3

44⁵⁰ Less Cartridge and Base	44⁵¹ Less Base With Elliptical Cartridge	49⁵⁰ Less Base With Quality Elliptical Cartridge
---	---	---

Plays 16 $\frac{2}{3}$, 33 $\frac{1}{3}$, 45 and 78 RPM records. Full viscous damped, single lever cueing. Low mass tubular aluminum tone arm with fixed, isolated counterweight. Easy to adjust stylus pressure control with visible scale. Two interchangeable spindles. Over-size turntable with handsome safety mat. Size: 14 $\frac{3}{8}$ " W x 12 $\frac{1}{2}$ " L. Requires 4 $\frac{5}{8}$ " above and 3" below motor board. With all connecting cables. Less base. For 110-130 VAC, 60 Hz. Imported. Shpg. wt., 10 lbs.

21 G 40499W Model 40B only Net 44.50
 Model 40B and Pickering PAT/E-1 Ellip. Cartridge Net 44.51
 21 G 40556WM Net 44.51
 Model 40B and Pickering V15/ACE-3 Ellip. Cartridge Net 49.50
 21 G 40580WM

Garrard Model 30 4-Speed Automatic Stereo Turntable



39⁵⁰

With Diamond Needle Ceramic Cartridge, Less Base

- Automatic Intermix Operation
- Ideal for Low Priced Hi-Fi Systems

Designed especially for use in low priced hi-fi systems and replacement in consoles and phonographs. Features oversized, weighted turntable, one piece cast aluminum tone arm, ultra compact size. Plays 16 $\frac{2}{3}$, 33 $\frac{1}{3}$, 45 and 78 RPM records. Intermix automatic operation when desired. Two spindles—short for manual, center drop for automatic play. With ceramic cartridge, diamond stylus. All connecting cables. Dim.: 14 $\frac{1}{4}$ " x 12 $\frac{3}{4}$ " above motor board 4 $\frac{3}{8}$ " below 2 $\frac{1}{4}$ ". For 110-130 VAC, 60 Hz. Less base. Imported. Shpg. wt., 10 lbs.

21 G 37925W No Money Down Net 39.50

Garrard Synchro-Lab Automatic Turntables



Your Choice of
Elliptical Stereo Cartridge

For As Low As **1[¢]**

with the Purchase of a Garrard Automatic Turntable

SAVE UP TO 44⁹⁵

From Individual Catalog Prices



Pickering
XV15/400E
49.95



Pickering
V15/ATE-3
39.95



Pickering
V15/ACE-3
29.95



Empire 888TE
49.95



Empire 888E
39.95



Shure M55E
29.95

MODEL 3155B 4-SPEED STEREO AUTOMATIC TURNTABLE

Plays 16 $\frac{2}{3}$, 33 $\frac{1}{3}$, 45, and 78 RPM Records. Light weight, tubular aluminum tonearm with fixed-position damped counterweight and slide-in cartridge clip. Built in stylus force adjustment and optical scale. Viscous damped, single-lever cueing. Fully adjustable anti-skating. Oversized turntable with all connecting cables. For 110-130V 60 Hz. AC. Size: 14 $\frac{3}{8}$ "Wx12 $\frac{1}{2}$ "L; above motor board 4 $\frac{1}{2}$ ", below 2 $\frac{1}{8}$ ". Imported. Wt., 12 lbs. less base.

21 G 40481WX No Money Down* Net 59.50

MODEL 3152B 4-SPEED STEREO AUTOMATIC TURNTABLE

Plays 4 Speeds: 16 $\frac{2}{3}$, 33 $\frac{1}{3}$, 45, and 78 RPM. Features: Synchro-Lab Motor, and low-mass tubular aluminum tonearm dynamically balanced with adjustable counterweight, adjustable anti-skating control, viscous damped single lever cueing. Precision stylus pressure gauge with optical scale. Automatic and manual spindles. Connecting cables. For 110-13V, 60 Hz. AC. Size: 15"Wx13 $\frac{1}{8}$ "L; above motor board 4 $\frac{3}{4}$ ", below 3". Imported. Wt., 12 lbs. less base.

21 G 40473WX No Money Down* Net 79.50

MODEL 3172B STEREO AUTOMATIC TRANSCRIPTION TURNTABLE

Plays 33 $\frac{1}{3}$, 45 and 78 RPM Records. Viscous damped setdown of tone arm in automatic play. Adjustable anti-skating controls. Calibrated stylus pressure gauge with visible scale. Fingertip tab-controls. All connecting cables. Size: 15 $\frac{1}{8}$ "x14 $\frac{1}{8}$ "L; above motor board 4 $\frac{3}{8}$ ", below 2 $\frac{1}{8}$ ". Imported.

21 G 40465WX Shpg. wt., 13 lbs. Net 89.50

MODEL 3175B STEREO AUTOMATIC TRANSCRIPTION TURNTABLE

Plays 33 $\frac{1}{3}$, 45, and 78 RPM Records. Features dynamically balanced, low mass aluminum tonearm; fully adjustable counterweight; patented, anti-skating control. Record safety platform. Viscous damped single control cueing/pausing. Automatic and rotating manual spindle. All connecting cables. For 110-130V 60 Hz AC. Size: 15 $\frac{1}{8}$ "x 14 $\frac{1}{8}$ "L, above motor board 4 $\frac{3}{8}$ ", below 2 $\frac{1}{8}$ ". Imported. Wt. 13 lbs. less base.

21 G 40457WX No Money Down* Net 109.50

MODEL 3180B STEREO PROFESSIONAL AUTOMATIC TURNTABLE

Garrard's finest 3-speed automatic stereo turntable. Plays 33 $\frac{1}{3}$, 45, and 78 RPM records. Advanced, ultra-low mass, one-piece tonearm of lightweight aluminum with Afrormosia wood Insert is gyroscopically gimbal mounted. Features viscous damped setdown in automatic play. With all connecting cables. For 110-130V 60 Hz. AC. Dim: 15 $\frac{1}{8}$ "Wx14 $\frac{1}{8}$ "Lx4 $\frac{3}{8}$ " above motor board and 3" below. Imported. Shpg. wt., 13 lbs. (less base).

21 G 40440WX No Money Down* Net 129.50

21 G 40606WXM	SL55B and Pick. V15/ACE-3 Ellip. Cart.	Net 59.51
21 G 40614WXM	SL55B and Shure M55E Ellip. Cart.	Net 59.51
21 G 40622WXM	SL55B and Pick. V15/ATE-3 Ellip. Cart.	Net 64.50
21 G 40630WXM	SL55B and Empire 888E Ellip. Cart.	Net 64.50
21 G 40648WXM	SL65B plus Pick. V15/ACE-3 Ellip. Cart.	Net 79.51
21 G 40655WXM	SL65B plus Shure M55E Ellip. Cart.	Net 79.51
21 G 40663WXM	SL65B plus Pick. V15/ATE-3 Ellip. Cart.	Net 84.50
21 G 40671WXM	SL65B plus Empire 888E Ellip. Cart.	Net 84.50
21 G 40689WXM	SL72B plus Pick. V15/ATE-3 Ellip. Cart.	Net 89.51
21 G 40697WXM	SL72B plus Empire 888E Ellip. Cart.	Net 89.51
21 G 40705WXM	SL72B plus Pick. XV15/400E Ellip. Cart.	Net 94.50
21 G 40713WXM	SL72B plus Empire 888TE Ellip. Cart.	Net 94.50
21 G 40721WXM	SL75B plus Pick. V15/ATE-3 Ellip. Cart.	Net 109.51
21 G 40739WXM	SL75B plus Empire 888E Ellip. Cart.	Net 109.51
21 G 40747WXM	SL75B plus Pick. XV15/400E Ellip. Cart.	Net 114.50
21 G 40754WXM	SL75B plus Empire 888TE Ellip. Cart.	Net 114.50
21 G 40762WXM	SL95B plus Pick. V15/ATE-3 Ellip. Cart.	Net 129.51
21 G 40770WXM	SL95B plus Empire 888E Ellip. Cart.	Net 129.51
21 G 40788WXM	SL95B plus Pick. XV15/400E Ellip. Cart.	Net 134.50
21 G 40796WXM	SL95B plus Empire 888TE Ellip. Cart.	Net 134.50

Accessories for Garrard Turntables

Stock No.	Description	For	Shpg. wt.	Net ea.
21 G 40226W	Base	SL65B, 55B, 40B, 30	2 lbs.	5.50
21 G 40234W	Base	SL95B, 75B, 72B	2 lbs.	6.50
21 G 40267W	Oust Cover	SL65B, 55B, 40B, 30	3 lbs.	5.50
21 G 40275W	Oust Cover	SL95B, 75B, 72B	3 lbs.	6.50
21 G 40531	45 Spindle	SL65B, 55B, 40B, 30	6 Oz.	1.95
21 G 37974	45 Spindle	SL95B, 75B, 72B	6 Oz.	3.80

See Page 73 of our Annual Catalog for Complete Listing of All Garrard Turntables and Accessories.

NEW LOW PRICES on Quality Pickering Stereo Cartridges

Pickering V-15/AC-2
Diamond Needle Stereo Cartridge

Only **7⁹⁵**



Micro-magnetic cartridge with exclusive Pickering "Floating Stylus". Response: 20-20,000 Hz.
21 G 53617L Shpg. wt., 3 oz. Net 7.95

Pickering V-15/ATE-2 ELLIPTICAL
Diamond Needle Stereo Cartridge

Only **11⁹⁵**



Deluxe cartridge with bi-radial .009 x .004 elliptical stylus. Response: 20-20,000 Hz.
21 G 53625L Shpg. wt., 3 oz. Net 11.95

LAFAYETTE'S FINEST PORTABLE PHONOGRAPHS

A DELUXE MODEL T33C SOLID STATE 4-SPEED AUTOMATIC STEREO PHONOGRAPH



Made in U.S.A. Only **99⁹⁵**



Diamond Needle

No Money Down*

- Garrard 4-Speed Automatic Intermix Changer with Diamond LP Needle
- 10 Watt Solid State Stereo Amplifier with 8 Transistors, 2 Diodes, and 2 Silicon Rectifiers
- 4 Speakers: Two 8" Heavy Duty Woofers - Two 3 1/2" Tweeters Provide a Dazzling Tone
- Detachable Speaker Enclosure for True Stereo Separation
- Stereo Headphone Jack plus 4 Controls: Loudness, Balance, Bass, Treble

Deluxe, solid state self-contained 4-speed automatic stereo phonograph in stylish "Swing-Down" design. Equipped with detachable speaker enclosures with built-in, 6' extension cords for wall-to-wall full dimensional sound realism. Each enclosure contains a heavy-duty 8" woofer and a 3 1/2" tweeter for magnificent hi-fi sound reproduction. Powerful 10 watt solid state stereo amplifier has 12 semiconductor devices; features a stereo headphone jack for private listening plus 4 controls: Loudness, Balance, Bass, Treble. Quality Garrard 1000 4-speed automatic record changer plays all record sizes and speeds—7", 10" and 12" records at 16 2/3, 33 1/3, 45 and 78 RPM. Intermixes all size records of the same speed. Changer automatically shuts off after last record has been played and is equipped with a stereo turnover cartridge with diamond LP needle. Decorator designed wood cabinet is covered with simulated walnut and black washable vinyl material. Size: 21 1/4 x 12 1/2 x 14 3/4". For 110-120 VAC 60 Hz. Shpg. wt., 32 lbs.

24 G 02741WX

Net 99.95

24 G 02543 Replacement Needle for T33C

Net 1.99

24 G 02170 45 RPM Spindle for T33C

Net 3.80

B DECORATOR STYLED MODEL T60 SOLID STATE 4-SPEED AUTOMATIC STEREO PHONOGRAPH



Made in U.S.A. Only **64⁹⁵**



Diamond Needle

No Money Down*

- BSR 4-Speed Automatic "Mini" Stereo Record Changer
- Each Detachable Enclosure Contains a Wide Range High Compliance 4" Air Suspension Speaker
- Built-in Stereo Headphone Jack with Private Listening Switch on Front Panel
- Solid State Stereo Amplifier with 6 Silicon Transistors and 3 Diodes
- Ultra Modern Cabinet Designed with Curved Top and Bottom

Take this handsome stereo phonograph with you as often as you like, anywhere you like. Superbly engineered, it will give you years of dependable stereo listening. Two detachable lid-type speaker enclosures each contain a 4" high-compliance, acoustically matched, wide-range hi-fidelity speaker, and a 6 ft. extension cord enabling you to separate the speakers up to 12 ft. for magnificent full dimensional sound. Quality BSR record changer plays all size records at 16 2/3, 33 1/3, 45, and 78 RPM. Intermixes 12" and 10" records of the same speed. Instant-on solid state stereo amplifier employs 6 silicon transistors plus 3 silicon diodes. 3 Controls: separate volume for each channel plus tone. Built-in stereo headphone jack with private listening switch on front panel. Equipped with stereo turnover cartridge with diamond LP needle. Bold modern styling—curved top and bottom cabinet is covered with simulated walnut and black vinyl material. Size: 19 1/2 x 12 x 8 1/4" H. For 110-120 VAC, 60 Hz. Shpg. wt., 18 lbs.

24 G 02923WX

Net 64.95

24 G 02568 45 RPM Spindle for T60

Net 1.49

24 G 02386 Replacement Dual Needle for T60

Net 1.99

C NEW MODEL MS24C 4-SPEED AUTOMATIC STEREO PHONOGRAPH



Made in U.S.A. Only **49⁹⁵**



Diamond Needle

No Money Down*

- Deluxe BSR 4-Speed Automatic "Mini" Stereo Record Changer
- 4 Transistors and 2 IC's
- Two 4" Wide Range Speakers
- Stereo Headphone Jack plus 3 Controls

A truly outstanding performing stereo phono in a sleek cabinet of compact proportions. Beautifully styled with drop-down compartment which folds away for maximum space saving efficiency. Features BSR 4-speed stereo automatic "Mini changer," with automatic shut-off. Plays all size records at 16 2/3, 33 1/3, 45 and 78 RPM. Intermixes 12" and 10" records of the same speed. Two separate 4" wide range speakers are acoustically balanced and spaced for true stereophonic full-dimensional sound. Powerful solid-state stereo amplifier with 4 transistors and 2 IC's provides instant-on operation—no warm up. 3 controls: volume left, volume right, and tone. Includes stereo headphone jack for private listening. Equipped with stereo turnover cartridge with diamond LP needle. Attractive, washable bright textured yellow sandalwood covering. For 110-120 VAC, 60 Hz. Measures 27 1/2 L x 10 3/4 H x 6 1/2 D. Shpg. wt., 18 lbs.

24 G 03194WX

Net 49.95

24 G 02568 45 RPM Spindle for MS24C

Net 1.49

24 G 02386 Replacement Dual Needle for MS24C

Net 1.99

D MODEL MSB 4-SPEED MANUAL PHONO

14⁹⁵

Made in U.S.A.

- Instant-On Solid State Circuitry
- 4-Speeds: 16 2/3, 33 1/3, 45, 78 RPM
- Built-In 45 RPM Record Adapter

Ideal phono for the youngster in your family. Plays up to 12" monaural and stereo records at 16 2/3, 33 1/3, 45 or 78 RPM. A single lever selects any speed. "Feather-light" retractable tone arm is equipped with a single crystal cartridge. Volume control with on-off switch. Built-in 45 RPM record adapter. Fine quality 4" speaker. Attractive blue and white leatherette covered case. For 110-120 Volts, 60 Hz. Size: 12Wx9 1/2 Dx5" H. Shpg. wt., 8 lbs.

Net 14.95

E DELUXE MODEL 10C 4-SPEED MANUAL PHONOGRAPH

19⁹⁵

Made In U.S.A.

- Speaker Front-Mounted for Full-Tone Sound Dispersion
- Front Mounted Controls for Convenience
- Built-in 45 RPM Adapter Disc
- Instantaneous ON
- 2 Transistors and IC

Plays stereo and monaural records of all speeds . . . 16 2/3, 33 1/3, 45, and 78 RPM . . . all sizes 12", 10", 7", 4" wide range speaker is set in front grill for full-tone sound dispersion. 2 front mounted controls—on/off volume and tone. Tone arm has dual turnover cartridge. Attractive blue washable plexiglass coated fabric with silver metal grill cloth. Size: 13 1/2 W x 6 1/2 H x 10 1/4 D. For 110-120 VAC, 60 Hz. Built-in 45 RPM record adapter.

24 G 02899W Shpg. wt., 8 lbs.

Net 19.95

A
Deluxe
Model T33C
4-Speed
Stereo
Phonograph

99⁹⁵

No
Money
Down*



B
Model T60
4-Speed
Decorator Styled
Stereo Phono

64⁹⁵

No Money Down*



NEW

C
Model MS24C
4-Speed Stereo
Mini Phono

49⁹⁵

No Money Down*

2 IC's and
4 Transistors



D
Model M5B
Manual Phono

14⁹⁵

Made in U.S.A.

1 IC and
2 Transistors



E
Model 10C
Our Best
Manual
4-Speed
Phono

19⁹⁵

Made in U.S.A.



**See Page 13 for Full Credit Details on Easy Pay Plan*

Lafayette Cat. No. 701 21

LAFAYETTE RK-570 FM Stereo Cassette Hi-Fi Music System



Bonus Cassette Storage Rack

Only **1^e** More
With Purchase
of RK-570



Bonus Offer Ends 1/1/70

Save 10.94

From Individual Catalog Prices
See Page 29 for Complete
Description of Storage Rack

249⁹⁵ **249⁹⁶**
Less Rack With Bonus Rack

- 17-Watt Solid-State Lafayette FM Stereo Receiver
- Lafayette Cassette Stereo Tape Recorder
- 4-Speed Mini-Automatic Stereo Record Changer
- Handsomely Styled Oiled Walnut Wood Cabinet
- Two Detached Matching Oiled Walnut Wood Bookshelf-Type Speaker Systems

Play monaural and stereo records on the Mini-Changer. Listen to stereo and monaural FM radio broadcasts on the Receiver. Play stereo and mono cassette tapes on the cassette Recorder. Record live. Record your records while they play on the Mini changer. Tape FM stereo and monaural broadcasts directly off the air—THERE IS NOTHING ELSE TO BUY (but optional microphones) because you also get two superb sounding 2-way speaker systems each containing a high compliance 5" woofer and a wide dispersion 3" tweeter. 17-Watt solid state FM stereo receiver features powerful 28-transistor, 1-FET, and 20-diode solid state circuitry; FET front-end FM stereo tuner; FM stereo indicator light; stereo headphone jack; aux. input jacks and two external speaker output jacks. Cassette stereo recorder has six pushbutton controls (Record, Rewind, Stop, Play, Fast Forward, and Pause for editing), 2 microphone input jacks, stereo/mono input selector switch, and record/

playback VU meter. 4 speed automatic minichanger plays all size records and intermixes 12" and 10" records of the same speed. Tone arm is equipped with a turnover stereo cartridge with diamond LP needle. Size control center, 20³/₄"W x 14¹/₄"D x 3³/₈"H (overall height to top of spindle, 7"). Each speaker, 12 x 7 x 8". Includes two 6-ft. connecting speaker cables and 60-minute blank cassette. For 117VAC. 60 Hz. Imported. †HF ±1db.

99 G 99392WXM RK570 Only. Shpg. wt., 48 lbs.	Net 249.95
RK-570 PLUS CASSETTE STORAGE RACK.	
99 G 99442WXM Shpg. wt., 53 lbs.	Net 249.96
28 G 78056W Storage Rack only. 5 lbs.	Net 10.95
24 G 09068W Tinted Plastic Dust Cover. Wt., 1 lb.	Net 7.95
99 G 46302 Dynamic Mike Shpg. wt., 6 oz.	Net 5.95

Deluxe LAFAYETTE LSC-100 AM/FM Stereo Modular Hi-Fi System

- Garrard 4-Speed Automatic Record Changer with Cueing
- 40-Watt Solid-State Stereo Amplifier
- Electromatic FM Stereo Indicator Light
- Tape Input and Tape Output Facilities
- Guitar Microphone Input Jack
- Stereo Headphone Jack

Handsome, 3 piece modular stereo phonograph with built-in stereo FM/AM radio. Control center's built-in stereo amplifier provides 40-watts peak music output-and has provisions for tape input, guitar mike input, and stereo headphone. Radio tunes regular FM, AM, and stereo FM broadcasts. AFC for drift-free FM reception. Garrard 4-speed automatic stereo record changer with cueing lever plays 7", 10" and 12" records at 16²/₃, 33¹/₃, 45, and 78 rpm. Operates automatically or manually. Shuts off both changer and amplifier automatically after last record. Features tubular tone arm with Vaco TN-4 stereo turnover cartridge with diamond LP needle. Each 2-way 8" speaker system provides brilliant concert hall realism from its acoustically balanced 8" woofer and 4" tweeter. Also includes tinted plastic dust cover and a 45 rpm spindle. Beautiful walnut vinyl covered wood cabinets. Built in AM/FM antennas. Size: Control unit 32³/₈"W x 14⁴" x 10³/₈"H (with dust cover) Speaker Encl.: 16¹/₂"H x 11¹/₂" x 4⁷/₈"D. For 110-120 VAC, 60 Hz. Shpg. wt., 45 lbs.

24 G 02907WX No Money Down* Net 149.95



Four Speakers — Two 8" Woofers, Two 4" Tweeters

Magnificent Ultra-Modern Modular Styling

*See Page 13 for Full Credit Details on Easy Pay Plan

Deluxe LAFAYETTE LRC-60T 75-Watt Solid-State AM/FM Stereo Receiver/Turntable Control Center



Lafayette RK-760 Matching Stereo Cassette Deck

89⁹⁵

229⁹⁵
No Money Down*

- Powerful 75 Watt AM/FM Stereo Receiver
- Famous BSR McDonald 500 Stereo Automatic Turntable
- Picking V15/AC-3 Dustamatic™ Stereo Cartridge with Diamond Needle
- Superbly Crafted Oiled Walnut Wood Cabinetry

The LRC-60T is a compact, graceful hi-fi control center engineered to reproduce a maximum of sound from a minimum of visible equipment. The LRC-60T consists of a 75 watt AM/FM stereo receiver with FET front-end and 4 60T plus the famous BSR McDonald 500 4-speed automatic stereo turntable with a Picking V15/AC-3 dustamatic stereo cartridge, all mounted in a superbly crafted and styled oiled walnut wood cabinet. You get a stunning blend of beauty and performance from a truly space saving compact control unit. With any of the superb Lafayette Speaker Systems listed you have a magnificent component Hi-Fi system.

The receiver section uses an FET (Field effect transistor) FM tuner, and 4 Integrated Circuits (IC's): An IC is a complete circuit in miniature, in which all components: transistors, diodes, resistors, etc. are etched into a silicon wafer. The IC provides significantly better front-end performance and greater sensitivity enabling you to hear more stations with less noise and interference. Deluxe McDonald 500 turntable features a low mass tubular tone

arm, micrometer stylus pressure adjustment, dynamic anti-skate control, and a cueing and pause control. Plays 7, 10, or 12" records at 16 $\frac{2}{3}$, 33 $\frac{1}{3}$, 45, and 78 rpm. Amplifier delivers wide-range response of 20-20,000 Hz \pm 1 db, plus full 75 Watts \pm 1 db, 60 watts IHF power. Impedance: 8-16 ohms. FM Sensitivity: 1.8 μ v IHF. 11-audio controls, plus precision D'Arsonval tuning meter, automatic FM stereo/mono switching, stereo FM indicator light, stereo headphone jack, tape recorder jacks, and precision vernier dial drive for accurate, effortless tuning. The rich oiled walnut cabinetry with slanted, brushed aluminum front panel and controls will harmonize with any home decor. Control Center: 16 $\frac{3}{8}$ "W x 7H x 15 $\frac{3}{8}$ "D. Imported.

Net 229.95
99 G 01893WX Shpg. wt., 42 lbs.
Lafayette RK-760 Stereo Cassette Tape Deck. See Page 26 for complete description. Imported. Shpg. wt., 8 lbs.
Net 89.95
99 G 15752WX No Money Down*
Beautiful Tinted Plexiglas Dust Cover. Size: 15 $\frac{3}{8}$ "x13 $\frac{3}{8}$ "x4 $\frac{1}{2}$ ".
Net 8.95
24 G 09050W Shpg. wt., 1 lb.

High Performance 75-WATT Stereo Music System featuring The LRC-60T



ONLY **269⁸⁵**

SAVE 20.00

From Individual Catalog Prices

Deluxe Hi-Fi System featuring LRC-60T and 2 Lafayette Criterion 50 Speaker Systems. See page 14 for complete description of the Britenon 50 Speaker Systems.
99 G 99376WXM Shpg. wt., 96 lbs. Net 269.85

Stereo LP Record Album **SALE** SAVE up to 20%

Introduction To The World's Great Composers And Their Music

Superb 10 record 33 $\frac{1}{3}$ Stereo Album relates to the lives and music of 10 of the world's major composers: Brahms, Tchaikovsky, Chopin, Bach, Mendelssohn, Beethoven, Schubert, Haydn, Schumann and Mozart. Performed by leading soloists and orchestras. Each of the 10 composers gets a full disc devoted to his works. Beautifully gift boxed. Shpg. wt., 7 lbs.
28 G 28531 Net 8.95



Only **8.95**
Was 9.95 1970 Catalog 700

Complete Beethoven 9 Symphonies Josef Krips Conductor London Symphony Orchestra

7 Record 33 $\frac{1}{3}$ Stereo LP Album. A true collectors item. Handsome gift packaged box includes a 24 page illustrated booklet—a pictorial history of Beethoven's Life and Times. Shpg. wt., 4 lbs.
28 G 28515 Net 7.95



Only **7.95**
Was 9.95 1970 Catalog 700

*See Page 13 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 701 23

LAFAYETTE Cassette Spectaculars

LAFAYETTE Professional RK-85 Solid-State Battery/AC Portable Cassette Transcorder®



• Utilizes Professional AC Bias and Erase System

39⁹⁵

With Remote Control Mike and Stand, AC Adapter, Earphone, Batteries, Accessory Case, Hand Strap, Blank Cassette Tape

- Simple To Operate
- No Tape Threading
- Pushbutton Controls
- Battery Record Level Indicator
- Record Safety Interlock Button
- Remote Control Start/Stop Mike

The RK-85 portable Cassette recorder is one of the easiest tape recorders in the world to operate—there are no reels, and therefore no tape threading. Just insert the tape cartridge, press a button and you are ready to playback or record. Tape stops automatically at the end. To record or playback on the other side, just turn the cartridge over. Beautifully styled and engineered. Capstan drive for constant 1 7/8 ips speed. Operates on 5 "C" batteries or 117VAC with AC adapter included. Perfect for "on-the-go" recordings. Records up to 120 minutes (both tracks). Separate pushbutton controls for: Fast Forward, Rewind, Stop, Play, plus safety record button. Permits perfect recordings with level meter that also checks batteries. 8-transistors, 1-diode. Includes: earphone jack, auxiliary input jack for recording from external sources such as phonograph, TV set, or Tuner, and remote control mike jack. Large 2 3/4" dynamic speaker. Size: 8 3/4 x 5 x 2 1/4"H. Imported. Shpg. wt., 4 lbs. 99 G 15794L. No Money Down* Net 39.95

ACCESSORIES FOR RK85

Stock No.	Description	Shpg. wt.	Net ea.
99 G 15620	Carrying Case with Strap	1 lb.	2.95
99 G 62572	Extra "C" Batteries...5 req.	2 oz.	.14
28 G 01223	60 minute Lafayette Tape Cassette	6 oz.	1.19

Deluxe LAFAYETTE RK-99 Battery/AC Cassette Recorder




Semi-Slot Loading

6 Pushbutton Controls!

Featuring Built-In AC Line Cord

49⁹⁵

Including: Remote Control Mike, Leather Carrying Case, Earphone, Batteries, Patch Cord, Blank 60 Minute Cassette



- Professional AC Bias Recording System with ALC
- Reliable Instant Start Solid-State Circuitry
- Cassette "Semi-Slot" Loading For Ease of Operation

One of the finest portable cassette recorders offered by Lafayette. Operates on 4 "C" batteries, or, 117VAC with built-in AC line cord. Plays and records up to 2-hours using standard type cassettes. Cassette semi-slot loading and pop-up removal for complete ease of operation. Six piano-type keyboard pushbuttons: Play, Record, Fast-Forward, Rewind, Stop, and Cassette Eject. Automatic Level Control (ALC) to keep loud tones from distorting. Also features: dual purpose battery level and recording meter, record safety interlock, individual Tone and Volume controls, Auxiliary input for radio, phono, or tape recorder for tape duplicating, external speaker/headphone jack. Speed 1 7/8 ips. Handsomely styled cabinet enhanced by simulated walnut wood grain panels. Sizes: 10 1/2 L x 5 1/4 W x 2 5/8"H. Imported. Shpg. wt., 5 lbs.

27 G 01746L	No Money Down*	Net 49.95
99 G 62572	Extra "C" Batteries (4-required)	Net ea. .14
28 G 01223	60 Minute Blank Cassette Tape	Net 1.19

Our Finest Solid-State Radio Cassette Recorders

Deluxe Hitachi KCT-1200H AC/Battery AM/FM Radio Cassette Recorder

**SPECIAL
PURCHASE**

ONLY
69⁹⁵

With Remote Control Mike,
AC Line Cord, Earphone,
Batteries, and 60 Minute
Cassette Tape



- Easy to Use—No Tape threading
- Direct Recording from AM or FM Radio
- 6 Pushbutton Tape Function Controls
- Battery Condition/Recording Level Meter

- Levelmatic Meter Automatically Adjust Sounds
- Professional AC Bias Recording
- Earphone Monitoring—Private Listening while you Record

Deluxe hi-Fidelity AM/FM Two Band Portable Radio with built-in easy to use Cassette Recorder. A magnificent concept in home entertainment. Record forever on a cassette tape memorable radio broadcasts on FM or AM, or record live with a microphone (included) family moments of joy. Weighs only 6.2 lbs.—goes everywhere. Uses 4 standard "D" type batteries or operates on 117 VAC house current. Features LEVELMATIC Meter to adjust sound to the best recording level. This device will prevent loud sounds from distorting. Separate Tone Control balances bass and treble to your personal taste. Automatic Frequency Control (AFC) prevents drift when listening to or

recording from the FM Radio. Remote control microphone starts and stops recorder when recording live. Six Pushbutton Tape Functions: Fast forward, Rewind, Stop, Play, Record, Cassette-up (eject). Record button has a safety interlock to prevent accidental erasures. Built-in AM ferrite core and telescopic FM antennas. Auxiliary input jack for recording from phono or TV. Monitor switch for private earphone listening when recording. Size 11 $\frac{3}{4}$ x 7 $\frac{3}{4}$ x 3 $\frac{3}{8}$ ". Handsome Black plastic case with chrome trim. Imported. Shpg. wt., 7 lbs. 27 G 23047L No Money Down" Net 69.95
99 G 62564 Extra "D" batteries, 4 req. Net ea. .15

LAFAYETTE Portable Desk Top Radio Cassette Recorders

RK-95 AM-FM Radio
Cassette Recorder

54⁹⁵

RK-90 AM Radio
Cassette Recorder

44⁹⁵

- Complete with Remote Control Microphone with Stand, Blank 60 Minute Cassette, Earphone, Vinyl Accessory Pouch, Shoulder Strap and Batteries

Model RK-95 AM-FM RADIO-CASSETTE RECORDER. Sensational combination of a quality AM-FM RADIO and Cassette recorder lets you record broadcasts directly, or live with a microphone. You can permanently build your own tape library of fine music, world-wide news events as they happen, historic speeches by renowned statesmen, thrilling sports events like the World Series and the Super Bowl. Easy to use—no tape threading, push-button controls, record safety interlock button, AC bias and erase system, dynamic speaker for outstanding tonal quality, recording level and battery indicator. Can record up to 120 minutes (both tracks) on one Phillips type Cassette. External speaker output. Operates on 4 "C" batteries or 117VAC 60 Hz with optional adapter (see below). Includes Aux. input and remote control mike input. Tape speed 1 $\frac{7}{8}$ ips. Radio tunes: FM 88-108 MHz. AM 550-1600 kHz. Beautiful black case with chrome and walnut wood trim. Size: 7W x 9 $\frac{1}{2}$ D x 2 $\frac{1}{8}$ H. Imported. 27 G 01126L Shpg. wt., 5 lbs. Net 54.95

Model RK-90 AM RADIO CASSETTE RECORDER—Same deluxe features and size as the RK-95 except with AM radio instead of AM/FM radio. Imported. Shpg. wt., 5 lbs. 27 G 01100L No Money Down" Net 44.95

ACCESSORIES FOR RK-90 AND RK-95

27 G 01118L AC Adapter. Shpg. wt., 1/2 lb. Net 3.95
28 G 01223 Lafayette 60 Minute Tape Cassette Net 1.19
99 G 62572 Extra "C" Batteries (4-required) Net ea. .14



- Direct Recording
From Radio to Recorder

Professionally Record Your Own Cassette Stereo Tape Library

Lafayette RK-760 Solid-State Stereo Pushbutton Cassette Deck

89⁹⁵
Less
Microphone




- 3-Digit Tape Counter with Reset Button
- Large Dual Channel VU Level Record Meter
- 7-Pushbutton Tape Functions Including Pause For Cueing and Editing
- Visual Record Indicator Light
- 2-Mike Inputs On Front Panel
- Cassette Ejector Button • Semi-Slot Tape Loading
- Records 4-Track Stereo and 2-Track Monaural
- Playback 4 and 2-Track Stereo and Monaural

EXCLUSIVE FEATURES


- 4-POLE HYSTERESIS SYNCHRONOUS AC MOTOR
- PLAYBACK OUTPUT UP TO 2.5 VOLTS VARIABLE AT 0 VU RECORDING
- SOUND-WITH-SOUND

Superb solid-state cassette tape deck designed for use with an existing stereo system. Connects into any standard tape input and output. Features semi-slot tape loading for complete ease of operation plus a full set of pushbutton controls for all tape functions: Record, Play, Stop, Rewind, Fast-Forward, Pause, and Cassette Eject. The Record button incorporates a safety-interlock to prevent accidental erasures. Includes left and right channel dual concentric record level controls—enables you to make sound with sound recordings. Simultaneously record live with mikes and thru an external source such as record changer, Tuner, or another tape recorder. Tape speed is a constant 1 7/8 ips. Specifications: 4-pole hysteresis synchronous AC motor, AC biasing and erase frequency: 95kHz. Frequency Response: 45 to 12,000 Hz. S/N Ratio: Better than 35 db. Overall Distortion: less than 3% at 0 VU recording. Channel Separation: 30 db. Input: 2-mike, 2-high level tape. Mike Input Sensitivity: 1.0 mV for 0 VU at 10K ohms. Tape Input Sensitivity: 80 mV for 0 VU at 100K ohms. Wow and Flutter: Less than 0.3%. Outputs: 2-tape. Handsome walnut side panels, brushed aluminum gold anodized extruded front panel. For 117VAC, 60Hz. Imported. Size: 12 3/4 D x 5 H x 8 3/4 W. Shpg. wt., 8 lbs. 99 G 15752WX No Money Down* Net 89.95
99 G 46161 Dynamic Mike. Imported. Shpg. wt., 8 oz. Net ea. 5.95
28 G 01223 60 Min. Cassette Recording Tape. Net ea. 1.19

Deluxe Lafayette RK-510 Solid State Stereo Cassette Recorder



RK-510 CASSETTE TAPE RECORDER SYSTEM



Only **149⁹⁵**
with mikes
LESS SPEAKERS

- Narrow-Gap Record/Playback Heads with 4-Laminations Per Stack For Virtually Distortion-Free Performance
- 10 Watt Solid-State Stereo Amplifier
- 2-Mic. and 4-Aux. Input Jacks

Superb hi-fidelity stereo cassette tape recorder (less speakers) featuring the convenience of no tape threading. Includes the latest type narrow-gap record/playback heads with four laminations per stack to deliver wide-band frequency response and virtually distortion-free performance. Records 4-track stereo and 2-track monaural, playback 4 and 2-track stereo and monaural. 2-mike input jacks are located on the front panel for live recording. Jacks for external recording from record changer or phono, and an "M" stereo tuner are provided on the rear of the recorder. Has 6-pushbutton

controls for all tape modes including Pause for instant editing and cueing. 3-digit tape counter with reset button. Large dual illuminated VU record level meters. Handsome brushed aluminum gold anodized extruded front panel. Attractive metal enclosure with the simulated look of rich walnut grain. Frequency Response ± 2 db 30-12,500 Hz; Wow and Flutter, less than 0.2% rms. Signal-to-Noise—better than 44 db @ 0 VU. Channel Separation—36 db. Bias Frequency—106 kHz. For 110-125 VAC., 50/60 Hz. Imported. Size: 14 3/4 W x 4 1/2 H x 8 1/2 D. Shpg. wt., 12 lbs. 99 G 15779WX No Money Down* Net 149.95

Only **179⁹⁵**
SAVE 8.50

From Individual Catalog Prices
When You Purchase RK-510
With Criterion Speakers

Lafayette Model RK-510 Stereo Cassette Recorder Plus 2 Lafayette Criterion 25A Speaker Systems. See Page 14 for complete description of Criterion 25A. Shpg. wt., 30 lbs.
99 G 99459WX No Money Down* Net 179.95

Quality Cassette Tape Players and Recorders

Exciting LAFAYETTE Solid State "CASSETTE-MATE" Portable Tape Player

17⁹⁵

With Batteries and Earphone



A great new way to listen to the vast selection of pre-recorded cassette tapes on the market today. The Lafayette "Cassette-Mate" gives you remarkably Full Range sound and unlimited convenience. Battery operated or can be played on 110 VAC house current with optional adapter. Integrated carrying handle for ease of portability. Earphone for private listening. Instant-on solid-state circuitry. Easy to use "Stop/Play Switch." Earphone/external speaker jack, Volume Control. With batteries and earphone. Size: 9½"H x 5¾"W x 2½"D. Shpg. wt., 4 lbs. Imported.

99 G 15786 Net 17.95
99 G 35685 AC Adapter For Cassette-Mate Net 3.95
99 G 62572 Extra "C" batteries (4 req.) Net ea. .14

NEW "IC" Solid-State Mini Cassette Recorder



UL Listed

69⁹⁵

Complete with



Cassette Leatherette Case AC Adapter Batteries

- Only 1¾"H x 6¾"W x 4"D.
- Uses Standard Size Cassettes
- Battery or AC Operated
- Automatic Record Level Control
- Cassette Eject Button, Battery/VU Level Meter

Deluxe ultra-miniature cassette tape recorder with advanced solid-state integrated circuitry. It has feather-light portability — weighs only 1½ lbs. and measures only 1¾"H x 6¾"W x 4"D. For utmost convenience—uses standard type cassette tapes. There is no tape threading. Operates on 3-manganese alkaline rechargeable "AA" batteries (included) or 117VAC by use of AC adapter-recharger (included). Pencil-type mike (included) has remote control switch. Simple lever control for record and play. Pushbutton controls for fast-forward, rewind and cassette eject. Built-in voice and battery level indicator. Automatic level control (ALC) prevents overload when recording. Safety record button prevents accidental erasures. Capstan drive for 1½ ips constant speed. Earphone and jack for personal listening pleasure. Also comes with soft leatherette carrying case with hand strap. UL listed. Imported.

27 G 22007L Shpg. wt., 3 lbs. No Money Down* Net 69.95
28 G 01123 Lafayette 60-minute Tape Cassette. 2 oz. Net 1.19
28 G 01207 Lafayette 90-minute Tape Cassette. 2 oz. Net 1.99

NEW LAFAYETTE Cassette Player with Built-in AM Radio

29⁹⁵

With Batteries and Earphone

Same as above but pushbutton operated and with built-in AM radio. You get excellent sound quality from a special dynamic speaker. Radio has built-in ferrite core antenna. Size: 11H x 6¾W x 2¾"D. Imported. Shpg. wt., 5 lbs.

27 G 01134 Net 29.95
27 G 01142L AC Adapter. 6 Oz. Net 3.95
99 G 62572 Extra "C" Batt. Net ea. .14



Deluxe Portable Battery/Electric 4-Track Stereo Cassette Recorder

- With 2-Mikes, 2-Earphones and Batteries

Compact, lightweight traveling companion, for the music lover. Easy-to-carry, cassette stereo tape recorder. Plays anywhere, anyplace. Operates on 117V., 60 Hz. AC, house current, or on standard "D" type flashlight batteries. Two swing-out extension cabinets each contain a 5" speaker. Provides excellent stereo sound reproduction and full dimensional stereo separation. Features "Levelmatic" (automatic record level control). Also has pushbutton control; level and tone controls for each channel; two record level VU meters and remote control jack. Frequency Response: 100 to 10,000 Hz. Speed: 1½ ips. Circuitry: 16 transistors, 10 diodes, 4 thermistors. Size: 11 x 6¾ x 8¾". Imported. Shpg. wt., 7 lbs.

27 G 23013WX No Money Down* Net 99.95
Extra "D" Batteries for above (6 req.)
99 G 62564 Net ea. .15

SAVE 20⁰⁰ NOW 99⁹⁵

WAS ~~119.95~~
1959 Cat. 694



LAFAYETTE Pre-Recorded Long-Play Stereo Cassette Tapes



YOUR
CHOICE

295
each

Playable On Stereo
or Monaural Equipment
*Includes Side A and B



STOCK NO.	DESCRIPTION	STOCK NO.	DESCRIPTION
CLASSICAL MUSIC		MOVIE and BROADWAY SHOW MUSIC	
28 G 41013L	1812 Overture/Russian Eastern Overture/Polovetsian Dances/A Night On Bald Mountain—Vienna Symphony Orchestra. Playing Time* 55:36.	28 G 41088L	Gershwin's Rhapsody in Blue—American in Paris—London Pops Orchestra. Playing Time* 30:79.
28 G 41021L	Bolero/Espana Rapsodie/The Sorcerer's Apprentice/Afternoon of a Faun—Vienna Symphony Orchestra. Playing Time* 44:28.	28 G 41096L	Hits from: My Fair Lady—Camelot—GiGi—Sound of Music—Hollywood Radio City Orchestra and Chorus. Playing Time* 26:35.
28 G 41039L	Beethoven:—Piano Concerto # 5 (Emperor) Alfred Brendel Soloist, Pro Musica Orchestra, Vienna. Playing Time* 38:43.	28 G 41104L	Hits from Oklahoma—South Pacific—KIng & I—Flower Drum Song—Hollywood Radio City Orchestra and Chorus. Playing Time* 26:06.
28 G 41435L	Beethoven: Symphony No. 5. Cento Soli Orchestra of Paris. Playing Time* 26:36.	28 G 41112L	Hits from Music Man—Can Can—Porgy & Bess—Showboat—Hollywood Radio City Orchestra and Chorus. Playing Time* 26:36.
28 G 41450L	Beethoven: Symphony No. 6. "Pastoral", Vienna Symphony Orchestra, Klemperer, Cond. Playing Time* 42:31.	28 G 41120L	Around the World in 80 Days—Robert Fielding Orchestra. Playing Time* 27:22.
28 G 41443L	Beethoven: Symphony No. 7. London Symphony, Van Remoortel, Cond. Playing Time* 33:44.	28 G 41138L	Hollywood Strings Play Rogers & Hammerstein. Playing Time* 28:46.
28 G 41047L	Tchaikovsky: Nutcracker Suite: Weber: Invitation to the Dance—Bamberg Symphony Orchestra. Playing Time* 31:06.	28 G 41146L	Hollywood Strings Play Irving Berlin. Playing Time* 28:19.
28 G 41062L	Tchaikovsky: Symphony No. 6 "Pathetique" Hollreiser, Conductor—Filarmonica Triestina. Playing Time* 44:00.	28 G 41229L	Great Movie Themes—London Pops Orchestra—Exodus, Around the World in 80 Days, Picnic, Moulin Rouge, Merry Widow. Playing Time* 28:51.
28 G 41377L	Tchaikovsky: Sleeping Beauty—Swan Lake Ballet Suites. Vienna Symphony Orchestra. Playing Time* 39:02.	28 G 41260L	Hits from Fiddler On The Roof, West Side Story, Pal Joey—Hollywood Radio City Orchestra and Chorus and London Pops Orchestra. Playing Time* 27:53.
28 G 41054L	Rachmaninoff: Piano Concerto # 2—Tchaikovsky: Piano Concerto # 1—Felicia Blumental Soloist, Orchester Der Wiener Musikgesellschaft. Playing Time* 61:35.	POPULAR, FOLK, JAZZ, ROCK	
28 G 41070L	Grieg: Peer Gynt Suites—Bizet: L'Arlesienne Suites, Bamberg Symphony Orchestra. Playing Time* 49:20.	28 G 41153L	Mardi Gras Time with the Dukes of Dixieland. Playing Time* 36:51.
28 G 41344L	DeFalla: The Three Corned Hat: Vienna Symphony Orchestra. Playing Time* 38:35.	28 G 41161L	Percussion Espanol—Charlie Fox and Orchestra—Hoot Blues; Guajira, Holiday, Hollywood Cha-Cha, Minor Mambo, plus other selections. Playing Time* 28:18.
28 G 41351L	Liszt: Piano Concerto No. 1 & No. 2. Alfred Brendel, Soloist—Pro Musica Orchestra, Vienna. Playing Time* 37:18.	28 G 41179L	Big Band Percussion—Francis Bay and Orchestra—When Your Lover Has Gone, The Song is You, As Time Goes By, Bye-Bye Blackbird plus other selections. Playing Time* 27:14.
28 G 41369L	Mendelssohn: Symphony No. 4 "Italian"—Tchaikovsky: Capriccio Italien—Orch. Der Wiener Musikgesellschaft. Playing Time* 41:29.	28 G 41187L	Andre Previn Plays: I've Got A Feeling I'm Falling, Black and Blue, Gypsy Dance, Honey Suckle Rose plus other selections. Playing Time* 25:54.
28 G 41385L	Brahms—Dvorak: Hungarian and Slavonic Dances, Bamberg Symphony Orchestra; Perlea, Cond. Playing Time* 39:12.	28 G 41195L	Herbie Mann—Hi Flutin—Herbie's Buddie; Perdido, Baubles, Bangles & Beads, Give A Little Whistle, plus other selections. Playing Time* 32:17.
28 G 41468L	Rossini "William Tell" and other Famous Overtures, Bamberg Symphony Orchestra, Perlea, Cond. Playing Time* 50:22.	28 G 41203L	John Gary—New Singing Sensation—How Many Tears Must I Shed, One Last Night Together, How Can My Heart Forget You, Little People, plus other selections. Playing Time* 26:08.
28 G 41476L	Berlioz: Symphonie Fantastique, Bamberg Symphony Orchestra, Perlea Cond. Playing Time* 54:28.	28 G 41211L	Go Go Discotheque—The Kites—Stomp (Frog), No More (Jerk), Watusi Ball (Watusi), Monkey Mash (Monkey), Baby Love Me More (Hully Gully), plus other selections. Playing Time* 24:38.
OPERA		28 G 41237L	Rock & Roll Guitar—Rhythm Rockers—Guitar Boogie, Moon Rock, 120 MPH, String Blues, Chick's Song, Picking and Rooking, plus other selections. Playing Time* 26:50.
28 G 41393L	Vocal Highlights from Aida, Soloists and Orchestra from the Milan Opera. Playing Time* 47:07.	28 E 41245L	Dancetime—Tribute To Glen Miller—Sleepy Town Train, In the Mood, American Patrol, Tuxedo Junction, Greensleeves, plus other selections. Playing Time* 26:40.
28 G 41401L	Vocal Highlights from Madam Butterfly, Soloists and Orchestra from the Milan Opera. Playing Time* 41:24.	28 G 41286L	Pradomania — Francis Bay Orchestra — Pradomania Mambo No. 5, April in Portugal, Gualgione, Mangas plus other selections. Playing Time 27:00.
ORCHESTRATION—BACKGROUND MUSIC		28 G 41294L	Salute to Benny Goodman by the members of the Benny Goodman Band—Jersey Bounce, and the Angels Sing, Let's Dance, Benny Rides Again plus other selections. Playing Time* 25:50.
28 G 41252L	Under Paris Skies—Roger Lecussand and His Club Lido Orchestra. Playing Time* 25:47.	28 G 41310L	Guadalajara Brass—Zorba the Greek, Whipped Cream, A Taste of Honey, plus other selections. Playing Time 22:16.
28 G 41278L	The Brave Bulls—La Orchestra de la Plaza De Toros. Playing Time* 25:01.	28 G 41328L	Psychedelic Rhythm—The Cross Fires, Anna, Highland Guitar, Third Man Cha, Cha, Cha, Taboo plus other selections. Playing Time 28:20.
28 G 41302L	Tribute to Mantovani by the Hollywood String—Lovers of Paris, Lover's Waltz, The Golden Touch, Plus other selections. Playing Time* 24:50.	28 G 41336L	Folk Festival on Campus—The Minute Man, Song of Hope, California, Green Grow the Laurels, Scotch and Soda, I'm Comin Home. Playing Time* 34:10.
28 G 41419L	Great Million Sellers: Never on Sunday—Los Espanoles, Vanity—Don Cherry, Peter Gunn—Embers & Candido, You Made Me Love You—Karin Chandler, Greensleeves—Joe Zawinul, plus 5 more hits. Playing Time* 24:03.	* Includes Side A & B	
28 G 41427L	Elegant Violins—The Philharmonic Strings, C'est Si Bon, C'est Magnifique, Isle of Capri, If I Love Again, Lovers Theme, Brahm's Waltz plus 5 more selections. Playing Time* 27:24.	* Includes Side A and B	

Accessories For Cassette Players and Recorders

LAFAYETTE CASSETTE RECORDING TAPE

As Low As **69¢**



High quality tape assures full fidelity recording. Records and plays 2-tracks at 1 7/8 ips. Super strong polyester base. Proper lubrication for longer tape life. Protects heads. Imported. Shpg. wt., 4 oz.

Stock No.	Model No.	Playing Time	NET EACH		
			1-2	3-9	10 Up
28 G 01280	C-30	30 Minutes	.99	.79	.69
28 G 01223	C-60	60 Minutes	1.19	.99	.89
28 G 01207	C-90	90 Minutes	1.99	1.79	1.59
28 G 01215	C-120	120 Minutes	2.49	2.19	1.99

TDK C-60SD HI FI

- Low Noise Level. CASSETTE
- Frequency Response 30-20,000 Hz.



2⁹⁹

This 60 minute hi-fi tape uses a new gamma ferric oxide developed for high-density recording. The wide dynamic recording range 32-20,000 Hz. Makes available low noise, distortion-free output for the highest performance that can be expected of a cassette tape. Imported. Shpg. wt., 4 oz.

28 G 01249

Net 2.99

SOLID STATE CASSETTE AM & FM RADIO TUNERS



AM RADIO TUNER
6⁹⁵

FM RADIO TUNER
12⁹⁵

- Converts Most Cassette Tape Recorders and Players into a Sensitive Radio

Miniaturized, solid-state radio tuner circuit with self-contained battery (included). Same size as any standard blank or prerecorded cassette. Take it anywhere, play it anywhere. Flays directly through the amplifier and speaker system of your cassette player or recorder. High-impact break resistant case. Size: 4x2 1/2 x 3 3/8". Imported. Wt. 1/2 lb.
28 G 43019L AM Radio Tuner Net 6.95
28 G 43027L FM Radio Tuner Net 12.95

CASSETTE TAPE HEAD CLEANER



1²⁹

Removes coating deposits from tape heads and restores both volume and high frequency response. For use in any player accepting cassettes. Simply run tape, impregnated with special formula, like regular tape cassette. Cleans in a couple of minutes. Can be reused many times. Shpg. wt., 6 oz.
28 G 16015

Net 1.29

CASSETTE TAPE HEAD DEMAGNETIZER



4⁹⁸

Recommended by equipment manufacturers to remove magnetic build-up on heads after every 15-20 hours of use. With built-in pilot light. For 110 VAC, 50/60 Hz.
28 G 72299 Shpg. wt., 8 oz.

Net 4.98

CASSETTE TEST STROBE



3⁶⁹

Checks your cassette recorder/player for proper speed. Too fast causes flutter; too slow creates tape drag or wow. Strobe tape and light built into standard cassette. For 110 VAC 50/60 Hz. Shpg. wt., 5 oz.
28 G 72414

Net 3.69

CASSETTE TAPE SPLICER




1⁹⁵

Sturdy precision instrument for use in all splicing and editing of cassette tapes. Shpg. wt., 8 oz.
28 G 7808u

Net 1.95

CASSETTE TAPE CARTRIDGE STORAGE RACK



10⁹⁵

- Holds Up To 48 Tapes
- Lazy Susan Type Base

Attractively styled wood and masonite cassette cartridge storage rack with simulated walnut vinyl finish. Has "Lazy Susan" type base for easy access to your cassettes. Size: 7 7/8 x 7 7/8 x 10" H. Shpg. wt., 5 lbs.
28 G 78056W

Net 10.95

CASSETTE CARRYING CASE



1⁹⁵

- Holds 12 Cassettes

Black vinyl with chrome trim, shoulder strap, and spring snap lock. Dim.: 6 1/2" L x 5 1/2" H x 3" D. Shpg. wt., 1 lb.
28 G 27012

Net 1.95

UNIVERSAL CARRYING CASE for PORTABLE CASSETTE RECORDERS



2⁹⁵

• Measures 9 1/2" Dx 5 3/4" W x 2 1/2" H + Durable black texon carrying case for most portable cassette recorders. Double adjustable strap. Shpg. wt., 1 lb. Inside Dimensions of Case.
28 G 27020

Net 2.95

DELUXE CASSETTE TAPE CARRYING CASE



Only **7⁹⁵**

- Holds up to 30 Cassettes

Solid wood construction. Durable black alligator vinyl covering with attractive red plush interior. Horizontal storing of cassettes permits immediate visibility of all titles. Equipped with lock and key and handle. Shpg. wt., 3 1/2 lbs.
28 G 78072

Net 7.95

Get Professional Results with Exclusive LAFAYETTE Reel-to-Reel Stereo Tape Recorders

Model RK-825 — OUR LOWEST PRICED QUALITY 4-TRACK STEREO RECORDER

129⁹⁵

No Money Down*

Complete With
2-Dynamic Mikes
4-Connecting Cables
2-Rubber Reel Caps
7" Empty Take-up Reel



- 4-Track Stereo and Monaural Record/Playback
- 3-Tape Speeds—1 $\frac{1}{8}$, 3 $\frac{3}{4}$, and 7 $\frac{1}{2}$ IPS
- Sound-with-Sound • Stereo Headphone Monitoring
- 3-Digit Tape Counter with Reset Button

Feature Packed—"low-priced" stereo hi-fidelity tape recorder built for ease of operation. Solid-state circuitry permits instant play, or record. Features: three speeds—1 $\frac{1}{8}$, 3 $\frac{3}{4}$, and 7 $\frac{1}{2}$ ips; aluminum die-cast tape transport chassis; 4-pole induction motor; single lever control for all tape transport modes plus "Pause" for editing and cueing; illuminated VU meters for left and right channels; safety interlock button to prevent accidental tape erasures, plus Microphone and Auxiliary input selector switch. Has 2-Microphone/Auxiliary inputs; 2-extension speaker outputs plus stereo headphone jack. Takes 7" reels. Housed in a handsome sturdy wood cabinet with attractive black leatherette cover. Frequency Response: ± 3 dB, 40-15,000 Hz at 7 $\frac{1}{2}$ ips; ± 3 dB, 40-10,000 Hz at 3 $\frac{3}{4}$ ips. Wow and Flutter: under 0.23% rms at 7 $\frac{1}{2}$ ips; under 0.35% at 3 $\frac{3}{4}$ ips. Signal-to-Noise: Better than 55 dB. Power Output: 5-watts maximum. Input Sensitivity: Mike, 0.5 mv., for 0 VU, 600 ohms; Aux., 100 mv. Solid-state Circuitry: 10-transistors, 4-diodes. Has built-in accessory compartment and carrying handle. For 110-120V., 60 Hz AC. Size: 12W x 12H x 7 $\frac{1}{4}$ "D. Imported. Shpg. wt. 22 lbs.

99 G 15687WX No Money Down*

Net 129.95

7" Reel of Lafayette Mylar Base Recording Tape.

28 G 01066 Shpg. wt., 1 $\frac{1}{4}$ lbs.

Net 2.14



- Two 500-Ohm Headphones • 2-Full Range 5" Speakers for Excellent Voice and Music Reproduction
- Tape Spill-Proof
- 3-Track Safety with Rubber Film
- Stereo Headphone Jack

Model RK-835 4-TRACK SOLID STATE STEREO PUSHBUTTON TAPE RECORDER



Complete With
2-Dynamic Mikes,
4-Connecting Cables
2-Rubber Reel Caps
7" Empty Take-up
Reel

179⁹⁵

No Money Down *

- 1/4-Track Lamination Type Record/Playback Stereo Head
- 1/4-Track Double Gapped High Efficiency Erase Head
- Sound-with-Sound • Sound-on-Sound
- 3-Tape Speeds—1 $\frac{1}{8}$, 3 $\frac{3}{4}$, and 7 $\frac{1}{2}$ IPS
- Stereo Headphone Monitoring Facilities
- Record Direct From Record Player with Magnetic Cartridge

Designed to satisfy even the most critical music listeners. Can be operated either vertically or horizontally. Records and plays back 4-track stereo and monophonic tapes. Features spill-proof single tape function Selector knob for 5-modes of tape transport—Record, Stop, Run, Fast-Forward, and "Pause" for instant editing and cueing; two large studio-type VU meters with pilot lights and Record mode indicator lights; individual Record safety buttons for left and right channels to prevent accidental tape erasures; automatic shut-off at end of tape; automatic equalization for three tape speeds. Has input selector button for mic., and Aux./Magnetic cartridge. Separate volume controls for both channels. 2-Built-in 5" speakers provide true hi-fi sound reproduction. Takes up to 7" reels. In black leatherette covered wood case with silver metal trim. Response: ± 3 dB 30-18,000 Hz at 7 $\frac{1}{2}$ ips. Wow and Flutter: Less than 0.18% rms at 7 $\frac{1}{2}$ ips. Signal-to-Noise: Better than 50 db. Bias & Erase Frequency: 105 kHz. Power Output: 8-watts maximum. Input Sensitivity: Mike, 0.15 mv., for 0 VU, 600-ohms; Magnetic Phono: 0.7 mv; Aux (low) 100 mv., Aux (high) 500 mv. Outputs: External Amp: 1V., to 2.5V variable. Headphone and Speaker Imp.: 8-ohms. For 105-125V., 60 Hz AC. Size: 15 $\frac{3}{4}$ x 14 x 7 $\frac{3}{4}$ "D. Imported. Shpg. wt., 27 lbs.

99 G 15695WX No Money Down*

Net 179.95

7" Reel of 1800' Lafayette Mylar Base Recording Tape.

28 G 01066 Shpg. wt., 1 $\frac{1}{4}$ lbs.

Net 2.14



- Tape Spill-Proof
- Tape Lifters
- Spill-Proof Stereo Monitor Circuitry
- Independent Power Switch
- Reel Hook with Rubber Feet
- Automatic Equalization for 3-Speeds
- 2-Mike, 500-Ohm Imp. for Quality Recordings
- Two 500-Ohm Headphones
- Magnetic Cartridge

LAFAYETTE RK-920 "Computer-Matic" Stereo Tape Deck

featuring "Automatic Reversing" in both Record and Playback Modes

199⁹⁵

With 7" take-up reel,
2 rubber reel caps,
4 connecting cables

- Two Sensory Switches for Automatic Tape Reversing System
- 4-Track Stereophonic or Monophonic Recording/Playback in connection with External Amplifier
- Built-in Solid State Stereo Record/Playback Preamplifier
- Sound-on-Sound, Sound-with-Sound
- 3-Digit Tape Counter with Push Button Reset
- Two Large Illuminated VU Meters

Deluxe 4-track, 3-speed "Automatic Reversing" tape deck with every facility for making professional quality recordings from AM-FM-FM stereo broadcasts, phonographs, or "live" using microphones. "Computer-Matic" control can be preset for manual or automatic reversing. Pushbutton controls allow you to change operational modes instantly. Tape transport is powered by two separate 4-pole induction capstan drive motors to provide smooth tape runs and low wow and flutter (less than 0.2% rms at 3 3/4 ips). Instant pause control for smooth professional editing; two professional VU meters for visual monitoring of signal levels from either tape or auxiliary audio source. 3-speeds—7 1/2, 3 3/4 and 1 7/8 ips. Heads: two 1/4 track lamination type stereo record/playback; two 1/4 track double-gapped high efficiency erase heads. Equalization: 7 1/2 ips, NAB; 3 3/4 ips, RIAA. Frequency Response: 30-23,000 Hz ± 3 db @ 7 1/2 ips, 40-18,000 Hz ± 3 db @ 3 3/4 ips. Input Impedance: Microphone, 10K ohms; Auxiliary, 500K ohms. For 110-120V., 60 Hz AC. Housed in a brown leatherette covered wood case. 17x15 1/2 x 8 1/4" D. Imported.

99 G 15547WX Shpg. wt., 38 lbs. Net 199.95
99 G 45882 Optional Dynamic Mike. Shpg. wt., 2 lbs. Net 14.95

7" Reel of 1800 Ft. Mylar Base Recording Tape with reversing sensing foils. Shpg. wt., 1 1/4 lbs. Net 2.89
28 G 01181

LAFAYETTE Self-Contained RK-960 "AUTOMATIC REVERSING SOLID-STATE STEREO TAPE RECORDER. Same as RK-920 but with built-in 12-watt stereo amplifier, two 5x7" wide-range hi-fi speakers, stereo headphone jack, and 2 external speaker jacks. Size: 22x15 1/2 x 8 1/4". Imported. Shpg. wt., 44 lbs. Net 299.95
99 G 15489WX No Money Down*

Optional Dynamic Mikes
14.95 ea.

"COMPUTER-MATIC"™ Reversing System Operates on 4-Modes In Either Record or Playback

- | | |
|--------------|-----------------------|
| 1) Manual | 3) Single Reverse |
| 2) Automatic | 4) Continuous Reverse |

NEW LAFAYETTE 3 HOUR PRE-RECORDED STEREO REEL-TO-REEL TAPES

IDEAL FOR ALL TYPES OF BACKGROUND MUSIC APPLICATIONS

3 Hours of Magnificent Music on 4-Track Stereo Tapes at 3 3/4 IPS

For Only **5⁹⁵** ea.



28 G 51012 BROADWAY CAVALCADE—The Hollywood Strings—A romantic program of America's greatest theater music from the pens of Richard Rogers, Irving Berlin, George Gershwin, Jerome Kern, Victor Herbert, and Franz Lehár.

28 G 51020 THREE HOURS OF EASY LISTENING—The Hollywood Strings—Bubbling background music for cocktails, dinner, and romantic evenings. Some of the great hits on this tape are Greensleeves, Smoke Gets In Your Eyes, Stardust, Autumn Leaves, Theme from Exodus, Theme from Moulin Rouge, Around the World In 80 Days, and La Vie en Rose.

28 G 51038 THREE HOURS OF POPULAR CLASSICS—London Pops Symphony Orchestra—Gershwin: American in Paris, Rhapsody in Blue; Beethoven: Fifth Symphony; Tchaikovsky: Favorite Themes; Grofé: Grand Canyon Suite; Rimsky-Korsakov: Scheherazade; Strauss: Waltzes.

28 G 51046 EVENING At The BALLET—London Pops Symphony Orchestra—Excerpts from Sleeping Beauty, Swan Lake, Gaité Parisienne, Night On Bald Mountain, Carmen, Petrouchka, Nutcracker, Afternoon of A Faun, plus many more.

28 G 51004 THREE HOURS OF TCHAIKOVSKY—1812 Overture, Sleeping Beauty Ballet Suite, Piano Concerto #1—Blumenthal soloist, Capriccio Italian, Symp. #6 (Pathétique), Swan Lake Ballet Suite, Nutcracker Suite excerpts—Vienna Symphony and other great European Orchestras.

SAVE up to 33% on Solid-State Reel-to-Reel Recorders



LAFAYETTE RK-830 4-Track Stereo Record/Playback Tape Deck

**Price Cut
20.00**

Now Only
109⁹⁵
WAS 129.95

1969 CATALOG 694
Quantities Limited

Truly outstanding solid-state 3-head, 4-track stereo tape deck. Provides brilliant "concert hall" tape reproduction and playback. Thrilling sound-on-sound and sound-with-sound plus complete 4-track stereo and monophonic record/playback facilities. Operates vertically or horizontally. Single lever control selects Fast-Forward, Rewind, Stop, Run plus "Pause" for precise editing and cueing. Automatic shut-off at end of play. Rugged 4-pole motor. Low level inputs for microphones; high level for radio, TV, phono. Outputs for external amplifier. Takes 7" reels. Specifications—Frequency Response: ± 3 db, 40-18,000 Hz at $7\frac{1}{2}$ ips; ± 3 db, 40-12,000 Hz at $3\frac{3}{4}$ ips. Wow and Flutter: Less than 0.15% rms at $7\frac{1}{2}$ ips; less than 0.25% rms at $3\frac{3}{4}$ ips. Signal-to-Noise:—50 db or better. Bias & Erase Frequency: 96 kHz. Crosstalk: Over 60 db. Inputs: (Each Channel Microphone, 9 mv. @ 10k ohms; Auxiliary, 300 mv. @ 500k ohms. Outputs: (Each Channel) External Amplifier, 0.9 v., 3k ohms. Size: $11\frac{3}{4}$ W x $9\frac{1}{4}$ H x $5\frac{1}{4}$ D; in base: 12" W x $10\frac{3}{4}$ H x 6"D. 12-Transistors, 6-Diodes. In sturdy utility base ready to play. For 110-120v., 60 Hz AC. Imported. Shpg. wt., 18 lbs. 99 G 15349WX No Money Down* Net 109.95

Optional Mikes
5.95 ea.

3 Tape Heads

- Separate Solid-State Record and Playback Stereo Preamps
- Tape and Input Source Selector Switch Permits Tape and Input Source Monitoring
- 2-Studio-Type Record/Playback VU Meters
- 3-Speeds: $7\frac{1}{2}$, $3\frac{3}{4}$ and $1\frac{7}{8}$ IPS
- Digital Tape Counter with Reset Button
- Sound-on-Sound—Sound-with-Sound

Accessories for RK-830

- 7" reel of 1800' Lafayette Mylar Base Recording Tape. Net 2.14
- 28 G 01066
- Deluxe Oiled Walnut Wood Base. Shpg. wt., 4 lbs. Net 9.95
- 24 G 12146W
- 99 G 46302 Dynamic Mike. Imported. Wt., $1\frac{1}{2}$ lbs. Net 5.95

LAFAYETTE RK-33 Reel-to-Reel Recorder



Now

19⁹⁵

WAS 29.95
1969 Cat. 694
(Quantities Limited)

**Price Cut
10.00**

With Remote Control Dynamic Microphone, 3" Reel Of Recording Tape, Take-up Reel, Earphone, Batteries, And Carrying Strap

- Automatic Level Control
- Battery Or AC Operation†
- 2-Speeds: $3\frac{3}{4}$ and $1\frac{7}{8}$ IPS
- Capstan Drive For Constant Speed

Takes reels up to $3\frac{1}{4}$ ". Dynamic mike has remote control start/stop switch. Deluxe features include: record safety interlock switch, large 3" dynamic speaker, built-in (ARL) automatic record and level to keep loud tones from distorting, separate Aux. input and Mike input, earphone jack for private listening. Operates on 4 "C" batteries or 117V., 60 Hz AC with optional adapter (see below). Attractive two tone black and grey case. Size: $2\frac{3}{4}$ H x $6\frac{1}{2}$ L x $10\frac{1}{2}$ W. Imported. Shpg. wt., 4 lbs.

99 G 15612
99 G 35412 AC Adapter

Net 19.95
Net 4.95

32 Lafayette Cat. No. 701



TRUTEST® 150 Portable Recorder Plus 1¢ Tape Bonus

Recorder Less Tape Bonus	Recorder Plus Tape Bonus
14⁹⁵	14⁹⁶



Save 2.96

Bonus Expires 1/1/70

9 Reels of 3" Mylar Tape for 1¢ With Purchase of TRUTEST 150

Dual track recorder operates from batteries or 117 VAC with optional adapter. Piano style pushbuttons simplify operation. Convenient earphone for monitoring recordings, or for private listening. Uses two $1\frac{1}{2}$ V and one 9 V. battery (included). Reel size: $3\frac{3}{4}$ ". Size: $8\frac{3}{4}$ x $3\frac{3}{4}$ x $6\frac{1}{2}$ D. With dynamic remote control start/stop mike, 3" reel of tape, take-up reel, and earphone. Imported. Shpg. wt., $2\frac{1}{4}$ lbs.

- 99 G 15562 Net 14.95
- 99 G 99426LM Recorder Plus Tape Bonus Net 14.96
- 99 G 35370 117 VAC adapter 6 oz. Net 3.95
- 99 G 60212 Extra 9 V. Bat. (1 req.) 2 oz. Net .21
- 99 G 62572 Extra "C" cell (2 req.) 2 oz. Net .14
- Package of Three Reels of 225 ft. Mylar Recording Tape. Net .99
- 28 G 17021 Shpg. wt., 6 oz.

*See Page 13 for Full Credit Details on Easy Pay Plan

LAFAYETTE RECORDING TAPES

LAFAYETTE'S GUARANTEE—YOU BE THE JUDGE!

Lafayette's tape is made by outstanding nationally known manufacturers. It is first quality, splice free, red oxide coated, with full frequency response, uniform output and no "drop-outs." Resistant to moisture, heat,

cold and abrasion. If for any reason you are dissatisfied return the tape within 30 days and we will refund your money less only transportation charges. You are the sole judge.



LAFAYETTE ACETATE RECORDING TAPE

Stock No.	Feet	Reel	Mils	Wt. lbs.	Net Per Reel		
					1-4	5-24	25 Up
28 G 01025	600	5"	1 1/2	1/2	.99	.90	.85
28 G 01033	900	5"	1	3/4	1.20	1.10	.99
28 G 01017	1200	7"	1 1/2	1	1.59	1.49	1.35
28 G 01041	1800	7"	1	1 1/4	1.98	1.88	1.79

LAFAYETTE TENSILIZED MYLAR** TAPES

Stock No.	Feet	Reel	Mils	Wt. lbs.	Net Per Reel		
					1-4	5-24	25 Up
28 G 01090	300	3"	1/2	1/4	.69	.63	.59
28 G 01108	600	3 1/4"	1/2	1/2	.99	.90	.81
28 G 01116	1200	5"	1/2	1	2.25	2.03	1.83
28 G 01082	2400	7"	1/2	1 1/4	3.49	3.14	2.86
28 G 01231	3600	7"	1/2	1 3/4	4.98	4.49	3.99

LAFAYETTE MYLAR** RECORDING TAPE

Stock No.	Feet	Reel	Mils	Wt. lbs.	Net Per Reel		
					1-4	5-24	25 Up
28 G 01058	1200	5"	1/2	3/4	1.75	1.58	1.42
28 G 01066	1800	7"	1	1 1/4	2.14	1.93	1.75
28 G 01074	2400	7"	1/2	1 1/4	3.10	2.79	2.51

LAFAYETTE TAPE FOR AUTOMATIC REVERSING TAPE RECORDERS

Stock No.	Feet	Reel	Description	Net Per Reel		
				1-4	5-24	25 Up
28 G 01165	1200	5"	1/2 mil mylar	1.99	1.84	1.67
28 G 01173	1200	7"	1 1/2 mil acetate	1.84	1.73	1.62
28 G 01181	1800	7"	1 mil mylar	2.89	2.69	2.43
28 G 01199	2400	7"	1/2 mil tens mylar	3.99	3.74	3.52

*Mylar is the registered DuPont trademark for its polyester film

LAFAYETTE BULK TAPE ERASERS

11.95
Deluxe Model
26.95
Professional Model

PROFESSIONAL MODEL For complete erasing of 3", 5", 7" or 10 1/2" reels of tape. Erases 1/4" tapes in one operation without requiring reversing of reel. Will erase up to 1" wide tapes. An extra-powerful unit draws over 9 amperes. Can be used to demagnetize tape, magnetically stripped film, as well as tools and watches. Has built-in fuse. 6 1/4 x 7 1/4 x 3 1/2". 105-125V. 60 Hz. Imported. 99 G 15166 Shpg. wt., 14 lbs. Net 26.95

DELUXE MODEL

Similar to professional model for all size reels but handles only standard size 1/4" tapes or smaller and reel must be turned over once. Has separate spindle positions for 10 1/2" and 3, 5, and 7" reels; non-magnetic bakelite plate for reel rest. One powerful coil consumes 5 amps. Metal case 7 1/4 x 4 1/4 x 3 1/2". Imported. Shpg. wt., 9 lbs. 99 G 15182

Net 11.95

LAFAYETTE DELUXE TAPE HEAD DEMAGNETIZER

- With Switch

Pencil shaped head demagnetizer with one extending probe. Styling allows you to reach all heads in all positions. Features switch control... no need to leave unit on constantly. Turn on when needed and off to conserve unit's life. Operates on standard 110-120V 60 Hz AC. Imported. Shpg. wt., 1 lb. 99 G 15331

Net 2.95



2.95

TELEPHONE PICKUP FOR CRADLE OR UPRIGHT PHONES



1.49

Induction telephone pick-up for cradle or upright phones. Simply place phone base on pickup and connect leads to high impedance input of an audio amplifier or directly to a tape recorder. Imported. Shpg. wt., 8 oz. 99 G 10340

Net 1.49



METAL TAPE STORAGE CHEST

3.29

STANDARD CASE: Sturdy all steel carrying case. Holds 12 7" reels and cans. Twin snap locks. Platinum gray hammerloid finish. Metal separators. Index cards. 28 G 15017 Wt., 5 lbs. Net 3.29

DELUXE CASE: Holds 12 7", 5" or 3" intermixed reels and cans. Finger touch roll-out action, drop-front with spring lock. Exterior and interior index. 28 G 15025 Shpg. wt., 9 lbs. Net 5.95

Net 5.95

1100 Ft. on 3 1/4" Reel. Records 7 hours 20 minutes (all four tracks) at 1 1/2 ips; 12 hours 40 minutes at 3 3/4 ips. Shpg. wt., 12 oz.

28 G 01256 Net 2.10

2400 Ft. on 5" Reel. Records 16 hours (all four tracks) at 1 1/2 ips; 8-hours at 3 3/4 ips. Stereo 2-track records 8-hours at 1 1/2 ips, 4-hours at 3 3/4 ips. Shpg. wt., 1 1/2 lbs.

28 G 01264 Net 4.50

4800 Ft. on 7" Reel. Records 32 hours (all four tracks) at 1 1/2 ips; 16-hours at 3 3/4 ips; 8-hours at 7 1/2 ips. Stereo 2-track records 16 hours at 1 1/2 ips, 8-hours at 3 3/4 ips, 4-hours at 7 1/2 ips. Shpg. wt., 2 lbs.

28 G 01272 Net 8.95



LAFAYETTE TAPE SLICER

2.39

- Two Operations—Cuts & Trims
- Clean Splices in Seconds
- For Monaural or 2 and 4-Track Stereo
- Splicing Tape Supplied

A sturdy precision instrument for professional use in all splicing and editing applications. Gives clean, quick cuts on all tapes without losing a significant portion of the sound track. Splicing tape fed from below will not foul and waste tape. Sharp long lasting blades provide trouble-free operation. A must for professionals and demanding audio hobbyists. Imported. Shpg. wt., 3/4 lb. 28 G 09051

Net 2.39

Replacement splicing tape for above. 28 G 09069 Shpg. wt., 2 oz. Net .30

7 INCH POLYESTER TAPES

- Leading USA Manufacturer • Factory Boxed

1200 FT., 1 1/2 MIL., Shpg. Wt. 1 lb.	
28 G 01132	1-2 ea. .95 3-9 ea. .82
	10-24 ea. .74 25 up .69
1800 FT., 1 MIL., Shpg. Wt., 1 1/4 lbs.	
28 G 01140	1-2 ea. 1.29 3-9 ea. 1.19
	10-24 ea. 1.14 25 up 1.09

1200 FT. 1 1/2 MIL

AS Low AS **69c** Lots of 25


1800 FT. 1 MIL

AS Low AS **1.09** Lots of 25



Solid State 8-Track Stereo Tape Players for the Car

AUTOMATIC 8-TRACK SOLID-STATE STEREO CAR TAPE PLAYER



10 Bonus

Set of Two 3x5" Speaker Systems Only **14 More** with Purchase of Automatic Player

Player Only **49⁹⁵**
 Player With Bonus Speaker **49⁹⁶**



Compact car stereo tape player with attached mounting bracket for quick and easy installation under the dash. Plays 8-track stereo tape cartridges. Solid-state circuitry for instant on operation. Operates reliably on any 12-volt negative ground electrical source. Thumb-dial Volume, Tone, and Balance controls. Manual or automatic channel selection. Complete with all mounting hardware. Size: 10x10x7". Imported. Shpg. wt., 10 lbs. Less Speakers.

17 G 26355W 8-Track Player Only Net 49.95
 8-Track Player plus Set of 2 Speakers Net 49.96
 17 G 26371WM Shpg. wt., 13 lbs. Net 49.96
 Set of 2-Lafayette Matching Car Speaker Systems. Shpg. wt., 3 lbs. Net 6.95
 99 G 62994 Net 6.95

DELUXE AUTOMATIC 8-TRACK CAR STEREO PLAYER with BUILT-IN FM STEREO RADIO



119⁹⁵

FM Stereo Car Radio Stereo 8-Track Car Player

- Instant on Solid State Circuitry
- For all 12 Volt Neg. Ground Car Systems

Wherever you travel in your car, enjoy the full dimension and "live" reality of either 8-track STEREO TAPE or FM STEREO MULTIPLEX RADIO as well as FM monaural broadcasts. Plays all 8-track stereo tape cartridge and any 4-track tape cartridge with an adapter. You can also listen to standard AM broadcasts with an optional AM tuner pack. For instant music—just slip in a cartridge... automatically your car is filled with any kind of tape entertainment you select... jazz, pop, classical. Modern, solid-state circuitry insures reliable, outstanding performance. Features a tape channel indicator, channel selector button, plus an FM stereo indicator and separate balance and tone controls. Tape speed: 3 3/4 IPS. Operates on 12 VDC neg. ground. Power output: 8-watts, Frequency range: 60-12,000 Hz. FM section features 4 tuned IF stages. Size: 2 1/2 x 7 1/2 x 7"D. Complete with adjustable mounting bracket and all mounting hardware. Imported. Shpg. wt., 13 lbs.

17 G 26231WX Net 119.95
 Set of 2 Matched Lafayette Car Speaker Systems. Shpg. wt., 21 lbs. Net 6.95
 99 G 62994 Net 6.95
 AM RADIO TUNER CARTRIDGE 5 Semiconductors. Slide-rule Illuminated Dial. Imported. Shpg. wt., 1 lb. Net 24.95
 17 G 26090L Net 24.95

Solid State Stereo Cassette Tape Players for the Car

AUTOMATIC CRS-9440 CAR STEREO CASSETTE PLAYER



79⁹⁵

With Mounting Hardware, Less Speakers

- For 12V., Neg. Ground Systems
- Fast-Forward and Reverse
- Thumbwheel Type Safety Controls

Compact stereo cassette tape car player. Produces 8 watts stereo music power. Plays standard monaural or stereo pre-recorded cassette cartridges at 1 7/8 ips. Features ultra-modern, solid-state circuitry, plus thumbwheel type Volume, Balance, and Tone controls which conform to latest auto safety standards. Fast-Forward — Reverse controls permit rapid, manual choice of different selections. Operates on any 12-volt, negative ground electrical source. Beautiful chrome face panel with jet-black trim. Comes complete with mounting bracket. Size: 6 5/8 x 7 D x 2 3/4" H. Imported. Shpg. wt., 10 lbs. Net 79.95
 17 G 26363WX No Money Down* Net 79.95
 Set of 2-Lafayette 3 x 5" Matching Rear Deck Speakers. Imported. Net 6.95
 99 G 62994 Shpg. wt., 3 lbs. Net 6.95

SALE SONY/SUPERSCOPE TC-20 CAR STEREO CASSETTE PLAYER

SAVE 20.50



New **99⁵⁰** Was 119.95
 1970 Cat. 700

With Mounting Hardware, & Head Cleaning Pencil

- Automatic Cassette Eject
- Tone Control
- Pushbutton Operation

Deluxe stereo playback car cassette system. Features single action "Letter-Box loading." Provides instant playback at a power output of 6-watts per channel. Cassettes can be ejected either automatically or manually. Has push-button "Fast-Forward" and "Rewind"; Volume, Stereo Balance and Tone controls. SPECIFICATIONS: Frequency Response 50-10,000 Hz; Wow/Flutter 0.28%; Signal-to-Noise Ratio 45 db; Tape Speed 1 7/8 ips. Switchable for negative or positive ground 12VDC electrical systems. Complete with mounting bracket, hardware and head cleaning pencil. Size: 7 3/4 x 2 7/8 x 8 1/4". Imported. Shpg. wt., 8 lbs. Net 99.50
 17 G 50017WX No Money Down* Net 99.50
 Deluxe Set of 2-Rear Deck Matched Speaker Systems. Imported. Net 6.95
 99 G 62986 Shpg. wt., 4 lbs. Net 6.95

8 Track Stereo Cartridge Players, Recorder and Accessories

PANASONIC RS-802US 8-TRACK STEREO TAPE CARTRIDGE PLAYBACK DECK

- Plays 8-Track Pre-Recorded Tape Cartridges Thru the Stereo Amplifier of Your Hi-Fi System

Solid state 8-track home cartridge deck with advanced IC circuitry. Built-in dual pre-amplifier permits use with any stereo amplifier or receiver having an "Auxiliary" input jack. Simple push-button channel program selector. 4 easy-to-read illuminated channel indicators that individually light-up to quickly show you the exact channel you are listening to. Decorator styled in tasteful walnut grain finish metal cabinet with silver control panel. For 117 VAC, 60 Hz. Size: 8 1/4" W x 4 1/4" H x 9 3/4" D. Imported. Wt., 7 lbs. 17 G 31504W Net 49.95

ONLY
49.95
No Money Down*



ROBERTS 1725-8L III INTEGRATED CARTRIDGE and REEL STEREO RECORDER



SAVE
40.00

SALE 299.95 WAS 339.95
1970 Cat. 700

- 4-track Stereo Reel-to-Reel Plus "Stereo 8" Track Combination Record and Play
- Records "Stereo 8" Cartridges From Reels

Record and play your favorite music from LP records and stereo FM radio broadcasts on either reels or cartridges. Records and plays back reels at 3 3/4 and 7 1/2 ips; cartridges at 3 3/4 ips. Two built-in 4" wide-range speakers provide superb full frequency sound reproduction. Has twin type VU meters. Reel-to-reel section features automatic shut-off; instant stop; 3-digit index counter with reset button; built-in tape cleaner. Response: 50 to 15,000 Hz at 7 1/2 ips; 50 to 10,000 Hz at 3 3/4 ips. For 110-125VAC., 60 Hz. Size: 15Hx13 1/2 Wx 9 1/2" D. Imported. Shpg. wt., 34 lbs. 27 G 55163WX No Money Down* Net 299.95

DELUXE 4 and 8 TRACK TAPE CARTRIDGE STORAGE RACK

- Holds Up To 48 Tapes
- Lazy Susan Type Base

10.95

Easy access to your 4 and 8-track tape cartridges. No more misplaced tapes. Attractively styled wood and masonite storage rack with simulated walnut vinyl finish. Has "Lazy Susan" type base. Holds up to 48 tapes. Size: 9 1/2 Wx 9 1/2 Dx 12 1/2" H. Shpg. wt., 8 lbs. 28 G 78049W Net 10.95



CRAIG 3302 SOLID STATE 8 TRACK RECORDER/PLAYER DECK



Make Your Own Tapes
for the Car and the Home

119.95

Quality 8-Track Stereo Tape cartridge record/playback deck plays thru the stereo amplifier or receiver of your present home system. Advanced, automatic record level control for superb music recordings. Special selector provides automatic stop after one channel or all four channels. Also has provisions for automatic continuous play. Features E-Z-Ject cartridge release button, Record level meter, individual track indicator lights, and a pushbutton selector. Inputs for microphone and auxiliary high (1 Meg. ohms) and auxiliary low (20K ohms)...Frequency response: 50-10,000 Hz. Wow and flutter: less than 0.25%. Signal-to-noise ratio: better than 40 db. Stereo separation: better than 30 db. AC Bias record system, AC Erase. Handsome walnut finish wood cabinet. With all connecting cables. Operates on 120 VAC 60 Hz. Size: 9 1/2 W x 11 1/2 D x 4" H. Imported. Wt., 14 lbs. 27 G 27162WX No Money Down* Net 119.95
28 G 17047 60 Min. 8-Track Cart. Recording Tape, 6 oz. Net 1.95

8-TRACK TEST and HEAD CLEANING CARTRIDGE

3-IN-1 Professional Calibrated Test Cartridge—Tests for proper head alignment. Test for proper stereo balance. Cleans tape head. Shpg. wt., 6 oz. 28 G 92016 Net 1.49

Only
1.49



8-TRACK CARTRIDGE MYLAR RECORDING TAPE

As Low As

1.75

Continuous loop 8-track cartridges well lubricated to preserve tape life. Fits all standard 8-track recorders and players. With UNI-tension pressure pads, precision molded tape guide.

Stock No.	Recording Time	Wt.	Net
28 G 10315	30 Minute	6 oz.	1.75
28 G 17047	60 Minute	6 oz.	1.95
28 G 17039	80 Minute	6 oz.	2.25



*See Page 13 for Full Credit Details on Easy Pay Plan

8-Track Tape Players, Pre-Recorded Cartridges & Accessories

LAFAYETTE Pre-Recorded 8-Track Stereo Tape Cartridges



As Low As
2⁹⁵
each



↑ TWIN PACK

- Beethoven Sym. No. 5 Cento Soli Orch. of Paris. Shpg. wt., 8 oz. Net 2.95
28 G 40502L
- Beethoven Sym. No. 6 "Pastoral" Vienna Symphony, Orch. Klemperer Cond. Shpg. wt., 8 oz. Net 2.95
28 G 40510L
- Beethoven Sym. No. 7 London Sym., Orch. Van ReMoortel Cond. Shpg. wt., 8 oz. Net 2.95
28 G 40528L
- Berlioz Sym. "Fantastique" Bamberg Symphony, Orch. Perlea Cond. Shpg. wt., 1 lb. Net 3.29
28 G 40551L
- ↑1812 Overture, Russian Easter Overture, Polovetsian Dances, A Night on Bald Mountain. Vienna Symphony Orchestra. Shpg. wt., 1 lb. Net 3.29
28 G 40569L
- ↑Rachmaninoff Piano Concerto No. 2; Tchaikovsky Piano Concerto No. 1. Felicia Blumental soloist. Orchestra Der Wiener Musikgesellschaft. Shpg. wt., 1 lb. Net 3.29
28 G 40577L
- ↑Offenbach—Gaité Parisienne; Bizet—Carmen Suite; Ravel—Bolero, Cento Soli Orchestra of Paris. Shpg. wt., 8 oz. Net 3.29
28 G 40536L
- Brahms—Dvorak, Hungarian and Slavonic Dances. Perlea conductor. Bamberg Symphony Orchestra. Shpg. wt., 8 oz. Net 3.29
28 G 40544L
- Great Movie Themes—Exodus, Around the World In 80 Days, Picnic, Moulin Rouge, Merry Widow. London Pops Orchestra. Shpg. wt., 8 oz. Net 2.95
28 G 40585L
- Hits from Broadway Shows—My Fair Lady, Camelot, Gigi, Sound of Music, Hollywood Radio City Orchestra. Shpg. wt., 8 oz. Net 2.95
28 G 40593L



"Automatic" Portable 8-Track Tape Player

34⁹⁵

With 6 "D" Batteries and Car Cigarette Adapter

• Listen to 8-Track Tape Cartridges Whenever You Go

An exciting way to listen to 8-track stereo tape cartridges. Portable instant-on solid state tape player operates on 6 "D" batteries or may be plugged into the cigarette lighter of any car or boat with a 12V neg. ground electrical source. Continuous tone control and dynamic speaker for quality sound reproduction. Earphone jack for private listening. Channel indicator. Integrated carrying handle. Includes 6 transistors and 1 thermistor. 8Hx7Wx3¼"D. Imported. Shpg. wt., 7 lbs. Net 34.95
17 G 26330 No Money Down" 99 G 62564 Extra "D" batt. 6 req. Net ea. .15

NEW FM Tuner Cartridge for 8-Track Car Tape Players



19⁹⁵

With 6 "D" Batteries

Converts any car, boat or home 8-track tape player to an FM radio with full, rich sound. Solid state circuitry with 8 transistors. Built-in AFC locks in stations. Precision slide rule tuning dial. Tuning range: 88-108 MHz. Imported. Shpg. wt., 1 lb. Net 19.95
17 G 61006L 99 G 60212 Extra 9V battery Net .21

LAFAYETTE 8-Track Tape Head Demagnetizer



As Low As **3⁹⁵**

A must for all owners of 8 track tape cartridge recorders and players. Removes excessive magnetic build-up on heads. Use after every 15 hours of player use. Shpg. wt., 1 lb. Imported. Net 3.95
For 117VAC Home Players 99 G 15091
For 12 VDC Car Players 99 G 15422 Net 5.95

Carrying Case for 8-Track Tape Cartridges

• Holds Up to 10 Cartridges



2⁶⁵

Keep tape cartridges for your car neat, orderly, dust free. Compact, 9x6x6" case stores 10 tapes of any standard brand. 2 lbs. Net 2.65
28 G 20124

LAFAYETTE Speakers for 8-Track and Cassette Car Stereo Tape Players

"VARY-MOUNT" SPEAKER



3⁹⁵

Deluxe flush-mounting speaker with beautiful chrome grill. Ideal for use as an auto speaker or anywhere shallow depth is required. Full range speaker has heavy magnet and offers outstanding sound quality. Can also be used as a ceiling or wall mount speaker in your home. Imp., 8 ohms. Overall dia.: 6¼". Imported. Wt., 3 lbs. Net 3.95
99 G 01794

CUSTOM IN-DOOR SET OF 4 SPEAKERS AND MATCHING GRILLES



8⁹⁵

Ready for quick installation. Improves the sound and performance of any car tape player. Kit includes: Four 4¾" extended range 8-ohm PM speakers; four round custom mount plastic speaker grilles; all necessary hook-up wire with solderless connectors; mounting hardware and easy-to-follow instructions. Imported. Shpg. wt., 3 lbs. Net 8.95
99 G 62861

3x5" SET OF TWO UNDER-DASH MATCHING SPEAKER SYSTEMS

6⁹⁵

Two—3 x 5" wide-range ceramic speakers mounted in plastic housing will mount under dash, under seats, on kick panels, doors, or rear package shelf. Includes all necessary cables and mounting hardware. Imported. Shpg. wt., 3 lbs. Net 6.95
99 G 62994

DELUXE SET OF TWO REAR DECK MATCHING SPEAKER SYSTEMS

• 5 Watts Peak Handling Power

9⁹⁵

Set of two powerful 4" speakers mounted in handsome ebony plastic cabinets with silver trim! Specially designed to mount on car's rear deck. Can also be surface mounted anywhere. Provides outstanding sound reproduction. Includes all necessary cables and mounting hardware. Net 9.95
99 G 62986 Shpg. wt., 4 lbs.



Deluxe Personal Black and White Television Sets

69⁹⁵ Personal Portable
UHF/VHF TV Set



UL Listed

**9 Inch Viewable Picture—
Measured Diagonally**

- 82 Channel UHF/VHF Reception
- With Earphone For Private Listening

Perfect for portability. Styled in a modern mood—rich walnut grain with champagne gold trim. Transistorized (both tube and solid-state) circuitry. 44 square inch, 90° deflection, aluminized picture tube. Precision-engineering for top reception anywhere... even in fringe areas! Front-mounted 3" speaker for fine sound. Front-mounted controls for greater convenience. Separate UHF and VHF tuning knobs. With "Split-Second Start" for instant picture... instant sound. Telescopic VHF and loop UHF antenna. Earphone and jack for personal listening. Size: 9 1/4" x 13 3/8" x 9 3/4" D. For 117 VAC, 60 Hz. Imported. Wt. 18 lbs.

17 G 53128WX No Money Down* Net 69.95

79⁹⁵ Personal Portable
UHF/VHF TV Set



UL Listed

**12 Inch Viewable Picture—
Measured Diagonally**

- 82 Channel UHF/VHF Reception
- With Earphone For Private Listening

Handsome, lightweight, transistorized "personal" television for true portability! Big 75 sq. in. viewing area (12" diag. measurement). 82-channel reception lets you enjoy all stations, present and future. Split-second start—instant picture, instant sound. 110° aluminized picture tube produces rich blacks and white, and brilliant high-lights. Separate UHF and VHF tuning, plus VHF fine tuning control allows accurate station selection on all channels. Complete with built-in 3 1/2" dynamic oval speaker, VHF telescopic unipole antenna, and a rear mounted UHF loop antenna. Earphone for private listening. For 117VAC., 60 Hz. Imported. UL listed. 13 3/8" x 13 3/8" x 10 3/4" D. Shpg. wt., 19 1/2 lbs.

17 G 53136WX No Money Down* Net 79.95

109⁹⁵ Personal Portable
UHF/VHF TV Set



UL Listed

**19 Inch Viewable Picture—
Measured Diagonally**

- 82 Channel UHF/VHF Reception
- With Earphone For Private Listening

Quality portable TV with big 184 sq. in. viewing area. Attractive, slimline cabinet in off-white with black and chrome trim. Non-glare, 114° aluminized picture tube produces sharp, crisp black and white pictures. 82 channels for full UHF/VHF coverage. Powerful front mounted 6 1/4 x 2" dynamic speaker. Convenient, fold-away carrying handle for easy portability. AFC and keyed AGC circuits for maximum stability in reception. Includes: VHF dipole and UHF loop antennas and earphone for personal listening. Size: 17H x 21 7/8W x 13 3/8"D. For 117VAC, 60 Hz. U.L. Listed. Imported. Shpg. wt., 34 lbs.

17 G 53078WX No Money Down* Net 109.95

DELUXE Panasonic AN-409T
Portable TV with Digital Clock



9 Inch Viewable Picture—Measured Diagonally

- 99⁹⁵**
- 3 1/2 Hour Sleep Timer with Automatic Shut-Off
 - Large Easy-to-read Digital Clock
 - Channel Coverage: VHF 2-13, UHF 14-83
 - Detachable Black Front Glass

Tomorrow's look featuring built-in digital clock. Up to 3 1/2 hour sleep timer with automatic shut-off. 38 square inch viewing area. 90° deflection aluminized picture tube plus 10-tube 8-solid-state component circuitry delivers sharp "black and white" pictures. Instant On with "one touch" On/Off power switch. Sliding vertical controls for contrast, brightness and pre-set volume. VHF-UHF antennas. 3" up-front speaker. With earphone and retractable handle. Charcoal grey, ivory trim. For 117 VAC., 60 Hz. 9 3/4" x 15" x 11" D. Shpg. wt., 14 lbs. Imported.

17 G 31561WX No Money Down*

Net 99.95

DELUXE

Sony TV—920U
Solid State Portable TV

129⁹⁵

With Earphone,
Sun Visor, Front
Cover, and Built-
In Battery Charger

- Operates On Battery or AC
- Channel Coverage: VHF 2-13, UHF 14-83



8 Inch Viewable Picture—Measured Diagonally

Weights only 10 lbs.! Features 8" sunglass picture tube (measured diagonally) for perfect outdoor and indoor viewing. 25 transistors plus 13 diodes assures sensitive reception even in fringe areas. Operates on all power sources: optional rechargeable 12 volt battery; 12VDC car/boat battery, or 117V., 60 Hz AC. Built-in VHF telescopic antenna, front mounted controls, push-pull on/off switch and front mounted speaker. With earphone, VHF telescopic antenna, built-in battery charger. Size: 10H x 9W x 8 3/4"D. Imported. Shpg. wt., 12 lbs.

17 G 32809WX No Money Down* Net 129.95

ACCESSORIES FOR SONY PORTABLE TV'S

Model BP/7 564. Shoulder rechargeable battery pack.

17 G 32296 Shpg. wt., 3 lbs. Net 22.95

Model OCC-2AW. Car battery cord. For 12V/neg. ground systems. Net 14.95

17 G 32304 Shpg. wt., 1/2 lb. Net 14.95

Model VCA 14. Car window antenna. Shpg. wt., 1 lb. Net 22.95

17 G 32601

*See Page 13 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 701 37


Superb Selection of Solid-State Table and Clock Radios

Deluxe LAFAYETTE AM/FM Walnut Wood Hi-Fidelity Table Radio



Our Finest AM/FM Table Radio!
Featuring 5" Acoustic Suspension Speaker For
Magnificent Full-Fidelity Sound Reproduction

Handsomely Styled LAFAYETTE Solid-State AM/FM Clock Radio



Full Feature Telechron Clock with
 Lighted Dial And Snooze Button
 Large 4" Speaker
 AFC Lock Prevents Drift on FM

34⁹⁵

Rich Walnut Veneer
 Wood Cabinet

Our finest AM/FM clock radio. Extra powerful solid-state circuitry, automatic frequency control (AFC) plus an FM signal boosting stage provides brilliant FM as well as AM reception. The full-feature Telechron clock with lighted dial lulls you to sleep, wakes you to music, lets you nap. Up to 60-minute automatic shut-off for late night listening. Also features precision slide rule dial, wake-up alarm, and a large 4" wide range speaker for superb tone. This clock radio is housed in a rich walnut veneer wood cabinet that will enhance the decor of your home. Size: 11 $\frac{3}{8}$ " x 6 $\frac{1}{8}$ " x 3 $\frac{3}{4}$ ". Imported. For 117 VAC 60 Hz. Shpg. wt., 6 lbs.

17 G 01838W

Net 34.95

38 Lafayette Cat. No. 701

37⁹⁵

Tuned RF FM and 4 IF Stages
 Tape Recorder Output Jack
 12-Transistors and 14-Diodes
 External Speaker Output Jack

A deluxe high-fidelity AM/FM radio employing an advanced solid-state circuit with 12-transistors and 12-diodes. However, it is more than just an AM/FM radio, it combines a super-sensitive AM and FM receiving section with a tuned RF FM stage and 4 IF's, a high-fidelity amplifier, and a full-range acoustic suspension loudspeaker in one compact and handsomely designed 3/8" walnut wood enclosure. Equipped with a built-in AM and FM antenna system, this outstanding radio need only be connected to a standard 117 VAC outlet to place it in operation. Separate Band Selector, Continuous Tone control, and Volume control. AFC for drift-free FM. Jack at the rear of the radio marked REC may be used to plug in a tape recorder to record any programs heard on radio. Also includes provisions for hooking up an external 8-ohm speaker as well as external FM or AM antenna. Beautiful oiled walnut wood cabinet with woven tan grill. For 105-120V., 50/60 Hz AC. Size: 13L x 5 $\frac{7}{8}$ D x 8 $\frac{3}{8}$ "H. Imported. Shpg. wt., 8 $\frac{1}{2}$ lbs. 99 G 35644W

Net 37.95

Deluxe Panasonic Model RC-7469 AM/FM Digital Clock Radio



3 25

Tells Time by Numbers
 Instead of Hands

Automatically Turns
 Radio On At Preset
 Time

59⁹⁵

Drift off to sleep and awaken either to music, morning weather, traffic and news reports, or awakened by alarm. Preset the time once and the RC-7469 turns on automatically everyday at the same time; turns off automatically after one hour of play. For ordinary use there's an Off/On button. Highly stylized clock and radio dials are illuminated for convenient night use. Has built-in FM and AM antennas, and earphone jack. For 110-120V., 50/60 Hz AC. Size: 5 $\frac{1}{2}$ "H x 13 $\frac{3}{4}$ " x 7 $\frac{3}{8}$ "D. Imported. Shpg. wt., 4 lbs. 17 G 31546

Net 59.95

*See Page 13 for Full Credit Details on Easy Pay Plan

Deluxe LAFAYETTE LR-20 Solid State AM/FM Stereo System With Two Separate Matching Oiled Walnut Speakers



Get A Deluxe Stereo Headphone
For 1¢ with Purchase of LR-20

Save 7.94

From Individual Catalog Prices
BONUS OFFER EXPIRES 1/1/70

LR-20 Only

LR-20 with Bonus
Stereo Headphone

99⁹⁵

99⁹⁶



26 Transistors, 18 Diodes, and 4 Thermistors
For 12 Watts of Music Power To Drive The
Two Full Range 6½" Speaker Systems

Automatic FM Stereo Switching
Stereo Headphone Input Jack
Tape Input and Output Jacks

**LAFAYETTE MC22 4-Speed "Mini"
Automatic Stereo Record Changer**



Ideal For LR-20 System

Comes pre-mounted on simulated black leather base with walnut vinyl trim, tinted plastic dust cover and diamond LP needle. Dimensions: 14¾ x 5 x 10". Shpg. wt., 7 lbs. 21 G 01632W Net 34.95

Provides brilliant and rewarding AM/FM/FM stereo radio performance. Includes many of the characteristics of a fine hi-fi stereo component music system. Two separate 6½" rich sounding wide range matching oiled walnut wood speaker systems permit you to enjoy true stereo separation. Deluxe Features: Stereo Indicator Light; Automatic FM Stereo Switching; Full complement of controls; Function selector for AM, FM, FM, AFC, Phono-Aux; Volume Balance; continuous Tone (Bass/Treble); Mode switch (stereo-mono); Loudness compensator switch, stereo headphones jack; tape recorder input and output jacks; phono input jack. Ferrite AM antenna and FM line cord antenna, as well as connection for external FM antenna. Overall FM sensitivity: 7µv; Output: 12-watts. Control unit is housed in a handsome simulated walnut metal enclosure. For 117V., 50/60 Hz. AC. Size: Control Unit—15W x 4¼H x 10¼"D.; Speakers—7½W x 9¾H x 5¼"D. Imported. Shpg. wt., 24 lbs. 99 G 35495WX No Money Down* Net 99.95

Model LR 20 AM/FM/FM Stereo Radio Plus Bonus Lafayette Model 8X Stereo Headphone. Shpg. wt., 25¼ lbs. 99 G 99400WXM No Money Down* Net 99.96

LAFAYETTE 8X STEREO HEADPHONE ONLY 99 G 01802 Shpg. wt., 1¼ lbs. Net 7.95

LAFAYETTE Solid-State Stereo FM/AM Table Radio



49⁹⁵

No Money Down*

Twin 4" Wide-Range Speaker

Precision Slide-Rule Dial

Stereo Indicator Light

Record Changer Input Jack

NOW YOU CAN OWN A FULL 20 Inch Long Stereo FM/AM Table Radio with two self-contained 4" wide-range speakers. And it features instant-on sound solid-state circuitry plus an FM stereo indicator light. Speakers are placed at each end of the cabinet for true stereo separation. 4-way selector knob enables you to listen to AM, FM or FM stereo broadcasts, or stereo records (when you plug in a record

changer with ceramic cartridge). AFC for drift-free FM reception. Separate Volume, Tone Balance, and Tuning controls. Ferrite core AM antenna, FM line cord antenna. Beautiful walnut plastic grain cabinet with black louvered speaker grill. For 117VAC 60 Hz. Size: 20W x 5H x 8"D. Imported. 17 G 01820WX Shpg. wt., 9 lbs. Net 49.95


*See Page 13 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 701 39

SALE

Tremendous Savings on Close-Outs of Solid-State Radios

LAFAYETTE Stereo FM/AM Clock Radio



SAVE \$20

NOW **59⁹⁵**


WAS 79.95

1969 Catalog 694

A magnificent performing 2-piece modular stereophonic FM-AM clock radio styled in elegant walnut wood cabinetry. Includes many features normally found in more expensive stereo Hi-Fi receivers such as: inputs for stereo or monaural phonograph, output jack for stereo headphone, separate tone and balance controls, automatic FM stereo indicator light and switchable AFC. Full feature Telechron clock has front setting controls with 60 minute wake-up alarm, and soft glow electro-luminescent night light. Stereo radio and modular cabinet each contain a wide range of 4 x 6" Hi-Fi speaker with 10 ft. hook-up cable. Size: Radio, 13 $\frac{1}{4}$ "W x 8H x 6"D. Matching speaker system, 6 $\frac{3}{4}$ "W x 8H x 6"D. For 117 VAC 60 Hz. Imported. Shpg. wt., 11 lbs. 17 G D1721WX No Money Down*

Net 59.95

3-Piece Modular AM/FM Stereo Table Radio



SAVE \$10

NOW **69⁹⁵**

WAS 79.95

1970 Catalog 700

Features 2 matching air-suspension type speaker systems for superb high fidelity sound reproduction. Beautiful walnut finished wood cabinetry. Modern upright styling. AFC for drift-free FM reception. 5 Controls: Power, Volume, Tone, Tuning. Function Selector (AM, FM, FM Stereo, Aux.) Balance, AFC

(on-off). Front panel stereo headphone jack. FM Stereo indicator light. Auxiliary Input for record changer or tape recorder. Instant on solid state circuitry. Size 20 $\frac{1}{2}$ "W x 11"H x 6 $\frac{1}{2}$ "D. Imported. For 117VAC 60 Hz. Shpg. wt., 18 lbs. Imported. 17 G 78455WX No Money Down* 69.95

LAFAYETTE Battery/AC Portable Radio

SAVE \$3
NOW **9⁹⁵**
WAS 12.95
1969 Cat. 691



Tremendous performer—carry it with you, or use it at home. Large 4" speaker provides magnificent performance. Handsomely styled black leatherette case with handle. Operates up to 500 hours on 4 "C" batteries (included) or just plug into any 117VAC with built-in

self-storing cord. Ferrite rod antenna. With earphone for private listening, and batteries. Imported. Size: 9x6x2 $\frac{1}{8}$ ". Shpg. wt., 7 lbs. 99 G 35289L Net 9.95
Extra "C" cells for above (4 required) 99 G 62572 Net ea. 14

LAFAYETTE AM Clock Radio



30% SAVINGS

NOW **10⁴⁴**

WAS 14.95

1969 Catalog 691

- Instant-On Solid-State Circuitry
- Telechron Clock Movement

Our lowest price ever for a quality AM solid-state clock radio. Attractively styled—perfect for the kitchen, den, or bedroom. Features all solid-state circuitry for static-free, clear AM reception. Reliable Telechron clock movement. Wakes you gently to music or news at a preset time. Large 2 $\frac{3}{4}$ " speaker provides fine tonal quality. Beautiful white plastic finish. Size 7 $\frac{1}{8}$ "Hx6 $\frac{1}{8}$ "Wx2 $\frac{3}{8}$ "D. For 117 VAC, 60 Hz. Imported. Shpg. wt., 3 lbs. 17 G Q1713

Net 10.44

"Mini" Twin Speaker AM/FM Table Radio



19⁹⁵
Walnut Wood Cabinet

- Matched 3" and 2 $\frac{1}{4}$ "
Twin Speakers

The ideal size AM/FM table radio for persons who do not have the space to accommodate a large radio. Superheterodyne circuit features 10 transistors and 7-diodes, AFC for drift-free reception. Lighted slide-rule tuning dial. Bass-Treble tone control. Ferrite AM antenna, line cord FM antenna. Walnut wood cabinet with metallic silver speaker grills. For 117V., 50/60 Hz AC. UL Listed. Size: 11 $\frac{1}{2}$ "W x 4 $\frac{1}{4}$ " x 4 $\frac{1}{2}$ ". Imported. 17 G 78430 Shpg. wt., 4 lbs. Net 19.95

Deluxe Performing Personal Solid State Portable Radios

SALE
6⁹⁵
 Was 7.95
 1970 CAT. 700
 This Price in
 effect thru 1/1/70

LAFAYETTE Personal "Mini" AM Pocket Radio



With Carrying Case, Earphone and Battery

Beautifully styled instant play AM pocket radio. Engineered and constructed with the jewel-like precision of a fine watch. Powerful 2 1/4" speaker provides clean, crisp tone. Features professional vernier slide rule tuning dial, and 3 IF transformers for superb sensitivity and selectivity—gives you real pulling power for stations both near and far. Superhetrodyne circuit utilizes the latest space-age solid state devices. Built-in ferrite antenna. Operates on only one inexpensive 9-volt battery. Includes vinyl carrying case, batteries and earphone for private listening. Color: Black. Size: 4 1/2"H x 2 3/4"W x 1 1/4"D. Imported. Shpg. wt., 2 lbs.

17 G 01762L Net 6.95
 99 G 60212 Extra 9-Volt Battery Net .21

Deluxe LAFAYETTE "Mini" AM/FM Pocket Portable Radio

14⁹⁵

With Carrying Strap, Earphone and Battery



• Precision Slide Rule Tuning Dial

Supersensitive, power-packed beauty provides sparkling performance on both FM and AM and measures only 2 7/8"W x 4 3/8"H x 1 1/2"D. Advanced solid state superhetrodyne circuit gives you real pulling power of stations both near and far. Built-in AFC circuitry to prevent drift on FM. Features slide rule dial and logging scale for precise tuning. Large 2 1/4" dynamic speaker reproduces voice and music with fine tonal balance. Ferrite rod antenna for AM, telescoping antenna for FM. Superbly styled and constructed die cast front. Powered by single 9-volt battery. Includes earphone for private listening, battery, and handy carrying strap. Imported. Wt., 3 lbs.

99 G 35248L Net 14.95
 99 G 60212 Extra 9-Volt Battery Net .21

Lafayette 2-Band Solid-State Battery/Electric FM/AM Portable

17⁹⁵
 with earphone and batteries

• Plugs Into Any AC Outlet or Plays Anywhere on 6 "AA" Batteries

Smartly styled, full-sized personal AM/FM portable. Handsome, olive leatherette cabinet with beige and chrome trim. Provides excellent FM as well as AM reception. Comes gift packed with earphone and batteries included. Features precision slide rule dial with logging scale, and wide range dynamic speaker for clear, crisp tonal quality. 9 transistors and 4 diodes. Telescopic FM antenna and ferrite core AM antenna. Size: 4 3/4 x 7 3/4 x 2 1/2"D. Imported. Shpg. wt., 3 lbs.

17 G 01770L Net 17.95
 99 G 62580 Extra "AA" bat. (6 req.) Net ea. .10



Deluxe Lafayette 2-Band Solid-State Battery/Electric FM/AM Portable

- AFC for Drift-Free FM Reception
- Precision Slide Rule Tuning
- Superb Tone with Wide Range 3 1/2" Speaker

22⁹⁵

with earphone and batteries

Supersensitive AM/FM portable radio in a deluxe cabinet with a big 3 1/2" wide range speaker for magnificent tone. Features one RF and three IF stages for extremely high sensitivity and selectivity enabling the listener to hear more stations. Operates on 4 "C" batteries or 117 VAC with built-in line cord. Precision slide rule dial with logging scale. AFC on FM to prevent drift. Pushbutton control for FM or AM. Telescoping FM and ferrite core AM antennas. 10 transistors and 5 diodes. AC/DC switch. Attractive metal front panel with chrome trim. Rugged, black leatherette case. With earphone and 4 "C" batteries. Size: 5 1/2 x 9 x 2 1/2". Imported. Shpg. wt., 4 lbs.

17 G 01788L Shpg. wt., 4 lbs. Net 22.95
 99 G 62572 Extra "C" bat. (4 req.) Net ea. .14



Depend on Lafayette For Everything in Electronics

Put the World at Your Fingertips: London, Paris, Moscow, Rome

LAFAYETTE Battery/AC 3-Band Solid-State AM/FM/SW Portable Radio



Self Storing AC Line Cord

TUNES 3 BANDS

SW: 4-12 MHz
FM: 88-108 MHz
AM: 540-1600 kHz

- Slide Rule Dial for Precision Tuning

29⁹⁵

Includes Batteries,
Carrying Strap,
and Earphone

Tunes the standard AM broadcast band (540-1600kHz), FM Band (88-108MHz) and the 4-12 MHz International Shortwave Band for exciting world-wide listening pleasure. Provides magnificent tone from large 3½" speaker powered by 15 transistors and 5 diodes. Built-in AFC circuitry to prevent drift on FM. Slide rule dial for precision tuning. Built-in ferrite antenna for AM reception, telescopic antenna for FM and SW. Texon leatherette finished case in black, with chrome trim. With batteries and earphone for private listening. Operates on 117V AC 60 Hz with self storing AC line cord, or on 4 "C" batteries. Size: 11W x 7H x 3¼"D. Imported. Wt., 8 lbs. 99 G 35271L Net 29.95

99 G 62572 Extra "C" batteries (4 required)

Net ea. .14

LAFAYETTE Battery/AC 4-Band Solid State AM / FM / SW Portable Radio



Includes These Exciting Accessories



Pillow Speaker

Headphone

Earphone

External antenna

Batteries

TUNES 4 BANDS

AM: 540-1600 kHz
MB: 2.5-6.5 MHz
FM: 88-108 MHz
SW: 9-18 MHz

- AFC For Drift Free FM Reception
- Self Storing AC Line Cord

39⁹⁵

Superb performing 4-band portable radio for all around use. Listen to exciting foreign shortwave stations, marine reports, standard AM and FM broadcasts. Power loaded chassis has 6 diodes plus built-in automatic frequency control for drift-free FM performance. Easy-to-read slide rule dial with logging scale for precise tuning. Separate AC/DC switch permits you to play this fine portable on 117 VAC, 60 Hz or with 4 economical "C" batteries. AC line is self-storing. Large 3½" full range dynamic speaker for outstanding tonal quality. Built-in ferrite core antenna for AM and telescopic antenna for FM, Marine and SW bands. Handsome black padded, simulated leatherette cabinet with die-cast frame and chrome grill. Size: 9½x6x3½" Imported. Shpg. wt., 7 lbs. 17 G 01796L No Money Down* Net 39.95

Extra "C" batteries for above. 4 required. 99 G 62572

Net ea. .14

LAFAYETTE Battery/AC 6-Band Solid-State AM / FM / SW Portable Radio



International Shortwave Bands; read On 4 Bands for Pinpoint Tuning Accuracy

SW-1: 5.95—6.25 MHz
SW-2: 9.45—9.7 MHz
SW-3: 11.65—12.0 MHz
SW-4: 15.05—15.5 MHz

Also Tunes Standard AM and FM

49⁹⁵

With Batteries
and Earphone

Pinpoint tuning accuracy for the widest pick of international shortwave broadcasts and the Voice of America. Listen to these exciting and informative programs at the flick of a switch. For best all around reception, this radio has two antennas: a telescoping swivel antenna for the clearest possible shortwave and FM reception and a built-in ferrite bar antenna for greater AM range. Wide range 3½" speaker delivers extra clear and rich AM and FM broadcasts. Automatic frequency control (AFC) locks-FM to strongest signal, thus preventing drift. Continuous tone control. Rotary band selector. 12 transistors and 5 diodes. Handsome, high impact styrol leather grain cabinet with integrated carrying handle and chrome plated sides with leather insert. External antenna and earphone jacks. Complete with batteries and earphone. Operates on 4 "C" batteries of 117 VAC, 60 Hz with self storing AC line cord. Size: 6¾x10½x3½"D. Imported. Shpg. wt., 6½ lbs. 17 G 01804L Net 49.95

Extra "C" batteries for above. 4 required. 99 G 62572

Net ea. .14

- Self Storing AC Line Cord
- Precision Slide Rule Dial with Logging Scale
- AFC for Drift-Free FM Reception • Large 3½" Speaker

SPECIAL VALUE PACKAGE

Featuring Deluxe LAFAYETTE Star-Fire™ VI 18 TRANSISTOR AM/FM/SW/VHF POLICE RADIO

Six Thrilling Bands!

1[¢] BONUS
24 HOUR ELECTRIC
WORLD CLOCK

Only 1c
When Bought
With The
Star-Fire VI

Clock Alone **9.95**

Radio Less Clock Radio With Clock

79⁹⁵ **79⁹⁶**

With Batteries and Earphone
Bonus Special Expires 1/1/70

- Instant-on Solid State Circuitry
- Electronic Bandspread Fine Tuning Control
- Tuning/Battery Strength Meter

Deluxe Star-Fire VI speaks all the languages of the world. Powerful 18-transistor and 7-diode solid-state circuitry provides extremely high sensitivity. Cover has worldwide shortwave time zone chart. Monitor exciting police radio calls on the 147-176MHz VHF band. Also features: AFC to eliminate drift on FM, push-button controls, tone control, dial light, tuning/battery strength meter, built-in compass-point front, telescoping antenna cabinet with die-cast front, black leather cabinet for FM, SW and VHF reception. Supplied with earphone, 4 "D" type batteries and booklet of worldwide shortwave stations. 12x9½x4½"D. Imported. Shpg. wt., 18 lbs.

99 G 35263WX Star-Fire VI only	Net 79.95
Star-Fire VI Plus World Clock.	Net 79.96
99 G 35628WXM Wt. 22 lbs.	Net 79.96
World Clock Only.	
13 G 26024 Shpg. Wt., 4 lbs.	Net 9.95
Extra "D" Batteries. 4 Required.	
99 G 62564	Net ea. .15
AC Adapter for Star-Fire VI.	
99 G 35412 Shpg. wt., ½ lb.	Net 4.95



TUNES

AM	535-1605kHz
FM	88-108MHz
FM-VHF	147-176MHz (Police)
SW-1	1.6-4.5MHz (Marine)
SW-2	4-10MHz (International)
SW-3	10-23MHz (International)


SAVE 9.94

From Individual Catalog Prices

LAFAYETTE 2-BAND AM/FM STEREO BATTERY/AC PORTABLE RADIO

- Stereo Indicator Light
- Instant-on Solid State Circuitry
- AFC For Drift-Free FM Reception

With this handsome component type portable radio, you do not have to stay home to enjoy glorious FM stereo broadcasts as well as standard FM and AM broadcasts. Two detachable full-range 3½" high-compliance speakers separate for true stereo effect—and fold behind the cabinet for carrying. Five controls plus stereo indicator light: Volume, Tone, Balance, Selector, Tuning. AFC on FM to prevent drift. Precision slide-rule tuning dial with logging scale. Simulated black plastic leather with padded side panels, and chrome trim. Operates on 4 "D" batteries, or 117VAC with built-in line cord. 17-transistors, 12-diodes. Telescopic swivel antenna for FM; Ferrite core AM antenna. Size: Main cabinet—6¾" x 10¾" x 2½"; Speakers—6¾" x 5¾" x 2½". Imported. Shpg. wt., 7 lbs. 17 G D1812L No Money Down* Net 54.95
Extra "D" Batteries (4-required). Net ea. .15
99 G 62564



54⁹⁵
With Batteries

*Each Detachable Swing-Out Speaker
Extends to 18" For Magnificent
True Stereo Separation*

*See Page 13 for Full Credit Details on Easy Pay Plan

BECOME AN INFORMED CITIZEN IN YOUR COMMUNITY WITH LAFAYETTE FM/VHF PUBLIC SERVICE POLICE RADIOS



- Listen To Police and Fire Calls
- Monitor Civil Defense and Public Services
- Receive Regional U.S. Weather Forecasts

Lafayette HAND HELD FM/VHF POLICE & FIRE RECEIVERS

Only an alert and informed citizen can keep up with the electrifying happenings of our everyday life. Two superb Lafayette FM/VHF receivers bring you live coverage of your city or town's daily drama on either 146-175 MHz or 27-50 MHz police and fire bands, 146-175 MHz receiver tunes to 162.55 and 163.275 MHz U.S. Weather Bureau weather reports and disaster alarms in many parts of the country. Has a built-in 2 1/2" speaker plus an external earphone jack for convenient private listening. Rugged construction and sleek styling combine to give a clean professional type appearance. Operates on 4 penlight batteries (included with set). This ultra-compact unit also features a built-in swivel telescoping antenna and provision for an external antenna. With batteries and carrying strap. Size: 6x2x1 5/8". Imported. Shpg. wt., 2 lbs.

99 G 35313L 146-175 MHz FM VHF Receiver Net 17.95
 99 G 35339L 27-50 MHz FM VHF Receiver Net 17.95

ACCESSORIES FOR HAND HELD FM VHF RECEIVERS

Stock No.	Description	Shpg. Wt.	Net Ea.
99 G 35362	117 VAC Adapter	10 oz.	3.95
99 G 62580	Extra "AA" Batteries (4 required)	1 oz.	.10
40 G 79018	Earphone for Private Listening	5 oz.	.59
99 G 30264	Replacement Antenna	6 oz.	.99

HIGH BAND

146-175 MHz

17⁹⁵

with batteries and carrying strap


LOW BAND

27-50 MHz

17⁹⁵

with batteries and carrying strap

GUARDIAN 300 3 BAND BATTERY/ELECTRIC SOLIC STATE FM-VHF/FM/AM POLICE RADIOS



GUARDIAN II 2-BAND SOLID STATE FM-VHF AND AM POLICE RADIOS



HIGH BAND

FM-VHF — 147-174 MHz
 AM — 540-1600 kHz
 FM — 88-108 MHz

34⁹⁵ with earphones and batteries

LOW BAND

FM-VHF — 30-50 MHz
 AM — 540-1600 kHz
 FM — 88-108 MHz

34⁹⁵ with earphones and batteries

HIGH BAND

FM-VHF — 147-174 MHz
 AM — 540-1600 kHz

21⁹⁵ with earphones and batteries

LOW BAND

FM-VHF — 30-50 MHz
 AM — 540-1600 kHz

21⁹⁵ with earphones and batteries

HIGH BAND FM-VHF POLICE AND AM/FM RADIO. Listen to Police and fire calls... ANYWHERE—ANYPLACE. Deluxe 3-band radio operates on 4 "C" batteries or 117 VAC 60 Hz by means of a self-storing AC line cord. Powerful space age solid-state circuitry with 12 transistors, 6 diodes, and 2 thermistors. Variable 6-gang capacitor tuning for extremely high sensitivity and selectivity enables you to pull in even the weakest stations. Complete coverage includes high-band FM-VHF 147-174 MHz and standard AM and FM broadcast bands. Slide rule dial for precise tuning, ferrite rod antenna for AM, telescoping antenna for FM-VHF and FM bands, and an external antenna input jack. Padded black leatherette case with silver trim. Includes batteries, earphone, and self-storing AC line cord. Size: 8 3/8" W x 4 3/8" H x 2 7/8" D. Imported. Shpg. wt., 6 lbs.
 99 G 35461L No Money Down* Net 34.95

HIGH BAND FM-VHF POLICE AND AM RADIOS. Listen to the drama of everyday life with this exciting radio. Monitor local and state police, as well as fire departments, 162.55 MHz and 163.275 MHz, U.S. Weather Bureau stations, civil defense, and emergency public services. Includes standard AM band. Loaded with these outstanding features: 2 RF stages, 4 IF stages, slide rule logging scale for precise tuning, ferrite rod AM antenna, telescoping VHF antenna, large 3" speaker for superb fidelity. Handsome black case with silver trim. Earphone jack for private listening. Operates on 4 "AA" type batteries (included) or 117 VAC with optional AC adapter. 11 transistors, 4 diodes, 1 thermistor. 7Wx4 1/8xHx2 1/4"D. Imported.
 99 G 35222L Shpg. wt., 4 lbs. Net 21.95

LOW BAND FM VHF POLICE AND AM RADIO. Same deluxe features and specifications as above Police radio but tunes low band 30-50 MHz instead of High Band. Imported. Shpg. wt., 4 lbs.
 99 G 35347L Net 21.95

LOW BAND FM-VHF POLICE AND AM/FM RADIO. Same deluxe features and specifications as above but tunes low band FM-VHF 30-50 MHz instead of High Band. Imported. Wt. 6 lbs.
 99 G 35479L No Money Down* Net 34.95


99 G 62572 Extra "C" bat. for above radios—4 req. — Net ea. .14

1162.55 MHz or consult your local weather bureau concerning reception in your area.

Super Deluxe LAFAYETTE "Guardian 5000" 5-Band Solid-State AC and Battery-Operated AM/FM/SW/FM-VHF Public Service Radio

Tunes 5 Exciting Bands!

BAND	FREQUENCY	FOR
Low Band FM-VHF	30-50 MHz	 Police and Fire
High Band FM-VHF	147-174 MHz	 Police, Fire, Weather
International Shortwave	4-12 MHz	London Vatican Moscow  Voice of America
Standard AM Broadcasts	540-1600 kHz	 Sports and News
Standard FM Broadcasts	88-108 MHz	 World Famous Symphonic Orchestras



- Two Separate Front-End RF Tuning Sections For Both High and Low Police FM-VHF Bands
- Variable Squelch Control While Tuning FM-VHF Bands Also Serves As Interstation Muting on Standard FM Band

59⁹⁵

With Batteries, Earphone, and AC Adapter

Monitor the airwaves of the world! Listen to Police, Fire, Civil Defense, 2-way Business and U. S. Weather forecasts on BOTH THE HIGH (147-174MHz) and LOW (30-50 MHz) FM-VHF band. Tune the 4-12 MHz International Shortwave Bands. Enjoy outstanding music on the standard FM band (88-108 MHz), as well as news, weather and sports on the standard AM band (540-1600kHz). Advanced space age solid-state circuitry permits instant operation—no loss of precious time due to warmup—permits immediate response to emergency situations. Two separate 4 gang tuning capacitor front ends for both high and low FM-VHF Police bands for greater sensitivity and more dependable selectivity—weak stations can be heard clearly—while outside noise and interference are drastically reduced. Operates on 4 "C" batteries or 117 VAC household current with AC adapter (in-

cluded). Excellent quality of tone from large 3½" speaker makes this a true hi-fidelity portable radio. Telescoping antenna for FM, FM-VHF, and SW bands. Built-in ferrite core antenna for AM band. Accessory jack for use of separate external antenna. Side rule logging scale for precise tuning. AFC circuitry prevents drift on FM. Beautiful walnut wood grain molded case with metal grill, gold trim, and handle. Includes 4 "C" batteries, earphone, and AC adapter. Dim.: 8¾Hx6Wx2¾"D. (Metal handle 3½") Importec. Shpg. wt., 6 lbs.
 99 G 35438L No Money Down* Net 59.95
 99 G 62572 Extra "C" batteries—4 required Net ea. .14
 † 162.55 MHz, or, consult your local weather bureau concerning reception in your area.

LAFAYETTE Solid-State Battery/Electric Twin Speaker AM /FM/Police/Aircraft Radio

44⁹⁵

With Earphones and Batteries

Powerful 23 solid-state, 4-band, battery/electric portable radio. Listen to dramatic police-fire calls, U. S. Weather Bureau reports, on the FM-VHF high band (147-174 MHz). Tune in on pilots in flight awaiting instructions from the control tower, on the "ascinating AM-VHF aircraft band (108-136MHz). Enjoy beautiful music on the standard FM band (88-108 MHz). Keep informed of the latest news and sports results on the standard AM band (54-1600 kHz). Two large 3" dynamic speakers. Self-storing AC line cord enables you to play on 117 VAC. Also operates on 4 "C" cell batteries. Rotary, telescoping antenna for FM, Police, and Aircraft. Built-in ferrite bar antenna for AM. 18-transistors, 6-diodes, 1-thermistor. Vinyl padded black case with earphone and batteries. Size: 11¼x7½x3½". Imported. 99 G 35503W Shpg. wt., 6 lbs. Net 44.95
 99 G 62572 Extra "C" bat. 4 reg. Net .14



High Band Police and Fire 147-174MHz FM/VHF



Aircraft Band 108-136 MHz AM/VHF



Car/Portable Radios, Recorders and FM Converters

Sharp FX28 Solid State FM-AM Car/Portable Radio



Complete with Car Bracket, Lock and Key, Batteries, AC Line Cord, Earphone

39⁹⁵

- Install In Any 6 or 12 Volt Car or Boat System
- Use As A Portable, or On 117VAC 60 Hz. With Built-In AC Line Cord

Versatile "multi-purpose" AM/FM 12 Transistor Radio designed to provide outstanding reception anywhere. Used as an AM/FM car radio, it locks into its specially designed under-the-dash bracket and operates thru the car's electrical system (6 or 12 volts pos./neg. ground). Slips easily out of bracket for use outdoors—and plays on 4 "C" Batteries (Included). For indoor use, it operates on regular 117VAC household current with the AC line cord provided. Push-button switches for tone, AFC, and Car antenna. 3-Controls: Tuning, On/Off-Volume, and Band Switching. AFC for drift free FM reception. Ferrite bar AM antenna, telescoping FM antenna. Wide range 4 x 2 3/4" oval speaker. Wood grain finish front panel. 2H x 7 7/8W x 5 1/2"D. Imported. Shpg. wt., 5 lbs.

17 G 53110 No Money Down" Net 39.95
99 G 62572 Extra "C" cells (4 required) Net ea. .14

Sharp FYP-30 3-Band Solid State AM/FM/FM VHF Car/Portable Police Radio



Complete with Car Bracket, Lock and Key, Batteries, AC Line Cord, Earphone

49⁹⁵

Tunes:
FM-VHF:150-176 MHz. High Band Police and 162.55 MHz. U.S. Weather Forecasts
AM:550-1600 kHz.
FM:88-108 MHz.

Deluxe, multi-purpose 3-way solid state radio specially designed for use in car, as a portable, or in the home. Features dramatic FM-VHF High Band (150-176 MHz) reception of police, fire, civil defense, and U.S. Weather Bureau forecasts. Also tunes the standard AM and FM broadcast bands. As a car radio, it locks into its specially designed, under-the-dash bracket (supplied) and operates thru the car's 6 or 12-volt electrical system. Outdoors it plays on 4 "C" size flashlight cells. Indoors it plays on 117 VAC with an AC line cord (supplied). Features: dynamic oval speaker and 2-watt output for excellent sound quality; precision vernier slide-rule tuning dial; dial light (when operated on car battery); pushbutton tone control; earphone jack and earphone for personal listening; telescoping FM and FM-VHF antenna; ferrite core AM antenna. Dimensions: 7 1/2 x 5 1/2 x 2"D. U.L. listed. Imported. Shpg. wt., 6 lbs.

17 G 53060 No Money Down" Net 49.95
99 G 62572 Extra "C" cells, 3 Required Net ea. .14

PANASONIC 7270 PORTABLE CAR AM-FM RADIO/CASSETTE RECORDER



99⁹⁵

With Remote Control Mike and Batteries

- Records And Plays Up To 120 Minutes on Cassette Tapes

Ideal For Use As:


- 1) A Superb FM-AM Radio
- 2) A Fine Performing Tape Player/Recorder

A complete portable entertainment center for portable or car use. Listen to superb standard FM and AM broadcasts—or enjoy hour after hour of fine music by simply inserting a pre-recorded cassette tape. You can also record your own music from the radio itself, or from an optional remote control mike. Recorder is easy to use—No tape threading. Features capstan drive—1 7/8 ips. constant speed. Operates from any 6 or 12 volt car battery with accessory mounting bracket, or as a portable with 5 "D" batteries (included). Features 6" dynamic speaker for rich hi-fi sound, Ferrite core and built-in telescoping whip antenna, continuous tone control, AFC on FM, 2 watt output, dial light and vernier tuning. 17 transistors and 10 diodes. Dim. 11"Wx3 1/2"Hx11"D. Shpg. wt. 10 lbs. Imported. With batteries. 17 G 30688WX No Money Down" Net 99.95

ACCESSORIES FOR 7270

Stock No.	Description	Shpg. Wt.	Net Ea.
17 G 30696W	Car Mounting Bracket with Lock	4 lbs.	19.95
17 G 31850	117 VAC Adapter.	6 oz.	9.95
99 G 62564	Extra "D" Batteries—5 req.	2 oz.	.15

SOLID STATE FM CONVERTER for AM CAR RADIOS



- Listen to Beautiful FM Music in Your Car
- Simple to Install, Only 1 3/4"H x 4 1/4"D x 5 1/2"W

29⁹⁵

Includes: Mounting Bracket for Under-Dash Installation, or Fastener for Top of Dash or Console Installation. Antenna and Patch Cords.

Operates with no alterations to your present AM car radio by tuning to 1580 KHz and then turning on the FM converter. Tunes standard FM Broadcasts from 88-108 MHz. Volume and tone are controlled from the AM radio. Features 8 transistors, 7 diodes and a built-in noise filter for fine FM reception. Also includes vernier slide rule tuning dial with luminous scale and dial pointer, AFC for drift free reception and local/distance switch for optimum reception. Slim-line design allows converter to be placed on or beneath dashboard with equal convenience. With all mounting hardware. Size: 1 3/4"H x 4 1/4"D x 5 1/2"W. Imported. Shpg. wt., 3 lbs. 17 G 41008 Net 29.95

Improve the Sound In Your Car with these Quality Radios

DELUXE STEREOPHONIC FM CAR RADIO with INSTANT-MOUNT SPEAKERS

SALE
SAVE 10.00
89⁹⁵
 Was 99.95
 1970
 Cat. 700



With 2 Instant-Mount Speakers

SALE PRICE IN EFFECT THRU 1/1/70 • 12-Volt Negative Ground System

Enjoy rich, vibrant FM stereophonic programming in your car with this magnificent performing FM stereo radio. Simple to install under the dash with adjustable brackets—only 2 screws are required to mount the radio. Features powerful Hi-Fi audio circuit for true stereo sound reproduction on both channels. Stereo Indicator Lamp illuminates when station is receiving stereophonic sound. Dual channel tone and volume controls. Balance control permits adjust-

ment of channel separation for perfect sound balance. Illuminated slide rule dial. Specifications: 23 Transistor, 11 Diodes, Output 7 watts per channel. Sensitivity: 5 μ v. For 12V negative ground systems. Includes 2 instant-mount speakers in plastic housings. Size: 9" W x 1 1/2" H x 6 3/4" D. Shpg. wt., 6 lbs. Imported.

17 G 74371 No Money Down*

Net 89.95

SOLID STATE AM CAR RADIO



19⁹⁵

- For 12 Volt Negative Ground Systems
- Built-in Speaker
- Removable Face Plate
- Tone Control Switch

Universal Solid State AM radio that is easy to install under the dash. Offers fine sound reproduction. Features built-in speaker and tone control slide switch, 7 transistors, 2 diodes, RF stage, AVC. Removable face plate. For 12 volt negative ground system. Size: 2 x 4 3/4 x 6 1/2". Imported. Shpg. wt., 3 lbs.

17 G 74256

Net 19.95

SOLID STATE PUSHBUTTON AM/FM CAR RADIO



49⁹⁵

- Includes Free Antenna
- Large 5x7" External Speaker
- For 12 Volt Neg./Positive Ground Systems

All solid state circuitry. 11 transistors, 8 diodes, 2 thermistors. Push-pull Hi-Fi output. AFC for FM drift-free performance. High sensitivity for long distance reception on both AM and FM. Four I.F. stages on F.M. for maximum noise limiting. Large 5 x 7" external speaker. Radio mounts neatly under dash. Overall size: 6 1/2" W x 2 3/8" H x 6 5/8" D. Imported. Shpg. wt., 6 lbs.

17 G 74124

Net 49.95

Custom Deluxe Solid State Radios For Volkswagen Cars

PUSHBUTTON SOLID STATE AM RADIO



Designed To Fit All Standard Models From 1957-1969

34⁹⁵

- Complete with 5" Diameter External Speaker and All Mounting Hardware

No Money Down*

Just a snap to install. Custom designed to snap into instrument panel on the dash board from the front. Mounts in a matter of minutes. Features all-transistor circuit of advanced design which gives a full 3-watts of superb audio power. Automatic volume control provides constant, even comfort-level listening. Continuously variable tone control. Five quick-set pushbuttons permit finger-tip station tuning. Seven tuned circuits, including RF stage, give maximum sensitivity. Radios for 1958-67 VW cars are for 6-volt systems. Radios for 1967 & 1968 VW cars are for 12-volt systems. Imported. Shpg. wt., 6 lbs.

For 1958-67 1200-1300 series Volkswagen cars. Net 34.95
 17 G 26280

Net 34.95

For 1968-69 1300 series Volkswagen cars. Net 34.95
 17 G 26298

Net 34.95

DELUXE PUSHBUTTON SOLID STATE FM-AM CAR RADIOS



69⁹⁵

- For 1967 Thru 1969 1300 Series Models
- 6-Inch External Speaker
- 11-Transistors, 2-Diodes
- Snap-in Front Mount for Easy Installation

No Money Down*

Deluxe solid-state custom AM-FM radio for all standard Volkswagen 1967-1969 models. Matches decor of car's interior. All solid-state circuitry with hi-fi features. 11-transistors, 2-diodes. AFC on FM for drift-free performance. Push-pull output. High sensitivity for long distance reception on both AM and FM. 4-IF stages on FM. Continuous variable tone control. Snap-in front mount for easy installation. Large 6" external speaker. Imported. Shpg. wt., 6 lbs.


17 G 74405 For 1967-1969 Volkswagens

Net 69.95

*See Page 13 for Full Credit Details on Easy Pay Plan

Reverb Systems For Brilliant 3-Dimensional Sound In Your Car

FAMOUS BRAND SOLID-STATE CAR REVERBERATION SOUND SYSTEM



SPECIAL PURCHASE

SENSATIONALLY PRICED
At Only **11⁸⁸**

- With 6 x 9" Rear Seat Speaker, Grill, Fader Control, and All Interconnecting Cables
- Simple Easy Installation

Deluxe trunk-mounted automobile reverberation sound system consisting of a solid-state reverberation amplifier with 2 electro-mechanical delay lines, 6x9" speaker with chrome grill, underdash pushbutton fader control, and all interconnecting cables. Includes simple instructions for connecting the reverb unit to your regular car system. Produces exciting 3-dimensional sound. Mounts conveniently in the trunk of your car. For all 12-volt negative ground AM or FM auto radios. Dim: 6Lx2½Hx2D. Shpg. wt., 3 lbs.

17 G 74538

Net 11.88

LAFAYETTE SOLID-STATE TUNEABLE CAR REVERBERATION SOUND SYSTEM



Only **19⁹⁵**

WITH 6x9" SPEAKER, CHROME GRILL, AND ALL CONNECTING CABLES.


- For 12 Volt Negative Ground AM and FM Auto Radios—Convenient Under-Dash Mounting
- Tuneable . . . Electronic Tuning Control. "Custom Fits" the Sound to your Car, to your Ear

Deluxe solid state tuneable reverberation unit converts your present car radio into a magnificent sound system offering concert hall realism. Beautifully styled to enhance the decor of your car. Consists of the tuneable amplifier control unit which easily mounts under the dash panel of your car by means of adjustable brackets. 6 x 9" dynamic speaker and chrome grill for rear seat mounting, and all connecting cables. Includes simple instructions for connecting the reverb unit to your regular car radio system and for separate rear seat speaker. Reverberation is an entirely different approach to sound reproduction. Normal sound reproduction from a single source has a flat, one dimensional effect; with proper sound delay thru "REVERBERATION," tones are created with a truly third dimension for concert hall originality. The LRE unit features complete sound control—simplified controls permit balance of sound between front and rear seat speaker. Verb-A-Tone control adjusts the amount of reverberation to your taste. Specifications for 12 volt negative ground cars, peak audio output—4 watts, 2 transistors. Size: 1½ x 4 x 9". Shpg. wt., 5 lbs.

17 G 01093

Net 19.95

VERBALITE SOLID-STATE CAR REVERBERATION SOUND SYSTEM with COLOR-LIGHTS



Only **34⁹⁵**
No Money Down

With 6 x 9" Speaker, Chrome Grill, and All Connecting Cables.

- For Car AM, FM, FM Stereo Radios and Stereo Tape Players
- Tuneable . . . Custom Fits Sound To Your Car
- Can Be Used With Any 12-volt Negative Ground System
- Control Panel Provides A Myriad of Colorful Patterns

Verbalite is a unique, tuneable reverberation system that blends and matches sight with sound. Features a deluxe, solid-state tuneable reverberation amplifier that converts your present car radio or tape player (stereo or mono) into a brilliant sound system providing truly 3-dimensional concert hall realism. The Verbalite's panel is illuminated with a myriad of colors. Everchanging, colorful patterns are activated by the beat and frequency range of the music you are

listening to. Features controls for adjusting the intensity of the light and the amount of reverberation. Easily mounts under dash of your car by means of adjustable bracket. Includes 6x9" dynamic speaker and chrome grill for rear deck mounting. Specifications: 9-transistors and 2-watt peak audio output. For 12-volt neg. ground systems. Size: 1½Hx8Wx5¼"D. Imported. Shpg. wt., 3 lbs.

17 G 74488

Net 34.95

AS LOW AS

134⁹⁵*



5 H.P. TRAIL BIKE

MINI BIKES

*Fun For
The Whole
Family*



†NOT FOR USE
ON PUBLIC
THOROUGHFARES

- Easily Transported — Ideal for Teens, Hunters, Campers, Fishermen, Farmers, and Ranchers
- Fully Factory Assembled
- Runs Up To 32 MPH
- Overall Length 56"
- Large 13" Knobby Tires
- Rugged 110 lbs.

Rugged trail bike with long lasting 5 HP Tecumseh engine for riding thru the toughest woods and trails. Large 13" knobby tires, coil spring front and heavy duty coil spring rear suspension, oversize polyfoam seat, and a tough, welded twin-beam frame even-out the roughest terrain. 2 quart gas tank. Aircraft type disc brake for fast, consistent stopping. Heavy duty automatic, all steel clutch and 6:1 gear ratio for top performance. 6 1/2" ground clearance avoids hang-ups. Sealed ball bearings for maximum life. Convenient motorcycle type throttle and hand brake lever. With kickstand; chromed steel clutch guard, chain guard and fenders; forestry approved muffler; key lock ignition switch; bonded enamel finish. Shpg. wt., 120 lbs. 13 G 68547WXZ See note below. \$No Money Down* Net 199.95

DELUXE 5 HP SUPER TRAIL BIKE

Similar to above but 40 mph top speed, and with dual speed fully automatic transmission. Gear ratio: 15:1 low for tough hill climbing; 4:1 high for top speed. Shpg. wt., 120 lbs. 13 G 68554WXZ See note below. \$No Money Down* Net 234.95

"CABALLERO" DELUXE 3 1/2 HP MINI-BIKE

• Runs up to 28 MPH
4-cycle Tecumseh engine for high torque and speed. Comfortable ride with full front and rear suspension, oversize polyfoam seat, large 12 1/2" knobby pneumatic tires with steel rims, tough aircraft-type disc brakes and convenient motorcycle throttle and brake lever. All-steel automatic clutch and chrome clutch guard. 5 1/2" road clearance. Attractive chrome chain guard, full length chrome steel fenders and bonded enamel finish. With kickstand, 2 qt. gas tank and key lock ignition switch. 48 1/2" overall. Weighs only 79 lbs. Shpg. wt., 89 lbs. 13 G 68513WXZ See note below. \$No Money Down* Net 156.95

"CORSAIR" 3 1/2 HP MINI-BIKE

Similar to "CABALLERO." With coil spring front suspension only. Weighs 75 lbs. Shpg. wt., 85 lbs. 13 G 68521WXZ See note below. \$No Money Down* Net 134.95

§ ALL MINI BIKES SHIPPED F.O.B. DUMONT, N.J.
NO C.O.D. SHIPPING CHARGES COLLECTED ON DELIVERY
SEND FULL REMITTANCE OR USE LAFAYETTE'S EASY PAY PLAN*



FRIDGETTE 49⁹⁵

COMPACT PORTABLE
REFRIGERATOR

- Works On Both 110 Volts AC and 12 Volts DC

Lightweight, .4 cubic foot portable refrigerator perfect for use in autos, trailers, boats, or on picnics. Interior measures 12Lx 6Wx10" deep and features a high impact PVC plastic liner. Plugs into cigarette lighter or AC outlet. Stores all types of food with the convenience of a home refrigerator. Ice tray and cover keeps premade icecubes cold. Quiet operating absorption system, no disturbing compressors or motors. Fits almost anywhere. Outside dimensions are 14 1/2 Wx 12 1/2 D x 13" H. All metal construction. With all power cords. Shpg. wt., 25 lbs. 13 G 32758WX No Money Down* Net 49.95

2.2 and 5.5 Cu. Ft. Models Shipped FOB Newark, N. J. No C.O.D. Send Full Remittance Or use LAFAYETTE'S EASY PAY PLAN*. Shipping Charges Collected On Delivery.



74⁹⁵

FRIDGETTE

2.2 CU. FT.
COMPACT REFRIGERATOR

Compact refrigerator holds 2.2 cu. ft. (including freezer). Ideal for small apartments, campers, or boats. Freezer accommodates 2 ice cube trays. Features in-door storage rack and egg holder; 2 removeable adjustable shelves; hermetically sealed compressor unit; and 7-position thermostat and magnetic door catch. White finish. Operates on 110 VAC, 60 Hz. Imported. Size: 18Hx 19 1/2 Wx 18" D. Shpg. wt., 65 lbs. 13 G 32766WXZ Net 74.95

Similar to above in copertone finish. 13 G 32774WXZ Net 79.95
14" walnut legs for both of above (4). 13 G 32782Z Shpg. wt., 2 lbs. Net 3.99



As
Low
As **99⁹⁵**

FRIDGETTE

5.5 CU. FT.
COMPACT REFRIGERATOR

The perfect small refrigerator for apartment, home or office. Walnut grain laminate plastic top and front, copertone sides and chrome trim. 5.5 cu. ft. (including full size across-top freezer). Deluxe features: 2 removeable, adjustable chrome shelves; 1 heavy duty glass shelf; full size, across-the top freezer; large see-thru vegetable crisper 3 in-door storage racks plus egg holder; 8-pos. thermostat; magnetic door catch, hermetically sealed compressor unit, 2-tone interior and interior light. Imported. 34Hx 20Wx23D. Operates on 110 VAC. 60Hz. 13 G 32790WXZ Wt. 115 lbs. Net 119.95

Similar to above, laminated top only, standard interior, white finish. Shpg. wt., 115 lbs. 13 G 32808WXZ No Money Down* Net 99.95

*See Page 13 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 701 49



COPYMATE

DRY COPIER

★ Completely Dry ★ Easy To Use

Only **29⁹⁵**

- Does Not Use Messy Chemicals—Inks—Powders—Sprays
- Makes Crisp Black-On-White Copies

- Copy Letters—Photographs—Even Pages Bound In Books

Easy to use dry copier for home and office. Anyone can make permanent, black-on-white copies of documents, recipes etc. in less than one minute, regardless of color or thickness up to size 8x10. No messy chemicals, inks, powders or sprays; uses two ordinary 150 watt frosted bulbs and "Copymate" paper. Features a built-in automatic timer that determines proper exposure, and also indi-

cates when copies are ready. Handsome brown and gold case with built-in carrying handle. For 110-120 VAC, 60 Hz. UL listed. Size: 22 1/4 x 17 1/2 x 6 1/4". Shpg. wt., 9 lbs.

15 G 46D19W Net 29.95

"Copymate" Paper. 33 sheets per pkg., shpg. wt., 1 1/2 lbs. Net 2.99

15 G 46D27

AUTOMATIC ELECTRIC PENCIL SHARPENER



- Automatic Stopper When Pencil Is Sharpened
- Heavy Duty Electric Motor

Model 660—Ideal for student, artist, draftsman, business firms . . . gives a needle point instantly. Unit even sharpens charcoal and pastel pencils. Sensitive micro switch automatically stops motor when pencil is sharpened. Carefully machined precision ground cutters last indefinitely. Easy cleaning with convenient push out receptacle drawer. Safe for even a child to use. Sturdy die cast metal with heavy duty 115 volt AC motor. UL Listed. Imported.

15 G 17051

Net 12.50



1 3/4" VECTORLOG® SLIDE RULE



16⁹⁵

- Laminated Bamboo Construction • P, P', and Q Scales • For Direct Vector Addition • Hyperbolic Sine and Tangent Scales. Two Sine Scales—One Marked in Degrees, One Marked in Radians • 5 Log Log Scales Plus a Voltage DB Scale • Complete with Belt Carrying Loop and Leather Case • With 10" Scale

The Lafayette VECTORLOG Slide Rule provides a new concept in scientific calculation, incorporating scales and arrangement designed for quick-easy-manipulation. Twenty-seven (27) scales incorporate the many problems encountered in Electrical Engineering and Physics. The unique P, P', and Q scales allow direct right angle vector addition. No longer are several settings required to obtain right angle vector sums—these scales work in the same manner as the C and D for multiplication. The two Hyperbolic Sine and one Hyperbolic Tangent Scale, the voltage db scale, and the five Log Log scales, provide maximum coverage of these dynamic fields. VECTORLOG is the result of extensive tests for ease of manipulation. Several of these features are: C and D scales on both the front and back of the rule; Sine scales in both degrees and radians, removing the necessity of bothersome conversion of units: a problem-tested location of scales; and adjusted screws to allow variable tension on the slide. Scales include: (FRONT) Tr-1, Tr-2, P, P', Q, ST, S-1, S-O, C, D, LL01, LL02, LL03, LL1'; (REAR) Sh-1, Sh-2, Df, A, B, C1, CF, Th, C, D, LL3, LL2, db. With instruction book, leather carrying case, and belt carrying loop. Imported. Shpg. wt., 1 1/2 lbs.

Net 16.95

draftette® PORTABLE DRAFTING MACHINE



16⁹⁵

- Precision Instrument

Model 9-B—sketch draft, design, draw diagrams and schematics like a professional. A new DRAFTETTE which gives you all the advantages of a T-square, triangle and protractor in a compact, easy to operate portable drafting machine. Constructed of anodized aluminum, features tubular arms, 360° protractor, one-piece 6"x9" scale calibrated in 16ths-1/8-1/4. Mounted on a 16"x21" drawing board, completely assembled ready to use. Shpg. wt., 5 lbs.

15 G 74011

Net 16.95

TACRO TACROGRAPH SET



Drawing pen for all lettering and drawing work. Uses both India and drawing inks. Precision point for constant flow lines. Slim, easy to hold pen comes with 3 color coded nibs. Fine (Size 0, Grey nib), Light Medium (Size 1, Yellow nib), Very Broad (Size 3, Blue nib). Shpg. wt., 8 oz.

15 G 80026

Net 4.95

Deluxe Tachygraph Set—Similar to above with 7-precision crafted points. Pigskin Case. Nibs: White-00-very fine; grey-0-fine; yellow-1-light med.; beige-2-heavy med.; green-2-broad; blue-3-very broad; red-4-extra broad. Shpg. wt., 1 lb.

15 G 80034

Net 9.75

TECHNICAL DRAFTING SET



7⁹⁵

- Made in W/Germany of Nickel Plated Brass

Contains 6 1/4" self-centering compass, one leg knuckle joint with divider, pencil, pen parts and lengthening bar; 6 1/8" self-centering divider; spring bow divided 4 1/8", center wheel adjustment with interchangeable needle points; spring bow pencil and spring bow pen, both 4 1/8" with center wheel adjustment and interchangeable needle point; two 5 3/8" ruling pens; extra handle for pen and pencil parts; adjustment tool; lead case and leads; and spare parts kit, all in velvet lined snap closing case.

99 G 70039 Shpg. wt., 1 1/2 lbs. Net 7.95

SMITH-CORONA "Figurematic" Portable Electric Adding Machine

5.00
Price
Cut

WAS \$72.95
NOW
ONLY **67⁹⁵**
No Money Down*

- Totals 8 columns to \$999,999.99

SPECIAL OFFER
EXPIRES
JAN. 1, 1969

A fast-figuring electric portable that adds, subtracts and multiplies. Full-featured construction with 10 keys. Add-Subtotal, Subtract-Total, and Repeat. "Clear" and digital indicator are combined. Lists 7 columns of figures. New, easy-load ribbon cartridge gives thousands of extra prints. Easy to carry—the cord tucks in, stylish dust cover snaps on, built-in retractable carrying handle comes out, and away it goes. Ideal for everyone who figures—at work, home, in-between. Overall 7 x 9 x 13". For 110-115 volts, 60 Hz, AC. Shpg. wt., 10½ lbs. 15 G 40079W Net 67.95

Adding tape for above 2½" wide.
15 G 40061

Net ea. .39



- "Hand-Span" Keyboard
- Lightweight and Compact

Coronet Electric™ Typewriters

SMITH-CORONA

CORONET ELECTRIC™ 134⁹⁵	CORONET ELECTRIC™ 12™ 149⁹⁵	CORONET AUTOMATIC™ ELECTRIC 164⁹⁵
--	--	--

Type Easier Electrically with this Coronet Electric typewriter. Makes up to 10 carbons... repeats dots, dashes, spacing, the letter X and underlines. Full-sized 88 character keyboard features impression control dial and touch selector. Amazing accelerator action gives faster type-bar actions for a snappier touch. Includes effort saving page gage, quick set margins, exclusive forward-glide top deck, push-variable line spacing. Pica characters. Strong steel frame. Trimline luggage type carrying case. U.L. listed. 110-120 Volts AC. Shpg. wt., 26 lbs.

- 15 G 40038WX Tan, No Money Down* Net 134.95
- 15 G 40046WX Mist Blue, No Money Down* Net 134.95

CORONET ELECTRIC 12
Similar to above with versatile 12" carriage. Shpg. wt., 29 lbs.

- 15 G 40111WX Mist Blue, No Money Down* Net 149.95
- 15 G 40129WX Tan, No Money Down* Net 149.95

CORONET AUTOMATIC ELECTRIC Similar to above with 10" push-button power return carriage. Shpg. wt., 26 lbs.

- 15 G 40137WX Mist Blue, No Money Down* Net 164.95
- 15 G 40145WX Tan, No Money Down* Net 164.95



Pica characters

- With Luggage Type Carrying Case

SMITH-CORONA SUPER STERLING PORTABLE TYPEWRITER



- Quick Set Visible Margins
- Luggage-Style Carrying Case

89⁹⁵
No Money Down*

Top quality portable with office-size 88-character pica type keyboard. Features: full length tabulator key sets and clears; personal touch pressure selector; quick-set visible margins, sets margins at the flick of a finger; page gauge shows space remaining on page; push variable line spacing; ribbon color selector with stencil position; easily cleaned platen; forward glide top deck for easy access to type bars and ribbon. With attractive, luggage-type vinyl-clad steel carrying case. Star-mist blue finish. Shpg. wt., 23 lbs. 15 G 40152WX Net 89.95

ROYAL™ SPRITE™ Portable Typewriter

SALE
49⁹⁵
CUT 5.00
SALE ENDS
JAN. 1, 1970



- Tabulator, Pre-Set for Convenience

Deluxe portable has features that make quick work of every typing job. Features pre-set tabulator, touch-set margins, wide carriage, calibrated paper bail, automatic and manual ribbon reverse, ribbon color selector and stencil cutter, dual shift keys for minimum pressure, full-size 88-character pica type keyboard and a touch pressure regulator. With handsome high-impact console carrying case. Blue and gray finish. Imported. Shpg. wt., 12 lbs. 15 G 31029W Net 49.95

*See Page 13 for Full Credit Details on Easy Pay Plan

Desk Lamps for Home & Office

LAFAYETTE 5-WAY HIGH INTENSITY LAMP

- Hi-Lo-Off Selector Switch
- Adjustable Telescoping Arm

5⁹⁵

Spot Light T.V. Light Night Light Wall Light

Beautifully designed, transformer powered telescoping Hi-Intensity lamp featuring HIGH and LOW switch. Telescopes from 3½" to 11½". May be used as a desk and wall light, spot and TV lamp. Use as a night light when closed. Shade swivels 360° with an arc of 180°. Shade and base are richly finished in black. Uses #93 bulb, supplied. Overall height 13". 117V, 60 Hz. Imported.

99 G 91985 Shpg. wt., 2½ lbs. Net 5.95

DIAL-A-LITE HIGH INTENSITY LAMP

By **EAGLE**

- Dials Any Degree of Light

13⁹⁵

Now you can vary your light continuously from a soft glow that is dimmer than a night light to a brilliant, glare-free, white light equivalent to 150 watts of illumination. Slide switch turns light on or off without disturbing dial setting. Telescoping arm extends to 15"; shade swivels 360°. The lamp can be hung on a wall by using keyhole slot on base. Unit folds down to only 3¼x9¼". Sand finish. For 120v, 60 Hz, AC. Uses GE No. 1129 bulb (included). 117V, 60 Hz. Shpg. wt., 1½ lbs.

13 G 81318 Net 13.95

HIGH INTENSITY LAMP

- Hi-Low-Off Selector Switch
- Rugged Construction

3⁹⁵

Ideal for desk or wall mounting. Lamp shade turns in any direction, giving an ample uniform non-glare beam of light. Sturdy hinged arm extends to 14 inches, folds flat against a hi-impact base. Hi-Lo-Off switch plus 6 ft. cord. Gold finish lamp shade and arms; Ivory base. Uses #93 bulb, supplied. 117 volts, 60 Hz.

12 G 25507 Net 3.95
Replacement Bulb (pkg. of 2) Net .55
12 G 75502

LAFAYETTE CLAMP-TYPE "DRAFTING LAMP"

- Spring Controlled Swivel Joints
- Extends To 30 Inches
- Perfect Illumination Anywhere

A deluxe lamp from Lafayette for perfect illumination wherever you require it. Ideal for benches, tables, and drafting boards. Clamps securely to any surface up to 3" thick. Spring controlled swivel joints and double arm action moves light in any direction. Arm extends to 30". Neutral color. For 110-125V, 60 cycles AC, less bulb. Imported.

Shpg. wt., 9 lbs. Net 7.95
99 G 90771

FLUORESCENT DESK LAMP

- White Translucent Diffuser
- Complete with Bulb

6⁵⁰

An attractive all metal fluorescent lamp with combination solid/gooseneck support finished in chrome. Brown metal base with push button light control . . . perfect for study, office or den. Translucent white plastic diffuser for maximum light dispersal. Includes 14-watt, 15", cool fluorescent bulb. Streamline design complements any room decor, 14 inches high by 5 inches wide. Provides illumination anywhere on your work or reading surface. 117V, 60 Hz. Imported.

Shpg. wt., 4½ lbs. Net 6.50
12 G 16027

ALL PURPOSE FLUORESCENT LAMP

19⁹⁵

- Universal Joints
- Light at Any Angle
- Extends to 36"

Ideal for factory benches, tables and drafting boards. Two bolts clamp base securely to any surface up to 3" thick. Spring-controlled swivel joints and double arm action give you light in any desired position. Arm extends 36". Uses two T8, 15-W lamps. For 110-125V., 60 Hz. UL listed. AC. Bronze finish. Shpg. wt., 10 lbs.

12 G 10012W Less lamps. Net 19.95
12 G 10020 T8, 15-watt, cool white lamp Net ea. 1.15

FLUORESCENT MAGNIFYING LAMP

As Low As **21⁹⁵**

- 5" Diameter Lens

Designed for precision work. Features a 5" diameter magnifying glass with a powerful 13" focus, surrounded by a 22 watt shadow-free fluorescent tube. A custom-engineered arm permits complete directional mobility—special adjustment knobs insure the proper tension and steadiness for any desired position. 45" arm reach. Ideal for assembly, laboratory, quality control and other detail work. In kit or assembled form. Shpg. wt., 8 lbs.

12 G 69521W Kit, less lamp Net 21.95
12 G 69539W Assembled less lamp Net 25.95
12 G 75015 T9, 22-watt, cool white lamp Net ea. 3.34

LAFAYETTE Wireless Remote Control

For Lamps, T.V., Hi-Fi, Household Appliances

- Turns Lights and Appliances On and Off From Anywhere In Your Home—By Remote Control!
- Simply Plug In and Operate!
- A Lafayette Exclusive!

Only **14⁹⁵**

Now you may turn on or off any electrical device from anywhere in your home or shop. The Lafayette wireless remote control requires no additional wires. Simply plug in your transmitter wherever you choose in the house, and the appliance, TV, hi-fi system or lights that are plugged in to the receiver will be turned off or on by pressing the button on the transmitter. Perfect for viewing TV or listening to hi-fi in bed. When you get sleepy press the switch and turn everything off. Safe! Simple remote switch of lights, lamps, radios, TV and appliances. Transmitter and Receiver operate on ordinary house current, receiver accepts any 105 to 120 volt device up to 300 watts. Imported. Shpg. wt., 1/2 lb.
99 G 91183 Complete Transmitter & Receiving Unit Net 14.95
99 G 91787 Extra Transmitter Net 5.95



Only **6⁹⁵**



Only **5⁹⁵**



Only **11⁹⁵**

LAFAYETTE 1000 WATT PHOTO-ELECTRIC LIGHT CONTROL

- Turns Lights On At Sunset Off At Sunrise
- Automatic Light Switch

Automatically switches on house, office, or store lights at sunset and off at sunrise. Great for vacation time, or daily use. No need to come home to a dark house at night. Helps keep burglars away. No special wiring necessary—just plug into wall socket and plug lamp into jack. 1000 watt capability permits use of several standard lights—will brilliantly light an entire house. Brass finish illuminator measures only 3" in diameter. Supplied with a 6 ft. cord. Wt. 1 lb.
12 G 01029 Net 6.95

LAFAYETTE ELECTRONIC LIGHT DIMMER CONTROL

- Full Range—Total Darkness To Maximum Brightness
- 600 Watts Capacity

Enjoy modern lighting in any room in your home or office. Soft light for TV viewing, bright light for reading or working. Easy to use, dimming is continuous from off to full illumination. Push on or off at any light level. Fits into standard single gang wall box without rewiring. Ivory plastic knob has brass finish insert. For 120 volts. 60 cycles AC. Operates incandescent lamps to 600 watt capacity. Highest quality—we will repair any defect due to material or workmanship within 2 years without charge. Simply ship to Lafayette prepaid. Shpg. wt., 1 lb.
12 G 01011 Net 5.95

WHISTLE SWITCH

- The Amazing Electro-Sonic Switch That Turns Anything Electrical On or Off With a Whistle

Let Sound Command do the work. Turns radios, televisions, Hi-Fi, Lamps, outdoor light, On or Off while you relax in your chair or bed. No need to walk in darkness... turn on lights in a different room before you get there. Just blow the whistle and appliance immediately goes On or Off. WHISTLE SWITCH is plugged into any standard household outlet then electrical appliance is plugged into WHISTLE SWITCH. Nothing further is required. 350-watt capacity. For 110 v 60 Hz AC.
12 G 78506 Shpg. wt., 1 lb. Net 11.95
Extra Whistle for above Net 1.49
12 G 78514

Weather Instruments

A HOME WEATHER STATION

Three accurate dial-type instruments report barometric pressure, temperature, and humidity. Finely etched precision calibrated aluminum dials for easy reading. Heavy metalized finish has the warm glow of polished brass. Mounted on wood-grained panel, 15 1/2 x 5 3/4". For horizontal or vertical mounting.
13 G 40017 Shpg. wt., 2 lbs. Net 9.95


B DELUXE WEATHER STATION

Strikingly handsome collection of three fine instruments skillfully crafted into a central weather reporting station. Utilizes a precise and shapely calibrated thermometer, barometer, and humidity meter. Each instrument reflects the warm glow of polished brass. Richly grained lustrous panel. 20" tall case may be vertically or horizontally mounted.
13 G 40025 Shpg. wt., 5 lbs. Net 14.95

C INDOOR OUTDOOR THERMOMETER AND HUMIDITY METER


Richly appointed precise instrument reports indoor as well as outdoor temperature plus indoor humidity. Richly grained 14" tall case enhanced by deep luster finish. Metal scale and dials. Supplied with 48" outdoor cable and humidity guide.
13 G 40033 Shpg. wt., 2 lbs. Net 9.95

Dwyer WIND SPEED INDICATOR



- For All Sportsmen, Yacht Clubs, Gun Clubs, Fishing and Hunting Camps • Great For Pilots

Wind velocity registered by liquid filled tube. Calibrated in both MPH and Beaufort Scale. No calculations, reads just like a thermometer. Vane-type external fittings must be mounted on outside elevated point. Attractive gray indicator features jet black calibrations. Supplied with 50 ft. tubing to connect outer unit to gauge. Gauge Size: 7 3/8 x 5 7/8 x 1".
13 G 62508 Shpg. wt., 3 lbs. Net 24.95



*See Page 13 for Full Credit Details on Easy Pay Plan


CORDLESS ELECTRIC DECORATOR CLOCKS



AMERICAN TRADITIONAL PENDULUM CLOCK

Only **16⁹⁵**

Charming replica of an old favorite expertly reproduced in Timewood and carefully accented in walnut tones. Mottled parchment dial is in striking contrast to the large Roman Numerals. The graceful motion of its swinging pendulum completes the authenticity of this ageless favorite. Runs up to one year on a single "D" cell. Size: 14Hx9Wx2"D. Shpg. wt., 3 lbs.
 13 G 30547W Net 16.95
 Battery for above .99 G 62564 Net .15



"GRANDFATHER" CORDLESS ELECTRIC PENDULUM CLOCK

Only **29⁹⁵**

Warm walnut American styling for a charming blend of accuracy and handsome traditional design. Beautifully accented handsome spun gold and ivory dial with smoked antique Federal mirror complements the graceful motion of the golden swinging pendulum. Carved walnut raised trim is crowned with an eagle to complete this elegant timepiece. Runs up to one year on a single "D" cell. Size: 25"H x 11"W. Shpg. wt., 5 lbs.
 13 G 30521W Net 29.95
 Battery for above .99 G 62564 Net .15


CLASSIC COAT OF ARMS

- Die Cast Aluminum
- Brass Finish

Only **21⁹⁵**

Decorator designed to enrich your home with new beauty! Made of cast aluminum; brass finished, baked and lacquered for lasting beauty. Rampant Britanic lion with authentic battle axes and sword fitted into rear of shield. Comes complete with hooks for hanging. Ideal for both indoors and out. 30Hx24"W. Shpg. wt., 7½ lbs.
 13 G 67523W Net 21.95

DIGITAL CALENDAR WRIST WATCH



- Gives You The Hour, Minute And Date At A Glance
- Sweep Second Hand

Hour
 Minutes
 Date

Only **14⁹⁵**

Digital read-out watch shows hour and minute and date in large, easy-to-read red and blue numerals. Great for anyone who must account for time at a glance... pilots, rally drivers, etc. Ideal for the visually handicapped. Striking dial features sweep second hand and incorporates an automatic calendar which digitally indicates the day of the month. Precision anti-magnetic Swiss movement has unbreakable mainspring. Beautiful gold tone color florentine finish with genuine lizard strap. Imported. Shpg. wt., 8 oz.
 13 G 31362L Net 14.95

- Swiss Precision Crafted

DAY AND DATE CALENDAR WATCH

Only **10⁹⁵**



Tell the time, day, or date at a glance with this elegantly styled Swiss made calendar watch. Precision movement is antimagnetic. Watch features an unbreakable mainspring, water resistant high polish gold tone case, handsome white dial face with raised gift numerals, easy to read red day—black date, and a sweep second hand. Wt., 8 oz.
 13 G 31305L Net 10.95

Lady's Day/Date Calendar

Similar to above but Lady's model. Ideal as a matching set with the men's watch.
 13 G 31313L Net 10.95

TV LAMP CLOCK **10⁹⁵**




Ideal for use on a TV cabinet, in the kitchen or baby's room. Provides soft illumination and precise time. Attractive sturdy plastic case with gold trim. Size: 4x7x3¾" Deep. UL Listed, 110 V. 60 Hz. Shpg. wt., 3½ lbs.
 14 G 60013 Walnut Net 10.95
 14 G 60021 White Net 10.95

LAFAYETTE TECHNI-TIMER

7⁹⁵

- Handles Up To 1875 Watts



For radios, refrigerators, electric blankets, fans... turns your lights On and Off while you're away. Repeats cycle every 24 hours without resetting. Minimum On time 15 minutes; maximum On time 23 hours; minimum Off time 1 hour; maximum Off time 23 hours 45 minutes. Can be set to "skip-a-day" operation, or manually controlled. No special wiring—just plug into 117V., 60 Hz AC line. Includes 6 ft. cord with plug and receptacle for equipment to be controlled. Capacity 1875 watts, UL/CSA listed, 1-year guarantee. Size: 5x4x2½"D. Shpg. wt., 2 lbs.
 13 G 01407 Net 7.95

hours without resetting. Minimum On time 15 minutes; maximum On time 23 hours; minimum Off time 1 hour; maximum Off time 23 hours 45 minutes. Can be set to "skip-a-day" operation, or manually controlled. No special wiring—just plug into 117V., 60 Hz AC line. Includes 6 ft. cord with plug and receptacle for equipment to be controlled. Capacity 1875 watts, UL/CSA listed, 1-year guarantee. Size: 5x4x2½"D. Shpg. wt., 2 lbs.
 13 G 01407 Net 7.95

**DELUXE
SPORTSMAN'S WATCH
WITH WORLD TIMER**

An Automatic Underwater Watch That Indicates Elapsed Diving Time.

As Low As **11⁹⁵**

- Also Available In Lady's Model
- Pressurized Water-Resistant Case
- Automatic Daily Calendar
- Parking Meter Time
- Luminous Marker and Hands

Handsome wristwatch especially designed for the sportsman who is apt to get his watch wet—fishermen, hunters, or skin divers. Hermetically sealed pressurized case provides maximum protection to 5 atmospheres. Movable outer bezel permits easy timing of events, parking meter time, or elapsed submerged time. Swiss crafted antimagnetic movement features automatic daily calendar, unbreakable mainspring, and sweep second hand. Luminous hour markers and hands for high visibility. Polished chrome case, stainless back, and comfortable waterproof strap. Imported. Shpg. wt., 8 oz.

- 13 G 31180L Men's Net 11.95
 Ladies Model—Similar to above
 13 G 31263L Net 12.95
 Same as above men's watch but with 17 jewel movement.
 13 G 31198L Net 21.95



**SPORTSMAN'S
CALENDAR WATCH
SWISS CRAFTED**

**SALE
14⁹⁵**
 CUT 3.00
 SALE ENDS 1/1/76



- Swiss Precision Crafted
- Automatic Day-N-Date Calendar
- Stainless Steel Band
- Tells Time in 26 World Cities

Designed for the active sportsman! Tell the time, day and the date at a glance. Revolving bezel lets you know the time in 26 cities around the world, and also operates as a 60 min. elapsed timer. Features a telemeter scale, a sweep second hand and luminous hands and dial markers. Rugged, precision timepiece is water-resistant, anti-magnetic and has an unbreakable mainspring. Hermetically sealed pressurized case provides protection to 5 atmospheres. Case is finished in bright chrome with a stainless steel back and a matching stainless steel band. Shpg. wt., 8 oz.

- 13 G 31271L Net 14.95



An Automatic Underwater Watch That Indicates Elapsed Diving Time



34⁹⁵

**17 JEWEL DOUBLE-BUTTON
CHRONOGRAPH WATCH**

Precision made 17 jewel chronograph is ideally suited for accurate elapsed timing of sporting events, scientific experiments, etc. Features a tachometer for measuring speed, a telemeter for measuring the distance of sound and a stop watch with a 30 minute register and a sweep second hand. Accurate, dependable movement features an unbreakable mainspring. Water resistant, dustproof and antimagnetic. Bright chrome case with a stainless steel back, raised numerals, and a genuine leather strap. No Money Down*
 13 G 31131L Wt., 8 oz. Net 34.95



Watches Shown Actual Size

**(A) SELF WINDING 17 JEWEL
DAY AND DATE
CALENDAR WATCH**

Just set it and forget it! Deluxe Swiss watch is self winding, and automatically changes the day and the date. Precision made 17 jewel movement is water resistant, antimagnetic, and features an unbreakable mainspring. Case is a handsomely styled gold tone with a stainless steel back and a matching expansion band. Easy-to-read dial features the date in red and the day of the week in black, raised gilt numerals on an attractive white dial face and a sweep second hand. Shpg. wt., 8 oz.
 13 G 31289L Net 34.95

**(B) 17 JEWEL
WRIST ALARM WATCH**

Elegantly styled, Swiss made wrist alarm serves as an automatic reminder anytime—anyplace. Dependable 17 jewel movement is water resistant, antimagnetic and features an unbreakable mainspring and radium dial. Case is gold tone with stainless back or all stainless steel. Both with genuine lizard band. Dial has raised gilt numerals on a white face with a sweep second hand. Shpg. wt., 8 oz. No Money Down*
 Stainless Steel Case
 13 G 31149L Net 34.95
 Gold Tone Case
 13 G 31156L Net 34.95

PRECISION-SWISS STOP WATCHES

Ideal for Sports



- Accurate Jeweled Movements
- Anti-Magnetic Hair Spring
- Unbreakable Main Spring

As Low As **10⁵⁰**

(A) 1/10 SECOND TIMER

Designed for close timing. Large hand registers 1/10 of a second, up to 30 seconds; small hand reads minutes, up to 15. Start, stop, and continue from crown; instant zero, 7 jewel movement. Chromium plated case. Shpg. wt., 8 oz. Imported.

- 13 G 31032L Net 11.95
 Same as 13 G 31032 (above) except 1 jewel.
 13 G 31024L Net 10.50

(B) 1/5 SECOND TIMER

Second hand registers 1/5 of a second and completes turn in 60 seconds. Small hand indicates up to 30 minutes. Side slide starts and stops hands. Fast resetting dependable 7-jewel movement. Shpg. wt., 8 oz. Imported.

- 13 G 31040L Net 11.95
 Same as 13 G 31040 (above) except 1 jewel.
 13 G 31057L Net 10.50

*See Page 13 for Full Credit Details on Easy Pay Plan



SHEPHERD 6-PUSH-BUTTON BLENDER

**CRUSHES ICE
WITHOUT AN
ADDITIONAL ATTACHMENT**

- Convenient Pushbuttons select Blending, Whipping, Chopping, Puree plus "HOLD"
- Stainless Steel Cutting Blades
- 56 ounce Graduated Mixing Container
- In-Base Cord Storage Compartment Keeps Excess Cord Neatly Out-of-Sight.

15⁹⁵

4-speed pushbutton blender with big capacity 56 Oz. container, big motor - 3/4 HP, and big speed...90 revolutions per second. Has speeds for blending, whipping, chopping and a speed for puree, there is also a "HOLD" button for manual untimed operation eliminating over or under blending of vegetables, frozen juices, or whip cream, plus it will crush ice without additional attachments. Container resists heat, cold and stains. Stainless steel blades are easily removable for thorough cleaning. 2-piece lid fits snugly to container. Lid has removable 1 Oz. measuring cap for addition of small ingredients during operation. Pilot light lets you know when blender is on. Rear of base has storage compartment for AC line cord. Big 32-page recipe book included. For 110-117V., 60 Hz AC. Shpg. wt., 7 lbs.

15 G 73505W

Net 15.95

BROILER-TOASTER



6⁹⁵

- Removable Grid
- Automatic Thermostat Control

Automatic thermostatic control for controlled broiling or toasting. Great for table, patio, summer cottage...anywhere a 110 VAC outlet is available. Bright chrome plated construction inside and out. Has 2-position tray with wire rack, removable grid and tray handle. Cool black bakelite handles and feet. 650 watts, 110 volts, 50/60 Hz AC. Size: 90 x 11W x 4 1/2"H. Shpg. wt., 6 lbs.

15 G 89050

Net 6.95



AUTOMATIC 12-CUP COFFEE MAKER



18⁹⁵

- Stainless Steel Body
- Sight Tube In Handle

Automatic 12 cup coffee maker with every convenience feature for making coffee as you like it. Accurate flavor strength selector lets you set it and forget it; assures exact flavor desired everytime. Sight tube in handle is most useful when filling. Signal light glows when coffee is ready to serve, and keep warm element holds proper drinking temperature. Stainless steel body resists coffee acids, oils...won't stain. Has black plastic handle, base and cover knob. 575 watts. 12" high. For 115V., 50/60 Hz AC. Shpg. wt., 5 lbs.

15 G 89043

Net 18.95



AUTOMATIC 4-SLICE TOASTER

- Separate Controls—
Toasts 2-Light And
2-Dark At Same Time

Automatically pops up from 1 to 4 slices of toast. Lets you toast 2 light and 2 dark at the same time. Polished triple chrome plated body; stay cool plastic handles; hinged crumb tray for easy cleaning. Size: 11 1/2" x 11 1/4" x 8 1/2" H. Wt., 8 lbs.

15 G 89035

Net 17.75

17⁷⁵



ROTO-BROILS "Le Chef" ELECTRIC CARVING KNIFE



- Easy Grip Stain Resistant Handle
- Stainless Steel Blades
- Automatic Safety Release
- Automatic Blade Ejector

10⁹⁵

Perfect balance and easy grip handle make carving jobs easy. Specially hardened 1 1/4" stainless steel blades with serrated edges cut around bones and even hard-to-reach areas. Flat area on bottom of case permits setting knife on table without blade touching. For your protection automatic safety release stops blade action when

finger pressure is removed from button; special lock prevents accidental blade action even when knife is plugged in. Automatic blade ejector for easy cleaning. Heat and stain resistant handle. For 120 volt AC current. Shpg. wt., 3 lbs.

15 G 38032

Net 10.95

— 701 INDEX —

Adding Machine	51
Amateur Gear	70, 71
Amplifiers, Hi-Fi	10, 12
Amplifiers, Musical And Access.	100, 101
Appliances, Electrical	56
Auto Accessories	88-91
Auto Radios, Reverbs and Tape Players	2, 34, 46-48, 111
Battery Chargers	91
Binoculars	99
Bonanza	See Insert
Cameras And Accessories	84-96
Cartridges, Hi-Fi Phono	19
Cassette Players and Recorders	2, 26, 34, 46, 112
Cassette Tapes, Pre-recorded	28
CITIZENS BAND EQUIPMENT	57-65
Citizens Band Accessories	66
Computer Kits	75
Copier	50
Drafting Supplies	50
Drums	105
Easy-Pay Credit Plan	13
Educational Kits	75-82
Electrical Accessories	52, 53
Experimenter's Specialties	75-79
Garage Door Opener	83
Guarantees	12
Guitars	106-109
Headphones	17
Hi-Fidelity Receivers	4, 5, 7, 111, 112
Hi-Fidelity Stereo Compacts	22, 23
Hi-Fidelity Systems	7-12, 22, 23, 27, 32A, 38
Intercoms	72, 80
Kits	76-82
Labelmaker	83
Lamps	52
Microscopes	96, 99
Minibike	49
Movie Cameras And Projectors	92, 93
MUSICAL INSTRUMENTS AND ACCESSORIES	102-109
Ordering Information	See Center Insert
Organs	104
Phonographs and Accessories	20, 21
Polaroid Cameras and Accessories	96
Pre-Recorded Tape	28, 31, 36
RADIOS	
Auto	46, 47
Clock And Table	38-40, 110
Police, Fire, Aircraft And Marine	44, 45, 68, 69
Portable And Shortwave	25, 41-46
Radio Control Equipment	74
Refrigerators	49
Receivers, Hi-Fidelity	4, 5, 7, 111, 112
Record Changers	18
Records	23
Recording Tape And Accessories	29, 31, 35
Speakers and Systems	4, 14-17, 36
Store Addresses	Opposite 81
Tape Cartridge Players	34-36, 111
TAPE CASSETTE PLAYERS AND RECORDERS	24-27, 34, 46
Tape Recorders and Decks, Reel To Reel	31, 32A, 32, 36
Telephones and Accessories	72, 73
Telescopes	97
Television Sets	37
Test Equipment	67
Timers	54
Tools And Accessories	84, 85, 87
Tuners	6
Turntables, Automatic	19
Typewriters	51
WALKIE TALKIES	57, 58
Watches And Clocks	54, 55
Vacuum Cleaners, Portable	83
Welder	87
Closeout Specials (Portable and Table Radios)	40

ARE YOU INTERESTED IN OWNING A LAFAYETTE ASSOCIATE STORE ?

ALL YOU NEED IS

1. Basic knowledge of Retailing, Television or Electronics
2. Financial Investment of \$15,000 to \$40,000

WE WILL PROVIDE YOU WITH

1. Initial Inventory Selection and Stimulating Sales Displays
2. Store Layout Designs
3. Advertising and Publicity Aids Including Catalogs and Flyers
4. Price and Merchandise Return Protection
And The Famous LAFAYETTE Name

To learn how easy it is to join hands with Lafayette Radio Electronics and have your own electronics department store, fill in and mail the coupon below for full information FREE. There is no obligation.

Tear along this line

Lafayette Radio Electronics Corporation
Attn. Associate Store Dept. RL
111 Jericho Turnpike, Syosset, L.I., N.Y. 11791

I am interested in owning a Lafayette Associate store. Without obligation on my part, please send me full information, FREE and postpaid.

Name _____

Address _____

City _____ State _____ Zip _____

Indicate below phone number giving area code.

Phone: Home _____ Business _____

Most convenient time to phone you _____

SALE Lowest Prices Ever!

Lafayette RK 810A 7" Dual Stereo
Playback Deck/Mono Recorder



SAVE
\$20.00

NOW ONLY 59⁹⁵

With Mike, Reel Caps,
7" Take-Up Reel

WAS 79.95

1969 Cat. 694

Use As **Stereo Playback Deck**
Monaural Recorder

- 4-Track Stereo Playback*
- 4-Track Mono Record/Playback

- 3-Speeds: 1 1/4, 3 3/4, 7 1/2 IPS
- Record/Playback VU Level Meter

A super value—SAVE \$20.00 on this instant-on solid-state recorder. *Playback stereo tapes thru an external stereo amplifier containing a tape head input. Simple-to-use 5-position Selector Control for Rewind, Stop, Run, Fast-Forward and "Pause" for editing, cuing and tape indexing. Safety Record button to insure against accidental tape erasure. 3-digit tape counter with reset button. Built-in 5 x 3" speaker for full-range sound reproduction. Includes

external speaker jack, stereo tape head output jack, inputs for mike and auxiliary. Frequency Response: 40-15,000 Hz at 7 1/2 ips. Bias and Erase: 60 kHz; Sensitivity: Mike, 0.6 mv; Aux., 200 mv; External Speaker, 16 ohms. Front panel stereo headphone output jacks. Textured solid vinyl case with built-in accessory compartment. For 110-120V., 60 Hz AC. 11 3/8"W x 12 1/4"H x 6 3/4"D. Imported. 99 G 15653WX Shpg. wt., 18 lbs. Net 59.95

Lafayette LSC-40 Solid-State 20 Watt Stereo Modular System

SAVE 20.00 NOW ONLY 79⁹⁵

- Lafayette 4-Speed Record Changer with 10" Turntable Platter
- Two Full-Range 2-Way Speaker Systems

WAS 99.95
1969 Catalog 690

Magnificent sounding walnut wood 3 piece modular stereo phono system with many deluxe features normally found in expensive hi-fi component systems: powerful 20-watt stereo amplifier with front panel stereo headphone jack, stereo tape outputs, stereo tuner inputs, and main and remote speaker outputs. 4-speed automatic record changer has automatic shut-off and is equipped with diamond LP stereo turnover cartridge. Each speaker system contains a 5 x 7" woofer, 2 1/2" tweeter, and has a brilliance level control. Dim., Control Unit: 19 3/4"W x 14 1/2"D x 3 3/4"H (7 1/2" to top of spindle); each Speaker System: 6W x 15 7/8"H x 9 1/4"D. For 110V., 60 Hz AC. Imported. Wt., 48 lbs. 24 G 02519WXM No Money Down* Net 79.95 Plastic Dust Cover. Shpg. wt., 1 1/2 lbs. 24 G 23010W Net 7.95



*See Page 13 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 701 32 a

BONANZA

PLEASE READ BEFORE ORDERING

Place a \$10 order for additional merchandise from this catalog for our big catalog 700! and you're entitled to purchase one of these Bonanza items. A \$15 order entitles you to buy 2 items or two of 1 item. A \$20 order entitles you to buy 3 Bonanza items. Bonanza items are not sold separately and are available only with orders received by 1/31/78.



11.95

NOT SOLD SEPARATELY
See Above



Just Push
The Button!

The Famous SODA KING

- Turns Tap Water Into Sparkling Seltzer
- Makes Soda Fountain Ice Cream Sodas
- Make Your Own Highballs
- Turn Still Wines Into Sparkling Wines
- Adds Nothing But Carbonation, No Other Additives
- Wide-Mouth Design—Easy To Add Ice Cubes
- Heavy Gauge Aluminum—Gold Tone Finish
- 1 Quart Capacity—11 1/4" High
- Epoxy Finish Inside Prevents Corrosion

SODA KING with 3 Chargers

Stock No. 15 G 56505 11.95

Stock No. 15 G 56513 Pkg. of 10 Chargers ... 1.09

SET OF 5 POPULAR 33 1/3 RPM 12" STEREO LP's



5.95
SET

NOT SOLD SEPARATELY
See Above

Shpg. Wt., 5 lbs Stock No. 28 G 28549W

An Outstanding Set of Today's Great Music and Performers Consisting of:

1. Glen Campbell— "A SATISFIED MIND"
2. "HAIR"—Songs From The Hit Tribal Rock Musical
3. Frank Sinatra—"JUST ONE OF THOSE THINGS"
4. Sergio Mendes Trio—"SO NICE"
5. Young Lovers—"HAPPY HEART", "AQUARIUS", "WICHITA LINEMAN", "LOVE ME TONIGHT" plus More Great Hits

MAN'S WATCH

- Genuine Swiss Movement and Case
- Unbreakable Main Spring
- Luminous Hands & Dial
- Metal Expansion Band
- Raised Gilt Numerals
- Sweep Second Hand
- Gold Tone Case
- Anti-Magnetic

4.99

NOT SOLD SEPARATELY
See Above

Stock No.
13 G 31354L



Shpg. Wt.,
8oz

it's easy to shop at LAFAYETTE

BY MAIL

Fill in any Lafayette order blank, enclose check and mail. Your order will be shipped direct to your home. See parcel post and express charts below to figure shipping charges.

BY PHONE

Dial 516 921-7500 and a trained personal service shopper will help you. Your order will soon be on its way to your home.

IN PERSON

Visit any of our conveniently located stores. Specially trained sales personnel will assist you. See opposite page for store nearest you.

Take Advantage of Lafayette's EASY-PAY PLAN NO MONEY DOWN — UP TO 2 YEARS TO PAY

See Page 13 for Full Credit Details on Easy Pay Plan

SHIPPING AND DELIVERY INFORMATION



HOW TO ESTIMATE PARCEL POST CHARGES



Up to 16 oz., all zones allow 6¢ for first 2 oz., 2¢ for each additional oz. Find the weight of your merchandise in the extreme left-hand column of the chart at left. Pay the amount listed for Parcel Post shipment to your zone. A fraction of a pound is charged as a full lb. For example, if the weight is 6 lbs. and 1 oz. to Zone 3, postage would be for 7 lbs. (90c). Over 30 lbs. shpd. truck or exp. See below.

PARCEL POST RATES FOR ALL ZONES

Hawaii and Alaska are in the 8th zone. Puerto Rico and the Virgin Islands in the 7th zone. All other U.S. possessions and territories in the 8th zone.

WEIGHT 1 Lb. & Not Exceeding	Local	ZONES							
		1st & 2nd Zone up to 150 mi.	3rd Zone, 150 to 300 mi.	4th Zone, 300 to 600 mi.	5th Zone, 600 to 1000 mi.	6th Zone, 1000 to 1400 mi.	7th Zone, 1400 to 1800 mi.	8th Zone Over 1800 mi.	
2	\$0.50	\$0.60	\$0.60	\$0.65	\$0.70	\$0.80	\$0.85	\$0.90	
3	.50	.65	.70	.75	.85	.95	1.05	1.15	
4	.55	.70	.75	.85	.95	1.10	1.20	1.35	
5	.55	.75	.80	.90	1.05	1.25	1.40	1.60	
6	.55	.80	.90	1.00	1.15	1.40	1.55	1.75	
7	.60	.90	.95	1.10	1.30	1.50	1.75	1.95	
8	.60	.95	1.00	1.15	1.40	1.65	1.90	2.15	
9	.65	1.00	1.05	1.25	1.50	1.80	2.05	2.35	
10	.65	1.05	1.15	1.35	1.65	1.90	2.25	2.55	
11	.65	1.10	1.20	1.40	1.75	2.00	2.40	2.75	
12	.70	1.15	1.25	1.50	1.85	2.15	2.55	2.90	
13	.70	1.20	1.35	1.55	1.95	2.25	2.70	3.10	
14	.75	1.25	1.40	1.65	2.05	2.40	2.85	3.25	
15	.75	1.30	1.45	1.75	2.15	2.50	3.00	3.45	
16	.75	1.35	1.55	1.80	2.25	2.60	3.15	3.60	
17	.80	1.40	1.60	1.90	2.35	2.75	3.30	3.80	
18	.80	1.45	1.65	1.95	2.45	2.85	3.45	4.00	
19	.85	1.50	1.75	2.05	2.55	2.95	3.60	4.15	
20	.85	1.55	1.80	2.10	2.65	3.10	3.75	4.35	
For Each Extra Lb.	Add 5c	Add 5c	Add 5c	Add 5c	Add 10c	Add 10c	Add 15c	Add 15c	

RATES SUBJECT TO CHANGE

AIR PARCEL POST SHIPMENTS

We will ship your order via Air Parcel Post upon your request. Rates are given in the table below. Size and weight limits: 70 lbs. and 100 in. (length plus girth). 7¢ per ounce, up to 8 ounces

	ZONES							
	1, 2 & 3	4	5	6	7	8		
1st Lb.	.80	.80	.80	.80	.80	.80		
For Each Extra Lb.	Add 48c	Add 50c	Add 56c	Add 64c	Add 72c	Add 80c		

U.S. Territories, Possessions and APO & FPO Addresses, 80c per lb.

MINIMUM ORDER CHARGE		
ORDERS UNDER	\$5.00	50c
PARCEL POST	\$5.00 to 15.00	20c
HANDLING	15.01 to 50.00	30c
CHARGE	50.01 to 100.00	40c
	100.01 to 150.00	50c
	151.00 and up	60c

ABOUT C.O.D. ORDERS

If you order C.O.D., the post office collects a handling charge, plus a money order fee, in addition to the regular parcel post charge. (We cannot accept COD's for APO's, FPO's or for special order merchandise) Here are the extra C.O.D. fees:

Amount of Order	Money Order Fee	COD Fee
Minimum order \$5.00	25c	70c
\$5.01 to 10.00	25c	80c
10.01 to 25.00	35c	90c
25.01 to 50.00	35c	1.00
50.01 to 100.00	40c	1.10

UNITED PARCEL DELIVERY

If your area is serviced by UPS and the service or rates are to your benefit, we will route your order via United Parcel Service. This fast, economical service is available from New York to most of the eastern states for parcels up to 50 lbs. and 108 inches in length and girth.

REA EXPRESS INFORMATION

Large, bulky or delicate articles are shipped by Railway Express, the fastest and most economical way to ship merchandise which is unmailable. (If you desire other shipping methods, please specify). The letter "X" after our stock number (i.e., 21 T 44-17WX) identifies the item exceeding parcel post limits.

DO NOT SEND MONEY for express charges with your order. Express charges are collected upon delivery at no extra cost to you. Insurance is included in your express rates. Be sure to specify your nearest Express Office if there is no agent in your town.

APPROXIMATE REA EXPRESS CHARGES

Weight	100 Miles	150 Miles	300 Miles	500 Miles	1000 Miles	2000 Miles	2400 Miles
20 lbs.	5.50	5.65	5.75	6.10	6.80	8.15	8.80
30 lbs.	5.85	6.05	6.25	6.80	7.80	10.00	10.95
40 lbs.	6.20	6.50	6.70	7.45	8.80	11.85	13.15
50 lbs.	6.60	6.90	7.20	8.15	9.85	13.70	15.30
60 lbs.	6.95	7.35	7.70	8.80	10.85	15.55	17.45
70 lbs.	7.35	7.75	8.20	9.50	11.90	17.40	19.60
80 lbs.	7.70	8.15	8.65	10.15	12.90	19.25	21.80
90 lbs.	8.05	8.60	9.15	10.80	13.90	21.10	23.95
100 lbs.	8.40	9.00	9.60	11.40	14.85	22.75	25.90

MAIL ORDER

and Sales Center

All Departments 516 921-7700
Open Mon., Thurs., Fri. 'til 9:30 P.M.111 Jericho Turnpike
(west of So. Oyster Bay Rd.)
Syosset, L. I., N. Y. 11791C.O.D. Orders Only 516 921-7500
Open Mon., Thurs., Fri. 'til 9:30 P.M.

Our modern Mail Order Headquarters, located on over 8 acres of land, includes expanded warehouse facilities plus the most modern handling equipment to give you quicker service. Within 24 hours after receipt, most orders are processed, picked, wrapped and shipped.

30 Convenient Locations

Visit the Lafayette Store nearest you for fast personalized service. See the catalog "come to life" and many other exciting displays of the latest products just released. Associate Stores From Coast To Coast. Watch for New Grand Openings.

NEW YORK**BROOKLYN 11226**

2265 Bedford Ave.
(cor. Snyder Ave.)
Phone: 212 469-8900
Open Mon., Thurs., Fri. 'til 9:30 PM

BUFFALO (Amherst) 14226

Sheridan Shopping Center
(3600 Sheridan Dr.)
Open Mon., Thurs., Fri. 'til 9:00 PM

JAMAICA 11433

165-08 Liberty Ave.
(Off Merrick Rd.)
Phone: 212 291-7000
Open Mon., Thurs., Fri. 'til 8:45 PM

LAKE GROVE 11755

2848 Middle Country Rd.
(Rt. 25—1/4 mile E. of Smithhaven Mall)
Phone: 516 585-3600
Open Mon.-Fri. 'til 9:30 PM

LYNBROOK, L. I., N. Y. 11563

381 Sunrise Highway
(2 miles East of Green Acres)
Phone: 516 887-9800
Open Mon., Thurs., Fri. 'til 9:30 PM

NEW ROCHELLE 10801

218 North Ave.
(opp. Macy's Mall)
Phone: 914 235-5101
Open Mon., Thurs., Fri. 'til 9:00 PM

MASSACHUSETTS**BOSTON 02215**

584 Commonwealth Ave.
(1/2 block above Kenmore Sq.)
Phone: 617 267-8900
Open Daily 9:30 AM - 9:00 PM
Sat. 9 AM to 6 PM

NATICK 01760

1400 Worcester St.
(Rt. 9 opp. Shopper's World)
Phone: 617 875-6146
Open Mon., Wed., Thurs.,
Fri. 'til 9:30 PM

SAUGUS 01906

Saugus Plaza Shopping Center
(Rt. 1 & Walnut St.)
Phone: 617 233-6710
Open Daily 9:30 AM - 9:00 PM
Sat. 9 AM to 6 PM

N.Y.C. - 45th STREET 10036

71 West 45 St.
(between 5th-6th Aves.)
Phone: 212 757-3121
Open Thurs. 'til 9:00 PM

N.Y.C. - UNION SQUARE 10003

17 Union Square West
(corner 15th St.)
Phone: 212 924-4433
Open Thurs., Fri. 'til 7:00 PM

N.Y.C. - WARREN ST. 10007

45 Warren Street
(between Church and W. Broadway)
Phone: 212 964-0334
Open Daily 9 AM - 6 PM
Sat. 9 AM to 5 PM

ROCHESTER-IRONDEQUOIT 14621

999 Ridge Road East
(Adjoining Arlan's)
Phone: (716) 467-1310
Open Mon.-Fri. 10 AM to 9 PM
Sat. 9:30 AM to 6 PM

ROCHESTER - PITTSFORD 14618

3330 Monroe Ave.
(Adjoining Arlan's)
Phone: (716) 586-6331
Open Mon.-Fri. 10 AM to 9 PM
Sat. 9:30 AM to 6 PM

SCARSDALE 10583

691 Central Ave.
(1/2 mile north of Ardsley Rd.)
Phone: 914 472-2700
Open Daily 9:30 AM - 9:30 PM
Sat. 9 AM to 5:30 PM

CONNECTICUT**HAMDEN 06514**

Hamden Plaza
(2100 Dixwell Ave., adjoining Pagnataro's)
Phone: 203 248-2182
Open Daily 10 AM - 9 PM
Sat. 9 AM to 6 PM

WEST HARTFORD 06117

Bishop's Corner Shopping Center
(357 North Main St. cor. Albany Ave.)
Phone: 203 236-0693
Open Mon., Thurs., Fri. 'til 9:30 PM

MARYLAND**TOWSON**

815 Taylor Avenue
(Lach Raven Plaza)
Phone: 301 825-7750
Open Mon., Thurs., Fri. 'til 9:00 PM

PENNSYLVANIA**KING OF PRUSSIA 19406**

King of Prussia Shopping Center
(Routes 202 and 23)
Phone: 215 265-3300
Open Mon. through Sat. 10 AM - 10 PM

LANCASTER 17603

2152 Lincoln Plaza
Phone: 717 397-3681
(Adjoining Two Guys)
Open Daily 10 AM - 9 PM
Sat. 10 AM - 6 PM

MONROEVILLE 15146

Monroe Plaza Shopping Center
4045 William Penn Highway
Phone: 412 373-0060
Open Mon. through Sat. 10 AM - 9 PM

PHILADELPHIA 19095

Wyncote (Cheltenham Township)
8156 Ogontz Ave.
Phone: 215 885-2140
Open Daily 10 AM - 9:30 PM
Sat. 9 AM to 6 PM

PITTSBURGH 15237

North Hills Village Shopping Ctr.
4801 McKnight Road
Phone: 412 366-0810
Open Daily 10 AM - 9 PM
Sat. 9 AM to 9 PM

NEW JERSEY**NEWARK 07102**

24 Central Ave.
(west of Broad St.)
Phone: 201 622-1661
Open Wed. 'til 8:45 PM

PARAMUS 07652

182 Route 17
(1 mile north of Garden State Plaza)
Phone: 201 261-8800
Open Daily 9:30 AM - 9:30 PM
Sat. 9 AM to 5:30 PM

PLAINFIELD 07060

139 W. 2nd St.
(1 block east of Front St.)
Phone: 201 756-5100
Open Mon., Thurs. 'til 8:45 PM

TOTOWA

Opening Fall 1969

VIRGINIA**FALLS CHURCH 22044**

Plaza 7 Shopping Center
(cor. Wilson & Roosevelt Blvd.)
(across from 7 corners)
Phone: 703 534-5772
Open Mon., Thurs., Fri. 'til 9:30 PM

MT. RAINIER/HYATTSVILLE 20822

3191 Queens Chapel Rd. (Rt. 500)
(Queenstown Shopping Center)
Phone: 301 779-7020
Open Mon., Thurs., Fri. 'til 9:30 PM

WALKIE

TALKIES



No License Required
FCC Regulation
Part 15

5⁹⁹

Each

HA-70C

(A) "ASTRO COMMANDER"

No License Required
FCC Regulation
Part 15

15⁹⁵

Each

HA-73A

(B) 2 CHANNEL 7-TRANSISTOR SUPERHET WITH CALL ALERT

SOLID STATE CB TRANSCEIVER/AM RADIO BASE STATION

29⁹⁵

 with mike, headphone, and batteries
(No FCC License Required)

- Tuneable On All 23 Citizen Band Channels
- Crystal Control Transmit Up To 1 Mile on Channel 9
- Built-in Quality AM Radio • Built-in Practice Code Key

Excitement for every member of the family. Actually a 100 milliwatt CB base station transceiver, quality AM radio and practice code oscillator in a compact, attractive, professional styled cabinet. CB transceiver section has tuneable superheterodyne receive for all 23 channels, and is crystal-controlled to transmit on channel 9. Built-in telescoping antenna. Specifications: Max. Audio Output: 200MW; RF Power Input: 100 MW; AM Radio tunes 54 to 1600 kHz. Operates on 6 "D" type batteries. Includes microphone, headphone, and batteries. Imported. Size: 12½x5¼x6" D. Shpg. wt., 5 lbs.

17 G 78331 W

Net 29.95

99 G 62564 Extra "D" Batteries

Net ea. .15

Lafayette Your Headquarters For Citizens Band Equipment

Walkie Talkies by Lafayette

PIONEER & LEADER IN 2-WAY CB RADIOS

(A) "ASTRO COMMANDER" CB WALKIE TALKIE HA-70C

- Not a Kit—Completely Wired
- Interstage Transformer for More Sound

Compact 3-transistor walkie-talkie features a sensitive superregenerative receiver for minimum noise pick-up when voice signal is being received. Crystal controlled transmitter provides range up to 1/4 mile. Has push-to-talk button, off-on volume control, and efficient speaker/mike. Supplied with telescoping antenna, crystal, battery, and plastic carrying case. Size: 5½ x 2½ x 1¾". Imported. Shpg. wt., 1 lb. 99 G 30801L HA-70C Net ea. 5.99

99 G 60212 Replacement Battery

Net .21

Optional 9-Volt Lead-Acid Rechargeable Battery Plus Charger. Imported. Shpg. wt., 6 oz.

99 G 90169

Net 2.69

(B) 2 CHANNEL 7-TRANSISTOR SUPERHET
CB WALKIE TALKIE HA-73A

- Powerful Push-Pull Audio • Built-in Call Alert
- Battery Eliminator Jack

New power boost reflex circuit utilizes 7 transistors to achieve higher sensitivity for extended range. 2-channel operation permits greater flexibility. Call alert system sends or receives a pleasant alerting tone for convenient calling. Also features Battery Eliminator Jack for 117 Volts AC operation with optional battery eliminator. Case features beautiful die-cast chrome high-lighted front panel. Supplied with carrying strap, telescoping antenna, battery, and plug-in crystals for channel 9. Size: 5¾x1¼x2¾". Imported. 99 G 31452L HA-73A. Shpg. wt., 3 lbs. Net ea. 15.95
46 G 15 Extra Transmit Crystal (Specify Channel) Net 2.25
46 G 12 Extra Receive Crystal (Specify Channel) Net 2.25
*See Page 59 on "How To Order Crystals".

99 G 60212 Replacement Battery

Net .21

99 G 30124 AC Battery Eliminator


Net 2.95

Optional 9-Volt Lead-Acid Rechargeable Battery Plus Charger. 99 G 90169 Imported. Shpg. wt., 6 oz. Net 2.69

5 Watts of Power — You Can Hold in Your Hand!

NEW

3 Channels



FCC Type Accepted
Canadian D. G. T.
Approved

See Page 58 For Dyna-Com Accessories

Lafayette
DYNA-COM 5a Only **79⁹⁵** No Money Down *

- * 5 Watt FCC Maximum Input . . . With Power Equal to the Most Powerful CB Transceivers!
 - * 13 Transistors, 6 Diodes, 1 Thermistor
 - * 7-Stage Transmitter for Extra Transmit Sock!
 - * Operate Mobile in Your Car with Optional Cigarette Lighter Plug-in Adapter
 - * Superheterodyne Receiver with Less Than 1 Micro-volt Sensitivity for 10 db S+N/N Ratio
 - * Mechanical Filter for Superior Selectivity
 - * Automatic Range Boost for High Talk Power
- Variable Squelch and Automatic Noise Limiting
 - Battery Condition and RF Power Output Indicator
 - External Mobile and Base Antenna Jack
 - Provision for External Battery Pack, Mobile Battery, Charger and Eliminator
 - TVI Trap Minimizes TV Interference
 - Push-Pull Audio Modulator Circuit

The Dyna-Com 5a is small in size—BIG in performance and versatility. A Lafayette exclusive, this amazing 2-way radio has every feature you have ever wanted in a compact walkie-talkie. The unique, removable battery pack facilitates charging ni-cad batteries on or off the walkie-talkie. You always have a fresh supply of batteries on hand. In addition, an optional portable dry cell power pack keeps reserve power on tap when you need it. The unit may be connected to your auto, boat or tractor battery and external antenna for the ultimate in portable convenience. Attractive die-cast brushed aluminum case with shoulder carrying strap. Measures only 3¼Wx10¼x 2¼"D. Supplied with transmit and receive crystals for channel 10, telescoping whip antenna and FCC license application Form per regulation 95. Imported. Shg. wt., 5 lbs.

99 G 32096L (Less Batteries)	Net 79.95
46 G 15 Extra Transmit Crystal†	Net 2.25
46 G 10 Extra Receive Crystal†	Net 2.25
99 G 32245YL Dyna-Com 5a modified for 26.620 MHz	Net 89.95
99 G 32252YL Dyna-Com 5a modified for 27.575 MHz	Net 89.95

Lafayette SUPER POWER LONG RANGE Walkie Talkies

3-WATTS 3-CHANNELS Dyna-Com® 3a

- 12 Transistors, 6 Diodes • 455 kHz Ceramic Filter • T.V.I. Trap • RF Surge Protection
- Jacks for External Antenna & Battery Eliminator • 6 Stage Transmitter • 1 μV Sensitivity
- Variable Squelch and Automatic Noise Limiting • Range Boost For Higher Talk Power
- Battery Condition and RF Power Output Indicator

Lafayette's Dyna-Com 3a walkie talkie is a hand-held powerhouse featuring 3 full watts of power with added flexibility of 3 crystal-controlled switchable transmit and receive channels. 12-transistor, 6-diode circuitry incorporates a sensitive superhet receiver which utilizes an RF amplification stage with lightning surge protection, and a highly selective ceramic filter for super reception. Automatic gain control, automatic noise limiter, and variable squelch combine to achieve truly quiet operation. 6-stage transmitter uses Range Boost modulation to increase the sideband modulation and thus provide far greater talk power. Includes TVI trap for minimum TV interference. Meter indicates battery level on receive and RF power output on transmit. Jacks are provided for earphone, external antenna, and external power. Operates on batteries of any other 12 volt DC supply. Complete with telescoping antenna, battery holder with batteries, one set of crystals for channel 10, shoulder strap, and FCC Form 505. Imported. Size: 8½H x 3¾W x 1¼"D. Shg. wt., 2¼ lbs.

99 G 31940L No Money Down*	Net 57.95
46 G 11 Extra Transmit Crystal†	Net 2.25
46 G 10 Extra Receive Crystal†	Net 2.25

1.5 WATTS 3 CHANNELS Dyna-Com 2a

With the characteristically superb "DYNA-COM" design, the DYNA-COM 2a is essentially the same as the DYNA-COM 3a except for its power rating of 1.5 watts. Imported. 2¼ lbs.

99 G 31932L No Money Down*	Net 39.95
46 G 14 Extra Transmit Crystal†	Net 2.25
46 G 10 Extra Receive Crystal†	Net 2.25



FCC Type Accepted

DYNA-COM 3a
57⁹⁵ Each
No Money Down*

DYNA-COM 2a
39⁹⁵ Each
No Money Down*

† See Page 59 for "How To Order Crystals".

FIVE plus TWELVE!

5 WATTS
Hand-Held Power

Plus 12 CHANNELS

**SWITCHABLE
CRYSTAL CONTROLLED**


**Lafayette
DYNA-COM 12
ONLY**

99⁹⁵
Each

- * 12 Switchable Crystal Controlled Transmit and Receive Channel Positions
- * 5-Watts FCC Maximum Permitted Input Power In The Palm of your hand!
- * 14 Transistors, 6 Diodes, 1 Thermistor
- * Superheterodyne Receiver plus RF Stage with 0.7 μ V. Sensitivity
- * Automatic Compressor Range Boost for Consistently High Talk Power and Greater Range
- * Use It In Your Car with Optional Cigarette Lighter Plug-in Adapter
- * Public Address External Speaker Jack with PA Switch

- Mechanical Filter for Superior Selectivity
- Variable Squish plus Automatic Noise Limiter for Minimum Noise
- Battery Condition and Automatic Relative RF Power Output Indicator
- External Antenna Jack Permits Use with Base Station and Mobile Antennas
- Provision for External Battery Pack, Mobile Battery and Battery Charger/Eliminator
- Push-pull Audio/Modulator Circuit for More Powerful Speech Transmission and High Quality Reception
- TVI Trap To Minimize Television Interference

Another 5 watt 2-way radio first by Lafayette, the Dyna-Com 12 pioneers the walkie talkie feature of 12 switchable crystal controlled transmit and receive channel positions for extra utility and flexibility. In addition to its superb engineering resulting in excellent sensitivity, selectivity, adjacent channel rejection, and RF protection, the Dyna-Com 12 incorporates all the features you would ever expect to find in a high power hand-held walkie talkie. The removable battery pack makes it simple to charge the ni-cad batteries on or off the walkie-talkie. The Dyna-Com 12 may be connected to your auto, boat, or tractor 12 volt battery and to external antenna for efficient mobile communications. It can also be used on 110 volt 60 Hz AC with the optional battery eliminator/charger and



with a base station antenna for reliable base station communications. Features a professionally designed attractive die-cast case with shoulder carrying strap and crystals for channel 10. Size: 3 $\frac{1}{4}$ x 10 $\frac{1}{2}$ x 2 $\frac{1}{4}$ " D. Imported, Shpg. wt., 5 lbs.
99 G 32013L (Less Batteries) Net 99.95

46 G 15 Extra Transmit Crystal	Net 2.25
46 G 10 Extra Receive Crystal	Net 2.25
99 G 25413 Earphone for Dyna-Com 12	Net 1.29
99 G 32104YL Dyna-Com 12 Modified for 26.620 MHz	Net 109.95
99 G 32112YL Dyna-Com 12 Modified for 27.575 MHz	Net 109.95

SEE BELOW FOR ACCESSORIES

DYNA-COM OPTIONAL ACCESSORIES!

Battery Eliminator/Charger. Plugs into 117 VAC outlet to permit base station operation. Charges up to 12 nickel cadmium batteries internally and externally in Dyna-Com 5, 5a, 6, and 12; charges batteries of Dyna-Com 2, 2a, 3 and 3a in holder externally with adapter (supplied). Negative ground only. Has fused AC line. Size: 7 $\frac{1}{2}$ "H x 5 $\frac{1}{2}$ "D (at bottom) x 3 $\frac{1}{4}$ "W. Imported. Shpg. wt., 5 lbs.
99 G 31478 Net 22.95

Extra Battery Pack for Dyna-Com 5, 5a, 6 and 12. Extra removable back of walkie-talkie plus battery holder. Enables charging of complete battery pack outside of walkie talkie while another pack is in use. Imported. Shpg. wt., 2 lbs.
99 G 32203 Net 8.95

Nicad Rechargeable Batteries for Pack
32 G 47400 12 required Net ea. 1.40
Mobile Cigarette Lighter Cable Assembly. Permits operation of Dyna-Com from car 12 volt DC cigarette lighter. Shpg. wt., 6 oz.
99 G 46054 Net 2.95

Cases: Genuine Top Grain Leather Shpg. wt., 12 oz.
42 G 28011 For Dyna-Com 2a, 3a Net 4.95
42 G 28029 For Dyna-Com 5, 5a Net 5.95
42 G 28045 For Dyna-Com 6, 12 Net 5.95

Dyna-Pack External Battery Pack with 10 "D" batteries. Plugs into Dynacom to assure reserve power when required in the field. Imported. 3 x 3 $\frac{1}{8}$ x 7 $\frac{1}{2}$ ". Shpg. wt., 4 lbs.
99 G 31015 Net 5.95

Extra 10-Cell Battery Holder for Dyna-Pack
99 G 31312 Net 1.95

Antenna Adapter Cable. Connects PL-259 plug of external antennas to Dyna-Com's antenna jack. Shpg. wt., 6 oz.
44 G 09201 Net 2.95

Nicad Rechargeable Batteries. 12 required for Dyna-Com 5, 5a, 6 and 12, 10 for Dyna-Com 2, 2a, 3 and 3a. Shpg. wt., 1 oz.
32 G 47400 Net ea. 1.40

Alternate Heavy-Duty Alkaline Batteries. 12 required for Dyna-Com 5, 5a, 6 and 12; 10 for Dyna-Com 2, 2a, 3 and 3a. Shpg. wt., 2 oz.
32 G 47525 Pkg. of 2 .79

Miniature Top Loaded Antenna. Highly efficient coil loaded 18" antenna which mounts on top of collapsed telescopic antenna. Imported. Shpg. wt., 1 lb.
99 G 31437 Net 4.50

Dyna-Charge. Charges from 8 to 15 nicad "Z" size cells. Plugs directly into Dyna-Com 5, 5a, 6 and 12 charge jacks and into jack of Extra Back Battery Pack. Charge batteries of Dyna-Com 2, 2a, 3 and 3a externally in holder with use of adapter (Supplied). Size: 3 $\frac{3}{4}$ x 2 $\frac{1}{4}$ x 2". Imported. Shpg. wt., 2 lbs.
99 G 31007 Net 9.95

HOW TO ORDER CRYSTALS. Add 2 digits representing the Channel No. to the listed stock no. Sample: 46 G 10 for channel 9 is 46 G 1009; for Channel 23 is 46 G 1023.

‡Applicable to Dyna-Com 2, 2a, 3, 3a, 5, 5a, 6 and 12 unless otherwise Specified.

Lafayette Cat. No. 701 59

LAFAYETTE Comstat 19 5-Watt 2-Way Radio

Only
59⁹⁵
No Money
Down*



- 9 Crystal Controlled Transmit and Receive Channels
- Convenient Front Panel Crystal Socket
- Modulation Monitor
- Phone Jack for Private Listening

- Push-To-Talk Ceramic Mike with Coiled Cord and Positive Lock Plug
- Pi Network Antenna Matching
- Convenient Variable Squelch Control
- Sensitive 23 Channel Tuneable Receiver

Advanced electronic circuitry utilizes 7 tubes and 3 diodes to achieve 13 stages of dynamic performance. Sensitive superheterodyne receiver permits reception of weak distant stations even in problem areas. Effective series gate limiter minimizes ignition and other noise pick-up. Receiver can be manually tuned or crystal controlled. Variable squelch control permits quiet automatic stand-by operation. Powerful audio stage delivers up to 100% AM plate modulation for real talk power. Monitor allows visual indication of modulation. Built-in 117VAC power supply. Front panel receive and transmit crystal sockets plus 8 sets of internal crystal sockets. Front panel phone jack for private listening or external speaker. Receiver sensitivity: 1 μ v @ 10 db signal to noise ratio. Output impedance, 50

ohms. Supplied complete with push-to-talk ceramic microphone with coiled cord and positive lock plug, bracket for mobile or shelf mounting, 117 VAC power cord, and a pair of crystals for channel 11. Size: 12 $\frac{1}{4}$ Wx8 $\frac{1}{4}$ Dx5 $\frac{1}{2}$ H. Shpg. wt., 15 lbs.

99 G 30678WX Net 59.95

46 G 61 Extra Transmit Crystal (Specify Channel) \ddagger Net 2.25

46 G 62 Extra Receiver Crystal (Specify Channel) \ddagger Net 2.25

HA-19 POWER SUPPLY Adapts Comstat 19 for 12 volt mobile operation negative or positive battery. Size 6Wx4Hx4 $\frac{1}{2}$ "D.

42 G 47045W Shpg. wt., 4 lbs. Net 13.95

\ddagger See Page 59 for "How To Order Crystals."

LAFAYETTE Comstat 19 ECONOMY 2-WAY RADIO SYSTEMS

Ground-Plane
SAVE \$3.45
From Individual Catalog Prices
ONLY 75⁹⁵
No Money Down*

SAVE \$3.85
From Individual Catalog Prices
ONLY 79⁹⁵
No Money Down*



BASE SYSTEMS

Consists of: Lafayette Comstat 19, 23 channel tuneable-9 channel crystal controlled CB transceiver, heavy duty ground plane antenna, and 50 ft. RG-8/U low loss cable assembly.
42 G 91795WXM Wt., 22 $\frac{1}{2}$ lbs. Net 75.95

MOBILE SYSTEMS

Consists of: Lafayette Comstat 19 CB transceiver, 12 volt DC mobile power supply, stainless steel body mount antenna, and 20 ft. RG-58/U coaxial cable assembly. Shpg. wt., 21 lbs.
42 G 91811WXM Net 79.95



Same system as above but with Lafayette "Range Boost II" $\frac{1}{2}$ -wavelength high gain base station antenna instead of ground plane antenna. Shpg. wt., 28 $\frac{1}{2}$ lbs.
42 G 91803WXM No Money Down* Net 83.95
YOU SAVE 4.45 From Individual Catalog Prices

Same system as above but with bumper mount antenna instead of body mount antenna. Shpg. wt., 20 lbs.
42 G 91829WXM No Money Down* Net 82.50
YOU SAVE 4.30 From Individual Catalog Prices

Bumper Mount



Lafayette 23 CHANNEL CRYSTAL CONTROLLED TWO-WAY RADIO



99⁹⁵

No Money Down*
FCC TYPE ACCEPTED

ALL CRYSTALS SUPPLIED!

- Dual Conversion Receiver Features 8/10 μ V Sensitivity
- Pi-Network and Low Pass Filter for Maximum Power Output
- Internal Range Boost Circuitry for Greater Average Talk Power
- Built-in 117 VAC Power Supply, Operates Mobile with Optional 12 VDC Power Supply

Lafayette offers a truly great CB value, the Comstat 23 Mark VI deluxe 5-watt CB transceiver with 23 crystal-controlled channels at an amazingly low price. Crystal synthesizer circuit includes all crystals necessary for active coverage of all 23 CB channels. Features a sensitive and selective dual conversion superheterodyne receiver, Sensitivity is 0.8 μ V, Variable squelch control for quieting receiver during "no signal" conditions; full-time automatic noise limiter; and a tape recorder output jack on the rear panel. Audio output is 4-watts into a built-in 3 1/2 in. speaker. RF output is coupled through a highly effective pi-network and low-pass filter for maximum energy transfer to the antenna with low harmonic radiation. Matches antennas from 50-75 ohms. Range Boost circuitry is incorporated for greater average talk power. Includes standby switch for low current drain

- 14 Tube Performance with 9 Tubes, and 9 Diodes
- Variable Squelch Control with Standby Switch for Low Drain Instant Operation
- Illuminated "S"/"PRF" Meter
- Tape Record Output Jack (Rear)
- CB/Public Address Switch
- Headphone/External Speaker Jack

and instant operation. With facilities for PA and external speaker or phones of 4-8 ohm impedance. For operation on 105-120 volts AC, 50/60 Hz or operates mobile with the use of the optional 12 volt power supply. Size: 12Wx8 1/2Dx5"H. Imported. Shpg. wt., 20 lbs.
99 G 32237WX

Net 99.95

OPTIONAL ACCESSORIES

- HA-19 DC POWER SUPPLY. Permits 12-volt mobile operation with Negative or Positive Battery Ground. 6W x 4H x 4 1/2"D 42 G 47045W Shpg. wt., 4 lbs. Net 13.95
- MOBILE MOUNTING BRACKET. Facilitates under-dash mounting. Imported. Shpg. wt., 2 lbs. 99 G 31874 Net 2.95


LAFAYETTE COMSTAT 23 MK VI ECONOMY 2-WAY RADIO SYSTEMS

SAVE \$6.45

From Individual Catalog Prices

Only **112⁹⁵**

No Money Down*



Ground Plane

Cable

Base Systems

Consists of: Lafayette Comstat 23 Mark VI 23 channel crystal-controlled CB transceiver; a heavy duty Ground Plane Antenna, and 50' of RG-8/U low-loss cable assembly. 42 G 91563WXM Wt., 27 lbs. Net 112.95

Same system as above except with "Range Boost II" deluxe 1/2 wave end-fed antenna instead of ground plane antenna. 42 G 91571WXM Wt., 29 lbs. Net 121.95

Range Boost II

SAVE \$6.80

From Individual Catalog Prices

Only **119⁹⁵**

No Money Down*



DC POWER SUPPLY



Body Mount

Cable

Mobile Systems

Consists of: Lafayette Comstat 23 Mark VI 23 channel crystal-controlled CB transceiver; 12 volt DC Power Supply; stainless steel Body Mount Antenna; Mobile Mounting Bracket; 20' Cable Assembly. Wt., 27 lbs. 42 G 91589WXM Net 119.95

Same system as above except with Bumper Mount Antenna. Shpg. wt., 26 lbs. 42 G 91597WXM Net 122.95



Bumper Mount

NEVER BEFORE ... Such Economical CB Versatility!

**LAFAYETTE
HB-23
23-CHANNEL
CRYSTAL
CONTROLLED
MOBILE
2-WAY RADIO**



99⁹⁵ Only **124⁹⁵** Only
FOR OPERATION ON CHANNELS 9, 13 AND 19
No Money Down* Full 23 Channel Operation

Add 2 More Channels With Each Additional Plug-In Crystal!

★ With New RF Overload Protection (Pat. Pending)

- ★ 15 Transistors, 8 Diodes, Plus IC
- ★ Full 5-Watt FCC Maximum Input Power
- Variable Squelch Plus Automatic Noise Limiting
- Accepts Privac-Com® Private Tone Caller
- Large 5 x 3 Inch Speaker For Superior Audio
- ★ 455 kHz Mechanical Filter In IF Stage
- ★ Dual Conversion Superheterodyne Receiver
- 12 Volts DC Negative or Positive Ground
- 117 Volts AC With Optional AC Power Supply
- Portable Operation With Optional Battery Pack

Solid-state ultra compact crystal synthesis CB transceiver incorporates 15 transistors and one integrated circuit stage to achieve superior sensitivity, greatly increased dependability, and lower current drain. Synthesis type frequency control section utilizes a maximum of sixteen crystals for full 23 channel operation. Permits economical addition of 2 channels with each plug-in crystal listed below. Carefully tuned 455 kHz mechanical filter assures razor sharp selectivity with excellent adjacent channel rejection. Dual conversion receiver features 0.7 μ v sensitivity, ANL, variable squelch, and push-pull audio amplifier. Transmitter provides full 5 watt legal limit input. Illuminated front panel meter monitors "S" units on receiver and PRF output during transmit. PA Speaker/Earphone jack for silent listening or public address operation. Wired to accept Privacom plug-in private tone caller.

For 12 VDC negative or positive ground. 117 VAC and portable operation achieved with accessories listed below. Complete with dynamic push-to-talk microphone, power cable, mounting bracket, fixed crystal for channels 9, 13, and 19, and FCC application Form 505. Size 5 3/4" W x 7 7/8" D x 2 1/4" H. Imported.
99 G 31494WX Shpg. wt., 6 1/4 lbs. Net 99.95
Package of 10 Plug-In Crystals. Converts HB-23 to full 23 channel operation.
99 G 31742 Shpg. wt., 1 lb. Net 25.00
HB-502B Solid State 117VAC Power Supply/Charger. Enables operation of HB-23 as a table top 117 VAC base station, also charges nickel cadmium batteries used in the HB-507.
99 G 32088W Net 16.95
Base Station Dynamic Microphone.
99 G 46088 Net 11.95
Model HB 507 Portable Battery Pack. Adapts HB-23 for convenient portable operation

with shoulder strap. Less "C" batteries.
99 G 31551 Shpg. wt., 2 lbs. Net 19.95
"C" Alkaline Battery for HB-507 (8 req.)
32 G 48879 Net ea. .49
Alternate Nickel Cadmium Battery (10 req.)
32 G 48887 Net ea. 4.06
OPTIONAL INDIVIDUAL PLUG-IN CRYSTALS:
Each Crystal Adds 2 Operating Channels. Inserts Into Specified Crystal Sockets.
99 G 31635 Channels 1 and 5; For Socket A
99 G 31643 Channels 2 and 6; For Socket B
99 G 31650 Channels 3 and 7; For Socket C
99 G 31668 Channels 4 and 8; For Socket D
99 G 31684 Channels 10 and 14; For Socket F
99 G 31692 Channels 11 and 15; For Socket G
99 G 31700 Channels 12 and 16; For Socket H
99 G 31718 Channels 17 and 21; For Socket I
99 G 31726 Channels 18 and 22; For Socket J
99 G 31734 Channels 20 and 23; For Socket L
Any One of Above Crystals Net each 3.45

MODEL HB-23 ECONOMY 2-WAY RADIO SYSTEMS

SAVE \$4.90

From Individual Catalog Prices

Only **104⁹⁵**

No Money Down*



Body Mount

Cable

SAVE \$6.40

From Individual Catalog Prices

Only **129⁹⁵**

No Money Down



Cable



Ground Plane

HB-23

HB-502B

Mobile Systems

Consists of Lafayette Model HB-23 Solid-State CB Transceiver with 23 channel crystal control capability; stainless steel Body Mount Antenna; and 20" RG-58/U Cable Assembly. Shpg. wt., 12 lbs.
42 G 91670WXM Net 104.95

Same as above except with Bumper Mount instead of Body Mount Antenna. Wt., 11 lbs.
42 G 91688WXM Net 107.95

Base Systems

Consists of Lafayette Model HB-23 Solid-State CB Transceiver with 23 channel. Crystal control capability; HB-502B AC Power Supply; heavy duty Ground Plane Antenna; 50" RG-8/U Cable Assembly. Wt., 25 lbs.
42 G 91696WXM Net 129.95

Same as above except with "Range Boost II" deluxe 1 1/2 wave end-fed antenna. Wt., 27 lbs.
42 G 91704WXM Net 138.95

Bumper Mount

Range Boost II

Famous 23 Channel CB Best Seller...



**Lafayette
COMSTAT 25B**

FCC Type
Accepted

**CRYSTALS SUPPLIED
FOR ALL
23 CHANNELS!**

Only

139⁹⁵

No Money Down*

With Standby Switch for Low Current Instantaneous Operation

- Accepts Private-Com® Private Call Unit
- 17 Tube Performance with 11 Tubes, 2 Transistors and 11 Diodes
- Built-in 117 VAC, 12 VDC Solid-State Power Supply
- Dual Conversion Receiver Features 8/10 μ V Sensitivity

- Range Boost Circuitry for Added Talk Power
- PiNetwork and Low Pass Filter for Maximum Power Output
- Vari-tilt Mounting Bracket
- Modulation Indicator
- TVI Trap

Lafayette's outstanding 23 channel crystal-controlled tube-type CB transceiver now sports a brand new professional look! The pace-setting Lafayette Comstat 25B, with its high performance circuitry for excellent mobile and base station operation, features a handsome midnight-black and contrasting brushed aluminum front panel with complementary multi-colored illuminated "S-PRF" meter and attractive control knobs. A 2.5 kHz total spread fine tuning vernier facilitates accurate reception. Highly selective circuits greatly suppress adjacent channel interference (-45db). Variable squelch quiets receiver between calls. Crystal frequency synthesizer enables operation on all 23 CB channels with crystals supplied. No extra crystals are necessary! Built-in dual purpose power supply allows 12-VDC mobile

and 115-VAC base station operation. Front panel switch converts transceiver to a handy 4.5 watt public address amplifier. A convenient front panel jack for headphones or external extension speakers for CB/PA is provided. Comstat 25B also features push-to-talk relay switching and plug-in ceramic microphone with coiled cord. Rear socket is prewired to accept Lafayette Priva-Com selective call unit. Complete with vari-tilt mounting bracket which facilitates both easy mounting and optimum positioning of set as well as serving as an adjustable table top base. With FCC License Application Form 505. Size: 12Wx8½Dx5"H. Imported. Shpg. wt., 16 lbs.

99 G 32146WX

Net 139.95

LAFAYETTE COMSTAT 25B ECONOMY 2-WAY RADIO SYSTEMS

SAVE \$7.45

From Individual
Catalog Prices

Only **151⁹⁵**

No Money Down*

SAVE \$7.90

From Individual
Catalog Prices

Only **141⁹⁵**

No Money Down*



Ground
Plane



Body
Mount



Cable

Cable



Bumper
Mount

Base Systems

Consists of: Lafayette Comstat 25B 23 channel crystal-controlled CB transceiver; heavy duty Ground Plane Antenna; and 50' RG-8/U cable assembly. Shpg. wt., 27 lbs.
42 G 91605WXM — Net 151.95

Same system as above except with "Range Boost II" high gain ½ wave length base station antenna. Shpg. wt., 26 lbs.
42 G 91035WXM — Net 160.95

Mobile Systems

Consists of: Lafayette Comstat 25B 23 channel crystal-controlled CB transceiver; stainless steel Body Mount Antenna; 20' RG-58/U coaxial cable assembly. Shpg. wt., 21 lbs.
42 G 91613WXM — Net 141.95

Same system as above except with bumper mount instead of body mount antenna.
42 G 91621WXM Wt., 21 lbs. — Net 144.95

Range
Boost II

*See Page 13 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 701 63

23 Channel Solid-State CB Best Seller!



Crystals Supplied
for All 23 Channels!

149⁹⁵

FCC Type Accepted
Canadian D.O.T. Approved!

LAFAYETTE HB-525C Solid-State Mobile 2-Way Radio

WITH RF OVERLOAD PROTECTION (Pat. Pend.)

Accepts Priva-Com® Plug-In Private Tone Caller

- 1-IC, 18-Transistors, 9-Diodes, 1-Thermistor
- Dual Conversion • Mechanical 455 kHz Filter
- Variable Squelch Plus Series Gate ANL
- Automatic S/Prf Illuminated Meter
- 3-Position Crystal Delta Tune
- Transmit Mode Indicator Light
- Range Boost™ Circuitry for Added Talk Power
- P.A. Amplifier with External Speaker
- Auxiliary Audio Input Jack
- 12 Volt DC Operation (Neg. or Pos. Ground)

Lafayette's most advanced model of the famous HB-525 series of CB transceivers. Crystal controlled synthesizer provides 23 channel transmit and receive operation . . . all crystals supplied. Dual conversion receiver incorporates 455 kHz mechanical filter and Integrated Circuit for high selectivity, superior adjacent channel rejection, and extra long life. Variable squelch quiets receiver when no signal is being received. 3-position crystal delta tune permits easy copy of off-frequency stations. Illuminated S/Prf meter indicates signal strength on receive and RF output in transmit. Full public address provisions include audio input jack for tape recorder, tuner, etc. Supplied with PTT dynamic mike, mobile mounting bracket, DC cable, and FCC license Form 505. Size: 2 3/8 x 6 1/4 x 8" D. Imported. Shpg. wt., 7 lbs. 99 G 31569WX Net 149.95



Portable
HB-506
with
HB-525C

MODEL HB-506 PORTABLE DC POWER PACK
Attaches to HB-525C for convenient portable operation. Wt., 2 lbs. Less Batteries. 99 G 31544W Net 19.95

"C" Dry Cell (8 req.) for HB-506
99 G 62572 ea. .14
10 for 1.20

"C" Alkaline, Alternate HB-506 Battery (8 req.)

32 G 48879 Net ea. .49

"C" Nicad, Alternate HB-506 Battery (10 req.)

32 G 48887 Net ea. 4.06

Base Station



Desk Mike

MODEL HB-502B AC POWER SUPPLY/CHARGER

For base station operation of HB-525C; also charges HB-506 batteries. Wt., 5 lbs. 99 G 32088W Net 16.95

99 G 46088 CB Dynamic Desk Mike Net 11.95

†D.O.T. Permits Legal Operation on 19 Channels Only in 27.00 MHz Thru 27.30 MHz Range.

MODEL HB-525C ECONOMY 2-WAY RADIO SYSTEMS

Body Mount

SAVE
\$7.90

From Individual
Catalog Prices

Only **151⁹⁵**

No Money Down*

Mobile Systems

Consists of: Lafayette Model HB-525C 23 Channel Solid-State CB Transceiver; stainless steel Body Mount Antenna; 20' RG-58/U Coaxial Cable Assembly. Shpg. wt., 12 lbs. 42 G 91712WXM Net 151.95

Same system as above except with Bumper Mount instead of Body Mount Antenna. 42 G 91720WXM Wt., 11 lbs. Net 154.95

Cable



SAVE
\$9.40

From Individual
Catalog Prices

Only **176⁹⁵**

No Money Down*

Base Systems

Consists of: Lafayette Model HB-525C 23 Channel Solid-State CB Transceiver; HB-502B AC Power Supply; heavy-duty Ground Plane Antenna; 50' RG-8/U Low Loss Cable Assembly Shpg. wt., 26 lbs. 42 G 91738WXM Net 176.95

Same as above except with "Range Boost II" deluxe 1/2 wave end-fed antenna. Wt., 28 lbs. 42 G 91746WXM Net 185.95

Group Plane

HB-525C

Range Boost II

Cable



Bumper Mount



NEVER BEFORE!

A Citizens Band 2-Way Radio plus A Police & Fire Monitor Receiver

2 SOLID STATE UNITS IN 1

MONITOR 150-174 MHz Or 30-50 MHz And COMMUNICATE ON 23 CB CHANNELS

TELSAT 150
CB + 150-174 MHz

TELSAT 50
CB + 30-50 MHz

Only **199⁹⁵**
No Money Down*



- For Car and Home
- 12 VDC Neg. Ground
- 117 VAC With HB-502B

CB TWO-WAY RADIO

- 5-Watt FCC Max. Rating
 - Dual Conversion • 0.7 μ V Sensitivity
 - 23 Crystal Controlled Channels ... All Crystals Supplied!
 - Socket For Priva-Com—Quiet Standby
- VHF FM MONITOR RECEIVER**
- Tuneable Receive Plus 2 Crystal Positions
- Monitors 150 thru 174 MHz or 30 thru 50 MHz
 - Manual Tuning Plus Two Switchable Crystal Positions for Optional Crystals
 - Less Than 1 μ V Sensitivity

1-Integrated Circuit + 1-FET + 25 Transistors + 9 Diodes
Receives U.S. Weather Reports†

This exciting Lafayette innovation in the field of communications permits you to become an alert and informed citizen in your community! Now you can monitor the police and/or fire frequencies and immediately communicate with your family and with members of your volunteer fire or auxiliary police squad. The Lafayette Telsat 150 and Telsat 50 are unique compact combinations of a 5-watt 23 channel solid state CB transceiver (all crystals supplied) and a VHF police/fire or industrial monitor receiver. These units are expertly engineered for outstanding CB and VHF performance in a car, truck, and boat, as well as in an office or home (with optional AC power supply). Complete with mobile mounting bracket and FCC license application form 505. Less crystals. Size: 2 1/2" H x 6 1/2" W x 8" L. Imported. Shpg. wt., 8 lbs. Telsat 150 (150-174 MHz) 99 G 32153WX Net 199.95

Telsat 50 (30-50 MHz) 99 G 32179WX Net 199.95

Model HB-502B Matching AC Power Supply for operation in the home or in the office. 99 G 32088W Shpg. wt., 5 lbs. Net 16.95

Monitoring Crystals. Specify exact monitoring frequency. Direct Drop Shipment. No. C.O.D. Note: If more than 1 optional crystal is used, they must be within 1 MHz of each other.

40 G 82087Z For 150-174 MHz Net 5.95
40 G 82079Z For 30-50 MHz Net 5.95

VHF Antennas For Telsat 150 (150-174 MHz) Roof or Trunk Mount Mobile Antenna 40 G 01137W Shpg. Wt., 1 lb. Net 5.95


Base Station Antenna 40 G 01160W Shpg. wt., 2 lbs. Net 7.50

42 G 09102 50' Base Antenna Cable Net 8.50
Telsat 50 uses CB Antenna for VHF & CB.

† Consult local weather bureau about reception on 162.55 and 163.275 MHz.

TELSAT 150 And TELSAT 50 2-WAY RADIO And MONITOR SYSTEMS

SAVE 7.90
From Individual Catalog Prices
Only **201⁹⁵**



SAVE 12.40
From Individual Catalog Prices
Only **232⁹⁵**

CB Mobile Systems

Consists of: Lafayette Telsat 150 23 Channel CB Transceiver/150-174 MHz Monitor Receiver; Stainless Steel Body Mount Antenna; 20' RG-58/U Cable Assembly; Wt., 13 lbs. 42 G 91837WXM Net 201.95

Same System as above except with TELSAT 50 CB Transceiver/30-50 MHz Monitor Receiver instead of Telsat 150. Wt., 13 lbs. 42 G 91845WXM Net 201.95

CB Mobile plus VHF Monitor Systems
42—91837WXM system above plus high band VHF mobile antenna with 12' cable assembly. Shpg. wt., 14 lbs. 42 G 91852WXM Net 205.95

You SAVE 9.85 From Individual Catalog Prices.

Note: For TELSAT 50 Use System 42—91845WXM for both CB and VHF Monitor Communications.

CB Base Systems

Consists of: Lafayette Telsat 150 CB transceiver/150-174 MHz Monitor Receiver; HB-502B matching AC Power Supply; "Range-Boost/II" end fed 1/2 wave CB Antenna; 50 ft. RG-8/U low loss cable assembly. Shpg. wt., 26 lbs. 42 G 91860WXM Net 232.95

Same System as above except with TELSAT 50 CB transceiver/30-50 MHz Monitor Receiver instead of Telsat 150. 42 G 91878WXM Shpg. wt. 26 lbs. Net 232.95

CB plus VHF Monitor Base Systems
42—91860WXM system above plus LR-145 high band VHF ground plane antenna, plus 50 ft. RG-8/U low-loss cable assembly. 42 G 91886WXM Shpg. wt., 35 lbs. Net 247.95

You SAVE 13.40 From Individual Catalog Prices.

Note: For TELSAT 50 use system 42—91878WXM for both CB and VHF

Body Mount



VHF High Band



Cable



Range Boost II



Telsat 150



HB-502B

VHF High Band



Cable

Deluxe LAFAYETTE CB Antennas And Accessories

LAFAYETTE RANGEBOOST II DELUXE BASE STATION CB ANTENNA



19⁹⁵

Made in U.S.A.

- Heavy Duty Mounting Bracket
- Static Clover Leaf Ball Design Reduces Receiver Noise
- 3.75 db True Omni-Directional Gain
- VSWR-1.17-1
- Signal to Noise Improvement of 6-20 db

Best selling 1/2 wave Base Station Antenna. Specially designed anti-static cloverleaf ball drastically reduces receiver noise by continuous dissipation of static discharge. Weatherproof phasing transformer, three 54" radials provide proper transmission line decoupling. Heavy duty mounting bracket. Direct ground lightning protection. 50 ohm match. 17'6" over-all length. Accepts up to 1 1/2" masts, and PL-259 cable connector. (Less mast and coax). Wt., 6 lbs. 42 G 01448WX Net 19.95

RG58/U POLYFOAM COAX CABLE ASSEMBLIES

- PL-259 Connectors on Both Ends

Stock No.	Length	Wt.	Net
42 G 09102	50 ft.	7 lbs.	8.50
42 G 09110	100 ft.	11 lbs.	14.95

20 FT. RG58/U MOBIL CABLE ASSEMBLY Terminates in PL259 and universal lugs. Shpg. wt., 1 lb.

42 G 70021 Net 2.95

LAFAYETTE LIGHTNING PROTECTOR

3⁹⁵



Designed to eliminate static build up on coaxial cables. Provides a constant drain off, reducing chances of a direct lightning strike and in many cases eliminating noise problems. Employs one PL-259 plug and one DKCB connector. 42 G 20018 Wt., 1 lb. Net 3.95

MINI CB PHONE PATCH

13⁹⁵



Talk anywhere in the world from your car or truck. Simple installation allows your telephone to be connected to your CB communications system. For use with 3-16 ohm speakers and high impedance microphone inputs. Transmit gain control to compensate for varying line levels. On-off switch disconnects patch when not in use. Dimensions: 3 7/8" L x 2 1/8" H x 2 3/4" D. Shpg. wt., 2 lbs. 42 G 12007 Net 13.95

LAFAYETTE "SUPER QUAD" CB BASE STATION ANTENNA



44⁹⁵

- 30 db Front-to-Back Ratio
- 7.5 db True Forward Gain

Made in U.S.A. "Maximum focus" design featuring large reflector element produces 7.5db true forward gain — reduces interference drastically with 30db front-to-back ratio. Split-wire matching eliminates loading stubs. Precision matching provides optimum VSWR at center, 1.3:1 or better at band edges. Sturdy, seamless aluminum tubing throughout. Dipoles are steel-core copper-clad cable. Fool-proof assembly — prealigned. Accepts masts up to 1 1/2" pipe or 2" tubing. Less coaxial cable. Shpg. wt., 15 lbs. 42 G 01588W No Money Down* Net 44.95

DELUXE LAFAYETTE 4 ELEMENT BASE STATION GROUND PLANE ANTENNA



10⁹⁵

Made in U.S.A.

Solid aluminum 4 heavy duty 108" heat-treated radials and radiator. Elements supplied in two 54" lengths joined by threaded coupling nuts. Radial droop for 50 ohm match. Accepts 1 1/4" tubing, RG-58/U cable and PL-259 connector. Less mast and coax. Wt. 4 lbs. 42 G 01562W Net 10.95

BEST-SELLING LAFAYETTE MOBILE CB ANTENNA

6⁹⁵

Made in U.S.A.

- 102" Stainless Steel Whip For Optimum 11-Meter Performance
- Heavy-Duty Cadmium Plated Steel Spring
- Aluminum Swivel Ball Jointed Mount Base

Aluminum swivel mount base designed to be mounted on any surface. Plated steel spring holds rod in properly adjusted position and prevents rod damage from shocks and blows. Stainless steel whip for resiliency and strength. Less cable. Shpg. wt., 4 lbs. 42 G 01554WX Net 6.95

LAFAYETTE CB BUMPER MOUNT ANTENNA WITH STAINLESS STEEL STRAP

9⁹⁵

- Cadmium Plated Bumper Mount with Plated Steel Strap
- 102" Stainless Steel Whip
- Heavy-Duty Cadmium Spring

An outstanding Lafayette CB antenna. Features a full-size 102" stainless steel whip, and a fully adjustable steel plated mount with a steel plated strap designed to fit most cars. Heavy duty plated steel spring is built for extremely rugged mobile use. Less cable. Shpg. wt. 3 lbs. 42 G 01596WX Net 9.95



Made in U.S.A.

LAFAYETTE CB Transceiver Tester

Measures

- RF Power Output
- % Modulation
- Relative Field Strength
- Crystal Activity
- SWR

Generates

- Crystal Controlled RF Signal
- 1 kHz Audio Signal
- Modulated Audio Signal

Provides

- In-Circuit Instant Connection to Antenna Without Removing Cables From Transmitter

Permits

- Aural Monitoring of Local Transmitters
- Visual Transmitter Monitoring with Oscilloscope

Features sensitive d'Arsonval meter, front panel jacks for aural and visual monitoring, audio generator output and RF signal generator output; ceramic jacks for standard miniature crystal sockets. Controls include Function Selector Antenna Selector, Generator Selector, Modulation Calibrate Switch, Modulation Calibrate Control and Meter Adjust Control. Sturdy professional type S0-239 sockets accept standard PL-259 connectors. Sturdy attractive molded case with brushed aluminum front panel. 7 7/8" x 5 3/8" x 2 7/8". Includes 9V battery; 30" telescoping antenna. Shpg. wt., 4 lbs. 42 G 01265 No Money Down* Net 42.95



42⁹⁵

Made in U.S.A.

Our Best Selling Test Equipment

DELUXE LAFAYETTE 30,000 OHMS PER VOLT MULTITESTER WITH MIRROR SCALE

17⁹⁵

- 30,000 Ohms Per Volt DC, 15,000 Ohms per Volt AC
- Low Voltage Scale For Transistors
- 1% Precision Resistors
- Unique "Buzzer" for Fast Short Tests
- Built-in Overload Protective Circuitry • 27 Meter Ranges



A deluxe portable VOM with a Mirror Scale. Provides wide voltage, current, resistance and db ranges clearly visible on a large 4" meter with 2-color calibrations. Sensitive 33 microamp meter provides full scale readings down to 1/4 volt on DC and 0.05 milliamps. Ranges: DC volts C-.25, 1, 2.5, 10, 25, 100, 250, 500, 1000; AC volts 0-2.5, 10, 25, 100, 250, 500, 1000. DC Current: 0-0.05, 5, 50, 500 ma; 0-12 amps. Ohmmeter: 0-60K, 6 Meg., 60 Meg. Db's: -20 to +56 db. Controls: Range Switch, Ohms Adjust. Audio output jack with DC blocking capacitor. Built-in overload protective circuitry. With leads, batteries 4 3/8 x 6 1/4 x 2" D. Imported. Shpg. wt., 2 lbs. Net 17.95

Net 17.95

Net 1.95

99 G 50718
38 G 01081 Pigskin Carrying Case for above

LAFAYETTE 20,000 OHMS PER VOLT MULTITESTER WITH MIRROR SCALE

9⁹⁵

- 20,000 Ohms/Volt DC, 10,000 Ohms/Volt AC
- 1% Precision Resistors
- Low Voltage Scale For Transistors
- Built-in Overload Protective Circuitry



40 μ A, D'Arsonval meter movement permits a high input resistance on all ranges. Features a Mirror Scale. Rugged high impact plastic case. Ranges (DC Volts): 0-3, 30, 60, 300, 600, 3,000V; AC Volts: 0-6, 60, 120, 1200V. DC Current: 0-60, μ A, 0-12, 0-300 ma. Resistance: 0-60K, 0-6 megohms. Decibels: -20 to +63 db. Audio output jack. Easy-To-Read 3" Meter with test leads and 1 1/2 V battery. Size: 3 1/2 x 4 1/2 x 1". Imported. Shpg. wt., 1 lb. Net 9.95

Net 9.95

Net 1.95

99 G 50726
38 G 01073 Pigskin Carrying Case for above

TRANSISTOR and DIODE TESTER

19⁹⁵

less battery



- Checks Transistors. For Opens, Shorts, High Leakage
- Checks Diodes and Rectifiers For Opens, Shorts, Relative Forward/Reverse Resistance

Provides all necessary servicing checks: checks transistors and diodes for shorts, leakage, open elements, forward and reverse current, and DC beta gain. Handles both low and high power transistors. Also serves as a continuity checker. Simple slide switch operation handles PNP or NPN type transistors. Test leads are provided for checking transistors which do not fit in the tester socket. Operates on standard 9 volt battery. Size: 2 3/4 H x 4 W x 1 1/4" D. Shpg. wt., 8 oz. Net 19.95

Net 19.95

Net ea. .27

AMPROBE VT-100 VOLT PROBE

Only **9⁵⁰**

- Voltage Tester For Levels Up To 550 V AC, 750 V DC
- Indicates Grounded Side of Line
- Shows Grounded Side of Motors and Appliances

For easy voltage readings anywhere—anytime. Fits into shirt pocket. "Ther-mometer Style" illuminated window indicates voltage level, AC or DC. Operates over a wide 25-800 cycle range. Compact unit incorporates a retracting push-up probe and a retractable probe with expanding coil cord attached that permits measurements of points over 3 feet apart. Voltage Levels: AC 115-220-277-440-550 Volts, DC 115-220-400-600-750 Volts. Size: 6 x 2 1/4 x 3/4" with probes retracted. Net 9.50

Net 9.50

38 G 13136 Shpg. wt., 1 1/2 lb.

LAFAYETTE SOLID-STATE FET VOLT-OHMMETER

Meter and Transistors Protected against Burnout

- 4 DC Voltage Ranges
- 4 Resistance Ranges
- 4 RMS AC Voltage Ranges
- Large 4 1/2" 200 μ A Meter
- 4 Peak-to-Peak AC Ranges
- 11 Megohm Input on DC

FET volt-ohmmeter kit with the high impedance of a vacuum tube voltmeter plus complete portability and instant operation. 1 FET, 4 transistors and 2 diodes plus self-contained batteries allow this precision test instrument to be used both in the home and in the service shop. Minimum loading allows accurate measurement of grid voltages and other low power circuits. Simple, easy-to-follow instructions save time and eliminate confusion when assembling as a kit. Housed in a high impact bakelite case with handle. Complete with batteries, leads, and complete instructions. Size: 5 1/4" x 7" x 2 3/4". Shpg. wt., 4 lbs. Net 29.95

38 G 01156 Kit

Net 29.95

38 G 01164 Factory wired and tested

Net 39.95

SPECIFICATIONS

DC Voltage: 0-1.2-12-120-1200. 11 megohm input impedance. AC Voltage: 0-1.2-12-120-1200. 1 megohm input impedance. Peak-to-Peak AC Voltage: 0-3.33-33-330-1200. Resistance: 0-1K, 0-100K, 0-10 meg, 0-1000 meg. DB Ranges (4): -24 to +56.

KIT

29⁹⁵

Factory Wired and Tested

39⁹⁵

No Money Down*



Kit or Factory Wired



LAFAYETTE

VHF Monitor Receivers

MONITOR

State, County and
Municipal Police
Fire Department
Civil Defense
Trucking
Highway Maintenance

Forestry
Aviation
Conservation
Petroleum and
Industrial Activities

POLICE AND FIRE DUAL BAND SOLID STATE FM RECEIVER

4



+ 17 TRANSISTORS
+ 10 DIODES

For
Super Sensitivity
and Selectivity



Model PF-175

2 RECEIVERS IN 1!

2 Bands:
30-50 MHz
+
152-174 MHz

Only
99⁹⁵

No Money
Down*

- Operates on 117VAC and 12VDC
- Sensitivity 0.7 μ V for 20 db Quieting
- 4 IF Stages with IC's
- Tape Recorder Output Jack

CRYSTAL CONTROL PLUS TUNEABLE RECEPTION

Listen to U.S. Weather Forecasts and Disaster Warnings!

An advanced FM receiver that is outstanding in performance and features. Covers two VHF communications bands with super-sensitivity—fully tuneable or can be crystal controlled for reception on a single frequency in either band. Also tunes to 162.55 MHz and 163.275 MHz U.S. Weather Bureau reports and disaster alarms in many parts of the country. Superheterodyne circuit includes tuned RF and mixer stages. Four IF stages, each using an advanced space-age Integrated Circuit (IC), 100% solid state design offers top reliability too! "Instant-on" transistor circuit permits immediate response to emergencies! Built-in universal power supply assures continuous monitoring under any conditions—the unit also operates from a 12VDC battery supply for field use or as an emergency portable if AC power fails. Front panel controls include a 4-position selector for choice of Xtal or Tuneable reception on either of the two VHF bands. Variable squelch control lets you silence the re-

ceiver during no-signal conditions to reduce monitoring fatigue. Also equipped with illuminated slide-rule dial, plus handy on-off volume control. Has a handsomely styled vinyl-clad steel cabinet in a simulated walnut wood-grain finish, and equipped with built-in 4" front-mounted speaker and external phone jack. Size: 13 $\frac{1}{4}$ "W x 7 $\frac{1}{2}$ "D x 6"H. Imported. Shpg. wt., 17 lbs.

- 99 G 25892WX Model PF-175 (less Crystals) Net 99.95
- CRYSTALS—Specify Exact Operating Frequency. Subject to up to 4 weeks delivery. Direct factory drop shipments, no C.O.D.'s.
- 40 G 82079Z 30-50 MHz Net 5.95
- 40 G 82087Z 152-174 MHz Net 5.95
- Ground Plane Antennas for Base Stations. Shpg. wt., 2 lbs.
- 40 G 01178W 30-50 MHz Net 8.95
- 40 G 01160W 130-174 MHz Net 7.50
- 40 G 13017W Window antenna for 30-50 MHz. Wt, 3 lbs. Net 7.95

POLICE AND FIRE SINGLE BAND SOLID STATE FM RECEIVERS

4



13 TRANSISTORS
9 DIODES
2 THERMISTORS



Model PF-30
30-50 MHz

Model PF-60
152-174 MHz

Only
79⁹⁵
No Money Down*

- 4 IC's Plus 12 Transistors for PF 30
- 117 VAC and 12 VDC Operation
- Tape Recorder Output Jack

CRYSTAL CONTROL PLUS TUNEABLE RECEPTION

Same super-sensitive solid-state FM receivers as Model PF-175 except that these are single band models covering the high or low bands. Advanced IC's included in the IF stages, plus tuned RF and Mixer stages. Also feature same rugged design for trouble-free operation and have universal power supply for either normal 117 VAC operation or 12 VDC battery operation for field use or during emergencies. Model PF-60 can tune to 162.55 MHz and 163.275 MHz U.S. Weather Bureau reports and disaster alarms in many parts of the country. Controls: Variable Squelch, On-Off Volume, Tuning and Selector (Tune-Xtal), Less Crystal. Size: 13 $\frac{1}{4}$ "W x 7 $\frac{1}{2}$ "D x 6"H.

- Imported. Shpg. wt., 16 $\frac{1}{2}$ lbs.
- 99 G 25900WX Model PF-60 152-174 MHz. Net 79.95
- 99 G 25918WX Model PF-30 30-50 MHz. Net 79.95
- CRYSTALS—Specify Exact Operating Frequency 4 weeks delivery. Direct factory drop shipments, no C.O.D.'s.
- 40 G 82087Z 152-174 MHz. Net 5.95
- 40 G 82079Z 30-50 MHz. Net 5.95
- 40 G 01160W Ground Plane Antenna for 130-174 MHz. 2 lbs. Net 7.50
- 40 G 01178W Ground Plane Antenna for 30-50 MHz. 2 lbs. Net 8.95

MONITOR

Business Service
Taxicabs
Railroads
Auto Emergencies

Police Department
Fire Department
Special Emergency
Local Government



POLICE AND FIRE SOLID STATE MOBILE MONITOR RECEIVERS

4  **INTEGRATED CIRCUIT** + 13 Transistor†



Portable



Base Station

69⁹⁵
No Money
Down*



Model PB-50 30-50 MHz
Model PB-150 152-174 MHz

*Listen To U.S. Weather Forecasts
and Disaster Warnings!*

★ Tunable Plus One Crystal Position

Thrill to urgent police broadcasts, hear the excitement of fire squads in action! PB-150 tunes to 162.55 MHz and 163.275 MHz. U.S. Weather Bureau weather reports and disaster alarms in many parts of the country. You have a choice of two wide range models, tuneable from either 30 to 50 MHz or 152 to 174 MHz. Each has provision for one crystal controlled frequency. The highly sensitive front end features .7µv for the PB-50 and less than 1µv for the PB-150. The selective "I.F." features four integrated circuits in the IF section. Weak distant stations can be heard clearly, while outside noise and interference are drastically reduced. The efficient 2.8 watt audio section terminates in a big 3 x 5" PM speaker, providing for clean, clear sound reproduction. Only 2 3/8" high, the units are ideal for car, truck or boat and are easily mounted under virtually any dash board or control panel (Mounting brackets are included). Power may be supplied by any standard 12 volt negative ground battery or by the HB-502B 117 VAC base station power supply listed. Its 13 transistor + 4 IC's (PB-150) † and 12 Transistor + 4 IC's (PB-50) solid state circuitry features extremely low current drain. Three controls complement the stylish front panel: Volume/Squelch, X'tal/Tune, and Tuning. Antenna Impedance: 50-75 ohms. Size 2 3/8x6 1/4x8"D. Imported. Shpg. wt., 7 lbs. †Consult your local weather bureau concerning reception in your area.

- | | |
|---|-----------|
| 99 G 25926WX Model PB-150 (152-174 MHz)
Crystal for PB-150. Specify exact operating frequency. | Net 69.95 |
| 40 G 82087Z*3-4 weeks delivery | Net 5.95 |
| 99 G 25934WX Model PB-50 (30-50 MHz)
Crystal for PB-50. Specify exact operating frequency. | Net 69.95 |
| 40 G 82079Z*3-4 weeks delivery | Net 5.95 |

* Direct factory drop shipments, no C.O.D.'s.

- | | |
|--|--------------|
| Model HB-502B AC Power Supply and Nicad Battery Charger.
99 G 32088W Shpg. wt., 5 lbs. | Net 16.95 |
| Model HB-506 Portable DC Power Pack with shoulder strap.
99 G 31544 Less Batteries. Shpg. wt., 2 lbs. | Net 19.95 |
| 32 G 48879 "C" Alkaline HB-506 Battery (8 req.) | Net ea. .49 |
| 32 G 48887 "C" Nicad Chargeable Alternate Batt. (10 req.) | Net ea. 4.06 |
| Mobile Antennas For PB Monitors | |
| 40 G 01137W 130-174 MHz. Shpg. wt., 1 lb. | Net 5.95 |
| 40 G 01145W 30-36 MHz. Shpg. wt., 2 lbs. | Net 11.95 |
| 40 G 01152W 36-42 MHz. Shpg. wt., 2 lbs. | Net 11.95 |
| 40 G 01129W 42-50 MHz. Shpg. wt., 2 lbs. | Net 11.95 |

SOLID-STATE MINI POCKET AM-VHF AIRCRAFT RECEIVER



- Listen to Aircraft and to Airport Towers

only
9⁹⁵

"Mini" Solid State aircraft radio receiver. Pocket size, covers standard aircraft band 108-136 MHz. Listen to aircraft in flight, or airport towers from up to 10 miles away. Features variable tuning, 4 1/2" whip antenna, and earphone. Includes 2 Mallory MS76 batteries. Imported.

- | | |
|---|----------|
| 40 G 21002L Shpg. wt., 1/2 lb. | Net 9.95 |
| Package of 6 extra batteries
32 G 46949 Shpg. wt., 1/2 lb. | Net 1.80 |

100-WATT MOBILE LINEAR AMPLIFIER Model HA-250

SMALL... COMPACT
ONLY 2 INCHES HIGH!

Convert Flea Power
To Real Power!

79⁹⁵
No Money Down

- Covers 20-54 MHz...6, 10, 11 and 15 Meters (not Permitted on 11 Meters Class D (CB) in U.S.A.)
- No External Switching Required
- Will Work On Any Signal of 1 to 10 Watts — AM, FM, SSB or DSB and CW

Provides up to 100 watts PEP (50 Watts DC) input into a 50 ohm load (with 8 watts RF drive). Unique RF sensing circuit, automatically switches in linear when transmitter is activated. Absolutely no external switching is necessary. Built-in relay directly connects antenna to input SO-239 coaxial socket when receiving. No internal connections are required to your existing equipment. Illuminated front panel meter indicates relative RF strength of linear's output



Made in U.S.A.

signal when linear is on, or exciter's relative RF signal strength when linear is off. Self-contained power supply utilizes a high efficiency toroid power transformer. Ruggedly designed chassis with oversized heat sinks assures sturdy and cool operation. Supplied with comprehensive manual, fused DC power cables, and mounting bracket. Size: 70x9x9 2 1/4. 12 Volt DC Neg. Ground Only. Shpg. wt., 3 1/2 lbs.

- | | |
|--------------|-----------|
| 40 G 01061WX | Net 79.95 |
|--------------|-----------|

The World at Your Fingertips!

7 BANDS



For Only **1¢** More
 24-Hour World Clock
 Reg. 9.95
SAVE 9.94
 With Purchase of Explor-Air Mark VI
 This Offer Expires January 1st, 1970

OUR LOW, LOW PRICE
 ONLY **79⁹⁵** Less Clock
 No Money Down*

Lafayette EXPLOR-AIR MARK VI Professional FM-AM-SW & Weather Receiver

- ★ Thrill To Live Broadcasts of World-Shaking Events!
- ★ Relax With The Magnificent Sound of FM Hi-Fi Music!
- ★ Hear Latest Weather & Marine Reports!
- ★ Enjoy Popular AM Local News, Sports and Weather


Hear exciting International news from: Prague, Berne, Berlin, BBC London, Havana, Moscow, Japan, Bucharest, Mexico, France, Athens, etc.

The Lafayette Explor-Air Mark VI features individually tuned circuits for each band, automatic volume control, 455kHz ceramic filter for superior selectivity, tuned RF stage for outstanding sensitivity, and a "Shock-free" transformer-operated power supply. Seven full dial bands offer extra-wide station separation; illuminated wide-view slide rule dial is labeled with clearly visible names of primary cities and countries. The back panel has terminals for external AM and FM antennas; tape recorder output jack; 8-ohm extension speaker jack; speaker fuse and 24 volt DC input connection. Attractive styling includes brushed aluminum trim and control panel, and oiled walnut wood sides. Two built-in 4" PM speakers. FM Sensitivity: 2µv or less. Size: 14 1/4 x 6 1/2 x 9 7/8" D. Imported. Shpg. wt., 17 lbs.

99 G 26015WX Net 79.95
 Explor-Air Mark VI plus 24 Hour World Clock: Wt. 18 1/2 lbs. Net 79.95
 40 G 90452WXM Combination

7 BANDS	Hi-Fi FM-AM Broadcast— Shortwave—Weather—Marine	
Band 1	Weather/Marine	150-400kHz
Band 2	AM Broadcast	550-1600kHz
Band 3	FM Broadcast	88-108MHz
Band 4	Shortwave	5.9-6.25MHz
Band 5	Shortwave	9.45-9.85MHz
Band 6	Shortwave	11.85-12.05MHz
Band 7	Shortwave	15.05-15.55MHz

- 17 Transistors, 6 Diodes, 2 Thermistors
- Attractive Front Panel with Large Illuminated Slide-Rule Dial
- Illuminated Jewel Band Indicators
- Private Listening Headphone Jack
- Built-in FM and AM Antennas
- Tape Record Output Jack
- 105-125VAC/50-60 Hz; 24VDC



Lafayette EXPLOR-AIR MARK V SHORTWAVE + AM BROADCAST RECEIVER

49⁹⁵

No Money Down*

5 BANDS

Broadcast + 4 Exciting International Shortwave Bands
 • 550 to 1600 kHz • 9.45 to 9.8 MHz
 • 5.9 to 6.25 MHz • 11.45 to 12 MHz
 • 15.05 to 15.5 MHz

Hear the actual broadcasts from the major news centers around the world in English and foreign languages; BBC London, Radio Moscow and many others.

The Explor-Air Mark V receiver brings in stations loud and clear and features simplicity of operation. In addition to the standard AM broadcast frequencies, the receiver is designed to tune the popular international shortwave broadcast bands on 49, 31, 25 and 19 meters (each band occupies a select portion of the full shortwave spectrum) through the use of individual tuned circuits for each of the five bands. For greater ease of tuning on con-

BRING HISTORY-MAKING NEWS INTO YOUR HOME!

SUPERHETERODYNE— Not Super-Regenerative!
NOT A KIT— COMPLETELY WIRED

gested bands each shortwave band has been extended to cover the entire width of the 0 to 100 logging scale. Operating features on the receiver include a self-contained 4" dynamic speaker, built-in loopstick antenna, large illuminated slide-rule dial calibrated in frequency and indicating place names, a front panel headphone jack for optional silent listening, controls for Volume Off/On, Tone and Band Selection, plus rear panel connection for external shortwave antenna. Receiver is AC transformer powered with efficient superheterodyne circuitry. Complete with beautiful walnut grained metal cabinet. For 105-125V, 50/60 Hz AC. Size: 14W x 8D x 6"H. Imported. Shpg. wt., 11 lbs. 99 G 25850WX Net 49.95

5 Band AM/CW/SSB Solid-State Amateur And SW Receiver



PRODUCT DETECTOR FOR SSB/CW

Only
99⁹⁵

No Money Down*

5 BANDS

BAND A	150 kHz to 400 kHz
BAND B	550 kHz to 1600 kHz
BAND C	1.6 MHz to 4.8 MHz
BAND D	4.8 MHz to 14.6 MHz
BAND E	10.5 MHz to 30 MHz



HA-600T

SHORTWAVE - AMATEUR AM BROADCAST WEATHER & MARINE BANDS

- 10 Transistors, 2 FET's, 7 Diodes, and 1 Zener Diode
- Mechanical Filter for Exceptional Selectivity
- Huge Edge-Illuminated Slide Rule Dial with "S" Meter

- Full 24 1/2 Inches of Bandspread On 10-80 Meter Bands
- 117-Volts AC and 12-Volts DC Negative Ground Operation
- Front Panel Headphone Jack For Private Listening

The advanced solid-state circuitry of the HA-600T utilizes two Field Effect Transistors in the front end RF stages to assure a sensitivity of 1 μ v at 10 db S/N. 10 high performance transistors and 8 diodes complement the FET's to provide sharp response with exceptional stability. Series-Gate noise limiter and automatic volume control circuitry provide efficient noise and audio blasting suppression on AM. Built-in variable BFO permits clear reception of code and single sideband signals. 455 kHz mechanical filter assures superior selectivity. Rear panel accessory socket provides convenient connection for audio output, 12 VDC, ground and AVC line, along with receiver

muting connections. Huge flywheel operated slide rule dial has easy-to-read illuminated main tuning, logging, and bandspread scales. Electrical bandspread features wide calibration for easier tuning of crowded ham bands. Operates from 117 VAC 60 Hz or 12 VDC (negative ground only) . . . perfect for emergency use! Imported. Size: 15Wx9 3/4 Dx 8 1/4"H. Shpg. wt., 18 lbs.

99 G 25959WX

Net 99.95

Matching 3x5-inch speaker in handsome cabinet.

40 G 09056

Net 8.95

6-80 Meter SSB/AM/CW Solid-State Amateur Receiver

NEW! SIX AMATEUR BANDS INCLUDING 6 METERS

HA-800

14-TRANSISTORS + 3-FET's + 7-DIODES For Instantaneous Cool Performance

Only
149⁹⁵

No Money Down*



- ★ Product Detector for SSB/CW
- ★ Built-in 100 kHz Crystal Calibrator
- ★ Operates on 117 VAC or 12 VDC

- Dual Conversion On All Bands
- Two 455 kHz Mechanical Filters For Sharp Selectivity
- FET's For Automatic RF Overload Protection
- Zener Voltage Regulated Power Supply

The Lafayette Model HA-800 receiver covers the 80 through 6 meter amateur bands with outstanding reception of CW, AM, and SSB signals. Tuned RF and 1st mixer stages combine with an FET to provide high front end selectivity and sensitivity of .5 μ v on 15 and 10 meters, less than 1 μ v on 80, 40 and 20 meters, and 2.5 μ v on 6 meters. Product detector and BFO assure crisp CW and clear SSB. Built-in 100 kHz. calibrator provides accurate frequency pre-selection (supplied less crystal). Rear panel accessory socket provides convenient con-

- Series Gate Automatic Noise Limiting
- Illuminated Calibrated "S" Meter
- Huge Edge-Illuminated Slide Rule Dial

nection for audio output, 12 volts DC, ground, and receiver muting. Front panel earphone and rear panel tape output jacks. Operates from 117 VAC 50/60 Hz. or 12 volts DC. Imported. Size: 15Wx9 3/4 Dx 8 1/4"H. 99 G 25942WX Shpg. wt., 18 lbs.

Net 149.95

Model HE-48B 3x5" Matching 8 ohm Speaker

40 G 09056 Shpg. wt., 4 lbs.

Net 8.95

100 KHz. Calibrator Crystal for HA-800 Receiver

40 G 09015L

Net 3.95

*See Page 13 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 701 71

Telephones and Accessories for Private Systems

*Authentic Lafayette Reproduction of
a French Cradle Phone*



For Only
39⁹⁵

An exquisite reproduction of the classic turn-of-the-century French Cradle Phone. Adds a touch of continental charm to your home—your phone will become a conversation piece. Simple hook-up. Ideal for private phone systems, extension, or intercoms. Ready to use...equipped with bell ringer, induction coil, dial, horn, mouthpiece handset, 5-ft. cord and plug. Finished in beautiful ivory with gold trim. Imported. Shpg. wt., 9 lbs.
99 G 46328 No Money Down* Net 39.95

DIAL PHONE

Have your own
Private Intercom

8⁹⁵

- For Intercoms,
Private Systems

Popular modern dial phone. Can be used to make complete private systems. Equipment taken from service, reconditioned and ready to work. Simple 3-wire hook-up. Complete with handset, dial bell, induction coil and connecting cable. General appearance may vary slightly from catalog illustration. Shpg. wt., 8 lbs.

44 G 18018

Net 8.95



30 FT. TELEPHONE EXTENSION CORD

- Ideal Extension Cord for Use
With Phones Listed
on this Page

2⁴⁹

Add flexibility to your telephone intercom. Now be able to move your telephone intercom from room to room. 30 feet of telephone extension cord with standard 4-pin plug and jack. Color coded cord to match screw terminals on plug and socket. Imported. Wt., 1½ lbs.
99 G 45395 Net 2.49



TELEPHONE PLUGS AND JACKS

- 44 G 60036 Phone Plug (Imported) 2 oz. Net .59
- 44 G 60028 Phone Jack (Imported) 2 oz. Net .59

Lafayette INTERCOMS For Home Or Business



2-STATION SOLID STATE INTERCOM SYSTEM

8⁹⁵

with
Battery

- Battery-operated
- Inter-Unit Tone Calling
- Simple Plug-in
Connecting Cord

Battery operated solid-state 2-station intercom system. Especially useful where AC outlets are not readily available. Complete system includes 1-Master unit, 1-Remote unit, and 70' of interconnecting cable with molded plugs for easy installation. Master unit features On/Off/Volume control plus a Listen/Talk switch. "Beep" tone signaling from either Master or remote operates even when Master is "Off". Has simple provision for stationary wall mounting, or can be conveniently placed on desk top. 9-volt battery included. Size: 2H x 3½W x 5"D. Shpg. wt., 1½ lbs. Imported.

99 G 46245 2-Station System Net 8.95
99 G 60212 Extra 9-Volt Battery Net .21



- Battery Powered
- Remote Tone Call
- 4-Way Selector Switch

4-STATION SOLID STATE INTERCOM SYSTEM

17⁹⁵

Includes

- 1 Master Control Unit,
- 3-60 Ft. lengths of hook-up wire,
- 3 Remote units, 1-9 volt battery

4-station intercom system with 1 Master and 3 Remotes. All interstation calling is accomplished with one 4-way selector switch. Push-button listen-call on all units. Call signal operates even when master switch is "off". Simple coded interruption of buzzer signal lets master operator know which remote is calling. Master unit has its own volume control with "on-off" switch Easy hook-up is facilitated by inclusion of three 60 foot lengths of 2-conductor wire with jacks at each end. Additional wire is available at extra cost. See below. Size: Master: 4½W x 3½"D; Remotes: 2W x 4"D. Imported. Shpg. wt., 2½ lbs.

Complete 4-station System Net 17.95
99 G 45551

Replacement 9-volt Battery (1 Req.) Net .21
99 G 60212

Additional wire. 100 Ft. Coil Net 1.14
32 G 30521



2-STATION SOLID STATE WIRELESS INTERCOM SYSTEM

27⁹⁵

- Instant-On Operation—
No Warm-Up

Solid-State 2-station intercom system at an amazingly low, low price. Ideal for use in the home, office, factory, etc.—will connect any two places that are serviced by the same electric company 117V power line transformer. No wiring required, simply plug each unit into the AC outlet and start talking—4-transistor circuit. Each unit is a "Master" can use as many as you need. Features a Volume/On-Off control, Push-to-Talk Bar with a "lock-bar" for continuous talking, and a pilot light. 2-tone gray-colored plastic case has rubber-tipped base that will not scratch furniture. Overall 6½"x5"x2½"H. For 110-120V, 60 Hz AC. Imported. Wt., 2 lbs.
99 G 45734M Net 27.95

Additional Intercom Stations. Wt., 2 lbs.
99 G 45726 Net ea. 14.95

Telephone Answering, Recording and Automatic Dialing Equipment

CROWN 4400 Solid-State Telephone Answering and Recording Machine featuring Built-in Cassette Tape Recorder

199⁹⁵



Optional RC-4 Direct In Line Adapter — 19.95

No Money Down*
With Dynamic Mike,
Phone Cradle,
60 Min. Tape
Cassette



- Requires No External Recorder
- Records Up To 45 Second Individual Incoming Messages
- Can Take Up To 50 Messages On A 90 Minute Tape Cassette
- Can Also Be Used As Outgoing Message Repeater

Deluxe, complete self-contained telephone answering and recording machine with built-in cassette recorder and phone cradle. Answers your phone with a 20 sec. prerecorded message and automatically receives a message from the caller. Model 4400 can take up to 50 messages on a 90 minute tape. Features simple pushbutton controls. When a message is finished communication is cut off . . . and another message can be received. With an optional RC-4 line adapter (see below), the 4400 can be plugged directly into the phone line, bypassing the phone itself. The 4100 can also

be used as a message repeater or as a separate Tape Recorder. Comes housed in a fine-grained walnut wood cabinet. Size: 12 $\frac{3}{8}$ " x 10 $\frac{1}{2}$ " x 3 $\frac{3}{8}$ ". Uses Standard Cassette cartridges. Comes with 60 min. cassette, microphone, and phone cradle. Imported. For 117VAC 60 Hz.

- 27 G 72135WX Shpg. wt., 11 lbs. Net 199.95
27 G 72150 Model RC-4 In-Line Adapter, Shpg. wt., 1 lb. Net 19.95
Accessory Cassette Recording Tapes for Model 4400
28 G 01223 Lafayette 60 Min. Cassette. Imported. Net 1.19
28 G 01207 Lafayette 90 Min. Cassette. Imported. Net 1.99

CROWN 4100 Automatic Telephone Answering and Message Taking Machine

119⁹⁵

No Money Down*
Records Incoming
Messages Up To
1 Minute In
Duration With Any
Tape Recorder†



Reliable low cost automatic telephone answering and message taking device for home as well as business. Simply put your phone on the cradle and then connect the 4100 to a tape recorder that operates with a remote control mike input.† No connections have to be made into the telephone line. Answers phone callers with up to 60 second pre-recorded message. Incoming phone calls are recorded for up to 1-minute in duration. Can be played back at a later time at your leisure. Can also be used as a message repeater. With AC/DC remote control terminal, recording switch, and built-in mike. For 110VAC 60 Hz. Imported. Shpg. wt., 6 lbs.

- 27 G 72143WX Net 119.95
Model RC-4 In-Line Adapter. Permits 4100 to be plugged directly into phone line, bypassing the phone itself. Shpg. wt., 1 lb.
27 G 72150 Net 19.95
Extra 1-Minute Message Tape Cartridge For 4100.
27 G 72101 Net 4.95

CROWN 4400 PLUS LAFAYETTE RK-85 CASSETTE RECORDER

**SAVE
10.00**

From Individual
Catalog Prices

Only **149⁹⁰**



Save \$10.00 from individual catalog prices on this complete telephone answering and recording system. See page 24 for description of RK-85 cassette recorder. Shpg. wt., 10 lbs.
27 G 72168WXM No Money Down* Net 149.90

PRESTODIAL Automatic Telephone Dialer



99⁹⁵ Includes Program-
mer, Memory Bank,
42 Memory Discs

No More Looking Up Phone Numbers

- Computerized Number Memory and Automatic Dialing
- Dials Local, Long Distance, Inter-Office Calls
- Fits All Telephones

At a press of a button talk to Police, Fire House, Doctor, Emergency Services, friends, relatives, business associates, or up to 36 pre-determined phone numbers. The PRESTODIAL uses no magnetic tapes, no cards. Numbers are stored in a "memory bank" consisting of 36 unbreakable cycloc® disks. The phone caller slides a pointer on the visual index of the memory bank to the name he wishes to call, picks up the receiver, and presses a single button. The PRESTODIAL then dials the call automatically—or correctly. Each PRESTODIAL disk will handle 14 digits—or more. This permits the automatic dialing of even the most complex long distance phone calls—also equally useful for frequently called inter-office numbers. Works with all phones. One simple connection. Comes complete with programmer, memory bank, and 42 memory disks. Programmer contains dial and cutter for cutting a permanent disk which will contain the required telephone number. Dim. of memory bank: 8 $\frac{1}{2}$ " x 4" x 3 $\frac{1}{4}$ ". For 110V., 60 Hz AC. Shpg. wt., 6 lbs.
44 G 54013 No Money Down* Net 99.95
Package of 12 extra disks. Shpg. wt., 1 lb.
44 G 54021 Net 3.95

FLY THE BIG SKYHAWK BY REMOTE CONTROL



TESTOR'S R/C SKYHAWK



COMPLETE OUTFIT:
Plane, Receiver, Transmitter
Batteries and Charger

- Easy To Fly—Ideal For Beginners
- One Mile Range of Control
- Rechargeable Batteries with Charger
- Big 44" Wingspan—Length 27"
- Internal Combustion .049 Engine

Only
79⁹⁵
No Money Down*

Completely assembled ready to fly radio controlled plane which incorporates true (pulse) proportional control for smoother, more realistic flight control. This plane is so easy to fly that it is recommended for beginners—no electronic or mechanical skill is required. Aircraft fuselage constructed of virtually indestructible super-impact styrene. Wings and horizontal stabilizer are of super light styrofoam. Tricycle landing gear assures simple landings. High torque .049 cubic inch internal combustion engine has gas tank attached for 4 minutes of powered flight. Super sensitive 9 transistor superhet receiver combines with a powerful dual coil, twin magnet actuator

for superior reliability. 8 transistor 250 milliwatt transmitter provides up to one mile range control. Simple guidance controls include finger tip trim for basic in-flight stabilization. Heavy duty rechargeable batteries are easily charged with convenient charger (included). Complete with R/C plane, transmitter, battery charger, and illustrated flying instruction book. Shpg. wt., 9 lbs.

42 G 73017WX for 27.145 MHz	Net 79.95
42 G 73058WX for 26.995 MHz	Net 79.95
42 G 73090WX for 27.195 MHz	Net 79.95

SKYHAWK SPECIFICATIONS

Length: Fuselage 27", Wing 44". Flying Weight: 23 ounces (approximately). Speed: 30 MPH True. Fuel Capacity: 4 Minutes powered

flight. Transmitter: Single Tone AM Modulated Relayless Pulse. Receiver: Superheterodyne With Pulse Width Rate Decoders.

REMOTE CONTROL MUSTANG GT OUTFIT



- Completely Assembled—Ready To Use
- Twin High Torque Drive Motors
- Rechargeable Batteries with Charger
- Electronic "Relay-less" Drive Control

COMPLETE OUTFIT:
MUSTANG, Receiver,
Transmitter, Batteries
and Charger

79⁹⁵
No Money Down*

Authentic 1/11th scale model R/C Mustang GT. Fully-assembled. Car body of glossy polystyrene. Durable chassis is tempered aluminum. Twin high torque drive motors are coupled to rear wheels through an electronically controlled 4 transistor rear end... achieves true differential action! True (pulse) proportional circuitry permits feather-touch control. Guidance controls include steering (left-center-right), drive motor (start-stop) and speed (high-low). Super sensitive 9 transistor receiver combines with powerful dual coil,

twin magnet actuator for superior reliability. 8 transistor 100 milliwatt transmitter provides convenient control board. Heavy duty rechargeable batteries are easily charged with convenient charger (included). Complete with R/C model, transmitter, and battery charger. Shpg. wt., 7 lbs.

42 G 73033WX or 27.095 MHz	Net 79.95
42 G 73108WX for 26.995 MHz	Net 79.95
42 G 73124WX for 27.195 MHz	Net 79.95

MUSTANG GT SPECIFICATIONS

Length: 16 inches. Width: 6 inches. Height: 4 inches. Weight: 2 lbs., 9 ounces. Speed: 100 MPH Scale. Turning Radius: 3 feet. Trans-

mitter: Single Tone AM Modulated Relayless Pulse. Receiver: Superheterodyne With Pulse Width Rate Decoders.

CITIZENSHIP 3 CHANNEL R/C DIGITAL PROPORTIONAL SYSTEM MODEL DP-3



Only
233⁷⁵
No Money Down*

- Includes Proportional Motor Control
- Completely Wired... Ready For Use

Consists of.
DPT-3 Transmitter: With built-in charger for airborne battery supply.
DPR-3 Receiver: Superheterodyne. Size: 2 1/2" x 1 7/8" x 1 3/4". 3 3/4 oz. wt. Includes batteries.
3-DMS SERVOS: Powerful 4 pounds thrust plus. High quality nylon gear train.
Wiring Board: Just plug individual units into wiring board. Complete with connectors.
Battery: 4 cell Nicad Pack for Receivers and Servos.

Model DP-3 for 27 MHz Frequencies: 26.995, 27.045, 27.145, 27.195 or 27.255 MHz. System Shpg. wt., 4 lbs.	Net 233.75
42 G 19267Z† Specify frequency (3-4 wks delivery)	Net 233.75
FCC Type Accepted 72 MHz Operation on 72.080 72.240, 72.400, 75.640 MHz.	
42 G 19234Z† Specify frequency (3-4 wks delivery)	254.95
Batteries Required	
32 G 47053 9 volt battery for transmitter	Net 1.57

†NOTE: Stock numbers terminating in "Z" are shipped F.O.B. Indianapolis, Indiana. No C.O.D. Send full remittance or use Lafayette's Easy Pay Plan. Shipping charges collected on delivery.

NEW!



LAFAYETTE

80-IN-1

ELECTRONIC PROJECT KIT

- All Solid-State Circuitry
- No Soldering Required

Only

16⁹⁵



**EDUCATIONAL—CREATIVE—
NO TECHNICAL KNOWLEDGE NECESSARY
LEARN WHILE YOU BUILD**

SOME OF THE PROJECTS YOU CAN BUILD

The ideal introduction to the world of electronics for young or old experimenters. Build over 80 safe, battery operated, useful solid-state projects with this one kit. No soldering or tools required. Detailed, simplified instruction manual provides easy-to-follow instructions for each project. Point-to-point wiring between numbered parts using spring type connectors completely eliminates soldering. Each project can be assembled and disassembled in just minutes. This "breadboard" type kit is ideally suited to the design of as many additional circuit projects as your ingenuity and creativity can produce. Nothing else needed—kit includes all parts for these projects—galvanometer, solar cell, transistors, relay, baffled speaker, earphone, microphone, relay transformer, tuning capacitor, volume control, telegraph key, antenna, diode, resistors, capacitors, batteries and connecting wires—all packed in a fitted hardwood case. Size: 15x8 $\frac{3}{4}$ x4". Imported. Shpg. wt., 4 $\frac{1}{2}$ lbs.
 99 G 35016 Complete 80-in-1 Kit Net 16.95
 99 G 62580 1 $\frac{1}{2}$ v Replacement Battery (2-required) Net ea. .10
 99 G 60212 9v Replacement Battery (1-required) Net .21

The 80 fascinating projects which can be assembled with this Lafayette kit cover a wide-range of subjects such as home entertainment, wireless communications, telephony and telegraphy, music, public address, alarms and warning systems, electrical measurement, digital circuitry, physiology, weather, etc. You can build a dozen different radio receivers, including a solar powered transistor radio. Also included are projects concerning computer type "AND" and "OR" circuits, many varieties of light and sound code signal communications using Morse Code, several transistorized amplifiers and a public address system, continuity checkers and signal tracer, wireless microphone, metronomes, electric harmonica, photoelectric relay and burglar alarms. Some unusual projects include an electro-stethoscope, sensitive photometer, light wave transmitter, rain alarm, direction finder, auto headlight dimmer, cat sound simulator, muscle simulator, water level warning system and many others guaranteed to provide fun for the entire family.

GENIAC® COMPUTER KITS



DOUBLE GENIAC

The newest kit in famous Geniac series! The "Double" Geniac contains over 800 parts. Two of everything in the Standard model. Offers the advanced experimenter a far wider range of activities. Perfect for school demonstration. Multiple setup is ideal for Science Fair projects—submit one or more designs. Build "electric brains" that test intelligence—code and decode—add, subtract, multiply and divide—solve puzzles

—play games—forecast weather—reason in syllogisms—information and logic circuits. No soldering required. Easily assembled and operated. 64 page guide and reference book, beginners manual, wiring diagrams and many extra pamphlets outlining projects and methods. Complete with mounting rack and batteries. Shpg. wt., 12 lbs.

19 G 38034

Net 18.95

STANDARD GENIAC

You build up to 125 exciting "electric brain" machines. Has special circuits for forecasting weather. No soldering required. Comes complete with extra pamphlets including 64-page "Simple Electronic Brains and How To Make Them," "Symbolic Analysis of Relay

and Switching Circuits," "Beginner's Manual," "Machine to Compose Music," wiring diagrams, etc. Complete with battery. 16 $\frac{1}{2}$ x 11 $\frac{3}{8}$ ". Shpg. wt., 6 lbs.
 19 G 38042

Net 11.95

ANALOG COMPUTER KIT



14⁹⁵

- Ideal Introduction to Basic Elements of Analog Computers
- Work Over 50 Experiments
- Easy-to-Assemble with Screwdriver and Pliers
- Learn the Way to Sound Scientific Knowledge

Analog Computer Kit offering a basic introduction to computer theory—gives accurate answers to practical problems. Perform over 50 experiments—multiplication, division, powers, square roots, rocketry, interest, radio-active decay, light, kinetic energy, etc. Level of accuracy better than 5%. The computer consists of a masonite, solid instrument panel, kits, potentiometers, meter specially calibrated scales, guide and operating booklet. Easy-to-assemble.
 19 G 38059 Shpg. wt., 6 lbs. Net 14.95

Depend on Lafayette For Everything in Electronics

Lafayette Cat. No. 701 75

Exciting Kits for the Experimenter

LAFAYETTE "EXPLOR-AIR"™ 4-BAND RECEIVER KIT



Made in U.S.A.

Lafayette's sensational shortwave receiver kit is a complete shortwave and standard broadcast set which covers the entire region from 550 kHz to 30 MHz. Four whole bands of fascinating programming. Perfect for language students and shortwave listeners. Only a regenerative circuit can offer such amazing performance and yet be so simple to build. Building this fine kit is an absolute pleasure—it's so well designed you can't go wrong. Kit includes all the parts you need and the detailed step-by-step instruction book with its giant pictorial drawings shows you just how to put them together. One front panel knob does all the bandswitching, immediately taking you from band to band. All coils are prewound for greater accuracy. Complete 4 band coverage of broadcast stations, international broadcast bands, amateur, maritime, and WWV time


- Covers 10, 15, 20, 40, 80, 160 Meter Amateur Bands
- Tunes International Broadcast, Citizens Band, Maritime, Aeronautical and WWV Time Signals
- Covers Standard AM Broadcast Band
- Complete Band Switching from Front Panel
- Bandsread Tuning
- Built-in 4" Speaker

**TUNE IN
THE WORLD!**



22⁹⁵
Less
Cabinet

20 WATT STEREO SOLID STATE AMPLIFIER MODULE



21⁹⁵

Now With Integrated Circuits

This especially fine transistor stereo amplifier delivers 10 watts per channel continuous power (RMS) into any 8 ohm speaker. Has

2-IC's and 8-transistors. The separate bass and treble controls allows 20 db adjustment at 100 Hz and 10 kHz. The dual volume control allows simultaneous increase in volume of both channels, while the balance control allows compensation for program variations. The low noise preamp stage provides a sensitivity of 0.5 volts for use with a ceramic phono cartridge or a AM/FM tuner. The direct coupled complementary symmetry circuit gives a Hi-Fi frequency response of 30 Hz to 40 kHz @-3 db. Includes the power supply components except a power transformer. Size: 7 $\frac{1}{8}$ " x 1 $\frac{1}{2}$ " x 4 $\frac{3}{4}$ ".


19 G 09159 Shpg. wt., 2 lbs. Net 21.95

Same model as above but on two separate printed circuit boards for compact mounting. Control strip size: 7 $\frac{3}{8}$ " x 1 $\frac{1}{2}$ " x 1 $\frac{7}{8}$ ". Power amplifier size: 7 $\frac{1}{8}$ " x 1 $\frac{1}{2}$ " x 2 $\frac{1}{8}$ ". Shpg. wt., 2 lbs.

19 G 09167 Net 21.95

Power transformer for above amplifier modules. Shpg. wt., 1 lb. Net 2.95

19 G 09175



LAFAYETTE KT-92 5-WATT PUSH-PULL AMPLIFIER KIT

- Push-Pull Audio Output Stage—Inverse Feedback Circuit
- Separate Volume, Bass & Treble Controls
- AC or DC Operation

12⁹⁵

Made in U.S.A.

Here in kit form is an AC-DC hi-fi amplifier that presents deluxe features despite its amazingly low price. The separate bass and treble controls permit adjustment of both low and high frequency response and balance. Works equally well with both crystal or ceramic cartridges. Tube line-up consists of a 12AX7 amplifier and phase inverter, a pair of 35C5's in push-pull, having a power-socket low-distortion, output plus a 35W4 rectifier. The circuit utilizes an inverse feedback loop to reduce the level of hum and distortion. Kit is complete containing all essential parts, tubes and detailed instruction manual showing pictorial and schematic diagrams. Shpg. wt., 4 lbs. 19 G 01016 Net 12.95

signals. Big 4" speaker and sensitive circuit with 50C5 output stage and 12AT7 regenerative detector and amplifier stages give you all the volume you want. Phone jack for privacy automatically disconnects speaker. All controls are on the front panel: On-Off Volume, Main Tuning, Band Spread, Bandswitch, Antenna Tuning, and Regeneration. 110 volt 50-60 Hz AC-DC power supply. Size: 10x7x5". 19 G 09050 (Less Cabinet) wt., 5 lbs. Net 22.95

Shortwave antenna kit for above. Shpg. wt., 2 lbs. 32 G 30984 Net 1.59

Leatherette covered Wooden Cabinet for above. 1 lb. 19 G 09068 Net 3.49

8-WATT STEREO SOLID STATE AMPLIFIER MODULE



14⁹⁵

Now With Integrated Circuits

A complete 4-control stereo amplifier with 2-IC's and 6-transistors which provides 4 watts RMS per channel; 8 watts continuous power total output! The four controls allow separate volume, balance, bass and treble adjustments. The direct couple complementary symmetry circuit gives a true Hi-Fi response of 45 Hz to 20 kHz @-3 db. 1 Meg input impedance allows this amp to be used with a wide range stereo crystal cartridge, FM tuner of other 1.5 volt source. Use with 8 ohm speakers to give top performance. The amplifier includes power supply components (2 diodes, 1 filter capacitor) except the power transformer. Dimensions: 7 $\frac{1}{2}$ " L x 1 $\frac{1}{2}$ " W x 3 $\frac{1}{2}$ " D. Shpg. wt., 2 lbs.

19 G 09142 Net 14.95

Power transformer for above amplifier module. Shpg. wt., 1 lb. 19 G 09183 Net 2.95

Easy To Build Educational Kits



MADE IN U.S.A.



MADE IN U.S.A.

LAFAYETTE WIRELESS BROADCAST/AMPLIFIER KIT

Use it either as a AM Wireless Broadcaster or Audio Amplifier!

ONLY **15⁹⁵**

- Clean, Modern Styling • Powerful Signal
- Works With All Crystal and Magnetic Mikes and Phono Cartridges
- Plays Through All AM Radios

Treat yourself and your family to hours of fun with this Lafayette Kit. Make your own radio programs, announcements, etc., through AM radios anywhere in the house, without wires or extra gadgets. Designed for easy construction by youngsters, it combines in one compact unit a powerful 3-tube wireless broadcaster and an audio amplifier. Clearly written instruction manual makes it a cinch to build. Operates on any frequency between 900 and 1600 kHz on your radio dial. It will accept any crystal or magnetic microphone. In addition, it may be used directly as a phono or microphone amplifier. No external preamp is required. Simple slide switch permits either form of operation. Just connect it to a PM speaker (4-16 ohms). Conforms to FCC regulations and is designed to provide voice or record broadcasts. No license or permit is necessary. Complete with crystal clear instruction manual. Less Mike. For 105-125V AC or DC. Attractively styled metal cabinet. Size 4Hx8Wx4 3/4"D. Shpg. wt., 3 lbs.

19 G 09035

Net 15.95

Crystal microphone for above, Desk or hand held. 5 ft. cable. Shpg. wt., 1 lb. Imported

99 G 45437

Net 1.95

AM BROADCAST TRANSISTOR RADIO KIT

6⁴⁹



This solid state kit covers the regular broadcast band from 540-1600 kHz. Contains all parts necessary for construction including 1 transistor for amplifier, 1 diode detector, single headphone and 50 ft. of wire for required outdoor antenna. The attractive plastic case is 8"W x 4 3/4"H x 3 1/4"D. This kit is designed with easy to follow instructions so that the young student can put it together easily. Educational and enjoyable. Operates on a single "D" cell battery (not supplied). Shpg. wt., 3 lbs.

19 G 31047

Net 6.49

99 G 62564 "D" battery

Net .15

LAFAYETTE CONVERTER MODULES

LISTEN TO POLICE, FIRE, AIRCRAFT, AND SHORTWAVE ON YOUR PRESENT RADIO



Listen to the exciting police broadcasts, the fire department calls, communications between planes and ground stations. Simple to connect to your present broadcast radio. Size: 1 3/4x3 1/4x1". Shpg. wt., 1 lb.

VHF POLICE AND FIRE CONVERTER MODULE
Permits reception of police and fire calls in the 30-50 MHz band on your standard broadcast band AM radio. Requires A, B, and C.
19 G 55285 Net 5.00

FM VHF POLICE AND WEATHER CONVERTER HIGH BAND MODULE
Permits reception of 150-164 MHz FM-VHF police, fire, emergency, marine and weather transmissions on a standard FM radio. Requires A, B, C, D and E.
19 G 55368 Net 5.00

ACCESSORIES FOR MODULES

A—99 G 60212	9 V Battery	.21
B—99 G 62879	Battery clips for above	.29
C—32 G 31982	Wire	.40
D—32 G 22510	5K Potentiometer	.67
E—32 G 24052	Knob, miniature	.12

A LAFAYETTE SUPER-SENSITIVE PHOTOCCELL ELECTRONIC RELAY KIT

- Adjustable Super Sensitivity—Works with Just A Flashlight At 250 Feet!

Ideal for sustained operation required for burglar alarms, door buzzers and for instantaneous on-off operation required for counters, packaging, door opening, motor activation plus countless industrial applications. Switch converts unit from instantaneous "on-off" to sustained "on" operation. "RESET" switch opens the external circuit and turns off the alarm. The unit operates on 110 volts AC and incorporates the efficient 5823 cold cathode tube. A simple change in wiring (in instructions), as well as convenient input terminals, enables you to supply the external circuit with any desired voltage. Relay contacts rated at 3 amps permitting up to 300 watts external load on 110 Volts AC. Complete with all parts, photocell, tube chassis, silkscreened metal cabinet and easy-to-follow illustrated instructions. Size: 3x4x5". Shpg. wt., 3 lbs.

19 G 09043 Complete Kit

Net 16.95

ACCESSORIES FOR ABOVE

Electric Bell, 110V AC Imported. Shpg. wt., 2 oz.

99 G 90235

Net 1.99

Electric Buzzer, 110V AC Imported. Shpg. wt., 10 oz.

99 G 90243

Net 1.79

6 Digit Electric Counter Imported. Shpg. wt., 1 1/2 lbs.

99 G 90110

Net 12.95

B LAFAYETTE LIGHT SOURCE KIT

Used to actuate electronic relay. Unlike units using sealed beam, this light source is carefully designed to throw a narrow beam of light so relatively small objects and people will "break" the beam. Unit includes adjustable focus and infra-red filter to make beam practically invisible. Range: white light—70', infra-red 45', with instructions. Size: 6Lx5Hx4"W. Shpg. wt., 5 lbs.

19 G 09118

Net 9.95

Replacement bulb for above GE No. 1700.

32 G 66889

Net .84

SHORTWAVE AND SUPERHET BROADCAST RADIO KIT



17⁹⁵

2 bands cover both standard broadcast 540-1620 kHz and shortwave 5.8-18 MHz which includes international broadcast, 40 and 20-meter ham bands and some of the aeronautical and marine bands. Superheterodyne circuit has high gain IP's, built-in broadcast band loop antenna. Comes complete with ivory cabinet 4" PM speaker, tubes (12BE6, 12BA6, 12AV6, 50C5, plus 35W4 Rectifier) and all parts. Easy to follow step-by-step instructions. Shortwave band requires external antenna (not supplied). Size: 8 3/4"W x 5 5/8"H x 5 1/4"D. For 110V AC or DC.
19 G 40071 Shpg. wt., 5 lbs. Net 17.95

Shortwave antenna kit for above

32 G 30984 Shpg. wt., 2 lbs. Net 1.59

Science Kits

Norelco 23-In-1 Electronics Kit

SALE
17⁹⁵
Save \$4



SALE ENDS
JAN. 1, 1970

- No Soldering — No Tools
- Quick Easy Peg Board Assembly
- Safe — Educational

NORELCO MECHANICAL ENGINEER KIT

SALE
25⁹⁵
Save \$4



SALE ENDS
JAN. 1, 1970

- Over 600 Parts
- Over 30 Projects
- For Age 9 up

Build any of 23 useful operating projects including 3 transistorized radio receivers, 5 amplifiers, 2 code trainers, burglar alarms, intercom, rain indicator, electronic organ, light meter and other interesting projects. No soldering, no tools required. Template for each model placed on peg board for quick easy guide. All parts mounted with pressure springs. Step-by-step details with pictorial charts in large 72-page instruction manual with section on general theory. All powered by a single 9 volt battery. Absolutely safe. Size: 14 1/4 x 10 1/4 x 2 1/2". Imported. Shpg. wt., 4 1/2 lbs.

Consisting of over 600 components, this kit promotes understanding of fundamentals of sources of energy such as mechanical, water pressure, air pressure, gravity, and electro-mechanical. Builds any one of 32 educational operating models including electrical windmill, water turbine with dynamo, compressed air motor with pump, crane, electric pile driver, water pump, clocks, etc. Includes special electronic section for combined projects with electronic kit at left to build 13 more projects including electronic car which reduces speed in dark and turns on headlamps — all automatically. Size: 21 3/4 x 10 7/8 x 1 3/4". Imported. Shpg. wt., 6 lbs.

19 G 63016 Less Batteries
32 G 47178 Battery for above (2 required)

Net 17.95
Net ea. 1.36

19 G 63024 Less Batteries
99 G 62580 Battery for above (6 required)

Net 25.95
Net ea. .10

ELECTRO-CRAFT MASTER ELECTRIC BUILD-IT SET




An advanced but completely safe educational kit in the field of electricity that enables the student to make any one of over 30 projects including motor driven hot rod, motor driven dune buggy, lamp, flashlight, electro-magnet, telegraph set, traffic signal, electric crane and many others. All projects are battery operated. Easy-to-read, illustrated 76-page instruction manual. Size: 21 1/2 x 13 1/2 x 2 1/4". Shpg. wt., 5 lbs.

19 G 64030 Less batteries Net 8.95
Batteries for Above
99 G 62564 "D" 2 required Net ea. .15
99 G 62580 "AA" 2 required Net ea. .10

RAYTHEON-LECTRON EDUCATIONAL SETS

- Space-Age Magnetic Blocks Make Electronics Child's Play
- No wiring • No tools No Electronics Knowledge Needed
- Match magnetic blocks with a schematic diagram in guidebook
- Series 2 Set Builds 43 Projects
- Series 3 Set Builds 56 Fascinating Projects



Set consists of domino-like see-thru magnetic connecting plastic blocks each self-contained with a transistor, capacitor, or other electronic component, etc., inside and the electronic symbol therefor engraved on the top; an 8" x 11" metal ground plate and an 80 page instruction manual. When a project is complete, circuit symbols on the blocks form a schematic diagram. Manual covers basic theory principles of the components and project diagrams and explanation. Easy! And Fun!

SERIES 2 LECTRON SET—make 43 working projects including transistor radio, electronic organ, rain moisture indicator, audio amplifiers, light modulated detector, morse code transmitter, metronome, burglar alarm and more, plus your own ingenuity. Shpg. wt., 4 lbs.
19 G 18051

Net 17.95

SERIES 3 LECTRON SET—make a solid state radio with speaker in 2 minutes and 55 more projects—all of Series 2 plus intercom, voice transmitter, public address and telephone amplifier, automatic night light, etc. Shpg. wt., 5 lbs.

19 G 18044

Net 24.95

MAGIC-GLO BLACK LIGHT



- Learn Invisible Detection
- Write Secret Messages
- Educational—Scientific
- Enjoyable—Interesting

The Black Light Kit enables you to see the invisible. Guaranteed completely safe and harmless. This kit allows children to study the phenomena of fluorescence and phosphorescence. Set contains black light, socket and cord, laboratory lamp stand, 4 jars of fluorescent paint, invisible ink, invisible crayon, tracer powder, 3 fluorescent mineral specimens, phosphorogram, optical bleach, brushes and pen, and a pkg. of fluorescent materials. Enables the student to perform endless numbers of fascinating experiments. The amply illustrated 48 page booklet "The Story of Black Light—The Unseen World Around Us," explains the use of black light in fields such as mineralogy, electronics, crime detection, medicine, stamp collecting, and many others. Shpg. wt., 4 lbs.

19 G 13011
19 G 13029 Replacement U.V. Bulb for above

Net 12.95
Net 3.95

IC TRANSISTOR 12-in-1 EXPERIMENTAL ELECTRONIC KIT



- 12 Exciting Experiments, Using Integrated Circuits

This kit is the last word for young experimenters wanting to learn about electronics. Employs integrated circuits, the electronic miracle of the space age, built and housed in a transistor case no larger than a pea. Contains enough parts and detailed instructions to build: BURGLAR ALARM-ELECTRONIC TIMER-RADIO RECEIVER-AUDIO AMPLIFIER-VOICE TRANSMITTER-AUDIO OSCILLATOR-CODE PRACTICE OSCILLATOR-LIGHT BLINKER-METRONOME-VOICE ACTIVATED SWITCH-RAIN ALARM. Safe to use, no soldering or high voltage. Spring clips simplify assembly of parts which are used over and over. Uses one inexpensive 9-volt transistor battery, not supplied. Detailed instruction booklet. Shpg. wt., 2 1/4 lbs.

19 G 31039 Kit, less battery
99 G 60212 9V battery for above

Net 7.98
Net .21

Educational Science Specialties

PORTER DELUXE MINERALOGY SENIOR LAB OUTFIT

9⁹⁵

- Alcohol Lamp With Blowtorch
- 24 Mineral Specimens
- Geologist's Hammer



The ideal mineralogy lab kit for the junior geologist to determine the various mineral types. In addition to 24 selected mineral specimens, the set includes the necessary scientific instruments. Contains a geologist's hammer for dislodging specimens, an alcohol lamp with blow torch attachment, magnifier for examining surface and crystalline structure of minerals, tweezers, chemicals and test papers, test tube rack, charcoal block, streak plate and detailed instruction manual. Wall size identification chart lists nearly 200 minerals. Three-panel metal cabinet. Shpg. wt., 6 lbs. 19 G 34017

Net 9.95

PORTER WEATHERCRAFT FORECASTING LAB

11⁸⁸

- Build and Use Barometer, Wind Vane, Psychrometer and Rain Gauge
- Forecast Weather Accurately



Be your own meteorologist and simply forecast the weather. This deluxe weather laboratory kit contains every instrument necessary for extremely accurate weather prediction. Includes: a wind vane to show wind direction and an anemometer to give its speed; a compensated aneroid barometer provides barometric pressure; a psychrometer determines relative humidity; a set of graphs for charting air pressure and temperature; a detailed weather map and cloud chart. A gauge measures rainfall to 1/100th inch, and a detailed manual shows how to make accurate forecasts. Three-panel metal cabinet. Requires 2 "C" batteries, not supplied. Shpg. wt., 6 lbs.

19 G 34009 Less batteries.

99 G 62572 1.5v C battery (2 required)

Net 11.88
Net ea. .14



8⁹⁵

WEATHER STATION KIT

Fun to erect and fascinating to use, this weather station kit operates with flashing neon lights to show wind speed and direction on indoor indicator board. Includes a sensitive air tank barometer with 4-ft. indicator column, a sling psychrometer to measure relative humidity, rain gauge with scale calibrated to measure 1/100th of an inch rainfall, cloud chart, weather map and forecasting manual. 150 ft. wire supplied, enough for a 2-story house. Safety power cord. All connections safe to touch. Shpg. wt., 3 lbs. 19 G 30023

Net 8.95

SKY ROVER CRYSTAL RADIO KIT

2⁷⁵



Easy to assemble, brings in loud, clear reception. Precision wound tuning coil, super-sensitive crystal, bakelite cabinet. No batteries or electricity required. Complete with earphone with plastic ear-holder, antenna lead-in wire, and hardware. Requires external antenna (not supplied). Shpg. wt., 3 lbs.

19 G 58024
32 G 30984 Antenna kit

Net 2.75
Net 1.50

NOVATRON

A SCIENTIFIC INSTRUMENT FOR THE EXPERIMENTER

- Miniature Atom Smasher
- Produces 75,000 Volts
- Absolutely Safe



Completely Wired (Not A Kit)

A scientific instrument capable of producing 75,000 volts—makes sparks up to 2" long—yet it is absolutely safe because the current is infinitesimal. The science-teacher—science lover—or hobbyist can perform experiments to astound students—friends—family. Makes smoke disappear—defy gravity—turns propellers at a distance—transforms atomic energy into light—makes artificial lightning—smashes atoms—demonstrates ionic space ship drive—and many other experiments. Includes an experimental kit and illustrated experiment manual. A fine research tool that will give years of beneficial service. 110 VAC. Imported. Assembled.

99 G 90086 Shpg. wt., 4 lbs. Net 12.95

THE SCIENCE 6




- Chemistry
- Jet Propulsion
- Electric Motor
- Magnetism

A set of 6 kits for the young budding scientist, each of which contains material for conducting experiments that teach basic principles in a scientific field. Six subjects covered are electric motor, chemistry, electro-chemistry, jet propulsion, electro-magnetism and mechanical physics.

19 G 31013 Shpg. wt., 3 lbs. Net 4.98

ATOMIC ENERGY LAB

7⁹⁵



- Atomic cloud chamber with projector illuminator

Ingenious kit for studying some basic nuclear physics by experimentation. See the vapor trails of alpha and beta particles, and of cosmic rays. Shows exploding atoms. Instruction book covers such experiments as detecting radioactivity with a cloud chamber, with a spintharoscope, and with radioautographs; checking radioactivity with an electroscope, detecting ionization and others. Kit includes radioactive materials. Shpg. wt., 3 lbs.

19 G 30015

Net 7.95

MINERAL TEKNIKIT SET 1

2⁵⁰



Contains 48 specimens of ore, organics, fossils, elements, plutonics, oxides, volcanics, hypabyssals, effusive crystals, common and uncommon minerals. Each specimen is tagged with name and classification. An excellent introduction to rock and mineral identification. Imported. Shpg. wt., 1 lb.

99 G 71557

Net 2.50

SET II Includes additional specimens of some of above plus carbonates, tantaline, phosphates, and gemstones. 48 specimens. Imported. Shpg. wt., 1 lb.

99 G 71555

Net 2.50

Special Combination. Buy both sets and save. You get all 96 specimens. Shpg. wt., 2 lbs.

99 G 71573M

Net 3.95

To Speed Your Mail Order—Please Give Your Zip Code Number

Lafayette Cat. No. 701 79

Rock Polishers & Specialty Items

THUMLERS TUMBLER



GEM STONE TUMBLING AND JEWELRY MAKING KIT

- Grinds and Polishes Rocks and Gem Stones
- Complete Outfit, Nothing Else to Buy

Only
23⁹⁵

Here is your opportunity to enjoy the fascinating craft of gem polishing. Kit includes Mini-Tumbler, 2½ lb. load capacity drum and liner, 3 grades of abrasive grits plus polishing medium, assorted jewelry mountings (tie clasp, earrings, etc.), jewelry glue, and assortment of rough, exotic and aztec stones. Motor operates on 115 VAC, with built-in circuit protection. JL listed. Everything you need to go from "rocks" to "jewelry"

15 G 58006 Shpg. wt., 12 lbs.

Net 23.95

ACCESSORIES FOR TUMBLERS

Stones, 1 lb. pkg. of Oregon Beach Agate and Jasper.

15 G 44030

Net 1.89

Deluxe Rough Stone Assortment, Approximately 200 agate and rose quartz, tiger eye, jasper, etc. Exotic colored rock is from all over the world; will polish to a jewelry like finish.

15 G 58014 Shpg. wt., 1 lb.

Net 5.95

Grit and Polish Assortment Kit, Provides everything needed to polish rocks, Packed in re-sealable plastic container. Each kit contains graded silicon carbide grit and fine polish compound for fast grinding and fine finishes. Each set will process 14 lbs. of rock.

15 G 58022 For Smooth Rocks, 3 step. Shpg. wt., 3 lbs.

Net 2.50

15 G 58030 For Rough Rocks, 4 step. Shpg. wt., 5 lbs.

Net 3.50

Rock Polishers Jewelry Making Kit, Selected blanks for mounting those semi-precious stones that have been polished. Earrings, cuff links, chain bracelet, etc. Consists of: 2 sets of earring mounts, 1 set of cuff links, key ring, finger ring (adjustable), tie bar clip, chain pendant, wrist bracelet (takes 5 stones), one tube of on-off cement.

15 G 53048 Shpg. wt., ½ lb.

Net 2.50



- Grinds and Polishes Rocks, and Gem stones

A fascinating hobby-craft. You can polish all rocks to a sleek, gleaming gem-like finish. Use them for decoration, put in settings, etc. Tumbling machine has two side by side barrels with a total capacity of approx. 6 lbs. of stones. This is not a knock-down kit, but a completely assembled unit ready to run with powerful continuous duty motor that operates on standard 110 VAC current. Size: 7"x9"x11". Complete with cans, but less grit and can liner. See listing on left for additional accessories. Shpg. wt., 7 lbs.

15 G 44014

Net 16.95

Accessory pack, Assrt. of coarse and fine grits, pre-polish and polish, and liners for above drums. Shpg. wt., 2 lbs.

15 G 44022

Net 2.95

Extra Cans For Above Tumbler.

15 G 44048 Shpg. wt., 4 oz. Net ea. .39

Extra Rubber Liners For Above. (Pkg. of 2).

15 G 44055 Shpg. wt., 4 oz. Net .89

LOUDSPEAKER TELEPHONE INTERCOMS

13⁹⁵

- Push A Button, It's A Telephone . . . Push Another Button, An Intercom . . .

This fascinating set consists of two standard telephone handsets and intercom "squawk boxes." Push a button and they operate as regular telephones; push another button and the voice at the other end of the wire comes through the intercom speaker so that anyone in the room can hear. Fun for everyone! Grownups use it too. Complete with connecting wires, the Loudspeaker Telephone Intercom may be operated from room to room, upstairs and down, house to house or patio to house. Uses 4 "D" batteries (not included). Each phone unit measures: 11¼x8¼x3¼". Shpg. wt., 5½ lbs.

19 G 31062 Less Batteries

Net 13.95

99 G 62564 1½V "D" battery (4 required)

Net ea. .15

SLIMLINE PUSHBUTTON TELEPHONE SET

- Authentic Replica Of Newest Western Electric Telephone

7⁹⁵



Two complete battery operated phones that really work. Elegantly designed, the Slimline is the newest model pushbutton handset — the same size and style as its real-life counterpart. When one of the buttons is pushed, the bell rings at the other end of the line . . . Children are able to talk from room to room, upstairs and down or even from house to house. 25 feet of wire to complete the hookup is included. Requires 4 "C" size batteries (not included). When not in use, phones rest on beautifully matched cradle. Phone size: 7½x3x2½". Shpg. wt., 4 lbs.

19 G 31070 Less batteries

Net 7.95

99 G 62572 1½V "C" battery (4 required)

Net ea. .14



ALL-TRANSISTOR BULL HORN

MADE IN U.S.A.
Only **7⁹⁵**

NOT A KIT COMPLETELY PRE-ASSEMBLED

- Range up to 400 feet • Weight only 2½ lbs.
- For Hunting, Camping, Fishing, Sports

A fully transistorized directional megaphone at Lafayette's low price. Lightweight it carries your voice over 100 yards or above noise. Just press the trigger and talk. Features variable volume control and carrying strap. Uses 4-standard "D" cells (not supplied with unit). 11" long Shpg. wt., 3 lbs.

44 G 15097

Net 7.95

1½-volt D batteries, 4 required, Imported

99 G 62564

Net ea. .15



TELEPHONE AMPLIFIER KIT

4⁹⁸

- Transistorized circuit

Amplifies incoming voice and projects it through built-in speaker so many people can listen in on conversation and participate simultaneously. Speaker has loudness control. Fits any standard phone—just place receiver on the amplifier. Easy-to-assemble, requires no cementing or soldering. Modern high-impact plastic cabinet. Shpg. wt., 2 lbs.

19 G 31021 (less battery)

Net 4.98

99 G 60212 Battery for above

Net .21

Hobby Kits & Specialties

ELECTRIC WORLD TIME CLOCK KIT



11⁹⁵

24 Hour Clock Tells Time
Anywhere In The World

This decorator-styled global timepiece tells time locally and anywhere in the world. The precision electric clock movement is pre-assembled and pre-wired. Simply mount it in the crystal-clear plastic case and add the 3-dimensional plated trim. Cover side panels with wall paper or fabric of your choice. Clock hangs on wall or stands on desk. UL listed. Clock stands 13 $\frac{3}{4}$ "H x 11 $\frac{1}{2}$ "W x 2 $\frac{1}{2}$ "D. Shpg. wt., 4 lbs.
19 G 31054 Net 11.95

VALKYRIE-2 ROCKET KIT




13⁷⁵

- Looks And Performs Like The Real Thing
- Safe, Non-Flammable Non-Toxic Propellant
- Altitude Capability Over 1000 Feet
- Reusable With Parachute Recovery
- Launched Mechanically Or Electrically

Here is an authentic, educational and yet entirely safe rocket kit for modelers and hobbyists which demonstrates the principles of rocket propulsion. The propellant releases no heat, is non-flammable, non-toxic and non-explosive. The 16 inch long Valkyrie-2 which blasts off to 1000 feet, can be safely held in hand. Uses durable polished aluminum rocket, engine and parts, with real working valves, separator and parachute. At liftoff, the rocket starts slowly at 4 "G's", with acceleration at burnout about 10 "G's". A timer assures deployment of the parachute which returns the rocket for another launch. May be either mechanically or electrically launched with a battery (not supplied). Complete kit includes rocket, engine, timer, separator, parachute, balsa nose cone, fins, loading valve and hose, electric firing assembly, launch stand, one can of propellant, accessories and instructions. Size: 16" long x 1" dia.

19 G 75010 Complete rocket kit. Shpg. wt., 3 lbs. Net 13.75
Can of propellant sufficient for 4 launchings. Net 2.00
19 G 75028 Shpg. wt., 2 lbs.
6-Volt battery for electrical launching. Net .99
32 G 48184 Shpg. wt., 1 $\frac{1}{4}$ lbs.
Replacement ignitor wire for electrical launching. Net .35
19 G 75036 Shpg. wt., 3 oz.

RENWAL VISIBLE V-8 ENGINE KIT




9⁹⁵

- Looks And Performs Like The Real Thing

The Visible V-8 is a superb guide to the study of the internal combustion engine. Precise 1/4 scale "see-thru" model engine that simulates the power plant of V-8 autos. Parts molded in 4 colors, including "clear", so that functioning pistons, connecting rods, rocker arms and properly timed spark plugs can be observed. Powerful permag motor activates over 100 moving parts. Powered by two "C" batteries (not supplied). Complete with polystyrene cement, hardware, screwdriver, and illustrated instruction manual which details how an auto engine works. Shpg. wt., 5 lbs.
19 G 69005 Complete Kit Less Batteries
99 G 62572 1.5V "C" battery, (2 required)

Net 9.95
Net ea. .14

GILBERT DELUXE GRADUATE CHEMISTRY MODULAB KIT



- Full Range of Chemicals and Supplies
- File Cards for Over 700 Experiments
- Six Modular Laboratory Storage Racks

14⁹⁵

Ideal deluxe chemistry lab kit for experimenters, hobbyists, students. Conduct over 700 experiments in chemical gardening, analytical testing, thermal chemistry, chromatography, chemical magic and many more. Six modular storage racks hold complete set of chemicals and supplies. Advanced equipment includes precision lab scale, mortar and pestle, hydroponics tray, alcohol lamp, test tubes, etc. Project file cards provide detailed instructions and operating procedures. Shpg. wt., 15 lbs.

Net 14.95

GILBERT LIFE SCIENCE MICRO-BIOLOGY LAB KIT



9⁹⁵

- With Microscope

Features die-cast metal 75X microscope for proper magnification of specimens in home or field study. Materials supplied to grow and observe live protozoa and brine shrimp. Includes preserved specimens of frog, crayfish, earthworm, grasshopper and fish. 5 prepared specimen slides provided. Kit also includes dissecting instruments (scissors, scalpel, etc.), materials for slide preparation and study manual. Shpg. wt., 5 lbs.
19 G 34041 Net 9.95

PHOTOGRAPHY DARKROOM LAB WITH

12⁹⁵



- Complete Darkroom Outfit
- Photo Enlarger, Contact Printer, 35mm Projector — All In One Kit

Photography lab kit enables you to print and develop your own photos, enlarge 35mm shots up to 8 x 10", and project your 35mm negatives. Kit includes developing chemicals, printing and enlarging paper, 3 trays, thermometer, neon safelight, print frame taking negatives up to 3 $\frac{1}{2}$ x 4 $\frac{1}{2}$ ", twin condensing lenses and G.E. projection lamp. A complete photo lab in one kit. Shpg. wt., 4 lbs.
19 G 30031 Net 12.95

PORTER COMMUNICRAFT LAB KIT



- Build 12 Projects In Sound Communications

11⁹⁵

All the necessary components to explore the wonders of sound. Includes control panel, electronic parts, transistor, speaker to build such projects as radio receivers, code oscillators, voice transmitter and more. Manual explains electronics in simple terms, includes easy to follow diagrams. Powered by 2 "D" cells (not supplied). Shpg. wt., 4 lbs.
19 G 3406b Kit less batteries. Net 11.95
1.5 v "D" battery (2 Req.) Net ea. .15
99 G 62564

Creative Crafts Make Excellent Gifts

SCULPTURE STUDIO



Featuring the unique "Sure + Sculpthead" in a Complete Creative Sculpture Outfit.

AVAILABLE AT SYOSSET ONLY

LIMITED QUANTITIES

Anyone can sculpt with this new unique method. The "Sure + Sculpt Head" is a preformed armature that locates the main features of the head so even beginners can model the clay and fill in the details. This is a complete creative outfit which includes 4 lbs. each of modeling clay, clay stone, wood stone and bronze stone, 9 tools, revolving model stand, tube of Patina coloring, a sculptors armature and the unique "Sure + Sculpt Head." Instruction booklet with detailed instructions. Shpg. wt., 28 lbs.

13 G 35587WX

Net 15.95

SURE SCULPT KIT

Basic kit for the beginner. Contains the "Sure + Sculpt Head" preformed armature which locates the main features of the head; enough clay for an average head, sculpttools, patina and instructions. Shpg. wt., 5 lbs.

13 G 35595 Available Syosset Only

Net 3.95



FAMOUS ARTISTS OIL PAINTING SET



Introduction to painting by Norman Rockwell. Four famous artists show how they would paint the same scene. Step by step instructions in full color lead beginner from first line to finished painting. Woodgrained, hinged cardboard case with metal latch and handle contains 8 tubes oil colors, permaiba white, palette, brushes, canvas panel and canvas sheets, easel etc. Shpg. wt., 7 lbs.

15 G 39020

Net 6.75

JON GNAGY'S TV MASTER ART STUDIO featuring the MATCHSTICK MANNIKIN



This 14" x 20" box is jammed full of art materials and instructions. Includes 5 separate instruction books: The 64-page "Learn to Draw" book with over 200 illustrations to make it easy for beginning artists of all ages; 48-page full color "Learn to Draw Landscapes"; 48-page in color "Learn to Draw Human Figures" and two 16-page full color books on "How to Paint in Watercolors and Pastels." Includes the flexible 3-dimensional "Matchstick Mannikin" to be used as a model for drawing figures in action, two 8 color watercolor palettes in trays, 24-colored pastels, brushes, paints, sketching paper and other materials.

15 G 59012 Shpg. wt., 4 lbs.


Net 3.95

MOD-U-KIT PSYCHEDELIC LIGHT KITS

SOUND TO LIGHT CONVERTER KIT

5.95

- Supplies 100 Watts Of Psychedelic Lighting!



Accepts sound from any radio, hi-fi, phono, or any amplifier and changes these direct audio signals to light keying signals. In addition to 4 colored pilot light indicators plugged into the unit, an AC socket supplies 100 watts of external psychedelic lighting which varies with the sound. Shpg. wt., 1 lb. 19 G 70151

Net 5.95

3-CHANNEL PSYCHEDELIC CONTROL CENTER KIT

12.95

- Provides 500 Watts Per Channel



Converts audio signals to 1500 watts of available external psychedelic lighting. Output of the direct audio signals is applied to 3 separate SCR's providing 500 watts per color channel. Has a sensitivity control for low, middle, and high frequencies, and panel indicator light for each 500 watt color channel. Complete with outlets.

19 G 70169 Shpg. wt., 2 lbs. Net 12.95

PROJECT-A-SCOPE

- Projects Giant Pictures in Color or Black and White
- Films or Negatives Not Needed

5.95



Handsome projector molded of heat and abuse resistant, hi-impact plastic for long life. Casts sharp, giant-size enlargements on any white wall or screen in brilliant color or black and white. Simple to operate. Can be used by students, artists, lecturers and demonstrators. Children can project comic or story books to amuse themselves and their friends. Uses ordinary household bulbs. U/L listed. 110 volts, AC-DC. Shpg. wt., 2 lbs. 15 G 50011

Net 5.95



MARK VI LABEL MAKER KIT Embosses Both 3/8" and 1/4" Tape

SALE 6⁸⁸ CUT 3.00
Ends Jan. 1, 1970

- You Get - Tool - 2 Wheels For Large and Small Characters, Case and 5-12' Rolls of Tape
- Convenient Tape Cut-off Lever

Low-Cost tapewriter kit for home, office, store or workshop. Makes raised-letter labels that are self-adhesive, permanent and waterproof. Set dial to letter, number, or symbol and squeeze the handle. When label is completed, squeeze trigger to snap off tape. Kit includes: High-impact plastic embossing tool, two wheels, three 3/8" and two 1/4" rolls of tape plus carrying case. Shpg. wt., 1 1/2 lbs.

14 G 41484

Net 6.88

Perma-Power Liftmaster™ GARAGE DOOR OPENER



NOW ONLY 139⁹⁵

SALE!
SAVE 10.00
SALE ENDS JAN. 1, 1970

Opens—Closes—Securely Locks Garage Door
Automatically Controls Garage Door and Lights from Inside Your Car
Fully Transistorized Transmitter and Receiver with Private Pulse-Tone Coding
1/3 HP Motor—For Door Up to 22 Ft.

Deluxe, Perma-Power garage door operating system. Easily handles any residential, track guided garage door; metal, fiberglass or wood doors up to 22 ft. wide and 8 ft. high. Only your pulse-tone signal sender can open the door. Gear-head chain drive motor exerts 200 lbs. of push-pull force. Needs only 1 1/2" of headroom space between high arc of door and ceiling. Fully automatic. Built-in light goes on as soon as door starts

to open and stays on for approximately two minutes after door closes. If door hits obstruction, it stops automatically. Safety clutch prevents damage. When started again, it will reverse itself. Sender can be carried in pocket, kept in glove compartment, clipped to sun visor or mounted under dash. Motor operates on 117 VAC, 60 Hz. UL listed. Shpg. wt., 65 lbs.

13 G 82118WXZ No Money Down* Net 139.95

See Listing of Accessories Below

ABOVE GARAGE DOOR OPENER SHIPPED F.O.B. CHICAGO, ILLINOIS. NO C.O.D. SHIPPING CHARGES ARE COLLECTED ON DELIVERY. SEND FULL REMITTANCE OR USE LAFAYETTE'S EASY PAY PLAN.

ACCESSORIES

Extra transmitter for second car.
13 G 82076 Shpg. wt., 1 lb.
Switch with 2 keys for outdoor location.
13 G 82043 Shpg. wt., 1/4 lb.

Net 19.50
Net 4.20

Outside quick release lock. Used to open door from outside when electricity fails. Shpg. wt., 1/4 lb.

13 G 82134

Net 4.95

SHOP-VAC® ALL PURPOSE VACUUM CLEANERS



AS LOW AS 24⁹⁵

- Heavy Steel Drum—Excellent for the Home, Garage, Patio, School or Workshop
- Powerful 1 HP Motor, 6 ft. 2 1/2" Dia. Hose

Deluxe Shop-Vac 10 Gallon Vacuum Cleaner outfit. Can be used for rough cleaning nearly anywhere. Excellent for picking up pebbles, wood chips, sawdust and other debris. Also attaches to woodworking machines for chip and sawdust removal. Reversible air flow—use it as a blower too. Perfect for winter oil burner cleaning. Complete with two-way 4-wheel dollie, 6 ft. 2 1/2" dia. hose, 6" nozzle, 2 1/2" to 1 1/4" adapter, 2-pc. 45" extension wand, right angle elbow, cloth filter bag and pkg. of 5 paper filters. UL listed. Shpg. wt., 29 lbs. Net 34.95
13 G 35652WX No Money Down*
5 Gallon Shop-Vac Vacuum Cleaner: Includes 6 ft. 2 1/2" dia. hose, 6" nozzle, 2 1/2" to 1 1/4" adapter, cloth and paper filter. UL listed. Shpg. wt., 17 lbs. Net 24.95
13 G 35660W

For Additional Accessories See Page 351, Catalog 700.

*See Page 13 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 701 83




fury 50 Piece Power Workshop

WITH 3/8" VARIABLE TRIGGER SPEED CONTROL DRILL



Complete Kit Only **29⁹⁵**



Powerful! Efficient! Flexible! Rugged 3/8" variable speed power drill with 3/8 HP 3 Amp universal motor is capable of performing most any job around workshop and home. Squeeze the trigger for any speed you desire from 0 to 1,000 RPM. Complete assortment of attachments includes: Jacobs geared chuck and key, tilting top saw attachment, crosscut and rip saw blade, horizontal bench stand, lampswool polishing bonnet, 13 pc. drill kit, rubber backing pad, steel paint mixer, grinding wheel, 6 pc. adapter set, steel saw table with protractor and mounting post, drill press with mounting post and stand, and 15 pc. sanding disc set (5 fine, 5 med., 5 coarse). Drill features multiple thrust bearings and locking button on handle for constant speed without holding trigger. Bright mirror finish with pistol grip handle for easy handling. With instruction book. Drill UL 13 G 71293W Net 29.95
13 G 71244 Drill Only. Shpg. wt., 3 1/2 lbs. Net 15.95

HUSKY 3/8" DRILL



10⁹⁵

- 3 AMP UL Listed
- Auxiliary Left or Right Handle
- Double Reduction Gears

A rugged, powerful 3/8" drill for tough drilling jobs around the house and shop. Features double reduction gears for maximum torque. No load speed 1000 rpm. Capacity 3/8" in steel, 1" in wood. Ball thrust bearing takes the full drilling load. Welded commutator leads prevent motor burnout. Geared key chuck, 3-conductor power cord. Bright finish. For 120 VAC, 50-60 Hz. 13 G 36551 Shpg. wt., 4 lbs. Net 10.95

3/8" VARIABLE SPEED DOUBLE INSULATED COMPACT DRILL



Thon
29⁹⁵

- Solid-State Magnetic Motor—Diode Circuitry
- Double-Reduction Gears

A power drill that is so light, rugged and powerful... so comfortable! Revolutionary fast-back design features balanced power and lightweight materials. Weighs only 1 7/8 lbs.! Ingenious use of polycarbonate housing makes this drill virtually indestructible and is double insulated for safety. Unique magnetic motor offers variable speeds from 0-1200 r.p.m. 4-diode circuitry is solid-state, full wave rectifier with highly efficient energy transfer. Additional quality features include life-time lubricated spherical bearings, and industrial quality commutator, 18-blade wind tunnel fan, double reduction gears, plus induction-hardened armature pinion. For 117VAC., 60 Hz. 13 G 53242 Shpg. wt., 3 lbs. Net 29.95

14 Pc. HIGH SPEED DRILL SET with CENTER PUNCH



Century

9⁹⁵

- 13 Sizes 1/16"-1/2" Plus Center Punch
- Hang on Pegboard—Mount on wall or Stand on Workbench

Top quality, high speed drill set contains sizes 1/16, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8, 7/16, 1/2 and 1/4" with 1/4" shanks. Also contains center punch for accurate placement of drill. Convenient, high impact plastic case stands on workbench or mounts easily on wall or pegboard. Has built-in shelf for holding pencils or additional drill bits, chuck keys, etc. Shpg. wt., 1 lb. 13 G 18-12 Net 9.95

DELUXE VARIABLE MOTOR SPEED CONTROL

Only **11⁹⁵**

- Varies Speed on AC-DC Motors from 0 to Full RPM
- Up to 8-Amps
- 3-Position Switch: Variable—OFF—Full Speed



Perfect for all workshop power tools and home appliances. Use with drills to start holes, saws to extend blade life, polishing at low speeds etc. 3-position switch. Variable, OFF and Full permits maximum speed control, with Universal (AC-DC) or DC motors rated to 8 amps. Has automatic breaker surge protection. Input 120V AC only, 3 wire line cord. Black aluminum case, 4 5/8x2 1/2x1 1/8"D. 13 G 27014 Shpg. wt., 1 lb. Net 11.95

Holiday Gifts

for the Handyman

SKIL REVERSING DRIVE-R-DRILLS

with Adjustable Trigger Speed Control

- Pre-Set The Speed You Desire in Forward or Reverse
- Lock Drill at Any Speed • Burn Out Protected Motor

Now! a variable speed control drill that can be locked at any speed—in either forward or reverse! Just squeeze the trigger for any speed from 0 to maximum rpm. Unique all purpose drill can tackle most any job with precision and accuracy. Using a driver bit or socket, you can drive or remove screws or nuts. Tap holes in metal! Features: a powerful, burn-out protected motor; high torque helical gears; geared key chuck; lock button for sustained operation, and a sturdy, lightweight aluminum housing. Comes with: 6 ft. 3-wire cord and plug for 115 v, 60 Hz AC operation. UL listed.

1/4" ADJUSTABLE DRIVE-R-DRILL

Model 596 rated at 2.5 amps. 0-2000 rpm Forward/Reverse. Capacity 1/4" in steel, 1/2" in wood. Shpg. wt., 5 lbs.

13 G 69313 No Money Down* Net 31.88

3/8" ADJUSTABLE DRIVE-R-DRILL

Model 597 drill has extra capacity chuck; 0-1000 rpm, forward/reverse 3-amp motor. Double reduction gears. Capacity: 3/8" in steel, 3/4" in wood. Removable handle. Shpg. wt., 5 lbs.

13 G 69321 No Money Down* Net 36.88


1/2" ADJUSTABLE DRIVE-R-DRILL

Model 598 Heavy-duty-deluxe 3 amp 0-750 rpm forward/reverse, no load speed. Heavy-duty double-reduction gears multithrust bearings. Capacity: 1/2" in steel, 1 1/4" in wood. Removable handle. Shpg. wt., 5 lbs.

13 G 69339 No Money Down* Net 39.88



As Low As **31⁸⁸**



A 11⁹⁵

B 27⁹⁵



A SABRE SAW

Powered By GENERAL ELECTRIC MOTOR

- With Rip Guide • 1/4 HP Motor

MODEL F-8: A rugged, multi-purpose sabre saw. Can be used as a rip, crosscut, jig saw, hack saw, band, coping, keyhole and scroll saw. Easily cuts 2 x 4s, plywood, plastic, composition board, aluminum and a host of other materials. Powerful 3 amp, 1/4 H.P. motor with a built-in cooling system, produces 3500 11/16" long strokes per minute. Adjustable base, rip guide and mitre gauge. Bevel cuts from 0° to 45°. "On/Off" slide-switch. With 3-assorted blades. For 115V., 60 Hz AC/DC. UL listed. Has mirror finish. Shpg. wt., 4 lbs.

13 G 71160 Net 11.95

B HEAVY-DUTY VARIABLE SPEED SABRE-JIG SAW

- "Dial Control" Any Speed From 0-4800 S.P.M.

Electronic dial variable speed control lets you use this one tool for any cutting job. Cuts through 6" logs, 6 x 6" lumber, metal pipe, masonry—practically any material. Makes its own starting hole. Low speed for steel and plastics, medium for non-ferrous metals, high for rip or cross-cut. Bevel cuts to 45°. Features a 5 amp, 1/3 HP General Electric motor. With 6" 3-cond. cord, 5 assorted blades and rip gauge. For 115 VAC, 25-60 Hz UL listed. Shpg. wt., 4 1/2 lbs.

14 G 48059 Net 27.95

Heavy-Duty Sabre Jig-Saw. Similar to above less variable dial speed control. 3.5 amp. motor. Shpg. wt., 4 1/4 lbs.

14 G 48067 Net 20.95



SKIL

7 1/4" BUILDERS' SAW KIT

INCLUDES MODEL 574 SAW-BLADE-RIP FENCE—STURDY CARRYING CASE

SPECIAL OFFER ENDS JAN. 1, 1970

SAVE \$5.77

SAW ONLY	29.88
CASE	8.98
RIP FENCE	1.79
	\$40.65

when you buy combination saw-case-rip fence

Combination Outfit 34.88

No Money Down*

- 1 1/2 HP Burnout Protected Motor
- 5200 RPM No Load Speed 10 Amp Motor

Tackle the "big" jobs, with this 7 1/4" builders' saw. Reinforced die-cast housing that really stands up. Cuts 2 x 4's with ease, at 45° angle. Easy set bevel and depth adjustments. Safe non-binding blade guard with vari-torque safety clutch. Sawdust ejector keeps your work clean. 7 1/4" combination blade and blade wrench. Powerful 1 1/2 HP motor. Cutting depth: 90° 2 3/8", 45° 1 7/8", 10 amps. UL listed. 115 volts AC, 3 wire cord. Saw kit includes handy case, blade and rip fence. Shpg. wt., 15 lbs.

13 G 69362 Combination Outfit	Net 34.88
13 G 69263 Saw Only. Shpg. wt., 12 1/2 lbs.	Net 29.88
13 G 69123 Rip Fence Shpg. wt., 1 lb	Net 1.79
13 G 69370 Carrying Case. Shpg. wt., 4 lbs.	Net 8.98

*See Page 13 for Full Credit Details on Easy Pay Plan

UNIMAT Miniature Machine Shop

The ALL-PURPOSE 5-in-1
METAL-MACHINING WORKSHOP



139⁵⁰
Lafayette 4128

149⁴⁵
Lafayette with Micro-Miniature Workshop

- Precision Metal-Working Lathe
- 11-Speed Ball-Bearing Spindle, Accurate to 1/2 Thousandths
- Converts to Vertical Mill or Drill in Seconds
- Turn, Mill, Bore, Saw, Buff, Sand, Polish, Grind—Steel, Aluminum, Brass, Plastic or Wood
- Ideal for R&D Labs, Model Shops, Electronic and Home Workshops

Complete 5-in-1 machine shop small enough to use on a radio serviceman's bench. Designed as a multi-functional power tool. Converts from horizontal lathe to vertical drill press. The changeover causes no wear or loss of accuracy in precision fit parts. The motor-headstock detaches for use as a portable hand drill, power grinder or buffer. Extra attachments available include a very accurate circular saw, saber and jig saw, flexible shaft, lathe bed power feed, threading attachment, precision collets and cutting tools. Belt drive provides 11 speeds ranging from 900 to 7,200 RPM. Motor can also be controlled by rheostat foot switch or SCR power supply. 1/10 HP

Bonus Offer

SAVE \$15.00

On Micro-Miniature Workshop When Purchased With Unimat Lathe.



ONLY
9⁹⁵
MORE

REGULARLY 24.95

Bonus Special Expires 1/1/70

SEE LISTING BELOW FOR DETAILS

brush-type fan cooled motor, drill press arm, column and hand lever, face plate, lathe dog, grindstone arbor, tool post, 2 dead centers, 1/4" Jacobs chuck and key, Allen wrench roughing tool bit, and a spindle return spring. 17 1/2 x 10 1/2 x 5 3/4" wood chest. 40-page manual. For 115V AC/DC operation. Imported.

SPECIAL BONUS OFFER: Unimat Lathe and Micro-Miniature Workshop. Shpg. wt., 35 lbs.

14 G 90051WXM No Money Down* Net 149.45

Unimat Lathe Only. Shpg. wt., 30 lbs.

14 G 10141WX No Money Down* Net 139.50

MICRO MINIATURE WORKSHOP

Only

24⁹⁵

- Grinds — Sands — Drills
- Polish — Carve — etc.
- Heavy-Duty .75 Amp Tool

Ultra modern Micro power tool handles all jobs that ordinary power tools can't. This miniature workshop is a must for hobbyists, handy men and industrial plants that require fine finishing work. Incorporates outstanding features

that include: slide-snap "on-off" switch, STA-COOL plastic housing with large air vents for cooler operation, instant-action wrenchless Chuck, powerful 115 volt universal motor, convenient hanger hook. Kit comes complete with: 1—motor tool, 1—1/2" collet, 1—1/8" collet, 1—2-prong adaptor, 1—rotary file, 6—sanding discs, 3—cut-off discs, 2—mounted stones, 2—bristle brushes, 1—dressing stone, cotton buff, felt wheel and 1/8" and 1/4" drill. Fugged heavy-duty case. Shpg. wt., 4 lbs.

13 G 52507

Net 24.95

BVI ELECTRIC PENCIL

6⁹⁵

- Writes On Metal—Wood—Plastic
- No Heat—Wrenching Point—Engraves Keys—Taps—Taps—Jewelry



Handy, useful...mark, identify and engrave names, design decorator effects on luggage tags, toys, sporting goods, tools and kitchenware. Automatic with built-in mercury switch. You pick it up—it turns on. Put it down and it turns off. Easy as a pencil. Marks won't erase, smear or rub off. Tough hardened steel point vibrates 7200 strokes a minute. Lightweight. 7 x 3 x 2". 110 VAC, 50 60 Hz

13 G 80542 Shpg. wt., 5 lbs. Net 6.95

HEAVY DUTY 18" BENDING AND FORMING BRAKE

- Clear Smooth Bends
- Forms Up To 90°

9⁹⁵

- Handles Up To 18" Width In Up To 16 Gauge Thickness

Unique design permits forming chassis, boxes, covers, trays, etc. by means of 1" deep slots in break-bar which allow corners to fold in. Provides flange edges up to 1" high. Easy to adjust for thickness, accuracy, angle of bend. Rugged construction offers a life time of service. Imported. Wt., 17 lbs.

99 G 80640WX Net 9.95



RAM TWO-WAY ELECTRIC SANDER

18⁹⁵

- Orbital or Straight Line

Model R-120: A heavy-duty electric sander with 3/16" stroke in orbital or straight line. Features 3.5 amp. universal series wound motor. Heavy-duty ball bearing and self-lubricating sleeve bearings. Pad size: 3 3/4 x 7 3/4"; sandpaper size: 3 1/2 x 9". Industrial mirror finish. 6-ft. UL Listed cord. 115 V. 60 Hz, AC-DC. Shpg. wt., 5 lbs.

13 G 71020 Net 18.95

**TINY TIGER "HUSH TONE"
PORTABLE GENERATOR**

99⁹⁵
No Money
Down

- Economical Gas Driven Motor
- 115 A.C. 350 Watts Electric Power 12V D.C. 12 Amps.
- Only 12 lbs.
- Automatic Overload Relief—for Tools, Appliances, Boats
- 12V D.C. for Battery Charging



1 HP MOTOR

Model 67—Lightweight, rugged metal construction! Features a 1 hp, 2 cycle Ohlsson & Rice air cooled engine with a high capacity magneto ignition. 6 pint, premixed (24 parts gas—1 part oil) fuel capacity allows operation at full power (6,300 rpm) for 2½ hours. Also features built-in quietness with a larger "Hush Tone" spark arrester muffler. Dual voltage, direct drive Tiny Tiger generator produces up to 350 watts of 115V., AC, and 12 amps of 12V. DC simultaneously for charging auto batteries or starting cars, boats and trucks. Constant voltage within 110-120 volts with an automatic overload relief system. Light enough to carry anywhere (14 lbs.)... small enough to carry in one hand (8½"H x 8½"W x 10¼"L). Shpg. wt., 15 lbs. 12 G 35522... Net 99.95

HANDY CARRYING CASE
12 G 35514 Shpg. wt., 5 lbs.

Net 9.95



SALE! 6⁷⁰
SALE ENDS JAN. 31, 1970

100/140 WATT "EXPERT" SOLDERING KIT

MODEL 8200-PK. Ideal for the novice or professional. Compact design and built-in light eliminate maneuvering difficulties. Weller Soldering Kit features the 8200 gun with exclusive tip Grip which assures constant heat. Dual heat feature gives choice of 100 or 140 watts with the pull of the trigger. Accessories include 3 durable soldering tips, tip changing wrench nylon flux brush, soldering aid for difficult connections and all purpose solder. Packed in a high impact plastic case. UL listed. Shpg. wt., 3¼ lbs. 13 G 39159 Net ea. 6.70

Model 8200 Gun Only. Shpg. wt., 2¼ lbs. 13 G 39142 Net 5.70

Net 5.70

SPRAYIT 600-8

HEAVY DUTY HANDYMAN SPRAYER



Only
35⁹⁵

No Money Down*

- Integral Compressor-Motor
- Sprays Oils, Paints, Stains, Insecticides, Liquid Wax

All-purpose spray unit that gives professional results from the start. Provides uniform adjustable pattern from "dime" size to a fan 10" wide. Precision made with sealed ball bearings, never needs oiling. Easy-to-use 2-finger trigger gun. Air delivery: 1.5-2 CFM at 15-20 lbs. Complete with 6 ft. cord and plug, 8-ft. air hose, spray gun. Comes with internal-mix fan spray nozzle—1 pint capacity aluminum cup. For 115 v. 60 Hz AC. Shpg. wt., 11 lbs. 14 G 84146 Net 35.95

Net 35.95

DYNAMIC MARK 35

PORTABLE ELECTRIC ARC WELDER



Complete
Ready To Use

19⁹⁵

- Weld-Brize-Solder-Cut
- Produces 11,000° Heat Operation on 110 Volt Line

Dependable unit that produces professional welding—Save time, money by making your own repairs. Cuts and welds up 1/4" metals with 1/8" welding rods and 1/4" carbon. Completely portable. Simple instructions explain how to make spot repairs. Weld-brize-solder-cut on most metals. Ideal for use around home-shop-farm—even repair auto bodies. Includes welding and carbon rods. Protective mask, holders, 10 ft. H.D. cables, ground clamp, brazing rods, flux, solder and instruction manual. For 115V AC or DC. Fused for 30 Amps. 13 G 20548 Shpg. wt., 6 lbs. Net 19.95

13 G 20548 Shpg. wt., 6 lbs.

Net 19.95

21 PIECE 3/8" DRIVE SOCKET SET



- Chrome Plated
- Drop-Forged Steel

13⁹⁵

Precision quality socket set. Contains: 12 Pt. socket sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 12 Pt. deep socket sizes: 7/8", 1", 1 1/8", 1 1/4", 1 1/2", 1 3/4", 1 7/8", 2", 2 1/4", 2 1/2". Plus: 3" extension, 9" flex handle, 6" crossbar, universal joint, 8" reversible ratchet. Packed in heavy gauge red lacquered metal box with handle. Imported. Shpg. wt., 5 lbs. 13 G 55650 Net 13.95

Net 13.95

ELECTRIC GLUE GUN



- Automatic Feed Trigger
- Finger Tip Control Thermostat

Features exclusive automatic feed trigger and finger tip thermostat control, handy "on-off" switch plus contoured handle. You get 60 second bonding for wood, tile, leather, fabrics, metals, masonry; or caulking. Thermostat control has three heat ranges for "idling," "normal operation" and "extra flow." "Open/Close" nozzle control valve wrench included. Rated 70 watts at 120V., AC/DC. UL listed. Size: 6¾ x 4½". Made of black, heat-resistant phenolics. 13 G 58217 Shpg. wt., 1½ lbs. Pkg. of 8 Hot Melt Glue Sticks Net .49 13 G 58225 Net .49 Pkg. of 8 Hot Melt Caulk 13 G 58233 Net .49

Net 6.95

Net .49

Net .49

30 DRAWER PARTS CABINET



5⁴⁹

- FOR: Home—Office—Shop

Clear plastic drawers 2¾ x 1¼ x 5¾"D., each with removable dividers; safety stops to prevent accidental spilling. Cabinet tilts when carried; back punched for hanging. Bottom and top mate for solid stacking. Metal sides and back with contrasting high impact plastic top and bottom. Comes with labels, dividers and handle. 17H x 9¾W x 6¼"D. Shpg. wt., 8½ lbs. 13 G 54505W Net 5.49

Net 5.49

Complete Solid-State Engine Analyzer

For All Electrical Systems 6, 12, 24 or 32 Volt—Regular, Transistorized or Magneto Ignition, 8, 6 or 4 Cylinder 4 or 2 Cycle Engines.



ONLY **49⁹⁵**

No Money Down*

Solid-State Engine Analyzer Will Test:

- Dwell or Cam Angle
- Measure Engine Speed
- Adjust Carburetors
- Adjust Points
- Check Condensers
- Check Coil Resistance
- Measure Carbon Suppressor Spark Plug Cables
- Check Batteries
- Test Alternators, Generators & Regulators
- Check Shorts & Opens In Wiring
- Checks All Lamps, Fuses, Relays & Switches
- Check Diodes

• Do-It-Yourself Instruction Book

+90. Resistance scale from 0-100,000 ohms. High voltage coil and spark test scale from 0-30,000 volts. Operates on single "D" cell battery. Complete simple operating instructions allows anyone to use this instrument to its full capabilities. Detailed information supplied by make and model. Rugged steel case finished in baked enamel. Rear storage compartment holds 5½' leads, clamps, plug jacks and connectors. Size 12x6½x6". Shpg. wt., 10 lbs.

11 G 24502

Net 49.95

99 G 62564 Battery For Above

Net .15

• Large 6" D'Arsonval Double Jeweled Meter

Performs "FIFTEEN" authoritative tests under actual operating conditions! Tests output voltages in three separate ranges: 0-3.2, 0-16, 0-32 VDC. Determines the condition of batteries, battery cables, spark plug wires, coil wire, solenoids and starter motors. Permits precise setting of distributor points (cam-dwell angle) and test centrifugal advance mechanism on three scales: 0-45° for 8-cylinder, 0-60° for 6-cylinder, and 0-90° for 4 cylinder. RPM scales allow precise setting of carburetor air/fuel mixture and engine RPM in four separate scales: 8 or 6-cylinder (low) 0-1,200, (high) 0-6000; 4-cylinder (low) 0-2400, (high) 0-12,000. Measures amps from —5 to



6½" DWELL TACHOMETER

28⁹⁵

Made in U.S.A.

- Tunes up Electronically, Any Car Ever Made
- Three Dwell Scales
- Giant 6½" Easy-to-Read Scale
- Use to Adjust Carburetors
- Use to Adjust Points

A complete ready-to-use Dwell Meter and Tachometer which will operate on any car ever made. Tests cam Dwell angle and engine RPM on 4, 6 or 8 cylinder cars, 6 or 12 volt right on the engine. Giant 6½ easy-to-read meter makes it simple for anyone to adjust points and carburetors to insure maximum gas economy and quiet engine running. RPM readings are also essential to properly service automatic transmissions. Three dwell angle scales are provided: 0 to 45 degrees, 0-60 degrees, and 0 to 90 degrees. This instrument is suitable for dwell angle adjustment on all foreign and domestic cars. Dual range tachometer 0 to 1000 rpm for precise carburetor adjustments. 0 to 5000 rpm, suitable for making all other tests at high engine speeds. Complete with Instruction manual. Shpg. wt., 4 lbs.

11 G 01013W

Net 28.95

TIMING LIGHT WITH REMOTE STARTER

5⁹⁵



Deluxe neon prefocusing light. Cranks engine from the outside—checks points, bearings and tappets. The remote starter is also useful in testing the fuel pump, generator, compression and electrical system. For 6, 12 or 24 volt systems. Shpg. wt., 1½ lbs.

11 G 42082

Net 5.95



TUNE UP KIT

10⁹⁵

- Tunes Engine For Maximum Efficiency
- For Accurate Ignition Timing of Any Engine

A complete kit to tune up the important systems of your car, truck or marine engine. Permits maximum efficiency for more economical operation. Kit includes compression tester, vacuum fuel pump tester and deluxe timing light with remote starter switch. Compression tester locates valve, ring, piston and cylinder troubles. Big 2½" dial is calibrated 0-300 lbs. pressure. Vacuum and fuel pump tester checks pressure and suction of fuel pump and vacuum system. 2½" dial calibrated in 0-30 inches and 0-3 lbs. Comes with rubber tubing for easy connections. Brilliant prefocused timing light features remote starting switch. For 6, 12 or 24 volt systems.

11 G 42090 Shpg. wt., 5 lbs.

Net 10.95

ELECTRONIC CRUISE CONTROL



EASY TO INSTALL

Only **19⁹⁵**

- Maintains Any Selected Highway Speed
- Does Not Affect Braking or Instant Acceleration
- Helps Adhere To Posted Speed Limits
- Sets Fast Idle for Quick Cold-Weather Warm-Up

An Electronic Cruise Control which enables you to drive at a constant speed by automatically holding the throttle steady. Eliminates the need to keep a foot glued on accelerator on long trips. Once you reach desired speed, simply pull out knob and the Cruise Control will automatically hold that speed. Allows instant acceleration for passing but takes over again when the foot is taken off the gas pedal. Ceases to function the moment the brake is depressed and completely disengages in the event of any malfunction. Designed to fit all cars and trucks. Shpg. wt., 1½ lbs.

11 G 59011

Net 19.95

Capacitive Discharge Ignition System

With Silicon
Controlled Rectifier



**SAVE
59¢**

1¢ BONUS

**TIMING LIGHT WITH REMOTE
STARTER With Purchase of
MARK TEN IGNITION SYSTEM**
Bonus Special Expires 1/1/70

• Quick, Easy Installation • Constant Speed to 10,000 RPM

Combines all the advantages of capacitive discharge with those of solid state circuitry. Patented circuitry eliminates point bounce problems and positively fires plugs regardless of point condition. Fast rise time spark prevents fouling from three to ten times. Point contacts last indefinitely. Eliminates mis-firing, reduces oil contaminants, prolongs engine life. Provides smoother and more efficient operation at all speeds; constant spark up to 10,000 RPM; with dramatically improved acceleration and economy. Provides faster, easier starting in all weather. Reliability and performance proven on thousands of military, commercial and private vehicles from Alaska to Cape Town. Unit operates with all commercial and original equipment tachometers. Installs immediately with two simple connections to the existing coil, leaving the standard system intact. No temperature limitations—mounts anywhere. Requires only a very small amount of input power—reduces load on engine and electrical load. For 12 volt negative ground system only. Wt., 3½ lbs.
11 G 9000BWXM Ignition System plus Timing Light Net 39.96
11 G 84506 Ignition System Only No Money Down* Net 39.95



As Low As

15⁹⁵

DELUXE 3/4" GAUGE AMMETER

- Heavy Chrome Die Cast Case
- All Electric—No Tubing

End guess work and space problems with this beautiful three-in-one gauge. Illuminated dial face gives accurate individual readings of oil pressure, amperage, and water temperature. Amp gauge reads —60 to +60, oil pressure registers 0 to 80 lbs., and water temperature is indicated from 100° to 220°. Fits all 12 volt negative or positive ground alternator or generator electrical systems. Handy 360° universal mount and durable chrome zinc die cast case. Supplied with wire, adjustable mounting ring, and senders. 11 G 42033 Shpg. wt., 2½ lbs. Net 15.95
DIL AND AMMETER GAUGE—Similar to above, less water temp. gauge. 11 G 42041 Shpg. wt., 2 lbs. Net 15.95



21⁹⁵

3/4" TRANSISTORIZED TACHOMETER

- For 4, 6, or 8 Cyl. 0-8,000 RPM
- Deluxe Chrome Die Cast Case
- Convenient Shift Set Needle

Rugged, precision engineered Tach features low power drain transistor circuitry, black and white illuminated dial face, and handsomely styled 3" long vibration-proof chrome die-cast housing. Tach also boasts a built-in shift set needle, adjustable steering column ring, and 360° universal mount. Will operate with transistor or regular ignition systems, 6 or 12 volt positive or negative ground. Easily mounted on or under dash, on console, or on steering column. Reliable indication permits better use of engine power—a must for the demanding driver. Shpg. wt., 2½ lbs. 11 G 42413 Net 21.95



28⁹⁵

3/4" 270° "WIDE SWEEP" TRANSISTORIZED TACH

Precision 0-10,000 RPM Scale for 6 or 8 Cylinder

Our finest tachometer features a wide sweep 3/4" illuminated black and white scale, precision D'Arsonval movement calibrated to 2% accuracy, and a shift set needle with 270° swing. Equal divisions between graduated markings for pin-point accuracy over the entire range. This handsomely styled instrument is virtually unaffected by vibration. Has deluxe 3" long chromed zinc die cast housing and 360° universal mounting for dash, console, or steering column mounting. For transistor or regular ignition systems at 6 or 12 volt positive or negative ground. Shpg. wt., 2½ lbs. 11 G 42363 Net 28.95

AUTO/MARINE BATTERY CLOCK

10⁹⁵



Attractively styled chrome bezel, with bright easy-to-read white face, has black markings and features a second pacing sweep hand. Fiber mesh fastening arrangements on base. Can be positioned on any metal, wood, plastic surface, including padded dashboards and yet is readily removable. 3¼" x 3½" x 2½" gray plastic case. Wt. 1 lb. 11 G 1750 Net 10.95
99 G 6257 Battery for above Net .14

OPERATES UP TO
1 YR. ON SINGLE
"C" CELL.

DELUXE REVOLVING BEACON

6⁴⁹



- Rotates Like a Lighthouse Beacon

A red warning light that rotates 360 degrees and flashes in all direction. Suction mount holds the beacon firmly in place. Signals for help for miles around: creates a safety zone during a traffic emergency. For use on autos, boats, trucks, docks, etc. For 12 volt use; complete with cigarette lighter adapter plug. Wt., 2 lbs. 11 G 13042 Net 6.49

*See Page 13 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 701 89

Gifts Automotive Accessories & Specialties

DRIVER ALERT Warns of Traffic Zones!



29⁹⁵

- Gives Advance Warning
- Miniature and Completely Transistorized
- Complete w/Long Life Mercury Batteries
- Clips Easily on Sunvisor
- Rugged Printed Circuit

Miniature electronic detector gives an audible warning whenever it intercepts a radar beam. Dual-Band circuit detects all commonly used police radar speed meters and traffic control devices, both vertically and horizontally polarized, to promote safer driving. Miniaturized and completely transistorized. Top quality components; printed wiring; 8 transistors; two 1,000 hour mercury cell, self-testing batteries (equivalent to 35,000 miles of driving at 35 M.P.H) Magnesium case eliminates radio, TV and other interference. Weighs only 13 ozs., measures 3 5/8" W x 2 1/4" x 3 1/4" D; clips to sunvisor. Complete with batteries, sunvisor clip. Instructions included.* Shpg. wt., 1 1/2 lbs.

11 G 42017

Net 29.95

This item not intended for resale in States where its use is forbidden in motor vehicles by public regulation.

MECHANICS' FOUR TRAY CANTILEVER TOOL BOX



- Full Size Storage Compartment PLUS Four Easy-Glide Cantilever Trays

9⁹⁵

Professional quality tool box... stores, protects precision tools. Ideal for machinists, electronics and automotive repairmen. Double cover swings out fully exposing four easy-glide cantilever trays for easy access to each compartment. Bottom compartment is completely exposed and large enough to store most bulky tools. Entire box is made of prime quality, extra-heavy gauge steel. Also has two heavy-duty round handles running along the entire length of the box and padlock eyes for locking. Handsome baked blue enamel finish. Over-all size: 17"L x 8"W x 8 1/4"H. Shpg. wt., 13 lbs.

13 G 56104W

Net 9.95

"FIAMM" ELECTRO COMPRESSOR AIR HORNS

- Chrome Plated Brass Trumpet
- Range of 1/2 Mile
- Loud—Clear—Continental Tone

As Low As
15⁹⁵



Model 22. Custom quality chrome trumpets with loud clear, piercing, continental tone. Range up to 1/2 mile. Ideal for use on trucks, sports cars, emergency vehicles, buses, boats, etc. Compressor pumps air to trumpets instantly when horn is pressed—there's no waiting for pressure to build up. Supplied with Town and Country Selector Switch which enables use of original horns for city driving. Complete with: 2 horns (7" & 9"), compressor, fittings, horn relay, and all necessary hardware. For 12 volts only. From Italy.

11 G 82500 Shpg. wt., 6 lbs.

Net 19.95

Model 22. Same as above but trumpets are enameled die-cast metal.


11 G 82518

Net 15.95

ON-GUARD PROFESSIONAL SIREN-OPERATED BURGLAR ALARM



- Loud, Police-type Siren Gives 3-Way Protection—All Doors, Trunk and Hood
- Pick-Proof On-Off Key Lock Mounts on Outside of Auto
- Complete—Easy To Install



Get 24-hour protection on your car, station wagon or truck with this complete burglar alarm system. The sharp penetration sound of the police-type siren will scare thieves away. The siren blasts off when anyone opens a door, the hood or trunk. The alarm can be shut off only with the alarm key. Complete system includes siren with trumpet, 4 door switches, hood switch, trunk switch, 2 brackets, electrical lock with 2 keys, wire, mounting hardware, instructions and 2 warning decals. For 12-volt cars only. Shpg wt., 3 lbs.

11 G 62015

Net 27.88

Bon Air SUPER POWER AUTO VACUUM CLEANER



- Super Power Suction
- Plugs into Cigarette Lighter Socket

A smart portable accessory for every car owner. Super power suction cleans in seconds. Specially designed nozzle gives easy access to hard to get at places such as under seats, ash trays, and in crevices. Its lightweight, and durable rust and dent proof construction make this fine unit ideal for boats, planes, trailers, and tents also. Easy to handle and well balanced. For 12V DC. Plugs right into the cigarette lighter socket. Size 17" long x 4" wide. Shpg. wt., 2 1/2 lbs.

11 G 22506

Net 8.95

Auto Aids and Specialties

SURE-FIRE 3-AMP BATTERY CHARGER

8.50

- For Both 6 & 12 Volts
- Built-in Meter
- Automatic Reset Breaker



Full 3-amp battery charger for quick starts in all weather. Edge view colored meter shows actual rate of charge and indicates battery condition. Reset circuit breaker gives automatic overload protection. Has 6 and 12 volt selector switch. Delivers tapering charge. Vented steel case; may be wall mounted. 6 ft. battery leads with 50 amp clips. Size: 6 x 4½ x 5¾". For operation from 105-125 Volt. 60 Hz AC. UL Listed. Shpg. wt., 5 lbs.

11 G 76049 Net 8.50

TRIPP LITE 150-WATT TRANSISTORIZED INVERTER

34.95 No Money Down

- Delivers 150 Watts Continuously
- Provides Household Current Anywhere
- Fused to Protect Battery



Model PV-150

A low-cost transistorized inverter which changes 12-volt DC to 115-volt 60 Hz AC. Delivers 150-watts continuously; 175-watts intermittently for shavers, recorders, radios, TV and many other appliances. Has on-off switch and replaceable fuse. Rugged construction. Size: 5 x 5 x 3½". Shpg. wt., 5½ lbs.

11 G 89505 Net 34.95

PATHFINDER DELUXE PLUG-IN SPOTLIGHT

- 12 Volt GE Sealed Beam
- 10 Foot Cord with Plug
- All Chrome, Zinc Cast Housing

4.95

Plug-in portable spotlight is a real "life-saver" in emergencies—provides dependable, instant, powerful light for safety in every night-driving need. Finger-grip handle permits easy direction of light beam. Flexible 10-foot cord; GE sealed beam; convenient hang-up hook; rich chrome plate on die-cast metal. Fits most cigarette lighter sockets. Stows away in glove compartment.

11 G 16250 Shpg. wt., 2 lbs. Net 4.95



LAFAYETTE BOOSTER CHARGER



SALE!
24.95
CUT 2.00

- 50 Amp. Battery Boost Power
- 10 Amp. Battery Charger

Starts cars fast in the coldest weather with automatic 50 amp. boost. Perfect for 6, 8 or 12 volt batteries. Operates as a booster and as a 10 amp. charger. Color coded meter indicates battery condition, charging and booster rate, and correct polarity. Full wave charging circuit, triple density selenium rectifiers, and auto-reset circuit breaker; heavy duty 8' input cord, and heavy duty 6' cables with clamps. Chrome plated front panel and baked enamel back and sides. UL listed. Size 8H5 ¾Wx6"D. Shpg. wt., 13 lbs.

11 G 01062 Net 24.95

DEFROSTER/DEFOGGER KIT FOR REAR WINDOW

Only 16.95



- Enjoy The Convenience and Safety of Clear Rear Vision
- Adjustable Louvers Direct Air Where Needed

Rear window defrosting kit with giant defrosting capacity—50 cu. feet of warm air per minute quickly defrosts and defogs rear window regardless of weather. Unit is easily installed in trunk; does not interfere with spare tire or luggage space. Adjustable louvers to direct flow of air are recessed; will not interfere with vision or rear deck space. Dash switch controls defroster operation. Improves heating and air conditioning operation of car by increasing air circulation. Kit includes heavy duty motor, defrost hoses, adjustable louvers, switch, wiring, templates, and installation instructions. Fits all cars, (except station wagon, convertibles, and rear engine cars) for 12 volt electrical system. Shpg. wt., 5 lbs.

11 G 12507 Net 16.95

WINDSHIELD DE-ICER

- Heavy Duty—Just Heat and Scrape

Only 9.95



Heavy duty, fast acting de-icer with high capacity blower. Clears up iced windows long before your car's own heating system has a chance to take effect. No more frozen windshields to block or distort vision. Heavy gauge, 16 ft. cord is long enough to reach all windows. Plugs into cigarette lighter. Break-resistant, cycloac housing. With mounting bracket and in-line fuse. Shpg. wt., 3½ lbs.

11 G 22514 Net 9.95

HELLA QUARTZ-IODINE FOG AND DRIVING LAMPS

- 260,000 Candle Power
- Die-cast, Slim-Line Body

High power, long life lamp gives life saving illumination in poor weather, makes night driving safer and less tiring. Wide angle, sharp cut-off fog lamp beam penetrates heavy fog. Driving lamp has concentrated, narrow beam for reaching far ahead of normal high beams. Chrome plated body. Sealed lens and reflector keeps out dirt and moisture. Fully adjustable mounting bracket. 5¾" diameter, 2½" deep. Shpg. wt., 2 lbs.

11 G 26515 Fog Lamp, yellow Net 11.95
11 G 26523 Driving Lamp, clear Net 11.95
11 G 26531 Replacement Bulb Net 4.75
Accessory Switch with 10 Ft. Cable. 11 G 26549 Shpg. wt., 4 oz. Net .89



11.95

DELUXE SUPER 8 REFLEX AUTO POWER ZOOM MOVIE CAMERA

Thru-The-Lens CdS Electric Eye
3.5 To 1 Power Zoom
Two-Speed Operation
Fast f/1.8 Lens

Camera Only
74⁹⁵
SAVE When You Buy
Complete Outfit
154⁹⁵ No Money
Down*

Take sharper, better exposed movies with this deluxe super 8 power zoom reflex camera. Features a thru-the-lens CdS electric eye that automatically controls the lens opening according to light conditions and drop-in, instant cartridge loading. Shoots 50 ft. with a single cartridge. Meter system automatically adjusts for film speeds from 10-400 ASA. Electric film drive motor does away with bothersome hand winding. Offers a choice of two filming speeds: 18 and 24 fps. Super fast f/1.8 Cinetor 3.5 to 1 zoom lens may be manually or automatically operated. Warning signal shows in viewfinder under insufficient light conditions. Exceptional features include automatic resetting footage counter, built-in type "A" filter, battery tester, focusing eyepiece, full range film speed, safety lock, light bar receptacle, cable release socket, pistol grip, and die-cast aluminum body with hinged doors. Focuses from 6 ft. to inf. Imported. Shpg. wt., 4 lbs.

15 G 78079L Net 74.95
15 G 16103 Camera Case for Above Net 3.95
99 G 62580 Batteries for Above (4 req.) Net ea. .10

COMPLETE POWER ZOOM MOVIE CAMERA OUTFIT

Everything you need for movie making and showing fun. Matched components consists of Power Zoom Super 8 f:1.8 camera—fully automatic 500W brilliance projector with F/1.5 Zoom Lens, automatic Reel-to-Reel threading thru gate, single knob control for Forward, Reverse, Still and Automatic Rapid Rewind. 400 ft. capacity. Projector includes self contained case—outfit also includes: 1-camera case; 1-roll Kodachrome film with free processing; extra 400 ft. reel and can; Mr. "Magoo" cartoon; 1-30x40 inch folding tripod screen; 4-batteries for camera; 1 Light Bar, 2 Bulbs. Shpg. wt., 23 lbs.

15 G 90173WXM Net 154.95
Auto Zoom Projector Only
Full feature, forward, still and reverse. Shpg. wt., 16 lbs.
15 G 78087WX Net 74.95



SUPER 8 ZOOM ELECTRIC EYE MOVIE OUTFIT

- Super 8 Loads Instantly
- Drop-In Cartridge-Shoot 50 Ft.
- No Winding-Electric Film Drive
- Automatic Reel-to-Reel Threading Projector
- includes Camera, Projector, Case, Screen, Movie Light and Film

Complete Zoom
Movie Outfit
Only
99⁹⁵
No Money Down*

Complete home movie making outfit. Includes super 8 zoom movie camera with sharp f/1.8 color-corrected 2 to 1 zoom ratio. Advanced, extremely accurate CdS electric eye exposure system sets the lens automatically for continuous, perfect exposures. No need to fumble with extra controls and miss the once-in-a-lifetime shot. Movie camera also features a built-in pistol grip, battery powered electric film drive, viewfinder with over/under exposure warning signal, footage indicator, tripod socket, built-in A filter, cartridge loading with auto door lock and a sturdy die-cast aluminum body. With 4 long-life alkaline batteries. Super 8 movie projector features convenient automatic reel-to-reel threading and automatic rapid rewind. Fast, coated f/1.4 lens and 500 watt bulb provide a bright, sharp screen image. Capacity is a full 400 ft. Projector has an adjustable framing control, built-in elevation adjustment, focus control, trimmer, automatic tension, clearing brush, and a high pressure fan cooling system. 110-120 VAC, 60 Hz. UL listed. With spare 400 ft. cap. reel. Self-contained case with carrying handle. Outfit also includes double light bar and 2 bulbs, Kodak super 8 film cartridge, carry-all camera case and 22" x 32" table top projection screen. Shpg. wt., 23 lbs.

15 G 90199WXM Net 99.95
15 G 78152WX Camera only. Shpg. wt., 2½ lbs. Net 49.95
15 G 78061WX Projector only. Shpg. wt., 15 lbs. Net 49.95





**YASHICA
SUPER 8-60E
6-1 POWER
ZOOM**

Only
169⁹⁵
No Money
Down*

- 8-48mm f/1.8 Automatic Zoom Lens
- Motorized—3-Speeds
- With Ultra-Modern Servomatic CdS Thru-the-Lens Exposure Control
- Reflex Viewing

Deluxe electric drive Super 60 Electronic reflex camera with fast electric f/1.8 lens zooms from 8 to 48 mm. Automatic CdS thru-the-lens exposure system and micro-split focusing. Super 8 drop-in cartridge loading, no threading. Shoot 50 ft. without rewinding. Other features include film type indicator window, parallax free reflex viewing, shutter trigger with continuous run button, spotlight and backlight lighting control, automatic film ASA speed selector, insufficient light indicator, remote control, single frame, adjustable eyepiece, and cable release sockets, 85A filter, battery checker, footage counter, and movie light slot. ASA Speeds: 25-400. Film Speeds: 12, 18, 24 fps. Imported. Shpg. wt., 3 lbs.

15 G 36408L Net 169.95

YASHICA SUPER 8—40E

Similar to above but with Yashinon f/1.8, 4:1 power zoom from 9 to 36 mm. Imported. Shpg. wt., 3 lbs.

15 G 36424L Net 139.95

99 G 62580 Batteries for above (4 required) Net ea. .10



**Lafayette
SUPER 8
REFLEX**

**ZOOM
MOVIE
CAMERA**

**OUR
LOW
LOW
PRICE**
39⁹⁵
QUANTITIES LIMITED
No Money Down*

- Sharp f/1.8 Zoom Lens
- Thru The Lens Viewing
- Automatic Thru-The-Lens CdS Electric Eye

An easy loading super 8 reflex camera with an automatic thru-the-lens CdS electric eye that automatically adjusts lens for correct exposure. F stop visible in viewfinder with a warning system for extreme lighting conditions. Fast f/1.8 zoom lens from 12 to 30 mm, for wide angle, normal, and telephoto shots. Focuses from 5 ft. to inf. Other features include: battery-powered motor drive; pistol grip; built-in type A filter that automatically disengages and provides the proper ASA setting for indoors; footage counter; film transport signal, and adjustable eye piece. Imported. Shpg. wt., 2½ lbs.

99 G 72167L Net 39.95

15 G 16103 Camera Case for above Net 3.95

99 G 62580 Extra Batteries for above (4 req.) Net ea. .10

**DeJUR
DUAL PROJECTOR
FOR BOTH SUPER
AND STANDARD 8**



As
Low As **69⁹⁵**

- A Movie Projector That Thinks It's A Slide Projector

Eldorado 86 movie projector with the advanced features of variable speed control, true slow motion and forward or reverse projection. 100% illumination for extended "still" projection, ultra-bright, long-life quartz Halogen lamp and cool, quiet operation. With sturdy diecast aluminum case, 400 ft. reel capacity, built-in automatic room light receptacle, automatic reel-to-reel threading, fast rewind, built-in film trimmer, lifetime lubrication and a self enclosed carrying case. Sharp f/1.5 zoom lens for excellent sharpness. For 117 VAC, 60 Hz. Shpg. wt., 14 lbs.

15 G 52142WX No Money Down* Net 109.95

Eldorado 84-Z. Similar to above but less slow motion, variable speed control, reverse projection and automatic room light illumination.

15 G 52132WX Shpg. wt., 14 lbs. Net 69.95

**gaf
DUAL PROJECTOR
FOR BOTH SUPER
AND STANDARD 8**




84⁹⁵

- 400 Feet Reel Capacity
- Instant Switch From Standard To Super 8MM Film

Model 588 Super or regular 8 mm movies . . . take your choice, the Anscovision 588 projector shows them both with brilliant, crisp projection. Ideal for the amateur photographer with a new super 8mm camera and a library of family history on regular 8 mm film. Sharp f/1.5 zoom lens permits flexibility in separation of screen and projector. Finger tip controls select rapid rewind, reverse, still, or rapid forward operation. Has convenient elevation control and room light coordinator outlet. Accepts reels up to 400 feet. Other quality features include 500 watt brilliance, automatic film threading and self-contained carrying case. For 110 volts 50/60 Hz. AC. Shpg. wt., 13 lbs.

15 G 78129W No Money Down* Net 84.95

**BELL & HOWELL
DELUXE DUAL PROJECTOR FOR
BOTH SUPER AND
STANDARD 8 FILMS**



169⁹⁵

- Variable Speed
- Reverse Operation Model 466Z
- Rugged Die-Cast Case

Projects super or regular 8 MM film with fully automatic reel to reel threading and variable film speed control. Brilliant f/1.2/19-32 MM Filmovara zoom lens assures crisp full screen viewing without the bother of setting up that "special" projector to screen spacing. Incorporates spindle adapters for super 8 reels, dial focusing, framing dial, tilt control, reverse and rapid rewind, film cutter for both super and standard 8 film, auto-load 400 ft. reel, and cord storage compartment. Motor fan cooling switch permits after show cooling for fast safe storage. Rugged die-cast construction. Self contained carrying case. For 117 volts 60 Hz. AC. 15 G 65084WX Shpg. wt., 20 lbs. Net 169.95



199⁹⁵

No Money
Down*

**MIRANDA
"SENSOREX"
35 MM SLR**

- Behind-The-Lens CdS Meter
- Variable Delay Self-Timer

Fully automated SLR camera utilizes cross-coupled behind-the-lens CdS meter (ASA range 25-1600 and EV 3-18) and ultrasharp Auto Miranda lens. Illumination is measured with the lens wide open and exposure is set by adjusting f-stop and/or shutter speeds. Multi-split-grid resolves into perfect clarity when pin point focus is achieved. Features interchangeable lens mount, built-in self timer, instant return mirror, interchangeable viewfinder, and rapid advance geared 150° cocking lever. Complete with built-in variable delay self-timer. Includes case and strap. Specifications: 50mm f/1.8 lens. Speeds: B, 1-1/1000th sec. FP & X Synch. Imported. 15 G 37117L Shpg. wt., 3 lbs. Net 199.95

"SENSOREX" 35 MM f/1.4. As above with super fast lens. 15 G 37240L No Money Down* Net 249.95

Minolta SR-T 101 35MM SLR

SALE
209⁹⁵ with case
CUT 10.00

SALE ENDS 1/1/70



A quality SLR featuring Minolta's "contrast light compensator" thru-the-lens CdS metering system. Exposure "match-needles" in viewfinder respond to change in aperture and/or shutter speeds. Exposure readings not affected by light entering viewfinder. Shutter speed scale visible in viewfinder. Readings are taken with lens wide open. ASA range is 6-6400. Features an instant return mirror; a focal plane shutter with speeds from 1-1/1000th plus B; FP&X synch.; auto-reset frame counter; self-timer, mirror lock, depth of field preview, and built-in accessory shoe. Includes a 55 mm f/1.7 lens, case and strap. Imported. Shpg. wt., 4 lbs. 15 G 34551L Net 209.95

**Minolta
SUBMINIATURE "16 II"
CAMERA
ONLY 31⁹⁵**



An extremely easy-to-operate, palm-size camera. Sliding camera in and out of built-in case advances film, cocks, shutter, counts exposure and prevents double exposure—all automatically. 6 shutter speeds from 1/30 to 1/500 sec. plus "B". Takes B & W pictures, color prints or color slides that fit any 35mm projector. Direct viewfinder shows picture exactly as it will appear on film. Lens opening from f/2.8 to f/16. With Case. Imported. Shpg. wt., 1 lb. Net 31.95

- 15 G 34163L Net 31.95
- MINOLTA 16 II Accessories. AV. Shpg. wt., 6 oz.**
- 15 G 34213 Duo Fit Flash Gun Net 6.49
 - 15 G 34221 Bracket for Flash and Tripod Mtg. Net 1.95
 - 15 G 34239 Aux. Lens Set—2 closeup, 1 distance, 1 Y filter Net 4.49
 - 15 G 34247 Color Filter Set—1 ea. 1A, 80A, 81B Net 4.49
- FILM FOR "16 II"—All are 20-exposure magazines Shpg. wt., 3 oz.**
- 15 G 34171L Kodak Plus-X Net .99
 - 15 G 34197L Kodachrome II Net 1.29
 - 15 G 34189L Kodak Double-X Net .99
 - 15 G 34502L Ektacolor Negative (color prints) Net 1.49

**MIRANDA
"SENSOMAT"
35MM SLR**

with case

159⁹⁵

No Money Down*



- Shutter Speeds to 1/1000th
- Thru-The-Lens CdS Meter
- Sharp 50 MM F/1.8 Lens

"Sensomat" is a truly versatile 35 mm SLR featuring a thru-the-lens CdS metering system with a narrow angle of acceptance for easier, more perfect picture taking. Match needle in the viewfinder can be centered for proper exposure by rotating the diaphragm and or the shutter speed dial. ASA range: 25-1600. Other features include fully interchangeable film and lens systems, shutter speeds of 1-1/1000th plus B, FP & X synch., automatic reset film counter with a magnifying lens, and a front and top shutter release for greater convenience. Focus from 17". Camera includes 50 mm f/1.8 auto lens, case and strap. Imported. Shpg. wt., 3 lbs. 15 G 37224L Net 159.95

"SENSOMAT" 35 MM f/1.4. As above but with fast lens. 15 G 37232L No Money Down* Net 199.95

**KODAK
INSTAMATIC CAMERA
COLOR OUTFIT**

As
Low
As **18⁵⁰**

- Accepts Flashcube
—Rotates it
Automatically



Model A124R Outfit. Simple-to-operate Kodak Instamatic 124R camera with Lumenized f/11 factory focused lens for good quality pictures. Quick, lever film advance and shutter which automatically adjusts for outdoor or flash shooting eliminates confusion and gets perfect pictures every time. Outfit contains camera with wrist strap, Kodacolor-X film cartridge, flashcube, alkaline batteries and instruction book. Shpg. wt., 4 lbs. 15 G 26359L Net 18.50

Model A174R Outfit. Features Kodak 174R camera with spring operated film advance for up to 12 pictures in 12 sec. Automatically advances film after each exposure, f/11 Lumenized lens is pre-focused from 4 ft. to infinity. Inserting flashcube automatically adjusts shutter speed for flash operation. Outfit includes camera with wrist strap, Kodacolor-X film cartridge, flashcube, alkaline batteries and instruction book. Shpg. wt., 6 lbs. 15 G 26367L Net 26.95

**YASHICA
LYNX-5000E**

with case

89⁹⁵

No Money
Down*

- Unique Electronic Integrated Circuit CdS Exposure System
- Combination Range and Viewfinder—Exposure Signal in Viewfinder



Modern easy to use camera with cds exposure system that uses "space-age" electronic circuitry for accurate exposure every time. "Over" or "under" signal appears in the viewfinder indicating which way to adjust the speed or aperture. Lamp turns off when correct exposure is set. Other features include shutter speeds from 1-1/1000th plus B, convenient speed aperture coupling, M & X synch., automatic parallax correction, rangefinder focusing, self-timer, single stroke film advance with double exposure prevention, auto-reset film counter, rapid rewind and an accessory shoe. ASA range is 10 to 800. Includes 45mm f/1.8 color corrected lens, case and strap. Imported. Shpg. wt., 3 lbs. 15 G 3E465L Net 89.95

LAFAYETTE CdS EXPOSURE METER

Professional Quality Ultra Sensitive—Measures Moonlight, Candlelight, Bouncelight

19⁹⁵

NOT A KIT
Completely
Wired



Now you can achieve correctly exposed photographs from the light of a single candle with this versatile, low cost Lafayette meter. Ultra-sensitive CdS photocell meter utilizes dual light ranges to accurately measure light intensity including extremely low light levels for night or available light photography. Operates comfortably with one hand. A single slide switch controls light range and automatically moves the proper scale into position for easier readings. Measures reflected and incident light with built-in hemispheric diffuser. The meter can be adjusted with a click stop switch to three angles of light acceptance; 15° telephoto, 45° standard and 75° wide angle matching your readings to the camera lens and scene being photographed. Reflex viewfinder with frame markers provide precise area readings for 15° and 45°. Has battery test and "off" position to prolong battery life. External zero adjustment and two mercury batteries (included) assure accuracy over long continuous use. Cushioned jewel mechanism and high impact case, 4 3/4 x 2 1/2 x 1 3/8" D. Imported. Shpg. wt., 13 oz.

99 G 71979L

Net 19.95

15 G 16095 Hard leather everyday case strap. Wt., 6 oz.

Net 3.95

SPECIFICATIONS

Sensitivity: Low Range, 0.44 to 110 footcandles; High Range, 110 to 28,000 footcandles. ASA Film Speed Range: 6 to 12,000 (1° to 12°). Diaphragm Stops: f/0.5 to f/64. Shutter Speeds: 1/4000 second to 30 minutes. Movie Scale: 4 to 128 frames per second. EL-LVS Scale: -12 to +22. Acceptance Angle: 15° Tele, 45° Std., 75° Wide Angle. Color Response: 5,600 Angstroms (peak). Photocell Type: Cadmium Sulphide. Batteries: 2 Mercury.

HI-BEAM ELECTRONIC STROBE FLASH

- With Built-in Rechargeable Nickel Cadmium Batteries and Charger

Only

26⁹⁵

Compact, powerful flash no larger than a cigarette pack and weighing only 8 1/2 oz. gives you light where and when you need it. Guide No. 40 for ASA 25 films. 1/3000-sec. flash duration. It operates from either 110v or 220v AC with built-in cord or its self-contained rechargeable nickel cadmium batteries. Shoot every 10 seconds with up to 60 flashes per charge. Reflector coverage is 55°; color temperature is balanced for all daylight and B & W color films. Size 3 7/8 x 2 3/8 x 1 3/8". Imported. Shpg. wt., 1 lb.

13 G 36395

Net 26.95



LAFAYETTE TRANSISTORIZED ELECTRONIC STROBE FLASH

- Lightweight & compact
- Fully Transistorized
- Operates On 4 Economical "AA" Batteries

Now you can have a high-powered transistorized electronic flash that operates from standard AC house current or 4 economical "AA" cell batteries. Compact and feather-weight—no power pack is required. Flash duration is 1/2000th of a second for "stop-action" pictures. Recycling time: 6 to 8 seconds; color temperature: balanced for all daylight B&W and color films. Guide number dial for F stop on back. Mounts either vertically or horizontally. Fits any camera shoe. Complete with AC cord, camera cord and batteries. Imported. Shpg. wt., 2 lbs.

99 G 71847

Net 14.95

32 G 48861 Alkaline batteries for above (4 req.)

Net ea. 3.95



WIDE ANGLE AND TELEPHOTO LENSES for KODAK INSTAMATIC CAMERAS

5⁴⁹



Increase your cameras' versatility with a wide angle or telephoto lens. We also include accessories that slip on the lens and cover the magazine to increase the flash range and result in a magnification of about 2 times the original size as compared with the normal lens. The wide-angle lens increases the flash range and results in an increased subject area of about 75%. Each lens includes a built-in reflector. Shpg. wt., 1/2 lb.

For Instamatic Models —

102, 954, 100, 106, 126B, 170B, 170B, 170B, 170B

15 G 48521 Wide Angle Lens Net 5.49

15 G 48548 Telephoto Lens Net 5.49

15 G 48537 Wide Angle Lens Net 5.49

15 G 48582 Telephoto Lens Net 5.49

AIREQUIPT REMOTE CONTROL SLIDE PROJECTOR

- Includes Remote Control for Forward/Reverse and Micro Focus
- 500 Watt Lamp
- 4" 3-Element Color Correct Lens
- Complete With Circular Magazine For 100 Slides

Model 135. Fully remote controlled projector with a sharp 4" lens and a 500 watt lamp for brilliant screen viewing. Features a highly efficient bower for cool, quiet operation, slide preheat to insure immediate focus, thermo-cut-off to prevent overheating, panel focus control, elevation control, 3-way on/off switch, and a smartly designed self-contained unbreakable case. Shpg. wt., 10 lbs.

15 G 36473W

Net 59.95

MODEL 125 SLIDE PROJECTOR

Similar to above except no remote control. Control panel focusing. With 100 slide circular magazine. Shpg. wt., 10 lbs.

15 G 36531W

Net 44.95

15 G 36481 100 Slide Circular Magazine Shpg. wt., 1 lb.

Net 2.79

15 G 36499 36 Slide Metal Magazine Shpg. wt., 1/2 lb.

Net 1.99




59⁹⁵ No Money Down*

Polaroid

MODEL 360 with Electronic Flash

- Built-In Electronic Flash with Automatic Recharger
- Built-In Electronic Timer

Advanced Colorpack camera with clip-on electronic flash which eliminates the bother of carrying extra flashbulbs. Have finished color pictures in a minute, black and white in seconds. Features built-in timer, two exposure ranges for color and two for black and white, lighten-darken control, and transistorized electronic shutter. Accurate Zeiss Ikon range and viewfinder. Triplet lens and electric eye exposure control for superior pictures. Shutter lock prevents accidental exposure. Automatic recharger for electronic flash operates on house current. Deluxe, brushed chrome construction. 15 G 30203L Shpg. wt., 3 lbs. No Money Down* Net 177.50



177⁵⁰
No Money Down*

See Film and Accessory Listing Below.

COLORPACK II



29⁹⁵

- Produces Color Pictures in a Minute, Black and White in Seconds

Easy loading, no threading or winding. Sensitive electric-eye measures the light of the subject and combines with the transistorized electronic shutter to set exposures automatically. Three element lens produces sharp pictures. Flash is built-in, simply snap on a flashcube for indoor pictures... no special exposure setting necessary. Distance settings are visible in the viewfinder. T-bar insures accurate tab pulling. Lighten-Darken control. Shutter lock prevents accidental exposures. Shpg. wt., 3 lbs.

15 G 30179L

Net 29.95

See Film and Accessories Listed Below.

MODEL 320



- Lighten-Darken Control

56⁹⁵
No Money Down*

Transistorized electronic shutter and electric eye automatically set the exposure for perfect pictures the first time you use it. Deluxe range and viewfinder for accurate focusing and framing. Optional automatic flash takes the guesswork out of indoor picture taking. Just aim and shoot. Easy to load, no film threading. With lighten-darken control to adjust for unusual lighting conditions and shutter lock to prevent accidental exposures. Produces color pictures in a minute, black and white in seconds. Shpg. wt., 3 lbs.

15 G 30187WX No Money Down*

Net 56.95

See Film and Accessories Listing Below.

FILM AND ACCESSORIES FOR POLAROID CAMERAS

- Carryall Case for 320 and 360 Cameras. 15 G 16137 Shpg. wt., 2 lbs. Net 4.95
- Carryall Case for Colorpack II. 15 G 16145 Shpg. wt., 2 lbs. Net 2.95
- Type 107 B & W Film Pack. 8 exp. 15 G 30211L Shpg. wt., 8 oz. Net 2.50
- Type 108 Color Film Pack. 8 exp. 15 G 30161L Shpg. wt., 8 oz. Net 4.50
- Flash Attachment for 320. Uses M-3 Bulbs. 15 G 30195L Shpg. wt., 1 lb. Net 7.50
- M-3 Flashbulbs. Pkg. of 12. 15 G 47280 Shpg. wt., 6 oz. Net 1.59
- Flashcubes. Pkg. of 3 takes 12 shots. 15 G 26326L Shpg. wt., 6 oz. Net 1.49

DEVELOPMENT TIMER FOR POLAROID

5⁹⁵

- 10 to 120 Seconds

Development Timer avoids wasting expensive color film through improper development. Now you don't have to count to develop your Polaroid film. Get top notch pictures every-time. Can be set for up to 120 seconds in 10 second intervals. For all Color Pack cameras. Bell rings when time is up. Imported. 15 G 49534 Shpg. wt., 1/2 lb. Net 5.95

LENS SET FOR POLAROID CAMERAS



As Low As **17⁵⁰**

- Wide Angle & Telephoto Lens
- View Finder

An ideal companion to the Polaroid Camera. Telephoto lens increases the focal length of the lens and results in a 3 times magnification. Wide Angle lens provides a 75% increase of subject area. Each lens has a "conversion band scale." Supplied with slip-on ring adapter, ring, view finder and case with shoulder strap. Imported. Wt. 2 lbs. For Polaroid Models 100, 101, 103, 230, 240, 250, 340, 350, 360. 15 G 49237 Net 29.95

For Models 104, 210 and 220. 15 G 49302 Net 25.50

For New Color Pack II 15 G 49567 Net 27.50

For "Big Swinger" 15 G 49344 Net 18.95

For Model 20 "Swinger" 15 G 49310 Net 17.50

PHOTO COPIER FOR POLAROID CAMERAS



As Low As **4⁹⁵**

Want copies of your Polaroid snapshots? Make them yourself on the spot in as little as 15 seconds using your present Polaroid. It's easy! Imported. Shpg. wt., 2 lbs.

FOR MOST POLAROID COLOR PACK CAMERAS 15 G 49500 Net 7.49

FOR POLAROID COLOR PACK II CAMERA 15 G 49559 Net 7.49

FOR POLAROID SWINGER 20 15 G 49518 Net 4.95

FOR BIG SWINGER 15 G 49526 Net 7.49

Arcturus

ARCTURUS 4 1/2" D. EQUATORIAL REFLECTOR

- 450X with Barlow Lens



89⁹⁵

No Money Down*

- Eyepieces and Barlow Lens For 450X, 300X, 225X, 150X, 90X and 45X • 900mm Focal Length • Micromotion Controls For Horizontal, Polar, Declination • 4 1/2" (114mm) F/8 Spherical Aluminized Quartz Mirror • Barlow Lens Included

4 1/2" spherical, aluminized quartz mirror gives wide, flat field of view and outstanding color definition. Three coated eyepieces provide magnifications of 45X, 150X, 225X; (with Barlow lens 90X, 300X and 450X). Fast resolving power of 1.5 seconds and 900mm focal length permits detailed viewing up to twelfth magnitude. 5X24mm right-angle, prismatic finder scope with cross hairs easily locates objects to be viewed. Micro-motion controls and equatorial mount with hour and declination circles provides complete control for tracking. Heavy-duty hardwood tripod with accessory tray adjusts from 33 to 60". Complete with lenses, Sun glass, Moon glass, Barlow lens. Scope size: 4 1/2" Dia., 36" long. Imported. Shpg. wt., 32 lbs.

99 G 72183WX

Net 89.95

LAFAYETTE

Telescopes

Meteor 4" Reflector

- 264X with Optional Barlow Lens



29⁹⁵

- Eyepieces for 132 and 64 X
- 4" (100 mm) f/11
- Aluminized First Surface Secondary Mirror

A fine, compact professionally designed 4" reflecting telescope with carefully aluminized optics for exceptionally low light loss. Primary mirror is aluminized and quartz overlaid. Highly achromatic optical system features very low chromatic aberration. Adjustable wooden 48" tripod with tray brace and convenient optical sight permit easy field use on uneven surfaces. Rack and pinion drive assures smooth focusing. Lightweight aluminum body has white baked enameloid finish: Specs.: Mirror Dia.: 4"(100mm). Focal Length: 800 mm. Eyepieces: 25 and 12.5 mm Huygenian. Resolving Power: 1.4 seconds. Supplied with stand, sun filter, and two eyepieces. Imported.

99 G 72126WX Shpg. wt., 10 lbs.

Net 29.95

99 G 70542 Barlow lens for double power. Wt., 8 oz. Net 3.95

Polaris



LAFAYETTE 2.4" EQUATORIAL REFRACTOR

**20.00
PRICE
CUT**

NOW ONLY **59⁵⁰**

WAS \$79.50
1969 Cat. 690

Quantities Limited

- Eyepieces for 160x, 88x, 40x, Barlow Lens gives 320x, 176x, 80x
- 800-mm. focal length • 62-mm objective • Micromotion adjustments on both axes • Coated optics throughout • Equatorial mount
- Objective: Fraunhofer-type achromat, hard coated, 62.5-mm., 800-mm. focal length. Collects about 75 times as much light as the naked eye, resolving power 2 seconds, faintest discernible star 10.7 magnitude. Eyepieces are hard-coated Huygenians. 160x (5-mm), 88x (9-mm), 40x (20-mm). Barlow Lens included give ranges of 320x, 176x and 80x. Finder scope is 6x, 30-mm. Tripod head with latitude adjustment. Clamp lever for declination and inclination. Accessories include sunglass, star diagonal, erecting prism, sun projection screen, field tripod, wooden case, Rack-and-pinion focusing. Heavy plating to prevent rusting. Imported. Shpg. wt., 30 lbs.

99 G 70328WX (400x with Barlow Lens) ...

Net 59.50

4-mm. orthoscopic eyepiece for 260X

99 G 70435

Net 8.95



LAFAYETTE 8-25X 30-mm ZOOM SPOTTING SCOPE

- Zoom Any Power From 8X to 25X
- Quick Focusing With Table Top Tripod

An outstanding varipower spotting scope that is ideal for any "spotting" need in field or general use... shooters, bird watchers, etc. Features 30mm coated lens for brilliant viewing. Fingertip controls for quick zooming and focusing. Has a built-in camera tripod socket. Includes a table-top tripod with rubber-tipped legs that prevent scratching of furniture. Compact, lightweight and portable... ideal for taking it everywhere you go. Complete with black, zippered carrying case with convenient belt loop. Overall length of scope is 12". Imported. Shpg. wt., 3 lbs.

99 G 71920

Net 13.95

ONLY **13⁹⁵**




*See Page 13 for Full Credit Details on Easy Pay Plan



LAFAYETTE

Microscopes

For BEGINNERS and INTERMEDIATE STUDENTS



900X "ZOOM" STUDENT LABORATORY

Complete Outfit
For Only **19⁹⁵**

- Zoom from 100 to 900 Power
- All Metal Construction
- All Dissecting and Mounting Materials
- Prepared and Blank Slides
- Includes AC/OC Substage Illuminator

A complete microscope laboratory for the student and enthusiast. Provides all necessary material to explore the interesting field of microscopic research. The 900X microscope offers various combinations of magnification from 100X to 900X with four objective lenses (10X, 20X, 40X, 60X). Combined with the fine ocular which "zooms" from 10X to 15X, the scope provides clear, sharp images. Tube movement governed by adjustable downstop with a locking screw...prevents costly slide breakage. The 900X features an optical condenser, plano mirror and built-in 3-volt light using the

AC adapter included, or 2 penlight batteries. Laboratory includes a dissecting kit with hand lens, blunt-end scissor, scalpel and probe; glassware (test tubes, specimen bottles, alcohol burner). There are several prepared slides, blank slides, cover glasses, mounting balsam, Methylene Blue and Rhodamine stains. Imported. Shpg. wt., 7 lbs.

99 G 71953 Complete Microscope Outfit	Net 19.95
99 G 71060 Replacement bulb	Net .15
99 G 62580 Battery (2 required)	Net .10

1200 X "RESEARCHER" MICROSCOPE SET

44⁹⁵

No Money
Down*

- 25X to 1200X in 12 Ranges
- Full Range Fine Focus Adjustment
- Integral Mechanical Stage
- Rotating Diaphragm
- All Metal Construction

Closely parallels the "Society" grade microscope. Four Huygenian eyepieces: 5X, 10X, 15X P20X combine with four achromatic objectives: 5X, 10X, 40X, 60X to yield 12 combinations: 25X, 50X, 75X, 100X, 150X, 200X, 300X, 400X, 600X, 800X, 900X, 1200X. Dual knob rack and pinion coarse focusing with tension adjustment for slow motion. Micro-motion fine focusing adjustment. Spring loaded to prevent objective from driving through slide. 85mm x 85mm stage can be moved in any direction, with slide, by 2 knurled screws while looking through the eyepiece. Sub-stage has rotating, 5-position diaphragm and 35mm plano/concave reflecting mirror. Stable horseshoe base. Complete with set of 5 basic dissecting instruments, 10 slides, pack of cover slips, tube of mounting fluid. All in a dovetailed wooden carrying case with handle and four rubber feet. Imported. Shpg. wt., 10 lbs.

99 G 70419 Net 44.95



80X TO 1200X ZOOM MICROSCOPE SET

24⁹⁵

- 80X-1200X Magnification
- 3-Way Substage Mirror
- 4 Achromatic Objectives
- All Metal Construction

Constantly variable magnification of 80, 100, 160, 200, 400, 600, 800 and 1200 times. Zoom eyepiece for less specimen adjustment and controlled detail magnification. Excellent dual knob coarse and fine focus control. Stage includes optical condenser and aperture diaphragm. Spring loaded rack prevents damaging objective. Substage illuminator-mirror combination for direct, incandescent, or reflected illumination. Includes 2 prepared slides, 4 blank slides, spatula, scalpel, probe, scissors, tweezers, and magnifying glass. Wooden case with carrying handle. Illuminator operates on penlight cells or house current, by means of a transformer. Less batteries. Imported. Shpg. wt., 6 lbs.

99 G 71409 Zoom Microscope	Net 24.95
99 G 71060 Battery (2 required)	Net ea. .15
TRANSFORMER—Permits use of house current for illumination	
99 G 71102 Shpg. wt., 8 oz.	Net 1.80



600X MICROSCOPE SET

6⁹⁵

- With Sub-Stage Light
- 75X-300X-600X
- Triple Revolving Turret

For the student—hobbyists—or budding scientist! Features built-in sub-stage light and three achromatic objective lenses giving magnification of 75X, 300X and 600X. Complete with 3-glass slides, 5-piece dissecting set and hardwood cabinet. All metal. Shpg. wt., 4 1/2 lbs.

15 G 64020	Net 6.95
Battery (2 required)	
99 G 62580	Net ea. .10



900X "ZOOM" MICROSCOPE SET

14⁹⁵

- 100X to 900X with Zoom Action
- Built-in Substage Illuminator
- All Metal Construction

Features advanced zoom type micro-optics. Four hard coated objectives set in a revolving "click stop" turret give magnifications of 100X, 150X, 200X, 300X, 450X, 600X, and 900X. Zoom action permits choosing multiple magnifications without changing eyepiece or objective. The eyepiece zooms smoothly from 10X to 15X. Illuminator, operates with batteries or house current, by means of transformer listed below. Round hole disc diaphragm controls illumination. Includes instructions, sample slides, 6 piece dissecting kit and wooden carrying case. Less batteries. Imported. 99 G 71391 900X Microscope wt., 5 lbs. Net 14.95 99 G 62580 Battery (2 required) Net ea. .10 TRANSFORMER—Permits use of house current for illumination. Imported. Shpg. wt., 8 oz. 99 G 71102 Net 1.80



The "Micro-Standard Mark II

DELUXE 1500X SOCIETY STANDARD MICROSCOPE

- 25X to 1500X in 12 Ranges • 4 Achromatic objectives in rotating turret • Variable substage condenser with iris diaphragm • Standard society optics, both objectives and eyepieces • Par focal within 0.1mm

An unusually fine optical instrument designed especially for precision viewing requiring high magnification with an oil immersion lens. The outstanding features of great range and engineered versatility, optimum clarity and great magnification are usually found in microscopes costing much more.

OPTICAL SPECIFICATIONS: Three Huygenian eyepieces—5x, 10x, 15x. Four achromatic objectives—5x, 10x, 40x, 100x (oil immersion). **FOCAL LENGTH:** 170 mm. **Monocular.** **FOCUSING:** Coarse focus with adjustable tension. Fine focus vernier adjustment. Par-Focal within 1/2 rotation of fine focus control (0.1 mm.). Spring loaded safety device prevents objective going through slide. **STAGE:** Square stage: 95 mm x 95mm. Integral mechanical stage, adjustable in any direction. Stage chps. **SUBSTAGE:** Focusing condenser with variable iris, diaphragm, 41 mm plano concave mirror. Tilting Base. Overall 12" high, 6 1/2" deep, 4 1/2" wide. Imported. Shpg. wt., 11 1/2 lbs.
99 G 71342WX

Net 99.95

CLINICAL AND
ADVANCED
ACADEMIC MODEL

99⁹⁵
No Money
Down*



LAFAYETTE EXTRA WIDE ANGLE BINOCULARS



SALE!
SAVE OVER
10%
WAS 27.95

24⁹⁵

No Money Down*

SALE ENDS
JAN. 1, 1970

- Doubles The Field Of Ordinary Binoculars
- 580 Ft. Field Of View at 1000 Yards
- Oversize Oculars • Exceptional Quality

A multi-purpose, precise 7x35mm binocular that is particularly adept for field studies. Wide-angle hard coated prisms permit brilliant and close-up details of sporting events, without sacrificing the image, as is the case with regular narrow angle binoculars. Field of view at 1000 yards is 580 feet! Center focus and right eye adjustment insure perfect focus. All optics are sealed against moisture and are properly collimated and aligned. Hard lined case for protective storage when not in use. Complete with neck strap. Imported. Shpg. wt., 4 lbs.
99 G 70195 Net 24.95

LAFAYETTE VERSATILE BINOCULARS

As Low As
16⁹⁵



Precise design—quality material—and expert workmanship. All lenses are hard coated—prisms clamped in lightweight alloy frame and body—sealed against dust and moisture—properly collimated and aligned. All are center focus with adjustable right eyepiece. Hard lined case and neckstraps included.

7x35 POPULAR, VERSATILE, ALL PURPOSE BINOCULARS. For the sportsmen—hunter—bird watcher—vacationer. High luminosity. Compact design. Imported. Shpg. wt., 3 lbs.
99 G 70187 Net 16.95

7x50 NAVY STYLE NIGHT GLASSES. Favored for marine use. The choice of professionals because of exceptionally high light gathering power. Superior image brightness. Imported. Shpg. wt., 3 1/2 lbs.
99 G 70161 Net 21.95

20x50 KING OF THE LONG RANGE. Hunters, mountain climbers, plane spotters, forest rangers—any long distance viewing and observation requirement. Imported. Shpg. wt., 4 1/2 lbs.
99 G 70203 Net 27.95



LAFAYETTE TRU-ZOOM™ WIDE-ANGLE BINOCULARS

- Not a "Vari-Power"
- One Control Zooms Both Barrels
- 7X to 12X—or any Power in Between
- Center Focus—Right Eye Adjust—Plus Single Synchronous' Zoom Control!

44⁹⁵

No Money Down*

Sensational Zoom action holds even fast-moving subjects in perfect view. Sight in any subject at 7-power—then Zoom up to 12-power (or any power in between) for closeup viewing. Full 40mm. objective lenses, hard coated achromats. Field of view is 323 feet at 1000 yds., at 7 power. Prisms clamped in shock-resistant mounts. Lightweight alloy frame and body. Sealed against dust and moisture. Includes plush-lined, hard case and straps. Imported
99 G 71086 Shpg. wt., 5 lbs. Net 44.95

Deluxe Powerful Musical

100 Watt Solid State "Piggy Back" Amplifier with Reverb-Tremolo, 3-Speakers, 2-Channels

- For Guitar, Organ and Vocal Use
- Hammond Reverberation Unit
- Variable Tremolo
- 2-12" Special Design Heavy Duty Jensen Speakers plus High-Frequency Horn
- Extruded Aluminum Panel

Piggy back amplifier with 14 silicon transistors plus silicon rectifier and heavy-duty power and driver transformers. Closed back speaker designed to project low end response. Two 12" Jensen speakers plus a high frequency horn results in tremendous reproduction of brilliant highs, deep lows and solid midrange. Excellent for lead or rhythm guitars. Two channels with high and low level inputs. Separate volume and tone controls for each channel. Depth control for reverb. Intensity control for tremolo circuit. Footswitch jacks for reverb and tremolo activation. Pilot light, fuse, and on-off switch. Sturdy wood cabinets covered in black textured scuff-resistant vinyl with metal corner protectors and heavy duty handles. Amplifier size: 7H x 22½L x 10¾"D. Speaker cabinet size: 27H x 23½ x 11½"D. For 117 VAC 50/60 Hz. Shpg. wt., 60 lbs.

13 G 01647WX Net 198.95
 Dual Foot Switch for Remote Control of Tremolo and Reverb.
 13 G 01506 Shpg. wt., 1½ lbs. Net 4.95
 13 G 01498W Dolly for above Amplifier. Wt., 5 lbs. Net 11.95



199⁹⁵
 No Money Down!



**80
 WATT**
149⁹⁵
 No Money Down!

80-Watt "Piggy Back" Bass Amplifier

- Powerful 15" Jensen Speaker with 27 oz. Magnet
- Excellent For Use With Electric Bass, Regular Guitar, Accordion and Combo-Organ
- "Easy Reach" Extruded Brushed Aluminum Control Panel

Fabulous, full bass sound with a minimum of distortion. Specially designed durable 15" Jensen speaker has a wide range response. Has 3 inputs: bass, high and low. Two slide switches for "deep" or "sharp" reproduction. Treble, bass, and volume controls. Neon pilot lamps. Fuse and 3-position switch for power off/standby/on. Super 80-watt peak power chassis uses 5 tubes, 2 dual purpose tubes for 7 tube performance, and all solid state rectifier circuit. Heavy duty transformers provide greater output. Two units; ¾" wood amplifier/speaker cabinet, and "piggy back" amplifier which sits neatly on top of speaker cabinet. Cabinets have attractive grey and silver acoustical cloth. Ribbed vinyl carrying handle. Speaker cabinet size: 23½H x 22L x 11½"D. Amplifier: 7¼H x 18½L x 10½"D. For 117V AC 50/60 Hz. Shpg. wt., 58 lbs.

13 G 01480WX Net 149.95
 13 G 01498W Dolly for above amplifier Net 11.95



**50
 WATT**
99⁹⁵
 No Money Down!

50-Watt Solid State "Piggy Back" Bass Amplifier

- Heavy Duty 15" Special Design Speaker
- For Use With Electric Bass, Regular Guitar, Accordion and Combo-Organ
- 2-Instrument Inputs

Gives full bass and vibrant sound with a minimum of distortion. Powerful 50 watt peak amplifier is ideal for use with electric bass or standard guitars, and combo organs. All solid state circuitry (5-transistors and 4-silicon rectifiers) provides excellent sound. Features a specially designed 15" speaker with a wide range response. High and low gain inputs plus separate volume and tone controls allow complete operating flexibility. Has On-Off switch plus pilot light and fuse. Two units; speaker and amplifier in matching black, vinyl covered wood enclosures with handles. Size: Amp, 4¾H x 14W x 8"D; Speaker, 22¾H x 18W x 11"D. For 117V 50/60 Hz AC. 13 G 01548WX Shpg. wt., 35 lbs. Net 99.95

Instrument Amplifiers



**70
WATT**
159⁹⁵
No Money Down*

**50
WATT**
139⁹⁵
No Money Down*

70-Watt Solid State "Reverb"—"Tremolo" Three-Speaker 2 Channel Amplifier

- Hammond "Reverb" Unit For Echo-Like Effect
- Pulsating "Tremolo" For "Go-Go" Effect
- 2-12" Heavy Duty Special Design Jensen Speakers plus High-Frequency Horn
- Extruded Aluminum "Slanted Front Panel"

Remarkable reproduction, finest craftsmanship, make up this 2-channel 70 watt peak amplifier. Produce "Tremolo" "Reverb" effects separately or simultaneously. Exceptionally good for guitar, organ and vocal use. Features 13 silicon transistors plus silicon rectifiers and heavy-duty output transformers. Has 4-instrument inputs (2-per channel), plus separate volume and tone controls for each channel. Two superb 12" Jensen musical instrument speakers plus a high frequency horn. Includes tremolo with speed and intensity controls and Hammond reverb unit with depth control plus foot switch jacks for reverb and tremolo activation; pilot light; fuse; and "T" nut provisions for dolls. Sturdy wood cabinet, covered in black textured, scuff-resistant vinyl. For 117V., 50/60 Hz AC. Size: 32H x 23W x 10"D. Shpg. wt., 50 lbs.

13 G 01571WX No Money Down* Net 159.95
Dual Foot Switch for remote control of tremolo/reverb. Net 4.95
13 G 01506 Shpg. wt., 1 lb. Net 11.95
13 G 01498W Dolly for above amplifier

50 Watt "Reverb" "Tremolo" Twin-Speaker 2 Channel Amplifier

- 2-12" Heavy Duty Special Design Jensen Speakers
- Pulsating "Tremolo" For "Go-Go" Effect
- Hammond "Reverb" Unit For Echo-Like Effect

Get faithful reproduction of every note. Excellent for guitar, organ and vocal use. Has special heavy duty Jensen speakers. AC chassis utilizes 6 tubes, 4 dual purpose tubes provide 10 tube performance. 4 Instrument inputs provide outstanding versatility. Two channel 50 watt peak amplifier. Has 2 volume and 2 tone controls. Features remote control foot switch jacks for colorful tremolo and reverb operation, plus 2 tremolo controls — speed and intensity; reverb "depth" control; on/off/standby switch; pilot light and carrying handle. Sturdy wood case covered in shimmering black vinyl. "T" nut provision for dolly. Size: 32H x 23L x 10"D. For 117V., 50/60 Hz AC. Shpg. wt., 45 lbs.

13 G 01563WX No Money Down* Net 139.95
Dual Foot Switch for remote control of tremolo and reverb. Net 4.95
13 G 01506 Shpg. wt., 1 1/2 lbs. Net 11.95
13 G 01498W Dolly for above amplifier

*See Page 13 for Full Credit Details on Easy Pay Plan



**30
WATT**
99⁹⁵
No Money Down*

"Reverb" "Tremolo" Twin-Speaker Amplifier

- "Reverb" For Echo-Like Effect
- Tremolo For Pulsating Sound
- 2-10" Special Design Jensen Speakers
- 3-Instrument Inputs *
- Extruded Aluminum "Slanted" Front Panel

Features two built-in heavy duty 10" Jensen speakers for clean reproduction of every musical note. Excellent for guitar, microphone and accordion use. Three Instrument Inputs. Five controls: two for volume and tone; two for speed and intensity of tremolo and one for "reverb" depth control. Footswitch jacks for remote control of tremolo and reverb. 30 watt peak AC amplifier chassis utilizes 5 dual tubes equivalent to an 8 tube circuit, plus solid-state rectifiers for reliable operation. Also has pilot light, on/off switch and fuse. Sturdy wood cabinet covered in luxurious black vinyl. Has "T" nut provision for dolly. Size: 31 1/2 H x 20 W x 10" D. For 117V., 50/60 Hz AC. Shpg. wt., 37 lbs.

13 G 01555WX No Money Down* Net 99.95
Dual Foot Switch for remote control of tremolo and reverb. Net 4.95
13 G 01506 Shpg. wt., 1 1/2 lbs. Net 11.95
13 G 01498W Dolly for above amplifier. Wt., 5 lbs.

**10
WATT**

Tremolo Reverb Amplifier

49⁹⁵

- Tremolo Speed/Depth Reverb Controls
- Heavy-Duty 10" Speaker




Impressive, 10-watt solid state reverb and tremolo amplifier with self-contained 10" heavy-duty speaker. Slanted, front-mounted control panel features "easy-to-reach" controls for Volume, Tone, Reverb, Tremolo speed, Tremolo depth; two instrument inputs reverb and tremolo foot switch input jack; bright-glow pilot light. Housed in an attractive sturdy vinyl covered wood cabinet with carry handle and grill cloth. Size: 19"H x 15"W x 6 1/2"D. For 117V., 60Hz AC Imported. 99 G 92074WX No Money Down* Shpg. wt., 16 lbs. Net 49.95
Dual Foot Switch For Remote Control of Tremolo and Reverb. Net 4.95
13 G 01506 Shpg. wt., 1 1/2 lbs.

MUSICAL INSTRUMENT

AUTOMATIC RHYTHMER 124⁹⁵

No Money Down*



- A Versatile Electronic Instrument Producing a Wide Variety of Rhythms For Accompaniment

Solid-state portable rhythm. Ideal for teachers to produce a wide variety of rhythms and a steady beat for the students to follow. For students—a complete rhythm section to play along with. For single performers—bring along your own rhythm section! Works with any amplifier to produce 12 distinctive rhythm selections plus an infinite variety of accompaniments by mixing two or more rhythms. Variable tempo control can be set for accompaniment to a Waltz, Fox Trot, Rhumba, Samba, Mambo, Slow Rock, Fast Rock, Swing, Bossa Nova, Cha-Cha, Tango, or a March. Each rhythm is

made up of a variety of percussion sounds: Bass Drum, Snare Drum, High Hat, Cow Bell, Bass Conga, Tenor Conga, and Cymbal. Additional features include: Master Volume and On/Off control, Tone control, On/Off rocker switch for instant control or rhythm plus On/Off Remote Control Foot switch, pilot light and 12 pushbutton rhythm selectors. Circuitry: 32 transistors, 95 diodes. For 100-117 VAC, 50/60 Hz. Handsomely styled walnut finish case with brushed aluminum panel. Size: 18 $\frac{1}{2}$ "W x 3 $\frac{1}{4}$ "H x 11 $\frac{3}{8}$ "D. Shpg. wt., 10 lbs. 13 G 24557W Net 124.95



LAFAYETTE PORTABLE "ROCKBEAT" RHYTHMER

59⁹⁵

- Completely Automatic Percussion
- Six Exciting Beats: Swing Trot, Down Beat, Jazz Rock, Rockbeat, 4 Beat, Slow Ballad

Instant rhythm at your fingertips. Select any one of six rhythms: swing trot, down beat, jazz rock, rock beat, 4 beat, and slow ballad. Rhythm can be changed even while the "Rockbeat" is in operation. Use Solo or in a group. Instant pushbutton start/stop switch. Tempo control varies beat for any rhythm. Separate pushbutton permits add-lib solo drum beat to suit the mood; variations can be made by changing the time between each push of the solo button and by varying the time it is held down. Simple connection, just plug the Rockbeat into your musical instrument amplifier or hi-fi amplifier. Separate jacks for foot-pedal operation of start/stop and solo drum beat. Compact enough to be placed anywhere. 7 $\frac{1}{2}$ x 7 $\frac{1}{2}$ x 1 $\frac{1}{8}$ ". Operates on a 9V transistor battery or with the optional AC adapter listed below. Imported. Shpg. wt., 3 lbs. 99 G 90102 No Money Down* Net 59.95

AC Adapter for above. Shpg. wt., 1/2 lb. 99 G 35057 Net 2.59

LAFAYETTE SOLID-STATE "ECHO-VERB" REVERBERATION UNIT

SALE
19⁹⁵
OUT \$2.00
SALE ENDS
JAN. 2, 1975



• "Add-on" Reverb Unit for any Musical Instrument Amplifier or P.A. System

Simulates the full sound top artists get! Compact, lightweight, transistorized reverburation unit creates a new dimension in audibility to overcome dull, flat ordinary sound. Can be used with any instrument amplifier, or P.A. system. Minutes to connect, the "Echo-Verb" may be used for sound effects. Has inputs for mike and/or instrument—plus a foot switch input to cut reverberation in or out from a remote location, pilot light and a reverb mix control that lets you select whatever intensity of reverberation you desire. With reverb mix control in the "Off" position, standard sound will be heard from the amplifier. With on/off switch. For 117V., 50/60 Hz. AC. Size: 3 $\frac{3}{4}$ "H x 11 $\frac{1}{2}$ "W x 6 $\frac{1}{2}$ "D. Imported. Shpg. wt., 5 lbs. 99 G 92025W Net 19.95

Foot Switch for Remote Control of "Echo-Verb". Shpg. wt., 1 $\frac{1}{2}$ lbs. 13 G 01514 Net 2.99



FREQ-LITE

29⁹⁵

- Fantastic Color Frequency of Light with Sound
- The Louder the Sound, the Brighter the Light!

Now, without complicated and costly stage production equipment, lighting can be as wild as voice or music! Connected to any amplifier, tape recorder, or record player, its brilliance changes from note-to-note, projecting fantastically fast and precise variations of lighting to match the intensity of sound. Use multiple units in a group with varied light colors in each unit to get sensational color blending with sound. Control unit can be placed virtually anywhere for remote operation of light sensitivity, or, to turn lights on and off. System can also be used as a constant light source. Uses 2-75W flood lamps. Operates on 110-125V., 60 Hz AC. Includes lamps, 10' AC line cord. Shpg. wt., 4 lbs. 13 G 17759 Net 29.95

ACCESSORIES

ROTO VIBE

A NEW DIMENSION

IN SOUND

PRODUCE THE ROTATING SPEAKER EFFECT AND VIBRATO WITH YOUR OWN AMPLIFIER — ELECTRONICALLY!



ONLY
79⁹⁵

No Money Down*

Finally an electronic instrument that can truly simulate the rotating speaker effect through any musical instrument amplifier! Not only produces the Fast or Slow rotating effect but, by the use of the remote speed control pedal, can vary the speed at any rate you desire. Enables the player to produce the various modern effects which are being used on the stage, in the studio, and with theater organs. Can be used with any of the following instruments: organ, bass guitar, rhythm and lead guitar, electric piano, accordion, and other electronic band instruments. Plus: Voice for vocal effects now being used by the top recording groups around the country. Easily connects

between instrument and amplifier. Foot pedal has cancel switch to instantly cancel effect being produced. Also features a rocker switch for selecting either the rotating speaker effect or a true vibrato effect. Other controls include Volume, Chorus/Vibrato, Intensity, On/Off power switch, fuse, pilot light, inputs for 2 Instruments, and an output for the amplifier. Unit is AC operated, fully transistorized, and has a rugged metal construction. Compact, only 10"Wx6½"Dx3"H. Can be placed in any conveniently reached location. Imported. Shpg. wt., 6 lbs.

13 G 66400

Net 79.95

DELUXE AC SUPER FUZZ

- Remote Control Foot Switch for Ease of Operation
- Expanded Fuzz Produces A New Dimension in Sound Effects
- Complete Controlled Range of Sustained Fuzz Effects



39⁹⁵ No Money Down*

AC operated super fuzz. No more batteries to fuss with as in conventional units. No more bending to adjust controls; control unit is separate from foot switch. Can be placed on amplifier or speaker within easy reach of the performer. Controls include Balance, Expander, and Tone control for a complete, controlled range of sustained fuzz effects. Electronically creates an harmonic producing sustained sound, now being used by top recording artists. Connects easily between your guitar or bass and the amplifier. Includes remote control foot switch. Long-lasting, solid-state circuitry combined with rugged metal construction. Size: 7¾"Wx5"Dx2"H. For 117 VAC, 60 Hz. Imported. Shpg. wt., 3 lbs.

13 G 66418

Net 39.95

LAFAYETTE "FUZZ SOUND"

SALE
11⁹⁵ OUT
\$3.00
SALE ENDS JAN. 1, 1975

- Make your guitar or bass produce the harmony of several wind instruments!



Add more instruments to your small combo with the "Fuzz" Sound! Create a wide variety of synthesized tones such as those produced by a baritone, or bass saxophone. Battery powered, it easily connects between your guitar, or bass and the amplifier and is operated by an On/Off foot switch. Has two variable control knobs; one for regulating the "fuzz" effect and one for volume and intensity. A supplementary On/Off switch is combined with the volume control to conserve battery life. Fully transistorized, the unit is built for heavy duty use and operates on a single penlight battery. A rugged metal case protects inside circuitry. Overall size: 5½L x 3½W x 2¼" over. H. Imported. Shpg. wt. 1¼ lbs.

99 G 91993

Net 11.95

99 G 62580 Battery for above

Net .10

WAH WAH SOUND and VOLUME CONTROL

Only **29⁹⁵**

- Produce A Wide Variety of Special Sound Effects
- Use With Any Electric Guitar or Bass



Produce the Wah-Wah effect of a trumpet or trombone with your guitar or bass, electronically. Add extra instruments to your combo by creating the effect of synthesized tones identical to those of a trombone or trumpet when muted by hand or derby. No reaching down for controls. Large, 8½" footpedal gives you the full range of Wah-Wah sounds plus operates as a volume control by depressing a built-in switch under the heel of the footpedal. Input jack contains a switch to turn the unit on or off. Operates on 3 "C" cells. Fully transistorized, rugged construction. Imported. Size: 10x3¼x3".

13 G 66301

Net 29.95

99 G 62572 Battery for above. 3 required.

Net ea. .14

SUPER FUZZ Today's "In-Sound"

Only **24⁹⁵**

- Expanded Fuzz Can Produce a Sitar-Like Dimension in Sound
- Complete Controlled Range of Sustained Fuzz Effects



Solid-state Super Fuzz provides a complete range of controlled new harmonic sustained fuzz effects. Produces the wild new In-Sound widely used by the top recording groups. Balance control enables perfect blend of fuzz and normal tones. Expander control provides unlimited range of sustained fuzz effects. Two position tone compensator permits choice of standard fuzz or new harmonic sustained sitar-like dimensional sound. Master foot control switches instantly to normal guitar operation. Rugged metal construction. Size: 6½ x 3¾ x 17/8". With cord and battery. Imported. Shpg. wt., 1½ lbs.

13 G 66178

Net 24.95

99 G 60212 Battery for above

Net .21

*See Page 13 for Full Credit Details on Easy Pay Plan



**PORTABLE TRANSISTORIZED
ELECTRONIC ORGAN
With Built-In Amplifier**

299⁹⁵

No Money Down*

- Fully Transistorized—With Two Speakers
- Easy to Carry—Packs Like a Suitcase
- Perfect for Combo or Home Use

Portable organ has a built-in fully transistorized 10-watt amplifier and two oval speakers. Ready to play anywhere... Suitable for any entertainer, at home or school. 49-key keyboard spans 4 full octaves and produces a wide range of tonal variations. Three 16" voice tabs — bass bourdon; bourdon; and strings. Four 8" voice tabs — flute; diapason; strings; and trumpet. Trumpet tab simulates 4' effects to give an even wider variety of sounds. On-Off tab vibrato with rotary speed and intensity controls. Volume/On-Off switch with pilot light and separate volume control for bass octave. Photo-cell type expression pedal. Can also be played through an external amplifier. Comes in red and black trim. Size: 31" keyboard; height 32"; 18" deep. Operate on 117 VAC. Imported from Italy. Shpg. wt., 68 lbs.
13 G 66343WX Net 299.95



**Estey DUAL MANUAL &
CHORD ORGAN**

ONLY **249⁹⁵**

No Money Down*

- Lifetime Stainless Steel Reeds
- 37 Key Upper—32 Key Lower Keyboard with 40 Chord Buttons

Play music in 60 seconds. Features dual manual keyboard with full size waterfall keys in a 37 note upper and 32 note lower keyboard with 40 chord buttons. Includes major, minor, seventh, diminished, and bass. Magnificent console cabinet is finished in mar, burn, and stain resistant walnut tone. Hand tuned stainless steel reeds. Built-in tone chamber gives more mellow sound. Foot pedal volume control. On/Off switch with pilot light. With instructions/song book and chord chart. Operates on 117 VAC. Size: 36½Wx19Dx34¼"H.
12 G 58573WX No Money Down* Shpg. wt., 110 lbs. Net 249.95

Storage Compartment Bench. Burnproof, mar-resistant walnut finish. Shpg. wt., 16 lbs.
12 G 58581WX Net 24.95



Estey 40 CHORD ORGAN

- 37 Keys—Foot Volume Control
- Permanently Tuned Stainless Steel Reeds

149⁹⁵

No Money Down*

40 chord electric organ features 37 ivory white keys; 40 chords — 8 bass, 8 major, 8 minor, 8 sevenths, and 8 diminished. Convenient on/off switch, foot pedal volume control for playing with expression. Grained walnut finish is burn, stain and scratch resistant. Matching music rack. With instruction book. Size: 33Lx17Dx31"H. For 117 VAC. Less bench Shpg. wt., 69 lbs.
12 G 58524WX Net 149.95

Storage compartment bench. Burnproof, mar-resistant walnut finish. Shpg. wt., 16 lbs.
12 G 58599WX Net 24.95



Estey 18 CHORD ORGAN

- 37 Keys—Hand Volume Control
- Stainless Steel Reeds

99⁹⁵

No Money Down*

With Bench and 5 Music Books

18 chord electric organ with 37 full size, white numbered keys. 18 chords include 6 major, 6 minor, and 6 sevenths. Features lifetime hand tuned stainless steel reeds. Modern style console cabinet with music rack has burn proof, mar-resistant walnut finish. Complete with vinyl covered bench and 5 music books. Convenient on/off switch and volume control. With easy-to-play A-B-C and 1-2-3 instruction book. Size: 30½Hx 29½Wx15"D. For 117 VAC, 60 Hz. Shpg. wt., 66 lbs.
12 G 58607WX Net 99.95



Magnus 12 CHORD ORGAN

- 37 Treble Keys
- Music Light

59⁹⁵

No Money Down*

Handsome contemporary styled 12 chord electric organ with matching music rack. Easily played in 60 seconds without lessons. 37 treble keys and 12 chord buttons. With hand volume control and on/off switch. Has convenient Magna-Lite music light. Cabinet has mar-resistant walnut grained finish. With music book. Size: 32Hx30Wx13"D. For 117 VAC. 60 Hz. Shpg. wt., 50 lbs.
12 G 58052WX Net 59.95

Non-lift Bench. Burn proof, mar-resistant walnut finish. Shpg. wt., 12 lbs.
12 G 58532W Net 14.95

Mail This Card Today For Your

FREE!

1970 Lafayette Catalog 700



82109

Name _____

Address _____

City _____ State _____ Zip Code _____

Please Give Your Zip Code Number

Do A Friend a Favor . . .

If you have a friend who would be interested in getting a copy of the new 1970 Lafayette Catalog No. 700, just give him this card . . . or fill in his name and address and mail this card to us. He will get a catalog absolutely FREE, no charge or obligation.



82109

Name _____

Address _____

City _____ State _____ Zip Code _____

Please Give Your Zip Code Number

PLACE
STAMP
HERE

LAFAYETTE
RADIO ELECTRONICS

P.O. BOX 10
SYOSSET, L.I., N.Y. 11791

DEPT. 701

PLACE
STAMP
HERE

LAFAYETTE
RADIO ELECTRONICS

P.O. BOX 10
SYOSSET, L.I., N.Y. 11791

DEPT. 701

BIG

SOUND

Drums

OPTIONAL
16"x16" Floor Tom Tom



ONLY
99⁹⁵

No Money
Down*



ONLY **199⁹⁵** No Money
Down*

9-PC. "COMBO" DRUM OUTFIT

- 9-Ply Construction Thru-Out
- Double Lug—Separate Tension
- With 14" Cymbal—Cow Bell—
Toneblock—Sticks—Brushes

A quality 9 piece drum outfit for the beginner or advanced musician. Outfit contains an 8"x12" Tom Tom, a 14"x20" bass drum, both with double lug separate tension rods, and a 5½"x14" separate tension snare drum. Bass drum features a fully adjustable "fast" action pedal, die-cast chrome plated steel rims, streamlined hardware, and chrome plated cow bell. All drums have plastic heads, feature triple flanged rims and chrome plated hardware. Other items include a 14" cymbal with fully adjustable cymbal holder that will adjust to any height or angle, disappearing spurs, sticks, and stick holder, a flat base snare drum stand, and a universal adjustable rail mount console for "ride" of Tom Tom. Bright finish. Imported. Shpg. wt., 60 lbs.

13 G 2450WX Bright Blue Net 99.95
13 G 2456WX Bright Silver Net 99.95

16" x 16" FLOOR TOM TOM FOR ABOVE
13 G 2457WX Bright Blue Wt. 15 lbs. Net 34.95
13 G 24581WX Bright Silver Wt. 15 lbs. Net 34.95



Audio-Lites

Panorama of Living Music
In Colored Lights

49⁹⁵

No Money Down*

Add a new dimension to your musical enjoyment the modern way! Offers more than listening pleasure from your favorite music, you can actually visualize a brilliantly moving panorama of colored, dancing images with each note, tone, and pitch produced by the music. Will not affect amplifier operation. Easily connects to speaker leads. In attractive simulated walnut grained cabinet with shatter-proof plastic front. Size: 24 x 12 x 11¾"D. Shpg. wt., 10 lbs.
13 G 75500WX Net 49.95

PROFESSIONAL 15-PC. DRUM OUTFIT

- 9-Ply Construction Thru-Out
- Double Lug—Double Tension

Deluxe, professional quality drum outfit with all the most wanted accessories. Meets the demand for quality and sound in every way. Each drum has completely adjustable tension rods for quick and easy tuning. Set consists of 14"x20" Bass Drum with 8-separate beaver-tail tension lugs, spurs, cymbal holder, consolelet tom tom mount, internal muffler and inlaid chromed hoops. 5½"x14" Snare Drum — 8-tension, speedy throw-off, and internal muffler. 16"x16" Floor Tom Tom — 8-tension with internal muffler. One 8"x12" and one 9"x13" Tom Tom — 6-tension with muffler. Drums have coated plastic heads, celluloid covered for bright finish. Includes deluxe, flat-base snare stand, floor cymbal stand, and a super deluxe, direct-action Hi-Hat stand with fast action pedal. Set also contains a 16" Ride Cymbal, a pair of 14" Hi-Hat Cymbals, and deluxe bass drum pedal, drum sticks and brushes, cowbell, woodblock and holder. Imported. Shpg. wt., 85 lbs.
13 G 66251WX Bright Red Net 199.95
13 G 66269WX Bright Blue Net 199.95

5-Piece Vinyl Drum Cover Case. Shpg. wt., 10 lbs.
13 G 66277W Net 34.95

SOLID

Electric Guitars

SAVE UP TO \$16.50

WHEN YOU BUY AN OUTFIT

BODY

(B) 4 Pick-Up ONLY

44⁹⁵

No Money Down*

(A) 2 PICK-UP CUTAWAY SOLID BODY ELECTRIC GUITAR

- True Vibrato Tailpiece
- Steel Reinforced Adjustable Neck
- Volume and Tone Controls

Solid-body, double cutaway, electric guitar. Has friction free adjustable chrome bridge; compression tremolo; dual adjustable pickups with individual Off/On switches; and rugged chrome plated machines. Thin, fast action, steel reinforced neck is laminated and features a 21 fret rosewood fingerboard with 8 distinctive, white inlaid position markers. Beautiful lacquered body has inlaid highly polished chrome plate. Bevelled contour body is finished in a glittering red sunburst shade. Complete with cord. Size: 38½Hx12Wx1¼"D. Imported.

13 G 24516WX Shpg. wt., 10 lbs. Net 29.95
 Sturdy Lined Case for Above Guitar. Wt., 3 lbs.
 13 G 13261WX Net 8.95

(B) DELUXE 4 PICK-UP SOLID BODY ELECTRIC GUITAR

- With Tremolo Tailpiece
- Modern, Double Cutaway Design
- Adjustable, Steel Reinforced Neck

Thin body, double cutaway design features a fast, slimline neck. An instrument with great flair that can be played with pride by all guitarists. Features a steel reinforced adjustable neck with variable string guides and an adjustable metal bridge. Includes tremolo with a large, flat bar for convenient use. Has attractive oval rosewood fingerboard and 20 new flat-type frets providing faster fingering. Separate on/off switch and volume control for each pick-up plus a master tone control. Richly designed, ebony pick guard with gold floral inlay, 9 mother-of-pearl inlaid position markers. Highly polished green sunburst finish. Imported. Shpg. wt., 14 lbs.

13 G 24599WX Net 44.95
 Sturdy lined case for above. Shpg. wt., 3 lbs.
 13 G 24607WX Net 8.95

(A) 2-Pick-Up ONLY

29⁹⁵



MONEY SAVING GUITAR OUTFITS

All outfits include a guitar, amplifier remote foot switch, plus neck strap, pickup cord, extra set of strings, pitch pipe, 6 picks, instruction book and hand record.

2 Pick-Up Solid Body Guitar Outfit

Includes: 13-24516WX Guitar, 99-92074WX 10 watt Reverb/Tremolo Amplifier (see page 101), plus all of above accessories. Shpg. wt., 27 lbs.
 13 G 90798WXM No Money Down* Net 89.50

4 Pick-Up Solid Body Guitar Outfit

Includes: 13-24599WX Guitar, 99-92074WX 10 watt Reverb/Tremolo Amplifier (see page 101), plus all of above accessories. Shpg. wt., 28 lbs.
 13 G 91168WXM No Money Down* Net 99.95

Deluxe 4 Pick-Up Solid Body Guitar Outfit

Includes: 13-24599WX Guitar, 13-01555WX 30 watt Reverb/Tremolo twin speaker amplifier (see page 101), plus all of above accessories. Shpg. wt., 40 lbs.

13 G 91176WXM No Money Down* Net 148.75

FOR

B I G

DYNAMIC SOUND!

deluxe

hollow

body

ELECTRIC GUITARS

(C)

ONLY

49⁹⁵

No Money Down*

(D)

ONLY

79⁹⁵

No Money Down*

(E)

ONLY

89⁹⁵

No Money Down*



(C) "ULTRA-SLIM" 2 PICK-UP HOLLOW BODY ELECTRIC GUITAR

- "Hi-Response" True Vibrato Tailpiece
- Steel Reinforced, Adjustable Neck
- Adjustable Bridge—Adjustable Pick-Ups

Handsomely styled double cut-away electric guitar with dual pickups for solo or rhythm work. Narrow celluloid bound high speed adjustable neck is steel reinforced for extra strength and features a 21 fret rosewood fingerboard with white inlaid position markers. Also has sturdy tremolo tailpiece, laminated arched top and back, volume and tone controls plus 3-position selector switch for choice of pickup. Individual precision machine heads. Hand rubbed shaded red finish. 16Wx41¼Hx1¾"D. Imported.

13 G 66186WX Net 49.95
Sturdy Case For Above Guitar. Shpg. wt., 4 lbs.
13 G 66012WX Net 9.95

(D) DELUXE 2 PICK-UP "SLIMLINE" HOLLOW BODY ELECTRIC GUITAR

- "Laminated" — Steel Reinforced Adjustable Neck
- Individual Volume and Tone Controls
- Custom Designed Tremolo Tailpiece

Custom crafted, professional quality instrument! Features 21 fret, oval rosewood fingerboard with mother-of-pearl inlaid position markers and triple bound edges. Has two ultra-sensitive, hum-free pick-ups with individual pole adjustments, height adjustments, and individual volume and tone controls. 3-position lever switch selects bridge pickup for solo, and forward pickup for rhythm work; or, permits use of both pickups simultaneously. Large handsome celluloid bound body is shaped and contoured for optimum sound response. Beautifully flamed high-gloss polyestric finish. 16Wx44Hx2"D. Imported. Shpg. wt., 16 lbs.

13 G 66020WX Net 79.95
Sturdy Case With Plush Lining For Above.
13 G 66038WX Shpg. wt., 4 lbs. Net 11.95

(E) DELUXE 12-STRING 2 PICK-UP HOLLOW BODY ELECTRIC GUITAR

- Fully Adjustable Compensating Bridge
- Steel Reinforced Adjustable Neck
- 4-Controls plus Switch for Exciting Musical Sounds and Effects

Ultra sleek, double cutaway, thin-line instrument for the professional guitarist. Two ultra-sensitive hum-free pick-ups with individual pole and height adjustment. Separate volume and tone controls for individual pickups; 3-position selector switch for Solo/Rhythm and Super Bass sounds. The body is of selected flame grained woods and contoured both front and back for perfect body comfort. Slim fast-action neck is steel reinforced and features a 21 fret oval rosewood fingerboard with mother-of-pearl inlaid position blocks plus side position markers and triple bound edges. Also has Universally adjustable bridge; custom designed tailpiece. Beautifully flamed high-gloss polyestric finish. Imported. With cord. Shpg. wt., 18 lbs.

13 G 66046WX Net 89.95
Sturdy Case With Plush Lining For Above.
13 G 66053WX Shpg. wt., 4 lbs. Net 13.95

*See Page 13 for Full Credit Details on Easy Pay Plan

Lafayette Cat. No. 701 107

SOLID & HOLLOW BODY

Electric Bases



A
VIOLIN-SHAPED
2 PICK-UP BASS

49⁹⁵

No Money Down

**(A) VIOLIN SHAPED
2-PICK-UP ELECTRIC BASS**

Classic violin shape with Italian styled head-piece, combines with two magnetic pick-ups for a pure, rich, bass sound. Three position switch accentuates the highs, lows and mid-range. Delicately arched hollow body bound in decorative celluloid trim, features: a 6-piece laminated, fully adjustable, steel reinforced neck; bound rosewood fingerboard with heavy nickel silver frets and inlaid position markers; chrome plated trapeze tailpiece; adjustable bridge; fully enclosed tuning machines; sparkling sunburst finish with a celluloid pick guard, and mahogany finger rest. cord. 44 $\frac{1}{2}$ x13x2 $\frac{1}{4}$ " Imported. 13 G 24532WX Shpg. wt., 12 lbs. Net 49.95
Sturdy case for above. Shpg. wt., 4 lbs. 13 G 24540WX Net 8.95

Save

UP TO

25⁰⁰

ON
COMPLETE
OUTFITS

B
2 PICK-UP
SOLID BODY
BASS

39⁹⁵

No Money Down*

C
DELUXE 2 PICK-UP
HOLLOW BODY
ELECTRIC BASS

89⁹⁵

No Money Down*

**(B) 2 PICK-UP SOLID
BODY ELECTRIC BASS**

Long neck, slimline electric bass guitar of selected neck woods for excellent speed and response and easy fingering. Hand rubbed, shaded sunburst body finished in durable acrylic lacquer. 46" steel reinforced adjustable neck has celluloid bound oval rosewood fingerboard, 20 frets, 8 pearl inlaid position markers, and large machines for fast accurate tuning. Sensitive pick-ups have adjustable pole pieces for precise balancing of individual strings. Two, feather-touch rocker standby switches for instant control of each pick-up. Includes separate volume and tone controls and compensation adjustable bridge. With cord. Imported. Size: 46Lx13 $\frac{1}{2}$ Wx11"D. Shpg. wt., 15 lbs. 13 G 24615WX Net 39.95
Sturdy Case for above. Shpg. wt., 4 lbs. 13 G 24623WX Net 9.95

**(C) DELUXE 2 PICK-UP
HOLLOW BODY ELECTRIC BASS**

Produces deep bass tones with brilliant cadence! Features adjustable muting control; 2 perfectly balanced adjustable pick-ups; individual tone and volume controls for each pick-up; 3 position toggle switch for solo/rhythm; fully adjustable compensating bridge; individual chrome covered precision machines; and custom designed tailpiece. Hard maple, steel reinforced adjustable neck with a 20 fret, oval rosewood fingerboard, 9 mother-of-pearl inlaid position blocks, side position markers and triple bound edges. The beautiful, flame grained thin-line, double cutaway hardwood body is celluloid bound and protected by a pick guard. With cord. Imported. Size: 46Hx16Wx 2"D. Shpg. wt., 18 lbs. 13 G 66087WX Net 89.95
Sturdy case with plush lining for above. 13 G 66095WX Shpg. wt., 4 lbs. Net 13.95

COMPLETE ELECTRIC BASS OUTFITS—SAVE UP TO \$25.00 from Individual Catalog Prices

Outfit No	Elect. Bass	Amplifier	Watts	Shpg. wt.	Net
13 G 91184WXM	13 G 24615WX	13 G 01480WX	80	75 lbs.	182.50
13 G 91192WXM	13 G 24615WX	13 G 01548WX	50	52 lbs.	137.50
13 G 91127WXM	13 G 24532WX	13 G 01480WX	80	75 lbs.	190.95
13 G 91135WXM	13 G 24532WX	13 G 01548WX	50	52 lbs.	145.95
13 G 90327WXM	13 G 36087WX	13 G 01480WX	80	79 lbs.	230.95
13 G 90749WXM	13 G 66087WX	13 G 01548WX	50	56 lbs.	185.95

Each Electric Bass Guitar Outfit consists of a Electric Bass Amplifier, Case, Neck Strap, Pick-up Ccrrd plus "Modern Electric Bass Guitar Method" book. See Pages 100 to 101 for Amplifiers

www.Easy Pay Plan

RICH TONE

ACOUSTIC GUITARS



A
Classic Guitar
29⁹⁵



B
Folk Guitar
29⁹⁵



C
Deluxe Classic Guitar
54⁹⁵

A GRAND CONCERT CLASSIC GUITAR
Beautiful detailed concert classical guitar with white spruce top and mahogany sides and back. Features a steel reinforced rosewood neck with 19 fret fingerboard and top. Front and back of the large, shaped and contoured for ultimate performance. Has rosewood pinless bridge, 6 side position markers, heavy duty machine heads with rollers and an open headpiece. Highly polished, grained sides and back. With nylon strings. Sizes: 38 3/8" L x 14 1/4" W x 3 3/4" D. Imported. Shpg. wt., 10 lbs. Net 29.95
13 G 66152WX See Case Below

CONCERT SIZE CLASSICAL GUITAR
Similar to above. Size: 38 3/8" L x 14 1/4" W x 3 3/4" D. Imported. Net 19.95
13 G 66137WX Shpg. wt., 10 lbs. Net 8.95
Sturdy Case for Above Guitars. Shpg. wt., 4 lbs.

B POPULAR FOLK GUITAR
Grand concert size, attractively crafted in highly polished selected spruce top with mahogany back and sides. Bound edges, decorated sound hole with shell celluloid decoration pickguard. Has rosewood fingerboard with black pearl position markers; rosewood pin style bridge; steel strings, chrome plate tuning gears. Imported. Size: 15 1/4" W x 40 1/4" L x 3 1/2" D. Shpg. wt., 10 lbs. Net 29.95
13 G 66434WX

Country & Western Model, Similar to above Western Style; Grand Concert size: 15 3/8" W x 40 1/4" L x 3 1/2" D. Shpg. wt., 10 lbs. Net 29.95
13 G 66442WX
Sturdy Lined Case for above guitar. Shpg. wt., 4 lbs. Net 8.95
13 G 66459WX

C DELUXE CLASSIC GUITAR
• Concert Size—Beautiful Grained and Rosewood Sides and Back
Made of carefully selected hardwoods. Back and sides of matched rosewood with inlaid Marquetry trim; top from close grain spruce in a beautiful burnt orange finish. Custom design fan bracing adds a vibrant tone, wider range. Bridge and sound hole inlaid with wood Marquetry of matching Spanish design. Marquetry inlaid headpiece; rosewood fingerboard with nickel silver frets and side position markers. Size: 39 1/4" L x 14 1/4" W. Nylon strings. Imported. Wt. 10 lbs. Net 54.95
13 G 66467WX No Money Down*
Sturdy case with Plush Lining for above. Shpg. wt., 4 lbs. Net 14.95
13 G 66475WX

SALE

17⁹⁵

Complete Outfit
CUT 10%
SALE ENDS
Jan. 1, 1970

7 PIECE "BEGINNERS OUTFIT"

- Everything You Need Including Beginners Record Course and Book

Nicely finished with open headpiece and pinless bridge. Can be used either as nylon string classic or steel string Folk guitar. Steel reinforced neck. Guitar has hardwood body with Blonde top. Highly polished finish with design around sound hole. Comes complete with Nylon and extra set of steel strings, Vinyl zippered carrying bag, neck cord, pick, instruction book and record course: Size: 36 1/4" L x 13 W x 3 1/2" D. Imported. Shpg. wt., 9 lbs. Net 17.95
13 G 66129WX

*See Page 13 for Full Credit Details on Easy Pay Plan

RADIOS Make IDEAL GIFTS for Every Member of the Family

Lafayette LOW-PROFILE SOLID-STATE FULL-FEATURE AM/FM CLOCK RADIO



27⁹⁵

With Earphone

- 60 Minute Sleep Switch
- Precision Slide Rule Dial
- 10 Minute Snooze Button
- Large 3 1/2" Speaker

Combines a fully automatic full feature Telechron clock and a superb FM/AM radio in a handsome low profile styled walnut grained plastic cabinet with black and silver trim. Handy sleep-switch permits you to slowly drift-off to dreamland while the radio automatically shuts itself off (up to 60 minutes). Beautiful FM or AM music awakens you at a preset time pleasantly. Even includes a snooze button so that the set can again be turned off to permit you an extra 10 minutes of sleep. Clock face has luminous hand and dial markers. FM-AM radio features a slide rule dial for precise tuning, and a large 3 1/2" wide range speaker for luxurious tonal quality. All solid state circuitry with 10 transistors, 4 diodes and 1 thermistor provides high sensitivity and selectivity. Size: 9 1/2 x 5 1/8 x 3 1/8"D. For 117 V AC, 60 Hz. Imported. Shpg. wt., 4 lbs.

17 G 01648W

Net 27.95

Lafayette 4-BAND TV-FM-FM/VHF PORTABLE RADIO

- ★ Listen to TV Privately Without Disturbing Others
- ★ Listen to TV Anywhere Without Viewing

TUNES:

TV Low: Channels 2 thru 6
TV High: Channels 7 thru 13
FM-VHF High Band Police: 146-175MHz
Standard FM Broadcasts: 88-108 MHz

39⁹⁵

No Money Down*

With Batteries and Earphone for Private Listening.

Monitor Exciting Police, Fire, and U.S. Weather Bureau Broadcasts.

Listen To Beautiful FM Music. Instant On Solid State Circuitry

A unique and truly different concept in the design of a radio allows you to tune TV channels 2 thru 13. Listen to the many outstanding sporting events, variety shows and special normally transmitted only on TV. At night, use TV for picture but control sound from radio—earphone lets you listen without disturbing others. Permits blind people to listen to TV broadcast without having to buy an expensive TV set. You can monitor Police and Fire emergency calls. Listen to U.S. Weather Bureau forecasts on 162.55 or 163.275 MHz. Also receives standard FM broadcasts. Operates on 4 "C" batteries or

110 VAC with optional adapter. Powerful, super sensitive 14-transistor, solid-state circuitry. Precision, slide-rule tuning dial. Large speaker provides fine tonal quality. With built-in telescoping antenna, external antenna jack, leatherette carrying handle, earphones, and batteries. Handsome, black plastic cabinet with silver trim. Size: 9Lx 5 3/4Hx2 5/8"D. Imported. Shpg. wt., 2 lbs.

99 G 35636L Net 39.95
99 G 62572 Extra "C" cells. 4 req. Net ea. .14
117 VAC Adapter. Shpg. wt., 10 oz.
99 G 35362 Net 3.95



*See Page 13 for Full Credit Details

STEREO 8 for the home

Lafayette LR-808 3-Band Stereo FM/AM/SW Receiver
With Built-in 8-Track Stereo Tape Cartridge Player

169⁹⁵

In Handsome 3 Piece Walnut
Wood Modular Cabinetry



- Instant-on Solid-State Circuitry
- Power Output: 36-Watts
- Illuminated Tuning Dial
- Front Panel Stereo Headphone Jack
- Built-in AM, FM, SW Antennas

Magnificent solid state 8 track hi-fidelity home entertainment center. Play prerecorded 8-track stereo tape cartridges through the tape player. Listen to standard AM/FM and FM stereo radio broadcasts. Tune-in on exciting international shortwave broadcasts on the 4-12 MHz SW band. Thrill to "concert hall" sound from the two acoustically balanced 2-way speaker systems. Outstanding features: FM stereo indicator light, separate volume, balance, bass, and treble controls. On/Off loudness switch, 6 position selector knob, tuning meter, lighted tape cartridge


- Channel Indicator Light
- 8-Track Channel Selector Button
- FM Stereo Indicator Light
- Each Speaker Enclosure Contains a 6" Woofer and 3 1/2" Tweeter

channel indicator; front panel stereo headphone jack, stereo output jacks for external tape recorder, phono input jacks for record changer with ceramic cartridge, built-in AM and FM/SW antennas with provisions for external SW and FM antennas. Power Output—36 watts. FM sensitivity—4 μ v. Stereo separation—26 db. Frequency response—30-20,000 Hz. UL listed. Oiled walnut wood cabinetry. Size: Control Unit—19 3/4 x 10 1/2 x 4 1/4"; each speaker enclosure 13 1/2 x 10 x 7 1/2". Imported. Shpg. wt., 20 lbs.
17 G 01846WX Net 169.95

STEREO 8 for the car

Ranger 4 and 8 Track Car Stereo
Tape Cartridge Player Plus Speaker Bonus

Only **1¢** More



With Purchase
of Ranger Player

Save 8.94

Player Only

79⁹⁵

Player
With
Bonus Speakers

79⁹⁶



Built-In Burglar Alarm

- Fully Automatic—Instant-On Solid-State Circuitry
- Fine Tuning For Precision Head Alignment with Tape

Our Best Selling 4 and 8-Track Tape Cartridge Player with built-in Burglar Alarm. Any attempt by unknown persons to remove a properly installed player will result in setting off the built-in alarm system—continuous horn blowing to scare the would-be thief away. Player measures only 2 1/8 x 7 5/8 x 8" and can be easily mounted under the dash of your car with attached universal bracket. Fine tuning control tunes out undesirable cross-talk in worn or defective 8-track cartridges by adjusting playback head to align with the recorded tracks. Channel changes automatically after each program or by instantly operating the selector bar. Peak audio output: 20 watts; 12-transistors, 4-thermistors. Dual tone control. For 12 volt neg. pos. ground. Less Speakers. Imported. Shpg. w., 12 lbs.
17 G 74496WX Shpg. wt., 15 lbs. Net 79.95

Ranger Tape Player Plus Set of 4 Speakers and Grills.
17 G 74546WX Net 79.96

Custom Indoor Set of 4 Speakers and Grills. Shpg. wt., 3 lbs.
99 G 62861 Net 8.95

DELUXE

Lafayette LRK-1600 100-Watt Solid-State AM/FM Stereo Cassette/Receiver



**IT'S A Deluxe Lafayette 100 Watt
AM/FM Stereo Receiver**

- 7 Pushbutton Tape Functions Including Pause for Instant Editing & Cueing
- Semi-Slot Tape Loading for Complete Ease of Operation
- Automatic FM Stereo Switching and Stereo Indicator Light
- Speaker Mode Switch: Main, Remote, Main and Remote
- Simultaneous Sound-with-Sound Recording Facilities

**IT'S A Deluxe Performing Lafayette
Stereo Cassette Recorder**

279⁹⁵



AAM Guarantee
See Page 12

The LRK-1600 adds the complete recording and playback facilities of a professional stereo cassette recorder with a superb 100 watt AM/FM stereo receiver. Add a pair of speakers and you have a complete, versatile, ready-to-play home music system. Build a great stereo cassette library: just connect a turntable and put your favorite records on tape; record AM, FM or FM stereo directly from the tuner section; connect a reel-to-reel tape recorder and convert ordinary tapes into compact cassettes; connect a pair of stereo microphones (2 mike input jacks are located on the front panel) and record your own music live, or most important—make sound-with-sound recordings (record live with a mike simultaneously while recording an external source such as broadcast, records, tape). Exceptional quality and performance are assured by the use of 4-Integrated Circuits (IC's), 4-Field-Effect-Transistors (FET's), 24-transistors, and 25-diodes. You'll hear more stations, as well as brilliant FM stereo reception with amazing noise-free clarity. Outstanding features and specifications: Receiver section—Power Output 100 watts ± 1 db; FM Tuner IHF Sensitivity 1.7 μ V; front panel stereo headphone jack; illuminated AM and FM tuning meter. Pushbutton switches for Loudness, Stereo-Mono, Tape Monitor, High Filters. Black-face tuning dial. Cassette Section: 4-pole Hysteresis Synchronous motor; dual channel VU recording meter; record indicator light; Cassette Ejector Button; 3-Digit Counter with Reset Button. Records 4-track stereo and 2-track mono, playback 4 and 2-track stereo and mono. Low profile enclosure with walnut side panels. Size: 21½" L x 5¾" H x 14" D. For 105-120VAC. Imported.

99 G 02172WX Shpg. wt., 28 lbs. Net 279.95
99 G 46161 Dynamic Mike. Imported. Wt., 8 oz. Net ea. 5.95

Deluxe 100-Watt Component Hi-Fi System
Featuring LRK-1600



319⁸⁵
Save 20.00
From Individual
Catalog Prices

Magnificent 100-watt component Hi-Fi system featuring the LRK-1600 Cassette/Receiver and 2-Lafayette Criterion 50 Bookshelf Speaker Systems (See Page 14 for complete description of the Criterion 50's. Wt., 84 lbs. 99 G 26130WXM Net 319.85

**LAFAYETTE
RADIO
ELECTRONICS**
111 JERICHO TURNPIKE
SYOSSET, L.I., N.Y. 11791

BULK RATE
U.S. Postage
PAID
LAFAYETTE
Radio Electronics

POSTMASTER: If Undeliverable Handle In
Accordance To Sec. 158.5 Of Postal Manual.

022568139 I
H YOUNGER
26967 HAYWARD CT
BARSTON CA 92311