

COORDINATE™



Coordinate™ Height Adjustable Base shown with Ignition® 2.0 Seating and 10500 Series™ Desking.

TABLES

COORDINATE™

Sit-to-stand working is easy when you have a table with the power to move with you. The human body wasn't meant to sit for hours on end; and as your body's needs change throughout the day, these height adjustable tables change with you.

Warranty is 7 years.



FEATURES

- The standard memory preset, basic up and down, hands-free foot pedal, rotator, or paddle control options allow for quick and easy adjustments throughout your day.
- Telescoping table base can accommodate work surfaces from 42"-72" wide on the 2-leg model, and from 24"-30" deep.
- Available in 2- or 3-leg, rectangle C- and T-shaped foot options to accommodate your layout preferences.
- Nickel, Black, White finishes match any neutral HON paint or finish color.
- All bases are compatible with electrical accessories and select worksurfaces. See the HON 2020 Full Line Pricer for more information.

LEG OPTIONS



Rectangle Leg, T Foot



Rectangle Leg, C Foot

CONTROL OPTIONS



UD Basic Up/Down



MEM Memory Preset



PDL Paddle



RTG Rotating



FPD Foot Pedal

COORDINATE™ ORDERING INFORMATION

TABLES

LAMINATE

L1 LAMINATES CODES

Woodgrain

◆ Bourbon Cherry	H
◆ Cognac	COGN
◆ Florence Walnut	LFW1
◆ Harvest	C
◆ Kingswood Walnut	LK11
◆ Loft	LOFT
◆ Mahogany	N
◆ Mocha	MOCH
◆ Natural Maple	D
◆ Pinnacle	PINC
◆ Shaker Cherry	F
◆ Sterling Ash	LSA1

Solid

◆ Black	P
◆ Charcoal	S
◆ Designer White	LDW1
◆ Loft	LOFT

Patterned

◆ Sheer Mesh	A5
◆ Silver Mesh	B9
◆ Steel Mesh	A9
◆ Canyon Zephyr	K9
◆ Desert Zephyr	K8
◆ Shadow Zephyr	K1
◆ Gray	G2
◆ Grey Tigris	L6
◆ White	G1
◆ Whitestone	K4

L2 LAMINATES CODES

Woodgrain

◆ Lowell Ash	LLA1
◆ Natural Recon	LNRI
◆ Phantom Ecru	LPE1
◆ Portico Teak	LPT1
◆ Skyline Walnut	LSW1

EDGE

EDGE CODES

Woodgrain

◆ Bourbon Cherry	H
◆ Cognac	COGN
◆ Florence Walnut	FW
◆ Harvest	C
◆ Kingswood Walnut	KI
◆ Light Gray	Q
◆ Lowell Ash	DL
◆ Mahogany	N
◆ Mocha	MOCH
◆ Natural Maple	D
◆ Natural Recon	NR
◆ Phantom Ecru	PE
◆ Pinnacle	PINC
◆ Portico Teak	DP
◆ Shaker Cherry	F
◆ Skyline Walnut	SW
◆ Sterling Ash	SA

Solid

◆ Black	P
◆ Charcoal	S
◆ Designer White	DW
◆ Greige	R
◆ Loft	LOFT
◆ Muslin	T
◆ Platinum	K

PAINT

PAINT CODES

P1

◆ Black	P
◆ Brownstone	P7D
◆ Charcoal	S
◆ Designer White	PJW
◆ Fossil	P28
◆ Greige	T5
◆ Light Gray	Q
◆ Loft	LOFT
◆ Muslin	T3
◆ Putty	L
◆ Shadow *	SHDW
◆ Titanium	P8T

P2

◆ Champagne Metallic	T4
◆ Platinum Metallic	T1
◆ Silver	PR6
◆ Solar Black	P8X

P3

◆ Atom	P8S
◆ Bullseye	PJF
◆ Ember	P8P
◆ Ion	P8N
◆ Iris	P8J
◆ Krypton	P8F
◆ Regatta	P8M



◆◆◆ For lead time information see page 19 of the HON 2020 Full Line Pricer.

* De-emphasized



COORDINATE™ Height Adjustable Bases — Two-Leg

TABLES



DESCRIPTION

MODEL

SHIP WEIGHT

CUBE

LIST PRICE

Coordinate™ Height Adjustable Base – 2 Stage

2-Leg Rectangle T Foot
2-Leg Rectangle C Foot

HREC2S2LTF
HREC2S2LCF

66
66

2.4
2.4

\$940
\$940

NOTES:

- Base is a dual motor 2-stage design. Legs raise from 25⁵/₈" to 45¹/₄".
- Base telescopes to accommodate any rectangular worksurface between 24"D x 42"W and 30"D x 72"W.
- Supports weight capacity of 250 lbs. (excluding worksurface weight). Foundation™, Systems, Voi™, 10500, and Preside® all have worksurfaces within this range.
- **HON 7-Year Limited Warranty.**

Coordinate™ Height Adjustable Base – Max 3 Stage

2-Leg Rectangle T Foot

HMREC3S2LTF

66

2.4

\$1161

NOTES:

- Base is a dual motor 2-stage design. Legs raise from 21⁵/₈" to 47³/₄".
- Base telescopes to accommodate any rectangular worksurface between 24"D x 42"W and 30"D x 96"W.
- Supports weight capacity of 350 lbs. (excluding worksurface weight). Foundation™, Systems, Voi™, 10500, and Preside® all have worksurfaces within this range.
- **HON 7-Year Limited Warranty.**

Coordinate™ Height Adjustable Base – 3 Stage

2-Leg Rectangle T Foot
2-Leg Rectangle C Foot

HREC3S2LTF
HREC3S2LCF


66
66

2.4
2.4

\$1036
\$1036

NOTES:

- Base is a dual motor 3-stage design. Legs raise from 21⁵/₈" to 47³/₄".
- Base telescopes to accommodate any rectangular worksurface between 24"D x 42"W and 30"D x 72"W.
- Supports weight capacity of 250 lbs. (excluding worksurface weight). Foundation™, Systems, Voi™, 10500, and Preside® all have worksurfaces within this range.
- **HON 7-Year Limited Warranty.**



Coordinate™ Easy to Assemble 2-Leg Height Adjustable Base – 2 Stage

24"D Feet

HHABETA2S2L

77 [Ⓢ]

4.0

\$725

NOTES:

- Base telescopes to accommodate rectangular worksurfaces between 24"D x 48"W and 30"D x 60"W.
- Supports weight capacity of 180 lbs.
- **HON 5-Year Limited Warranty.**

⚠ Available in SVR Silver finish only.

⚠ Available with Basic Up/Down control only.

NOTES:


- Compatible with select rectangular Voi® and Systems Worksurfaces. See page 718 of the HON 2020 Full Line Pricer for more information.

HOW TO SPECIFY

<p>Select Model Number</p> <p>H R E C 2 S 2 L T F .</p>	<p>Select Paint Color</p> <p>P71 Black P8L Nickel PD8 White SVR Silver</p> <p><i>Available on model HHABETA2S2L only</i></p> <p>P 7 1 .</p>	<p>Select Foot</p> <p>X Standard Foot</p> <p>X .</p>	<p>Select Keypad</p> <p>UD Basic Up/Down MEM Memory Preset PDL Paddle RTG Rotating (\$50 upcharge) FPD Foot Pedal (\$175 upcharge)</p> <p>M E M</p>
--	--	---	--

COORDINATE™ Height Adjustable Bases — Three-Leg

OPEN MARKET



DESCRIPTION

Coordinate™ Height Adjustable Base – 3 Stage
3-Leg Rectangle T Foot
3-Leg Rectangle C Foot

MODEL

HREC3S3LTF
HREC3S3LCF

SHIP WEIGHT

91
91

CUBE

3.6
3.6

LIST PRICE

\$1711
\$1711

NOTES:

- Base is a three motor 3-stage design. Legs raise from 21⁵/₈" to 47³/₄".
- Base telescopes to accommodate worksurfaces between 24"D x 42"W¹ x 60"W² and 30"D x 72"W¹ x 72"W².
- Supports weight capacity of 375 lbs. (excluding worksurface weight). Can be used with 48" 120 degree and worksurface models.
- **HON 7-Year Limited Warranty.**

NOTES:

- Compatible with select Corner Cove Worksurfaces. See page 719 of the HON 2020 Full Line Pricer for more information.
- All bases are compatible with electrical accessories on page 716 of the HON 2020 Full Line Pricer.
- ! When using two worksurfaces, a flat bracket is required. Bracket purchased separately — HHN831124, HHN831130 — see page 589 of the HON 2020 Full Line Pricer.
- ! Telescoping horizontal frame will extend just over 2" from underside of the worksurface.


TABLES

HOW TO SPECIFY

<p>Select Model Number</p> <p>H R E C 3 S 3 L T F .</p>	<p>Select Paint Color</p> <p>P71 Black P8L Nickel PD8 White</p> <p>P 7 1 .</p>	<p>Select Foot</p> <p>X Standard Foot</p> <p>X .</p>	<p>Select Keypad</p> <p>UD Basic Up/Down MEM Memory Preset PDL Paddle RTG Rotating (\$50 upcharge) FPD Foot Pedal (\$175 upcharge)</p> <p>M E M</p>
--	---	---	--



Height Adjustable Bases — Simple Specification



Base shown with work surface attached.

DESCRIPTION

Coordinate™ Height Adjustable Base – 2 Stage
24”D Feet and Worksurface Brackets

MODEL SHIP WEIGHT CUBE LIST PRICE

HHAB2S2L 63 2.4 \$940


NOTES:

- Base is a dual motor 2-stage design. Legs raise from 25⁵/₈” to 45¹/₄”.
- Base telescopes to accommodate any rectangular work surface between 24”D x 42”W and 30”D x 72”W.
- Supports weight capacity of 250 lbs. (excluding work surface weight). See page 718 of the HON 2020 Full Line Pricer for Voi® Worksurfaces. See page 718 of the HON 2020 Full Line Pricer for Systems Worksurfaces. For Height Adjustable Base Accessories see page 716 of the HON 2020 Full Line Pricer. Foundation™, Systems, Voi®, 10500, and Preside® all have work surfaces within this range.
- Comes standard with one-touch, four memory controller with digital display; no specification needed, available in black finish only.
- **HON 7-Year Limited Warranty.**

ⓘ When attaching a Keyboard Tray, remember to also specify a Keyboard Spacer Kit (HKBS).

ⓘ Telescoping horizontal frame will extend just over 2” from underside of the work surface.

SPECIFYING EXAMPLE: HHAB2S2L.P8L



Base shown with work surface attached.


Coordinate™ Height Adjustable Base – 3 Stage
24”D Feet and Worksurface Brackets

HHAB3S2L 67 2.4 \$1036

NOTES:

- Base is a dual motor 3-stage design. Legs raise from 21⁵/₈” to 47³/₄”.
- Base telescopes to accommodate any rectangular work surface between 24”D x 42”W and 30”D x 72”W.
- Supports weight capacity of 250 lbs. (excluding work surface weight). Foundation™, Systems, Voi®, 10500, and Preside® all have work surfaces within this range.
- Comes standard with one-touch, four memory controller with digital display; no specification needed, available in black finish only.
- **HON 7-Year Limited Warranty.**

ⓘ Telescoping horizontal frame will extend just over 2” from underside of the work surface.



Base shown with work surface attached.

Coordinate™ 3-Leg Height Adjustable Base – 3 Stage
24”D Feet and Worksurface Brackets

HHAB3S3L 91 3.6 \$1711

NOTES:

- Base is a three motor 3-stage design. Legs raise from 21⁵/₈” to 47³/₄”.
- Base telescopes to accommodate work surfaces between 24”D x 42”W¹ x 60”W² and 30”D x 72”W¹ x 72”W².
- Supports weight capacity of 330 lbs. (excluding work surface weight). Can be used with 48” 120 degree and work surface models.
- Comes standard with one-touch, four memory controller with digital display; no specification needed, available in black finish only.
- **HON 7-Year Limited Warranty.**

ⓘ When using two work surfaces, a flat bracket is required. Bracket purchased separately — HHN831124, HHN831130 — see page 589 of the HON 2020 Full Line Pricer.

ⓘ Telescoping horizontal frame will extend just over 2” from underside of the work surface.

NOTES:


- Compatible with select Rectangle and Corner Cove Worksurfaces. See pages 718 and 719 of the HON 2020 Full Line Pricer for more information.

ⓘ Coordinate™ Height Adjustable Bases not compatible with 36”D rectangular work surfaces.

TABLES

HOW TO SPECIFY

<p>Select Model Number</p> <p>HHAB2S2L .</p>	<p>Select Finish</p> <p>P71 Black P8L Nickel P8D White</p> <p>P8L</p>
---	--




DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE BY PAINT GRADE		
				P1	P2	P3
Above Screens						
20"H x 45½"W, for 48"W Surfaces	HMTLSCRN2048	36.4	5.5	\$636	\$656	\$676
20"H x 51½"W, for 54"W Surfaces	HMTLSCRN2054	39.7	6.1	\$668	\$688	\$708
20"H x 57½"W, for 60"W Surfaces	HMTLSCRN2060	43.1	6.7	\$702	\$722	\$742
20"H x 63½"W, for 66"W Surfaces	HMTLSCRN2066	46.4	7.3	\$737	\$757	\$777
25"H x 45½"W, for 48"W Surfaces	HMTLSCRN2548	42.8	6.7	\$700	\$720	\$740
25"H x 51½"W, for 54"W Surfaces	HMTLSCRN2554	46.9	7.4	\$735	\$755	\$775
25"H x 57½"W, for 60"W Surfaces	HMTLSCRN2560	51.1	8.2	\$772	\$792	\$812
25"H x 63½"W, for 66"W Surfaces	HMTLSCRN2566	55.3	9.0	\$810	\$830	\$850

NOTES:

- Above screens are single-piece steel construction.
- Screens mount by using double stick tape, which provides the ability to mount to any surface.


TABLES



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Foot Control Pedal	HFTPDL	5	0.1	\$175

NOTES:

- Provides hands-free method for height adjustment.
- No specification needed.
- Pedal can be ordered with table or to retrofit on a current table.



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Caster 4-Pack	HHABCSTRPK	1 ☉	0.1	\$75
☹ Field installable. Not available on model HHABETA2S2L. No specification needed.				
Slide Glide 4-Pack	HHABGLIDE	1 ☉	0.1	\$60
☹ Field installable. When placed under base, allows table to be pushed/pulled to move. No specification needed.				

HOW TO SPECIFY

<p>Select Model Number</p> <p>H M T L S C R N 2 0 5 4 .</p>	<p>Select Frame Paint</p> <p>P 8 T .</p>	<p>Select Bracket Paint</p> <p>P 8 T</p>
---	--	--



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE BY LAMINATE GRADE	
					L1	L2
	Rectangle Worksurfaces with External Stiffener					
	84"W x 24"D	HHAW2484PS	97	5.4	\$851	\$871
	96"W x 24"D	HHAW2496PS	100	5.7	\$890	\$910
	84"W x 30"D	HHAW3084PS	113	6.6	\$901	\$921
	96"W x 30"D	HHAW3096PS	116	7.0	\$940	\$960
	Rectangle Worksurfaces with External Stiffener, No Grommet					
	84"W x 24"D	HHAW2484PNS	97	5.4	\$851	\$871
	96"W x 24"D	HHAW2496PNS	100	5.7	\$890	\$910
	84"W x 30"D	HHAW3084PNS	113	6.6	\$901	\$921
	96"W x 30"D	HHAW3096PNS	116	7.0	\$940	\$960

NOTES:

❗ For use with Max Base, model HMREC3S2LTF, only.

HOW TO SPECIFY

<p>Select Model Number</p> <p>HHAW3084PS.</p>	<p>Select Laminate</p> <p>See page 2</p> <p>LK11.</p>	<p>Select Edge Color</p> <p>See page 2</p> <p>KI.</p>	<p>Select Grommet Color</p> <p><i>Specify for worksurfaces with grommets only</i></p> <ul style="list-style-type: none"> P Black S Charcoal Q Light Gray DW Designer White T5 Greige LOFT Loft T3 Muslin T1 Platinum <p>P</p>
--	--	--	--