

# SAFETY DATA SHEET

Issuing Date 5/01/2015



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product Name** Dr T's Snake A Way 4lb

### Other means of identification

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Repellant, Pest, Non-Aerosol

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

**Supplier Name** Woodstream Corp.  
**Supplier Address** 69 North Locust St.  
Lititz  
PA  
17543  
US  
**Supplier Phone Number** Phone:(717) 626-2125  
Fax:(717) 626-1912  
Contact Phone(717) 626-2125  
**Supplier Email** mandre@woodstream.com  
**Emergency telephone number**

## 2. HAZARDS IDENTIFICATION

### Classification


This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

|                           |             |
|---------------------------|-------------|
| Skin corrosion/irritation | Category 2  |
| Germ cell mutagenicity    | Category 1B |
| Carcinogenicity           | Category 1B |

### GHS Label elements, including precautionary statements



## Emergency Overview

|   |                       |              |
|---|-----------------------|--------------|
| <b>Signal word</b>  | <b>Danger</b>         |              |
| <b>Hazard Statements</b>  |                       |              |
| Causes skin irritation  |                       |              |
| May cause genetic defects   |                       |              |
| May cause cancer  |                       |              |
| May form combustible dust concentrations in air                                   |                       |              |
|  |                       |              |
| <b>Appearance</b>   | <b>Physical State</b> | <b>Odor</b>  |
| Light tan   | Granular Solid        | Naphthalenic |

**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required  
 Wash face, hands and any exposed skin thoroughly after handling

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention  
 Specific treatment (see supplemental first aid instructions on this label)

**Skin**

IF ON SKIN: Wash with plenty of soap and water  
 If skin irritation occurs: Get medical advice/attention  
 Take off contaminated clothing and wash before reuse

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Unknown Toxicity**

61.9% of the mixture consists of ingredient(s) of unknown toxicity

**Other information**

May be harmful if swallowed  
 Very toxic to aquatic life with long lasting effects

**Interactions with Other Chemicals**

Use of alcoholic beverages may enhance toxic effects.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No    | Weight-% | Trade Secret |
|---------------|-----------|----------|--------------|
| Sulfur        | 7704-34-9 | 15 - 40  | *            |
| Naphthalene   | 91-20-3   | 5 - 10   | *            |

\*The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

#### First aid measures

#### General Advice

Show this safety data sheet to the doctor in attendance.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

#### Skin Contact

Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

#### Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur.

#### Ingestion

Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

#### Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wear personal protective clothing (see section 8).

#### Most important symptoms and effects, both acute and delayed

**Most Important Symptoms and Effects** No information available.

#### Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

Treat symptomatically.

---

## 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### **Unsuitable extinguishing media**

CAUTION: Use of water spray when fighting fire may be inefficient.

### **Specific Hazards Arising from the Chemical**

Avoid generation of dust. Fine dust dispersed in air may ignite.

### **Hazardous Combustion Products**

Carbon oxides.

### **Explosion Data**

**Sensitivity to Mechanical Impact** No.

**Sensitivity to Static Discharge** Yes.

### **Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

---

## 6. ACCIDENTAL RELEASE MEASURES

### **Personal precautions, protective equipment and emergency procedures**

#### **Personal Precautions**

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Avoid generation of dust. Do not breathe dust. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges.

#### **Other Information**

Refer to protective measures listed in Sections 7 and 8.

### **Environmental Precautions**

#### **Environmental Precautions**

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so.

### **Methods and material for containment and cleaning up**

#### **Methods for Containment**

Prevent further leakage or spillage if safe to do so. Prevent dust cloud.

#### **Methods for cleaning up**

Take up with inert, damp, non-combustible material using clean non-sparking tools and place into loosely covered plastic containers for later disposal.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

#### Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Ensure adequate ventilation. Avoid generation of dust. Do not breathe dust. Avoid contact with eyes. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges.

### Conditions for safe storage, including any incompatibilities

#### Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

#### Incompatible Products

Strong acids. Strong oxidizing agents. Strong bases.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

| Chemical Name          | ACGIH TLV         | OSHA PEL   | NIOSH IDLH  |
|------------------------|-------------------|--|---|
| Naphthalene<br>91-20-3 | TWA: 10 ppm<br>S* | TWA: 10 ppm<br>TWA: 50 mg/m <sup>3</sup><br>(vacated) TWA: 10 ppm<br>(vacated) TWA: 50 mg/m <sup>3</sup><br>(vacated) STEL: 15 ppm<br>(vacated) STEL: 75 mg/m <sup>3</sup> | IDLH: 250 ppm<br>TWA: 10 ppm<br>TWA: 50 mg/m <sup>3</sup><br>STEL: 15 ppm<br>STEL: 75 mg/m <sup>3</sup> |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

#### Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

### Appropriate engineering controls

#### Engineering Measures

Showers  
Eyewash stations  
Ventilation systems

### Individual protection measures, such as personal protective equipment

#### Eye/Face Protection

Wear safety glasses with side shields (or goggles).

#### Skin and Body Protection

Wear protective gloves and protective clothing. Long sleeved clothing. Impervious gloves.

#### Respiratory Protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

#### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Do not breathe dust.



## 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Hazardous Polymerization

Hazardous polymerization does not occur.

### Conditions to avoid

Excessive heat. Heating in air. Dust formation.

### Incompatible materials

Strong acids. Strong oxidizing agents. Strong bases.

### Hazardous Decomposition Products

Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

|                     |   |
|---------------------|---|
| <b>Inhalation</b>   | Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.  |
| <b>Eye Contact</b>  | Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. Irritating to eyes. May cause redness, itching, and pain.                           |
| <b>Skin Contact</b> | Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. Irritating to skin.   |
| <b>Ingestion</b>    | Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

#### Component Information

| Chemical Name          | Oral LD50            | Dermal LD50             | Inhalation LC50                     |
|------------------------|----------------------|-------------------------|-------------------------------------|
| Sulfur<br>7704-34-9    | > 3000 mg/kg ( Rat ) | > 2000 mg/kg ( Rabbit ) | > 9.23 mg/L ( Rat ) 4 h             |
| Naphthalene<br>91-20-3 | -                    | > 20 g/kg ( Rabbit )    | > 340 mg/m <sup>3</sup> ( Rat ) 1 h |

### Information on toxicological effects

**Symptoms** Erythema (skin redness). May cause redness and tearing of the eyes.



**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** No information available.

**Mutagenic Effects** Contains a known or suspected mutagen.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name          | ACGIH | IARC                 | NTP                    | OSHA |
|------------------------|-------|----------------------|------------------------|------|
| Naphthalene<br>91-20-3 | A3    | Group 2A<br>Group 2B | Reasonably Anticipated | X    |

*ACGIH (American Conference of Governmental Industrial Hygienists)*  
*A3 - Animal Carcinogen*  
*IARC (International Agency for Research on Cancer)*  
*Group 2A - Probably Carcinogenic to Humans*  
*Group 2B - Possibly Carcinogenic to Humans*  
*NTP (National Toxicology Program)*  
*Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen*  
*OSHA (Occupational Safety and Health Administration of the US Department of Labor)*  
*X - Present*

**Reproductive Toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Chronic Toxicity** Contains a known or suspected mutagen. Possible risk of irreversible effects. Contains a known or suspected carcinogen. May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects.

**Target Organ Effects** Respiratory system. Eyes. Skin. May affect the genetic material in germ cells (sperm and eggs). Gastrointestinal tract (GI). Blood. Central Nervous System (CNS). Kidney. Liver. Nasal cavities.

**Aspiration Hazard** No information available.

**Numerical measures of toxicity Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)**  
 2,721.00 mg/kg



## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Very toxic to aquatic life with long lasting effects.

| Chemical Name          | Toxicity to Algae                           | Toxicity to Fish  | Toxicity to Microorganisms                     | Daphnia Magna (Water Flea)  |
|------------------------|---|---|--|---|
| Sulfur<br>7704-34-9    |   | 96h LC50: = 866 mg/L (Brachydanio rerio) 96h LC50: < 14 mg/L (Lepomis macrochirus) 96h LC50: > 180 mg/L (Oncorhynchus mykiss)   |  |   |
| Naphthalene<br>91-20-3 | 72h EC50: = 0.4 mg/L (Skeletonema costatum) | 96h LC50: 5.74 - 6.44 mg/L (Pimephales promelas) 96h LC50: = 1.6 mg/L (Oncorhynchus mykiss) 96h LC50: 0.91 - 2.82 mg/L (Oncorhynchus mykiss) 96h LC50: = 1.99 mg/L (Pimephales promelas) 96h LC50: = 31.0265 mg/L (Lepomis macrochirus) | EC50 = 0.93 mg/L 30 min<br>EC50 > 20 mg/L 18 h | 48h LC50: = 2.16 mg/L 48h EC50: = 1.96 mg/L 48h EC50: 1.09 - 3.4 mg/L |

### Persistence and Degradability

No information available.

### Bioaccumulation

| Chemical Name          | Log Pow |
|------------------------|---------|
| Naphthalene<br>91-20-3 | 3.3     |

### Other adverse effects

No information available.

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

**Disposal methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

**Contaminated Packaging**

Dispose of contents/containers in accordance with local regulations.

| Chemical Name          | RCRA | RCRA - Basis for Listing   | RCRA - D Series Wastes | RCRA - U Series Wastes |
|------------------------|------|--|------------------------|------------------------|
| Naphthalene<br>91-20-3 | U165 | Included in waste streams:<br>F024, F025, F034, F039,<br>K001, K035, K060, K087,<br>K145 |                        | U165                   |

| Chemical Name          | RCRA - Halogenated Organic Compounds | RCRA - P Series Wastes | RCRA - F Series Wastes   | RCRA - K Series Wastes |
|------------------------|--------------------------------------|------------------------|--|------------------------|
| Naphthalene<br>91-20-3 |                                      |                        | Toxic waste<br>waste number F025<br>Waste description:<br>Condensed light ends, spent<br>filters and filter aids, and<br>spent desiccant wastes from<br>the production of certain<br>chlorinated aliphatic<br>hydrocarbons, by free<br>radical catalyzed processes.<br>These chlorinated aliphatic<br>hydrocarbons are those<br>having carbon chain lengths<br>ranging from one to and<br>including five, with varying<br>amounts and positions of<br>chlorine substitution. |                        |

**California Hazardous Waste Codes 232**

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name          | California Hazardous Waste |
|------------------------|----------------------------|
| Naphthalene<br>91-20-3 | Toxic                      |

**14. TRANSPORT INFORMATION**

**DOT**  
**Proper Shipping Name** NOT REGULATED  
**Hazard Class** NON REGULATED  
 N/A

**TDG** Not regulated

**MEX** Not regulated

**ICAO** Not regulated

**IATA** Not regulated



**Proper Shipping Name** NON REGULATED  
**Hazard Class** N/A

**IMDG/IMO**

**UN-No.** UN3077  
**Proper Shipping Name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
**Hazard Class** N/A  
**Marine Pollutant Description** Product is a marine pollutant according to the criteria set by IMDG/IMO UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (NAPHTHALENE), 9, III, MARINE POLLUTANT

**RID** Not regulated

**ADR** Not regulated

**ADN** Not regulated

**15. REGULATORY INFORMATION**

**International Inventories**

**TSCA** Complies  
**DSL** All components are listed either on the DSL or NDSL.

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name         | CAS No  | Weight-% | SARA 313 - Threshold Values % |
|-----------------------|---------|----------|-------------------------------|
| Naphthalene - 91-20-3 | 91-20-3 | 5 - 10   | 0.1                           |

**SARA 311/312 Hazard Categories**

**Acute Health Hazard** Yes  
**Chronic Health Hazard** Yes  
**Fire Hazard** Yes  
**Sudden release of pressure hazard** No  
**Reactive Hazard** No

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name          | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Naphthalene<br>91-20-3 | 100 lb                      | X                      | X                         | X                          |

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name          | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ  |
|------------------------|--------------------------|------------------------------------|---|
| Naphthalene<br>91-20-3 | 100 lb                   |                                    | RQ 100 lb final RQ<br>RQ 45.4 kg final RQ<br>RQ 0.454 kg final RQ |



**US State Regulations**

**California Proposition 65**

This product contains the following Proposition 65 chemicals.

| Chemical Name         | California Proposition 65 |
|-----------------------|---------------------------|
| Naphthalene - 91-20-3 | Carcinogen                |

**U.S. State Right-to-Know Regulations**

| Chemical Name          | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|------------------------|------------|---------------|--------------|--------------|----------|
| Sulfur<br>7704-34-9    | X          | X             | X            |              |          |
| Naphthalene<br>91-20-3 | X          | X             | X            | X            | X        |

EPA Pesticide Registration Number 58630-1

**International Regulations**

**Mexico**

**National occupational exposure limits**

| Component                         | Carcinogen Status | Exposure Limits  |
|-----------------------------------|-------------------|--|
| Naphthalene<br>91-20-3 ( 5 - 10 ) |                   | Mexico: TWA 10 ppm<br>Mexico: TWA 50 mg/m <sup>3</sup><br>Mexico: STEL 15 ppm<br>Mexico: STEL 75 mg/m <sup>3</sup> |

Mexico - Occupational Exposure Limits - Carcinogens

**Canada**

**WHMIS Hazard Class**

D2A - Very toxic materials



**16. OTHER INFORMATION**

|             |                           |                       |                          |   |
|-------------|---------------------------|-----------------------|--------------------------|---|
| <b>NFPA</b> | <b>Health Hazards</b> 1   | <b>Flammability</b> 0 | <b>Instability</b> 0     | <b>Physical and Chemical Hazards - Personal Protection</b><br>X |
| <b>HMIS</b> | <b>Health Hazards</b> 2 * | <b>Flammability</b> 1 | <b>Physical Hazard</b> 0 |   |

**Chronic Hazard Star Legend** \* = Chronic Health Hazard

**Prepared By** Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

**Issuing Date** 16-Oct-2012  
**Revision Date** 14-Feb-2015  
**Revision Note** No information available



**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**