

# CVM ADE Comprehensive Clinical Detail Report Listing

Cumulative Date Range : 24-Feb-2016 -thru- 31-Jul-2018

Included 1932a cases = : True

Included Medicated Feed cases = : False

DRUG: SAROLANER

Species: Cat

Route of Administration: oral

Sign: ACCIDENTAL EXPOSURE, Number of times reported: 41

Sign: SEIZURE NOS, Number of times reported: 25

Sign: VOMITING, Number of times reported: 15

Sign: TREMOR, Number of times reported: 10

Sign: HYPERSALIVATION, Number of times reported: 9

Sign: MUSCLE TREMOR, Number of times reported: 7

Sign: TWITCHING, Number of times reported: 6

Sign: LETHARGY, Number of times reported: 5

Sign: ANOREXIA, Number of times reported: 4

Sign: HIDING, Number of times reported: 4

Sign: PANTING, Number of times reported: 4

Sign: ATAXIA, Number of times reported: 3

Sign: BEHAVIOURAL DISORDER NOS, Number of times reported: 3

Sign: DROOLING, Number of times reported: 3

Sign: EMESIS, Number of times reported: 3

Sign: FOAMING AT THE MOUTH, Number of times reported: 3

Sign: HYPERAESTHESIA, Number of times reported: 3

Sign: HYPOTHERMIA, Number of times reported: 3

Sign: NOT EATING, Number of times reported: 3

Sign: SHAKING, Number of times reported: 3

Sign: ANXIETY, Number of times reported: 2

Sign: DEHYDRATION, Number of times reported: 2

Sign: HEAD TREMOR, Number of times reported: 2

Sign: HYPERPHOSPHATAEMIA, Number of times reported: 2

Sign: LATERAL RECUMBENCY, Number of times reported: 2

Sign: NEUROLOGICAL SIGNS NOS, Number of times reported: 2

Sign: ABNORMAL MOVEMENT NOS, Number of times reported: 1

Sign: ABNORMAL ULTRASOUND FINDING, Number of times reported: 1

Sign: ABNORMAL VISION, Number of times reported: 1

Sign: ACTING TENSE, Number of times reported: 1

Sign: AZOTAEMIA, Number of times reported: 1

Sign: BALANCE IMPAIRED, Number of times reported: 1

Sign: BLOOD IN URINE, Number of times reported: 1

Sign: BRADYCARDIA, Number of times reported: 1

Sign: DEATH BY EUTHANASIA, Number of times reported: 1

Sign: DECREASED URINE CONCENTRATION, Number of times reported: 1

Sign: DIARRHOEA, Number of times reported: 1

Sign: ELEVATED AMYLASE, Number of times reported: 1

Sign: ELEVATED BUN, Number of times reported: 1

Sign: ELEVATED CREATININE, Number of times reported: 1

Sign: ELEVATED LIVER ENZYMES, Number of times reported: 1

Sign: ELEVATED RENAL PARAMETERS, Number of times reported: 1

Sign: ELEVATED SDMA (SYMMETRICAL DIMETHYLARGININE), Number of times reported: 1

Sign: EYE DISORDER NOS, Number of times reported: 1

Sign: FEVER, Number of times reported: 1

Sign: HAEMATURIA, Number of times reported: 1

Sign: HICCUP, Number of times reported: 1

Sign: HIND LIMB PARESIS, Number of times reported: 1

Sign: HYPERACTIVITY, Number of times reported: 1

Sign: HYPERALBUMINAEMIA, Number of times reported: 1

Sign: HYPEREXCITATION, Number of times reported: 1

Sign: HYPERKALEMIC CONDITION, Number of times reported: 1

Sign: HYPERPROTEINAEMIA, Number of times reported: 1

Sign: HYPERSENSITIVITY NOS, Number of times reported: 1

Sign: HYPERSENSITIVITY REACTION, Number of times reported: 1

Sign: HYPERSENSITIVITY TO LIGHT, Number of times reported: 1

Sign: HYPOKALEAEMIA, Number of times reported: 1

Sign: HYPONATREMIA, Number of times reported: 1

Sign: ITCHY SKIN, Number of times reported: 1

Sign: LEUCOCYTOSIS, Number of times reported: 1

Sign: LICKING, Number of times reported: 1

Sign: MALAISE, Number of times reported: 1

Sign: MYDRIASIS, Number of times reported: 1  
Sign: NAUSEA, Number of times reported: 1  
Sign: NYSTAGMUS, Number of times reported: 1  
Sign: OPEN MOUTH BREATHING, Number of times reported: 1  
Sign: ORAL ULCERATION, Number of times reported: 1  
Sign: PANCREATITIS, Number of times reported: 1  
Sign: SHIVERING, Number of times reported: 1  
Sign: SNIFFING, Number of times reported: 1  
Sign: STAR-GAZING, Number of times reported: 1  
Sign: STATUS EPILEPTICUS, Number of times reported: 1  
Sign: SWALLOWING DIFFICULT, Number of times reported: 1  
Sign: TACHYCARDIA, Number of times reported: 1  
Sign: TACHYPNOEA, Number of times reported: 1  
Sign: THROMBOCYTOPENIA, Number of times reported: 1  
Sign: TONIC-CLONIC SEIZURE, Number of times reported: 1  
Sign: UNSTEADY GAIT, Number of times reported: 1  
Sign: WHEEZING, Number of times reported: 1

**Species: Dog**

**Route of Administration: oral**

Sign: VOMITING, Number of times reported: 1,085  
Sign: LETHARGY, Number of times reported: 561  
Sign: SEIZURE NOS, Number of times reported: 557  
Sign: DIARRHOEA, Number of times reported: 409  
Sign: TREMOR, Number of times reported: 379  
Sign: ATAXIA, Number of times reported: 303  
Sign: INEFFECTIVE, FLEAS, Number of times reported: 231  
Sign: ANOREXIA, Number of times reported: 218  
Sign: LACK OF EFFICACY (TICK), Number of times reported: 177  
Sign: INEFFECTIVE, TICKS, Number of times reported: 154  
Sign: BEHAVIOURAL DISORDER NOS, Number of times reported: 139  
Sign: OVERDOSE, Number of times reported: 133  
Sign: PRURITUS, Number of times reported: 125  
Sign: TWITCHING, Number of times reported: 120  
Sign: SHAKING, Number of times reported: 119  
Sign: INAPPETENCE, Number of times reported: 103

Sign: ACCIDENTAL EXPOSURE, Number of times reported: 96

Sign: LACK OF EFFICACY (FLEA), Number of times reported: 94

Sign: DECREASED APPETITE, Number of times reported: 79

Sign: DISORIENTATION, Number of times reported: 74

Sign: TREMBLING, Number of times reported: 74

Sign: PANTING, Number of times reported: 71

Sign: FALLING, Number of times reported: 66

Sign: BLOODY DIARRHOEA, Number of times reported: 62

Sign: HEAD TREMOR, Number of times reported: 62

Sign: LOOSE STOOL, Number of times reported: 60

Sign: HIVES, Number of times reported: 58

Sign: MUSCLE TREMOR, Number of times reported: 58

Sign: ABNORMAL TEST RESULT, Number of times reported: 57

Sign: ANXIETY, Number of times reported: 54

Sign: ELEVATED ALT, Number of times reported: 52

Sign: NOT EATING, Number of times reported: 51

Sign: WALKING DIFFICULTY, Number of times reported: 49

Sign: DEATH, Number of times reported: 48

Sign: DEATH BY EUTHANASIA, Number of times reported: 48

Sign: ELEVATED SAP, Number of times reported: 48

Sign: FEVER, Number of times reported: 48

Sign: NEUROLOGICAL SIGNS NOS, Number of times reported: 47

Sign: WEIGHT LOSS, Number of times reported: 47

Sign: HYPERSALIVATION, Number of times reported: 44

Sign: LEUCOCYTOSIS, Number of times reported: 44

Sign: FACIAL SWELLING, Number of times reported: 43

Sign: WEAKNESS, Number of times reported: 42

Sign: ITCHING, Number of times reported: 41

Sign: MUSCULOSKELETAL DISORDER NOS, Number of times reported: 37

Sign: VOCALISATION, Number of times reported: 34

Sign: ADIPSIA, Number of times reported: 32

Sign: HYPERACTIVITY, Number of times reported: 31

Sign: ABNORMAL MOVEMENT NOS, Number of times reported: 29

Sign: DROOLING, Number of times reported: 29

Sign: ELEVATED LIVER ENZYMES, Number of times reported: 29

Sign: NEUTROPHILIA, Number of times reported: 29

Sign: ELEVATED BUN, Number of times reported: 27

Sign: LIMB WEAKNESS, Number of times reported: 26

Sign: UNABLE TO STAND, Number of times reported: 26

Sign: COLLAPSE NOS, Number of times reported: 25

Sign: DEHYDRATION, Number of times reported: 25

Sign: URINARY INCONTINENCE, Number of times reported: 25

Sign: ABNORMAL RADIOGRAPH FINDING, Number of times reported: 24

Sign: RESTLESSNESS, Number of times reported: 24

Sign: MALAISE, Number of times reported: 23

Sign: UNSTEADY GAIT, Number of times reported: 23

Sign: ELEVATED CREATININE, Number of times reported: 22

Sign: ERYTHEMA, Number of times reported: 22

Sign: TREMOR OF LIMB, Number of times reported: 22

Sign: EMESIS, Number of times reported: 21

Sign: PACING, Number of times reported: 21

Sign: STUMBLING GAIT, Number of times reported: 21

Sign: HYPERAESTHESIA, Number of times reported: 20

Sign: SCRATCHING, Number of times reported: 20

Sign: SKIN DISORDERS NOS, Number of times reported: 20

Sign: ANAEMIA NOS, Number of times reported: 19

Sign: ELEVATED LIPASE, Number of times reported: 19

Sign: ELEVATED TOTAL BILIRUBIN, Number of times reported: 19

Sign: EYE DISORDER NOS, Number of times reported: 19

Sign: HEAD TILT - NEUROLOGICAL DISORDER, Number of times reported: 19

Sign: HYPERGLYCAEMIA, Number of times reported: 19

Sign: LACK OF EFFICACY, Number of times reported: 19

Sign: PALE MUCOUS MEMBRANE, Number of times reported: 19

Sign: POLYDIPSIA, Number of times reported: 19

Sign: AGGRESSION, Number of times reported: 18

Sign: DEPRESSION, Number of times reported: 18

Sign: HIDING, Number of times reported: 18

Sign: TONIC-CLONIC SEIZURE, Number of times reported: 18

Sign: AGITATION, Number of times reported: 17

Sign: HEAD BOBBING, Number of times reported: 17

Sign: NAUSEA, Number of times reported: 17

Sign: PANCREATITIS, Number of times reported: 17

Sign: PROPRIOCEPTION DEFICIT, Number of times reported: 17

Sign: THROMBOCYTOPENIA, Number of times reported: 17

Sign: ABNORMAL ULTRASOUND FINDING, Number of times reported: 16

Sign: MONOCYTOSIS, Number of times reported: 16

Sign: NOT DRINKING, Number of times reported: 16

Sign: REDDENING OF THE SKIN, Number of times reported: 16

Sign: CONFUSION, Number of times reported: 15

Sign: ELEVATED RENAL PARAMETERS, Number of times reported: 15

Sign: INAPPROPRIATE URINATION, Number of times reported: 15

Sign: PAIN NOS, Number of times reported: 15

Sign: TACHYCARDIA, Number of times reported: 15

Sign: ABDOMINAL PAIN, Number of times reported: 14

Sign: CIRCLING, Number of times reported: 14

Sign: ELEVATED GAMMA-GLUTAMYL TRANSFERASE (GGT), Number of times reported: 14

Sign: HYPERSENSITIVITY NOS, Number of times reported: 14

Sign: INCREASED SENSITIVITY TO SOUND, Number of times reported: 14

Sign: SYSTEMIC DISORDER NOS, Number of times reported: 14

Sign: ABNORMAL PUPIL LIGHT REFLEX, Number of times reported: 13

Sign: COUGH, Number of times reported: 13

Sign: DRINKING A LOT, Number of times reported: 13

Sign: FOAMING AT THE MOUTH, Number of times reported: 13

Sign: HYPERPHOSPHATAEMIA, Number of times reported: 13

Sign: LABOURED BREATHING, Number of times reported: 13

Sign: STIFFNESS NOS, Number of times reported: 13

Sign: UNRESPONSIVE TO STIMULI, Number of times reported: 13

Sign: ABNORMAL BREATHING, Number of times reported: 12

Sign: BLINDNESS, Number of times reported: 12

Sign: DILATED PUPILS, Number of times reported: 12

Sign: ELEVATED AMYLASE, Number of times reported: 12

Sign: FLY BITING BEHAVIOUR, Number of times reported: 12

Sign: HYPERSENSITIVITY REACTION, Number of times reported: 12

Sign: INEFFECTIVE, DEMODEX MITES, Number of times reported: 12

Sign: NYSTAGMUS, Number of times reported: 12

Sign: UNCOMFORTABLE, Number of times reported: 12

Sign: URINARY TRACT INFECTION, Number of times reported: 12

Sign: ABNORMAL MENACE REFLEX TEST, Number of times reported: 11

Sign: DIGESTIVE TRACT DISORDER NOS, Number of times reported: 11

Sign: HAIR LOSS NOS, Number of times reported: 11

Sign: HIND LIMB PARALYSIS, Number of times reported: 11

Sign: HYPOALBUMINAEMIA, Number of times reported: 11

Sign: LAMENESS, Number of times reported: 11

Sign: LEUCOPENIA, Number of times reported: 11

Sign: LYMPHOPENIA, Number of times reported: 11

Sign: RELUCTANT TO MOVE, Number of times reported: 11

Sign: SHIVERING, Number of times reported: 11

Sign: SKIN LESION NOS, Number of times reported: 11

Sign: UNABLE TO RISE, Number of times reported: 11

Sign: URTICARIA, Number of times reported: 11

Sign: HAEMATURIA, Number of times reported: 10

Sign: HOT SPOT (PYOTRAUMATIC DERMATITIS), Number of times reported: 10

Sign: INCREASED PACKED CELL VOLUME (PCV), Number of times reported: 10

Sign: NEUROLOGICAL SYMPTOMS NOS, Number of times reported: 10

Sign: RECUMBENCY, Number of times reported: 10

Sign: RETCHING, Number of times reported: 10

Sign: UNABLE TO JUMP, Number of times reported: 10

Sign: BLOOD IN FAECES, Number of times reported: 9

Sign: BREATHING DIFFICULTY, Number of times reported: 9

Sign: DECREASED PACKED CELL VOLUME (PCV), Number of times reported: 9

Sign: ELEVATED CREATINE-KINASE (CK), Number of times reported: 9

Sign: ELEVATED GLOBULINS, Number of times reported: 9

Sign: FREQUENT URINATION, Number of times reported: 9

Sign: HAEMATEMESIS, Number of times reported: 9

Sign: HEAD SHAKE - BEHAVIOURAL DISORDER, Number of times reported: 9

Sign: HIND LIMB ATAXIA, Number of times reported: 9

Sign: INAPPROPRIATE DEFECATION, Number of times reported: 9

Sign: MUSCLE SPASM NOS, Number of times reported: 9

Sign: POLYURIA, Number of times reported: 9

Sign: PROTEINURIA, Number of times reported: 9

Sign: SELF TRAUMA, Number of times reported: 9

Sign: SLEEPINESS - SYSTEMIC DISORDER, Number of times reported: 9

Sign: TACHYPNOEA, Number of times reported: 9

Sign: ABNORMAL POSTURE NOS, Number of times reported: 8

Sign: ALLERGIC REACTION, Number of times reported: 8

Sign: BALANCE PROBLEM, Number of times reported: 8

Sign: CIRCLING - NEUROLOGICAL DISORDER, Number of times reported: 8

Sign: CONFUSED, Number of times reported: 8

Sign: CRYING, Number of times reported: 8

Sign: DYSPNOEA, Number of times reported: 8

Sign: GAGGING, Number of times reported: 8

Sign: HALLUCINATION, Number of times reported: 8

Sign: IMMUNE MEDIATED HAEMOLYTIC ANAEMIA, Number of times reported: 8

Sign: IMPAIRED VISION, Number of times reported: 8

Sign: INCREASED HEART RATE, Number of times reported: 8

Sign: LICKING, Number of times reported: 8

Sign: LIP LICKING, Number of times reported: 8

Sign: LOCALISED RASH, Number of times reported: 8

Sign: LUMP, Number of times reported: 8

Sign: MENTAL IMPAIRMENT NOS, Number of times reported: 8

Sign: MISCELLANEOUS EATING DISORDER NOS, Number of times reported: 8

Sign: MUCOUS STOOL, Number of times reported: 8

Sign: RENAL DISORDER NOS, Number of times reported: 8

Sign: SKIN IRRITATION, Number of times reported: 8

Sign: STAR-GAZING, Number of times reported: 8

Sign: UNDERDOSE, Number of times reported: 8

Sign: URINE ABNORMALITIES NOS, Number of times reported: 8

Sign: ABNORMAL CYTOLOGY, Number of times reported: 7

Sign: ALOPECIA, Number of times reported: 7

Sign: BLOOD IN VOMIT, Number of times reported: 7

Sign: CONVULSION, Number of times reported: 7

Sign: DECREASED ACTIVITY, Number of times reported: 7

Sign: DECREASED DRINKING, Number of times reported: 7

Sign: DECREASED URINE CONCENTRATION, Number of times reported: 7

Sign: FAECAL INCONTINENCE, Number of times reported: 7

Sign: GENERALISED RASH, Number of times reported: 7

Sign: HEAD DOWN, Number of times reported: 7

Sign: HYPOGLYCAEMIA, Number of times reported: 7

Sign: HYPOPROTEINAEMIA, Number of times reported: 7

Sign: INCREASED BORBORYGMUS, Number of times reported: 7



Sign: INTESTINAL DISORDER NOS, Number of times reported: 7

Sign: LACK OF RESPONSE TO OWNER, Number of times reported: 7

Sign: LATERAL RECUMBENCY, Number of times reported: 7

Sign: LIMPING, Number of times reported: 7

Sign: LISTLESS, Number of times reported: 7

Sign: LOW PLATELET COUNT, Number of times reported: 7

Sign: ORAL CAVITY DISORDER NOS, Number of times reported: 7

Sign: SKIN INFLAMMATION NOS, Number of times reported: 7

Sign: SKIN WARMTH, Number of times reported: 7

Sign: SPASM, Number of times reported: 7

Sign: SUDDEN DEATH, Number of times reported: 7

Sign: TENSE ABDOMEN, Number of times reported: 7

Sign: BACTERIAL SKIN INFECTION NOS, Number of times reported: 6

Sign: BLOOD IN URINE, Number of times reported: 6

Sign: COLLAPSE, Number of times reported: 6

Sign: CRUST, Number of times reported: 6

Sign: ELEVATED AST, Number of times reported: 6

Sign: ELEVATED CHOLESTEROL (TOTAL), Number of times reported: 6

Sign: ELEVATED SDMA (SYMMETRICAL DIMETHYLARGININE), Number of times reported: 6

Sign: FEBRILE, Number of times reported: 6

Sign: FLATULENCE, Number of times reported: 6

Sign: HEAD SHAKE - EAR DISORDER, Number of times reported: 6

Sign: HEAD TILT - EAR DISORDER, Number of times reported: 6

Sign: HYPERPROTEINAEMIA, Number of times reported: 6

Sign: HYPOCALCAEMIC CONDITION, Number of times reported: 6

Sign: INEFFECTIVE, SARCOPTES MITES, Number of times reported: 6

Sign: LIVER DISORDER NOS, Number of times reported: 6

Sign: NEUTROPENIA, Number of times reported: 6

Sign: OCULAR DISCHARGE, Number of times reported: 6

Sign: RASH, Number of times reported: 6

Sign: RIGIDITY, Number of times reported: 6

Sign: STAGGERING, Number of times reported: 6

Sign: ABDOMINAL DISCOMFORT, Number of times reported: 5

Sign: ALOPECIA LOCAL, Number of times reported: 5

Sign: CHATTERING OF TEETH, Number of times reported: 5

Sign: EXCESSIVE LICKING AND/OR GROOMING, Number of times reported: 5

Sign: EXCESSIVE THIRST, Number of times reported: 5

Sign: GAIT ABNORMALITY, Number of times reported: 5

Sign: GENERAL HAIR LOSS, Number of times reported: 5

Sign: GLAZED EYE, Number of times reported: 5

Sign: HAIR COAT DISCOLOURATION, Number of times reported: 5

Sign: HYPOTENSION, Number of times reported: 5

Sign: INCOORDINATION, Number of times reported: 5

Sign: INCREASED PERCENTAGE RETICULOCYTES, Number of times reported: 5

Sign: INCREASED RESPIRATORY RATE, Number of times reported: 5

Sign: INVOLUNTARY DEFECATION, Number of times reported: 5

Sign: ITCHY SKIN, Number of times reported: 5

Sign: LESS SOCIAL, Number of times reported: 5

Sign: LYMPHOCYTOSIS, Number of times reported: 5

Sign: MUSCLE SHAKING, Number of times reported: 5

Sign: MYOCLONIC JERK, Number of times reported: 5

Sign: PARALYSIS NOS, Number of times reported: 5

Sign: PICA NOS, Number of times reported: 5

Sign: QUIET, Number of times reported: 5

Sign: RENAL FAILURE, Number of times reported: 5

Sign: SEDATION, Number of times reported: 5

Sign: SLEEP DISTURBANCE NOS, Number of times reported: 5

Sign: STRAINING TO DEFECATE, Number of times reported: 5

Sign: SWELLING AROUND EYE, Number of times reported: 5

Sign: SWOLLEN LIMB, Number of times reported: 5

Sign: TARRY OR BLACK STOOL, Number of times reported: 5

Sign: WHEEZING, Number of times reported: 5

Sign: ABNORMAL POSTURE, Number of times reported: 4

Sign: ALOPECIA NOS, Number of times reported: 4

Sign: ANAPHYLAXIS, Number of times reported: 4

Sign: BALANCE IMPAIRED, Number of times reported: 4

Sign: BARKING, Number of times reported: 4

Sign: BITING, Number of times reported: 4

Sign: BLINKING, Number of times reported: 4

Sign: BLISTERING, Number of times reported: 4

Sign: COLLAPSE OF LEG, Number of times reported: 4

Sign: CONSTIPATION, Number of times reported: 4

Sign: DERMATITIS, Number of times reported: 4

Sign: DISORIENTED STATE, Number of times reported: 4

Sign: DRY MUCOUS MEMBRANE, Number of times reported: 4

Sign: ELECTROLYTE DISORDER, Number of times reported: 4

Sign: ELEVATED BILE ACIDS, Number of times reported: 4

Sign: ELEVATED TEMPERATURE, Number of times reported: 4

Sign: EXCORIATION, Number of times reported: 4

Sign: FACIAL OEDEMA, Number of times reported: 4

Sign: FASCICULATION, Number of times reported: 4

Sign: GENERAL ILLNESS, Number of times reported: 4

Sign: GENERALISED ITCHING, Number of times reported: 4

Sign: HAEMOCONCENTRATION, Number of times reported: 4

Sign: HAEMORRHAGIC GASTROENTERITIS, Number of times reported: 4

Sign: HAIR CHANGE, Number of times reported: 4

Sign: HEART MURMUR, Number of times reported: 4

Sign: HEPATOMEGALY, Number of times reported: 4

Sign: HYPERALBUMINAEMIA, Number of times reported: 4

Sign: HYPERTENSION, Number of times reported: 4

Sign: HYPOCHLORAEMIA, Number of times reported: 4

Sign: HYPOKALEAEMIA, Number of times reported: 4

Sign: HYPONATREMIA, Number of times reported: 4

Sign: ICTERUS, Number of times reported: 4

Sign: INCREASED APPETITE, Number of times reported: 4

Sign: IRRITABILITY, Number of times reported: 4

Sign: LIP SMACKING, Number of times reported: 4

Sign: LIVER FAILURE, Number of times reported: 4

Sign: LOCAL SWELLING (NOT APPLICATION SITE), Number of times reported: 4

Sign: LOCALISED PAIN NOS, Number of times reported: 4

Sign: MALODOUR, Number of times reported: 4

Sign: MUSCULOSKELETAL PAIN, Number of times reported: 4

Sign: NON-REGENERATIVE ANAEMIA, Number of times reported: 4

Sign: NOT URINATING, Number of times reported: 4

Sign: OTHER EAR DISORDER NOS, Number of times reported: 4

Sign: PADDLING, Number of times reported: 4

Sign: PALLOR, Number of times reported: 4

Sign: PLATELET DISORDER NOS, Number of times reported: 4

Sign: PUSTULES, Number of times reported: 4

Sign: SHOCK, Number of times reported: 4

Sign: SKIN HYPERAEMIA, Number of times reported: 4

Sign: SKIN SCAB, Number of times reported: 4

Sign: SKIN SORE, Number of times reported: 4

Sign: STARING, Number of times reported: 4

Sign: STIFFNESS LIMB, Number of times reported: 4

Sign: SWOLLEN FEET, Number of times reported: 4

Sign: UNPALATABLE, Number of times reported: 4

Sign: UVEITIS, Number of times reported: 4

Sign: WEIGHT GAIN, Number of times reported: 4

Sign: WELT, Number of times reported: 4

Sign: ABNORMAL ECG, Number of times reported: 3

Sign: ABNORMAL STOOL COLOURATION, Number of times reported: 3

Sign: ABSENCE SEIZURE, Number of times reported: 3

Sign: ADDISON'S DISEASE, Number of times reported: 3

Sign: ANAL SAC DISORDER, Number of times reported: 3

Sign: APPETITE LOSS, Number of times reported: 3

Sign: ARCHED BACK, Number of times reported: 3

Sign: ATTENTION-SEEKING BEHAVIOUR, Number of times reported: 3

Sign: AZOTAEMIA, Number of times reported: 3

Sign: BILIRUBINURIA, Number of times reported: 3

Sign: BITING -AGGRESSION, Number of times reported: 3

Sign: BLOATED, Number of times reported: 3

Sign: BRUISING, Number of times reported: 3

Sign: BUMPING INTO WALLS, Number of times reported: 3

Sign: BUN LOW, BLD, Number of times reported: 3

Sign: CARDIAC ENLARGEMENT, Number of times reported: 3

Sign: CHEWING, Number of times reported: 3

Sign: CIRCLING - BEHAVIOURAL DISORDER, Number of times reported: 3

Sign: DECREASED HAEMOGLOBIN, Number of times reported: 3

Sign: DISCOLOURED URINE, Number of times reported: 3

Sign: DISCOMFORT NOS, Number of times reported: 3

Sign: DISTENSION OF ABDOMEN, Number of times reported: 3

Sign: DROOPING EYELID, Number of times reported: 3

Sign: DRY SKIN, Number of times reported: 3

Sign: DULL, Number of times reported: 3

Sign: EAR INFECTION NOS, Number of times reported: 3

Sign: EOSINOPHILIA, Number of times reported: 3

Sign: EYELID OEDEMA, Number of times reported: 3

Sign: EYES ROLLING BACK, Number of times reported: 3

Sign: FACIAL PARALYSIS, Number of times reported: 3

Sign: HAEMATOCHESIA, Number of times reported: 3

Sign: HAEMORRHAGE NOS, Number of times reported: 3

Sign: HEMOGLOBIN(HB) HIGH, BLOOD, Number of times reported: 3

Sign: HICCUP, Number of times reported: 3

Sign: HYPEREXCITATION, Number of times reported: 3

Sign: HYPEREXTENSION, Number of times reported: 3

Sign: HYPERPIGMENTATION, Number of times reported: 3

Sign: HYPERSENSITIVITY TO MOVEMENT, Number of times reported: 3

Sign: HYPOPHOSPHATAEMIA, Number of times reported: 3

Sign: HYPOSTHENURIA, Number of times reported: 3

Sign: HYPOTHYROIDISM, Number of times reported: 3

Sign: IMPAIRED VOCALISATION, Number of times reported: 3

Sign: INCREASED BOWEL MOVEMENTS (FREQUENCY), Number of times reported: 3

Sign: INCREASED URINE CONCENTRATION, Number of times reported: 3

Sign: INEFFECTIVE, TAPES, Number of times reported: 3

Sign: KNUCKLING, Number of times reported: 3

Sign: LOCKJAW, Number of times reported: 3

Sign: LYMPHOMA, Number of times reported: 3

Sign: MELAENA, Number of times reported: 3

Sign: MENTAL CONFUSION, Number of times reported: 3

Sign: MUSCLE WEAKNESS NOS, Number of times reported: 3

Sign: MYDRIASIS, Number of times reported: 3

Sign: OPISTHOTONUS, Number of times reported: 3

Sign: PARTIAL ANOREXIA, Number of times reported: 3

Sign: PINNAE DISORDER, Number of times reported: 3

Sign: PINNAL ERYTHEMA, Number of times reported: 3

Sign: PROPRIOCEPTION ABNORMALITY, Number of times reported: 3

Sign: PULMONARY DISORDER NOS, Number of times reported: 3

Sign: PYODERMA, Number of times reported: 3

Sign: REDUCED GLOBULINS, Number of times reported: 3

Sign: REDUCED RESPONSES, Number of times reported: 3

Sign: REGENERATIVE ANAEMIA, Number of times reported: 3

Sign: RUBBING, Number of times reported: 3

Sign: SCOOTING, Number of times reported: 3

Sign: SHALLOW BREATHING, Number of times reported: 3

Sign: SLEEPINESS - NEUROLOGICAL DISORDER, Number of times reported: 3

Sign: SPLENOMEGALY, Number of times reported: 3

Sign: STIFF GAIT, Number of times reported: 3

Sign: STROKE, Number of times reported: 3

Sign: SWELLING NOS, Number of times reported: 3

Sign: SWOLLEN FACE, Number of times reported: 3

Sign: TIREDNESS, Number of times reported: 3

Sign: UNABLE TO FOCUS, Number of times reported: 3

Sign: UNCLASSIFIABLE ADVERSE EVENT, Number of times reported: 3

Sign: UNUSUAL STOOL COLOUR, Number of times reported: 3

Sign: ABDOMINAL EFFUSION, Number of times reported: 2

Sign: ABNORMAL VISION, Number of times reported: 2

Sign: ANAPHYLACTIC-TYPE REACTION, Number of times reported: 2

Sign: ANISOCORIA, Number of times reported: 2

Sign: ARTHRITIS, Number of times reported: 2

Sign: AUTOIMMUNE DISORDER NOS, Number of times reported: 2

Sign: BASOPHILIA, Number of times reported: 2

Sign: BITING - PRURITUS, Number of times reported: 2

Sign: BLADDER INCONTINENCE, Number of times reported: 2

Sign: BLOATED STOMACH, Number of times reported: 2

Sign: BOUNDING PULSE, Number of times reported: 2

Sign: BRADYCARDIA, Number of times reported: 2

Sign: BULGING EYE, Number of times reported: 2

Sign: CATARACT, Number of times reported: 2

Sign: CIRCULATORY COLLAPSE, Number of times reported: 2

Sign: CLOUDY EYE, Number of times reported: 2

Sign: COLITIS, Number of times reported: 2

Sign: CORNEAL ULCER, Number of times reported: 2

Sign: CRYSTALLURIA, Number of times reported: 2

Sign: CUSHINGS DISEASE NOS, Number of times reported: 2

Sign: DECREASED RED BLOOD CELL COUNT, Number of times reported: 2

Sign: DISORDER OF GASTROINTESTINAL FLORA, Number of times reported: 2

Sign: DISTRESS, Number of times reported: 2

Sign: DRY MOUTH, Number of times reported: 2

Sign: DULLNESS, Number of times reported: 2

Sign: EAR TWITCHING, Number of times reported: 2

Sign: ELEVATED TRIGLYCERIDE, Number of times reported: 2

Sign: EOSINOPENIA, Number of times reported: 2

Sign: EXTRA DOSE(S) ADMINISTERED, Number of times reported: 2

Sign: EYE REDNESS, Number of times reported: 2

Sign: FLAKING SKIN, Number of times reported: 2

Sign: FLUID IN ABDOMEN NOS, Number of times reported: 2

Sign: FOUND DEAD, Number of times reported: 2

Sign: FUNGAL SKIN INFECTION NOS, Number of times reported: 2

Sign: GASTRIC DISTENSION, Number of times reported: 2

Sign: GASTROENTERITIS, Number of times reported: 2

Sign: GENERAL PAIN, Number of times reported: 2

Sign: HAEMORRHAGIC DIARRHOEA, Number of times reported: 2

Sign: HAIR SHEDDING, Number of times reported: 2

Sign: HIND LIMB PARESIS, Number of times reported: 2

Sign: HORIZONTAL NYSTAGMUS, Number of times reported: 2

Sign: HORNER'S SYNDROME, Number of times reported: 2

Sign: HYPERGLOBULINEMIA, Number of times reported: 2

Sign: HYPERKALEMIC CONDITION, Number of times reported: 2

Sign: HYPERSENSITIVITY TO LIGHT, Number of times reported: 2

Sign: HYPOGLOBULINEMIA, Number of times reported: 2

Sign: HYPOTHERMIA, Number of times reported: 2

Sign: IMPAIRED PROPRIOCEPTION, Number of times reported: 2

Sign: INCORRECT DOSE ADMINISTERED, Number of times reported: 2

Sign: INCREASED SALIVATION, Number of times reported: 2

Sign: INCREASED SKIN SENSITIVITY, Number of times reported: 2

Sign: INJECTED SCLERA, Number of times reported: 2

Sign: INJECTION SITE SWELLING, Number of times reported: 2

Sign: INVOLUNTARY MOVEMENT, Number of times reported: 2

Sign: JAUNDICE, Number of times reported: 2

Sign: JAW DISORDER, Number of times reported: 2

Sign: LACK OF EFFICACY (MITE), Number of times reported: 2

Sign: LACK OF EFFICACY (TAPEWORM), Number of times reported: 2

Sign: LOCALISED HAIR LOSS, Number of times reported: 2

Sign: LOCALISED ITCHING, Number of times reported: 2

Sign: LOSS OF BOWEL CONTROL, Number of times reported: 2

Sign: LOSS OF CONSCIOUSNESS, Number of times reported: 2

Sign: LOSS OF HEARING, Number of times reported: 2

Sign: LYMPHADENOPATHY, Number of times reported: 2

Sign: MOIST DERMATITIS, Number of times reported: 2

Sign: MOTOR DYSFUNCTION NOS, Number of times reported: 2

Sign: MUSCLE CONTRACTURE, Number of times reported: 2

Sign: MUSCLE RIGIDITY, Number of times reported: 2

Sign: NASAL CONGESTION, Number of times reported: 2

Sign: NASAL DISCHARGE, Number of times reported: 2

Sign: NEOPLASIA NOS, Number of times reported: 2

Sign: NEUROMUSCULAR DISORDER NOS, Number of times reported: 2

Sign: NOT SLEEPING, Number of times reported: 2

Sign: ORAL BLEEDING, Number of times reported: 2

Sign: OTHER IMMUNE SYSTEM DISORDER NOS, Number of times reported: 2

Sign: OTITIS NOS, Number of times reported: 2

Sign: PAINFUL DEFECATION, Number of times reported: 2

Sign: PALPABLE MASS NOS, Number of times reported: 2

Sign: PAPILLOMA, Number of times reported: 2

Sign: PARALYSIS, Number of times reported: 2

Sign: PARTIAL BLINDNESS, Number of times reported: 2

Sign: PERICARDIAL EFFUSION, Number of times reported: 2

Sign: PERIORBITAL OEDEMA, Number of times reported: 2

Sign: PETECHIAE NOS, Number of times reported: 2

Sign: PINNAL OEDEMA, Number of times reported: 2

Sign: PINNAL REDDENING, Number of times reported: 2

Sign: PLEURAL EFFUSION, Number of times reported: 2

Sign: PNEUMONIA, Number of times reported: 2

Sign: PR-LUNG(S), EDEMA, Number of times reported: 2

Sign: PROTRUSION MEMBRANA NICTITANS, Number of times reported: 2

Sign: PYREXIA, Number of times reported: 2

Sign: QUADRIPARESIS, Number of times reported: 2

Sign: RECTAL BLEEDING, Number of times reported: 2



Sign: RECTAL HAEMORRHAGE, Number of times reported: 2

Sign: REDUCED LEVEL OF CONSCIOUSNESS, Number of times reported: 2

Sign: REGURGITATION, Number of times reported: 2

Sign: RESPIRATORY TRACT DISORDER NOS, Number of times reported: 2

Sign: SENSORY ABNORMALITY NOS, Number of times reported: 2

Sign: SKIN NECROSIS, Number of times reported: 2

Sign: SNEEZING, Number of times reported: 2

Sign: SQUINTING, Number of times reported: 2

Sign: SWALLOWING DISORDER NOS, Number of times reported: 2

Sign: SWOLLEN EYE, Number of times reported: 2

Sign: SWOLLEN LIP, Number of times reported: 2

Sign: SYMPTOM NOS INVOLVING NEUROLOGICAL AND MUSCULAR SKELETAL SOCS, Number of times reported: 2

Sign: T4 LOW, SERUM, Number of times reported: 2

Sign: TAIL PARESIS, Number of times reported: 2

Sign: TENSE MUSCLES, Number of times reported: 2

Sign: THROMBOCYTOSIS, Number of times reported: 2

Sign: TIC(S), Number of times reported: 2

Sign: TONGUE DISORDER NOS, Number of times reported: 2

Sign: UNEQUAL PUPILS, Number of times reported: 2

Sign: URINE LEAKAGE, Number of times reported: 2

Sign: VASCULITIS, Number of times reported: 2

Sign: VENTRICULAR ARRHYTHMIA, Number of times reported: 2

Sign: VERTICAL NYSTAGMUS, Number of times reported: 2

Sign: VESTIBULAR DISORDER NOS, Number of times reported: 2

Sign: WOUND, Number of times reported: 2

Sign: ABDOMINAL CAVITY DISORDER NOS, Number of times reported: 1

Sign: ABDOMINAL CRAMP, Number of times reported: 1

Sign: ABDOMINAL MASS, Number of times reported: 1

Sign: ABNORMAL RED BLOOD CELL, Number of times reported: 1

Sign: ABNORMAL TEST RESULT, THYROID NOS, Number of times reported: 1

Sign: ABORTION, Number of times reported: 1

Sign: ABSCESS NOS, Number of times reported: 1

Sign: ACUTE RENAL FAILURE, Number of times reported: 1

Sign: ALLERGY NOS, Number of times reported: 1

Sign: ALOPECIA GENERAL, Number of times reported: 1

Sign: ANAPHYLACTOID REACTION, Number of times reported: 1

Sign: ANTERIOR UVEITIS, Number of times reported: 1

Sign: APPETITE DISORDER NOS, Number of times reported: 1

Sign: APPREHENSION, Number of times reported: 1

Sign: ARRHYTHMIA, Number of times reported: 1

Sign: ASCITES, Number of times reported: 1

Sign: BANDS(NEUTROPHILS) HIGH, BLOOD, Number of times reported: 1

Sign: BELCHING, Number of times reported: 1

Sign: BILIARY SLUDGE, Number of times reported: 1

Sign: BIRTH DEFECT, Number of times reported: 1

Sign: BLEPHAROSPASM, Number of times reported: 1

Sign: BLOOD AND LYMPHATIC SYSTEM DISORDER NOS, Number of times reported: 1

Sign: BLOOD CLOT, Number of times reported: 1

Sign: BLOODSHOT EYE, Number of times reported: 1

Sign: CARDIAC ARREST, Number of times reported: 1

Sign: CARDIAC NEOPLASM, Number of times reported: 1

Sign: CARDIAC TAMPONADE, Number of times reported: 1

Sign: CARDIORESPIRATORY ARREST, Number of times reported: 1

Sign: CENTRAL NERVOUS SYSTEM DISORDER NOS, Number of times reported: 1

Sign: CHEWING DISORDER, Number of times reported: 1

Sign: CHOKE, Number of times reported: 1

Sign: CHRONIC PANCREATITIS, Number of times reported: 1

Sign: CLONIC MUSCLE SPASM, Number of times reported: 1

Sign: CLONIC SEIZURE, Number of times reported: 1

Sign: COGNITIVE DISORDER NOS, Number of times reported: 1

Sign: COGNITIVE IMPAIRMENT, Number of times reported: 1

Sign: CONCENTRATION IMPAIRED, Number of times reported: 1

Sign: CONJUNCTIVAL OEDEMA, Number of times reported: 1

Sign: CONJUNCTIVITIS, Number of times reported: 1

Sign: CONSTRICTED PUPILS, Number of times reported: 1

Sign: CORNEAL DISORDER NOS, Number of times reported: 1

Sign: CRACKLES ON AUSCULTATION, Number of times reported: 1

Sign: CREATININE LOW, BLOOD, Number of times reported: 1

Sign: CYANOTIC SPOTS/BLOTCHY SKIN, Number of times reported: 1

Sign: DEAFNESS, Number of times reported: 1

Sign: DECREASED BOWEL MOVEMENTS, Number of times reported: 1

Sign: DECREASED HEART RATE, Number of times reported: 1

Sign: DEMODICOSIS, Number of times reported: 1

Sign: DEPENDENT OEDEMA, Number of times reported: 1

Sign: DEPRESSED OCULAR REFLEX, Number of times reported: 1

Sign: DEPRESSED REFLEXES, Number of times reported: 1

Sign: DERMAL CYST(S), Number of times reported: 1

Sign: DESTRUCTIVE BEHAVIOUR, Number of times reported: 1

Sign: DIABETES, Number of times reported: 1

Sign: DIFFICULTY CHEWING, Number of times reported: 1

Sign: DILATED RENAL PELVIS, Number of times reported: 1

Sign: DISCUS PROLAPSE, Number of times reported: 1

Sign: DISORDER OF RED BLOOD CELL NOS, Number of times reported: 1

Sign: DRUG ADMINISTRATION ERROR, Number of times reported: 1

Sign: DRUG DISPENSING ERROR, Number of times reported: 1

Sign: DRY COAT, Number of times reported: 1

Sign: EAR CANAL DISORDER, Number of times reported: 1

Sign: EAR IRRITATION, Number of times reported: 1

Sign: ECZEMA, Number of times reported: 1

Sign: ELEVATED CREATININE-KINASE (CK), Number of times reported: 1

Sign: ELEVATED PROTEIN:CREATININE RATIO, Number of times reported: 1

Sign: EMESIS (MULTIPLE), Number of times reported: 1

Sign: ENCEPHALITIS, Number of times reported: 1

Sign: ENLARGED LIVER, Number of times reported: 1

Sign: ENLARGED LYMPH NODE(S), Number of times reported: 1

Sign: ENLARGED LYMPH NODES (GENERALISED), Number of times reported: 1

Sign: EPILEPSY, Number of times reported: 1

Sign: EPILEPTIC SEIZURE, Number of times reported: 1

Sign: ERYTHEMA MULTIFORME, Number of times reported: 1

Sign: ERYTHEMATOUS RASH, Number of times reported: 1

Sign: EXCITATION, Number of times reported: 1

Sign: EYE INFLAMMATION NOS, Number of times reported: 1

Sign: EYE IRRITATION, Number of times reported: 1

Sign: EYELID ERYTHEMA, Number of times reported: 1

Sign: EYELID INFLAMMATION, Number of times reported: 1

Sign: EYESIGHT TROUBLE, Number of times reported: 1

Sign: FACE AND NECK SWELLING, Number of times reported: 1

Sign: FACIAL NERVE DISORDER, Number of times reported: 1

Sign: FIXED PUPIL, Number of times reported: 1

Sign: FLUID IN THORAX, Number of times reported: 1

Sign: FRACTURE, Number of times reported: 1

Sign: FURUNCULOSIS, Number of times reported: 1

Sign: GALL BLADDER & BILE DUCT DISORDER NOS, Number of times reported: 1

Sign: GASTRIC DILATION, Number of times reported: 1

Sign: GASTRIC PERFORATION, Number of times reported: 1

Sign: GASTRIC ULCER, Number of times reported: 1

Sign: GASTRIC VOLVULUS, Number of times reported: 1

Sign: GASTROINTESTINAL FOREIGN BODY NOS, Number of times reported: 1

Sign: GENERALISED RED SPOT, Number of times reported: 1

Sign: GENERALISED SKIN REACTION, Number of times reported: 1

Sign: GENERALISED WEAKNESS, Number of times reported: 1

Sign: GLUCOSURIA, Number of times reported: 1

Sign: GREASY SKIN, Number of times reported: 1

Sign: GUM DISORDER NOS, Number of times reported: 1

Sign: HAEMATOMA NOS, Number of times reported: 1

Sign: HAEMOLYSIS, Number of times reported: 1

Sign: HARSH LUNG SOUNDS, Number of times reported: 1

Sign: HEAD PRESSING, Number of times reported: 1

Sign: HEAD TILT, Number of times reported: 1

Sign: HEARING DECREASED, Number of times reported: 1

Sign: HEART BLOCK 3RD DEGREE, Number of times reported: 1

Sign: HEPATIC TUMOUR, Number of times reported: 1

Sign: HEPATOPATHY, Number of times reported: 1

Sign: HIGH BLOOD PRESSURE, Number of times reported: 1

Sign: HYPERAEMIA, Number of times reported: 1

Sign: HYPERCALCAEMIA, Number of times reported: 1

Sign: HYPERCHLORAEMIA, Number of times reported: 1

Sign: HYPERKALAEMIA, Number of times reported: 1

Sign: HYPERREFLEXIA, Number of times reported: 1

Sign: HYPERTHERMIA, Number of times reported: 1

Sign: HYPERTHYROIDISM, Number of times reported: 1

Sign: HYPERTONIA, Number of times reported: 1

Sign: HYPHAEMIA, Number of times reported: 1

Sign: HYPOKALAEMIA, Number of times reported: 1

Sign: HYPOREFLEXIA, Number of times reported: 1

Sign: IMMUNE MEDIATED THROMBOCYTOPENIA, Number of times reported: 1

Sign: IMPAIRED CONSCIOUSNESS, Number of times reported: 1

Sign: INCREASED COAGULATION TIME, Number of times reported: 1

Sign: INCREASED LUNG SOUNDS, Number of times reported: 1

Sign: INCREASED RED BLOOD CELL COUNT, Number of times reported: 1

Sign: INCREASED SEIZURE FREQUENCY, Number of times reported: 1

Sign: INCREASED SENSITIVITY TO LIGHT, Number of times reported: 1

Sign: INCREASED TESTICLE SIZE, Number of times reported: 1

Sign: INCREASED YAWNING, Number of times reported: 1

Sign: INEFFECTIVE, ANTIBIOTIC, Number of times reported: 1

Sign: INEFFECTIVE, ANTIINFLAMMATORY, Number of times reported: 1

Sign: INJECTION SITE ABSCESS, Number of times reported: 1

Sign: INJECTION SITE ALOPECIA, Number of times reported: 1

Sign: INJECTION SITE BLEEDING, Number of times reported: 1

Sign: INJECTION SITE IRRITATION, Number of times reported: 1

Sign: INJECTION SITE LUMP, Number of times reported: 1

Sign: INJECTION SITE PAIN, Number of times reported: 1

Sign: INJECTION SITE PRURITUS, Number of times reported: 1

Sign: INTENTION TREMOR, Number of times reported: 1

Sign: IRREGULAR BREATHING, Number of times reported: 1

Sign: ISOSTHENURIA, Number of times reported: 1

Sign: ITCHY EARS, Number of times reported: 1

Sign: LACK OF COORDINATION, Number of times reported: 1

Sign: LACK OF EFFICACY (ECTOPARASITE NOS), Number of times reported: 1

Sign: LACK OF EFFICACY (ECTOPARASITES), Number of times reported: 1

Sign: LACK OF EFFICACY (LICE), Number of times reported: 1

Sign: LIP DISORDER NOS, Number of times reported: 1

Sign: LIPAEMIA, Number of times reported: 1

Sign: LIVER TUMOUR, Number of times reported: 1

Sign: LOCALISED OEDEMA (NOT APPLICATION SITE), Number of times reported: 1

Sign: LOOSE BOWEL, Number of times reported: 1

Sign: LOSS OF CONDITION, Number of times reported: 1

Sign: LOSS OF VISION, Number of times reported: 1

Sign: LOW TEAR FLOW, Number of times reported: 1

Sign: LUMBAR PAIN, Number of times reported: 1

Sign: LUNG OEDEMA, Number of times reported: 1

Sign: LUNG TUMOUR, Number of times reported: 1

Sign: MAGNESIUM HIGH, BLOOD, Number of times reported: 1

Sign: MELANOMA, Number of times reported: 1

Sign: MENINGITIS, Number of times reported: 1

Sign: MICROORGANISMS, URINE, Number of times reported: 1

Sign: MOTOR NEURONE DISEASE, Number of times reported: 1

Sign: MOUTH PAIN, Number of times reported: 1

Sign: MOUTH ULCER, Number of times reported: 1

Sign: MUCOSA PETECHIAE, Number of times reported: 1

Sign: MULTI-ORGAN FAILURE NOS, Number of times reported: 1

Sign: MYELITIS, Number of times reported: 1

Sign: MYOSITIS, Number of times reported: 1

Sign: NASAL BLEEDING, Number of times reported: 1

Sign: NT - LYMPHANGIECTASIA, Number of times reported: 1

Sign: OEDEMA NOS, Number of times reported: 1

Sign: OEDEMA OF THE EXTREMITIES, Number of times reported: 1

Sign: OESOPHAGITIS, Number of times reported: 1

Sign: ORCHITIS, Number of times reported: 1

Sign: OTHER BLOOD DISORDER NOS, Number of times reported: 1

Sign: OTHER COAGULATION ABNORMALITY, Number of times reported: 1

Sign: PANCREAS DISORDER, Number of times reported: 1

Sign: PANNICULITIS, Number of times reported: 1

Sign: PAPULE, Number of times reported: 1

Sign: PARAESTHESIA, Number of times reported: 1

Sign: PARAPLEGIA, Number of times reported: 1

Sign: PARESIS, Number of times reported: 1

Sign: PARTIAL ADIPSIA, Number of times reported: 1

Sign: PAWING, Number of times reported: 1

Sign: PEELING SKIN, Number of times reported: 1

Sign: PETIT MAL EPILEPSY, Number of times reported: 1

Sign: PHLEBITIS, Number of times reported: 1

Sign: PIGMENTATION DISORDER, Number of times reported: 1

Sign: PIMPLES, Number of times reported: 1

Sign: PITUITARY DISORDER NOS, Number of times reported: 1

Sign: PODODERMATITIS, Number of times reported: 1

Sign: POOR COAT CONDITION, Number of times reported: 1

Sign: POOR SIGHT, Number of times reported: 1

Sign: PROLAPSE OF THE NICTITATING MEMBRANE, Number of times reported: 1

Sign: PROLONGED ACTIVATED PARTIAL THROMBIN TIME (APTT), Number of times reported: 1

Sign: PROLONGED CAPILLARY REFILL TIME, Number of times reported: 1

Sign: PROLONGED ONE STAGE PROTHROMBIN TIME (OSPT), Number of times reported: 1

Sign: PROPRIOCEPTION LOSS, Number of times reported: 1

Sign: PR-SKIN, LESION(S), Number of times reported: 1

Sign: PRURITIC RASH, Number of times reported: 1

Sign: PULMONARY HAEMORRHAGE, Number of times reported: 1

Sign: PULMONARY OEDEMA, Number of times reported: 1

Sign: PUPIL DISORDER, Number of times reported: 1

Sign: PURPURA, Number of times reported: 1

Sign: PUSTULAR SKIN ERUPTION, Number of times reported: 1

Sign: PYURIA, Number of times reported: 1

Sign: RAPID PULSE RATE, Number of times reported: 1

Sign: RED EYE, Number of times reported: 1

Sign: RESPIRATORY ARREST, Number of times reported: 1

Sign: RESPIRATORY DEPRESSION, Number of times reported: 1

Sign: RESPIRATORY DISTRESS, Number of times reported: 1

Sign: RESPIRATORY FAILURE, Number of times reported: 1

Sign: RESPIRATORY TRACT INFECTION NOS, Number of times reported: 1

Sign: RETINAL DISORDER NOS, Number of times reported: 1

Sign: RHINITIS, Number of times reported: 1

Sign: RIGIDITY OF LIMBS, Number of times reported: 1

Sign: ROTATORY NYSTAGMUS, Number of times reported: 1

Sign: SCALE, Number of times reported: 1

Sign: SCROTAL OEDEMA, Number of times reported: 1

Sign: SEDATION PROLONGED, Number of times reported: 1

Sign: SELF MUTILATION, Number of times reported: 1

Sign: SEMI-CONSCIOUS, Number of times reported: 1

Sign: SENSATION LOSS, Number of times reported: 1

Sign: SICK EUTHYROID SYNDROME, Number of times reported: 1

Sign: SKIN ABSCESS, Number of times reported: 1

Sign: SKIN AND TISSUE INFECTION NOS, Number of times reported: 1

Sign: SKIN PETECHIAE, Number of times reported: 1

Sign: SKIN SLOUGH, Number of times reported: 1

Sign: SMALL LIVER, Number of times reported: 1

Sign: SOMNOLENCE, Number of times reported: 1

Sign: SPLEEN AND RETICULO-ENDOTHELIAL SYSTEM DISORDER NOS, Number of times reported: 1

Sign: STILLBIRTH, Number of times reported: 1

Sign: STOMACH CRAMP, Number of times reported: 1

Sign: STOMACH INFLAMMATION, Number of times reported: 1

Sign: STOMACH UPSET, Number of times reported: 1

Sign: SUBDUED, Number of times reported: 1

Sign: SUNKEN EYES, Number of times reported: 1

Sign: SWALLOWING DIFFICULT, Number of times reported: 1

Sign: SWOLLEN JOINT, Number of times reported: 1

Sign: SWOLLEN LYMPH NODE, Number of times reported: 1

Sign: SYNCOPE, Number of times reported: 1

Sign: TEMPORARY BLINDNESS, Number of times reported: 1

Sign: TETANUS, Number of times reported: 1

Sign: THIRD EYELID PROTRUSION, Number of times reported: 1

Sign: TONGUE PROTRUSION, Number of times reported: 1

Sign: TONIC MUSCLE SPASM, Number of times reported: 1

Sign: TONIC SEIZURE, Number of times reported: 1

Sign: TORTICOLLIS, Number of times reported: 1

Sign: TRACHEAL COLLAPSE, Number of times reported: 1

Sign: ULCERATION NOS, Number of times reported: 1

Sign: UNEXPLAINED DEATH, Number of times reported: 1

Sign: URINARY BLADDER DISORDER NOS, Number of times reported: 1

Sign: URINARY RETENTION, Number of times reported: 1

Sign: URINARY TRACT DISORDER NOS, Number of times reported: 1

Sign: URINATION, Number of times reported: 1

Sign: UROLITHIASIS, Number of times reported: 1

Sign: VOCALIZING WHILE SLEEPING, Number of times reported: 1

Sign: VOICE ALTERATION, Number of times reported: 1

Sign: WHEAL, Number of times reported: 1

Sign: YELLOW MUCOUS MEMBRANES, Number of times reported: 1



## **Species: Dog**

### **Route of Administration: unknown**

Sign: PRURITUS, Number of times reported: 2

Sign: ANAEMIA NOS, Number of times reported: 1

Sign: ATAXIA, Number of times reported: 1

Sign: BLOOD IN URINE, Number of times reported: 1

Sign: DECREASED RED BLOOD CELL COUNT, Number of times reported: 1

Sign: DEHYDRATION, Number of times reported: 1

Sign: INCREASED PERCENTAGE RETICULOCYTES, Number of times reported: 1

Sign: INEFFECTIVE, TICKS, Number of times reported: 1

Sign: LIVER DISORDER NOS, Number of times reported: 1

Sign: NEUTROPHILIA, Number of times reported: 1

Sign: PANCREATITIS, Number of times reported: 1

Sign: UNCLASSIFIABLE ADVERSE EVENT, Number of times reported: 1

Sign: VOMITING, Number of times reported: 1

## **Species: Human**

### **Route of Administration: intradermal**

Sign: DRY SKIN, Number of times reported: 1

Sign: ITCHING, Number of times reported: 1

Sign: LOCAL SWELLING (NOT APPLICATION SITE), Number of times reported: 1

Sign: REDDENING OF THE SKIN, Number of times reported: 1

Sign: SKIN WARMTH, Number of times reported: 1

## **Species: Human**

### **Route of Administration: oral**

Sign: ACCIDENTAL DRUG INTAKE BY CHILD, Number of times reported: 1

Sign: LOSS OF CONSCIOUSNESS, Number of times reported: 1

## **Species: Human**

### **Route of Administration: Topical**

Sign: HIVES, Number of times reported: 2

Sign: ANAPHYLAXIS, Number of times reported: 1

Sign: EYE ITCHING, Number of times reported: 1

Sign: ITCHY SKIN, Number of times reported: 1

Sign: PRURITUS, Number of times reported: 1