



PLUMBERS SUPPLY CO.
Everything Under The Sun.



**MASTER
CATALOG**
2016

INDIANA LOCATIONS

EVANSVILLE BRANCH

Opened in 1983
1817 West Michigan St.
Evansville, IN 47712
Manager: Mark Weiss

Showroom / Plumbing / HVAC / Fire Protection

Ph: (812)425-3115
Fax: (812)425-7919
800-457-3048
Mon. - Fri. 7:00 - 4:30

HVAC

Mon. - Fri. 7:30 - 4:30

INDIANAPOLIS BRANCH

Opened in 1997
3849 East Raymond St.
Indianapolis, IN 46203
Manager: Gary Bynum

Plumbing / HVAC / Fire Protection

Ph: (317)783-2981
Fax: (317)783-2987
800-886-2981
Mon. - Fri. 7:00 - 5:00

FISHERS BRANCH

Opened in 1997
8761 East 116th Street
Fishers, IN 46038
Manager: Gary Bynum / Kari Rayl

Showroom / Plumbing

Ph: (317)842-8787
Fax: (317)842-8789
800-439-9804
Mon. - Fri. 7:30 - 5:00

FRANKLIN BRANCH

Opened in 2003
2785 North Morton (U.S. 31)
Franklin, IN 46131
Manager: Gary Bynum / Roger Kean

Showroom / Plumbing / HVAC / Fire Protection

Ph: (317)738-2777
Fax: (317)738-3985
Mon. - Fri. 7:00 - 5:00

CLARKSVILLE BRANCH

Opened in 2006
2259 Koetter Drive
Clarksville, IN 47129
Manager: Tim VanHoose / Greg Arnold

Plumbing / HVAC

Ph: (812)206-7600
Fax: (812)206-7601
Mon. - Fri. 7:30 - 4:30





KENTUCKY LOCATIONS

LOUISVILLE HEADQUARTERS

Opened in 1930
1000 E. Main Street
Louisville, KY 40206
Manager: Jay Johnson

Showroom / Plumbing / Fire Protection

Ph: (502)582-2261
Fax: (502)585-5521
800-626-5133
Mon. - Fri. 7:00 - 5:00
Sat. 8:00 - 12:00

Showroom

Mon. - Fri. 8:00 - 4:00
Sat. 8:00 - 12:00

LOUISVILLE EAST END BRANCH

Opened in 1987
2102 Production Drive
Louisville, KY 40299
Manager: Barry Faith

Plumbing

Ph: (502)491-6850
Fax: (502)491-6851
866-817-7246
Mon. - Fri. 7:00 - 4:30

LOUISVILLE HVAC DEPT.

950 E. Market Street.
Louisville, KY 40206
Manager: Scott Ritchey
Operations Manager: Phil Raisle

HVAC

Ph: (502)582-2230
Fax: (502)581-1279
Mon. - Fri. 7:30 - 4:30

LEXINGTON BRANCH

Opened in 1990
1142 Eastland Dr.
Lexington, KY 40505
Manager: Jack Johnson

Plumbing / HVAC / Fire Protection

Ph: (859)255-0700
Fax: (859)281-1393
800-467-7586
Mon. - Fri. 7:00 - 4:30

BOWLING GREEN BRANCH

Opened in 1987
2321 Russellville Rd.
Bowling Green, KY 42101
Manager: Les Hood

Plumbing / HVAC / Fire Protection

Ph: (207)782-8007
Fax: (270)782-8013
800-248-3385
Mon. - Fri. 7:00 - 4:30

ELIZABETHTOWN BRANCH

Opened in 2006
308 Peterson Dr.
Elizabethtown, KY 42701
Manager: Barry Gentry

Plumbing / HVAC

Ph: (270)737-7473
Fax: (270)766-1400
866-459-7473
Mon. - Fri. 7:00 - 4:30

HVAC

Mon. - Fri. 7:00 - 3:30

1995

JOHN J WERST, JR

President of Plumbers Supply Co., from 1961 until shortly before his death in 2001.



1961

JOHN J WERST, JR

President of Plumbers Supply Co.



1951

SALES OFFICE

Plumbers Supply Co. Louisville city sales in 1951.



1941

JOHN J WERST, SR

Founding partner of Plumbers Supply Co in 1921, Mgr of PSC Evansville, IN from its founding in 1923 until 1937. President of PSC Louisville from 1941 until his death in 1961.



1941

PIPE THREADING

Pipe threading equipment in interior of Plumbers Supply Warehouse circa 1941.



1930

LOUISVILLE HEADQUARTERS

Louisville location opens and remains today as our headquarters and the only location in continuous use.



1890

PLUMBING SHOP INTERIOR

Customized Gas Light Fixtures were a specialty for this firm, having furnished light fixtures and chandeliers for the original West Baden Spa Hotel, in West Baden, IN.



1890

H.W.WERST'S PLUMBING SHOP

located at 553 S. 3rd St., Louisville, KY



1890

H.W.WERST

Plumber, Steam fitter, Gas fitter, Vhandler, born in Kaiserslautern, Bavaria in 1848, came to the US as a small child around 1850, father of founding partner, John J West, Sr.





DREAM 50



PROFIT BUILDING PROGRAMS

OFFERED BY



PLUMBERS SUPPLY CO.
Everything Under The Sun.

Plumbers Supply recognizes the challenges that our customers face in the Plumbing and HVAC industry. From the need to protect profit margins from eroding to having skilled tradesmen to get the jobs done, Plumbers Supply understands these concerns and has developed turn-key programs that have been proven to raise margins, profitability and customer loyalty.

The Dream 50 Contractor program is a turn-key business solutions program that focuses on building and sustaining a highly profitable service, retrofit, and remodel business model. Plumbers Supply will make investments with you in the areas of marketing programs, lead generation, and retail “solutions proposals” and service agreements.

Our Value Services Include:

- Professional In-Home Selling Tools Guaranteed to Produce Higher Closing Rates
 - Marketing Support Programs To Grow Your Business
 - Retail Sales Training
 - Journeyman and Master’s Hours Training
 - Business and Financial Management Training
 - Technical Training
 - Technical Support Both by Phone and Job-site
- 

TESTIMONIALS

“The Dream 50 program took an already profitable business and made it even more profitable”, Bob Franzman, owner, Blackburn Davis Plumbing and Heating

“The Business 101 class is the best thing since sliced bread. If you have not gone through it you need to! It will make you more profitable”, Warner VanKleef, owner, VanKleef Heating & Air Conditioning

To find out how you can become a Dream 50 Contractor contact Scott Ritchey, Vice-President of Sales & Marketing at 502-540-0221 or 502-744-8973 Cell.



Table of Contents

A. Pipe and Fittings.....	A - 1
B. Pipe Accessories.....	B - 1
C. HVAC.....	C - 1
D. Chemicals, Compounds, Tape, Solder Supplies..	D - 1
E. Tool and Supplies.....	E - 1
F. Reference Charts.....	F - 1

A. Pipe and Fittings

1. Black/Galv Malleable Fittings

Black Malleable Iron Fittings.....	A - 3
Black Malleable Iron Fittings - Domestic.....	A - 3
Black Cast Iron Threaded Fittings.....	A - 3

2. Black/Galv Steel Pipe and Fittings

Black Steel Fittings.....	A - 4
Black Steel Nipples.....	A - 4
Galvanized Steel Fittings.....	A - 4

3. Copper

Copper Tubing - Cerro Flow Products.....	A - 5
Copper Wrot Pressure Fittings.....	A - 6

4. Insert Fittings & Hose Clamps

Barbed Fittings - Nylon.....	A - 7
PVC Insert Fittings.....	A - 7
Hose Clamps - Stainless Steel Worm Gear - Ideal.....	A - 7

5. PVC Pipe and Fittings

PVC DWV Fittings.....	A - 8
PVC Pipe.....	A - 8
PVC Sch 40 Fittings, Unions.....	A - 9

Black Malleable Fittings

Pipe and Fittings

Threaded Black Malleable Iron Fittings

Black MI 150# Coupling



Part #	Size	Price
SBC12	1/2"	1.93
SBC34	3/4"	2.30
SBC1	1"	3.44

Threaded Black Malleable Iron Fittings

Black MI 150# Cap



Part #	Size	Price
BCAP12	1/2"	4.90
BCAP34	3/4"	6.64

Black MI 150# 45° Elbow



Part #	Size	Price
B45L12	1/2"	8.01

Black MI 150# 45° Street Elbow



Part #	Size	Price
B45SL12	1/2"	11.20

Black MI 150# 90° Elbow



Part #	Size	Price
B90L12	1/2"	4.85
B90L34	3/4"	5.85

Black MI 150# 90° Street Elbow



Part #	Size	Price
B90SL12	1/2"	10.03

Black MI 150# Reducer



Part #	Size	Price
BR34.12	3/4" x 1/2"	8.81

Black MI 150# Tee



Part #	Size	Price
BT12	1/2"	6.49
BT34	3/4"	9.31

Black MI 150# Reducing Outlet Tee



Part #	Size	Price
BT34.12	3/4" x 3/4" x 1/2"	14.40

Black MI Unions

Black MI 150# Union



Part #	Size	Price
B150U12	1/2"	22.66
B150U34	3/4"	26.04



WARD MANUFACTURING

Threaded Black Cast Iron Fittings

Black Cast Iron Hex Bushing



Part #	Size	Price
BHB1.12	1" x 1/2"	8.40
BHB1.34	1" x 3/4"	8.28

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Black Steel Fittings

Black Steel Fittings

Steel Square Headed Plug - Solid



Part #	Size	Price
BP12	1/2"	0.48
BP34	3/4"	0.66

Black Steel Hex Bushing



Part #	Size	Price
BHB34.12	3/4" x 1/2"	1.04

Standard Weight Black Steel Nipples



1/2" Std Wt Black Steel Nipple

Part #	Size	Price
SBN12.CL	1/2" x Close	2.42
SBN12.112	1/2" x 1-1/2"	2.42
SBN12.2	1/2" x 2"	2.42
SBN12.212	1/2" x 2-1/2"	2.85
SBN12.3	1/2" x 3"	2.85
SBN12.312	1/2" x 3-1/2"	3.42
SBN12.4	1/2" x 4"	3.42
SBN12.412	1/2" x 4-1/2"	4.02
SBN12.5	1/2" x 5"	4.02
SBN12.512	1/2" x 5-1/2"	4.48
SBN12.6	1/2" x 6"	4.48
SBN12.8	1/2" x 8"	8.08
SBN12.10	1/2" x 10"	9.70
SBN12.12	1/2" x 12"	11.52
SBN12.18	1/2" x 18"	18.01
SBN12.24	1/2" x 24"	23.50
SBN12.30	1/2" x 30"	27.56
SBN12.36	1/2" x 36"	32.52
SBN12.48	1/2" x 48"	41.10
SBN12.60	1/2" x 60"	49.29

3/4" Std Wt Black Steel Nipple

Part #	Size	Price
SBN34.CL	3/4" x Close	2.76
SBN34.112	3/4" x 1-1/2"	2.97

3/4" Std Wt Black Steel Nipple (Continued)

Part #	Size	Price
SBN34.2	3/4" x 2"	2.97
SBN34.3	3/4" x 3"	3.36
SBN34.312	3/4" x 3-1/2"	4.16
SBN34.4	3/4" x 4"	4.16
SBN34.412	3/4" x 4-1/2"	5.22
SBN34.5	3/4" x 5"	5.22
SBN34.6	3/4" x 6"	5.92
SBN34.10	3/4" x 10"	11.50
SBN34.12	3/4" x 12"	12.79
SBN34.18	3/4" x 18"	22.23
SBN34.24	3/4" x 24"	19.57
SBN34.36	3/4" x 36"	39.45

1" Std Wt Black Steel Nipple

Part #	Size	Price
SBN1.2	1" x 2"	4.41
SBN1.212	1" x 2-1/2"	4.64
SBN1.3	1" x 3"	4.64
SBN1.4	1" x 4"	5.78
SBN1.5	1" x 5"	6.84
SBN1.6	1" x 6"	8.09

Black Steel Nipple Sets

66 Assorted Black Steel Nipple Set

Part #	Size	Pcs	Price
BN66SS12	1/2"	66 Set	272.18

Galvanized Steel Fittings

Galvanized Steel Square Headed Plug - Solid



Part #	Size	Price
GP12	1/2"	0.58

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Copper Tubing

**Pipe and
Fittings**

Soft Copper Refrigeration Tube - Coils

- For manufacture, installation and maintenance of refrigeration equipment
- ASTM B280




Part #	Size	Length	Price
CR14OD50	1/4"	50'	46.69
CR38OD50	3/8"	50'	66.05
CR516OD50	5/16"	50'	62.72
CR12OD50	1/2"	50'	93.94
CR58OD50	5/8"	50'	125.72
CR34OD50	3/4"	50'	146.91
CR78OD50	7/8"	50'	219.18
CR118OD50	1-1/8"	50'	324.80

CerroPure® (ACR/OXY/MED) Copper Tube

- Use for air conditioning and refrigeration and medical gas systems
- Meets the highest industry standards and provides superior cleanliness for the contaminant-free transportation of refrigerants, oxygen and other gases
- Specially cleaned for use in medical gas systems and meets the same allowable residue limit of 0.0035 g/sq ft of interior tube surface area
- ASTM B280/ASTM B819

CerroPure® Blue Nitrogen Charged Copper Tube

- Straight lengths
- Nitrogen pressurized ACR tube
- Purged with dry nitrogen and ends sealed with rubber plugs to maintain a positive pressure of nitrogen inside the tube
- Ink marked "N2 Gas" to clearly identify to user



Part #	Size	Length	Price
CACR38OD	3/8"	20'	1.58
CACR12OD	1/2"	20'	2.39
CACR58OD	5/8"	20'	2.94
CACR34OD	3/4"	20'	4.12
CACR78OD	7/8"	20'	4.68
CACR118OD	1-1/8"	20'	6.73
CACR138OD	1-3/8"	20'	9.02
CACR158OD	1-5/8"	20'	11.66
CACR218OD	2-1/8"	20'	18.15
CACR258OD	2-5/8"	20'	26.80
CACR318OD	3-1/8"	20'	35.65

CerroPure® Blue Capped Copper Tube

- Straight lengths
- After cleaning, fitted with plastic caps to maintain the clean interior surface

Part #	Size	Length	Price
CACR358OD	3-5/8"	20'	46.61

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Wrot Copper Fittings

Copper Wrot Pressure Fittings

Adapters (C x FIP)



Part #	Nom Size	OD Size	List
W01247	3/4" x 1/2"	7/8" OD x 1/2"	12.27

Couplings - with Dimpled Stops (C x C)



Part #	Nom Size	OD Size	List
W10141	1/8"	1/4" OD	1.36
W10143	1/4"	3/8" OD	1.18
W10142		5/16" OD	1.53
W10144	3/8"	1/2" OD	1.54
W10145	1/2"	5/8" OD	1.30
W10157	5/8"	3/4" OD	3.82
W10146	3/4"	7/8" OD	2.62
W10147	1"	1-1/8" OD	5.18
W10148	1-1/4"	1-3/8" OD	8.92

Reducing Coupling (C x C)



Part #	Nom Size	OD Size	List
W01011	1/4" x 1/8"	3/8" x 1/4"	7.87
W01019	3/8" x 1/4"	1/2" x 3/8"	2.58
W01010	3/8" x 5/16" OD	1/2" x 5/16"	4.83
W01023	1/2" x 3/8"	5/8" x 1/2"	2.65
W01030	5/8" x 3/8"	3/4" x 1/2"	7.99
W01029	5/8" x 1/2"	3/4" x 5/8"	6.46
W01036	3/4" x 1/2"	7/8" x 5/8"	4.60
W01035	3/4" x 5/8"	7/8" x 3/4"	4.57
W01049	1" x 3/4"	1-1/8" x 7/8"	8.36

45° Elbow (C x C)



Part #	Nom Size	OD Size	List
W03030	5/8"	3/4" OD	13.39
WB03034	3/4"	7/8" OD	5.37

90° Long Radius Elbow (C x C)



Part #	Nom Size	OD Size	List
W02716	1/4"	3/8" OD	6.85
W02717	3/8"	1/2" OD	8.65
W02722	1/2"	5/8" OD	7.77
W02728	5/8"	3/4" OD	7.85
W02734	3/4"	7/8" OD	10.04
W02747	1"	1-1/8" OD	16.15
W02055	1-1/4"	1-3/8" OD	26.19

90° Long Radius Elbow (FTG x C)



Part #	Nom Size	OD Size	List
W02809	1/4"	3/8" OD	8.12
W02817	3/8"	1/2" OD	15.87
W02822	1/2"	5/8" OD	11.67
W02828	5/8"	3/4" OD	13.80
W02834	3/4"	7/8" OD	13.94
W02847	1"	1-1/8" OD	23.74
W02350	1-1/4"	1-3/8" OD	34.02

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Fittings

**Nylon Barbed Fittings
Adapter**



Part #	Description	Price
701-043	3/8" Barb x 3/4" MPT	3.19

Hose Mender



Part #	Description	Price
701-032	3/8" Barb x Barb	2.59

**LASCO®
Fittings, Inc.**

**PVC Insert Fittings for Polyethylene Pipe
PVC Male Adapter (INS x MIP)**



Part #	Size	Price
1436-005	1/2"	1.03



Stainless Steel Hose Clamps

**IDEAL® Micro-Gear® 62P Series Small Worm Gear
Clamp**

- SS Band and housing
- Plated 1/4" hex-head screw

Part #	Size	Price
ID6204	1/4" - 5/8"	0.90
ID6206	5/16" - 7/8"	0.90
ID62P-12	1/2" - 1-1/4", 5/16" Band	0.97
ID62P-16	1/2" - 1-1/2", 5/16" Band	0.97
ID62P-20	3/4" - 1-3/4", 5/16" Band	0.98

IDEAL® 68 Series Clamp 9/16" Worm Gear Clamps

- General purpose
- All SS 9/16" Band and housing
- 5/16" Hex-head screw



Part #	Size	Price
ID6806	3/8" - 7/8"	1.49
ID6808	7/16" - 1"	1.49
ID6810	1/2" - 1-1/16"	1.49
ID6812	1/2" - 1-1/4"	1.51
ID6816	11/16" - 1-1/2"	1.51
ID6820	3/4" - 1-3/4"	1.54
ID6824	1" - 2"	1.54
ID6828	1-1/4" - 2-1/4"	1.55
ID6832	1-1/2" - 2-1/2"	1.55
ID6836	1-3/4" - 2-3/4"	1.63
ID6840	2" - 3"	1.79
ID6848	2-1/2" - 3-1/2" 1/2" Band	2.08
ID6856	3" - 4"	2.17
ID6864	2-1/2" - 4-1/2"	2.39
ID6872	3" - 5"	2.50
ID6880	3-1/2" - 5-1/2"	2.59
ID6888	4" - 6"	2.78
ID68104	5" - 7"	3.01

**Pipe and
Fittings**

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

PVC DWV Fittings

PVC DWV Fittings
PVC Coupling (Hub)



Part #	Size	Price
CH1022.3	3" x 2"	10.02

PVC Type 1120 Pressure Pipe

PVC1120 Sch 40 Pressure Pipe (NSF-pw)

- ASTM D1785
- Potable water

PVC 90° Elbow (Hub)



Part #	Size	Price
CH3002	2"	4.84
CH3003	3"	14.23

Part #	Nom Pipe Size	Ends	Price
PVC40PE34.20	3/4" x 20'	PE	0.71
PVC40PE2.10	2" x 10'	PE	1.99
PVC40PE3.10	3" x 10'	PE	4.11

PVC 90° Street Elbow (Spg x H)



Part #	Size	Price
CH3022	2"	6.10
CH3023	3"	15.38

PVC 45° Elbow (Hub)



Part #	Size	Price
CH3212	2"	4.33
CH3213	3"	12.74

PVC 45° Street Elbow (Spg x H)



Part #	Size	Price
CH3232	2"	4.58
CH3233	3"	12.07

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

PVC Sch 40 Fittings, Unions

Pipe and Fittings

PVC Sch 40 Fittings

PVC Tee (SOC)



Part #	Size	Price
401-005	1/2"	0.84
401-007	3/4"	0.97
401-010	1"	1.81

PVC Cleanout Tee



Part #	Size	Price
510-3400	3/4"	2.68

PVC 90° Elbow (SOC)



Part #	Size	Price
406-005	1/2"	0.67
406-007	3/4"	0.77
406-010	1"	1.36
406-020	2"	4.05
406-030	3"	14.77

PVC 90° Elbow (SOC x FIP)



Part #	Size	Price
407-007	3/4"	0.97

PVC 90° Street Elbow (Spg x SOC)



Part #	Size	Price
409-005	1/2"	1.91
409-007	3/4"	2.35

PVC 90° Street Elbow (MIP x SOC)



Part #	Size	Price
410-007	3/4"	1.74

PVC 45° Elbow (SOC)



Part #	Size	Price
417-005	1/2"	1.12
417-007	3/4"	1.74
417-010	1"	2.08
417-020	2"	4.75

PVC Coupling (SOC)



Part #	Size	Price
429-005	1/2"	0.44
429-007	3/4"	0.61
429-010	1"	1.07
429-020	2"	2.43
429-030	3"	8.38

PVC Adapter (SOC x FIP)



Part #	Size	Price
435-007	3/4"	0.97

PVC Adapter (MIP x SOC)



Part #	Size	Price
436-007	3/4"	0.67

PVC Flush Style Reducer Bushing (Spg x SOC)



Part #	Size	Price
437-101	3/4" x 1/2"	0.71

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

PVC Sch 40 Fittings, Unions

**PVC Flush Style Reducer Bushing (Spg x SOC)
(Continued)**

Part #	Size	Price
437-131	1" x 3/4"	1.29
437-338	3" x 2"	7.18

PVC Flush Style Reducer Bushing (Spg x FIP)



Part #	Size	Price
438-101	3/4" x 1/2"	1.12
438-247	2" x 1/2"	4.29

PVC Cap (SOC)



Part #	Size	Price
447-005	1/2"	0.61
447-007	3/4"	0.71

PVC Plug (Spg)



Part #	Size	Price
449-007	3/4"	1.74

PVC Plug (MIP)



Part #	Size	Price
450-005	1/2"	1.83
450-007	3/4"	1.97

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

B. Pipe Accessories

1. Pipe Hangers / Supports / Strut / Rod

Beam Clamps, Pipe Clamps, Structural Support and Attachments, B-Line, Tolco.....	B - 3
Channel and Fittings, Structural Attachments, Pipe Hangers & Clamps - PHD Manufacturing, Inc.	B - 3
Channel Fittings, Supports, Hangers & Supports - CADDY® Fasteners - Erico.....	B - 3
Pipe Hangers - Panther American.....	B - 4
Pipe Strap, Sleeving, Stud Protectors - Plumbest.....	B - 4
Pipe Hangers, Fasteners, Tube Strap - Sioux Chief Mfg. Co., Richard Specialty.....	B - 4
Threaded Rod, Couplings.....	B - 4

2. Pipe Insulation / Flashing


Flashing.....	B - 5
Pipe Insulation, Adhesives - Armacell.....	B - 5

Clamps / Brackets / Fasteners

Beam Clamps

Rod Support Beam Clamp

- Material: Malleable iron
- Max flange thickness:
 - 3/4" for 1/4" & 5/16" sizes
 - 1" for 3/8" & 1/2" sizes
- Screw set included



COOPER B-Line

Part #	Rod Size	Rec Max Load (lbs)	Finish	Price
B444.38	3/8"	350	ZN	18.91



Strut Pipe Clamps

PHD 2502-2514 Cushion Clamp


- Material: Low carbon steel



Part #	OD Size	Price
TCC.38	3/8"	15.13
TCC.12	1/2"	15.13
TCC.58	5/8"	15.13
TCC.34	3/4"	15.48
TCC.78	7/8"	17.35
TCC.118	1-1/8"	20.28
TCC.138	1-3/8"	24.25
TCC.158	1-5/8"	31.90

Strut System

12 Gauge - With 1-1/8" x 9/16" Slots on 2" Centers Channel



Part #	Size	Finish	Price
A12HS20GR	1-5/8" x 1-5/8" x 20'	Green	3.19

Strut Accessories

Caddy® SLICK Threaded Strut Nut

- Eliminates the need for a washer
- Replaces spring nuts

ERICO®



Part #	Thread Size	Recommended Torque	Price
SLICK375	3/8"-16	15 ft-lbs	1.87

ERICO®

Beam Clamps

Universal Beam Clamp

- Material: Ductile iron
- Structural attachment to top or bottom of metal beams, purlins, channel or angle iron
- Set screw made of hardened steel
- Set screw must be tightened and torqued onto the sloped side of the I-beam
- Finishes:
 - PL: Black
 - EG: Electro-zinc plated finish
- UL Listed approved for all sizes, Factory Mutual approved for 3/8" and 1/2" rod size



Part #	Rod Size	Rec Max Load (lbs) Top/Bottom	Finish	Price
MI300G.38	3/8"	500/250	EG	3.94

Pipe Accessories

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Pipe Hangers

Pipe Hangers 1-Hole Pipe Strap



Part #	Size	Price
MI145	1/2" IPS	1.08
MI150	3/4" IPS	0.18
MI160	1" IPS	0.27

2-Hole Pipe Strap



Part #	Size	Price
H13-150	1-1/2" IPS	0.31



Perforated Pipe Strap

- Alternating holes (bolts and nail)



Galvanized Perforated Hanger Iron

Part #	Size	Gauge	Price
H20-001	3/4" x 10'	20	1.47
H20-005	3/4" x 50'	20	8.26
H20-010	3/4" x 100'	20	16.08

FHA Plates

FHA Plate

- 16 Hole plate

Part #	Size	Gauge	Price
SC539-18	3 1/2" x 18"	16	2.46

Hangers and Fasteners

Hangs Tuff™ DWV Pipe Hanger

- Strong and rigid I-beam design
- Preloaded nails for quick and easy installation
- 100% Corrosion proof impact resistant
- Schedule 40 ABS
- Unique locking stem finger



Part #	Description	Price
SC553-6W	1-1/2", White	0.88
SC553-7W	2", White	0.93
SC553-8W	3", White	1.05

All Threaded Rod Galvanized Threaded Rod



Part #	Size	Price/Foot
GAT516	5/16"-18 x 10'	0.32
GAT38	3/8" x 10'	0.38
GAT12	1/2" x 10'	0.65

Find Everything Under the Sun at One of Our Convenient Branches


www.plumbers-supply-co.com

Flashing / Insulation / Adhesives

No-Calk® Roof Flashing

Thermoplastic Base No-Calk Roof Flashing

- Slides over pipe - for pitch to 45°
- Non-fading and non-cracking, rigid black thermoplastic base
- Non-fading, sealing collar
- Do not use petroleum based products on plastic bases or rubber collars
- Rated 180°F continuous heat
- Approved for Type B installations
- Not for hot-mopped or built-up roofs




Standard Base Flashing

Part #	Size	Price
OA11909	2"	4.80
OA11910	3"	4.85
OA11911	4"	5.52

Dektite® Pipe Flashing

- 1-Piece construction is easy to install
- Resistant to ozone and ultra-violet light




BRAMEC®

Part #	Mfg #	Size	Price
BR19112	4009910	1/4" - 4" OD	16.58
BR17673	4011910	3" - 6" OD	20.92
BR17674	4016910	4" - 7" OD	23.58
BR19115	4018910	5" - 9" OD	30.56
BR19116	4020910	6" - 11" OD	44.92
BR19117	4025910	7" - 13" OD	55.26



**AP/Armaflex Pipe Insulation
6' Length**

- Cost-effective polyethylene, fiber free
- Ideal for domestic plumbing lines
- Microban® antimicrobial protection
- Prevents condensation, mold
- Minimizes heat gain and loss
- 25/50 Rated through 1-1/2"



Pipe Accessories

Part #	Wall Thickness	Pipe Size	Price
AR38.38	3/8" Nom	3/8" ID	0.52
AR58.38	3/8" Nom	5/8" ID	0.64
AR34.38	3/8" Nom	3/4" ID	0.68
AR78.38	3/8" Nom	7/8" ID	0.72
AR118.38	3/8" Nom	1-1/8" ID	0.81
AR118.12	1/2" Nom	1-1/8" ID	1.18
AR58.34	3/4" Nom	5/8" ID	2.11
AR78.34	3/4" Nom	7/8" ID	2.52
AR118.34	3/4" Nom	1-1/8" ID	2.13

Armaflex 520 Adhesive

- Formulated for Armaflex insulations
- Air-drying
- Excellent for joining seams & butt joints
- Line temperatures up to 250°F
- Light tan color



Part #	Description	Price
R320.12P	1/2 pt Brushtop	5.92
R320P	1 pt Brushtop	13.72

**AP/Armaflex® Insulated Tape
with Dispenser**

- High-quality AP/Armaflex insulation
- Self-adhering
- Fast on difficult pipes and fittings
- Controls condensation and heat loss
- Clean, smooth appearance



Part #	Size	Price
AR18.2.30	1/8" x 2" x 30'	13.17

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Insulation / Adhesives

**Pipe
Accessori**

Page Left Blank

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

C. HVAC

1. Dryer Vent Hose / Boxes / Vent Hoods	
Vent Hoods, Dryer Hose, Dryer Vent Boxes.....	C - 5
2. Duct Board / Liner / Wrap / Insulation / Chemicals	
Duct Board, Liner & Wrap - Owens Corning, Reflectix.....	C - 7
Duct Adhesives & Sealants - Unitary Products Group.....	C - 7
Reflectix® Inc. Duct Insulation.....	C - 7
Duct Panning - Therm-O-Mfg.....	C - 8
3. HVAC B-Vent	
B-Vent - Hart & Cooley Gas.....	C - 9
B-Vent, Aluminum Chimney Liner Kits - Simpson Dura-Vent.....	C - 11
Versa Cap.....	C - 13
4. HVAC Equipment	
Amana PTAC Units and Accessories.....	C - 14
Coleman Manufactured Housing Equipment.....	C - 16
First Company.....	C - 18
Modine Unit Heaters.....	C - 19
Quietside Samsung Ductless Splits.....	C - 21
York Air Conditioners.....	C - 24
TXV Valves - Unitary Products Group.....	C - 26
York Air Handlers.....	C - 27
York Evaporator Coils.....	C - 29
Orifice Kits - Unitary Products Group.....	C - 30
York Furnaces.....	C - 31
York Residential Electric Strip Heaters.....	C - 37
York Heat Pumps.....	C - 38
York Packaged Cooling and Heating Units.....	C - 40
Zone Controls, Dampers, Accessories - EWC Controls Inc.....	C - 48
5. HVAC Indoor Air Quality	
Air Cleaners & Media - Honeywell Media.....	C - 49
Air Cleaner Media - GeneralAire.....	C - 49
Air Cleaners & Media- Trion Media and Electronic.....	C - 49
Air Cleaners & Media - Unitary Products Group.....	C - 51
Air Filters - Koch Filter Corporation.....	C - 53
UV Air Purifiers - Field Controls.....	C - 54
UV Air Purifiers - Second Wind.....	C - 54
UV Air Purifiers - Triatomic Environmental UV Germicidal.....	C - 54
UV Air Purifiers - Unitary Products Group.....	C - 54
Humidifiers, Parts - General Aire.....	C - 55
Humidifiers - Honeywell.....	C - 56
Humidifiers - Unitary Products Group.....	C - 57
Energy Recovery Ventilators - Unitary Products Group.....	C - 57
6. HVAC Installation Supplies	
Condensate Pumps, Overflow Switches, Alarms.....	C - 58
Flex Water Connectors.....	C - 60

C. HVAC (Continued)

6. HVAC Installation Supplies

Tubing - Polyvinyl.....	C - 60
Condensate Drain Pans, Fittings.....	C - 61
Tubular Brass/Plastic.....	C - 61
Float Switches - Aquaguard.....	C - 61
Brass Piercing Valves.....	C - 62
Condensing Unit Alarm - Watchdog.....	C - 62
Equipment Parts - York.....	C - 62
Condenser Pads.....	C - 63
Equipment Stands.....	C - 63
Equipment Parts - Ductless Splits Accessories.....	C - 64
Electrical Supplies.....	C - 65
Cable/Wire Ties.....	C - 69
Thermostat Wire, Plenum Rated.....	C - 69
Filters Racks, Housing - McDaniel Metals.....	C - 70
Flex Duct - ATCO.....	C - 71
Insulation Tape - Cork & Foam.....	C - 72
Line Sets.....	C - 72
Pressure Controls - Johnson Controls.....	C - 73

7. HVAC Refrigeration/Instruments/Manifolds/Gauges

Chargers - Kwik Charge - Imperial Div of Stride Tools - Milbar.....	C - 74
Charging - Caps, Valve Cores, Gaskets, Core Tool.....	C - 74
Charging Hose, Couplers, Access Fittings - Yellow Jacket.....	C - 74
Leak Detectors - Yellow Jacket.....	C - 76
Test Equipment - Yellow Jacket.....	C - 76
Sight Glass.....	C - 76
Temperature Controls - Honeywell.....	C - 76
Refrigerant - Dynatemp Intl.....	C - 77
Refrigerant Recovery Machine - Appion Inc.....	C - 77
Vacuum Pumps, Manifolds, Pressure Testers - Refco Refrigeration Service Products.....	C - 77
Vacuum Gauges, Manifold Sets - Yellow Jacket.....	C - 78
Vacuum Oil & Pump.....	C - 78
Vacuum Manifolds - Yellow Jacket.....	C - 78

8. HVAC Registers and Grilles

Registers & Grilles.....	C - 80
Register Frame - Paramount Systems.....	C - 84

9. HVAC Service and Repair Parts

Contactors.....	C - 85
Compressors, Crankcase Heaters, Compressor Totes.....	C - 86
Fan Centers & Relays, Sequencers.....	C - 87
Filter-Driers - Liquid, Bi-Flow, Suction.....	C - 90
Fractional Horsepower Motors, V-Belts, Motor Mounts.....	C - 92
Gas Valves, Pilots, Igniters.....	C - 95
Hard Start Kits.....	C - 98
Pressure Switches.....	C - 99

C. HVAC (Continued)

9. HVAC Service and Repair Parts

Timers, Fan Control Centers, Ignition Controls, Furnace Boards - ICM Corp.....	C - 100
Thermocouples.....	C - 104
Transformers.....	C - 105
Tubing - Aluminum Pilot.....	C - 105
Run Capacitors, Single and Dual.....	C - 106

10. HVAC Sheet Metal Duct & Fittings

Sheet Metal Duct & Venting.....	C - 108
Galvanized Flat Sheet Metal - Freedom Steel.....	C - 120
Flex Duct Connectors, Duct Board Triangles, Reducers.....	C - 121
Duct Hanging Strap, Wire.....	C - 121

11. HVAC Smoke Detection

FireX.....	C - 122
------------	---------

12. HVAC Test Equipment

IPRO Innovative Products.....	C - 123
Thermometers, Meters, Test Leads, Electrical Testers, Carbon Monoxide Testers.....	C - 123
Universal Enterprises Inc.....	C - 125

13. HVAC Ventilation

Bath Fans - Broan Ventilation Products.....	C - 129
Bath Fans - Panasonic.....	C - 129
Draft Booster Fans - DiversiTech.....	C - 130
Draft Control, Fresh Air System - Field Controls.....	C - 130

14. Thermostats

Temporary Construction Thermostats.....	C - 131
Thermostats, Temperature Sensors - Braeburn Systems.....	C - 132
Thermostats, Temperature Sensors - Honeywell.....	C - 138
Thermostats - Lux Products.....	C - 142
Thermostats - Unitary Products Group.....	C - 143
Thermostat Guards.....	C - 144

15. Cements / Anchoring / Hydraulic

Cement Products - Quikrete.....	C - 145
Cement.....	C - 145



Vent Hoods / Hoses

Kitchen Venting
Aluminum Roof Vent



Part #	Description	Price
DARC4T	4" Exhaust Hole with 2" Tailpiece	21.40

Bathroom Venting

3" Supurr-Vent® Louvered Bathroom Vent

- Opens with ease for maximum exhaust flow
- Curved louvers for quieter operation
- Durable weather resistant
- Includes:
 - Hood
 - Pipe
 - Collar



Part #	Description	Price
SVHAW3	3" White, Assembled	4.10

Dryer Venting

Dryer Vent with Supurr Vent® Louvered Vent Hood

- Includes:
 - Hood
 - Aluminum pipe
 - Collar



Part #	Description	Price
SVHAB4	4" Brown Hood, Assembled	4.35
SVHAW4	4" Hood White, Assembled	4.35

Replacement Vent Hood

Part #	Description	Price
HSR4W	4", White	2.75
HSR4B	4", Brown	2.75


Wide Mouth Dryer Vent Hood

- Removable bird guard helps prevent birds and other pests from nesting in vent or entering home
- Vent closure designed for maximum airflow
- Durable weather resistant
- Should self clean with wind or rain
- Includes:
 - Hood
 - Aluminum pipe
 - Collar




Part #	Description	Price
RVHAB4	4" Brown Hood, Assembled	4.50
RVHAW3	3" White Hood, Assembled	3.16
RVHAW4	4" White Hood, Assembled	4.50

Galvanized Vent Hood



Part #	Description	Price
396	6" Galvanized Hood	30.16

Aluminum Dryer Vent Hood



Part #	Size	Price
SVH4	4" All Aluminum	4.40

Duct/Pipe

UL Listed Supurr-Flex® Metallic Duct

- 4000 fpm
- Temperature range: 0° to 265°F
- Ideal for bathroom venting, HVAC applications and general venting



Part #	Size	Price
FUL0325	3" x 25'	31.60
FUL0425	4" x 25'	31.60
FUL0625	6" x 25'	95.52

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Vent Hoods / Hoses

White Vinyl Hose



Part #	Size	Price
BH450W	4" x 50'	19.75

Dryer Vent Boxes

DBX-1000 - Plastic Dryer Vent Box

- Easy install in 16" or 24" on center walls
- 14" Square with (2) knockouts on one side
- Box can be used for up, down, side, or direct venting


Construction SOLUTIONS



Part #	Description	Price
DBX1000-4	4" Dryer Vent Box with Trim	27.60

Downflow Dryer Boxes

- 1-Piece construction
- Accepts 4" snaplock pipe for venting to exterior wall, roof or floor



Part #	Size	Price
DVB350	3-1/2" Deep, Recessed	29.52
DVB3D	3-1/2" Deep, Bottom Discharge	29.52
DVB4D	4" Deep, Bottom Discharge	29.52
DVB425	4-1/4" Deep, Recessed	29.52

Find Everything Under the Sun at One of Our Convenient Branches


www.plumbers-supply-co.com

HVAC

Duct Insulation

Duct Liner Board

Ultra Duct Liner



Part #	Size	Description	Price
DB148120	1" x 48" x 120"	Ultra Duct Sheet	576.54

Fiberglas® All Service Duct Wraps

SoftTouch™ Faced FSK Fiberglass Duct Wrap

- Assured thermal performance
- Condensation control
- Meets model energy and mechanical codes



Part #	Size	R-Value	Price
DW11248	4' x 100' x 1-1/2"	R4.2	184.21
DW21848	4' x 75' x 2-1/8"	R6	196.19

QuietR™ Acoustic Duct Liner

- Easy fabrication and clean cutting
- Discreet appearance
- Virtually damage-proof construction
- Bacteria and fungi protection
- Code compliant



Rotary

Part #	Size	Price
DL1247	1/2" x 47-1/4" x 100', #200	415.18
DL147	1" x 47" x 100', #150	415.18

Duct Adhesives & Sealants

Travel-Tack™ Duct Liner Insulation Adhesive

- Portable insulation adhesive spray system
- Polymer-based aerosol spray
- Excellent water resistance



Part #	Description	Color	Price
S1-308602	40 lb Cylinder	Green	698.89

Duct-Seal™ 321 Mastic Duct Sealant

- Indoor/outdoor use
- Water-based
- All pressure classes
- UL Classified



Part #	Mfg #	Size	Color	Price
S1-304156	DS-321	1 gal	Gray	38.21

HVAC

Reflectix Inc.

Double Bubble Standard Edge Duct Insulation

- (2) Outer layers of aluminum foil reflect 97% of radiant heat
- Each layer is bonded to layer of polyethylene for strength
- (2) Inner layers of insulating bubbles resist conductive heat flow
- Additional center layer of polyethylene for extra strength
- Temperature range: -60° to 180°F
- Nominal thickness: 5/16"



Part #	Size	Price
HVBP16125	16" x 125'	69.00
HVBP24125	24" x 125'	103.50
HVBP60125	60" x 125'	258.76

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Duct Panning

ThermO-Pan®

Return Air Panning

- ThermO-Pan® is a high quality, lightweight alternative to sheet metal in constructing return air ducts between joists
- Consists of corrugated insulation faced with aluminum
- Available in light weight sheets in many sizes
- Significantly reduces duct noises and labor
- Requires no shop fabrication



Part #	Size	Price
16048	16" x 47-1/2"	4.66
22048	22" x 47-1/2"	5.92

ThermO-Pan® Class 1 Fire Rated Panning

Part #	Size	Price
16050	16" x 47-1/2"	6.96

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Gas B-Vent

Type B Gas Vent & Pipe Fittings

3" Gas Vent

Part #	Description	Price
3RP12	12" Round Pipe	6.86
3RP24	24" Round Pipe	10.81
3RP3	3' Round Pipe	14.52
3RP4	4' Round Pipe	18.31
3RP5	5' Round Pipe	22.53
3RPA12	12" Adj Length	8.25
3REA90	90° Adj Elbow	18.21
3RN4	3" to 4" Increaser	14.45
3RHW	Metal High Wind Cap	11.15
3RDH	Draft Hood Connector	5.57
3RF	Adj Flashing 0/12 - 6/12	7.19
3RS	Storm Collar	1.97

4" Gas Vent

Part #	Description	Price
4RP12	12" Round Pipe	8.24
4RP18	18" Round Pipe	9.91
4RP24	24" Round Pipe	12.92
4RP3	3' Round Pipe	17.51
4RP4	4' Round Pipe	22.53
4RP5	5' Round Pipe	27.13
4RPA	12" Adj Length	9.72
4REA90	90° Adj Elbow	21.83
4RT4	Tee	25.88
4RN5	4" to 5" Increaser	15.96
4RN6	4" to 6" Increaser	16.81
4RN7	4" to 7" Increaser	41.78
4RHW	Metal High Wind Cap	11.46
4RDH	Draft Hood Connector	7.11
4RF	Adj Flashing 0/12 - 6/12	8.06
4RFA	Adj Flashing 6/12-12/12	22.45
4RS	Storm Collar	1.97

5" Gas Vent

Part #	Description	Price
5RP18	18" Round Pipe	11.62
5RP24	24" Round Pipe	15.78
5RP3	3' Round Pipe	20.01
5RP5	5' Round Pipe	31.33
5RPA	12" Adj Length	10.76
5REA90	90° Adj Elbow	26.43
5RN6	5" to 6" Increaser	17.33
5RN7	5" to 7" Increaser	38.47
5RN8	5" to 8" Increaser	42.46
5RHW	Metal High Wind Cap	15.50
5RDH	Draft Hood Connector	7.69
5RF	Adj Flashing 0/12 - 6/12	11.96

Type B Gas Vent & Pipe Fittings

(Continued)

5" Gas Vent

Part #	Description	Price
5RS	Storm Collar	4.43

6" Gas Vent

Part #	Description	Price
6RP12	12" Round Pipe	11.21
6RP18	18" Round Pipe	13.52
6RP24	24" Round Pipe	18.48
6RP3	3' Round Pipe	24.25
6RP4	4' Round Pipe	30.92
6RP5	5' Round Pipe	36.07
6RPA12	12" Adj Length	12.59
6REA90	90° Adj Elbow	30.81
6RT6	Tee	34.70
6RN7	6" to 7" Increaser	40.56
6RHW	Metal High Wind Cap	19.45
6RF	0/12 - 6/12 Flashing	18.09
6RS	Storm Collar	4.72

7" Gas Vent

Part #	Description	Price
7RP18	18" Round Pipe	22.62
7RP24	24" Round Pipe	28.87
7RP3	3' Round Pipe	37.75
7RP4	4' Round Pipe	47.99
7RP5	5' Round Pipe	55.75
7RPA	18" Adj Length	25.63
7RN8	7" to 8" Increaser	47.76
7RM	Metal Cap	27.52
7RF	Adj Flashing 0/12 - 6/12	23.96
7RS	Storm Collar	5.41

8" Gas Vent

Part #	Description	Price
8RP12	12" Round Pipe	36.68
8RP24	24" Round Pipe	32.23
8RP3	3' Round Pipe	42.10
8RP4	4' Round Pipe	57.52
8RP5	5' Round Pipe	66.40
8RPA	18" Adj Length	25.38
8REA90	90° Adj Elbow	53.22
8RT8	Tee	51.09
8RM	Metal Cap	36.68
8RDH	Draft Hood Connector	12.27
8RF	Adj Flashing 0/12 - 6/12	26.28
8RS	Storm Collar	5.87

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Gas B-Vent

10" Gas Vent

Part #	Description	Price
10RP18	18" Round Pipe	54.61
10RP24	24" Round Pipe	65.80
10RP3	36" Round Pipe	82.16
10RPA	18" Adj Length	60.11
12REA45	45° Adj Elbow	97.85
10RN12	10" to 12" Increaser	62.07
10RM	Metal Cap	79.92
10RDH	Draft Hood Connector	18.02
10RF	Std Flashing	32.90
10RS	Storm Collar	7.82

12" Gas Vent

Part #	Description	Price
12RP18	18" Round Pipe	81.48
12RP24	24" Round Pipe	95.94
12RP3	3' Round Pipe	118.47
12RPA	18" Adj Length	84.38
12RT12	Tee	169.56
12RM	Metal Cap	110.91
12RF	Adj Flashing	39.33
12RS	Storm Collar	13.15

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Venting Pipe

**Round Type B Gas Vent
For Natural Gas and LP; Appliances**



3" Round Chimney

Part #	Description	Price
3GV12	12" Pipe	13.81
3GV12A	12" Adj Pipe	18.97
3GV18	18" Pipe	17.86
3GV24	2' Pipe	22.19
3GV36	3' Pipe	28.61

**Round Type B Gas Vent (Continued)
3" Round Chimney**

Part #	Description	Price
3GV48	4' Pipe	38.10
3GV60	5' Pipe	46.81
3GVAM	Adapter - Male	33.28
3GVAF	Adapter - Female	23.95
3GVL90	90° Adj Elbow	39.64
3GVL45	45°/60° Adj Elbow	22.81
3GVF	Flashing-Adj Roof	15.30
3GVFF	Flashing-Tall Cone	30.88
3GVFSR	Flashing-High Pitch	42.54
3GVX4	4" Increaser	31.61
3GVX5	5" Increaser	34.69
3GVPC	Pipe Collar	5.88
3GVSC	Storm Collar	3.85
3GVTC	Tee Cap	4.06
3GVVTH	Vent Top-High Wind	24.23
3GVWS	Wall Strap	19.54
3GVWT	Wall Thimble	26.36

4" Round Chimney

Part #	Description	Price
4GV06	6" Pipe	17.37
4GV12	12" Pipe	16.82
4GV12A	12" Adj Pipe	23.00
4GV18	18" Pipe	20.50
4GV24	2' Pipe	26.40
4GV36	3' Pipe	36.31
4GV48	4' Pipe	46.98
4GV60	5' Pipe	56.80
4GVAM	Adapter - Male	21.26
4GVAF	Adapter - Female	24.51
4GVL90	90° Adj Elbow	46.92
4GVL45	45°/60° Adj Elbow	27.68
4GVX5	5" Increaser	31.32
4GVX6	6" Increaser	33.09
4GVF	Flashing-Adj Roof	17.27
4GVFF	Flashing-Tall Cone	35.10
4GVFSR	Flashing-High Pitch	44.76
4GVPC	Pipe Collar	5.96
4GVSC	Storm Collar	4.67
4GVT	Tee	57.91
4GVVTH	Vent Top-High Wind	25.93
4GVWS	Wall Strap	20.48
4GVWT	Wall Thimble	27.08
4GVY43	4" Branch 3" Base Wye	133.69

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Venting Pipe

5" Round Chimney

Part #	Description	Price
5GV12	12" Pipe	20.46
5GV12A	12" Adj Pipe	26.63
5GV18	18" Pipe	24.20
5GV24	2' Pipe	32.04
5GV36	3' Pipe	43.15
5GV48	4' Pipe	55.54
5GV60	5' Pipe	65.59
5GVAM	Male Adapter	22.68
5GVAF	Female Adapter	25.07
5GVL90	90° Adj Elbow	58.09
5GVL45	45°/60° Adj Elbow	31.81
5GVF	Flashing-Adj Roof	27.42
5GVFF	Flashing-Tall Cone	43.67
5GVFSR	Flashing-High Pitch	49.82
5GVX6	6" Increaser	32.40
5GVSC	Storm Collar	9.41
5GVT	Tee	64.52
5GVWS	Wall Strap	20.76
5GVVTH	Vent Top-High Wind	34.61
5GVY34	3" Branch 4" Base Wye	78.62
5GVY44	4" Branch 4" Base Wye	87.00

6" Round Chimney

Part #	Description	Price
6GV12	12" Pipe	23.93
6GV12A	12" Adj Pipe	29.39
6GV18	18" Pipe	27.66
6GV24	2' Pipe	38.48
6GV36	3' Pipe	49.98
6GV48	4' Pipe	64.49
6GV60	5' Pipe	75.59
6GVAM	Male Adapter	28.97
6GVAF	Female Adapter	25.62
6GVL90	Elbow	67.09
6GVL45	45°/60° Adj Elbow	38.48
6GVF	Flashing-Adj Roof	37.85
6GVFF	Flashing-Tall Cone	53.60
6GVFSR	Flashing-High Pitch	64.22
6GVX7	7" Increaser	58.24
6GVX8	8" Increaser	47.62
6GVPC	Pipe Collar	7.80
6GVSC	Storm Collar	9.85
6GVT	Tee	70.94
6GVWS	Wall Strap	21.02
6GVVTH	Vent Top-High Wind	44.86

Round Type B Gas Vent (Continued)

6" Round Chimney

Part #	Description	Price
6GVY34	3" Branch 4" Base Wye	79.79
6GVY35	3" Branch 5" Base Wye	116.48
6GVY44	4" Branch 4" Base Wye	88.91

7" Round Chimney

Part #	Description	Price
7GV24	2' Pipe	55.15
7GV48	4' Pipe	92.64
7GV60	5' Pipe	113.19
7GVL90	90° Adj Elbow	102.54
7GVFSR	Flashing-High Pitch	77.59
7GVSC	Storm Collar	11.57
7GVVTH	Vent Top-High Wind	70.72

8" Round Chimney

Part #	Description	Price
8GV12	12" Pipe	39.24
8GV12A	12" Adj Pipe	44.65
8GV24	2' Pipe	63.51
8GV36	3' Pipe	81.14
8GV48	4' Pipe	111.06
8GV60	5' Pipe	129.00
8GVL90	90° Adj Elbow	103.12
8GVL45	45° Elbow	65.29
8GVF	Flashing-Adj Roof	49.82
8GVFF	Flashing-Tall Cone	68.27
8GVSC	Storm Collar	12.05
8GVT	Tee	104.45
8GVVTH	Vent Top-High Wind	70.07
8GVFSR	Flashing-High Pitch	100.19

10" Round Chimney

Part #	Description	Price
10GV12A	12" Adj Pipe	118.56
10GV18	18" Pipe	113.48
10GV36	3' Pipe	160.62
10GVL90	90° Adj Elbow	175.80
10GVL45	45° Elbow	155.62
10GVF	Flashing-Adj Roof	64.74
10GVFF	Flashing-Tall Cone	90.98
10GVSC	Storm Collar	17.13
10GVVT	Vent Top-High Wind	182.42

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Venting Pipe

12" Round Chimney

Part #	Description	Price
12GV36	3' Pipe	224.28
12GVL45	45° Elbow	181.51
12GVF	Flashing-Adj Roof	84.75
12GVSC	Storm Collar	19.59
12GVVT	Vent Top-High Wind	256.90

Direct Vent GS Chimney Liner Kits

DuraFlex Aluminum Kits

• Includes:

- DuraFlex® aluminum length
- DuraFlex® aluminum cap
- DuraFlex® top plate
- DuraFlex® mortar sleeve



Part #	Size	Price
DF2211	4" x 25'	207.03
DF2212	5" x 25'	244.97
DF2220	3" x 35'	229.16
DF2221	4" x 35'	252.88
DF2222	5" x 35'	341.39
DF2223	6" x 35'	347.71



Versa Cap™ Flue and Hot Stack Cap

- Non-clogging positive draft design
- Adjustable clamp fitting
- UL Listed



Part #	Pipe OD	Single Wall	Price
6-3050	2-7/8" - 5"	3" & 4"	22.10
6-5070	4-7/8" - 7"	5" & 6"	62.70
6-1200	11-7/8" - 14-1/2"	12" & 14"	240.07

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

PTAC Heating/Cooling Units

PTAC Units with DigiSmart™ Control Board - R-410A

- DigiSmart™ suite of peripherals
 - Remote occupancy sensor
 - Remote thermostat
 - RF Antennas
 - RF Platform controller
- Programmable set-back program
- Option for electric heat, hydronic heat
- Pull-out access filter
- Standard unit control with LED display
- Compressor lock-in
- High-pressure switch
- 7-Button touch pad
- Fits standard wall sleeve
- 5-Year limited warranty
 - 1st Year: parts and labor
 - 2- to 5-Years: sealed system parts and labor
 - 2- to 5-Years: functional parts



PTC Cooling/Electric Heat - 230/208-1-60 - R-410A


Part #	Capacity BTUH	Amps	Heater Size	Price
PTC123G35AXX X	12,000	5.6/5.6A	3.5kW	1004.80

PTH Heat Pump/Electric Heat - 208/230-1-60 - R-410A

Part #	Capacity BTUH	Amps	Heater Size	Price
PTH073G35AXX X	7,000	3.5/3.5A	3.5kW	1044.42
PTH093G35AXX X	9,000	4.1/4.1A	3.5kW	1084.84
PTH123G35AXX X	12,000	5.6/5.6A	3.5kW	1142.88
PTH123G50AXX X	12,000	5.6/5.6A	5.0kW	1169.28
PTH153G50AXX X	14,000	7.0/7.0A	5.0kW	1210.76

Wall Sleeve

- G-90 Metal in Stonewood beige finish
- Thermally insulated, includes weather board



Part #	Description	Price
WS900E	42" x 16-1/16" Steel Stonewood Beige	86.73


Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

PTAC Heating/Cooling Units

Standard Exterior Grille



• Stamped aluminum material

Part #	Description	Price
SGK01B	Mill Finish	26.54

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Manufactured Housing Equipment

Manufactured Housing Equipment - Style Crest

Conquest Series DGAA 80% Downflow Mobile Home Natural Gas Furnaces

- Sealed combustion
- Air conditioning ready to 4 tons, built-in coil cabinet
- Fail-safe automatic hot surface ignition system
- Full louver high impact plastic return air door
- Standard replaceable filters (included)
- 2-Year limited parts & labor warranty



Part #	Input BTUH	Output BTUH	Dimensions H x W x D	Weight	Price
DGAA056BDTD	56,000	45,000	76" x 19-1/2" x 24-1/2"	145 lbs	1398.00
DGAA070BDTD	70,000	56,000	76" x 19-1/2" x 24-1/2"	145 lbs	1435.00
DGAA077BDTD	77,000	62,000	76" x 19-1/2" x 24-1/2"	146 lbs	1439.00

EB Series Downflow Electric Furnace

- A/C and HP operation ready
- Zero clearance
- Built-in coil cabinet
- Circuit breaker protection
- Bottom entry for wiring
- 4-Wire heat/cool thermostat with continuous ventilation switch
- Long lasting nickel chrome heat elements
- Gasket-less, leak free subbase
- Prepainted, scratch resistant white front panels
- Universal throw-away filter cleans the air and is easy to replace
- 2-Year limited parts warranty



Part #	Output BTUH	Capacity KW	CFM @ 0.3"wc	Dimensions H x W x D	Weight	Price
EB12F	39,000	12.0	924	51-1/2" x 19-1/2" x 24"	84 lbs	788.00
EB15F	51,000	15.0	924	51-1/2" x 19-1/2" x 24"	85 lbs	836.00
EB20F	67,000	20.0	1,140	51-1/2" x 19-1/2" x 24"	84 lbs	884.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Manufactured Housing Equipment

Vexar® R-410A 13 SEER+ Uncased Evaporator A-Coil

- Compatible with 10/12 SEER A/C and H/P installations
- Designed to be "THE" high efficiency A-Coil choice to be installed on new and existing downflow MH furnaces
- Special drain pans available for upflow gas/oil applications
- Factory installed TXV valve suitable for A/C or H/P applications
- TXV for R-22, but compatible with R-410A with a simple TXV change
- Coil has built-in strainer for coil protection
- Leak tested to 500 psi Code approved 2-opening drain pan
- Dry-type pan does not maintain standing water
- Kit contains drain hose, fittings, and furnace cover plates for gas/oil furnaces
- Furnace compatibility:
Coleman, Evcon, Vexar, Red T, Mortex, Nordyne, Intertherm, and Miller brands
- UL Listed



Part #	Nominal A/C Size	Nominal H/P Size	Dimensions	Connections	Price
1844S4A	2.5 to 3.5 Tons	2.5 to 3.5 Tons	16-1/2" x 18" x 19-5/8"	Quick Connect	557.16
1849QA-N	2.5 to 5.0 Tons	4.0 to 5.0 Tons	18-1/2" x 18" x 19-5/8"	Quick Connect	507.16

Roof Jacks

Part #	Description	Price
4000.7121	91" - 102" Adjustable	126.22
4000.7141	99" - 120" Adjustable	147.58

Manufactured Housing Parts & Accessories

Part #	Description	Price
3500.7901	Blower Assembly for 3400, 3500 & EB Series Electric Furnaces or 4-5 Ton A/C	465.76
3500.8941B	Coil Shelf with Insulation	71.06

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Air Handlers

Fan Coils

HBC Series Hideaway Ceiling Mount Horizontal Fan Coils

Chilled Water Cooling/Hot Water Heating

Up to 47,100 BTUH Cooling, 108,800 BTUH Heating

- Designed for fully concealed installation in a furr down ceiling space
- Easy access for service & maintenance
- Copper tube heating & cooling coils
- 3-Speed motor for accurate CFM control
- Compact size - only 10" high



Part #	Nom CFM	Coil Pipes	Coil Rows	Dimensions H x W x D	Refrig Conn Side	Approx Ship Wt	Price
4HBC-4RH	400	2	4-Cool or Heat	10" x 36-1/8" x 21"	RH	50 lbs	760.00
4HBC-4LH	400	2	4-Cool or Heat	10" x 36-1/8" x 21"	RH	48 lbs	760.00
6HBC-3LH	600	2	3-Cool 1-Heat	10" x 40-1/8" x 21"	LH	54 lbs	720.00
6HBC-3RH	600	2	3-Cool 1-Heat	10" x 40-1/8" x 21"	RH	54 lbs	720.00

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Commercial Unit Heaters

Hot Dawg® Gas-Fired Low Profile Commercial Heaters

Power Exhausted, Gas-Fired Low Profile Heater

- 80% Thermal efficiency
- Horizontal or vertical venting
- Field convertible to propane
- Low profile casing
- Hot surface ignition, single-stage, direct spark
- 100% Shut-off with continuous retry
- Installs 1" from ceiling with only two angle brackets (included)
- 115-1-60
- 10-Year warranty on heat exchanger



Part #	Type Gas	Input BTUH	Output BTUH	Vent Dia	Entering Air CFM	Air Temp Rise	Max Mount Height	Heat Throw	Ship Wt	Price
HD30AS0111	NG	30,000	24,000	3"	505	44°F	10'	25'	55 lbs	840.00
HD45AS0111	NG	45,000	36,000	3"	720	46°F	10'	27'	60 lbs	871.00
HD60AS0111	NG	60,000	48,000	3"	990	45°F	12'	36'	80 lbs	997.00
HD75AS0111	NG	75,000	60,000	3"	1,160	48°F	14'	38'	85 lbs	1029.00
HD100AS0111	NG	100,000	80,000	4"	1,490	50°F	12'	42'	125 lbs	1192.00
HD125AS0111	NG	125,000	100,000	4"	1,980	47°F	16'	56'	125 lbs	1288.00

HVAC

Gas-Fired Power Exhausted High-Efficiency II™ Propeller Unit Heaters

- CSA Certification for use in the US and Canada
- 80% Thermal efficiency
- Power exhauster motor
- Differential pressure switch for proof of venting
- Aluminized steel heat exchanger
- Aluminized steel burner with stainless steel separator strip
- Certified to 0.5"wc external static pressure
- High limit safety control
- Control terminal board
- Adjustable motor sheaves on blower motors
- Totally enclosed fan/blower motors
- 115-1-60
- 10-Year warranty on heat exchanger



Single-Stage, Intermittent Pilot Ignition, Natural Gas Propeller Unit Heater

Part #	BTUH Input	BTUH Output	Vent Transition Outlet	Air CFM @70°F	Max Temp Rise	Heat Mounting Ht	Throw	Motor HP	Price
PDP150AE0130	150,000	120,000	4"	2,180	51°F	16'	55'	1/8PSC	1387.00
PDP175AE0130	175,000	140,000	5"	2,550	51°F	17'	59'	1/6PSC	1499.00
PDP200AE0130	200,000	160,000	5"	2,870	52°F	15'	51'	1/6PSC	1587.00
PDP250AE0130	250,000	200,000	6"	3,700	50°F	19'	67'	1/3PSC	1983.00
PDP300AE0130	300,000	240,000	6"	4,460	50°F	21'	74'	1/2PSC	2194.00
PDP350AE0130	350,000	280,000	6"	4,870	53°F	20'	70'	3/4PSC	2447.00
PDP400AE0130	400,000	320,000	6"	5,440	54°F	19'	69'	3/4PSC	2613.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Commercial Unit Heaters

Steam/Hot Water Horizontal Delivery Unit Heaters

- Ideal for heating buildings with large open areas and low ceilings
- Top and bottom supply and return connections which permits unit to be rotated 360° without piping changes
- Two-piece casing for easy coil access
- Single-phase, totally-enclosed motor with built-in thermal overload protection
- Adjustable horizontal deflector blades
- Built-in fan safety guard
- 115-1-60
- 1-Year parts only warranty



HSB Horizontal Top/Bottom Supply/Return Connection Unit Heater

Part #	BTUH	Final Air Temp	Max Mount Height	Entering CFM	Motor HP	Approx RPM	Price
HSB86-S01	86,000	118°F	15'	1340	1/8	1,625	1002.00
HSB193-S01	193,000	121°F	18'	2900	1/3	1,075	1858.00

Gas Conversion Kits

Part #	Description	Price
MO28048	Gas Conversion Kit for PD150, PDP150	51.00
MO28050	Gas Conversion Kit for PD200, PDP200	56.00
MO53079	Gas Conversion Kit for HD30-75, HDS30-75	45.00
MO53080	Gas Conversion Kit for HD100, HDS100	50.00
MO53081	Gas Conversion Kit for HD125, HDS125	50.00

Modine Parts

Part #	Description	Price
3H20634A2	Air Shutter	11.00
3H33074-7	Replacement Burner for PDP 200, 250	313.00
3H37362-1	Power Exhauster	179.00
5H71675B	Fan Timer	46.00
5H80683	Gas Valve for PDP 250 Through 400	195.00
5H80689	Ignition Control Board	161.00
9F30095	Motor	285.00
5H73035	Fan Limit Switch	44.00
5H75769-2	High Limit Switch	32.00
5H71956-1	Transformer	38.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Ductless Splits

Whisper WIFI Mini-Split Ductless Heat Pump by Samsung

- Samsung Smart Inverter compressor
- Wireless controls
- 2-Step Cooling
- Silent operation
- Refrigerant type: R-410A
- Electrical: 208/230V-1-60Hz
- 10-Year compressor warranty
- 10-Year parts warranty
- 1-Year limited labor warranty



Part #	Unit	Nom Cooling BTUH	Nom Heating BTUH	Dimensions H x W x D	SEER	RLA	Unit Weight	Price
AR09HSFSJWKNCV	Indoor	9,000	12,000	10-1/4" x 35-9/32" x 10-11/16"	22.0/13.64	6.5 / 9.0A	22.9 lbs	756.26
AR09HSFSJWKXCV	Outdoor	9,000	12,000	21-1/2" x 31-1/8" x 11-1/4"	23.0/15.25	6.5 / 9.0A	78.3 lbs	1134.39
AR12HSFSJWKNCV	Indoor	12,000	13,600	10-1/4" x 35-9/32" x 10-13/16"	22.0/13.64	6.5 / 9.0A	22.9 lbs	885.16
AR12HSFSJWKXCV	Outdoor	12,000	13,600	21-1/2" x 31-1/8" x 11-1/4"	22.0/13.64	6.5 / 9.0A	78.3 lbs	1327.75
AR18HSFSJWKNCV	Indoor	18,000	20,600	11-9/16" x 41-7/8" x 12-1/2"	20.5/13.1	14.0 / 17.5A	31 lbs	1151.57
AR18HSFSJWKXCV	Outdoor	18,000	20,600	31-9/32" x 38-5/8" x 12-3/16"	20.5/13.1	14.0 / 17.5A	117 lbs	1727.36
AR24HSFSJWKNCV	Indoor	22,000	27,000	11-9/16" x 41-7/8" x 12-1/2"	20.0/12.55	17.0 / 19.0A	31 lbs	1263.29
AR24HSFSJWKXCV	Outdoor	22,000	27,000	37-31/32" x 34-5/8" x 12-5/8"	20.0/12.5	17.0 / 19.0A	158 lbs	1894.94

HVAC

Wall Mini-Split Max Ductless Heat Pump by Samsung

- Samsung Smart Inverter compressor
- Good sleep mode
- Dry mode
- Auto changeover
- Compatible with AQX36VFUAGM outdoor unit
- Refrigerant type: R-410A
- Electrical: 208/230V-1-60Hz
- Wireless controls
- 5-Year compressor warranty
- 3-Year parts warranty



Part #	Unit	Nom Cooling BTUH	Nom Heating BTUH	Dimensions H x W x D	SEER	RLA	Unit Weight	Price
AQN36VFUAGM	Indoor	36,000	36,000	13-9/16" x 50-3/8" x 10"	18.0	19.5A	40 lbs	1715.82
AQX36VFUAGM	Outdoor	36,000	36,000	45-7/8" x 36-11/16" x 14-3/4"	18.0	19.5A	209 lbs	2395.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Ductless Splits

Free Joint Multi-Zone Neo Forte Ductless Mini-Split Heat Pump by Samsung

- Samsung Smart Inverter compressor
- Allows 2, 3 or 4 zones to be connected to single outdoor unit
- Dehumidification and timer functions
- Turbo and energy saving modes
- Auto cleaning, auto restart, and auto rewind
- Refrigerant type: R-410A
- Electrical: 208/230V-1-60
- 10-Year compressor warranty
- 10-Year parts warranty



Part #	Unit	Nom Cooling BTUH	Nom Heating BTUH	Dimensions H x W x D	SEER	RLA	Unit Weight	Price
AJ009JNADCH/AA	Indoor	9,000	10,900	10-1/4" x 32-1/2" x 10-13/16"	16.0	0.3A	21 lbs	674.66
AJ012JNADCH/AA	Indoor	12,000	14,000	10-1/4" x 32-1/2" x 10-13/16"	16.0	0.3A	21 lbs	718.58
AJ018JNADCH/AA	Indoor	17,100	20,000	11-9/16" x 41-7/8" x 12-1/2"	16.0	0.12A	29 lbs	928.83
AJ020JCJ2CH/AA	Outdoor	17,000	22,000	31-7/16" x 34-5/8" x 14-5/16"	18.5/17.0	11.0A	126 lbs	2108.00
AJ024JCJ3CH/AA	Outdoor	22,000	25,000	31-7/16" x 34-5/8" x 14-5/16"	18.0/16.0	16.9A	143 lbs	2395.00
AJ036JCJ5CH/AA	Outdoor	36,000	40,000	39-9/32" x 37" x 13"	18.5/16.5	18.2A	166 lbs	3716.00

Mini 4-Way Cassette For Free Joint Multi-Zone Ductless Split Systems by Samsung

- Quick connection of drain pipe
- High lift drain pump
- Fan speed adjustments
- Includes MWR-WH00 wired controller
- Refrigerant type: R-410A
- Electrical: 208/230V-1-60



Part #	Unit	Nom Cooling BTUH	Nom Heating BTUH	Dimensions H x W x D	SEER	RLA	Unit Weight	Price
AJ009JNNDCH/AA	Indoor	8,900	9,900	10" x 22-5/8" x 22-5/8"	16.0	-	24 lbs	1225.25
AJ012JNNDCH/AA	Indoor	11,900	13,000	10" x 22-5/8" x 22-5/8"	16.0	-	24 lbs	1225.25
AJ018JNNDCH/AA	Indoor	11,900	13,000	10" x 22-5/8" x 22-5/8"	16.0	-	24 lbs	1225.25
AJ020JCJ2CH/AA	Outdoor	17,000	22,000	31-7/16" x 34-5/8" x 14-5/16"	18.5/17.0	11.0A	126 lbs	2108.00
AJ024JCJ3CH/AA	Outdoor	22,000	25,000	31-7/16" x 34-5/8" x 14-5/16"	18.0/16.0	16.9A	143 lbs	2395.00
AJ036JCJ5CH/AA	Outdoor	36,000	40,000	39-9/32" x 37" x 13"	18.5/16.5	18.2A	166 lbs	3716.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Ductless Splits

Single Zone 4-Way Cassette Ductless Mini-Split by Samsung

- Samsung Smart Inverter compressor
- Turbo and energy saving modes
- Smart pressure control
- Silent operation
- Fresh air intake
- Includes MWR-WH00 wired controller
- Refrigerant type: R-410A
- Electrical: 208/230V-1-60
- 5-Year compressor warranty
- 3-Year parts warranty
- 120-Day limited labor warranty



CH070CAV1



UH070CAV1

Part #	Unit	Nom Cooling BTUH	Nom Heating BTUH	Dimensions H x W x D	SEER	RLA	Unit Weight	Price
CH070CAV1	Indoor	24,000	27,000	33-1/16" x 33-1/16" x 8-5/8"	17.0	13.0A	68 lbs	1572.41
UH070CAV	Outdoor	24,000	27,000	31-3/8" x 34-5/8" x 12-1/4"	-	17.0A	125 lbs	2311.39
UH070CAV1	Outdoor	24,000	27,000	31-3/8" x 34-5/8" x 12-1/4"	-	17.0A	125 lbs	2608.53
CH105CAV	Indoor	36,000	38,000	33-1/16" x 33-1/16" x 11-3/4"	15.5	17.0A	64 lbs	1793.10
UH105CAV	Outdoor	39,000	52,000	36.7" x 44.4" x 14.8"	15.2	15.2	198 lbs	2769.71

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Condensing Units

Affinity Series R-410A Residential Air Conditioners

- Stamped decorative metal coil guard
- Isolated compressor compartment
- Internal pressure relief valve
- Factory-installed high and low pressure controls
- Automotive quality finish, protection from harmful UV rays and rust
- Slide-down control compartment and angled service valves
- Fan design boasting technology for whisper quiet operation
- Factory-installed solid core liquid line filter-drier
- Quiet Drive™ system
 - Swept-wing fan
 - Composite base pan
 - Isolated compressor compartment
 - 2-Stage scroll compressor
- Touch Screen Communicating Control system operation, to allow real-time visibility of system operation and the use of diagnostic features, while maintaining ability to function with traditional thermostat
- UL and CUL listed approved for outdoor application
- Certified in accordance with Unitary Small Equipment certification program, based on ARI Standard 210/240
- Energy Star® rated



Limited Warranty

- Limited lifetime warranty on compressor when matched with an approved York Affinity furnace or UPG air handler and coil, otherwise 10-year warranty compressor
- 10-Year limited parts and compressor warranty when registered online within 90 days of installation, otherwise 5-year warranty on parts

16 SEER Affinity Series - CZF

Part #	Tons	Volts/Phase (60 Hz)	Line Set Sizes Liq, Suc	Pkg Dimensions H x D x W	Approx Operating Wt	Price
CZF02413C	2.0	208/230-1-60	3/8", 3/4"	29-1/2" x 37" x 31"	159 lbs	2313.00
CZF03013C	2.5	208/230-1-60	3/8", 3/4"	29-1/2" x 37" x 31"	166 lbs	2563.00
CZF03613C	3.0	208/230-1-60	3/8", 3/4"	33-1/2" x 37" x 31"	192 lbs	2682.00
CZF04213C	3.5	208/230-1-60	3/8", 7/8"	39-1/2" x 37" x 31"	209 lbs	3095.00
CZF04813C	4.0	208/230-1-60	3/8", 7/8"	39-1/2" x 42" x 34"	225 lbs	3462.00
CZF06013C	5.0	208/230-1-60	3/8", 7/8"*	39-1/2" x 42" x 34"	235 lbs	3832.00

18 SEER Affinity Series - CZH

Part #	Tons	Volts/Phase (60 Hz)	Line Set Sizes Liq, Suc	Pkg Dimensions H x D x W	Approx Operating Wt	Price
CZH02411C	2.0	208/230-1-60	3/8", 3/4"	39-1/2" x 42" x 34"	305 lbs	3392.00
CZH03611C	3.0	208/230-1-60	3/8", 3/4"	39-1/2" x 42" x 34"	305 lbs	3951.00
CZH04811C	4.0	208/230-1-60	3/8", 7/8"	39-1/2" x 42" x 34"	310 lbs	4333.00
CZH06011C	5.0	208/230-1-60	3/8", 7/8"	39-1/2" x 42" x 34"	330 lbs	4680.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Condensing Units

LX Series R-410A Residential Air Conditioners

- Aluminum microchannel coil with aluminum fins
- Isolated compressor compartment
- Factory installed high pressure switch
- High pressure relief valve and temperature sensor
- Pre-painted, pre-treated galvanized steel cabinet
- Factory-installed solid core liquid line filter-drier
- Powered and control wiring connections
- Compact, small base dimension
- Top mounted fan, top discharge, blowing up and away from structure and landscaping, rigid top panel, isolator mounted compressor, and rippled condenser coil fins reduce motor sound
- Permanently lubricated motor bearings
- Exposed refrigerant connections with single panel covering electrical controls
- Secured re-usable service valves
- UL and CUL Listed approved for outdoor application
- Certified in accordance with Unitary Small Equipment certification program, based on ARI Standard 210/240



HVAC

Limited Warranty

- 10-Year limited parts and compressor warranty when registered online within 90 days of installation, otherwise 5-year warranty on parts

13 SEER LX Series - YCJD

Part #	Tons	Volts/Phase (60 Hz)	Line Set Sizes Liq, Suc	Pkg Dimensions H x D x W	Approx Operating Wt	Price
YCJD18S41S1	1.5	208/230-1-60	3/8", 5/8"	28" x 23-1/2" x 23-1/2"	97 lbs	1236.00
YCJD24S41S1	2.0	208/230-1-60	3/8", 3/4"	28" x 23-1/2" x 23-1/2"	129 lbs	1315.00
YCJD30S41S1	2.5	208/230-1-60	3/8", 3/4"	28" x 23-1/2" x 23-1/2"	131 lbs	1444.00
YCJD36S41S1	3.0	208/230-1-60	3/8", 3/4"	28" x 29" x 29"	145 lbs	1586.00
YCJD42S41S2	3.5	208/230-1-60	3/8", 7/8"	30" x 29" x 29"	173 lbs	1787.00
YCJD48S41S1	4.0	208/230-1-60	3/8", 7/8"	32" x 33-5/8" x 33-5/8"	173 lbs	2021.00
YCJD60S41S2	5.0	208/230-1-60	3/8", 5/8"	28" x 23-1/2" x 23-1/2"	195 lbs	2310.00
YCJD36S43S3	3.0	208/230-3-60	3/8", 3/4"	28" x 29" x 29"	145 lbs	2007.00
YCJD48S43S3	4.0	208/230-3-60	3/8", 7/8"	30" x 29" x 29"	173 lbs	2557.00
YCJD60S43S3	5.0	208/230-3-60	3/8", 7/8"	32" x 33-5/8" x 33-5/8"	195 lbs	2899.00
YCJD60S44S3	5.0	460-3-60	3/8", 7/8"	32" x 33-5/8" x 33-5/8"	195 lbs	2899.00

14.5 SEER LX Series - YCJF

- Energy Star® rated



Part #	Tons	Volts/Phase (60 Hz)	Line Set Sizes Liq, Suc	Pkg Dimensions H x D x W	Approx Operating Wt	Price
YCJF24S41S1	2.0	208/230-1-60	3/8", 3/4"	28" x 29" x 29"	128 lbs	1741.00
YCJF30S41S1	2.5	208/230-1-60	3/8", 3/4"	36" x 29" x 29"	130 lbs	1912.00
YCJF36S41S1	3.0	208/230-1-60	3/8", 3/4"	36" x 29" x 29"	145 lbs	2099.00
YCJF42S41S1	3.5	208/230-1-60	3/8", 7/8"	34" x 33-1/2" x 33-1/2"	172 lbs	2366.00
YCJF48S41S2	4.0	208/230-1-60	3/8", 7/8"	36" x 33-1/2" x 33-1/2"	180 lbs	2675.00
YCJF60S41S2	5.0	208/230-1-60	3/8", 7/8"	40" x 33-1/2" x 33-1/2"	199 lbs	3060.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Condensing Units

13 SEER Guardian™ R-22 Dry Charge Residential Air Conditioners

- Aluminum microchannel coil with enhanced aluminum fins
- The compressor is internally protected against high pressure and temperature
- Liquid line filter-drier further protects the compressor
- Cabinet is made of pre-painted steel
- Easy power and control wiring connections
- Compact, small base dimension
- Top mounted fan, top discharge, blowing up and away from structure and landscaping, rigid top panel, isolator mounted compressor, and rippled condenser coil fins reduce motor sound
- Permanently lubricated motor bearings
- Exposed refrigerant connections (sweat only) and a single panel covering the electrical controls
- Secured, re-usable service valves
- Electrical: 208/230-1-60
- UL and CUL listed



HVAC

Limited Warranty

- 5-Year limited parts and compressor

Part #	Tons	Volts/Phase (60 Hz)	Line Set Sizes Liq, Suc	Pkg Dimensions H x D x W	Approx Operating Wt	Price
GCGD24S21S2X	2.0	208/230-1-60	3/8", 3/4"	28" x 23-1/2" x 23-1/2"	130 lbs	1252.00
GCGD30S21S2X	2.5	208/230-1-60	3/8", 3/4"	32" x 23-1/2" x 23-1/2"	150 lbs	1374.00
GCGD36S21S2	3.0	208/230-1-60	3/8", 3/4"	34" x 23-1/2" x 23-1/2"	160 lbs	1509.00
GCGD48S21S2	4.0	208/230-1-60	3/8", 7/8"	34" x 29" x 29"	176 lbs	1924.00
GCGD60S21S2X	5.0	208/230-1-60	3/8", 7/8"	40" x 29" x 29"	200 lbs	2199.00



Thermostatic Expansion Valve Kits

Part #	Description	Price
S1-1TVM4N1	R-410A Bolt-On	141.00
S1-1TVM702	R-22 for 3 Ton	145.82
S1-1TVM703	R-22 for 5 Ton	146.83
S1-1TVM2A1	R-22 for 1-1/2 to 3 Ton 5/8" x 5/8" Quick Connect	126.08
S1-1TVM2B1	R-22 for 3 Ton 5/8" x 5/8" Quick Connect	126.08
S1-1TVM2C1	R-22 for 5 Ton 5/8" x 5/8" Quick Connect	126.08
S1-1TVM4F1	R-410A for 2 Ton 5/8" Male x 5/8" Male	141.00
S1-1TVM4G1	R-410A for 3 Ton 5/8" Male x 5/8" Male	141.00
S1-1TVM4H1	R-410A for 4 Ton 5/8" Male x 5/8" Male	141.00
S1-1TVM4J1	R-410A for 5 Ton 5/8" Male x 5/8" Male	141.00
S1-1TVM4K1	R-410A for 6 Ton 5/8" Male x 5/8" Male	141.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Air Handlers

Single-Piece Air Handlers

Affinity ECM Variable-Speed Single-Piece Air Handlers

- 1" Foil face R-4.2 thermally insulated cabinet
- For extreme humidity applications an optional field installed external insulating wrap kit is available
- Factory sealed with 2% or less total airflow leakage rate
- Pre-painted galvanized steel casing
- G90 galvanized or prepainted G30 galvanized internal coil sheet metal parts
- 4 HK Heat kit
- Whisper quiet, high efficiency ECM variable speed motor with humidistat
- Climate comfort system to customize settings based on region
- Thermal expansion valve with UPG bolt-on TXV for conversion to required refrigerant

Limited Warranty

- 10-Year limited parts and compressor warranty when registered online within 90 days of installation, otherwise 5-year warranty on parts



HVAC

Part #	Tons	Rated CFM	Line Set Sizes Liq, Suc	Pkg Dimensions H x D x W	Approx Operating Wt	Price
AVG24B3XH21C	2.0	800	3/8", 3/4"	46" x 21-1/2" x 17-1/2"	134 lbs	1519.00
AVG36C3XH21C	3.0	1200	3/8", 7/8"	52" x 21-1/2" x 21"	164 lbs	1763.00
AVG48D3XH21C	4.0	1600	3/8", 7/8"	57" x 21-1/2" x 24-1/2"	185 lbs	2096.00
AVG60D3XH21C	5.0	1850	3/8", 7/8"	57" x 21-1/2" x 24-1/2"	188 lbs	2188.00

LX Series Single-Piece Standard ECM Air Handlers

- Thermal expansion valve with UPG bolt-on TXV for conversion to required refrigerant
- 3/4" Foil face thermally insulated cabinet
- Factory sealed with 2% or less total airflow leakage rate
- Pre-painted galvanized steel casing
- G60 galvanized or prepainted G30 galvanized internal coil sheet metal parts
- 1" Standard internal filter rack
- High efficiency brushless DC blower motor
- 6HK Series field installed electric heat kit available

Limited Warranty

- 10-Year limited parts and compressor warranty when registered online within 90 days of installation, otherwise 5-year warranty on parts



Part #	Tons	Rated CFM	Line Set Sizes Liq, Suc	Pkg Dimensions H x D x W	Approx Operating Wt	Price
AHE18B3XH21	1.5	610/850	3/8", 3/4"	46" x 21-1/2" x 17-1/2"	103 lbs	910.00
AHE24B3XH21	2.0	585/795/985	3/8", 3/4"	46" x 21-1/2" x 17-1/2"	105 lbs	1123.00
AHE30B3XH21	2.5	585/795/985	3/8", 3/4"	46" x 21-1/2" x 17-1/2"	105 lbs	1252.00
AHE36C3XH21	3.0	730/855/1000/1190	3/8", 3/4"	52" x 21-1/2" x 21"	137 lbs	1294.00
AHE42D3XH21	3.5	820/1000/1180/1385	3/8", 7/8"	57" x 21-1/2" x 24-1/2"	150 lbs	1376.00
AHE48D3XH21	4.0	1000/1195/1385/1600	3/8", 7/8"	57" x 21-1/2" x 24-1/2"	153 lbs	1464.00
AHE60D3XH21	5.0	1190/1390/1565/1835	3/8", 7/8"	57" x 21-1/2" x 24-1/2"	156 lbs	1748.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Air Handlers

Modular Air Handlers

- Models made to match any air flow or voltage requirement
- 3/4" Foil face insulated cabinet
- Compact size allows easy installation
- Blowers sized to deliver design air quantity both efficiently and quietly
- Direct-drive, multi-speed blower motors provide a selection of air quantities to match any application
- One-minute blower off delay standard to enhance system efficiency ratings
- Pre-painted steel cabinet protects the unit against rust and corrosion
- 1" Foil face fiberglass insulation
- Coil constructed of staggered rows of rifled copper tubes with aluminum fins
- MC Multi-position coils for use in upflow, downflow, and horizontal left and right applications
- Sequencers to control heat
- Over-temperature limit switches to protect from airflow loss
- Thermal expansion valves
- Must be wired and installed in accordance with all national and local safety codes
- 25" Height x 21-1/2" Depth



Limited warranty

- 10-Year limited parts warranty when registered online within 90 days of purchase for replacement or closing for new home construction, otherwise 5-year warranty
- Nickel-chromium heater elements: 5-year limited warranty on single phase, 1-year limited warranty on 3-phase

Affinity MV Series Variable-Speed 3-5 Ton

Part #	HP	CFM	Volts	Amps	Width	Approx Operating Wt	Price
MV12BN21C	1/2	1200	208/230-1	4.3	17-1/2"	71 lbs	1223.00
MV12DN21C	1/2	1200	208/230-1	4.3	24-1/2"	82 lbs	1280.00
MV16CN21C	3/4	1600	208/230-1	5.0	21"	82 lbs	1333.00
MV20DN21C	1	2000	208/230-1	7.0	24-1/2"	88 lbs	1650.00

Latitude MA Series 2-5 Ton

Part #	HP	CFM	Volts	Amps	Width	Approx Operating Wt	Price
MA08BN21	1/4	800	208/230-1	1.5	17-1/2"	84 lbs	541.00
MA12BN21	3/4	1200	208/230-1	3.5	17-1/2"	78 lbs	581.00
MA12BN41	3/4	1200	460-3	2.3	17-1/2"	78 lbs	667.00
MA16CN21	1	1600	208/230-1	4.0	21"	84 lbs	636.00
MA16CN41	1	1600	460-3	2.6	21"	84 lbs	732.00
MA20DN21	1	2000	208/230-1	7.4	24-1/2"	91 lbs	692.00
MA20DN41	1	2000	460-3	3.7	24-1/2"	91 lbs	792.00

LX MX Series Variable-Speed Standard ECM - 2-5 Ton

Part #	HP	CFM	Volts	Amps	Width	Approx Operating Wt	Price
MX12BN21	1/3	1200	230	2.8	17-1/2"	66 lbs	866.00
MX16CN21	1/2	1600	230	4.1	21"	77 lbs	1025.00
MX20DN21	3/4	2000	230	6.0	24-1/2"	83 lbs	1189.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Evaporator Coils

Evaporator Coils

- Thermal expansion valve
- Insulated cabinet
- Pre-painted galvanized steel coil casing
- G90 Galvanized steel internal parts
- 10-Year limited warranty



MC Full Cased Multi-Position Flex Coils

Part #	Tons	Cabinet	Width	Height	Depth	Price
MC18B3XC1	1-1-1/2	A	14-1/2"	18"	22"	439.00
MC24B3XC1	2	B	17-1/2"	22"	22"	475.00
MC32A3XC1	2.5	A	14-1/2"	22"	22"	559.00
MC35B3XC1	3	B	17-1/2"	22"	21-1/2"	574.00
MC36B3XC1	3	B	17-1/2"	26-1/2"	22"	581.00
MC36C3XC1	3	C	21"	26-1/2"	22"	608.00
MC37A3XC1	3	A	14-1/2"	26-1/2"	21-1/2"	617.00
MC43B3XC1	3.5	B	17-1/2"	26-1/2"	21-1/2"	674.00
MC43C3XC1	3.5	C	21"	26.5"	22"	688.00
MC48C3XC1	4	C	21"	32"	22"	738.00
MC60D3XC1	5	D	24-1/2"	32"	22"	805.00
MC62D3XC1	5	D	24-1/2"	36"	21-1/2"	939.00

FC Full Cased Flex Upflow/Downflow Coils

Part #	Tons	Cabinet	Width	Height	Depth	Price
FC18A3XC1	1.5	A	14-1/2"	18"	22"	378.00
FC18B3XC1	1.5	B	17-1/2"	18"	22"	393.00
FC24A3XC1	2	A	14-1/2"	22"	22"	382.00
FC24B3XC1	2	B	17-1/2"	22"	22"	395.00
FC30A3XC1	2.5	A	14-1/2"	22"	22"	436.00
FC30B3XC1	2.5	B	17-1/2"	22"	22"	440.00
FC32A3XC1	2.5	A	14-1/2"	20"	21-1/2"	469.00
FC35B3XC1	3.0	B	17-1/2"	20"	22"	486.00
FC35C3XC1	3.0	C	21"	24-1/2"	22"	520.00
FC36A3XC1	3.0	A	14-1/2"	24-1/2"	22"	452.00
FC36B3XC1	3.0	B	17-1/2"	24-1/2"	22"	473.00
FC36C3XC1	3.0	C	21"	24-1/2"	22"	496.00
FC37A3XC1	3.0	A	14-1/2"	24-1/2"	22"	517.00
FC42C3XC1	3.5	C	21"	28"	22"	544.00
FC43B3XC1	3.5	B	17-1/2"	24-1/2"	22"	574.00
FC43C3XC1	3.5	C	21"	24-1/2"	22"	591.00
FC48C3XC1	4	C	21"	28"	22"	601.00
FC48D3XC1	4	C	24-1/2"	28"	22"	631.00
FC60C3XC1	5	C	21"	28"	22"	659.00
FC60D3XC1	5	D	24-1/2"	28"	22"	689.00
FC62D3XC1	5	D	24-1/2"	32"	21-1/2"	749.00
FC64D3XC1	5	D	24-1/2"	36"	21-1/2"	848.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

HVAC Service and Repair Parts

Orifice Kits
Refrigerant Orifice

Part #	Size	Price
S1-02919387038	.048	7.90
S1-02919387028	.049	7.86
S1-02919387014	.055	5.78
S1-02919387009	.057	7.86
S1-02919387010	.059	5.90
S1-02919387003	.061	5.67
S1-02919387015	.063	7.86
S1-02919387011	.065	7.86
S1-02919387016	.067	7.86
S1-02919387004	.069	7.86
S1-02919387029	.071	7.86
S1-02919387005	.073	7.86
S1-02919387017	.075	7.86
S1-02919387006	.078	7.90
S1-02919387012	.081	6.20
S1-02919387019	.084	7.90
S1-02919387007	.087	7.90
S1-02919387013	.090	7.90
S1-02919387022	.093	7.86
S1-02919387008	.096	7.86

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

York Furnaces

Affinity Modulating 33" Gas Furnaces

- Modulating gas valve, inducer and circulating blower
- Modulating operation from 100% to 35% input in 100 increments with nearly constant temperature rise
- Easily applied in upflow, horizontal left or right, or downflow installation with minimal conversion necessary
- Multi-position design with minimal conversion requirements
- Communications capable control system
- Built-in, high level self diagnostics with fault code display
- Airflow leakage rate of less than 1% of total airflow @ 1" ESP
- ECM Variable-speed motor with large, quiet blower
- Fully-supported, slide-out blower assembly for service access
- High-level self-diagnostic controls with fault codes
- Low unit amp requirement for easy replacement application
- All models are convertible to use propane (LP) gas
- Solid removable bottom panel allows easy conversion
- Hi-tech tubular aluminized steel primary heat exchanger with stainless steel tube/aluminum fin secondary heat exchanger for outstanding efficiency
- No knockouts to deal with, making installation easier
- Movable duct connector flanges for application flexibility
- Inducer rotates for easy conversion of venting options
- Electronic hot surface ignition
- No sharp edge, sheet metal folded and flattened to eliminate
- Fully-gasketed, independent access doors with view ports, retail appearance
- External air filters (not included) provide flexibility for IAQ needs
- Patent-pending condensate management system eliminates the need for external condensate traps
- Compact 33" tall cabinet, 30.25" depth




HVAC

Limited Warranty

- Limited lifetime warranty on both heat exchangers to original purchaser; 20-year limited warranty from original installation date to subsequent purchaser
- 10-Year limited parts warranty for units registered online within 90 day of purchase for replacement or closing for new home construction, otherwise 5-year limited parts warranty

98% AFUE Multi-Position Furnace - Modulating - ECM - YP9C - Affinity

- Energy Star[®] rated 



Part #	Tons	Input Max/Min MBTUH	Output Max/Min MBTUH	Nom CFM	AFUE	Width	Operating Wt	Price
YP9C060B12MP12C	3.0	60/21	58/20	1200	97.5%	17-1/2"	113 lbs	3460.00
YP9C080B12MP12C	4.0	80/28	77/27	1200	97.5%	17-1/2"	119 lbs	3589.00
YP9C080C16MP12C	4.0	80/28	78/27	1600	97.7%	21"	134 lbs	3655.00
YP9C100C16MP12C	4.5	100/35	97/34	1600	97.5%	21"	140 lbs	3785.00
YP9C100C20MP12C	4.5	100/35	97/34	2000	97.7%	21"	143 lbs	3851.00
YP9C120D20MP12C	5.0	120/42	116/40	2000	98.0%	24-1/2"	152 lbs	3982.00

Find Everything Under the Sun at One of Our Convenient Branches

York Furnaces

LX Series 2-Stage Variable Speed 33" Gas Furnaces

- Two stage heating operation includes two stage gas valve, two stage inducer operation and variable speed ECM blower operation
- Adjustable delay timer allows two stage operation with a single stage thermostat
- Easily applied in upflow, horizontal left or right, or downflow installation with minimal conversion necessary.
- ECM variable speed drive for cooling SEER enhancement with optional airflow delay profiles, and continuous fan options for IAQ performance
- Easy access to controls to connect power/control wiring
- Built-in, high level self diagnostics with fault code display
- Low unit amp requirement for easy replacement application
- All models are convertible to use propane (LP) gas
- Electronic hot surface ignition
- 100% Shut off main gas valve
- 24V, 40 VA control transformer and blower relay supplied
- Hi-tech tubular aluminized steel primary heat exchanger with stainless steel tube/aluminum fin secondary heat exchanger
- Solid removable bottom panel for conversion
- Airflow leakage less than 1% of nominal airflow for ductblaster conditions
- No knockouts to deal with during installation
- Movable duct connector flanges for application flexibility
- Quiet inducer operation, burner, and blower operation
- Inducer rotates for conversion of venting options
- Fully supported blower assembly for easy access and removal of blower
- External air filters used for maximum IAQ flexibility
- Insulated blower compartment for thermal and acoustic performance
- 1/4 Turn knobs provided for independent door removal
- Internal condensate trap design (patent pending) provides condensate management options, visual operation check, and is self priming to prevent nuisance problems
- Protection included from air intake, exhaust vent or condensate blockage
- Venting applications maybe installed as either 2 pipe sealed combustion or single pipe vent using indoor combustion air
- Compact 33" tall cabinet, 29.5" depth



Limited Warranty

- Limited lifetime warranty on both heat exchangers to original purchaser; 20-year limited warranty from original installation date to subsequent purchaser
- 10-Year limited parts warranty for units registered online within 90 day of purchase for replacement or closing for new home construction, otherwise 5-year limited parts warranty

96% AFUE Multi-Position Furnace - 2-Stage - ECM- TM9V - LX Series

- Energy Star[®] rated



Part #	Tons	Input Max/Min MBTUH	Output Max/Min MBTUH	Nom CFM	Width	Operating Wt	Price
TM9V060B12MP11C	3.0	60/39	58/37	1200	17-1/2"	122 lbs	3332.00
TM9V080B12MP11C	4.0	80/52	77/50	1200	17-1/2"	126 lbs	3502.00
TM9V080C16MP11C	4.0	80/52	77/50	1600	21"	136 lbs	3596.00
TM9V100C16MP11C	4.5	100/65	96/62	1600	21"	142 lbs	3799.00
TM9V100C20MP11C	4.5	100/65	96/62	2000	21"	145 lbs	3859.00
TM9V120D20MP11C	5.0	120/78	115/75	2000	24-1/2"	156 lbs	4187.00

Find Everything Under the Sun at One of Our Convenient Branches

HVAC

York Furnaces

LX Series Single Stage 33" Gas Furnaces

95.5% AFUE Multi-Position Furnace - Single-Stage - X13 - TM9X - LX Series

- Easily applied in upflow, horizontal left or right, or downflow installation with minimal conversion necessary
- Blower-off delay for cooling SEER improvement
- X13 5-speed, direct-drive high efficiency DC blower motor
- Easy access to controls to connect power/control wiring.
- Built-in, high level self-diagnostics with fault code displays
- Low unit amp requirement for easy replacement application
- All models are convertible to use propane (LP) gas
- Electronic hot surface ignition
- 100% Shut off main gas valve for extra safety
- 24V, 40 VA control transformer and blower relay supplied for add-on cooling
- Hi-tech tubular aluminized steel primary heat exchanger
- Timed on, adjustable off blower capability
- Blower door safety switch
- Solid removable bottom panel allows easy conversion
- Airflow leakage less than 1% of total airflow at ductblaster conditions
- No knockouts to deal with, making installation easier
- Movable duct connector flanges for application flexibility
- Quiet inducer operation, inducer rotates for easy conversion of venting options
- Fully supported blower assembly
- External air filters
- Category IV Venting applications - may be vented either through side wall or roof applications using approved plastic combustion air and vent piping
- No special vent termination required
- Patent pending self-priming internal condensate trap design
- 1/4-Turn knobs provided for easy door removal
- Insulated blower compartment for thermal and acoustic performance
- Compact 33" tall cabinet, 29.5" depth



HVAC



Limited Warranty

- 20-Year warranty on heat exchanger
10-Year heat exchanger warranty on commercial applications
- 10-Year limited parts warranty for units registered online within 90 day of purchase for replacement or closing for new home construction, otherwise 5-year limited parts warranty

Part #	Tons	Input MBTUH	Output MBTUH	Nom CFM	Width	Operating Wt	Price
TM9X060B12MP11	3.0	60	38	1200	17-1/2"	122 lbs	1628.00
TM9X080B12MP11	4.0	80	76	1200	17-1/2"	126 lbs	1672.00
TM9X080C16MP11	4.0	80	76	1600	21"	136 lbs	1885.00
TM9X100C16MP11	4.5	100	95	1600	21"	142 lbs	1972.00
TM9X100C20MP11	4.5	100	95	2000	21"	145 lbs	2056.00
TM9X120D20MP11	5.0	120	114	2000	24-1/2"	156 lbs	2122.00

Find Everything Under the Sun at One of Our Convenient Branches

York Furnaces

80% AFUE Multi-Position Furnace - Single-Stage - X13 - TM8X - LX Series

- Easily applied in upflow, horizontal left or right, or downflow installation with minimal conversion necessary
- Blower-off delay for cooling SEER improvement
- X13 5-speed, direct-drive high efficiency DC blower motor
- Easy access to controls to connect power/control wiring
- Built-in, high level self-diagnostics with fault code displays
- Low unit amp requirement for easy replacement application
- All models are convertible to use propane (LP) gas
- Electronic hot surface ignition
- 100% Shut off main gas valve for extra safety
- 24V, 40 VA control transformer and blower relay supplied for add-on cooling
- Hi-tech tubular aluminized steel primary heat exchanger
- Timed on, adjustable off blower capability
- Blower door safety switch
- Solid removable bottom panel allows easy conversion
- Airflow leakage less than 1% of total airflow at ductblaster conditions
- No knockouts to deal with, making installation easier
- Movable duct connector flanges for application flexibility
- Quiet inducer operation, inducer rotates for easy conversion of venting options
- Fully supported blower assembly
- External air filters
- Category I Venting applications - may be installed as a common vent with other gas-fired appliances or use a masonry chimney
- 1/4-Turn knobs provided for easy door removal
- Insulated blower compartment for thermal and acoustic performance
- Compact 33" tall cabinet, 29.5" depth



Limited Warranty

- 20-Year warranty on heat exchanger
- 10-Year heat exchanger warranty on commercial applications
- 10-Year limited parts warranty for units registered online within 90 day of purchase for replacement or closing for new home construction, otherwise 5-year limited parts warranty

Part #	Tons	Input MBTUH	Output MBTUH	Nom CFM	Width	Operating Wt	Price
TM8X060A12MP11	3.0	60	48	1200	14-1/2"	94 lbs	1286.00
TM8X080B12MP11	4.0	80	64	1200	17-1/2"	103 lbs	1353.00
TM8X080C16MP11	4.0	80	64	1600	21"	114 lbs	1403.00
TM8X100C16MP11	4.5	100	80	1600	21"	118 lbs	1451.00
TM8X100C20MP11	4.5	100	80	2000	21"	122 lbs	1503.00
TM8X120C20MP11	5.0	120	96	20000	21"	129 lbs	1606.00

Find Everything Under the Sun at One of Our Convenient Branches

HVAC

York Furnaces

Latitude Series 33" Gas Furnaces

95.5% AFUE Multi-Position Furnace - Single-Stage - PSC - TG9S - Latitude Series

- Easily applied in upflow, horizontal left or right, or downflow installation with minimal conversion necessary
- Blower-off delay for cooling SEER improvement
- PSC 4-speed, direct-drive blower motor
- Easy access to controls to connect power/control wiring
- Built-in, high level self-diagnostics with fault code displays
- Low unit amp requirement for easy replacement application
- Single wire twinning or staging feature available
- All models are convertible to use propane (LP) gas
- Electronic hot surface ignition
- 100% Shut off main gas valve for extra safety
- 24V, 40 VA control transformer and blower relay supplied for add-on cooling
- Hi-tech tubular aluminized steel primary heat exchanger, secondary heat exchanger made of corrosion resistant stainless steel materials
- Timed on, adjustable off blower capability, blower door safety switch
- Solid removable bottom panel allows easy conversion
- Airflow leakage less than 1% of total airflow at ductblaster conditions
- No knockouts to deal with, making installation easier
- Movable duct connector flanges for application flexibility
- Quiet inducer operation, inducer rotates for easy conversion of venting options
- Fully supported blower assembly
- External air filters
- Category IV Venting applications - may be installed as either 2-pipe (sealed combustion) or single-pipe vent (using indoor combustion air)
- No special vent termination required
- 1/4-Turn knobs provided for easy door removal
- Internal condensate trap design
- Compact 33" tall cabinet, 29.5" depth



HVAC

Warranty

- Lifetime warranty on heat exchanger
10-Year heat exchanger warranty on commercial applications
- 10-Year limited parts warranty for units registered online within 90 day of purchase for replacement or closing for new home construction, otherwise 5-year limited parts warranty



Part #	Tons	Input MBTUH	Output MBTUH	Nom CFM	Width	Operating Wt	Price
TG9S040A08MP11	2.0	40	38	800	14-1/2"	113 lbs	1827.00
TG9S060A10MP11	2.5	60	57	1000	14-1/2"	118 lbs	1891.00
TG9S060B12MP11	3.0	60	57	1000	17-1/2"	122 lbs	1924.00
TG9S080B12MP11	3.0	80	76	1200	17-1/2"	126 lbs	2026.00
TG9S080C16MP11	4.0	80	76	1600	21"	136 lbs	2201.00
TG9S080C22MP11	5.0	80	76	2200	21"	139 lbs	2239.00
TG9S100C16MP11	4.0	100	95	1600	21"	142 lbs	2300.00
TG9S100C20MP11	5.0	100	95	2000	21"	145 lbs	2397.00
TG9S120D16MP11	4.0	120	114	1600	24-1/2"	153 lbs	2459.00
TG9S120D20MP11	5.0	120	114	2000	24-1/2"	156 lbs	2497.00
TG9S130D20MP11	5.0	130	123.5	2000	24-1/2"	160 lbs	2597.00

Find Everything Under the Sun at One of Our Convenient Branches

York Furnaces

80% AFUE - Multi-Position Furnace - Single-Stage - PSC - TG8S - Latitude Series

- Easily applied in upflow, horizontal left or right, or downflow installation with minimal conversion necessary
- Blower-off delay for cooling SEER improvement
- PSC 4-speed, direct-drive blower motor
- Easy access to controls to connect power/control wiring.
- Built-in, high level self-diagnostics with fault code displays
- Low unit amp requirement for easy replacement application
- Single wire twinning or staging feature available
- All models are convertible to use propane (LP) gas
- Electronic hot surface ignition
- 100% Shut off main gas valve for extra safety
- 4-Speed, direct drive PSC motor
- 24V, 40 VA control transformer and blower relay supplied for add-on cooling
- Hi-tech tubular aluminized steel primary heat exchanger
- Timed on, adjustable off blower capability
- Blower door safety switch
- Solid removable bottom panel allows easy conversion
- Airflow leakage less than 1% of total airflow at ductblaster conditions
- No knockouts to deal with, making installation easier
- Movable duct connector flanges for application flexibility
- Quiet inducer operation, rotates for easy conversion of venting options
- Fully supported blower assembly
- External air filters
- Category I Venting applications - may be installed as a common vent with other gas-fired appliances or use a masonry chimney
- 1/4-Turn knobs provided for easy door removal
- Compact 33" tall cabinet, 29.5" depth



Limited Warranty

- 20-Year warranty on heat exchanger
- 10-Year heat exchanger warranty on commercial applications
- 10-Year limited parts warranty for units registered online within 90 day of purchase for replacement or closing for new home construction, otherwise 5-year limited parts warranty

Part #	Tons	Input MBTUH	Output MBTUH	Nom CFM	Width	Operating Wt	Price
TG8S040A08MP11	2.0	40	32	800	14-1/2"	89 lbs	1079.00
TG8S060A10MP11	2.5	60	48	1000	14-1/2"	90 lbs	1129.00
TG8S060A12MP11	3.0	60	48	1200	14-1/2"	94 lbs	1188.00
TG8S080B12MP11	3.0	80	64	1200	17-1/2"	103 lbs	1287.00
TG8S080C16MP11	4.0	80	64	1600	21"	114 lbs	1343.00
TG8S100C16MP11	4.0	100	80	1600	21"	118 lbs	1482.00
TG8S100C20MP11	5.0	100	80	2000	21"	122 lbs	1519.00
TG8S120C20MP11	5.0	120	96	2000	21"	129 lbs	1621.00
TG8S130D20MP11	5.0	130	104	2000	24-1/2"	135 lbs	1719.00

Find Everything Under the Sun at One of Our Convenient Branches

HVAC

Heat Strips

Electric Strip Heaters

2NP Electric Strip Heater

• 208/230-1-60

Part #	Description	Price
2NP04501006	10kW	238.00
2NP04501506	15kW	309.00
2NP04502006	20kW	557.00

2NH Electric Strip Heater

• 208/230-1-60

Part #	Description	Price
2NH04500706	7kW	206.00
2NH04501006	10kW	238.00
2NH04501506	15kW	309.00
2NH04502006	20kW	557.00

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Heat Pumps

Affinity Series R-410A Residential Heat Pumps

- Stamped decorative metal coil guard
- Isolated compressor compartment with molded composite bulkhead
- Compressor protection through simultaneous operation of high pressure relief valve and temperature sensor
- Automotive quality finish, protection from harmful UV rays and rust
- Slide-down control compartment and angled service valves
- Fan design boasting technology for whisper quiet operation
- Factory-installed solid core liquid line filter-drier
- Full end, full service access panel with handle
- Quiet Drive™ system
 - Swept-wing fan
 - Composite base pan
 - Isolated compressor compartment
 - single-stage compressor (5-ton system utilizes a two-stage)
- Microprocessor based, on-demand defrost control system with defrost cycles and adjustable balance point
- Touch Screen Communicating Control system operation, to allow real-time visibility of system operation and the use of diagnostic features, while maintaining ability to function with traditional thermostat
- UL and CUL listed approved for outdoor application
- Certified in accordance with Unitary Small Equipment certification program, based on ARI Standard 210/240
- Energy Star® Rated



Limited Warranty

- Limited lifetime warranty on compressor when matched with an approved York Affinity furnace or UPG air handler and coil, otherwise 10-year warranty compressor
- 10-Year limited parts and compressor warranty when registered online within 90 days of installation, otherwise 5-year warranty on parts

Up to 18 SEER Affinity - YZH

Part #	Tons	Volts/Phase (60 Hz)	Line Set Sizes Liq, Suc	Pkg Dimensions H x D x W	Approx Operating Wt	Price
YZH02411C	2.0	208/230-1-60	3/8", 3/4"	39-1/2" x 42" x 34"	275 lbs	4969.00
YZH03611C	3.0	208/230-1-60	3/8", 3/4"	39-1/2" x 42" x 34"	275 lbs	5290.00
YZH04811C	4.0	208/230-1-60	3/8", 7/8"	39-1/2" x 42" x 34"	280 lbs	5757.00
YZH06011C	5.0	208/230-1-60	3/8", 7/8"	39-1/2" x 42" x 34"	315 lbs	6090.00

Up to 16 SEER Affinity - YZF

Part #	Tons	Volts/Phase (60 Hz)	Line Set Sizes Liq, Suc	Pkg Dimensions H x D x W	Approx Operating Wt	Price
YZF02413C	2.0	208/230-1-60	3/8", 3/4"	39-1/2" x 37" x 31"	199 lbs	2758.00
YZF03013C	2.5	208/230-1-60	3/8", 3/4"	39-1/2" x 42" x 34"	228 lbs	2886.00
YZF03613C	3.0	208/230-1-60	3/8", 3/4"	39-1/2" x 42" x 34"	230 lbs	3116.00
YZF04213C	3.5	208/230-1-60	3/8", 7/8"	39-1/2" x 42" x 34"	234 lbs	3308.00
YZF04813C	4.0	208/230-1-60	3/8", 7/8"	39-1/2" x 42" x 34"	283 lbs	3747.00
YZF06013C	5.0	208/230-1-60	3/8", 1-1/8"	39-1/2" x 42" x 34"	298 lbs	4072.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Heat Pumps

LX Series R-410A Residential Heat Pumps

- Copper coil with aluminum fins
- Isolated compressor compartment
- Factory installed high pressure switch and temperature sensor
- Pre-painted, pre-treated galvanized steel cabinet
- Factory-installed solid core liquid line filter-drier
- Powered and control wiring connections
- Top mounted fan, top discharge, rigid top panel, isolator mounted compressor, and rippled condenser coil fins reduce motor sound
- Permanently lubricated motor bearings
- Exposed refrigerant connections with single panel covering electrical controls
- Secured re-usable service valves
- UL and CUL Listed approved for outdoor application
- Certified in accordance with Unitary Small Equipment certification program, based on ARI Standard 210/240



Limited Warranty

- 10-Year limited parts and compressor warranty when registered online within 90 days of installation, otherwise 5-year warranty on parts



14.5 SEER, Up to 15 SEER - LX Series - YHJF

- Energy Star® rated

Part #	Tons	Volts/Phase (60 Hz)	Line Set Sizes Liq, Suc	Pkg Dimensions H x D x W	Approx Operating Wt	Price
YHJF18S41S1	1.5	208/230-1-60	3/8", 3/4"	28" x 34" x 34"	145 lbs	1996.00
YHJF24S41S1	2.0	208/230-1-60	3/8", 3/4"	40" x 29" x 29"	145 lbs	2165.00
YHJF30S41S1	2.5	208/230-1-60	3/8", 3/4"	40" x 34" x 34"	176 lbs	2217.00
YHJF36S41S4	3.0	208/230-1-60	3/8", 3/4"	40" x 34" x 34"	193 lbs	2432.00
YHJF42S41S5	3.5	208/230-1-60	3/8", 7/8"	40" x 34" x 34"	198 lbs	2494.00
YHJF48S41S5	4.0	208/230-1-60	3/8", 7/8"	40" x 34" x 34"	248 lbs	2958.00
YHJF60S41S1	5.0	208/230-1-60	3/8", 1-1/8"	40" x 34" x 34"	290 lbs	3299.00

13 SEER - LX Series - ECM Motor - YHJR

Part #	Tons	Volts/Phase (60 Hz)	Line Set Sizes Liq, Suc	Pkg Dimensions H x D x W	Approx Operating Wt	Price
YHJR18S41S3	1.5	208/230-1-60	3/8", 3/4"	28" x 23-1/2" x 23-1/2"	145 lbs	1553.00
YHJR24S41S4	2.0	208/230-1-60	3/8", 3/4"	28" x 23-1/2" x 23-1/2"	145 lbs	1686.00
YHJR30S41S4	2.5	208/230-1-60	3/8", 3/4"	28" x 29" x 29"	176 lbs	1726.00
YHJR36S41S4	3.0	208/230-1-60	3/8", 3/4"	28" x 34" x 34"	193 lbs	1895.00
YHJR42S41S4	3.5	208/230-1-60	3/8", 7/8"	28" x 34" x 34"	198 lbs	1941.00
YHJR48S41S4	4.0	208/230-1-60	3/8", 7/8"	40" x 34" x 34"	248 lbs	2305.00
YHJR60S41S6	5.0	208/230-1-60	3/8", 7/8"	40" x 34" x 34"	290 lbs	2634.00

13 SEER, Up to 14.5 SEER - LX Series - 3-Phase - YHJD

Part #	Tons	Volts/Phase (60 Hz)	Line Set Sizes Liq, Suc	Pkg Dimensions H x D x W	Approx Operating Wt	Price
YHJD36S43S4	3.0	208/230-3-60	3/8", 3/4"	40" x 34" x 34"	208 lbs	3008.00
YHJD48S43S3	4.0	208/230-3-60	3/8", 7/8"	40" x 34" x 34"	248 lbs	3708.00
YHJD60S43S3	5.0	208/230-3-60	3/8", 7/8"	40" x 34" x 34"	280 lbs	4344.00
YHJD36S44S4	3.0	460-3-60	3/8", 3/4"	40" x 34" x 34"	208 lbs	3008.00
YHJD48S44S3	4.0	460-3-60	3/8", 7/8"	40" x 34" x 34"	248 lbs	3708.00
YHJD60S44S3	5.0	460-3-60	3/8", 7/8"	40" x 34" x 34"	280 lbs	4344.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Commercial Heating and Cooling

Affinity R-410A Packaged Heat Pumps

- Decorative wire form coil guard
- Grooved copper tubes and aluminum fin coil
- Isolated compressor compartment
- High and low pressure/loss of charge switches
- Compressor protection through simultaneous operation of high pressure relief valve and temperature sensor
- Powder-painted, galvanized steel, neutral colored cabinet
- Non-corrosive watertight condensate pan
- Powered and control wiring connections
- Top mounted fan, top discharge, rigid top panel, isolator mounted compressor, rippled condenser coil fins, and super structure formed base pan reduce motor sound
- Permanently lubricated motor bearings
- Slip-track, slide-out blower assembly
- Large single panel covering electrical and gas controls, additional large panel with built-in handle tab for blower compartment
- Equal size, side supply and return duct connections
- Secured, protected, externally mounted re-usable service access ports



Limited Warranty

- 10-Year limited parts and compressor warranty when registered online within 90 days of installation, otherwise 5-year warranty on parts

14 SEER, 12.0 EER, 3.1 to 3.3 COP, 8.0 HSPF - BHQ

Part #	Tons	Volts/Phase (60 Hz)	Pkg Dimensions H x D x W	Approx Operating Wt	Price
BHQ024A06	2.0	208/230-1-60	33-1/2" x 49-1/8" x 47-1/4"	355 lbs	4608.00
BHQ030A06	2.5	208/230-1-60	33-1/2" x 49-1/8" x 47-1/4"	375 lbs	4862.00
BHQ036A06	3.0	208/230-1-60	33-1/2" x 49-1/8" x 47-1/4"	400 lbs	5582.00
BHQ042A06	3.5	208/230-1-60	41-1/2" x 49-1/8" x 47-1/4"	420 lbs	6117.00
BHQ048A06	4.0	208/230-1-60	41-1/2" x 49-1/8" x 47-1/4"	440 lbs	6577.00
BHQ060A06	5.0	208/230-1-60	41-1/2" x 49-1/8" x 47-1/4"	490 lbs	7064.00

13+ SEER, 10.65 to 11.5 EER, 3.0+ COP, 7.7 HSPF - BHZ

Part #	Tons	Volts/Phase (60 Hz)	Pkg Dimensions H x D x W	Approx Operating Wt	Price
BHZ024A06	2.0	208/230-1-60	33-1/2" x 49-1/8" x 47-1/4"	350 lbs	3628.00
BHZ030A06	2.5	208/230-1-60	33-1/2" x 49-1/8" x 47-1/4"	350 lbs	3810.00
BHZ036A06	3.0	208/230-1-60	33-1/2" x 49-1/8" x 47-1/4"	385 lbs	4051.00
BHZ042A06	3.5	208/230-1-60	41-1/2" x 49-1/8" x 47-1/4"	435 lbs	4658.00
BHZ042A25	3.5	208/230-3-60	41-1/2" x 49-1/8" x 47-1/4"	435 lbs	5194.00
BHZ048A06	4.0	208/230-1-60	41-1/2" x 49-1/8" x 47-1/4"	480 lbs	4724.00
BHZ060A06	5.0	208/230-1-60	41-1/2" x 49-1/8" x 47-1/4"	490 lbs	5190.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Commercial Heating and Cooling

Affinity Single-Stage R-410A Packaged Gas Heat/Electric Cooling

- Decorative wire form coil guard
- Grooved copper tubes and aluminum fin coil
- Isolated compressor compartment
- High and low pressure/loss of charge switches
- Compressor protection through simultaneous operation of high pressure relief valve and temperature sensor
- Pre-painted, pre-treated galvanized steel cabinet
- Non-corrosive watertight condensate pan
- Easy power and control wiring connections
- Compact, small base dimension
- Single piece water shed top cover, rounded corners with drip edges
- Top mounted fan, top discharge, blowing up and away from structure and landscaping, rigid top panel, isolator mounted compressor, rippled condenser coil fins, and super structure formed base pan reduce motor sound
- Permanently lubricated motor bearings
- Low voltage printed circuit board and terminal strip with diagnostic indicator light, Mate-n-Lock plug connectors, and Control-Tilt control panel
- Self-diagnostic control
- Slip-track, slide-out blower assembly
- Large single panel covering electrical and gas controls, additional large panel with built-in handle tab for blower compartment
- Equal size, side supply and return duct connections
- Bottom and side utility connections
- Full perimeter base rails
- Secured, protected, externally mounted re-usable service access ports
- Meets or exceeds ASHRAE 90.1 standards



HVAC

Limited Warranty

- 20-Year heat exchanger
- 10-Year limited parts and compressor warranty when registered online within 90 days of installation, otherwise 5-year warranty on parts



1-Phase - 13 to 13.5 SEER - 11.0 to 11.8 EER - 80% AFUE - DNZ

Part #	Tons	Volts/Phase (60 Hz)	SEER	Gas Input/Output MBTUH	Pkg Dimensions H x D x W	Approx Operating Wt	Price
DNZ024N05606NX	2.0	208/230-1-60	13.20	70/56	33-1/2" x 49-1/8" x 47-1/4"	378 lbs	3571.00
DNZ030N05606NX	2.5	208/230-1-60	13.20	70/56	33-1/2" x 49-1/8" x 47-1/4"	398 lbs	3898.00
DNZ036N07206	3.0	208/230-1-60	13.20	90/72	33-1/2" x 49-1/8" x 47-1/4"	402 lbs	4270.00
DNZ042N09006	3.5	208/230-1-60	13.40	108/87	41-1/2" x 49-1/8" x 47-1/4"	460 lbs	4775.00
DNZ048N11006	4.0	208/230-1-60	13.40	135/107	41-1/2" x 49-1/8" x 47-1/4"	465 lbs	4979.00
DNZ060N11006NX	5.0	208/230-1-60	13.00	135/107	41-1/2" x 49-1/8" x 47-1/4"	480 lbs	5464.00

3-Phase - 13 to 13.5 SEER - 11.0 to 11.8 EER - 80% AFUE - DNZ

Part #	Tons	Volts/Phase (60 Hz)	SEER	Gas Input/Output MBTUH	Pkg Dimensions H x D x W	Approx Operating Wt	Price
DNZ036N07225	3.0	208/230-3-60	13.20	90/72	33-1/2" x 49-1/8" x 47-1/4"	402 lbs	4683.00
DNZ048N11025NX	4.0	208/230-3-60	13.40	135/107	41-1/2" x 49-1/8" x 47-1/4"	465 lbs	5869.00
D6NZ048N06546NX	4.0	460-3-60	13.40	80/64	41-1/2" x 49-1/8" x 47-1/4"	465 lbs	5813.00
DNZ060N11025	5.0	208/230-3-60	13.00	135/107	41-1/2" x 49-1/8" x 47-1/4"	480 lbs	5910.00
DNZ060N11046	5.0	460-3-60	13.40	135/107	41-1/2" x 49-1/8" x 47-1/4"	480 lbs	6091.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Commercial Heating and Cooling

1-Phase - 14 SEER - 12.0 EER - 80% AFUE - DNQ

- Energy star rated

Part #	Tons	Volts/Phase (60 Hz)	SEER	Gas Input/Output MBTUH	Pkg Dimensions H x D x W	Approx Operating Wt	Price
DNQ024N05606	2.0	208/230-1-60	14.0	70/56	33-1/2" x 49-1/8" x 47-1/4"	390 lbs	4543.00
DNQ030N05606	2.5	208/230-1-60	14.0	70/56	33-1/2" x 49-1/8" x 47-1/4"	425 lbs	4833.00
DNQ036N07206	3.0	208/230-1-60	14.0	90/72	33-1/2" x 49-1/8" x 47-1/4"	430 lbs	4949.00
DNQ042N09006	3.5	208/230-1-60	14.0	108/187	41-1/2" x 49-1/8" x 47-1/4"	485 lbs	5788.00
DNQ048N11006	4.0	208/230-1-60	14.0	135/108	41-1/2" x 49-1/8" x 47-1/4"	490 lbs	5898.00
DNQ048D11006	*	208/230-1-60	14.0	108/70.2	41-1/2" x 49-1/8" x 47-1/4"	490 lbs	6019.00
DNQ060N11006	5.0	208/230-1-60	14.0	135/108	41-1/2" x 49-1/8" x 47-1/4"	530 lbs	6656.00

* 2-Stage

Latitude R-410A Cooling Only Packaged Units

- Decorative wire form coil guard
- Grooved copper tubes and aluminum fin construction on indoor coils and heat pump outdoor coils; all aluminum micro-channel on cooling outdoor coils
- Isolated compressor compartment
- High and low pressure/loss of charge switches
- Compressor protection through simultaneous operation of high pressure relief valve and temperature sensor
- Neutral, powder-painted galvanized steel cabinet, meeting ASTM-B117 standards for 1000 hours salt spray rating
- Factory-installed solid core liquid line filter-drier
- Non-corrosive watertight condensate pan
- Easy power and control wiring connections
- Compact, small base dimension
- Single piece water shed top cover with top discharge condenser fan
- Top mounted fan, top discharge, blowing up and away from structure and landscaping, rigid top panel, isolator mounted compressor, rippled condenser coil fins reduce motor sound
- Permanently lubricated motor bearings
- Large single panel covering electrical controls, additional large panel for blower compartment, and slide-out blower assembly
- Equal size, side supply and return duct connections
- Secured, protected, externally mounted re-usable service access ports



Limited Warranty

- 10-Year limited parts and compressor warranty when registered online within 90 days of installation, otherwise 5-year warranty on parts

13 SEER, 11.3 to 11.7 EER - NM Cooling Only

Part #	Tons	Volts/Phase (60 Hz)	SEER	Gas Input/Output (MBH)	Pkg Dimensions H x D x W	Approx Operating Wt	Price
NM036C00A1AAA1	3.0	208/230-1-60	13.00	-	30-15/16" x 47-1/4" x 32-13/16"	315 lbs	2704.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Commercial Heating and Cooling

Latitude R-410A Cooling Only Packaged Units (Continued)

13 SEER, 11.3 to 11.7 EER - NM Cooling Only

Part #	Tons	Volts/Phase (60 Hz)	SEER	Gas Input/Output (MBH)	Pkg Dimensions H x D x W	Approx Operating Wt	Price
NM048C00A1AAA1	4.0	208/230-1-60	13.00	-	34-15/16" x 57-9/16" x 32-13/16"	357 lbs	3291.00

Sunline™ ZF/ZR/XP Series 3-6 Ton Convertible Package High Efficiency Units

- Designed for curb mounting on roof, can also be slab-mounted at ground level or set on steel beams above finished roof
- ZF Model condensers utilize micro-channel all-aluminum condensers; evaporators utilize conventional copper tube/aluminum fin coil design
- Condenser and evaporator coils coated with phenolic coating and epoxy polymer to protect against corrosion
- Suction line freezestats supplied to protect against loss of charge and coil frosting
- Powder-painted galvanized steel cabinet, meeting 1000-hour salt spray test demands
- Factory-installed solid core liquid line filter-drier, high and low pressure switches, and internal compressor protection
- Factory mounted supply and return air smoke detectors
- Convertible between bottom and horizontal duct connections, side and bottom gas and electric utility knockouts, no panel cutting required or access panel necessary
- Easy power and control wiring connections
- Permanently lubricated motor bearings
- Simplicity® Lite™ low ambient control boards, monitoring pressure switches, freezestats, gas valve (if applicable), and temperature limit switch, with features that include:
 - Alarm for ignition failures, compressor lockouts, and repeated limit switch trips
 - Anti-short cycle delay
 - Programmable minimum run times
 - Programmable fan delays
 - Nuisance trip protection
 - On board diagnostics
- Full-perimeter base rails with fork lift access
- Flexible placement using same roof curb for all models, allowing curb to be set and correct tonnage size and heating option determined later



HVAC



Limited warranty

- 5-Year compressor, 10-year heat exchanger, 1-year other parts

13 SEER - R-410A - 80% AFUE - Pkg Heat Pump

Part #	Tons	Volts/Phase (60 Hz)	SEER	Heat Capacity MBTUH @ 47°F	Pkg Dimensions H x D x W	Approx Operating Wt	Price
XP060C00N2AAA2	5.0	208/230-3-60	13.00	59	32-5/8" x 82-1/4" x 44-7/8"	590 lbs	6598.00

13 SEER - R-410A - 80% AFUE - Pkg Cool Only

- Suitable for field installed electric heat

Part #	Tons	Volts/Phase (60 Hz)	SEER	Gas Input/Output MBTUH	Pkg Dimensions H x D x W	Approx Operating Wt	Price
ZF060C00A2AAA1	5.0	208/230-3-60	13.00	-	32-5/8" x 82-1/4" x 44-7/8"	569 lbs	6063.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Commercial Heating and Cooling

13 SEER - R-410A - 80% AFUE - Pkg Gas/Electric Rooftop

Part #	Tons	Volts/Phase (60 Hz)	SEER	Gas Input/Output MBTUH	Pkg Dimensions H x D x W	Approx Operating Wt	Price
ZF036N08N2AAA1	3.0	208/230-3-60	13.00	100/80	32-5/8" x 82-1/4" x 44-7/8"	468 lbs	6081.00
ZF048N10N2AAA1	4.0	208/230-3-60	13.00	125/100	32-5/8" x 82-1/4" x 44-7/8"	541 lbs	6555.00
ZF060N10N2AAA1	5.0	208/230-3-60	13.00	125/100	32-5/8" x 82-1/4" x 44-7/8"	569 lbs	7006.00
ZF060N10N4AAA1	5.0	460-3-60	13.00	125/100	32-5/8" x 82-1/4" x 44-7/8"	569 lbs	7067.00
ZF072N10N2AAA1	6.0	208/230-3-60	11.20	125/100	32-5/8" x 82-1/4" x 44-7/8"	640 lbs	7325.00

Predator® ZF Series 6.5-12.5 Ton Convertible Package Units

- Designed for curb mounting on roof, can also be slab-mounted at ground level or set on steel beams above finished roof
- Two-stage heat/two-stage cool
- Micro-channel all-aluminum condensers; evaporators utilize conventional copper tube/aluminum fin coil design
- Condenser and evaporator coils coated with phenolic coating and epoxy polymer to protect against corrosion
- Suction line freezestats supplied to protect against loss of charge and coil frosting
- Convertible between bottom and horizontal duct connections, side and bottom gas and electric utility knockouts, no panel cutting required, no access panel necessary
- Dual-circuit, two compressors with independent refrigeration circuits, electronic spark ignition, and power-vented combustion
- IAQ features including foil-faced insulation, pitched roof, and removable drain pan
- Simplicity® Lite™ low ambient control boards, monitoring pressure switches, freezestats, gas valve (if applicable), and temperature limit switch, with features that include:
 - Alarm for ignition failures, compressor lockouts, and repeated limit switch trips
 - Anti-short cycle delay
 - Programmable minimum run times
 - Programmable fan delays
 - Nuisance trip protection
 - On board diagnostics
- Full-perimeter base rails are permanently attached to provide a solid unit foundation and fork lift access
- Flexible placement using same roof curb for all models, allowing curb to be set and correct tonnage size and heating option determined later
- EPACT Compliant
- Energy Star® rated



6-1/2 through 10 Ton



12-1/2 Ton



Limited warranty

- 5-Year compressor, 10-year heat exchanger, 1-year other parts

11.2 EER - R-410A - 80% SSE - Pkg Gas/Electric Rooftop

- Hi static

Part #	Tons	Volts/Phase (60 Hz)	EER	Gas Input/Output MBTUH	Pkg Dimensions H x D x W	Approx Operating Wt	Price
ZF090N15N2AAA5	7.5	208/230-3-60	11.20	180/144	42" x 89" x 59"	880 lbs	9785.00
ZF090N15N4AAA5	7.5	208/230-3-60	11.20	180/144	42" x 89" x 59"	880 lbs	9930.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Commercial Heating and Cooling

Predator® ZF Series 6.5-12.5 Ton Convertible Package Units (Continued)

11.2 EER - R-410A - 80% SSE - Pkg Gas/Electric Rooftop

Part #	Tons	Volts/Phase (60 Hz)	EER	Gas Input/Output MBTUH	Pkg Dimensions H x D x W	Approx Operating Wt	Price
ZF120N20N2AAA5	10.0	208/230-3-60	11.20	240/192	50-3/4" x 89" x 59"	1060 lbs	12461.00
ZF120N20N4AAA5	10.0	460-3-60	11.20	240/192	50-3/4" x 89" x 59"	1060 lbs	12606.00
ZF150N20N2AAA5	12.5	208/230-3-60	11.20	240/192	50-3/4" x 89" x 59"	1060 lbs	14150.00

Sunline™ ZF Series 15-25 Ton Convertible Package High Efficiency Units

- Designed for curb mounting on roof, can also be slab-mounted at ground level or set on steel beams above finished roof
- Grooved copper tube/aluminum fin coil design
- Condenser and evaporator coils coated with phenolic coating and epoxy polymer to protect against corrosion
- Suction line freeze-stats supplied to protect against loss of charge and coil frosting
- Powder-painted galvanized steel cabinet, meeting 1000-hour salt spray test demands
- Factory-installed solid core liquid line filter-drier, high and low pressure switches, and internal compressor protection
- Factory mounted supply and return air smoke detectors
- Factory-installed options include stainless steel heat exchanger, electric heating elements, single enthalpy economizer, high static drive blower motor, coil guard, dirty filter switch, hinged filter door, and tool-less access panels
- Convertible between bottom and horizontal duct connections, side and bottom gas and electric utility knockouts, no panel cutting required, no access panel necessary
- Easy power and control wiring connections
- Permanently lubricated motor bearings
- (2) Independent scroll compressors with independent refrigeration circuits
- Simplicity® Lite™ low ambient control boards, monitoring pressure switches, freeze-stats, gas valve (if applicable), and temperature limit switch, with features that include:
 - Alarm for ignition failures, compressor lockouts, and repeated limit switch trips
 - Anti-short cycle delay
 - Programmable minimum run times
 - Programmable fan delays
 - Nuisance trip protection
 - On board diagnostics
- Full-perimeter base rails are permanently attached to provide a solid unit foundation and fork lift access
- Energy Star® rated

Limited warranty

- 5-Year compressor, 10-year heat exchanger, 1-year other parts

10.0 - 11.0 EER - R-410A - 80% SSE - Gas/Electric Rooftop

- Hi static



Part #	Tons	Volts/Phase (60 Hz)	EER	Gas Input/Output MBTUH	Pkg Dimensions H x D x W	Approx Operating Wt	Price
ZF180N32N2AAA1	15.0	208/230-3-60	11.00	300/240	48-5/8" x 125-1/4" x 92"	1870 lbs	21805.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Commercial Heating and Cooling

Predator[®] Series Commercial Split System A/C and H/P

- Can be placed on rooftop or at ground level
- Convertible between vertical and horizontal installation
- Micro-channel aluminum tube and fin coil design
- Compact, small footprint
- Quiet operation
- Dual refrigerant circuits
- Simplicity controls
- Self-contained high and low pressure controls
- Solid state or internal line break compressor motor protection
- Class 2, 24V thermostat control circuit with re-settable breaker
- Standard factory installed service valves
- Factory mounted copper stub-outs on suction and liquid lines
- Capacity staging
- Five minute anti-short cycle timer and minimum compressor run time
- Inherently protected condenser fan motors
- Technicoat or ElectroFin coated outdoor coils
- Factory installed disconnect, phase monitor, and powered or non-powered 115 volt GFI outlet
- Meets or exceeds ASHRAE 90.1 standards



Limited warranty

- 5-Year compressor, 1-year parts

R-410A - 090 - 300 MBH - Standard Efficiency - Air Conditioner - 2-Pipe

Part #	Tons	Volts/Phase (60 Hz)	EER	Line Set Sizes Liq, Suc	Pkg Dimensions H x D x W	Approx Operating Wt	Price
YC090C00A2AAA2	7.5	208/230-3-60	11.20	5/8", 1-1/8"	44-1/2" x 59-1/12" x 31-3/4"	387 lbs	5442.00
YC120C00A2AAA2	10.0	208/230-3-60	11.20	7/8", 1-3/8"	50" x 59-1/12" x 31-3/4"	497 lbs	7214.00
YC180C00A2AAA2	15.0	208/230-3-60	11.20	7/8", 1-5/8"	44-1/2" x 59-1/12" x 64-1/12"	909 lbs	11201.00

R-410A - 090 - 300 MBH - Standard Efficiency - Air Conditioner - 4-Pipe

Part #	Tons	Volts/Phase (60 Hz)	EER	Line Set Sizes Liq, Suc	Pkg Dimensions H x D x W	Approx Operating Wt	Price
YD120C00A2AAA2	10.0	208/230-3-60	11.20	5/8", 1-1/8"	50" x 59-1/12" x 31-3/4"	490 lbs	7214.00
YD180C00A2AAA2	15.0	208/230-3-60	11.20	5/8", 1-3/8"	44-1/2" x 59-1/12" x 64-1/12"	894 lbs	11201.00

10.6 - 11.0 EER - 3.3 - 3.4 COP - R-410A - 90-240 MBH - Standard Efficiency - Heat Pump - 2-Pipe

Part #	Tons	Volts/Phase (60 Hz)	EER	Line Set Sizes Liq, Suc	Pkg Dimensions H x D x W	Approx Operating Wt	Price
PC090C00A2AAA1	7.5	208/230-3-60	11.00	5/8", 1-1/8"	44-1/2" x 59-1/12" x 31-3/4"	430 lbs	7050.00
PC120C00A2AAA1	10.0	208/230-3-60	11.00	7/8", 1-3/8"	50" x 59-1/12" x 31-3/4"	574 lbs	9154.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Commercial Heating and Cooling

Predator® Series Commercial Split System Evaporator Blower

- Designed with (2) distinct modules to provide maximum application flexibility
- Can be repositioned to meet almost any installation requirement
- Module includes blower wheels, drivers and factory-installed motor



R-410A - 090 - 300 MBH - Standard Efficiency - Evaporator Blower - 2-Pipe

Part #	Tons	Volts/Phase (60 Hz)	Line Set Sizes Liq, Suc	Pkg Dimensions H x D x W	Approx Operating Wt	Price
NC090C00C6AAA1	7.5	208/230/460-3-60	5/8", 1-1/8"	65" x 56" x 30"	526 lbs	4151.00
NC120C00C6AAA1	10.0	208/230/460-3-60	7/8", 1-3/8"	65" x 56" x 30"	573 lbs	5330.00
NC180C00D6AAA2	15.0	208/230/460-3-60	7/8", 1-5/8"	75" x 74-1/2" x 33"	796 lbs	6674.00

R-410A - 090 - 300 MBH - Standard Efficiency - Evaporator Blower - 4-Pipe

Part #	Tons	Volts/Phase (60 Hz)	Line Set Sizes Liq, Suc	Pkg Dimensions H x D x W	Approx Operating Wt	Price
ND120C00C6AAA2	10.0	208/230/460-3-60	5/8", 1-1/8"	65" x 56" x 30"	575 lbs	5330.00
ND180C00D6AAA2	15.0	208/230/460-3-60	7/8", 1-5/8"	75" x 74-1/2" x 33"	796 lbs	6674.00

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Dampers / Zoning Controls

Motorized Round Dampers

URD Single Blade Damper

- 2-Position, 24V motor
- Motor features LED lights which indicate open or closed position
- Power-open and close actuator
- Simple 3-wire hook-up



Part #	Size	Price
URD-8	8"	207.00
URD-12	12"	222.00
URD-14	14"	255.00
URDLM24X18	24" x 18"	606.00

Motorized Rectangular Dampers

ND Damper

- Heavy duty frame
- LED's Show damper's position
- Nylon bushings for quiet operation
- Simple 3-wire hook-up
- Motor mounted on second dimension specified



Part #	Size	Price
ND14.8	14" x 8"	279.00
ND14.18	14" x 18"	320.00
ND16.8	16" x 8"	283.00
ND20.14	20" x 14"	325.00
ND24.10	24" x 10"	330.00
ND8.20	8" x 20"	293.00

By-Pass, Static Pressure Control Dampers

Model PRD-RD

- Single blade, round barometric damper
- Bypasses excess static pressure in multi-zone applications
- Adjusts by moving weight up & down damper arm
- Arm can be inserted into either side of damper



Part #	Size	Price
PRD-RD10	10"	142.00
PRD-RD-12	12"	147.00

Damper Motors

- 2 Position, power open power closed actuator
- Use with std opposed blade dampers



Part #	Description	Price
EWC MAN	Manual Damper Motor	165.00


Outdoor Sensor

Part #	Description	Price
OAS	Optional Outdoor Sensor	52.00

Zone Control Systems

Model BM Plus

- Works with virtually any 4-wire thermostat with either manual or automatic changeover
- Compatible with power stealing thermostats that have less than 24 mA current draw
- Single-stage, dual-fuel and heat pump compatible
- Adjustable supply air sensor
- Auto changeover from any zone
- Fan control from any zone
- Controls up to (8) zones, expandable up to (7) zones
- LED Display
- 3 Minute minimum RUN and OFF timer



Part #	Description	Price
BMPLUS3000	3-Zone	340.00

Model UZC

- 2-Stg cooling, 4-stage heating compatibility
- Built-in fresh air control-humidifier controls o. combustion air damper control
- LED's Show damper & system operation
- Limit second stage of heating & cooling if less than half the zones are calli
- Automatic reset fuse
- Up to 20 zones capability with expansion panel
- Override switch will clear all time delay & purge modes for contractor check-out



Part #	Description	Price
UZC-4	4-Zone	667.00

Model NCM 300

- Maximum of three zones
- Automatic changeover
- Opposite system service
- Short cycle timers
- Supply air sensing capability



Part #	Description	Price
NCM-300	With Supply Air Sensor	286.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Indoor Air Quality

Residential Media Air Cleaners

F100F Duct Mounted Media Air Cleaner

- Captures particles as small as 0.3 microns
- Applicable to all gas, oil and electric forced air furnaces and compressors up to 5 tons
- Includes FC100A MERV10 pleated media air filter



Part #	Description	CFM	Price
F100F2002	16" x 25"	1400 cfm	229.03
F100F2010	20" x 25"	2000 cfm	229.03

High Efficiency Replacement Media Filter - MERV 10

- Expandable for SpaceGard



Part #	Description	Price
FC2200A1009	26-1/2" x 23-3/4" x 5-7/8" for SpaceGard® 2200	53.32
FC2400A1005	16" x 27-1/8" x 5-7/8" for SpaceGard® 2400	53.32

Air Cleaner Media

MERV 11 Replacement Media

- Expandable high efficiency



Part #	Description	Price
GF12758	Replacement Media for GeneralAire AC-1, AC-22	57.99
GF12880	Replacement Media for Aprilaire 2200	57.99



Electronic Air Cleaners

HE Plus Electronic Air Cleaner

- Forever Filter® never needs replacing
- Aluminum mesh pre-filter
- Optional charcoal after-filter
- Electronic airflow sensor
- Built-in 24V internal fuse protection
- 3-Year limited warranty on cabinet



Part #	Size (H x W x D)	CFM	Price
TR455600-125	20-1/4" x 24-7/8" x 7-1/8"	1400	910.35
TR455600-001	24-1/4" x 24-7/8" x 7-1/8"	2000	931.77

Media Air Cleaners

Air Bear® Supreme Media Air Cleaners

- Accepts 5" thick pleated Air Bear Media
- Mounts direct to heating and cooling systems
- Suitable for use with all types of central forced-air configurations
- Eliminates standard return filters
- 10-Year limited warranty on cabinet



Air Bear® Supreme 2000

- Accepts media size: 20"H x 24-1/4"W x 5"D

Part #	Outside Dimension (H x W x D)	Rating	Price
TR455602-025	20-1/4" x 24-7/8" x 7-1/8"	MERV 8	176.72

Air Bear® Supreme 1400

- Accepts media size: 16"H x 24-1/2"W x 5"D

Part #	Outside Dimension (H x W x D)	Rating	Price
TR455602-125	16-1/4" x 24-7/8" x 7-1/8"	MERV 8	176.72

Air Bear® Supreme 20x20

- Accepts media size: 20"H x 20-1/4"W x 5"D

Part #	Outside Dimension (H x W x D)	Rating	Price
TR455602-225	20" x 20-1/4" x 5"	MERV 8	185.28

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Air Cleaners

Air Bear® Right Angle Media Air Cleaners

- 2000 cfm
- Universal right/left-hand installation
- For areas where a 90° duct adapter is required
- Typically saves 6-8" of space
- Ideal for basement applications
- Eliminates standard return filters
- Accepts media size:
20"H x 25"W x 5"D
- 10-Year limited warranty on cabinet



Part #	Outside Dimension (H x W x D)	Rating	Price
TR447380-010	24-3/8" x 15-1/2" x 25-5/8"	MERV 8	289.17

Lint Screen

Part #	Size	Price
TR123324-004	20" x 12"	22.63

Multi-Pleat Series AB Replacement Filters

- High performance replacement filters for Trion® Air Bear® and Air Cub®
- Moisture resistant frame
- Rust-resistant galvanized wire downstream for rigidity
- Built-in support fingers hold pleats in place
- Gasket helps seal the filter into the air cleaner and prevents dust from bypassing the filter



Part#	Nom Size	MERV	Price
TR255649-102	16" x 25" x 3"	MERV 8	17.10
TR255649-103	20" x 20" x 5"	MERV 8	21.26
TR255649-101	20" x 25" x 5"	MERV 8	16.16
TR255649-105	16" x 25" x 5"	MERV 8	16.01

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Indoor Air Quality

Hybrid Media/Electronic Air Cleaners

Affinity/Acclimate/Echelon Hybrid Media/Electronic Air Cleaner

- Equivalent to MERV 16
- New filter filters:
 - 97.8% effective at removing particles from 3 to 10 microns
 - 95.7% effective at removing particles from 1 to 3 microns
 - 92.0% effective at removing particles from 0.3 to 1 microns
- Rated to 2000 cfm
- Supports up to 400 pounds
- Replace filter media once per year
- No washing of cells required, only wiping of ionizing wires once per year
- Power usage does not exceed 60 watts
- UL listed
- 5-Year warranty



Part #	Description	MERV	List
S1-HEAC3000T	York Media/Electronic Hybrid	MERV 16	1362.39

Replacement Hybrid Media Air Filter

Part #	Description	MERV	List
S1-FM501	York Replacement Media for S1-HEAC3000Y	MERV 16	70.36

Media Air Cleaners

York Affinity/Acclimate/Echelon High Efficiency Expandable Media Air Cleaner

- The whole home media air cleaner permanently traps particles, including airborne contaminants, down to 1 micron (1 millionth of a meter) in size; Particles of less than 6 microns are invisible to the naked eye, and allergy-causing particles and mold spores range from 0.5 microns to 1 micron
- Up to 2 year filter media life
- Low static pressure drop
- MERV 10 efficiency rating
- 5-Year limited warranty



Part #	Description	MERV	List
S1-YM10PAC1625	16" x 25" Expandable	MERV 10	205.36

Replacement Expandable Media Air Filter

Part #	Description	MERV	List
S1-FM401	16" x 25" Expandable, Fits S1-WHM10162505, Aprilaire 2400	MERV 10	52.61
S1-FM201	20" x 25" Expandable, Fits S1-WHM10202505, Aprilaire 2200	MERV 10	55.11

Source 1 High Efficiency MERV 10 Media Air Cleaner

Part #	Description	MERV	List
S1-TM11PAC16252	Media Air Cleaner, 16" x 25"	MERV 10	212.21
S1-TM11PAC20252	York Media Air Cleaner, 20" x 25"	MERV 10	212.21

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Indoor Air Quality

Replacement Media Filter for MERV 10 Media Air Cleaner

Part #	Description	MERV	List
S1-FM10162505	16" x 25"	MERV 10	42.21
S1-KF-102-718-205	16" x 25"	MERV 10	26.21
S1-KF-102-718-201	20" x 25"	MERV 10	44.29
S1-KF-102-718-204	20" x 25"	MERV 10	22.52

**Electronic Air Cleaner
York Electronic Air Cleaner**

- Removes airborne pollutants as small as 0.01 micron
- Lifetime filter system that never needs replacing
- Carbon filters that remove gaseous odors
- Dual Indicator Lights show unit operation at a glance
- Electronic Air Proving Switch
- Maintain collector cell every 3 months
- 120-1-60



Part #	Description	List
S1-EAC14001625	16" x 25" Nominal Size, 1400 CFM	1362.39
S1-EAC20002025	20" x 25" Nominal Size, 1400 CFM	1362.39

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Filters

Multi-Pleat 40

- Extended surface pleated filter for use in commercial and industrial air filtration systems
- Rust resistant galvanized-dipped expanded metal support grid
- 25-30% ASHRAE Efficiency

1" Sizes Multi-Pleat 40 - MERV 7

Part #	Nom Size	Qty	Price
AF10161	10" x 16" x 1"	12	79.46
AF10201	10" x 20" x 1"	12	29.04
AF10201P40	10" x 20" x 1"	1	3.65
AF12121	12" x 12" x 1"	12	51.74
AF12121P40	12" x 12" x 1"	1	3.67
AF12201	12" x 20" x 1"	12	24.56
AF12201P40	12" x 20" x 1"	1	5.40
AF10241	10" x 24" x 1"	12	53.86
AF10241P40	10" x 24" x 1"	1	6.75
AF12241	12" x 24" x 1"	12	26.14
AF12241P40	12" x 24" x 1"	1	4.43
AF14141	14" x 14" x 1"	12	53.32
AF14141P40	14" x 14" x 1"	1	6.61
AF14201	14" x 20" x 1"	12	25.60
AF14201P40	14" x 20" x 1"	1	4.08
AF14241	14" x 24" x 1"	12	57.28
AF14241P40	14" x 24" x 1"	1	5.37
AF14251	14" x 25" x 1"	12	27.46
AF14251P40	14" x 25" x 1"	1	4.26
AF14301P40	14" x 30" x 1"	1	9.45
AF15201	15" x 20" x 1"	12	56.50
AF15201P40	15" x 20" x 1"	1	4.12
AF16161	16" x 16" x 1"	12	25.60
AF16201	16" x 20" x 1"	12	26.40
AF16201P40	16" x 20" x 1"	1	3.57
AF16241	16" x 24" x 1"	12	31.42
AF16241P40	16" x 24" x 1"	1	5.47
AF16251	16" x 25" x 1"	12	28.78
AF16251P40	16" x 25" x 1"	1	4.00
AF18181	18" x 18" x 1"	12	84.22
AF18241	18" x 24" x 1"	12	30.10
AF18241P40	18" x 24" x 1"	1	5.53
AF18251	18" x 25" x 1"	12	57.02
AF20201	20" x 20" x 1"	12	28.52
AF20201P40	20" x 20" x 1"	1	4.02
AF20221P40	20" x 22" x 1"	1	7.51
AF2022141	20" x 22-1/4" x 1"	12	59.40
AF20241	20" x 24" x 1"	12	29.84
AF20241P40	20" x 24" x 1"	1	5.81
AF20251	20" x 25" x 1"	12	31.94

1" Sizes Multi-Pleat 40 (Continued)

Part #	Nom Size	Qty	Price
AF20251P40	20" x 25" x 1"	1	4.45
AF20301	20" x 30" x 1"	12	64.94
AF20301P40	20" x 30" x 1"	1	6.75
AF2224121	22" x 24-1/2" x 1"	12	113.34
AF24241	24" x 24" x 1"	12	35.90
AF24241P40	24" x 24" x 1"	1	5.34
AF25251	25" x 25" x 1"	12	38.02
AF25251P40	25" x 25" x 1"	1	6.45

2" Sizes Multi-Pleat 40 - MERV 7

Part #	Nom Size	Qty	Price
AF12242P40	12" x 24" x 2"	1	4.14
AF14202P40	14" x 20" x 2"	1	4.77
AF15202P40	15" x 20" x 2"	1	5.00
AF15202	15" x 20" x 2"	12	34.84
AF16162P40	16" x 16" x 2"	1	6.22
AF16202	16" x 20" x 2"	12	29.84
AF16202P40	16" x 20" x 2"	1	4.00
AF16242	16" x 24" x 2"	12	37.22
AF16242P40	16" x 24" x 2"	1	5.59
AF16252	16" x 25" x 2"	12	33.00
AF16252P40	16" x 25" x 2"	1	4.49
AF18182	18" x 18" x 2"	12	91.88
AF18242	18" x 24" x 2"	12	41.44
AF18242P40	18" x 24" x 2"	1	5.18
AF20202	20" x 20" x 2"	12	33.26
AF20202P40	20" x 20" x 2"	1	4.53
AF20242P40	20" x 24" x 2"	1	5.63
AF20252	20" x 25" x 2"	12	38.28
AF20252P40	20" x 25" x 2"	1	5.22
AF20302	20" x 30" x 2"	12	109.04
AF20302P40	20" x 30" x 2"	1	8.06
AF24242P40	24" x 24" x 2"	1	5.79
AF25252P40	25" x 25" x 2"	1	8.12

4" Sizes Multi-Pleat 40 - MERV 7

Part#	Nom Size	Price
AF16204P40	16" x 20" x 4"	8.08
AF16254P40	16" x 25" x 4"	8.96
AF20204P40	20" x 20" x 4"	8.96
AF20254P40	20" x 25" x 4"	10.22

Hoghair Media

Part #	Description	Price
AF2025	20' x 25' x 1" Hoghair Filter Media	5.02
AF3030	30' x 30' x 1" Hoghair Media Roll	110.44

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Air Cleaners

UV-AIRE™ Air Purification Systems

Duct Mounted UV Air Cleaner

- Installed directly inside forced-air ductwork
- Hinged cover for easy accessibility
- 5-Year warranty



Part #	Description	Price
UV-18	120V, 14" Min Duct Width, 200 Max Sq Ft	265.84

UV-AIRE™ Replacement Lamp



Part #	Description	Price
UV-18R	UV18 Replacement Lamp	60.00



UV Air Purifiers

Ultra-Violet Germicidal Photo-Catalytic Inline Air Purifier

- 18" Germicidal photo-catalytic lamp
- Class II Medical device
- EPA Registered



Part #	Mfg #	Description	Price
SW2000	2000	18" Dual Lamp Up to 5 Tons	489.25

Replacement Parts

Replacement Split Lamp

Part #	Mfg #	Description	Price
SW1068	1068	9" For 1000KCS	76.88



Germicidal Ultraviolet Light Systems

Fresh-Aire™ Blue-TubeUV™ - Extended Range

- 18-32VAC Weather resistant remote mountable UV lamps with "Z" mounting bracket
- Extended range power supply mounts inside control panel
- 5-Year power supply warranty



Part #	Description	Price
TUV-BTER	(1) Lamp, 1-Year Bulb	213.51

Blue-TubeUV™ with Odor Sanitizing Technology

- Breaks down odor causing molecules as well as destroy air-borne biohazards



Part #	Description	Price
TUV-BTER-OS	(1) Lamp, 1-Year Bulb	244.01

Replacement Lamps for Fresh-AireUV™ with Odor Sanitizing Technology

- Reduces:
 - Typical household odors
 - Airborne germs & viruses
 - Mold, mildew & fungus
- Lifetime warranty on fuse supply



Part #	Description	Price
TUVL-100-03	For TUV-100	117.65
TUVL-215P-OS	For TUV-200	161.22

UV Air Purifiers

Source 1 UV Air Purifiers

- Includes labels for Source 1, York, Luxaire and Coleman



Part #	Description	Price
S1-UV36120	120V 36W 16" H-Lamp UVC Air Purifier for High Output, Coil Irradiation or Air Treatment	480.29

UV Replacement Lamps

Part #	Description	Price
S1-UVLAMP36120	York UV Replacement Lamp for S1-UV36120	147.96

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Humidifier Filters / Parts

Power Humidifiers - Drain Type

1042 Legacy Series - By-Pass Flow-Through Power Humidifier

- Installs on vertical warm air supply or cold air plenum
- 6" Diameter side bypass duct (collar supplied)
- Plenum opening 10-1/4"W x 9-1/2"H
- Replacement filter: 990-13 evaporator pad
- Order 1/4" tubing separately
- 5-Year limited warranty



Part #	Description	GPD	Unit Size	Electrical	Price
GF1042LH	Recirculating Type, MHX3 Humidistat	19.2	11-1/2" x 15" x 9"	115V/60Hz	324.99

1137 Legacy Series - Fan Power Flow-Through Humidifier

- Installs on vertical warm air supply plenum, no by-pass required
- Plenum opening 15"W x 9-1/2"H
- Replacement filter: 990-13 evaporator pad
- E1 Temperature compensating humidistat, manual or auto mode included
- Order 1/4" tubing separately
- 5-Year limited warranty



Part #	Description	GPD	Unit Size	Electrical	Price
GF1137	Drain Type w/Fan, MHX3 Humidistat	21	14"H x 16"W x 10"D	115V/60Hz	561.99

HVAC

Humidifier Evaporator Pads/Media

Replacement Evaporator Pad

- Aluminum evaporator material enclosed in heavy wire frame and channeling
- Pad has super absorbent coating



990-13



1099-20

Part #	Description	Price
GF99013	11-3/4"H x 9-3/4"W Evaporator Pad for Model SL-16, 1042, 1040, 1137	23.99
GF109920	12"H x 14-1/4"W Evaporator Pad for Model 1099, 950	30.99

Evaporator Pad



Part #	Description	Price
TRG-116-6	Evaporator Pad for G-100	29.75

Humidistats

GF7221	GA4040 Aprilaire Solenoid Water Valve for 900, 950, 570	78.95
GF99052	115V Solenoid Valve Assembly for 1042 (Includes Fittings)	149.95
GF99053	24V Solenoid Valve Assembly for 1042/1137 (Includes Fittings)	90.99
GF109942	24V Solenoid Valve Assembly for 1099L/LH/R	90.99

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Indoor Air Quality

Humidifiers

HE265/225 Bypass Flow-Through Humidifier

- Use the warm air furnace blower to provide humidification for the whole house
- Humidifier pad coated with AGION antimicrobial agent
- Preassembled for quicker installation
- Humidifier includes:
 - Summer shut-off damper
 - Humidifier pad
 - Mounting template
 - Self-piercing saddle valve
 - 24VAC transformer and wire



Part #	Capacity	Includes:	Price
HM509A2000	12 gpd	H8908 Humidistat	466.92

Humidifier Replacement Pads



HC22A

Part #	Description	Price
HC22E1003	HE225 Pad with AGION™ Coating for HE220, HE225, Aprilaire 110,220,550,558	29.00

TrueSTEAM Humidifier

- Mounts directly to the duct or:
 - Models HM509 and HM512 remotely up to 20' away
 - Model HM506 remotely 5' without insulating the steam distribution tube or 15' if distribution tube is insulated
- Limited duct cutting with bracket-mount design
- Dimensions: 19"H x 11-1/4"W x 9"D
- 1-3/4" Diameter plenum opening
- 120VAC
- In-line water filter provided
- 5-Year warranty



Part #	Capacity	Includes:	Price
HM506H8908	6 gpd	H8908 Humidistat	832.00
HM509H8908	9 gpd	H8908 Humidistat	1043.17
HM512A2000	12 gpd	TrueIAQ Digital IAQ Control	1342.71

Honeywell Humidifier Parts

Part #	Description	Price
50024917-001	10' Remote Mount Kit for All TrueSTEAM Humidifiers	263.80
50027998-002	True Steam Water Level Sensor	127.29
50028044-001	Plumb In-Line Scale and Sediment Humidifier Replacement Filter	99.29

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Indoor Air Quality

Humidifiers York Humidifier

Part #	Description	Price
S1-BP6000MT	24V York Bypass Humidifier, 17 gpd, Manual Humidistat	332.11
S1-FP7000MT	24V York Bypass Humidifier, 18 gpd, Manual Humidistat	505.57

Source 1 Humidifier

Part #	Description	Price
S1-BP5000MT	24V Bypass Humidifier, 12 gpd, Manual Humidistat	295.21
S1-HU17MB	24V Bypass Humidifier, 17 gpd, Manual Humidistat	332.11

Humidifier Replacement Parts

Part #	Description	Price
S1-HUPAD12	Vapor Pad Fits S1-HU12MB, Honeywell HE220, HE225 Aprilaire 110, 220, 558 & 550	14.00
S1-HUPAD35HWAA	Vapor Pad Fits Honeywell HE260(5), HE360(5) Aprilaire 350, 360, 560, 600, 760 & 700	24.25
S1-HUPAD10	Vapor Pad Fits Source 1 S1-BP5000	9.89
S1-HURELAY24VAA	24V Current Sensing Relay for all Humidifiers & Other 24V Circuit Applications	88.55
S1-HURELAY120V	120V Current Sensing Relay for Fan Type Humidifiers & Electronic Cleaners	51.57
S1-HUSOLVLV12-24V	24V Solenoid Valve for S1-HU12MB & S1-HU17MB	77.07

HVAC

Source 1 Energy Recovery Ventilators

- Heat Exchanger Type: Cross-flow (enthalpic)
- Voltage: 120VAC at 60 Hz
- Amperage: 1.5 A
- Defrost Type: Evacuation
- Certification: ARI 1060, cCSAusa
- Includes labels for Source 1, York, Luxaire and Coleman brands
- 5-Year warranty

Part #	Overall Size	Heat Exchanger Size	CFM	Exchanger Surface	Price
S1-ERV220	23-7/8"L x 21-1/2"H x 16-1/2"W	12"L x 12"H x 15"W	50 - 220	127 sq ft	2783.71

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Pumps

VC Series Automatic Condensate Pumps

- Thermal overload protection
- Includes check valve

VCC Low Profile Series

- Suitable for high-efficiency, gas-furnace condensate
- 3/10 Gallon tank
- Discharge is 3/8" OD barbed tubing adapter/check valve
- Pump engages in 1" of water and disengages in .45" of water
- 3-Prong plug
- Snap-action switch
- Stainless steel shaft
- Polypropylene impeller
- ABS Motor, tank cover and volute
- Thermal overload protection
- Safety switch on "S" suffix models
- UL/CSA Listed
- 6' Cord



Part #	Model	Description	Price
LG554200	VCC-20ULS	115V, 20' Shutoff	127.00

VCMA Automatic Condensate Pumps

- Suitable for high-efficiency, gas furnace condensate
- Fully automatic
- 1/2 Gallon leak proof, rustproof, high impact ABS tank
- (3) Drain holes
- Removable 3/8" barbed check valve
- 3-Prong plug
- Snap-action switch
- Stainless steel shaft
- Polypropylene impeller
- ABS Plastic motor, tank cover and volute
- Includes check valve
- Optional safety switch
- Thermal overload protection



VCMA Series Condensate Pump - without Tubing

- Safety switch on "S" suffix models
- 6' Cord

Part #	Model	Description	Price
LG554405	VCMA-15ULS	115V, 15' Shutoff	93.00
LG554425	VCMA-20ULS	115V, 20' Shutoff	100.00

VCMX NEXTGen™ Automatic Condensate Pumps

- Slimmer footprint 4.8" x 10.2" x 6.5"
- Oil resistant tank & check valve to eliminate problem of cracked tanks
- 1/4-Turn check valve allows servicing without removal of tubing
- Patent-pending cooling design
- Rubber feet absorbs vibration
- Thermal overhead protection
- External overflow safety switch
- External test/run lever
- External tank anti-sweat sleeve
- Multiple brackets: steel mounting bracket for use on either side of tank
- 2-Year warranty



VCMX Series Condensate Pump - without Tubing

- Safety switch on "S" suffix models
- 6' Cord

Part #	Model	Description	Price
LG554530	VCMX-20ULS	115V, 20' Shutoff	106.00

Shallow-Pan Condensate Pumps

1-ABS Series Automatic Condensate Pump

- In-pan design
- Totally submersible pump with built-in, advanced non-mercury mechanical switch
- 1/4" MNPT Discharge
- "On" in 1-3/4" of water and "Off" in 1-1/4" of water
- 1/150 hp
- 9' Cord



Part #	Model	Description	Price
LG550521	1-ABS	115V, 10' Shutoff	191.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Pumps

3-ABS Shallow Pan Condensate Pump

- Designed for in-pan placement
- Totally submersible with built-in non-mercury mechanical switch
- 1 gal ABS tank
- 1/12 hp Oil filled motor
- Epoxy coated cast aluminum housing and motor cover
- Nylon volute
- Stainless steel shaft
- 1/2" MNPT Discharge with brass check valve for 1/2" OD, rigid plastic or copper
- Viton shaft seal
- 9' Cord
- 310 gph @ 1'
- Thermal overload protection



Part #	Model	Description	Price
LG551320	3-ABS	115V, 26' Shutoff	423.00

Electronic Condensate Drain Pump

- Removes condensate from ductless mini-split wall and ceiling mount A/C units and concealed fan coil equipment
- Maximum flow is 4 gph
- Compact 2-piece design allows flexible installation for mini-split A/C units
- Self-priming pump can be located up to 3' above reservoir
- Suction tubing: 3" x 5/32" ID
Vent tubing: 8" x 5/32" ID
Drain tubing: 3" x 1/2" ID



Part #	Model	Description	Price
LG553455	EC-400	115V 60 Hz	218.00
LG553458	EC-400	230V 60 Hz	218.00



DiversiTech Condensate Pumps

CP-22 Condensate Pump

- Vertical type pumping unit
- Overflow safety switch
- High impact ABS tank, ABS motor and tank covers, volute and impeller
- Includes vibration dampening feet and motor mounts, metal hang tabs, (4) versatile inlet holes, easy to understand indicator display, a simple float switch, check valve, pan pill dispenser
- Thermally protected motor, stainless steel shaft
- Engages in 2.5" of water, disengages in 1.125"
- UL & CSA Approved



Part #	Description	Price
CP-22T	115V Condensate Pump with Tubing, 22' Lift	114.21

Compact Condensate Pump

- Includes hang tabs, (4) inlet holes, float switch, overflow switch, check valve



Part #	Description	Price
CP-16	120V, 16' Lift	97.35

ClearVue™ Pump - No Float, No Problem

- iQ Technology™ to think and adapt to changing conditions
- Variable lift
- Self-cleaning
- Floatless Sensor™



Part #	Description	Price
IQP-120T	Clearvue™ Pump 120V with 20' 3/8" Tube	167.94

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Pumps

ClearVueKube™ Mini-Split Pump

- For ductless (mini-split) systems
- iQ Technology™ to think and adapt to changing conditions
- Variable lift 0' to 15'
- Self-cleaning
- Floatless Sensor™



Part #	Description	Price
IQP-KUBE	120/230V with Mounting Bracket and A/C Adapter with 120V Plug	266.47

Low-Voltage Condensate Overflow Safety Switch

- ABS Housing
- Polyethylene float
- 5A Maximum
- Auxiliary condensate switch
- Turns unit off if condensate level approaches overflow



Part #	Description	Price
LG599123	Model ACS-2, 48VAC/DC, 72" Wires	18.53

Condensate Overflow Switches

Wet Switch Flood Detector

- Solid state control designed to help prevent flooding
- Turns system off when detecting moisture due to condensate or drain leaks
- Connects to 24VAC



Part #	Description	Price
WS-1	Wet Switch	111.13

Safe-T-Switch SS1

- Inline, low voltage condensate overflow shut-off switch
- Installs vertically or horizontally in primary drain or plugged on auxiliary pans
- Pre-wired with 4' 18 AWG wires



Part #	Description	Price
SS-1	3/4" Inline A/C Drain Kit	19.99

Safe-T-Switch SS2

- L-Shaped, low voltage condensate overflow shut-off switch
- Installs on auxiliary pan outlets, requires no plug
- Pre-wired with 4' 18 AWG wires



Part #	Description	Price
SS-2	3/4" Close Coupled Drain Kit	17.40

Check Valves

Check Valve for Series VCC, VCMA, and VCL-14/24



Part #	Model	Description	Price
LG599065	CV-10	1/4"MNPT to 3/8"ID Tubing	8.11


Non-Toxic Heavy-Duty PVC Braided Hose

- PVC Crystal clear, non-toxic
- Synthetic braid reinforced
- Service temperature range: 23° to 140°F
- Resists chemical, ozone and weather deterioration



Part #	Description	Price
MA-HDT38	3/8" ID x 50' Roll	13.51

Polyvinyl Tubing



Part #	Size	Price
PV1	1" ID x 50'	88.22
PV12	1/2" ID x 100'	37.35
PV14	1/4" ID x 100'	25.48
PV34	3/4" ID x 100'	70.28
PV38	3/8" ID x 100'	26.21
PV58	5/8" ID x 100'	48.32
PV78	7/8" ID x 50'	69.08

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

HVAC Accessories

Condensate Drain Pans

A/C Secondary Condensate Drain Pan

- Rolled edges for durability
- Ribbed bottoms for rigidity
- Includes 3/4" PVC fittings



Part #	Bottom Dimensions	Drain Line Outlet Side	Price
6-2424L	24" x 24" x 2"	Long	40.37
6-2748L	27" x 48" x 2"	Long	61.86
6-3030L	30" x 30" x 2"	Long	44.58
6-3060L	30" x 60" x 2"	Long	77.00
6-3636L	36" x 36" x 2"	Long	67.18

A/C Condensate Drain Pan Fitting




Part #	Size	Price
DI6-1	3/4" Slip	3.51



PVC Condensate Traps

- Schedule 40 DWV pipe
- 1-Piece design



Part #	Description	Price
5-408	3/4" P-Trap	2.00
5-409	3/4" Running Trap	1.97
BR13655	3/4" J-Trap	0.84

Rubber Elbow

- Allows for quick disconnect/reconnect of drain lines
- Made of 60 DURO EPDM



Part #	Size	Price
5-520	3/4"	3.31



Pan Float Switches

- Plastic switch is pest-resistant
- High-sensitivity
- 6' Lead is rustproof and waterproof
- Installation does not require a hole in the pan
- Switching: normally closed
- 24VAC, 5A
- 1-Year warranty



Secondary Drain Metal or Plastic Pan Sensor with Magnetic Switching

Part #	Description	Price
RE96106	Plastic or Metal Drain Pans	13.04

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com



Brass Piercing Valves

Brass Needle Valves

Ice Maker or Humidifier Kit

- Self-piercing valve
- Brass fittings



Part #	Size	Description	Price
S92-025	1/4" x 25'	Poly Tubing	17.72



Piercing Valves

Self-Tapping Water Tap Valve



Part #	Tube Size	Price
QAV-2	3/8" OD to 1-1/8" OD	9.86

"MAC" Line Piercing Valve

- Uniport, one connection for piercing and servicing
- Needle automatically back seats after servicing



Part #	Tube Size	Price
QTM-1	1/4", 5/16", 3/8" OD	8.86
QTM-2	1/2", 5/8" OD	9.57

Copper Saddle Valve

- For copper-to-copper brazing
- Penetrates line with no holes drilled



Part #	Tube Size	Price
VLC-10	5/8" OD	29.03
VLC-12	3/4" OD	21.74

Warning Watchdog™ Alarm System

- Condensing unit security system
- Detects voltage interruption
- Load siren, can trigger alarm, phone dialer or other security device
- Siren cut-off timer and siren silence switch
- Logic panel with key lock
- Includes:
 - (1)WW-S Siren
 - (1)WW-R 240V Voltage monitoring relay
 - (1)WW-PS Plug-in power supply
 - (1)WW-PC Pressure control
- Optional:
 - (1)WW-TS (Tamper switch)



Part #	Description	Price
WW-H1	Protects (1) Condensing Unit	300.00

Warning Watchdog™ Components

Part #	Description	Price
WW-PC	Pressure Switch	44.00
WW-R	Voltage Monitoring Relay 240V	16.00



Gas Conversion Kits

Part #	Description	Price
1NP0807	Propane Conversion Kit for S.P.P.	72.00
1NP0808	Propane Conversion Kit for S.P.P.	70.00

Dampers

Part #	Description	Price
1FA0403	0-35% Fresh Air Damper 3-6 Ton	103.00
1FA0406	0-50% Fresh Air Damper	129.00
1FA0413	0-35% Manual Fresh Air Damper	236.00

Roof Curbs

Part #	Description	Price
1RC0434	14" Roof Curb for 3.0 - 6.0 Ton	305.00
1RC0463	14" Roof Curb for 1.5 - 5.0 Ton Rooftop	340.00
1RC0471	14" Roof Curb for 6.0 - 12.5 Ton Packaged Units	528.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC Installation Accessories

Duragrid® Condenser Pads

- Lightweight - 80% lighter than pre-cast concrete
- Solid wall construction
- Chemical resistant, UV stable




Part #	Size	Price
PD24242P	24" x 24" x 2"	23.25
PD24362P	24" x 36" x 2"	32.62
PD30302P	30" x 30" x 2"	31.84
PD30402P	30" x 40" x 2"	51.59
PD32322P	32" x 32" x 2"	92.42
PD33332P	33" x 33" x 2"	36.52
PD33382P	33" x 38" x 2"	42.68
PD36362P	36" x 36" x 2"	44.34
PD36422P	36" x 42" x 2"	51.11
PD38362P	36" x 38" x 2"	84.10
PD38483P	38" x 48" x 3"	130.55
PD50553P	50" x 55" x 3"	251.56

Anti-Vibration Pads

Rubber/Cork Anti-Vibration Pad

- Elastomeric oil resistant padding
- Withstands 50 lbs per square inch
- Cork is laminated between two corrugated pads



Part #	Size	Price
MP-2C	2" x 2" x 7/8"	0.34
MP-3C	3" x 3" x 7/8"	1.36
MP-4C	4" x 4" x 7/8"	1.14
MP-6C	6" x 6" x 7/8"	5.73
MP-12C	12" x 12" x 7/8"	46.44
MP-18C	18" x 18" x 7/8"	48.00

Iso-Cube

- Natural rubber pads, reduce vibration and noise
- Circular design, suction cup effect




Part #	Size	Price
ISO-2	2" x 2" x 3/4"	2.33
ISO-18	18" x 18" x 3/4"	83.43

BRAMEC®

Equipment Stands and Mounting Blocks

Pump-Up® Equipment Stand

- Elevate heat pumps and air handling units
- Corrosion-resistant plastic
- Helps prevent corrosion of metal base
- Solid 6" x 6" mounting base
- Top diameter 4-1/8"



Part #	Description	Price
BR4005	3" High	2.64
BR4008	6" High	3.30

NSA Furnace Mounting Blocks

- Holds furnace off floor to prevent moisture and rust
- All rubber construction
- Peel and stick installation
- Absorbs vibration and noise
- (4) Blocks weigh about 1.5 lbs
- Patent pending



Part #	Description	Price
FMB	Supports 300 lbs per Block	7.75

Heat Pump Risers

- Heavy-duty plastic
- Butyl mastic on the top and bottom



Part #	Size	Description	Price
HPR-3	3"	1-Piece	4.50
HPR-6	6"	1-Piece	5.33

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Ductless Split Accessories

Ductless Split Accessories

Line Sets

Part #	Description	Price
ILS2509	25' 1/4" x 5/8" 14-3 Plus 16-2 Wire for AQV24/AQV36 Samsung EH070	257.98
ILS5006	50' 1/4" x 3/8" 14-3 Plus 16-2 Wire for AQV09, AQV12 & AQV36	379.45
ILS5007	50' 14-3 Plus 16-2 Wire for AQV18 1/4" x 1/2"	421.65
ILS5009	50' 1/4" x 5/8" 14-3 Plus 16-2 for AQV18 & AQV24	475.15
SLS2507	25' 1/4" x 1/2" 14-7 Wire for QSCE, QSHE9 & QSHE12	240.50
SLS2508	25' 3/8" x 5/8" 14-7 Wire for QSCE, QSHE18 & QSHE24	263.20
SLS5007	50' 1/4" x 1/2" Flare for QSVSI-09A through 24A	436.48
SLS5008	50' 3/8" x 5/8" Flare for QSCE and QSHE	482.55

Control Wires

Part #	Description	Price
I33-100	100' Control Wire	110.00

Low-Voltage Wire Harness Kit

- For quick connections of the remote or wired thermostats, wired EMS or front desk with jumpers and connectors



Part #	Description	Price
PWHK01C	Thermostat Wire Kit	13.87

Remote Controls

Part #	Description	Price
MWR-WE10	Wired Remote Control for Air Conditioners	247.00

Air Conditioning Hanging Brackets



Part #	Description	Price
BR19879	30" A/C Bracket	33.98
BR19880	36" A/C Bracket	37.50
BR19881	42" A/C Bracket	39.98

SpeediChannel™ Line Set Covers

- SpeediChannel™ 6-1/2' long and can be cut-to-size
- Paintable White finish
- UV Resistant, UL listed



Part #	Size	Description	Price
230-D4	4"	Channel	78.69
230-CP4	4"	Union Coupling	16.75
230-DE4	4"	End Cap	20.78
230-WC4	4"	Wall Penetration Sleeve	42.81
230-EB4	4"	90° Inside Elbow	43.35
230-EIN4	4"	90° Outside Elbow	43.35
230-FB4	4"	90° Flat Elbow	42.57
230-DCLIP-10	4"	SpeediClip™ 10/Pk	11.21

SpeediChannel™ Fitting Starter Kit

- Kit includes:
 - (1) Coupling
 - (1) Wall penetration
 - (1) Inside elbow
 - (1) Long radius flat bend
 - (1) SpeediClips™
 - (1) 11" Cable ties
 - (1) SpeediChannel™ instruction booklet

Part #	Description	Price
230-IK4	4" Fitting Starter Kit	126.27



Solenoid Coil

Part #	Description	Price
6231556149	Solenoid Coil for use with CH0951	60.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

HVAC Accessories

Electrical Outlet Boxes
Standard Steel Utility Handy Box



Part #	Description	Price
620-200	1-1/2" Deep, 1/2" KO's	4.81

4" Steel Square Box, Extension & Cover



Part #	Description	Price
620-403	1-1/2" Deep, 1/2" KO's	4.56

Standard Steel Utility Cover



620-252



620-253



620-254

Part #	Description	Price
620-252	Two Duplex Receptacle Cover	1.47
620-253	Toggle Switch Cover	1.54
620-254	Flat Blank Cover 2" x 4"	1.50

Electrical Switches and Receptacles

Electrical Toggle Switch

- Side wire design with auto grounding
- Large binding head terminal screws, lubricated cam



Part #	Description	Price
620-605	Ivory Single-Pole 15A-1/2 hp 120V	3.75

Switch/Plug Combo

- Touch-A-Matic design
- Small neon pilot light on when switch is on



Part #	Description	Price
620-274W	White 2P 3W Grounding - 15A 125V	34.85

Electrical Duplex Receptacle

- Automatic grounding, heavy-duty mounting strap
- Copper alloy power/ground contacts



Ivory

Part #	Description	Price
620-701	Ivory 15A, 125V	8.42

Circuit Breakers

- UL Listed



Part #	Description	Price
625-GD30H	30A, Double-Pole	34.45
625-GD40H	40A, Double-Pole	34.45
625-GD60H	60A, Double-Pole	34.45

Fuses

Box Cover Units

- Maximum 15 Amps
- Maximum 125VAC
- UL Listed and CSA certified
- For use with type T plug fuses

COOPER
Bussmann



Part #	Description	Price
620-608	Switch/Fuse Combo/ESSU	23.25

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

HVAC Accessories

Time Delay Plug Fuse



Part #	Description	Price
626-15T	15A Type T Plug Fuse	5.36
626-20T	20A Type T Plug Fuse	5.36

FRNR Cartridge Type Fuse

- 250V, Class RK5



Part #	Description	Price
S1-FRNR15	15 Amp Cartridge Type Fuse	4.89
S1-FRNR20	20 Amp Cartridge Type Fuse	3.96
S1-FRNR25	25 Amp Cartridge Type Fuse	3.96
S1-FRNR30	30 Amp Cartridge Type Fuse	3.96
S1-FRNR35	35 Amp Cartridge Type Fuse	7.29
S1-FRNR40	40 Amp Cartridge Type Fuse	7.29
S1-FRNR50	50 Amp Cartridge Type Fuse	7.29
S1-FRNR60	60 Amp Cartridge Type Fuse	7.29

Disconnects

A/C Pull-Out Disconnect Switch

- Side-hinged cover, with swing down cover latch
- Type 3R enclosure
- Slot for hanging with mounting holes spaced for standard mortar joints
- Molded interior trim - 1-piece design with captive screw



Part #	Description	Price
755-30F	30A, Fusible	39.66
755-60F	60A, Fusible	39.69
755-60NF	60A, Non-Fused	15.22

Three-Phase Disconnect

- UL Listed, file E5239
- Rainproof type 3R enclosure, 10" x 6" x 4"



Part #	Description	Price
750-60F-3PH	60A, Fusible	370.81

Thinwall EMT Conduit



Part #	Size	Price
EMTC12.10	1/2"	0.38

EMT Thinwall Fittings

EMT Set Screw Connector

- Concrete tight



Part #	Description	Price
625-800	1/2" Set Screw Connect	1.56

Flexible Metallic Conduit

- Greenfield
- Not boxed



Part #	Size	Price
BR7453	1/2" x 100' Aluminum	76.52

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

HVAC Accessories

LiquidTite Flex Conduit

DiversiWhip with Non-Metallic Connectors

- Liquid-tight flexible conduit system
- (1) Straight and (1) 90° connector
- 90° Connector is removable for straight connections (2nd straight connector is not included)



Part #	Description	Price
6-12-4NM	1/2" x 4', #10 THHN	24.92
6-12-6NM	1/2" x 6', #10 THHN	31.81
6-34-4NM	3/4" x 4', #8 THHN	32.89
6-34-6NM	3/4" x 6', #8 THHN	42.00

LiquidTite Flexible Conduit

- Specifically for electrical applications
- Cuts easily



Part #	Description	Price
750-12100	1/2" x 100' (Non-Metallic)	130.86
750-34100	3/4" x 100' (Non-Metallic)	164.19

LiquidTite Fittings

Straight Connectors - LiquidTite Metallic

- UL Listed
- CUL Listed



Part #	Description	Price
750-MLT50	1/2" Straight	3.15
750-MLT75	3/4" Straight	6.70

Straight Connector - LiquidTite Non-Metallic

- UL Listed
- CUL Listed



Part #	Description	Price
750-NMLT50	1/2" Straight	2.65
750-NMLT75	3/4" Straight	3.85

90° Elbow Connector - LiquidTite Non-Metallic

- UL Listed
- CUL Listed



Part #	Description	Price
750-NMLT9050	1/2" 90° Elbow	4.34
750-NMLT9075	3/4" 90° Elbow	6.70

Romex Fittings

Romex Connectors - Metallic

- Cable connectors for Romex wire, zinc die-cast



Part #	Description	Price
750-RC841	3/8" for 1/2" KO's	1.00
750-RC842	3/4" for 3/4" KO's	2.16

Cable Staples

Cable Staples - Copper Insulated

- For NMB Cable (Romex) and copper insulated staples for thermostat wire



Part #	Description	Price
625-IS5	Copper Insulated #5, 100/Pk	8.18

Grommets - Vinyl (By Panel Hole Size)



Part #	Description	Price
GVA1	Small Assortment GV04, GV05, GV06, GV07, GV08, 15/Pk	4.43
GVA2	Large Assortment, GV08, GV10, GV12, GV14, GV16, 5/Pk	4.43

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

HVAC Accessories

Terminals

Female Insulated Disconnect



Part #	Description	Price
D212	Female 22-18W 1/4" 16/Bag	4.40
D222	Female 16-14W 1/4" 16/Bag	4.40
D222C	Female 16-14W 1/4" 100/Pk	22.44
D232	Female 12-10W 1/4" 12/Pk	4.40
DA22	Female Assorted Sizes 18/Bag	4.43

Block Spade - Insulated

- 0.20 Wide to fit terminal blocks



Part #	Description	Price
DXF2	Female Disconnect Full Ins. 16-14W 1/4" 10/Pk	4.40

Compressor Terminal

- Phosphorous bronze to allow for a tight grip and full current flow



Part #	Description	Price
CC32	Comp Term 6/Pk	4.43

High Temperature Terminal



Part #	Description	Price
DH12	22-18W 1/4" Female Disconnect, 20/Pk	4.43

Compressor Terminal Repair

Term Lok Compressor Repair Kit

- Standard factory 600V, 65 strand machine wire
- Repairs burned or damaged spade terminals



Part #	Description	Price
TLC-3-10	3-Wire, 10ga	82.01
TLC-3-12	3-Wire, 12ga	76.28

QwikLug™ Compressor Terminal Repair Kit



Part #	Description	Price
QT2910	30A, 10ga, 3/Pk, 4' Leads	37.99
QT2912	20A, 12ga, 3/Pk, 4' Leads	36.70

Wire Connectors

Wire Connector - Screw On - 300V Max


- DOT Classified for recovery, recycling, service
- UL Listed
- CSA Approved



Part #	Description	Price
623-001	#22-#16 AWG Gray, 71B 100/Box	7.45
623-003	#22-#14 AWG Orange, 73B 100/Box	10.04
623-002	#22-#16 AWG Blue, 72B 100/Box	8.31

Wire Connector - Screw On - 600V Max

- DOT Classified for recovery, recycling, service
- UL Listed
- CSA Approved



Part #	Description	Price
623-004	#18-#10 AWG Yellow, 74B 100/Box	11.92
623-005	#18-#10 AWG Red, 76B 100/Box	15.59

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

HVAC Accessories

Test Leads

- Heavy-duty copper wire with pure rubber insulation
- Alligator clips



Part #	Description	Price
FTL3	36" Heavy-Duty Jumpers	15.48

Wire & Cable Clamps - Nylon



Part #	Description	Price
WCA1	Assorted, 1/8" to 1"	4.43

Heavy-Duty Cable Tie

- 6.6 Nylon, smooth insertion, locking mechanism
- Tensile: 175 lb



Part #	Description	Price
7-P36	36" for 10" Duct	0.64
7-P48	48" for 14" Duct	1.28

**Zip Ties
Nylon Zip Tie**



Part #	Description	Qty	Price
WT07	7" White	30/Pk	4.43
WT07C	7" White	100/Pk	9.69
WT11	11" White	15/Pk	4.43
WT11C	11" White	100/Pk	19.78
WT15	15" White	12/Pk	4.43
WT15C	15" White	100/Pk	27.48
WTB07	7" Black	30/Pk	4.43
WTB07C	7" Black	100/Pk	10.09
WTB11	11" Black	15/Pk	4.43
WTB11C	11" Black	100/Pk	23.08
WTB15	15" Black	12/Pk	4.43
WTB15C	15" Black	100/Pk	27.04

**Thermostat Wire - Plenum Rated
Construction ULCL2P Thermostat Wire**

- NEC Article 725, meets UL13, UL1581
- Can be used overhead plenum area without conduit



Part #	AWG/Cond	Length	Price
S1-TW3P	18/3	500'	256.24
S1-TW5P	18/5	250'	234.73
TW186	18/6	250'	109.82
S1-TW8P	18/8	250'	300.11

Barostat™ CL2 Thermostat Wire

- NEC Article 725,, UL & CUL Listed



Part #	AWG/Cond	Length	Price
TW182	18/2	500'	70.61
TW183	18/3	500'	108.25
TW185	18/5	250'	79.02
TW188	18/8	250'	117.64
TW1810	18/10	250'	167.97
TW1812	18/12	250'	215.15

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Installation Accessories

Air Handler Filter Racks

- Hinged door
- Built for standard filters
- Gasketed door
- Fully insulated
- Accommodates 1" or 2" filters



Accommodator Electric Furnace Filter Base


Part #	Filter Size	Price
S1-52636178001	3-3/4"H 16" x 20"	121.32
S1-52636179001	3-3/4"H 20" x 20"	132.00
S1-52636180001	3-3/4"H 20" x 25"	139.14

Accommodator Gas Furnace Filter Base

Part #	Filter Size	Price
S1-52636173001	3-3/4"D 14" x 25"	121.32
S1-52636174001	3-3/4"D 16" x 25"	121.32
S1-52636175001	3-3/4"D 20" x 25"	138.25
S1-52636176001	3-3/4"D 24" x 24"	139.14

Labor Saver Filter Rack

- For gas furnaces and electric air handlers
- Adjustable rack for 1", 2" and 4" filters
- Uses standard filter sizes
- Easy, dual-sized access
- Lined with 1" insulation
- Embossed, heavy gauge steel construction
- Hardware-free filter access
- Elevated boxes
- Filter positioned on angle for maximum surface area
- Raises furnace to plenum for efficient installation



Part #	A	B	C	D	E	F	G	H	Filter Size	Price
LS2832	28-1/2"	32"	26-1/2"	13-1/2"	24"	8"	6-1/2"	3"	20" x 25"	462.04
LS2840	28-1/2"	40"	26-1/2"	19"	24"	10"	7"	3"	24" x 24"	524.39
LS2232	22-1/2"	32"	20-1/2"	14-1/2"	20-1/2"	9-1/2"	5"	2"	20" x 20"	460.50
LS2240	22-1/2"	40"	20-1/2"	20"	20-1/2"	12"	5"	2"	20" x 25"	524.04

Counterflow Filter Housing

- Allows access to filters without interference from vent pipe
- Uses standard size filters in 1" thickness only
- Heavy gauge, embossed steel, fully insulated
- Filters positioned on angle for maximum surface area



Part #	Mfg #	Overall	Duct Opening	Unit Opening	Filter	Price
S1-52636169000	CF-3	23-1/4" x 21-3/8" x 12"	25-3/4" x 19-7/8"	23-3/8" x 20-1/8"	(3) 10" x 20" x 1"	232.14

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com


HVAC

Flex Duct



Insulated Flexible Duct - 30 Series

- Air-tight inner core - energy efficient, no fiberglass erosion into air stream
- Encapsulated wire helix, no unraveling when cut to length / quick installation
- Smooth inner core for low friction loss
- Thick blanket of fiberglass insulation
- Tough reinforced polyester jacket is tear and puncture resistant
- Lightweight compact carton reduces warehouse and jobsite handling cost
- Greenguard Indoor Air Quality Certified



R-6.0 Insulated Metalized Jacket - Class 1 Air Duct - UL181

Part #	Size	Price
AT036.4	4" x 25'	26.70
AT036.5	5" x 25'	31.12
AT036.6	6" x 25'	34.92
AT036.7	7" x 25'	38.52
AT036.8	8" x 25'	41.70
AT036.9	9" x 25'	47.22
AT036.10	10" x 25'	52.26
AT036.12	12" x 25'	65.08
AT036.14	14" x 25'	78.66
AT036.16	16" x 25'	90.40
AT036.18	18" x 25'	105.26
AT036.20	20" x 25'	127.88

Silver Flexible Ducts - R-8.0 Insulated Metalized Jacket - Class 1 Air Duct - UL181

Part #	Size	Price
AT031.4	4" x 25'	37.90
AT031.5	5" x 25'	41.04
AT031.6	6" x 25'	43.08
AT031.7	7" x 25'	48.30
AT031.8	8" x 25'	52.92
AT031.9	9" x 25'	58.18
AT031.10	10" x 25'	63.36
AT031.12	12" x 25'	78.00
AT031.14	14" x 25'	92.62
AT031.16	16" x 25'	110.58
AT031.18	18" x 25'	129.38
AT031.20	20" x 25'	172.38

Insulated Flexible Duct - 70 Series

- Grey polyester vapor barrier air-tight inner core - energy efficient, no fiberglass erosion into air stream
- Encapsulated wire helix, no unraveling when cut to length / quick installation
- Smooth inner core for low friction loss
- Thick blanket of fiberglass insulation
- Tough reinforced polyester jacket is tear and puncture resistant
- Lightweight compact carton reduces warehouse and jobsite handling cost
- Greenguard Indoor Air Quality Certified



R-6.0 Insulated Grey Jacket - Class 1 Air Duct - UL181

Part #	Size	Price
AT076B.4	4" x 25'	25.13
AT076B.5	5" x 25'	29.17
AT076B.6	6" x 25'	33.01
AT076B.7	7" x 25'	36.01
AT076B.8	8" x 25'	39.19
AT076B.9	9" x 25'	43.94
AT076B.10	10" x 25'	49.21
AT076B.12	12" x 25'	60.94
AT076B.14	14" x 50'	73.67
AT076B.16	16" x 25'	87.16
AT076B.18	18" x 25'	99.61

R-8.0 Insulated Grey Jacket - Class 1 Air Duct - UL181

Part #	Size	Price
AT078B.4	4" x 25'	36.24
AT078B.5	5" x 25'	39.10
AT078B.6	6" x 25'	41.24
AT078B.7	7" x 25'	46.22
AT078B.8	8" x 25'	50.46
AT078B.9	9" x 25'	55.44
AT078B.10	10" x 25'	60.14
AT078B.12	12" x 25'	74.34
AT078B.14	14" x 25'	88.12
AT078B.16	16" x 25'	105.88
AT078B.18	18" x 25'	124.78

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Insulation

Insulation Tape

Cork Insulation Tape

- Black self-adhesive cork tape, use on hot or cold pipes
- Adheres firmly to all metals



Part #	Description	Price
6-330	1/8" x 2" x 30' Roll	25.01

Foam Insulation Tape

- Black self-adhesive foam tape, use on hot or cold pipes
- Fits well around valves and fittings



Part #	Description	Price
6-9718	1/8" x 2" x 30' Roll	16.67

Line Sets



Series 408 3/4" Insulated Line Set

Part #	Liq Line	Suct Line	Insul	Length	Price
LS121434100	1/4"	1/2"	3/4"	100'	1083.64

Series 610 3/8" Insulated Line Set

Part #	Liq Line	Suct Line	Insul	Length	Price
LS583820	3/8"	5/8"	3/8"	20'	205.73
LS583825	3/8"	5/8"	3/8"	25'	230.49
LS583840	3/8"	5/8"	3/8"	40'	342.82
LS583850	3/8"	5/8"	3/8"	50'	404.10

Series 610 3/4" Insulated Line Set with 90° Bends Line Set

Part #	Liq Line	Suct Line	Insul	Length	Price
LS583834100	3/8"	5/8"	3/4"	100'	1248.68

Series 612 3/8" Insulated Line Set

Part #	Liq Line	Suct Line	Insul	Length	Price
LS343820	3/8"	3/4"	3/8"	20'	229.11
LS343830	3/8"	3/4"	3/8"	30'	304.02
LS343840	3/8"	3/4"	3/8"	40'	396.17
LS343850	3/8"	3/4"	3/8"	50'	467.75

Series 614 3/8" Insulated Line Set

Part #	Liq Line	Suct Line	Insul	Length	Price
LS783820	3/8"	7/8"	3/8"	20'	297.15
LS783830	3/8"	7/8"	3/8"	30'	394.31
LS783840	3/8"	7/8"	3/8"	40'	513.82
LS783850	3/8"	7/8"	3/8"	50'	606.65

Series 618 3/8" Insulated Line Set

Part #	Liq Line	Suct Line	Insul	Length	Price
LS1183850	3/8"	1-1/8"	3/8"	50'	823.87

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC Accessories

Pressure Controls

P70 Series - Single Pole High Pressure Control

- Full adjustability, minimum differential
- Long life contact structure, no bounce on make
- Manual reset models are "trip-free"
- Includes a universal mounting bracket
- For use with:
 - Air conditioning and refrigeration
 - Controls of air, water, and oil pressure



Condenser Fan Cycling Controls Non-Corrosive Refrigerants

Part #	Switch Action	Range PSIG	Diff PSI	Max Over-pressure PSIG	Limited Knob Adj	Pressure Connection	Price
P70AA-118C	SPST Open Low	100 to 400	35 - 200	475	None	36" Cap, 1/4" Flr Nut	108.40

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Refrigeration

Chargers

Kwik-Charge™

- Low side charger
- Use when working with tracing dyes
- Up to 8 times faster than vapor charging
- No need to heat refrigerant cylinder
- Built-in check valve opens for drawing unrestricted vacuum
- No pressure drop in cylinder
- One charger services all units 1/2 ton or larger



1/4" Plus II™ Charging Hoses

1/4" Plus II™ Charging Hoses with Double Barrier Protection and HAV Standard Fitting

- Double barrier protection for CFC, HCFC and HFC control and system performance
- UL Recognize (File SA9737)
- Working pressure: 500 psi
- Burst pressure: 2500 psi
- Blow-off groove channels refrigerant out of the front of the nut to help prevent spray back



Part #	Description	Price
IE535C	1/4" Female SAE Flare Inlet, 1/4" Male SAE Flare Outlet	36.91


Brass Flare Cap



Part #	Description	Price
VC-4	1/4" Flare Cap	23.25

Valve Core Storer

- All steel valve core remover and storage container
- Knurled for easier grip



Part #	Description	Price
VCR-1	Core Remover & Storer	16.72
AF2200-M	Metal Core Remover Tool with 6 Cores	2.99

Core Removal Tool

- To remove and replace valve cores without losing the refrigerant charge
- Connects to any 1/4" male flare fitting



Part #	Description	Price
VCRT-1	Core Removal Tool	87.43

Hose Gaskets

Part #	Description	Price
RC19020	CH20 for 1/4" Hose, 5/16" Hose, and 1/2" Acme Hose, 10/Pk	6.14

Part #	Color	Length	Price
RC21985	R/Y/B	60"	75.97
RC21986	R/Y/B	72"	87.80

1/4" Plus II™ Hose with Compact Ball Valve End

- Metal handle at end of hose fits tight areas and traps all gas
- Full flow valve
- Uses standard gasket and valve opener
- Burst pressure: 4,000 psi
- Working pressure: 800 psi



Part #	Color	Length	Price
RC29985	R/Y/B	60"	142.32

1/4" Plus II™ Hose with SealRight™ Low Loss Anti-Blow Back

- Low loss anti-blowback SealRight™ fitting traps refrigerant in hose when disconnected helping meet non-venting regulations and preventing finger burns
- 45° End for easy installation in tight areas



Part #	Color	Length	Price
RC22060	Yellow	60"	33.32
RC22260	Blue	60"	33.32
RC22660	Red	60"	33.32
RC22985	R/Y/B	60"	99.96
RC22986	R/Y/B	72"	174.25

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Refrigeration Products

9" FlexFlow™ and Low Loss Adapter Hoses

- Easy retrofit of existing "Plus II™" hoses with FlexFlow capabilities
- Flexible hose between valve and fitting for handling in tight areas
- Operating temperature: -20° - 180°F
- UL Recognized assemblies (File SA9737 valves SA10088)



Part #	Description	Price
RC25980	R/Y/B 3/Pk: 25002, 25202, 25602	91.31

Plus II™ Heavy-Duty Combination Charging/Vacuum Hoses

- Pulls a vacuum much faster than the 1/4" hose
- Burst pressure: 3000 psi
- Working pressure: 600 psi



3/8" Plus II™ Heavy-Duty Hose with 3/8" Flare x 3/8" 90° Fittings

Part #	Length	Price
RC19660	60"	55.85

Vacuum/Charging Valves

Vacuum/Charging Ball Valve for Full Flow

- Straight flow-through valves
- No angles for restriction or pressure drops
- Handle position shows when valve is open, securely closed, or anywhere in between




Part #	Connections	Price
RC93834	1/4" Male Flare x 1/4" Male Flare	16.35
RC93844	1/4" Male Flare x 1/4" Fe Flare	22.11

Quick Couplers

SealRight™ Quick Coupler

- SealRight™ fitting traps refrigerant in hose when disconnected helping meet non-venting regulations and preventing finger burns
- Works with/without Schrader core
- Field serviceable



Part #	Description	Price
RC19100	Set of 19109 & 19209	33.73

45° R-410A Quick Coupler with Schrader Core in Male End



Part #	Description	Price
RC19173	5/16" 45° Fe QC x 1/4" M Flare	16.18

Access Fittings

- Low cost port for refrigeration servicing
- 1/4" SAE Male flare access ports, quick seal cap and stainless and brass special refrigeration valve core

Extended Copper Tube



Part #	Description	Price
VAX-2	1/8" OD Tube	32.54
VAX-3	3/16" OD x 1/8" ID	32.54
VAX-4	1/4" OD x 3/16" ID	35.82
VAX-5	5/16" OD x 1/4" ID	20.42
VAX-6	3/8" OD x 5/16" ID	21.70

Swivel Tee with Permanent Depressor



Part #	Description	Price
VST-44	1/4" Access on Run x 1/4" Access on "T" - Female Swivel on Run	58.36

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com



Refrigeration Products

Leak Detectors

Universal A/C Disposable Injector

- Self-contained
Not for direct injection into R-410A systems
One ounce application includes (2) 1/2 oz applications for regular split systems or (4) 1/4 oz applications for small appliances or auto AC



Table with 3 columns: Part #, Description, Price. Row 1: RC69727, 1 oz, 1/Pk, 49.45

Fluorescent Scanner Solution

- Operating temperature is 40°F for all solutions and -100°F for alkylbenzene systems



Self-Infusing Injector Tubes for Mineral Oil System

Table with 4 columns: Part #, Solution Concentration, System Size, Price. Row 1: RC69612, 2 (.5 oz), Up to 9.9 lbs, 18.36

Test Equipment

Gas Pressure Test Kit

- Helps set manifold pressure for natural or LP gas
Easier to use than a manometer
Sensitive diaphragm gauge calibrated in inches of water column
Tube nipple for easy connection to system manifold



Table with 3 columns: Part #, Description, Price. Row 1: RC78060, Complete Kit, 0 - 35"wc Range, 76.73

Water-Type Manometer

- Helps set manifold pressure for natural or LP gas
Economical plastic tube manometer
Strong magnet holds manometer upright
Includes tubing with fitting



Table with 3 columns: Part #, Description, Price. Row 1: RC78075, -2" - 0 - 15" Scale, 33.64

Sight Glass

HMI - Hermetic Moisture Indicator

- 3% Relative humidity indication compared to 10% paper indicators
Single indicator for all common refrigerants
Accurate color calibration at low ppm levels & higher temp's
Wide angle viewing/high visibility window for ease of monitoring



Table with 3 columns: Part #, Description, Price. Row 1: HMI1TT3, 3/8" ODF Swt x Swt, 36.32. Row 2: HMI1TT5, 5/8" ODF Swt x Swt, 39.39

Honeywell

Commercial Remote Temperature Controls

T6031A Remote Bulb Refrigeration Temperature Controller

- Provides limit or temperature control in refrigerated areas where remote mounting or sensing element is required
5' Copper capillary



Table with 3 columns: Part #, Description, Price. Row 1: T6031A-1029, -30° - 90°F Setpoint, SPDT, 8' Copper Cap, w/Bulb Holder & Mounting Plate, 141.19

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Refrigerant / Refrigeration Products

R-22 Refrigerant



Part #	Weight	Price
R2230	30 lb	600.00

R-410A Refrigerant



Part #	Weight	Price
R410A	25 lb	309.80



Refrigerant Recovery Machines

G5 Twin Refrigerant Recovery Machine

- 1/2 hp
- Oil-less compressor
- Twin cylinders and condenser
- For use with all Class III, IV and V refrigerants, including R-410A
- Rugged case with soft gripping
- Dimensions: 9.4" x 13.75" x 10.3"
- 24 lbs
- UL Verified
- 1-Year warranty



Part #	Description	Price
G5TWIN	115VAC @ 60Hz Twin	1174.52



Vacuum Pumps

ECO Series Vacuum Pump

- Designed for HVAC/R service
- Compact 2-stage rotary vane pump design
- Aluminum housing, easy to grip carrying handle
- Both 1/4" and 3/8" SAE flare inlet connections
- Vacuum pump oil included



Part #	Description	Price
ECO-5	5.0 CFM, 115V, 1/2 hp	252.21

HVAC

Manifolds

DIGIMON Digital Manifold

- (61) Refrigerant tables
- 1.0 Class accuracy
- Pressure range: -13.7 psi - 870 psi
- K-Type thermocouple temperature measuring
- LCD Screen
- Auto shut-off
- Battery level indicator



Part #	Description	Price
4684589	Digimon-3-Clamp Two-Way	432.35

Test Instruments

Gas Pressure Test Kit

- Scale in 0 - 35" water column
- Kit includes:
 - Brass barb fitting on gauge
 - Rubber tube
 - Nipple
 - Sensitive diaphragm gauge that is calibrated in inches of water column and ounces per square inch
 - High impact carrying case



Part #	Description	Price
GPK-35	Natural & LP Gas Pressure Test Kit	44.04

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Refrigeration Products

Vacuum Gauges

Digital LCD Economy Vacuum Gauge

- Gauge tracks 14 increments from atmosphere to 25 microns
- 9V Alkaline battery



Part #	Description	Price
RC69080	Vacuum Gauge with Battery, Hook & Pouch	223.38

Manifold Gauges

2-1/2" Class B Red and Blue Manifold Gauge

- Bold, high-visibility dials
- Colored temperature scales
- Flutterless™ technology
- 1/8" MPT Connection
- 3-2-3% Accuracy



2-1/2" Gauge (°F) for Gauge Scales R-12, R-22 and R-502

Part #	Description	Pressure Scale	Price
RC49001	Red Pressure	0-500 psi	22.05
RC49002	Blue Compound	30"-0-120 psi	22.05

* Features retard protection to 350 psi

2-1/2" Gauge (°F) for Gauge Scale R-410A

Part #	Description	Pressure Scale	Price
RC49035	Red Pressure	0-800 psi	22.05
RC49036	Blue Compound	30"-0-300 psi	22.05

** Features retard protection to 500 psi

Protective Gauge Boots

- Rubber
- Slip easily around gauges without covering recalibration screw
- Color-coded red or blue to match gauge



Part #	Description	Price
RC49090	Set of 2-1/2" Gauge Covers	16.70

Oil Pumps

Max-Flow™ Combination Oil Pump & Pumping Tube

- Removes oil for recovery and conversion
- Adds oil to existing systems
- Pumps oil into compressor on the down stroke while system is under pressure making pumping easier with a positive stroke
- Pumps against 200 psi pressure
- Comfort-grip rubber handle
- Universal stopper adjusts to all standard openings in 1, 2-1/2 and 5 gallon oil containers
- Suction transfer hose and fittings included
- Use with alkyl-benzene, ester-based, polyolester, mineral and synthetic oil



Part #	Description	Price
RC77940	2.6 oz per Stroke	133.91

Vacuum Pump Oil

- Refined and formulated for extremely low vapor pressure and high pump efficiency at all temperatures



Part #	Size	Pkg Qty	Price
RC93092	1 qt	12	10.32
RC93096	1 gal	6	36.09

TITAN™ 4-Valve Test and Charging Manifolds with Sight Glass (°F & °C)

- Forged aluminum alloy body makes this unit light weight
- Fourth hose to enable connection to hi-/lo-sides, refrigerant tank and recovery unit or vacuum pump for diagnostics, evacuation and charging without switching hoses
- 3/8" Vacuum port
- Front access for easy field recalibration



3-1/8" TITAN™ PSI Scales R-22, R-404A, R-410A - Red/Blue Gauges

Part #	Description	Price
RC49967	Includes 60" Plus II™ R/Y/B Hoses, 3/8" x 45° Fittings	253.45

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Refrigeration Products

TITAN™ 2-Valve Test and Charging Manifolds with Sight Glass (°F & °C)

- Forged aluminum alloy body makes this unit light weight
- Fourth hose to enable connection to hi-/lo-sides, refrigerant tank and recovery unit or vacuum pump for diagnostics, evacuation and charging without switching hoses
- 3/8" Vacuum port
- Front access for easy field recalibration



3-1/8" TITAN™ PSI Scales R-22, R-404A, R-410A - Red/Blue Gauges

Part #	Description	Price
RC49867	Includes 60" Plus II™ R/Y/B Hoses, 1/4" Flare Fittings	196.07

Series 41 Manifolds

- Red and blue gauge cases
- Removable Lexan® crystals resist breakage
- Forged solid brass body for durability
- Full size metal valve handles for easy operation
- Hose anchors forged into back of body at 45°
- Heavy-duty swivel hook
- Flutterless™ technology for easier, more accurate readings
- Sliding double O-ring pistons
- Long-life nylon seat
- Yellow Jacket® charging hoses
- Basic unit includes manifold, gauges, hook and anchors



2-1/2" PSI Scales R-12, R-22 and R-502 - Original HA R/Y/B Hose

Part #	Description	Price
RC41215	Manifold with 60" Hoses	119.65

2-1/2" PSI Scales R-12, R-22 and R-502 - Plus II™ R/Y/B Hose with SealRight™ Fittings

Part #	Description	Price
RC44215	Manifold with 60" Hoses	162.98

2-1/2" PSI Scales R-134a, R-404A and R-507 - Plus II™ R/Y/B Hose with SealRight™ Fittings

Part #	Description	Price
RC44315	Manifold with 60" Hoses	178.82

2-1/2" Bar/PSI Scales R-410A - Plus II™ R/Y/B Hose with Compact Ball Valve Fittings

Part #	Description	Price
RC42715	Manifold with 60" Hoses	203.30

Series 41 Manifolds with 3-1/8" Gauges

- Color-coded scales
- Sliding double O-ring pistons reduce wear
- Long life nylon seats
- Forged brass body for durability
- Full porting maximizes capacity and flow
- Some models include color-coded, 60" Plus II™ hoses with standard 1/4" flare fittings
- Hoses assemblies UL recognized for 4000 psi burst and 800 psi working pressure



3-1/8" PSI Scales R-22, R-404A and R-410A less Hose

Part #	Description	Price
RC42001	Manifold Only	84.37

3-1/8" PSI Scales R-22, R-404A and R-410A - Plus II™ R/Y/B Hose with Standard Fittings

Part #	Description	Price
RC42004	Manifold with 60" Hoses	140.64

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Registers & Grilles

Residential Registers & Grilles

11 Duct Ring

- Steel
- Round



Part #	Size	Finish	Price
HC13200	6"	GS	5.91
HC13201	8"	GS	5.54
HC13202	10"	GS	8.54

12 Butterfly Damper

- Steel
- Round



Part #	Size	Finish	Price
HC13220	6"	GS	11.99
HC13221	8"	GS	12.16
HC13222	10"	GS	16.55
HC13223	12"	GS	23.94

16 Ceiling Diffuser

- Steel
- Round
- Step down



Part #	Size	Finish	Price
HC12900	6"	W	7.58
HC12901	8"	W	8.61
HC12902	10"	W	11.94
HC12903	12"	W	17.43

210 Floor Register


- Steel
- MS Valve



Part #	Size	Finish	Price
HC10640	8" x 10"	GS	29.06
HC10641	8" x 12"	GS	32.56
HC10644	9" x 12"	GS	36.30
HC10647	10" x 12"	GS	36.46
HC10651	12" x 14"	GS	45.05

265 Floor Grille

- Steel



HEIGHT	WIDTH	MAXIMUM DEPTH
4 THRU 14	6 THRU 30	2 ¹ / ₃₂
14 THRU 14	32 THRU 36	2 ⁵ / ₃₂
16 THRU 18	16 THRU 36	2 ⁵ / ₃₂
20 THRU 24	20 THRU 36	1 ¹³ / ₃₂

Part #	Size	Finish	Price
HC11860	6" x 10"	GS	16.39
HC11861	6" x 12"	GS	17.51
HC11862	6" x 14"	GS	18.34
HC11865	6" x 20"	GS	30.91
HC11866	6" x 24"	GS	31.60
HC11867	6" x 30"	GS	40.28
HC11870	8" x 10"	GS	17.88
HC11871	8" x 12"	GS	19.01
HC11872	8" x 14"	GS	22.25
HC11875	8" x 20"	GS	34.13
HC11876	8" x 24"	GS	36.13
HC11877	8" x 30"	GS	42.15
HC11879	9" x 12"	GS	22.69
HC11881	10" x 12"	GS	23.00
HC11885	10" x 20"	GS	37.55
HC11891	12" x 14"	GS	29.36
HC11896	12" x 30"	GS	51.39
HC11906	14" x 30"	GS	55.86
HC11912	16" x 30"	GS	70.92
HC11920	20" x 30"	GS	88.00

406 Baseboard Diffuser

- Steel
- Plate damper



Part #	Size	Finish	Price
HC10680	18"	W	9.57

420 Toe-Space Grille

- Steel



Part #	Size	Finish	Price
HC11301	10" x 2"	GS	4.58
HC11303	12" x 2"	GS	4.58
HC11305	14" x 2"	GS	5.52
HC11300	10" x 2"	W	4.58
HC11302	12" x 2"	W	4.13

W = Bright White GS = Golden Sand SA = Satin Anodized

HVAC

Registers & Grilles

421 Stamped Floor Diffuser

- Steel



Part #	Size	Finish	Price
HC10710	2" x 10"	GS	5.10
HC10712	2" x 12"	GS	5.26
HC10714	2" x 14"	GS	6.07
HC10717	4" x 10"	GS	4.51
HC10719	4" x 12"	GS	6.16
HC10721	4" x 14"	GS	7.38
HC10765	6" x 10"	GS	8.61
HC10767	6" x 12"	GS	9.63
HC10711	2" x 10"	W	5.10
HC10713	2" x 12"	W	5.26
HC10715	2" x 14"	W	7.39
HC10718	4" x 10"	W	4.51
HC10720	4" x 12"	W	6.16
HC10764	6" x 10"	W	8.61
HC10766	6" x 12"	W	9.63

650 Sidewall Return Air Grille

- Steel
- 1/3" Fin spacing



Part #	Size (W x H)	Finish	Price
HC43108	10" x 4"	W	4.47
HC43109	10" x 6"	W	3.86
HC43110	10" x 8"	W	5.53
HC43111	10" x 10"	W	7.92
HC43116	12" x 4"	W	4.80
HC43117	12" x 6"	W	3.67
HC43118	12" x 8"	W	5.81
HC43119	12" x 10"	W	8.50
HC43120	12" x 12"	W	8.71
HC43121	12" x 14"	W	10.30
HC43124	12" x 20"	W	14.00
HC43125	12" x 24"	W	16.10
HC43127	14" x 6"	W	3.92
HC43128	14" x 8"	W	4.74
HC43129	14" x 10"	W	9.58
HC43130	14" x 12"	W	10.30
HC43131	14" x 14"	W	9.01
HC43134	14" x 20"	W	16.86
HC43135	14" x 24"	W	20.26
HC43139	16" x 8"	W	7.52

**Residential Registers & Grilles
(Continued)**

650 Sidewall Return Air Grille

Part #	Size (W x H)	Finish	Price
HC43140	16" x 10"	W	11.12
HC43143	16" x 16"	W	11.89
HC43144	16" x 20"	W	17.29
HC43147	18" x 8"	W	7.78
HC43154	20" x 6"	W	7.18
HC43155	20" x 8"	W	7.62
HC43156	20" x 10"	W	12.12
HC43157	20" x 12"	W	14.00
HC43158	20" x 14"	W	15.41
HC43159	20" x 16"	W	18.40
HC43161	20" x 20"	W	18.43
HC43163	20" x 25"	W	32.13
HC43166	24" x 6"	W	6.17
HC43167	24" x 8"	W	8.19
HC43168	24" x 10"	W	14.34
HC43169	24" x 12"	W	13.22
HC43170	24" x 14"	W	20.26
HC43171	24" x 16"	W	22.82
HC43173	24" x 20"	W	28.59
HC43174	24" x 24"	W	36.53
HC43175	24" x 30"	W	44.16
HC43177	30" x 6"	W	6.80
HC43178	30" x 8"	W	8.85
HC43179	30" x 10"	W	16.45
HC43180	30" x 12"	W	18.23
HC43181	30" x 14"	W	25.51
HC43182	30" x 16"	W	28.59
HC43186	30" x 30"	W	52.42

657 Baseboard Return

- Steel
- 1/3" Fin spacing
- 7/8" Turnback



Part #	Size	Finish	Price
HC43649	14" x 6"	W	6.97
HC43670	30" x 6"	W	12.22

W = Bright White GS = Golden Sand SA = Satin Anodized

www.plumbers-supply-co.com

HVAC

Registers & Grilles

659 Return Air Filter Grille

- Steel
- 1/3" Fin spacing
- Uses standard 1" filters (not included)
- Removable face



Part #	Size (W x H)	Finish	Price
HC43401	12" x 12"	W	19.49
HC43404	14" x 14"	W	21.32
HC43405	14" x 20"	W	26.09
HC43406	14" x 24"	W	34.87
HC43407	14" x 25"	W	29.70
HC43408	14" x 30"	W	45.99
HC43410	16" x 20"	W	28.30
HC43411	16" x 25"	W	37.44
HC43413	18" x 18"	W	37.67
HC43416	20" x 12"	W	30.58
HC43417	20" x 14"	W	26.09
HC43418	20" x 16"	W	28.30
HC43419	20" x 20"	W	30.49
HC43420	20" x 25"	W	35.72
HC43423	24" x 12"	W	31.47
HC43424	24" x 14"	W	34.40
HC43425	24" x 16"	W	40.52
HC43428	24" x 24"	W	54.38
HC43430	25" x 14"	W	29.70
HC43431	25" x 16"	W	37.44
HC43432	25" x 20"	W	36.10
HC43433	25" x 25"	W	60.14
HC43438	30" x 20"	W	57.01

661 Supply Register

- Steel
- 2-Way deflection
- MS Valve



Part #	Size	Finish	Price
HC10811	6" x 6"	W	9.21
HC10814	8" x 6"	W	9.06
HC10816	10" x 4"	W	7.01
HC10819	10" x 6"	W	7.49
HC10820	10" x 8"	W	12.98
HC10821	12" x 4"	W	7.46
HC10823	12" x 6"	W	8.43
HC10825	12" x 8"	W	13.69
HC10827	14" x 4"	W	8.67

Residential Registers & Grilles (Continued)

661 Supply Register

Part #	Size	Finish	Price
HC10830	14" x 6"	W	9.61
HC10832	14" x 8"	W	15.22

672 Return Air Grille

- Steel
- 1/2" Fin spacing



Part #	Size	Finish	Price
HC43325	14" x 6"	W	3.92
HC43326	14" x 8"	W	5.78
HC43362	24" x 6"	W	7.52
HC43372	30" x 6"	W	6.80

673 Return Air Filter Grille


- Steel
- 1/2" Fin spacing
- Uses standard 1" filters (not included)



Part #	Size	Finish	Price
HC43505	14" x 20"	W	31.78
HC43507	14" x 25"	W	36.18
HC43519	20" x 20"	W	30.49
HC43520	20" x 25"	W	35.72
HC43521	20" x 30"	W	46.80
HC43530	25" x 20"	W	35.72
HC43535	30" x 20"	W	46.49

A618MS Sidewall/Ceiling Register

- Stamped aluminum
- Single-deflection
- MS Damper



Part #	Size	Finish	Price
HC22445	10" x 4"	W	16.59
HC22447	10" x 6"	W	18.69
HC22450	12" x 4"	W	17.74
HC22452	12" x 6"	W	19.39
HC22453	12" x 8"	W	22.78
HC22458	14" x 6"	W	21.48
HC22459	14" x 8"	W	25.70

W = Bright White GS = Golden Sand SA = Satin Anodized

HVAC

Registers & Grilles

Commercial T-Bar
659T T-Bar Filter Grille

- Steel



659T Lanced Face with Filter-Frame Back


Part #	Size	Finish	Price
HC12745	20" x 20"	W	43.91

659T Lanced Face w/Insulated Back

Part #	Size	Finish	Price
HC50560	20" x 20"	W	50.00

FPD T-Bar Fixed Pattern Diffuser

- Steel construction
- 4-Way louver
- Damper adjustable thru face
- 2-Cone fixed core



Part #	Size	Finish	Price
HC50500	6" x 6"	W	36.64
HC50502	8" x 8"	W	36.64
HC50504	10" x 10"	W	36.64
HC50505	12" x 12"	W	36.64
HC50506	14" x 14"	W	44.63

HVS T-Bar Ceiling Diffuser

- High volume
- Accepts 2"H snap-in collar
- Pre-scored fiberglass insulation blanket with foil vapor barrier
- Utilizes 3800 series butterfly damper insulated collar



Part #	Description	Finish	Price
HC50350	4-Way for 6-12" Collar	W	59.74
HC50351	4-Way w/14" Collar	W	84.56

RENPs Renovator Series Perforated Return with Insulated Back


- Perforated steel face
- R4.2 Molded fiberglass back panel
- Accepts 6" to 14" unique tab collar (6400 series) or 6" to 18" unique snap-in collar (5400 and 5400PP series) 16" and 18" only for R4.2
- Also accepts standard spin-in collar



Part #	Size	Finish	Price
HC50354	20" x 20"	W	25.20

RENPS/ARENPS Renovator Series T-Bar Perforated Supply Diffuser with Insulated Back


- RENPS: Perforated steel face with deflector
- ARENPS: Perforated aluminum face with deflector
- Molder fiberglass back panel, available in R4.2 or R6
- Accepts 6" to 14" unique tab collar (6400 series) or 6" to 18" unique snap-on collar (5400 and 5400PP series) 6" and 18" only for R4.3
- Also accepts standard spin-in collar



Part #	Model	Size	Finish	Price
HC50356	RENPS	20" x 20"	W	25.20

RE5-T T-Bar Egg Crate Return Grille

- Grid core
- Extruded aluminum
- Overall-size plus 1-3/4"



Part #	Size	Finish	Price
HC45500	22" x 22"	W	64.04

W = Bright White GS = Golden Sand SA = Satin Anodized


www.plumbers-supply-co.com

HVAC

Registers & Grilles


RE5-TI T-Bar Egg Crate Return Grille with Insulated Back

- All aluminum construction
- R4.2 Molded fiberglass back
- Grid core face: 1/2" x 1/2" x 1/2"
- Accepts 6" to 14" unique tab collar (6400 series) or 6" to 18" unique snap-in collar (5400 and 5400PP series)
- Also accepts standard spin-in collar



Part #	Size	Finish	Price
HC45504	20" x 20"	W	59.60


Surface Mount Frame



Part #	Size	Finish	Price
HC50299	24" x 24"	W	28.71

Egg Crate Air Return Diffuser

- Egg crate lay-in louver
- White polystyrene 1/2" open cell grid



Part #	Size	Price
650-200	2' x 4' x 3/8"	24.04

T-Bar Diffuser Accessories


5400 Collar

- Includes (4) small plastic push pins to snap into prepunched holes in metal plenum



Part #	Size	Price
HC50310	6"	5.56
HC50311	7"	5.56
HC50312	8"	5.56
HC50314	10"	5.56

3800 Damper



Part #	Size	Finish	Price
HC50290	6"	GS	10.64
HC50292	8"	GS	10.64
HC50294	10"	GS	11.56

Paramount H™ Installation Frames

- Adjustable overhead register installation frame
- Sliding mechanism adjusts from 8" to 14"
- Covers joist spacing from 16" to 24" on center
- 1/2" inside perimeter edge for smooth, accurate drywall cut
- Heat, cold and UV resistant, high impact material



Part #	Description	Price
H6	6" Paramount H	5.27
H4	4" Paramount H	5.27


W = Bright White GS = Golden Sand SA = Satin Anodized

HVAC

HVAC Components

Contactors

Source 1 Definite Purpose Contactor



Part #	Poles	Amps	Voltage	Price
CON1P3024	1	30A	24V	11.57
CON2P3024	2	30A	24V	14.86
CON3P3024	3	30A	24V	27.96
CON1P4024	1	40A	24V	33.79
CON2P4024	2	40A	24V	17.14
CON3P4024	3	40A	24V	28.86
CON2P30115	2	30A	120V	15.21
CON3P40115	3	40A	120V	29.68
CON2P30230	2	30A	240V	15.21

Source 1 Contactor

Part #	Poles	Amps	Voltage	Price
S1-02432004000	2	30A	24V	37.97

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC Components

Compressors - Air Conditioner/Heat Pump

Bristol H22A R-22 Series



Part #	Model #	BTU	Electrical	Suction ID	Discharge ID	Ship Wt	Price
S1-H22A503ABCA	H22A503ABCA	49,000	208/230-1-60	7/8"	1/2"	92 lbs	1202.47
S1-01504803001	H22A623DBLA	60,795	230/200-3-60	7/8"	1/2"	87.5 lbs	1499.17
S1-H22A623DBEA	H22A623DBEA	60,795	406-3-60	7/8"	1/2"	87.5 lbs	1499.17

Bristol H22J R-22 Series



Part #	Model #	BTU	Electrical	Suction ID	Discharge ID	Ship Wt	Price
S1-01504642004	H22J18BABCA	18,265	208/230-1-60	3/4"	1/2"	63 lbs	879.54
S1-01504645004	H22J22BABCA	22,622	208/230-1-60	3/4"	1/2"	64.5 lbs	886.04
S1-01504649001	H22J25BABCA	24,214	208/230-1-60	3/4"	1/2"	67 lbs	895.04
S1-H22J20BABCA	H22J20BABCA	20,496	208/230-1-60	3/4"	1/2"		882.79
S1-01504654001	H22J29BABCA	28,833	208/230-1-60	3/4"	1/2"	67.5 lbs	911.86
S1-01504767001	H22J36BABCA	35,681	208/230-1-60	3/4"	1/2"	73.5 lbs	909.50
S1-01504772001	H22J38BABCA	37,829	208/230-1-60	3/4"	1/2"	84 lbs	1067.00

HVAC

Compressor Heaters

- Dimensions are maximum girth



Part #	Description	Price
CH-102	60W, 240V, 32-9/16" Oval	37.20

Compressor Tote

- Electro-plated, strong steel construction
- For all compressors up to 5 tons



Part #	Description	Price
ACT-6	Wagner Compressor Tote	86.08

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC Components

Relays

Steveco Fan Control Center

- A one package transformer and relay combination, for remote mounting
- They incorporate the over/under bobbin wound energy limiting class 2 transformer and fan relay on a common plate
- Mounts on a standard 4" junction box
- Line voltage connections pre-wired
- Color coded pre-stripped leads
- Low voltage connections on terminal board
- UL Listed



Part #	Primary Voltage	Primary HZ	Secondary Voltage	Secondary VA	Relay	Price
S1-90-113	120V	60	24V	40	SPDT	59.68

Source 1 2-Pole Switching Fan Relay WR/RBM Type 91

- Available for power or pilot duty
- Temperature range: -40°F to 130°F
- Class B insulation
- Termination: 1/4" quick connect
- Operates 85% of nominal coil voltage; 100% maximum safe operate
- Continuous duty cycle



Part #	Description	Price
S1-S90-340	24V 2PDT Power/Power	15.39
S1-S90-341	110/120V 2PDT Power/Power	15.50

Source 1 Enclosed Fan Relay WR/RBM Type 84

- Used for switching single- or two-speed motors, solenoids, relays, resistive loads and general purpose switching
- Temperature range: -40°F to 150°F
- Class B insulation
- Termination: 1/4" quick connect
- Operates 85% of nominal coil voltage; 100% maximum safe operate
- Continuous duty cycle



Part #	Description	Price
S1-S90-291Q	120V SPST-NO	12.71

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC Components

Source 1 Heavy-Duty Enclosed Fan Relay - WR/RBM Type 184

- 50% More electrical rating (14 A)
- Operates in any position
- Plugs into receptacles
- Used for air conditioning, heating, appliances, fan control, general purpose switching
- Temperature Range: -40°F to 150°F
- Class B insulation
- Termination: 1/4" quick connect
- Operates 85% of nominal coil voltage; 100% maximum safe operate
- Continuous duty cycle

Part #	Description	Price
S1-S90-370	24V SPDT Heavy Duty	13.11

8400 Series General Purpose Relay



Part #	Description	Resistive Amps	Coil Voltage	Price
D90-290Q	SPST-NO	16/8A	24VAC	15.60
M90293	SPDT	8/8A	24VAC	15.80

9400 Series General Purpose Relay



Part #	Description	Resistive Amps	Coil Voltage	Price
D90-370	SPDT	18A	24VAC	15.80
D90-380	SPST NO+NC	18A	24VAC	15.80

General Purpose Switching Relay



Part #	Coil Volt	Terminal 1-2-3	Terminal 4-5-6	Price
D90-340	24V	POWER	POWER	20.70

Find Everything Under the Sun at One of Our Convenient Branches


www.plumbers-supply-co.com

HVAC

HVAC Components

Electric Heat Sequencer
24A34 Electric Heat Sequencer

- Direct replacement for most fan/heat sequencing functions
- Ambient: -50° to 165°F
- 24V Input control
- Double quick connect terminals for combo loads
- Multi-poise mounting
- UL Component recognized



White
Rodgers

Part #	Timings	Switches	Timings On Main (Sec)	Timings On Aux (Sec)	Timings Off Main (Sec)	Timings Off Aux (Sec)	Price
S1-24A34-2	1	1	30 - 90	-	1 - 30	-	12.61
S1-24A34-3	1	2	1 - 20	1 - 20	40 - 110	40 - 110	14.82
S1-24A34-4	1	2	30 - 90	30 - 90	1 - 30	1 - 30	14.82
S1-24A34-5	2	3	1 - 110	1 - 110	1 - 110	1 - 110	22.68
S1-24A34-6	2	4	1 - 110	1 - 110	1 - 110	1 - 110	25.07

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC Service and Repair Parts

Filter-Driers

Source 1 Liquid Line Filter-Drier (Beaded Core)

- High moisture and acid capacity
- Maximum filtration capacity
- Exceptional compatibility with new polyester oils
- Compatible with all existing and new refrigerants and blends including R-134a, R-401A/B, R-402A/B, R-404A, R-407A/B/C, R-410A, R-502, and R-507A
- Spring-loaded, molecular sieve and activated alumina
- Corrosion-resistant powder coated exterior surpasses 500-hr ASTM salt spray test
- Maximum working pressure: 680 psi*



Part #	Size	Cu In	Price
S1-LFD163S	3/8" ODF	8	19.64

Source 1 Bi-Flow Filter-Drier (Solid Core)

- Specifically designed for heat pump or reverse cycle application
- Check valves incorporated within the filter-drier shell
- Filters out contaminant particles down to 25 microns
- Desiccant core provides three times the filtration as the standard bi-flow
- Core is cushioned in fiber gaskets to protect core
- Corrosion-resistant powder coated exterior surpasses 500-hr ASTM salt spray test
- Maximum working pressure: 680 psi*



Part #	Size	Cu In	Price
S1-BFD163S	3/8" ODF	16	35.25

"C" Series Liquid Line Catch-All® Filter-Drier (Sealed Type)

- Leakproof shell
- Solid copper sweat fittings
- Outlet safety filter
- A blend of desiccants for maximum moisture removal
- Lower end point dryness levels
- Maximum working pressure: 650 psi
- Compatible with refrigerants 12, 22, 134a, 404A, 407C, 410A, 502, 507



Part #	Mfg #	Connection	Diameter	Length	Price
S1-52636206000	C-084S	1/2" ODF	2.62"	5.44"	41.29

EK Liquid Line Filter-Drier

- Filtration first for more effective use of surface area of desiccant
- Corrosion resistant epoxy powder paint finish
- Copeland approved for POE oils
- Shock resistant steel shell construction
- Solid copper connections
- 20 Micron filtration
- UL/CUL file SA3124



Part #	Connection	Diameter	Length	Price
EK165S	5/8" ODF	2.63	4.75"	51.96
EK307S	7/8" ODF	3.06	7.50"	90.61

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

HVAC Service and Repair Parts

SFD Suction Line Filter-Drier

- Dual access valves
- Standard suction line drier for use after a burnout or when major work have been performed
- For use with CFC, HCFC & HFC refrigerants
- Rugged steel shells for shock resistance
- Solid copper fittings
- Corrosion resistant epoxy powder paint finish
- Low pressure drop - full flow fittings
- 40 Micron filtration
- UL/CUL file SA3124



Part #	Connection	Diameter	Length	Price
SFD13S5VV	5/8" ODF	3.38	3.91"	90.43
SFD13S6VV	3/4" ODF	3.38	4.00"	83.71
SFD13S7VV	7/8" ODF	3.38	4.25"	85.43
SFD27S9VV	1-1/8" ODF	3.38	5.81"	109.61

BOK-HH Burnout Kleaner Filter-Drier - Activated Carbon Blend

- Extra moisture and acid removal capacity
- Utilizes a model block of activated alumina, molecular sieve & activated carbon; designed for max effectiveness in the clean-up following a severe burnout
- Corrosion resistant epoxy powder paint finish
- 40 Micron filtration
- UL/CUL File SA3124



Part #	Connection	Diameter	Length	Price
BOK163HH	3/8" SAE	2.94	6.75"	52.86
BOK163SHH	3/8" ODF	2.88	6.13"	46.29
BOK164S	1/2" ODF	2.88	6.19"	27.66

BFK Bi-Directional Heat Pump Filter-Drier

- Desiccant blend optimized for high water capacity and acid capacity
- Internal check valves allow flow & filtration in either direction - external check eliminated
- Lightweight & compact, it may be installed in any position
- Copeland brand products approved for POE oils
- 40 Micron filtration
- UL/CUL File SA3124



Part #	Connection	Diameter	Length	Price
BFK164S	1/2" ODF	3.15"	6.17"	98.71
BFK165S	5/8" ODF	3.15"	6.39"	84.57

Recovery Burnout Filter for Dirty Systems

- High capacity inline filter-drier
- Attaches directly to refrigerant recovery system
- 1/4" Female and a 1/4" male connection
- UL & CSA Listed



Part #	Description	Price
RC95014	Recovery Burnout Filter	73.44

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Motors / Accessories

Fractional Horsepower Motors
Single Horsepower Condenser Fan Motor

- Installs with standard 48 frame mounting brackets
- Drain holes with plugs in both end plates
- Automatic thermal overload protector
- Standard motor casing size
- Low power consumption
- Ambient: 60°C
- Electrical reversing plug
- Continuous air over
- Class B insulation
- Extended mounting bolts
- 30" Leads
- 2-Year warranty

Part #	HP	Voltage/ Phase	RPM/Speed	Bearings	Capacitor	Price
S1-FHM3728	1/4	208/230-1-60	1075/1	Ball	S1-CAP37050F, S1-CAP370	126.07
S1-FHM3730	1/2	208/230-1-60	1075/1	Sleeve	S1-CAP37100F, S1-CAP37100R	173.43
S1-FHM3729	1/3	208/230-1-60	1075/1	Sleeve	S1-CAP37075F, S1-CAP37075R	147.64
S1-FHM3731	3/4	208/230-1-60	1075/1	Sleeve	S1-CAP37100F, S1-CAP37100R	194.11

Timesaver Multi-HP Condenser Fan Motor - PSC

- Reversible rotation
- Ambient: 40°C
- Open enclosure
- 2" x 4.5" Shaft (flatted)
- Resilient rings
- Extended thru bolts
- Automatic protector
- Ball bearings

Part #	HP	Voltage/ Phase	RPM/Spd	Notes	Price
S1-FHM3469	1/4, 1/5, 1/6	208/230-1	825	36" Leads, 10.0mfd Cap @208V	161.43
S1-FHM3465	1/3, 1/4, 1/5, 1/6	208/230-1	1075	36" Leads, 7.5mfd Cap @208V	162.43
S1-FHM3468	1/2, 1/3, 1/4, 1/5	208/230-1-60	1075/2	36" Leads, 12.5mfd Cap @208V	180.61

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Motors / Accessories

Single Horsepower Blower Motor

- Installs with standard 48 frame mounting brackets
- Automatic thermal overload protector
- Standard motor casing size
- Low power consumption
- Ambient: 60°C
- Electrical reversing plug
- Continuous air over
- 2-Year warranty

Part #	HP	Voltage/ Phase	RPM/Speed	Bearings	Capacitor	Price
S1-FHM3583	1/4	115-1-60	1075/3	Sleeve	S1-CAP37050F, S1-CAP37050R	128.57
S1-FHM3584	1/4	208/230-1-60	1075/3	Sleeve	S1-CAP37050F, S1-CAP37050R	127.96
S1-FHM3585	1/3	115-1-60	1075/3	Sleeve	S1-CAP37050F, S1-CAP37050R	143.29
S1-FHM3586	1/3	208/230-1-60	1075/3	Sleeve	S1-CAP37050F, S1-CAP37050R	148.21
S1-FHM3587	1/2	115-1-60	1075/3	Sleeve	S1-CAP37050F, S1-CAP37050R	178.61
S1-FHM3588	1/2	208/230-1-60	1075/3	Sleeve	S1-CAP37050F, S1-CAP37050R	178.61
S1-FHM3589	3/4	115-1-60	1075/3	Sleeve	S1-CAP37150F	183.07
S1-FHM3590	3/4	208/230-1-60	1075/3	Sleeve	S1-CAP37100F, S1-CAP37100R	186.86

HVAC

Timesaver Multi-HP Direct Drive Blower Motor - PSC

- Reversible rotation
- Ambient: 40°C
- Open enclosure
- 2" x 4.5" Shaft (flatted)
- Resilient rings
- Extended thru bolts
- Automatic protector

Part #	HP	Voltage/ Phase	RPM/Spd	Notes	Price
S1-FHM3463	1/2, 1/3, 1/4, 1/5, 1/6	115-1-60	1075/4	36" Leads, 5 or 7.5mfd Capacitor	167.07
S1-FHM3464	1/2, 1/3, 1/4, 1/5, 1/6	208/230-1-60	1075/4	36" Leads, 5 or 7.5mfd Capacitor	170.93

Variable-Speed Blower Motor with Module - ECM

Part #	HP	Voltage	Price
S1-02435293000	3/4	120/240	1499.77

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Motors / Accessories

V-Belts

"A" Multi-Plus V-Belt


- Consolidate existing classical and FHP belt sizes into a single line
- 40° Angle

Part #	Outside Length	Industry Standard Belt No.	Price
S1-A36	38"	A36/4L380	7.00
S1-A37	39"	A37/4L390	7.00
S1-A38	40"	A38/4L400	7.50
S1-A39	41"	A39/4L410	7.82
S1-A40	42"	A40/4L420	7.86
S1-A41	43"	A41/4L430	7.89
S1-A42	44"	A42/4L440	8.00
S1-A43	45"	A43/4L450	8.21
S1-A44	46"	A44/4L460	8.25
S1-A45	47"	A45/4L470	8.36
S1-A46	48"	46/4L480	8.43
S1-A47	49"	A47/4L490	8.57
S1-A48	50"	A48/4L500	8.64
S1-A49	51"	A49/4L510	8.75
S1-A50	52"	A50/4L520	8.79
S1-A51	53"	A51/4L530	8.89
S1-A52	54"	A52/4L540	8.93
S1-A53	55"	A53/4L550	9.11
S1-A54	56"	A54/4L560	9.32

HVAC

Motor Mounting Bracket

- For use with direct drive blower motors
- Includes grommets and eyelets



Part #	Description	Price
MA-FM55	5-1/2" Torsion Bracket	9.69

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC Service and Repair Parts

Gas Valves

VR8200 Continuous Pilot Dual Automatic Valve Combo Gas Control

- For 24VAC gas-fired, standing pilot appliances w/capacities from 20-200 cfh
- Includes all standard features plus:
 - Controls include manual valve, (2) automatic operators, Servco pressure regulator & pilot adjustment
 - Standard & slow opening natural gas models include natural to LP gas conversion kits; LP to natural gas conversion kits are also available
 - All adjustments, wiring connections & pilot outlets are accessible from the top of control
 - LITE-RITE (Off-Pilot-On) lighting sequence
 - Compatible with ECO connector
 - Capacities based on 1" p.d. 20,000 BTUH minimum, 130,000 BTUH maximum



Honeywell

Part #	Inlet/Outlet Size	Capacity cfh	Capacity m3/hr	Pressure Regulator Setting	Gas Type	Type of Pressure Regulator	Price
VR8200A2132	1/2" x 1/2"	130	3.7	3.5"wc/0.87kPa	NG	Std (1)	220.52

(1) Includes 393691 Nat'l to LP gas conversion kit, One 1/2"x 3/8" reducer bushing 393690-14 bag assembly - 3/4" straight flange with o-ring, screws & wrench

HVAC

SV950 SmartValve™ System

- Intermittent pilot gas ignition sequencing, pilot flame sensing, and both pilot and main gas control functions in a single control
- Directly compatible with the Q3450 or Q3480 intermittent pilot burners used with the original controls on many gas fired heating appliances
- Replaces some SV9500, SV9501 and SV9502 SmartValve™ System models
- Ignition sequence includes timed trial for ignition
- Pilot gas outlet
- Supplied with inlet & outlet screws
- 1/2 PSI inlet pressure
- -40 to 175°F Ambient temperature range
- Mounting -0° - 90° in any direction from upright



Honeywell

Part #	Model #	Gas Type	Pressure Reg Setting	Pressure Rating	Inlet/Outlet NPT	Opening	Price
S1-SV9501M2528	SV9501M2528	Natural	3.5"wc	1/2 psi	1/2" x 1/2"	Standard	575.44

36C Standing Pilot Fast Opening Gas Valve

- Valve may be mounted in any position except upside down
- Gas cock knob, pilot adjust screw & regulator adjustment are on top of control
- Easy-grip pipe boss simplifies installation
- Use with thermocouples
- Natural gas, includes LP conversion kit & reducer bushing kit
- Includes line interrupter & inlet pressure tap



White Rodgers

Part #	Model #	Coil Voltage	Capacity AGA Standard Gas	Inlet/Outlet	Side Tape	Price
S1-36C03-300	36C03-300	24VAC 60hZ	230,000	1/2" x 3/4"	No	211.96
S1-36C03-333	36C03-333	24VAC 60hZ	230,000	1/2" x 3/4"	Yes	225.11
S1-36C03-400	36C03-400	24VAC 60hZ	280,000	3/4" x 3/4"	No	243.00
S1-36C76-450	36C76-450					330.51

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC Service and Repair Parts

36H Combination Gas Control Valve

- For use with intermittent ignition systems
- Electrical shut-off
- Quick-connect terminals (1/4")
- Adjustable regulator
- Natural gas, includes LP conversion kit




**White
Rodgers**

Part #	Coil Voltage	Inlet/Outlet Size	Capacity AGA Standard Gas	Opening Characteristic	Price
S1-36H32-423	24VAC, 50/60Hz	3/4" x 3/4"	300,000	Fast Open	287.79

700 Combination Gas Valve

- Electrical rating: 0.18A @ 12 VDC 0.2A @ 24VAC

Robertshaw



Part #	Coil Voltage	Inlet/Outlet Size	Capacity AGA Standard Gas	Opening Characteristic	Price
700-400	24V	1/2" x 3/4"	240,000	Straight-Through w/Uni-Kit	167.56

Pilots

Q314 Pilot Burner

- Non-primary aerated, insert orifice-type, for main burner ignition w/Q340 or Q390 thermocouple for Pilotstat safety control operation
- Use with Q313 Thermopile generator for 750mV powerpile applications
- Natural Gas orifice, LP gas orifice
- Compression fitting size: 1/4"
- Special mounting bracket with screws for converting "B" bracket to "A"



Honeywell

Part #	Description	Price
Q314A4586	B Bracket, BCR-18 Orifice, Single (F) Front Tip	72.98

Igniters

Source 1 Timesaver Silicon Nitride Igniter Kit

- Compare to White-Rodgers 21D64-2 and Honeywell Q3200U1004, replaces over 100 silicon carbide igniters
- Universal bracket fits most furnace
- Kit includes:
 - Silicon Nitride Igniter with 15.5" Leads
 - One "Universal" mounting bracket and screw
 - Mounting adapter bracket
 - (2) Ceramic wire nuts
 - Updated manufacturer cross reference
 - Instruction booklet
- 3-Year limited warranty



Part #	Description	Price
S1-HSI-SN1	Universal Nitride Hot Surface Upgrade Kit	47.36

Find Everything Under the Sun at One of Our Convenient Branches


www.plumbers-supply-co.com

HVAC


HVAC Service and Repair Parts

41 Series Hot Surface Igniters


- Delivers dependable ignition in heating systems of every description
- Engineered for easy handling, simple installation & trouble free operation




41-402




41-404



41-410



41-411



41-413

Part #	Factory Model#	Ceramic Block Style	Terminal Conn Type	Lead Wire Length	Price
41-402	217W	B	None	19"	51.66
41-404	271	C	C	4-1/2"	44.92
41-410	271N	B	B	4-1/2"	51.66
41-411	271N	B	C	4-1/2"	44.92
41-413	201C	2" Long x 1-3/8" Dia	1/4" QC	1-3/8"	74.62

Glowfly™ Universal Hot Surface Igniter

- Uses a 120V silicon nitride igniter design with long life and high resistance to damage or burn out in the appliance
- Kit includes specially designed silicon nitride igniter and six different bracket configurations
- Clear instructions and application templates are provided
- Replaces over 110 different models
- 3-Year warranty



Part #	Description	Price
Q3200U1004	Glowfly Universal Hot Surface Igniter Kit	67.13

Round Furnace Igniter



Part #	Description	Price
SIG1100	Universal Round Furnace Igniter Kit	32.00

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC Service and Repair Parts

Hard Start Kits

SPP Series Hard Start

- 115-230V, 1/2 - 10 hp



Part #	Description	Price
S1-SPP5	300% Boost Starter Pow-R-Pak	16.89
S1-SPP6	500% Boost Super Boost	25.71

Kickstart® Hard Start

- Only 2-wire, OEM and manufacturer approved device using a mechanical potential relay with start capacitor
- No PTRC devices or time delays
- Works on all 208-265 volt PSC & CSIR A/C, heat pump & refrigeration compressors: 1-5 HP - reciprocating, scroll & rotary
- 3-Year warranty



Part #	Mfg #	Description	Price
RE96503	TO-5	1.0 to 3.0 Ton High Torque	34.08
RE96506	KS1	3.5 to 5.0 High Torque Heat	40.13

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC Installation Parts

Pressure Switches

- For refrigeration, air conditioning, and heat pump systems
- 1/4" Female SAE connection
- Pressure range: 0 to 650 psi
- Burst pressure: 5000 psi
- Life @ rated load: 100,000 cycles
- 24/120/240V, 50/60 Hz



Low Pressure - SPST Open on Fall

Part #	Open psi	Close psi	Tolerance	Price
SLP1025	10	25	+/- 5 psi	21.50
SLP2550	25	50	+/- 5 psi	21.50

High Pressure - SPST Open on Rise

Part #	Open psi	Close psi	Tolerance	Price
SHP425300	425	300	+/- 15 psi	21.50

York Air Pressure Switches



Part #	Description	Price
S1-02435261000	1.00" Wc on Fall SPNO	38.32
S1-02435262000	1.20" Wc on Fall SPNO	31.38
S1-02435267000	2-Stage 0.60/1.05" Wc on Fall SPNO	69.04
S1-02435270000	0.45" Wc on Fall SPNO	31.96
S1-02435271000	0.50" Wc on Fall SPNO	32.05
S1-02435272000	0.54" Wc on Fall SPNO	31.38
S1-02435275000	2 Stage 0.20/0.35" Wc on Fall SPNO	61.98
S1-02435282000	2 Stage 0.40/0.90" Wc on Fall SPNO	67.46
S1-02435285000	0.75" Wc on Fall SPNO	32.78
S1-02435286000	0.90" Wc on Fall SPNO	32.11
S1-02435929000	0.15 In Wc On Fall SPNO	25.29
S1-02435978000	0.67 In Wc On Fall SPNO	22.38
S1-02435979000	0.15 In Wc On Fall SPNO	22.38
S1-02435903000	0.45/0.85" Wc On Fall SPNO	67.03
S1-02434562000	1.05/0.40" Wc Deact N/O	75.18
S1-02434612000	1.20/0.40" Wc Deact N/O	69.22
S1-02434685000	0.75/1.10/0.40" Wc Deact N/O	108.86

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Furnace Controls

Defrost Timers

ICM300 Heat Pump Defrost Timer

- Ultra low cost
- Pin-for-pin compatible with OEM Type 621 controls
- Simple time and temperature control
- Must have external relays for fan, reversing valve and auxiliary heat
- High installed base
- 18-30VAC, 50/60Hz, SPST, NO, 10-Minute defrost pin-selectable 30/60/90 minute intervals



Part #	Description	Price
ICM300C	18-30VAC,50/60Hz,SPST,NO, Clamshell	47.76

ICM304 Heat Pump Defrost Timer

- Ultra low cost
- High power relay outputs for 1/2hp fan or strip heat
- Integrated outdoor fan and reversing valve relay
- Anti-banger feature energizes the reversing valve 10 seconds after the outdoor fan relay allowing for pressure equalization
- 18-30VAC, 50/60Hz, SPST, NO
- 10-Minute defrost pin-selectable 30/60/90 minute intervals



Part #	Description	Price
ICM304C	10-Minute Defrost Timer, Clamshell	113.79

ICM320 Solid State Defrost Control

- Low cost, high performance
- Time and temperature control
- Direct replacement for Carrier HK32FA006
- Integrated outdoor fan and reversing valve
- High installed base
- 18-30VAC, 50/60Hz, DPST, NO (O, W2), SPST NO (DF1, DF2)
- 10-Minute defrost pin-selectable 30/50/90 minute intervals



Part #	Description	Price
ICM320C	10-Minute Defrost Timer, Clamshell	130.55

ICM321 Heat Pump Defrost Timer

- Ultra low cost
- Pin-for-pin compatible with OEM controls
- Time and temperature control with anti-short cycle timer
- Integrated outdoor fan and reversing valve
- 18-30VAC, 50/60Hz, DPST, NO output (O, W2); SPST, NO (T1, T2)
- 10-Minute defrost pin-selectable 30/50/90 minute intervals



Part #	Description	Price
ICM321C	10-Minute Defrost Timer, Clamshell	103.52

Fan Blower Controls

ICM255 Fan Control Center

- Low cost open board design
- High power, relay output
- Dual function fan delay timer
- Controls the circulating fan in heat pump, A/C and forced air systems
- OFF Delay purges ducts of residual air
- ON Delay allows air to reach the proper comfort level prior to energizing the fan
- Fixed time delays: ON - 1-second, OFF - 60-seconds



Part #	Description	Price
ICM255C	18-30VAC, 50/60Hz, Clamshell	39.47

ICM271 - Fan Control Center

- Reliable solid state fan blower
- Specifically designed to replace popular gas furnace centers
- Pin selectable blower delays
- High power, relay output
- Dual function fan delay timer
- Controls the circulating fan in heat pump, A/C and forced air systems
- OFF Delay purges ducts for residual air
- ON Delay allows air to reach the proper comfort level prior to energizing the fan
- Fixed time delays: ON - 75 seconds, OFF - 105 seconds



Part #	Description	Price
ICM271C	18-30VAC, 50/60Hz, 20A for Carrier, Robertshaw, Clamshell	128.61

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Furnace Controls

ICM275 - Fan Control Center

- Microprocessor-based precision
- Built-in humidity relay
- Manually adjustable post-purge off delay from 60-240 seconds
- Electronic air cleaner output
- Time delays: ON - 60 seconds fixed
OFF - 60 to 240 seconds adjustable



Part #	Description	Price
ICM275C	18-30VAC, 50/60Hz for Carrier, Robertshaw, Clamshell	133.43

Furnace Control Modules

ICM280 - Furnace Control Board

- Low cost, direct replacement board for Goodman, Janitrol, TI, White-Rodgers and UTEC
- Microprocessor-based precision
- Functions with all 24VAC thermostats
- Twinning compatible with another ICM280
- Diagnostic LED aids in testing and troubleshooting
- For 80+ and 90+ applications
- 7 sec Trial for Ignition
- 9-Pin card slot connection and 9-pin Molex connector on board
- UL Recognized



Part #	Description	Price
ICM280C	Direct Replacement Board for Goodman, Janitrol, TI, White-Rodgers and UTEC, Clamshell	209.38

ICM2805 - Furnace Control Board

- OEM replacement control board for Nordyne 903106-Kit
- For use with G3, G4, G5, G6, M2, and M3 furnace modules
- Controls gas valve, inducer draft motor, circulating blower, and hot surface igniter
- Monitors timing, trial for ignition, flame sensing, lockout, plus pressure rollout, and limit switches
- Microprocessor-based precision
- Twinning compatible with another ICM2805 board
- Diagnostic LED aids in testing and troubleshooting



Part #	Description	Price
ICM2805	Replacement Board for Nordyne 903106-Kit	223.22

ICM281 - Furnace Control Board

- Low cost, direct replacement board for Carrier CESO110057-00,01,02
- Controls gas valve, igniter, blower motor, inducer, humidifier and air cleaner
- Microprocessor-based precision
- Functions with all 24VAC thermostats
- Designed for 100% gas shutoff in case of ignition failure
- Twinning compatible with another ICM281 board
- Reverse polarity protection
- Secondary brownout voltage protection
- Diagnostic LED aids in testing and troubleshooting



Part #	Description	Price
ICM281C	Solid State Furnace Module, Clamshell	211.87

ICM282 - Furnace Control Board

- Low cost, direct replacement board for Carrier HK42FZ004, 007,008,009,011,013,016 and 325878751
- Controls gas valve, igniter, blower motor, inducer, humidifier and air cleaner
- Microprocessor-based precision
- Compatible with 24VAC standard thermostats
- Designed for 100% gas shutoff in case of ignition failure
- Twinning compatible with another ICM282 board
- Reverse polarity protection
- Secondary brownout voltage protection
- Diagnostic LED aids in testing and troubleshooting



Part #	Description	Price
ICM282C	Solid State Direct Replacement for Carrier, Clamshell	341.64

ICM283 - Furnace Control Board

- Low cost, direct replacement hot surface ignition module for Honeywell, Robertshaw and White Rodgers
- Single/dual rod sensing capabilities
- For gas fired furnaces, boilers and other heating appliances
- Switch selectable lockout times, ignition trials
- Works with both Natural and LP gas systems
- Diagnostic LED aids in testing and troubleshooting



Part #	Description	Price
ICM283	120 & 24 VAC, 60 Hz	256.82

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Furnace Controls

ICM284 - Furnace Control Board

- Low cost, direct replacement hot surface ignition module for Honeywell, Robertshaw and White Rodgers
- Controls gas valve, igniter, blower motor, inducer, humidifier and air cleaner
- Microprocessor-based precision
- Designed for 100% gas shutoff in case of ignition failure
- Reverse polarity protection
- Secondary brownout voltage protection
- Compatible with 24 VAC standard thermostat
- Diagnostic LED aids in testing and troubleshooting



Part #	Description	Price
ICM284	208-240 VAC, 60 Hz	686.86

ICM286 - Furnace Control Board

- Low cost, direct replacement hot surface ignition module for Goodman
- Controls gas valve, igniter, blower motors, and inducer
- Monitors timing, trial for ignition, flame sensing, pressure and limit switches, and lockout
- Microprocessor-based
- Designed for 100% gas shutoff in case of ignition failure
- Reverse polarity protection
- Compatible with 24 VAC standard thermostat
- Twinning compatible with another ICM286 control board
- Compatible with LP or natural gas
- Diagnostic fault codes (blinking LED) for simple troubleshooting



Part #	Description	Price
ICM286	120VAC, 60 Hz	110.37

ICM289 - Furnace Control Board

- Low cost, direct replacement board for Lennox BCC1, BCC2 and BCC3 circuit boards
- Controls inducer fan motor, blower fan and monitors limit switches
- Microprocessor-based precision
- Functions with all 24 VAC thermostats



Part #	Description	Price
ICM289	98 to 132VAC, 60 Hz, 20A	283.85

Gas Ignition Controls

ICM290 - Intermittent Pilot Ignition Module

- Universal intermittent pilot gas ignition control
- Provides ignition sequence, flame monitoring and safety shutoff for single/dual rod intermittent pilot control applications
- For gas fired furnaces, boilers and other heating applications
- Switch selectable pre-purge and ignition trials with permanent lock
- Works with or without vent damper connected
- Works with both Natural and LP gas systems
- Diagnostic LED aids in testing and troubleshooting



Part #	Description	Price
S1-S8610U3009	24 VAC (18-30 VAC), 50/60Hz	302.62

ICM293 - Intermittent Pilot Gas Ignition Control

- For use with intermittent pilot boilers, furnaces and other heating appliances
- Microprocessor-based precision
- Monitors timing, trial for ignition, flame sensing and lockout
- Remote flame sensing
- 100% Lockout safety feature
- Compatible with LP or Natural Gas
- Status LED for fault codes to aid in troubleshooting
- Replaces: Lennox 30W33 ignition control, Robertshaw 735L (18G91) or 745 (95H04) ignition controls, Johnson Controls G776 (63K2401, 41K8701, 69J3601) ignition controls



Part #	Description	Price
ICM293	For Lennox Furnaces	192.50

ICM295 - Spark Ignition Control Board

- For use with intermittent pilot boilers, furnaces and other heating appliances
- Microprocessor-based precision
- Compatible with LP or Natural Gas
- Continuous spark until pilot flame is established
- Replaces: Carrier LH33WZ510 and comparable ignition controls



Part #	Description	Price
ICM295	For Carrier Furnaces	128.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Furnace Controls

ICM296 - Spark Ignition Control Board

- For use with intermittent pilot boilers, furnaces and other heating appliances
- Microprocessor-based precision
- Compatible with LP or Natural Gas
- 100% Lockout safety feature
- Replaces: Carrier LH33WZ512 and comparable ignition controls requiring 100% safety lockout



Part #	Description	Price
ICM296	For Carrier Furnaces	206.07

ICM2901 - Intermittent Pilot Gas Ignition Control

- For use with intermittent pilot boilers, furnaces and other heating appliances
- Microprocessor-based precision
- Monitors timing, trial for ignition, flame sensing and lockout
- Remote flame sensing
- 100% Lockout safety feature
- Compatible with LP or Natural Gas
- Replaces: Johnson Controls G770RJA-1, York 025-27762-700, and comparable ignition controls



Part #	Description	Price
ICM2901	For Johnson Controls	267.04

ICM2902 - Intermittent Pilot Gas Ignition Control

- For use with intermittent pilot boilers, furnaces and other heating appliances
- Microprocessor-based precision
- Monitors timing, trial for ignition, flame sensing and lockout
- Remote flame sensing
- 100% Lockout safety feature
- Compatible with LP or Natural Gas
- Status LED for fault codes to aid in troubleshooting
- Replaces: Johnson Controls G776 (63K2401, 41K8701, 69J3601), Lennox 30W33, Robertshaw 735L (18G91) or 745 (95H04) ignition controls



Part #	Description	Price
ICM2902	For Johnson Controls, Lennox, Robertshaw	271.70

Head Pressure Controls

ICM325H Single-Phase Head Pressure Control

- 120-480VAC Line input
- Integral heat pump bypass circuitry
- Eliminates overshoots
- Helps prevent evaporator freeze-ups, low pressure cut-outs and liquid-slugged compressors in low ambient conditions
- Features: hard start, low temp bypass, isolated 24VAC supply
- 18-30VAC, 50/60Hz Control



Part #	Description	Price
LAQSICM325H	120-480VAC	255.15

ICM326H Single-Phase Head Pressure Control

- 120 or 208/240VAC Line input, 50/60Hz
- Built-in transformer
- Helps prevent evaporator freeze-ups, low pressure cut-outs and liquid-slugged compressors in low ambient conditions
- Features: hard start, low temp cutoff, high temperature bypass
- Ideal for line voltage air conditioning and refrigeration



Part #	Description	Price
ICM326H	120 or 208/240VAC	286.14

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC Service and Repair Parts

Thermocouples

K19 Series - "Super Slim Jim™" Universal Replacement Thermocouple

- Millivolt range: 25 - 35 mV



Part #	Length	Carton Quantity	Price
K19AT-18	18"	10	6.22
K19AT-24	24"	10	6.70
K19AT-30	30"	10	7.20
K19AT-36	36"	10	10.24
K194AT-48	48"	5	10.18

Q340 Universal 30 mV Thermocouples

- Includes push-in clip, split nut and adapter assembly for easy pilot burner installation
- Male nut connector for Pilotstat™ safety control power units



Part #	Description	Connection	Price
Q340A1066	18" Lead	11/32" 32 Male Connector Nut	16.12
Q340A1074	24" Lead	11/32" 32 Male Connector Nut	16.80
Q340A1082	30" Lead	11/32" 32 Male Connector Nut	17.80
Q340A1090	36" Lead	11/32" 32 Male Connector Nut	18.43

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC Service and Repair Parts

Transformers

Source 1 Class 2 Transformer

- 24V Secondary Class 2 energy limiting

Foot-mount Transformer (Closed Construction)

Part #	VA	HZ	Primary Voltage	Primary Connections	Secondary Voltage	Secondary Leads	Price
S1-T2404F	40VA	60	120/208/240V	Leads	24V	Leads	19.46

Multi-mount Transformer (Closed Construction)

- Universal mounting with plate

Part #	VA	HZ	Primary Voltage	Primary Connections	Secondary Voltage	Secondary Leads	Price
S1-T3501M	50VA	50/60	120/208/240V	Leads	24V	Leads	22.86
S1-T6753	75VA	50/60	120/208/240/480V	Leads	24V	Leads	38.96
S1-T7752	75VA	50/60	120/208/240/480V		24V		41.93

Multi-Mount Class 2 1585 UL Transformer

- Includes terminal connection secondary



Part #	VA	Primary	Sec	Price
T3403	40	120/208/240	24V	30.72

Aluminum Tubing Kit

- For pilot light installation
- Kit includes fittings
- Meets ASTM B491 and B493
- Alloy 3003-00



Part #	Size	Price
BR17495	1/4" OD x .032 Wall 50' Coil	23.54

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

HVAC Service and Repair Kits

Run Capacitors

- Continuous duty for single phase AC motors
- Non PCB liquid filled
- Tin plated 1/4 x .032 male terminals
- Internally protected by pressure sensitive interrupter device
- Aluminum case with terne plate steel cover

Single Run Capacitor

Part #	MFD	Volts	Can Style	Price
CAP0403	4.0	370V	Flat	4.11
CAP0503	5.0	370V	Flat	3.07
CAP07503	7.5	370V	Flat	3.71
CAP1003	10.0	370V	Flat	4.46
CAP12503	12.5	370V	Flat	5.64
CAP1503	15.0	370V	Flat	5.75
CAP2003	20.0	370V	Flat	6.98
CAP2503	25.0	370V	Flat	8.43
CAP3003	30.0	370V	Flat	9.54
CAP3503	35.0	370V	Flat	10.00
CAP4503	45.0	370V	Flat	14.68
S1-CAP44800R	80.0	370V	Round	20.79
CAP0504	5.0	440V	Flat	3.79
CAP07504	7.5	440V	Flat	4.18
CAP1004	10.0	440V	Flat	4.68
CAP1504	15.0	440V	Flat	6.14
CAP2004	20.0	440V	Flat	7.29
CAP2504	25.0	440V	Flat	8.57
CAP3004	30.0	440V	Flat	9.75
CAP3504	35.0	440V	Flat	11.00
CAP4004	40.0	440V	Flat	12.18
CAP4504	45.0	440V	Flat	12.54
CAP5004	50.0	440V	Flat	14.32
CAP5504	55.0	440V	Flat	15.11
CAP8004	80.0	440V	Round	20.79

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC Service and Repair Kits

Dual Run Capacitor

Part #	MFD Compr.	MFD Fan	Volts	Can Style	Price
CAP2053	20.0	5.0	370V	Round	9.21
CAP2543	25.0	4.0	370V	Round	10.21
CAP2553	25.0	5.0	370V	Round	8.96
CAP3043	30.0	4.0	370V		33.80
CAP3053	30.0	5.0	370V	Round	7.93
CAP3543	35.0	4.0	370V		33.93
CAP3553	35.0	5.0	370V	Round	11.07
CAP35753	35.0	7.5	370V		38.16
CAP4043	40.0	4.0	370V		38.30
CAP4053	40.0	5.0	370V	Round	14.54
CAP40753	40.0	7.5	370V		37.52
CAP4553	45.0	5.0	370V	Round	15.25
CAP45753	45.0	7.5	370V	Round	17.39
CAP5053	50.0	5.0	370V		25.76
CAP5553	55.0	5.0	370V		33.67
CAP55753	55.0	7.5	370V	Flat	18.50
CAP6053	60.0	5.0	370V	Round	17.82
CAP7053	70.0	5.0	370V		49.57
CAP8053	80.0	5.0	370V	Round	22.04
CAP80103	80.0	10.0	370V		38.97
CAP2054	20.0	5.0	440V	Round	33.50
CAP2554	25.0	5.0	440V	Round	9.00
CAP3054	30.0	5.0	440V	Round	9.89
CAP3554	35.0	5.0	440V	Round	11.18
CAP35754	35.0	7.5	440V	Round	13.43
CAP4054	40.0	5.0	440V	Round	12.36
CAP40754	40.0	7.5	440V	Flat	15.82
CAP4554	45.0	5.0	440V	Round	13.25
CAP45754	45.0	7.5	440V		50.24
CAP5054	50.0	5.0	440V	Round	14.57
CAP5554	55.0	5.0	440V	Round	15.04
CAP6054	60.0	5.0	440V	Round	16.04
CAP60754	60.0	7.5	440V	Round	19.61
CAP8054	80.0	5.0	440V		32.75

HVAC

Turbo Run Capacitor



Part #	Description	Price
TU200	Turbo 200 Universal 2.5 - 67.5 mfd	145.75

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Sheet Metal

Galvanized Sheet Metal Pipe

24" Galv Sheet Metal Snaplock Pipe



Part #	Size	Gauge	Price
SL24330	3"	30ga	3.28
SL24430	4"	30ga	3.38
SL24530	5"	30ga	3.98
SL24630	6"	30ga	3.58
SL24730	7"	30ga	4.90
SL24830	8"	30ga	5.81
SL24930	9"	30ga	6.50
SL241030	10"	30ga	7.05
SL241230	12"	30ga	8.69
SL24328	3"	28ga	3.84
SL24428	4"	28ga	4.57
SL24326	3"	26ga	4.09
SL24426	4"	26ga	4.71
SL24526	5"	26ga	5.69
SL24626	6"	26ga	6.54
SL24726	7"	26ga	7.05
SL24826	8"	26ga	8.11
SL241426	14"	26ga	13.00
SL241626	16"	26ga	15.37
SL24624	6"	24ga	7.84
SL24824	8"	24ga	9.42
SL24924	9"	24ga	11.30
SL241024	10"	24ga	11.84
SL241224	12"	24ga	13.66

36" Galv Sheet Metal Snaplock Pipe



Part #	Size	Gauge	Price
SL361626	16"	26ga	31.17
SL361826	18"	26ga	39.14
SL362026	20"	26ga	47.08

60" Galv Sheet Metal Snaplock Pipe



Part #	Size	Gauge	Price
SL60330	3"	30ga	6.60
SL60430	4"	30ga	6.60

Galvanized Sheet Metal Pipe (Continued)

60" Galv Sheet Metal Snaplock Pipe

Part #	Size	Gauge	Price
SL60530	5"	30ga	7.26
SL60630	6"	30ga	7.26
SL60730	7"	30ga	10.30
SL60830	8"	30ga	11.94
SL60930	9"	30ga	14.94
SL601030	10"	30ga	16.90
SL601230	12"	30ga	20.30
SL601026	10"	26ga	21.70
SL601226	12"	26ga	24.98
SL601426	14"	26ga	30.39
SL601626	16"	26ga	41.48

Galvanized Sheet Metal Fittings

Galv Sheet Metal Adjustable 90° Elbow



Part #	Size	Gauge	Price
90330	3"	30ga	2.30
90430	4"	30ga	2.30
90530	5"	30ga	2.48
90630	6"	30ga	2.48
90730	7"	30ga	3.42
90830	8"	30ga	3.80
90930	9"	30ga	6.40
901030	10"	30ga	7.20
90328	3"	28ga	3.10
901228	12"	28ga	9.72
90326	3"	26ga	3.47
90426	4"	26ga	3.94
90526	5"	26ga	4.13
90626	6"	26ga	4.60
90826	8"	26ga	5.45
901026	10"	26ga	9.94
901226	12"	26ga	12.67
901426	14"	26ga	14.90
901626	16"	26ga	24.94
901826	18"	26ga	33.96
90624	6"	24ga	6.22
90724	7"	24ga	6.74

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Sheet Metal

**Galvanized Sheet Metal Fittings
(Continued)**

Galv Sheet Metal Adjustable 90° Elbow

Part #	Size	Gauge	Price
90824	8"	24ga	7.96
90924	9"	24ga	9.22
901024	10"	24ga	10.46
901224	12"	24ga	12.54

**Galv Sheet Metal Tee Joint
No Crimp, Crimp Outlet, Crimp Pipe End**

Part #	Size	Gauge	Price
5416	16"	26ga	79.16
5418	18"	26ga	102.18

Full Flow Tee

Part #	Size	Price
10603	3"	11.61
10604	4"	11.61
10605	5"	11.61
10606	6"	11.61
10607	7"	13.59
10608	8"	13.73
10609	9"	15.94
106010	10"	22.88
106012	12"	27.22
106014	14"	37.91

Cap - No Crimp



Part #	Size	Price
553NC	3"	5.11
554NC	4"	5.11
555NC	5"	5.11
556NC	6"	5.11
557NC	7"	5.55
558NC	8"	6.10
559NC	9"	6.47
5510NC	10"	9.75
5512NC	12"	10.62
5514NC	14"	16.98
5518NC	18"	28.57

Taper Reducer - 3-Piece - No Crimp



Part #	Size	Price
5843	4" x 3"	5.78
5853	5" x 3"	5.78
5854	5" x 4"	5.78
5863	6" x 3"	5.78
5864	6" x 4"	5.78
5865	6" x 5"	5.78
5875	7" x 5"	5.98
5876	7" x 6"	5.98
5885	8" x 5"	6.64
5886	8" x 6"	6.64
5887	8" x 7"	6.64
5896	9" x 6"	7.34
5897	9" x 7"	7.34
5898	9" x 8"	7.34
58106	10" x 6"	8.44
58107	10" x 7"	8.44
58108	10" x 8"	8.44
58109	10" x 9"	8.44
581210	12" x 10"	10.28
58148	14" x 8"	14.46
581410	14" x 10"	14.46
581412	14" x 12"	12.10
581612	16" x 12"	24.14
581614	16" x 14"	24.14
581816	18" x 16"	31.85

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Sheet Metal

Flue Wye - Crimp Inlet



Part #	Size	Price
52543	5" x 4" x 3"	18.59
52544	5" x 4" x 4"	18.59
52643	6" x 4" x 3"	18.59
52653	6" x 5" x 3"	18.59
52654	6" x 5" x 4"	18.59
52764	7" x 6" x 4"	18.59
52765	7" x 6" x 5"	18.59

Wye Branch



Part #	Size	Price
78755	7" x 5" x 5"	18.02
78866	8" x 6" x 6"	18.02
781088	10" x 8" x 8"	21.55

Plenums & Return Air Drops

Cold Air Drop

- Includes:
 - (1) Starting collar
 - (2) 30" Duct sections
 - (1) Return air plenum with 1" filter rack
 - (6) 10" Drive straps



Part #	Size	Price
810	20" x 10" - 20" x 16"	186.12
122225102516	25" x 10" - 25" x 16"	220.53
122425102514	25" x 10" - 25" x 14"	220.53

Adjustable Plenum Top



Part #	Size	Price
49T2020	20" x 20"	9.01
49T2424	24" x 24"	12.19

Adjustable Plenum Side



Part #	Size	Price
49P1636	16" x 36"	16.92
49P2036	20" x 36"	18.63
49P2436	24" x 36"	21.44
49P3036	30" x 36"	27.15

Takeoffs

Adjustable Round Angle Takeoff for Sheet Metal

Part #	Size	Price
63A5	5"	8.52
63A6	6"	8.12
63A7	7"	10.98
63A8	8"	12.32
63A10	10"	26.18

Adjustable Takeoff Round To Round Full Tab



Part #	Size	Price
EP1565	6" x 5"	6.32
EP1576	7" x 6"	5.20
EP1587	8" x 7"	7.78
EP1598	9" x 8"	9.16

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Sheet Metal

Air-Tite Takeoffs

Air-Tite Round Plain Takeoff



Part #	Size	Price
ATT6	6"	5.38
ATT8	8"	6.54
ATT.10	10"	10.74
ATT12	12"	10.74
ATT14	14"	12.53
ATT16	16"	14.97

Air-Tite Round to Round Self-Adhesive Duct Takeoff with Damper



Part #	Size	Price
ATD6	6"	9.06
ATD7	7"	9.80
ATD8	8"	11.14
ATD10	10"	15.63
ATD12	12"	19.32
ATD14	14"	20.71

Air-Tite Round to Round Duct Takeoff with Scoop & Damper



Part #	Size	Price
ATSD5	5"	13.36
ATSD6	6"	13.36
ATSD7	7"	15.14
ATSD8	8"	16.25
ATSD9	9"	19.53
ATSD10	10"	21.71
ATSD12	12"	30.93
ATSD14	14"	35.39
ATSD16	16"	39.62

Air-Tite Round Pipe Takeoff

Part #	Size	Price
ATTRP6	6"	6.52
ATTRP7	7"	8.68
ATTRP8	8"	7.84
ATTRP10	10"	13.36
ATTRP12	12"	14.03

Air-Tite Round Pipe Takeoff with Damper



Part #	Size	Price
ATDRP6	6"	14.58
ATDRP7	7"	15.98
ATDRP8	8"	16.96
ATDRP10	10"	20.77

Collars & Spin Fittings

Snap Collar - Fiberglass

Part #	Size	Price
122SC6	6"	2.34
122SC7	7"	2.74

Top Collar - Plain



Part #	Size	Price
10506	6"	1.83
10507	7"	2.08
10508	8"	2.27
105010	10"	3.73
105012	12"	4.35
105014	14"	4.93

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Sheet Metal

Top Collar - Crimped



Part #	Size	Price
10516	6"	1.83
10517	7"	2.08
10518	8"	2.27
105110	10"	3.73
105112	12"	4.35
105114	14"	4.93
105116	16"	6.36

Fiberglass Duct Board Collar without Damper



Part #	Size	Price
84ST5	5"	4.57
84ST6	6"	4.57
84ST7	7"	5.11
84ST8	8"	6.13
84ST10	10"	8.95
84ST12	12"	10.08
84ST14	14"	11.54
84ST16	16"	15.55

Long Tab Collars without Damper



Part #	Size	Price
11503	3"	2.01
11504	4"	1.90
11505	5"	1.90
11506	6"	1.90
11507	7"	2.16
11508	8"	2.48
11509	9"	3.87
115010	10"	4.05
115012	12"	4.38
115014	14"	6.83
115016	16"	9.79
115018	18"	14.43
115020	20"	22.09

Duct & Fittings

Trunk Duct - 4 Feet



Part #	Size	Price
TD4888	8" x 8"	15.88
TD48108	10" x 8"	17.06
TD481010	10" x 10"	24.54
TD48128	12" x 8"	18.36
TD481210	12" x 10"	25.27
TD48148	14" x 8"	20.84
TD481410	14" x 10"	28.27
TD48168	16" x 8"	23.24
TD481610	16" x 10"	31.12
TD48188	18" x 8"	26.08
TD481810	18" x 10"	35.72
TD48208	20" x 8"	27.40
TD482010	20" x 10"	36.92
TD48228	22" x 8"	30.72
TD482210	22" x 10"	37.91
TD48248	24" x 8"	32.60
TD482410	24" x 10"	43.68
TD482510	25" x 10"	46.23
TD48268	26" x 8"	43.68
TD48288	28" x 8"	46.22

Long Tab Collar with Damper



Part #	Size	Price
11496	6"	6.28
11497	7"	7.38
11498	8"	7.96
114910	10"	10.70
114914	14"	15.18

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Sheet Metal

Duct & Fittings (Continued)

Trunk Duct - 4 Feet

Part #	Size	Price
TD48308	30" x 8"	49.29

Trunk Duct - 5 Feet



Part #	Size	Price
TD6088	8" x 8"	19.84
TD60108	10" x 8"	21.32
TD60128	12" x 8"	22.96
TD60148	14" x 8"	26.04
TD60168	16" x 8"	29.06
TD60188	18" x 8"	32.60
TD60208	20" x 8"	34.26
TD60248	24" x 8"	40.74
TD602410	24" x 10"	54.60

Filter Rack



Part #	Size	Price
FR1425	14" x 25" x 1"	19.26
FR1620	16" x 20" x 1"	18.24
FR2020	20" x 20" x 1"	25.86
FR2025	25" x 25" x 1"	25.90

York Filter Frame Kits



Part #	Description	Price
1FF0110	1.5-3.5 Ton 1 Phase	66.00
1FF0114	1.5-3.5 Ton 1 Phase	66.00
1FF0112	4.0-5.0 Ton 1 Phase	93.00


Straight Starting Collar



Part #	Size	Price
2088	8" x 8"	7.60
20108	10" x 8"	8.37
20128	12" x 8"	8.47
20148	14" x 8"	8.58
20168	16" x 8"	10.88
20188	18" x 8"	11.87
20208	20" x 8"	12.78
202010	20" x 10"	15.86
20228	22" x 8"	14.79
20248	24" x 8"	15.41
202410	24" x 10"	20.83
202510	25" x 10"	21.28

HVAC

Offset Takeoff Collar



Part #	Size	Price
2388	8" x 8" - 8" x 10"	20.00
23108	10" x 8" - 10" x 10"	21.32
23128	12" x 8" - 12" x 10"	22.91
23148	14" x 8" - 14" x 10"	24.17
23168	16" x 8" - 16" x 10"	25.31
23188	18" x 8" - 18" x 10"	26.45
23208	20" x 8" - 20" x 10"	28.37
23228	22" x 8" - 22" x 10"	29.63
23248	24" x 8" - 24" x 10"	31.51

Transition Takeoff Collar Center



Part #	Plenum Size - Duct Size	Price
23AT188	10" x 15" - 18" x 8" Center	37.58
23AT208	10" x 16" - 20" x 8" Center	38.72
23AT248	10" x 20" - 24" x 8" Center	45.53
23AT308	30" x 8"	70.59

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Sheet Metal

90° Vertical (Shortway) Angle




Part #	Size	Price
16S88	8" x 8"	21.58
16S108	10" x 8"	23.12
16S128	12" x 8"	24.62
16S148	14" x 8"	26.15
16S168	16" x 8"	27.91
16S188	18" x 8"	31.23
16S208	20" x 8"	33.13
16S2210	22" x 10"	39.29
16S268	26" x 8"	40.14
16S288	28" x 8"	42.70
16S308	30" x 8"	42.94
16S2010	20" x 10"	44.06

45° Vertical Shortway Elbow



Part #	Size	Price
15S88	8" x 8"	17.20
15S128	12" x 8"	18.19
15S148	14" x 8"	19.80
15S168	16" x 8"	20.48
15S188	18" x 8"	22.28
15S208	20" x 8"	24.25
15S228	22" x 8"	27.50
15S248	24" x 8"	29.66

90° Horizontal Longway Elbow



Part #	Size	Price
14S88	8" x 8"	22.54
14S108	10" x 8"	25.12
14S128	12" x 8"	26.48
14S148	14" x 8"	28.20
14S168	16" x 8"	30.28
14S188	18" x 8"	32.58
14S208	20" x 8"	35.13
14S228	22" x 8"	38.89
14S248	24" x 8"	45.03
14S268	26" x 8"	52.77
14S288	28" x 8"	59.13
14S1810	18" x 10"	47.00
14S2010	20" x 10"	63.35

45° Horizontal (Longway) Angle



Part #	Size	Price
13S88	8" x 8"	17.46
13S108	10" x 8"	18.15
13S128	12" x 8"	19.80
13S148	14" x 8"	21.11
13S168	16" x 8"	22.86
13S188	18" x 8"	24.62
13S208	20" x 8"	26.84
13S228	22" x 8"	28.82
13S248	24" x 8"	30.71

Duct End Cap



Part #	Size	Price
2188	8" x 8"	4.42
21108	10" x 8"	4.46
21128	12" x 8"	4.53
21148	14" x 8"	4.96
21168	16" x 8"	5.30

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC


Sheet Metal

Duct & Fittings (Continued)

Duct End Cap

Part #	Size	Price
21188	18" x 8"	5.69
21208	20" x 8"	6.03
21228	22" x 8"	6.86
21248	24" x 8"	7.38
21288	28" x 8"	9.39
21308	30" x 8"	11.43
211010	10" x 10"	5.75
211210	12" x 10"	6.08
212010	20" x 10"	7.83
212210	22" x 10"	8.36
212410	24" x 10"	9.74
212510	25" x 10"	13.94

Increaser or Reducer Straight Side



Part #	Size	Price
110210888	10" x 8" - 8" x 8"	35.31
110212888	12" x 8" - 8" x 8"	37.87
1102128108	12" x 8" - 10" x 8"	37.87
1102148108	14" x 8" - 10" x 8"	41.10
1102148128	14" x 8" - 12" x 8"	41.10
1102168108	16" x 8" - 10" x 8"	42.68
1102168128	16" x 8" - 12" x 8"	42.68
1102168148	16" x 8" - 14" x 8"	42.68
1102188148	18" x 8" - 14" x 8"	47.59
1102208148	20" x 8" - 14" x 8"	50.88
17208	20" x 8" - 16" x 8"	50.88
1102228188	22" x 8" - 18" x 8"	54.76
1102248208	24" x 8" - 20" x 8"	59.13
1102248228	24" x 8" - 22" x 8"	59.13
1102308248	30" x 8" - 24" x 8"	73.94
1102308268	30" x 8" - 26" x 8"	73.94

Note: Priced on larger end.

Duct Adapter



Part #	Size	Price
352	2"	7.91
110184	4"	8.59
110186	6"	9.23

Joist Panning



Part #	Size Material	Joists		Price
10541735	17"x35"	Single	Galv	5.88
10553235	32"x35"	Double	Galv	11.80

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com


Sheet Metal

Drive Cleat



Part #	Size	Price
11138	8"	0.62
8D60	60"	2.26

Stack End Cap



Part #	Size	Price
WS21310	3-1/4" x 10"	5.42
WS21312	3-1/4" x 12"	6.15
WS21314	3-1/4" x 14"	6.97

S-Cleat




Part #	Size	Price
6S60	60"	2.48

Horizontal 90° Longway Elbow



Part #	Size	Price
WS14310	3-1/4" x 10"	17.41
WS14312	3-1/4" x 12"	18.29

Rigid "S" Clip



Part #	Size	Price
1356026	1"	5.94

Vertical 45° Shortway Angle



Part #	Size	Price
WS15310	3-1/4" x 10"	9.41
WS15314	3-1/4" x 14"	11.58

Wall Stack Boots & Fittings

24" Wall Stack



Part #	Size	Price
WSJ24310	3-1/4" x 10"	11.33
WSJ24312	3-1/4" x 12"	12.11
WSJ24314	3-1/4" x 14"	14.26

Vertical 90° Shortway Elbow



Part #	Size	Price
WS16310	3-1/4"x10"	12.35
WS16312	3-1/4"x12"	13.78
WS16314	3-1/4" x 14"	15.54

60" Wall Stack

Part #	Size	Price
WSJ60310	3-1/4" x 10"	28.30
WSJ60312	3-1/4" x 12"	30.30
WSJ60314	3-1/4" x 14"	35.58

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Sheet Metal

Straight Stack Boot



Part #	Size	Price
273106	3-1/4" x 10" - 6"	7.74
273126	3-1/4" x 12" - 6"	7.74
273127	3-1/4" x 12" - 7"	10.44
273148	3-1/4" x 14" - 8"	13.51

Straight Back Register Boot



Part #	Size	Price
27R2104	2-1/4" x 10" - 4"	5.34
27R2105	2-1/4" x 10" - 5"	5.40
27R2106	2-1/4" x 10" - 6"	5.40
27R2126	2-1/4" x 12" - 6"	4.86
27R2146	2-1/4" x 14" - 6"	6.02
27R4104	4" x 10" - 4"	5.40
27R4105	4" x 10" - 5"	5.40
27R4106	4" x 10" - 6"	4.86
27R4107	4" x 10" - 7"	5.10
27R4126	4" x 12" - 6"	5.02
51P4126	4" x 12" - 6" w/ 24 Base	9.46
27R4127	4" x 12" - 7"	5.24
51P4127	4" x 12" - 7" W/24 Base	9.46
27R4128	4" x 12" - 8"	5.24
27R4147	4" x 14" - 7"	6.02
27R4148	4" x 14" - 8"	6.02
27R6106	6" x 10" - 6"	5.64
51P6106	6" x 10" - 6" w/ 24 Base	9.46
27R6107	6" x 10" - 7"	5.82
27R6108	6" x 10" - 8"	5.82
27R6126	6" x 12" - 6"	5.82
27R6127	6" x 12" - 7"	5.82
51P6127	6" x 12" - 7" w/ 24 Base	11.87
27R6128	6" x 12" - 8"	5.82
27R6147	6" x 14" - 7"	6.44
27R6148	6" x 14" - 8"	6.44

Stack Boot 90° Elbow




Part #	Size	Price
243106	3-1/4" x 10" - 6"	7.74
243127	3-1/4" x 12" - 7"	10.44
243148	3-1/4" x 14" - 8"	13.51

Stack Boot Center End



Part #	Size	Price
283106	3-1/4" x 10" - 6"	7.74
283127	3-1/4" x 12" - 7"	10.44
283148	3-1/4" x 14" - 8"	13.51

Short Throat Stackhead



Part #	Size	Price
WS10X3106	3-1/4" x 10" to 6" x 10"	19.32
WS10X3126	3-1/4" x 12" to 6" x 12"	20.29
WS10X3146	3-1/4" x 14" to 6" x 14"	22.95

Register Boot 90° Elbow



Part #	Size	Price
24R2104	2-1/4" x 10" - 4"	5.34
24R2105	2-1/4" x 10" - 5"	5.40
24R2106	2-1/4" x 10" - 6"	5.40
24R2126	2-1/4" x 12" - 6"	4.86
24R2146	2-1/4" x 14" - 6"	6.02
24R4104	4" x 10" - 4"	5.40
24R4105	4" x 10" - 5"	5.40

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Sheet Metal

Wall Stack Boots & Fittings (Continued)

Register Boot 90° Elbow

Part #	Size	Price
24R4106	4" x 10" - 6"	4.86
24R4107	4" x 10" - 7"	5.10
24R4126	4" x 12" - 6"	5.02
24R4127	4" x 12" - 7"	5.24
24R4128	4" x 12" - 8"	5.24
24R4147	4" x 14" - 7"	6.02
24R4148	4" x 14" - 8"	6.02
24R6106	6" x 10" - 6"	5.72
24R6107	6" x 10" - 7"	7.28
24R6108	6" x 10" - 8"	5.94
24R6126	6" x 12" - 6"	6.00
24R6127	6" x 12" - 7"	6.00
24R6128	6" x 12" - 8"	6.00
24R6148	6" x 14" - 8"	6.44

Register End Boot - Center




Part #	Size	Price
28R2104	2-1/4" x 10" - 4"	5.62
28R2105	2-1/4" x 10" - 5"	5.66
28R2106	2-1/4" x 10" - 6"	5.66
28R2126	2-1/4" x 12" - 6"	5.02
28R4104	4" x 10" - 4"	5.66
28R4105	4" x 10" - 5"	5.66
28R4106	4" x 10" - 6"	5.02
28R4107	4" x 10" - 7"	5.50
28R4126	4" x 12" - 6"	5.46
28R4127	4" x 12" - 7"	5.98
28R4128	4" x 12" - 8"	5.98
28R4147	4" x 14" - 7"	6.22
28R4148	4" x 14" - 8"	6.22
28R6106	6" x 10" - 6"	6.04
28R6107	6" x 10" - 7"	6.22
28R6108	6" x 10" - 8"	6.22
28R6126	6" x 12" - 6"	6.22
28R6127	6" x 12" - 7"	6.22
28R6128	6" x 12" - 8"	6.22
28R6148	6" x 14" - 8"	8.16

Return Air Frame



Part #	Size	Price
31146	14" x 6"	4.56
31148	14" x 8"	4.56
31246	24" x 6"	4.56
31248	24" x 8"	10.68
31306	30" x 6"	4.56
31308	30" x 8"	4.56

Plaster Frame



Part #	Size	Price
110660	1/2" x 2-1/4" x 5'	7.75
31PF410	4" x 10"	4.56
31PF412	4" x 12"	4.56
31PF610	6" x 10"	4.56
31PF612	6" x 12"	4.56
31PF614	6" x 14"	6.86

Square To Round Diffuser Outlet



Part #	Size	Price
51P666	6" x 6" - 6"	9.46

90° Boot with Plaster Frame



Part #	Size	Price
59P4126	4" x 12" x 6"	10.67
59P4127	4" x 12" x 7"	10.67
59P6106	6" x 10" x 6"	10.67
59P6127	6" x 12" x 7"	12.74
59P6148	6" x 14" x 8"	12.74


Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Sheet Metal

Dampers
Round Damper



Part #	Size	Price
44S4	4"	2.57
44S5	5"	2.57
44S6	6"	2.68
44S7	7"	3.31
44S8	8"	4.40

Round Damper with Handle



Part #	Size	Price
44-19	9"	7.25
44-110	10"	7.86
44-112	12"	9.06

Round Damper Two Quad



Part #	Size	Price
4410	10"	10.28
4412	12"	12.06

Roof Products
Galvanized Rain Cap



Part #	Size	Price
993	3"	7.84
994	4"	8.06
995	5"	8.10
996	6"	8.13

Galvanized Oval Pipe & Fittings



Button Lock Pipe

Part #	Size	Price
1006	6" x 100"	15.89
1007	7" x 100"	21.36

60" Jt Oval Pipe

Part #	Size	Price
1605	5"	12.85
1606	6"	14.24
1607	7"	18.10

4-Piece Flat 90° Elbow



Part #	Size	Price
1145	5"	7.26
1146	6"	8.06
1147	7"	12.05

3-Piece Flat 45° Angle



Part #	Size	Price
1135	5"	4.46
1136	6"	5.00
1137	7"	8.31

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Sheet Metal

1-Piece Vertical 90° Elbow



Part #	Size	Price
1165	5"	4.13
1166	6"	4.53
1167	7"	6.91

Round To Oval Straight Boot



Part #	Size	Price
1275	5" to 5"	9.79
1276	6" to 6"	9.79
1277	7" to 7"	10.67

1-Piece Vertical 45° Angle



Part #	Size	Price
1155	5"	4.03
1156	6"	4.44
1157	7"	6.26

Round To Oval End Boot



Part #	Size	Price
1066	6"	19.93

Oval Stack Head



Part #	Size	Price
1101065	10" x 6" - 5"	7.30
1101066	10" x 6" - 6"	7.30
1101067	10" x 6" - 7"	10.91
1101267	12" x 6" - 7"	11.92

90° Round To Oval Boot



Part #	Size	Price
1245	5"	9.79
1246	6"	9.79
1247	7"	10.67

FREEDOM STEEL
SOLID DESIGN WITH STRENGTH IN MIND

Galvanized Sheets - G60 Coating



Part #	Gauge	Size	Price
SH369628G60	28	36" x 96"	21.50
SH369626G60	26	36" x 96"	26.80
SH369624G60	24	36" x 96"	21.70
SH4812028G60	28	48" x 120"	26.70

Galvanized Sheets - G90 Coating



Part #	Gauge	Size	Price
SH4812026G90	26	48" x 120"	31.90
SH4812024G90	24	48" x 120"	38.40
SH4812022G90	22	48" x 120"	46.35
SH4812020G90	20	48" x 120"	53.50

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Flex Duct

Ductboard Triangles

- 1" Thick ductboard
 - Available taped or knocked down
-  **ATCO Rubber Products, Inc.**

Part #	Description	Price
KDT121212	12" x 12" x 12" Knock Down	22.18

Sheet Metal Reducer - Knocked Down

Part #	Description	Price
KDRED1513	15" x 15" - 15" x 13" Knocked Down	39.42

Flexible Duct Connectors

Junior Connector

- 1-3/4" Metal, 3" fabric, 1-3/4" metal
- 28 Gauge galvanized
- Guard Loc seam
- 100' Roll



Part #	Item #	Description	Price
DU10169	JBX-100	Black Excelon®	140.70

Duct Strap - Galvanized Metallic - Roll



Part #	Description	Price
710-003	30ga 1-1/2" x 100', Boxed	40.07

Duct Hanger Strap

Part #	Description	Price
111510	10" Strap	0.77

Hanging Wire

- 18 Gauge galvanized on reel



Part #	Description	Price
710-185G	5# (830') Hanging Wire	37.85

HVAC



Duct Hangers

Duct Strap - Woven Polypropylene

- Webbed, high tensile, abrasion and chemical resistant
- Use for flex duct



Part #	Description	Color	Price
710-100	1-3/4" x 100 yd Roll	Black	11.80
710-102	3" x 100 yd Roll	Black	12.30
710-101	1-3/4" x 100 yd Roll	Silver	13.56
710-103	3" x 100 yd Roll	Silver	32.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Smoke Detectors and Alarms

Smoke Detectors

Firex® 2650-660 Series Duct Mounted Smoke Detector

- High temperature design rated to 155°F
- Alerts when dirty
- One horn/strobe operated by up to 15 detectors
- 9"H x 7"W x 2.25"D



Part #	Description	Price
2650-660	Ionization Model	156.58

Duct Smoke Detector Accessories



0544

Part #	Description	Price
UN0537	Remote Alarm LED 0537	33.80
UN0538	Remote Alarm LED (Red), Key Operated Test/Reset Switch	48.32
MS-RH/KA /P/A/T	Remote Alarm Horn, Key Operated	80.54
UN0547	Remote Horn/Strobe, Wht Housing, Clear Cover	144.56

Duct Smoke Alarm Sampling Tubes



0532

Part #	Description	Price
UN0532	Sampling Tube for 6" to 2.5' Duct Widths	9.66
UN0534	Sampling Tube for 5.0" to 10.0" Duct Widths	19.34

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Test Equipment

Super Temperature Pressure Clamp

- Intelligent temperature clamp
- (3) Tools in one
 - Temperature (pipe)
 - Temperature and relative pressure
 - PT Chart (database programmed with 65 refrigerants)
- Battery operated
- Auto shut-off
- Set-up and change refrigerants in seconds
- Side magnets attach the clamp to any metal surface
- Great for superheat/subcool calculations
- Easily clamps to 3/8" to 1-1/8" tube




Part #	Description	Price
SC8000	Super Temp Clamp	79.95



Thermometers

Digital Pocket Thermometer



Part #	Description	Price
MA-PDT392B	Temp -40°F to +392°F High/Low Temp Recall, Water Resistant	15.10

Pocket Thermometer


- 1" Diameter dial with 5" stems
- Adjustable for recalibration
- 1% Accuracy full scale
- Stainless steel construction, polycarbonate crystal



Part #	Description	Price
TD-1	0° to +220°F	8.59
TD-2	-40° to +160°F	8.58

Digital Stem Thermometer with 180° Rotating Head Design

- Temperature range
- On/Off switch or will automatically shut off after 10 minutes
- Complete with battery




Part #	Description	Price
MA-RT340	-58° to 302°F	14.50

Meters

Analog Clamp-On Meter


- Features:
 - AC Current
 - AC Voltage
 - DC Voltage
 - Resistance
 - Temperature
 - CAT II
- Carrying case and leads included
- Temperature range: -4°F to 300°F (-20°C to 150°C)
- (5) Functions



Part #	Description	Price
MA-12823	Analog Clamp On Meter with Case and Leads	50.94

Economy Mini Digital Multimeter With Rubber Boot

- Compact design
- Manual ranging
- 3-1/2" digit, 2000 count display
- CAT II
- 1 Year limited warranty



Part #	Size	Price
MA-DM1	5-1/2" x 3-1/4"	13.77

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Test Equipment

Digital Multimeter with Temperature


- Mechanical doors to prevent wrong hook-up
- Temperature range -58° to 2498°F
- Auto-off
- Backlight
- 3-1/2" Digital display
- Data hold
- Type K thermocouple
- Audible continuity
- Includes Case
- 1-Year limited warranty



Part #	Size	Price
MA-12817	7-3/4" L x 3-1/2" W	69.79

Auto Ranging Multimeter


- AC/DC Selecting button
- AC/DC Voltage and current
- Audible continuity
- Temperature °F/°C
- Capacitance
- Range control feature
- Fold out stand
- Power switch
- Relative zero button
- Range control button
- Resistance
- Continuity
- (4) Input jacks
- Frequency current



Part #	Description	Price
MA-12812	Case & Battery Included	62.59

AC/DC Digital Multimeter with Auto Selection

- Features:
 - Resistance
 - Duty cycle
 - Frequency
 - Capacitance
- Diode check and continuity test
- Auto/manual ranging
- 6000 Count LCD
- Data hold, MAX, MIN
- Auto power off
- Includes test leads, 9V battery, manual and soft case
- CAT III 600V, CAT II 1000V



Part #	Description	Price
MA-12837	AC/DC Digital Multi-Meter w/Auto Selection	58.36

Test Leads



Part #	Description	Price
MA05031-2	10-Wire, 18"L, Low Voltage w/Alligator Clips: White, Red, Black, Yellow, & Green Wire	8.13

Electrical Testers

Low Voltage Detector & LED Flashlight

- Non-contact detection of AC Voltage from 24 to 1000 VAC
- Double molded case
- Suitable for outlets or against wire insulation testing
- Flashing red LED light indicator and audible beeper
- Built-in, bright LED flashlight with on/off button
- For use on 50/60Hz circuits
- Includes 2 AAA batteries




Part #	Description	Price
MA-49858	Convenient Size with Pocket Clip	16.07

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Test Equipment

Carbon Monoxide Detector



MA-12830

Part #	Description	Price
MA12830A	Portable LCD Display With Case	200.25



Digital Multimeters

DM384 Multimeter

- 750 volts AC & 1000 volts DC
- 10 amps AC & DC
- Resistance to 40 Megohms
- Diode check function
- Continuity
- Frequency to 40 Megahertz
- Capacitance to 40,000 microfarad
- Resistance to 40 Megohms
- Autoranging
- Analog bar graph
- CE listed CAT III
- Includes test leads, rubber boot, 9V battery & fuses
- 5 year limited warranty



Part #	Description	Price
DM384	Full-Sized Multimeter	106.04

DM393 True RMS Multimeter

- All inputs, ranges and functions protected to 1000 V CAT III
- Access to battery and fuses without breaking calibration seals
- True RMS AC volts and amps
- Measures:
 - Temperature from -40° to 2372°F
 - Capacitance from 40nF to 100 microfarad
 - Frequency to 10 Megahertz/duty cycle
 - Resistance to 40 Megohms
 - 1000V AC & DC
 - 10 amps AC & DC
 - Continuity
 - Diode bias
- 4000 Count backlit display
- Data hold and relative mode
- Ruggedized
- Autoranging
- Analog bar graph
- 5-Year limited warranty



HVAC

Part #	Description	Price
DM393	True RMS Digital Multimeter	153.42

DCM3 Digital Capacitance Meter

- (9) Ranges
- Zero adjustment
- Over Range indicator
- Polarity indicator
- Quick display refresh rate
- Fuse protected input
- Includes test leads and 9V battery
- 1-Year warranty



Part #	Description	Price
DCM3	Digital Capacitance Meter	58.95

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Test Equipment

Clamp-On Digital Multimeters

DL379 G2 Phoenix Pro Clamp-On Multimeter

- Dual display & low battery display lock
- Test lead storage & holder on clamp head
- Auto off
- Input jack lock
- Detachable clamp head
- Work light
- Magnetic mount
- User temperature calibration
- EasyView high contrast backlit display
- Compatible with common industry accessories heads
- Safety compliance CAT III 600V, CAT II 1000V
- Includes:
 - Test leads
 - K-Type probe (no adapter required)
 - Zippered case
 - (2) AAA Batteries
- 3-Year limited warranty



Part #	Description	Price
DL379	11 Functions Including -40° to 752°F Temperature (K-Type)	124.95

DL389 G2 Phoenix Pro+ Clamp-On Multimeter

- Dual display & low battery display lock
- Test lead storage & holder on clamp head
- Auto off
- Input jack lock
- Detachable clamp head
- Work light
- Magnetic mount
- User temperature calibration
- EasyView high contrast backlit display
- Compatible with common industry accessories heads
- Safety compliance CAT III 600V, CAT II 1000V
- Includes:
 - Test leads
 - K-Type probe (no adapter required)
 - Zippered case
 - (2) AAA Batteries
- 3-Year limited warranty



DL389 Kit

Part #	Description	Price
DL389	12 Functions Including TRUE-RMS (AC Volts & Amps)	159.95
DL389KIT	12 Functions with CH3 Clamp Hook	189.95

CH3 G2 Phoenix Hook Extended Clamp Head

- Measures 100A AC (1/4" wire diameter maximum)
- Non-contact voltage in tip
- Features a work light for dark work spaces
- Patented virtual closed core accuracy
- Works exclusively with the PRO and PRO+ multimeters
- Works exclusively with the Phoenix clamp meter series
- 3-Year limited warranty



Part #	Description	Price
CH3	G2 Phoenix Hook Extended Clamp Head	25.95

Clamp-On Meters

MCP9A Analog Clamp Meter

- (9) Ranges
- A/C amp ranges up to 300A
- Check line voltages and control circuits with 150,300, & 600 AC Volt ranges
- Resistance to 1000 ohms
- Color-coded, high res scale-plate
- Pointer-lock switch (data hold)
- 3-Year limited warranty



Part #	Description	Price
MCP9A	1-1/2" Jaw Capacity	69.95

Infrared Thermometers

INF155 Scout I Infrared Thermometer

- 10:1 Distance to spot ratio
- Maximum only, max value capture
- 60 Second hold
- Auto off
- 0.95 Fixed emissivity
- Auto shut-off at 15 seconds idle
- Backlit display
- Over-molded handle with comfort grip
- Low battery indicator
- Holster & carrying case
- 3-Year warranty



Part #	Description	Price
INF165	-58° to 750°F Range	70.95

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Test Equipment

Thermometers

PDT550 Digital Pen Type Thermometer

- Waterproof
- Built-in magnetic mount
- Records MIN/MAX temperatures
- Data hold
- Auto power off
- Easy access battery compartment
- Enhanced accuracy of digital circuitry
- Includes battery & multipurpose probe
- 3-Year limited warranty



Part #	Description	Price
PDT550	-58° to 572°F Range	19.95

Pocket Dial Thermometer

- Recalibration nut
- Plastic watertight magnifying lens
- Stainless steel construction
- +/-1 division accuracy, 2° per division
- Includes a pocket clip sheath
- 1-Year limited warranty



Part #	Description	Price
T220	0° to +220°F Range, 1" Dial	4.07

Psychrometers

DTH31 Digital Psychrometer - Pocket-Sized

- Monitors three parameters simultaneously:
 - Wet bulb temperature
 - Ambient temperature
 - Dew point
 - Relative Humidity (RH) from 0% to 100%
- Switchable temperature:
 - 4° to 122°F or -20° to 50°C
- MIN/MAX
- Data hold
- 1-Year limited warranty



Part #	Description	Price
DTH31	Triple Display & Sensor Cap	102.95

Leak Detectors

CD100A Combustible Gas Leak Detector

- Long 18" gooseneck for hard to reach areas
- Tip light in sensor cap illuminates search area
- Probe cage protects sensor
- Audio and visual tic rate fully adjustable
- Headphone jack
- Includes:
 - Sensor and cap
 - 9V Battery
- 1-Year limited warranty



Part #	Description	Price
CD100A	50 ppm Minimum Detection	187.95

RLD10 Refrigerant Leak Detector

- Sensitive to .5oz per year R134A
- Automatically detects all existing halogenated refrigerants & blends
- Two position sensitivity selector
- Audible tick & visual indicators identify refrigerant leak rate
- Auto zeros when turned on
- 18-1/2" long gooseneck probe
- Includes sensor tip, tip guard, 9V battery
- 1-Year limited warranty



Part #	Description	Price
RLD10	Refrigerant Leak	172.95

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com



Test Equipment

Manometers

EM151 Digital Electronic Manometer

- Single input measurement to ± 20 " wg
- Integral protective boot w/magnet
- Simple two-button operation
- Measures in inches water gauge and Mbar
- Automatic after 5 minutes of inactivity & manual power-off
- Includes:
 - (1) Pressure tubes with brass fitting connector
 - (1) Std 9V battery
 - Manual
- 1-Year limited warranty



Part #	Description	Price
EM151	Single Input Electronic Manometer	108.95

Pipe Clamp Adapters

ATTPC2 Pipe Clamp Adapter

- Works with any meter using K-type thermocouple inputs
- Measures 1/4" to 1-1/2" pipe
- Probe is thermally isolated from ambient temperatures for accuracy
- One year limited warranty



Part #	Description	Price
ATTPC2	Quick Clamp Adapter	51.45

Airflow Meters

DAFM3 Digital Air Flow Meter

- Measures:
 - Temperature from -4 to 140°F
 - Air velocity from 1 to 114 ft/s
 - Relative humidity
- Calculates:
 - Dew point from -50 to 158°F
 - Wet bulb from -7.6 to 158°F
 - Volume from 0 to 99,999 CFM
- Protective twist cap
- Large LCD digital display
- Professional remote vane
- Powered by (4) AAA batteries
- Includes 9V battery, carrying case, manual
- 1-Year limited warranty



Part #	Description	Price
DAFM3	Temperature & Air-Flow Meter w/Case	205.95

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Bath Fans

Bath Fans

Deluxe Ceiling/Wall Fan

- 3" Round duct connector
- 9" x 9-1/4" White polymeric grille
- Torsion spring grille mounting
- Double strength mounting flanges with keyhole slots
- UL Listed for showers and baths with GFCI-protected branch circuit
- Housing dimensions: 3-5/8"H x 7-1/2"W x 7-1/4"D



Part #	CFM	Sones	Area	Price
BR671	70	6.0	65 sq ft	59.46

Economy Ceiling/Wall Fan

- 3" Round duct connector
- 9" x 9-1/4" White polymeric grille
- Torsion spring grille mounting
- Double strength mounting flanges with keyhole slots
- UL Listed for showers and baths with GFCI-protected branch circuit
- Housing dimensions: 3-5/8"H x 7-1/2"W x 7-1/4"D



Part #	CFM	Sones	Area	Price
BR688	50	4.0	45 sq ft	45.18

Combination Bath Fans

Economy Fan/Light

- 4" Round duct connector
- White polymeric grille
- 100W Incandescent light capacity or 13W double twin-tube fluorescent lights (bulbs not included)
- UL Listed for use over bathtubs and shower when connected to a GCFI-protected branch circuit
- Type IC (Insulation contact)
- Mounting ears
- Housing dimensions: 5-3/4"H x 8-1/4"W x 8"D



Part #	CFM	Sones	Area	Price
BR678	50	2.5	45 sq ft	97.30

Ultra Silent™ Fan/Light

- Nearly silent operation
- 4" Round duct connector
- White polymeric grille
- 100W Incandescent lamp (not included)
- UL Listed for use over tub or shower when installed in GFCI protected branch circuit
- Fits 2" x 8" ceiling construction



Part #	CFM	Sones	Area	Price
QTRN080L	80	1.0	75 sq ft	350.00



WhisperGreen-Lite™ Ventilating Fans

Single-Speed

- Built-in intelligence allows fan CFM regardless of elbows and other factors that might hinder performance
- Electronic ballast technology with (2) Energy-Star® qualified 18W compact, flicker-free fluorescent lamps and a 4W night-light
- Built-in damper to prevent backdraft



Part #	CFM	Sones	Price
FV08VKL1	80	<0.3	382.00

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC Ventilation

Booster Fans

- Hard to heat or cool rooms
- Installs in branch duct
- 120V



Part #	Description	CFM	Price
625-AF6	6" Draft Booster	240	59.67
625-AF8	8" Draft Booster	420	75.70

Fresh Air Ventilation

FAS-1 Fresh Air System™

- Fresh Air System™ includes:
 - Fresh air programmable control for central system fan, featuring fan/vent on and off delay settings, 1-199 minutes in 1 minute increments, unlimited setting for on and off
 - Fresh air damper, stainless steel to fit 6" duct/pipe size, power open/close in 15 seconds



Part #	Description	Price
FAS-6	24V Fresh Air System	394.01



Draft Controls

Type MG-1 Draft Controls

Double-Acting for Gas Furnaces & Boilers

- Widely used for conversion burner installations, gas draft-induced appliance operation with mechanical draft inducers or sidewall power venters
- Recommended for use on gas atmospheric appliances where a draft hood cannot be installed and can improve combustion stability and draft on many gas atmospheric installations with venting problems
- Precise, accurate control of drafts at levels higher than std draft diverter
- Since it is double acting, it opens out to relieve positive vent system pressures as low as .01"
- Draft adjustments using weights are simple & accurate from .01" - .1"



Part #	Control Size	Nom Capacity Sq In	Recommend Pipe Diameter	Price
FIMG18	8"	50.3	7" - 8"	99.72

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com


HVAC

Thermostats

Temporary Construction Thermostats

Temp-Stat™ Cooling Thermostat

- Low cost, non-adjustable, temporary construction thermostat preset to a given temperature



Part #	Description	Price
CL-70	Cooling Only, Preset to 70°	10.50

Temporary Heating Thermostat

- Install in place of standard thermostat during construction
- Sturdy enclosure protects switch from drywall dust, paint and mudding
- Tamper-proof design prevents temperature adjustment
- Can be reused from job to job



Part #	Description	Price
BR165	Maintains Heating Temp Set Point at 65°F	5.71

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Thermostats

Thermostats

500 Series Mechanical Thermostat

- 24 Volt AC gas, oil, electric and millivolt compatible
- megaswitch® Magnetic switch technology
- Environmentally safe - mercury-free
- Integrated subbase
- Front-mount, plated wiring terminals
- Separate O & B terminals on 500
- Heavy-duty heat anticipator
- Front mounted wiring terminals
- 1-Year limited warranty



Part #	Stages	Programs	Power Source	Terminal Designations	Price
BR500	1 Heat/1 Cool	N/A	Hardwired	O, G, Rc, Rh, B, Y, W	16.24
BR505	Heat Only	N/A	Hardwired	Rh, W	14.26

1000/1200 Builder Series Non-Programmable Thermostat

- Compatible with gas, oil, electric, heat pump or millivolt heating systems
- Cover with quick reference user instructions
- Bright blue backlit display
- Adjustable temperature limits
- Easy access front battery door
- Hardwired or battery powered
- Non-volatile memory retains user settings
- Separate O and B terminals
- Compressor short-cycle protection
- Separate heating and cooling set point temperatures
- Low battery indication
- ESD Guard™ electronic circuitry
- Front access reset button
- F° / C° Switch
- Gas/electric fan switch
- Mount to horizontal box



1000, 1200



1000NC, 1200NC

1000 Series Single-Stage Heat/Cool Conventional or Heat Pump Thermostat

- Single-stage heat/cool conventional or heat pump
- Adjustable 1st and 2nd stage temperature differential
- 5-Year limited warranty



Part #	Stages	Programs	Power Source	Terminal Designations	Price
BR1020	1 Heat/1 Cool	N/A	Battery/Hardwired	Rc, Rh, W, Y, G, O, B, C	31.69

1000NC Builder Series Economy Thermostat

- Single-stage conventional or heat pump system control
- 2-Year limited warranty



Part #	Stages	Programs	Power Source	Terminal Designations	Price
BR1000NC	1 Heat/1 Cool	N/A	Battery/Hardwired	Rc, Rh, W, Y, G, O, B, C	28.42

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Thermostats

1200 Builder Series Thermostat

- Multi-stage conventional or heat pump system control
- Adjustable 1st and 2nd stage temperature differential
- 5-Year limited warranty



Part #	Stages	Programs	Power Source	Terminal Designations	Price
BR1220	2 Heat/1 Cool	N/A	Battery/Hardwired	R, E/W1, W2, Y, G, O, B, C	43.58

1200NC Builder Series Economy Thermostat

- Multi-stage conventional or heat pump system control
- Auxiliary heat indicator
- Emergency heat switch
- 2-Year limited warranty



Part #	Stages	Programs	Power Source	Terminal Designations	Price
BR1220NC	2 Heat/1 Cool	N/A	Battery/Hardwired	R, E/W1, W2, Y, G, O, B, C	38.26

2000 Builder Series Thermostat

- Compatible with gas, oil, electric, heat pump or millivolt heating systems
- 5-2 Day separate weekday/weekend programming
- Cover with quick reference user instructions
- Bright blue backlit display
- Adjustable temperature limits
- Easy access front battery door
- Hardwired or battery powered
- Non-volatile memory retains user settings
- Separate O and B terminals
- Compressor short-cycle protection
- Separate heating and cooling set point times and temperatures
- Low battery indication
- ESD Guard™ electronic circuitry
- Front access reset button
- F° / C° Switch
- Gas/electric fan switch
- Mount to horizontal box
- Filter check monitor
- Adaptive recovery mode (ARM™)
- Temporary program override
- Programmable extended hold mode
- Meets California Title 24 guidelines



2000 Series Programmable Thermostat

- Single-stage heat/cool
- Meets California Title 24 guidelines
- 5-Year limited warranty



Part #	Stages	Programs	Power Source	Terminal Designations	Price
BR2020	1 Heat/1 Cool	5+2	Battery/Hardwired	Rc, Rh, W, Y, G, O, B, C	38.03

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Thermostats

2000NC Series Non-Programmable Economy Thermostat

- Up to 2-heat / 1-cool conventional or heat pump
- Meets Energy Aware® guidelines
- 2-Year limited warranty



Part #	Stages	Programs	Power Source	Terminal Designations	Price
BR2020NC	1 Heat/1 Cool	5+2	Battery/Hardwired	Rc, Rh, W, Y, G, O, B, C	33.28

3000/3200 Premier Builder Series Non-Programmable Thermostat

- Cover with quick reference user instructions
- Bright blue backlit display
- Adjustable temperature limits
- Easy access front battery door
- Hardwired or battery powered
- Non-volatile memory retains user settings
- Separate O and B terminals
- Compressor short-cycle protection
- Separate heating and cooling set point temperatures
- Low battery indication
- ESD Guard™ electronic circuitry
- F° / C° Switch
- Mount to horizontal box
- Circulating fan mode
- Residual cooling fan delay
- Keypad lockout



3000 Series Non-Programmable Thermostat

- Single-stage heat/cool
- Adjustable temperature differential
- Gas / electric fan switch
- Low temperature “freeze” protection



Part #	Stages	Programs	Power Source	Terminal Designations	Price
BR3020	1 Heat/1 Cool	N/A	Battery/Hardwired	Rc, Rh, W, Y, G, O, B, C	46.52

3200 Series Non-Programmable Thermostat

- Multi-stage, 2-heat / 2-cool conventional or heat pump
- Adjustable 1st and 2nd stage temperature differential
- Auxiliary heat fossil fuel switch
- Front access reset button
- 5-Year limited warranty



Part #	Stages	Programs	Power Source	Terminal Designations	Price
BR3220	2 Heat/2 Cool	N/A	Battery/Hardwired	R, E/W1, W2, Y1, Y2, G, O, B, C, L	64.47

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Thermostats

5000 Premier Series Programmable Thermostat

- Compatible with gas, oil, electric, heat pump and millivolt systems
- Cover with quick reference user instructions
- 7-Day or 5-2 day programmable
- Bright blue backlit display
- Adjustable temperature limits
- Easy access front battery door
- Hardwired or battery powered
- Non-volatile memory retains user settings
- Separate O and B terminals
- Compressor short-cycle protection
- Separate heating and cooling set point times and temperatures
- Low battery indication
- ESD Guard™ electronic circuitry
- F° / C° Switch
- Mount to vertical or horizontal box
- Circulating fan mode
- Residual cooling fan delay
- Keypad lockout
- Filter check monitor
- Adaptive recovery mode (ARM™)
- Temporary program override for (4) hours or until next set point
- Programmable extended hold mode
- Front access reset button
- Gas / electric fan switch
- 5-Year limited warranty



HVAC

Part #	Stages	Programs	Power Source	Terminal Designations	Price
BR5020	1 Heat/1 Cool	5+2 / 7 Day	Battery/Hardwired	Rc, Rh, W, Y, G, O, B, C	63.65

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Thermostats

5200 Series Programmable/Non-Programmable Thermostat

- Universal manual changeover, multi-stage 2-heat/2-cool conventional or heat pump
- Cover with quick reference user instructions
- 7-Day, 5-2 day programmable or non-programmable
- Bright blue backlit display
- Adjustable 1st and 2nd stage temperature differential
- Easy access front battery door
- Hardwired or battery powered
- Non-volatile memory retains user settings
- Separate O and B terminals
- Compressor short-cycle protection
- Separate heating and cooling set point times and temperatures
- Low battery indication
- ESD Guard™ electronic circuitry
- F° / C° Switch
- Mount to vertical or horizontal box
- Circulating fan mode
- Residual cooling fan delay
- Multi-level keypad lockout
- Filter check monitor
- Adaptive recovery mode (ARM™)
- Auxiliary heat fossil fuel switch
- Separate heating and cooling set-point program times and temperatures
- Temporary program override for (4) hours or until next set point
- Programmable extended hold mode
- Front access reset button
- Gas/electric fan switch
- Meets California Title 24 guidelines
- 5-Year limited warranty



HVAC

Part #	Stages	Programs	Power Source	Terminal Designations	Price
BR5220	2 Heat /2 Cool	5+2 / 7 Day	Battery/Hardwired	R, E/W1, W2, Y1, Y2 G, O, B, C, L	80.79

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Thermostats

Deluxe Series Programmable/Non-Programmable Touchscreen Hybrid™ Thermostat

- Compatible with gas, oil, electric, heat pump or millivolt heating systems
- Bright blue backlit, 12" Easy-Read touchscreen display
- 7-Day, 5-2 day or non-programmable
- Adjustable temperature limits
- Multi-level keypad lockout
- Hardwired or battery powered
- Circulating fan mode
- Programmable fan mode
- Auto or manual changeover
- SpeedBar® Multi-function button
- Indoor or outdoor remote sensing
- SpeedSet™ 7-day programming mode
- Residential or commercial modes
- Separate user and installer reset buttons
- English/Spanish packaging and instruction card
- Free contractor branding
- Meets Energy Aware® guidelines



HVAC

Part #	Stages	Programs	Power Source	Terminal Designations	Price
BR6100	1 Heat/1 Cool	5+2 / 7 Day	Battery/Hardwired	Rc, Rh, W1, Y1, G, O/B, C, S1, S2	97.85
BR6300	4 Heat/2 Cool	5+2 / 7 Day	Battery/Hardwired	Rc,Rh,W1/E/AUX1,W2/AUX2,Y1, G,W3/O/B,C,L,A,S1, S2	114.17
BR6400	4 Heat/2 Cool*	5+2 / 7 Day	Battery/Hardwired	Rc,Rh,W1/E/AUX1,W2/AUX2,Y1,Y2,G,W3/O/B,C,L, A/D,H,S1,S2	141.92

* With Humidification Control

Thermostat Accessories

2950 Universal Wall Plate

- Covers mounting marks from old thermostats
- Use with all Braeburn thermostats



Part #	Description	Price
BR2950	6-1/2" x 6-1/2" Square	5.71

5390 Indoor Remote Sensor

- 200' Maximum distance between sensor and thermostat
- 5-Year warranty



Part #	Description	Price
BR5390	For Braeburn 3020, 3220, 3300, 5020, 5220, 5300, 5310, 5320, 5400, 6100, 6300, and 6400 Thermostats	16.32

5490 Outdoor Remote Sensor

- 200' Maximum distance between sensor and thermostat
- Auto detected by Braeburn thermostats
- Enables outdoor control functions on compatible thermostats
- 5-Year warranty



Part #	Description	Price
BR5490	For Braeburn 3020, 3220, 3300, 5020, 5220, 5300, 5310, 5320, 5400, 6100, 6300, and 6400 Thermostats	16.32

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Thermostats

Low Voltage Non-Programmable Thermostats

T834N Vertical Mount Mercury-Free Non-Programmable Thermostat

- For low voltage control of single-stage heating, cooling or heating-cooling systems
- Manual changeover
- Setting temperature range: 45° to 95°F
- Dimensions: 4-3/4"H x 2-7/8"W x 1-3/8"D



Part #	Application	Switching Action	Terminal Designations	Description	Price
T834N1002	1 Heat/1 Cool	SPDT	R, Rc, W, Y, G, O, B	Premier White®, Dealer Logo Pocket	62.42

T8034N Horizontal Mount Mercury-Free Econostat

- For conventional and heat pumps with no auxiliary heat
- Manual changeover
- 5-Year warranty



Part #	Application	Switching Action	Terminal Designations	Color	Price
T8034N1007	1 Heat/1 Cool	SPST	R, Rc, W, Y, G, O, B	Premier White®	62.42

VisionPRO® 8000 Universal Touchscreen 7-Day Programmable Thermostats

- Electronic control of 24VAC, heating and cooling systems or 750mV heating systems
- Universal system compatibility, heating only or heating and cooling; conventional or heat pump systems
- Large backlit on-screen menu
- Real-time clock
- Armchair programming
- Multiple HOLD, lockout options
- Adaptive Intelligent Recovery™
- Programmable fan
- Auto or manual changeover
- Dual-powered, battery or hardwired
- Change reminders - air filter, humidifier pad, ultraviolet lamp or thermostat batteries
- Temperature range: Heat: 40° to 90°F; Cool: 50° to 99°F
- Horizontal mounting, dimensions: 4-9/16"H x 6"W x 1-1/4"D
- Premier White®
- 5-Year warranty



Part #	Application	Terminal Designations	Color	Price
TH8110U1003	1H/1C or Ht Pmp w/o Aux Heat	R,RC,C,W,(O/B),Y,G,S1,S2	Premier White®	329.97
TH8321U1006	3H/2C Heat Pump, 2H/2C Conv	R,RC,W,(O/B),W2(AUX),Y,Y2,L*,E,G,C,S1,S2	Dehumidity Control	399.97
TH8320U1008	3H/2C Heat Pump, 2H/2C Conv	R,RC,W,(O/B),W2(AUX),Y,Y2,L*,E,G,C,S1,S2		366.63

* The L terminal is an input or output

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Thermostats

FocusPRO® 6000 5+2 or 5+1+1 Day Programmable Digital Thermostats

- Electronic control of 24VAC, heating and cooling systems or 750mV heating systems
- 5+1+1 (Weekdays, Saturday, Sunday) or 5+2 (weekdays, weekend) programmable thermostat
- Available with large (5.09 sq in) or standard (3.75 sq in) backlit screens
- Temperature control range stops
- Soft-key, simplified controls
- Simultaneously displays both room temperature and temperature setting
- Easy change battery holder
- Auto or manual changeover
- Dual-powered, battery or hardwired
- Adaptive Intelligent Recovery™
- Temperature range:
 - Heat: 40° to 90°F
 - Cool: 50° to 99°F
- Dimensions: 3-9/16"H x 5-13/16"W x 1-1/2"D
- Premier White®
- 5-Year warranty



Large Display

HVAC

Part #	Application	Terminal Designations	Screen	Price
S1-TH6110D1021	1 Heat/1 Cool	Rc,R,W(O/B),C,Y,G	Large	183.13
S1-TH6220D1028	2H/2C Conv, 2H/1C Heat Pump	Rc,R,W(O/B),W2(AUX),Y,Y2(E),G,L,C	Large	190.30

FocusPRO® 5000 Non-Programmable Digital Thermostats

- Electronic control of 24VAC, heating and cooling systems or 750mV heating systems
- Clear backlit display available with large (2.98 sq in) or standard (1.95 sq in) screen
- Precise comfort control +/- 1°F of your set temperature
- Temperature control range stops
- Soft-key, simplified controls
- Easy change battery door - flips out without disassembling thermostat
- Automatic/manual selectable changeover
- Dual-powered, battery or hardwired
- Built-in Compressor Protection: Minimum-off timer protects compressor from restarting too early after a shutdown
- Temperature range:
 - Heat: 40° to 90°F
 - Cool: 50° to 99°F
- Dimensions: 3-7/16"H x 4-1/2"W x 1-5/16"D
- Premier White®



Standard Display



Large Display

Part #	Application	Terminal Designations	Screen	Price
TH5110D1006	1 Heat/1 Cool	R,Rc,C,W(O/B),Y,G	Standard	94.52
S1-TH5220D1003	2H/2C Conv, 2H/1C Heat Pump	Rc,R,W(O/B),W2(AUX),Y,Y2(E),G,L,C	Standard	133.21
S1-TH5220D1029	2H/2C Conv, 2H/1C Heat Pump	R,Rc,W(O/B),W2 (AUX),Y,Y2,(E),G,L,C	Large	153.40

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Thermostats

PRO® 3000 Basic Non-Programmable Digital Thermostats

- Electronic control of 24VAC, heating and cooling systems or 750mV heating systems
- Digital backlit display - both current and set temperature are easy to read
- Precise comfort control (+/-1°F)
- Easy slide switches allow selection of heat or cool mode and fan operation
- Manual changeover
- Dual-powered, battery or hardwired
- Temperature range:
 - Heat: 40° to 90°F
 - Cool: 50° to 99°F
- Dimensions: 3-13/16"H x 5-3/8"W x 1-1/4"D
- Premier White®



Part #	Application	Terminal Designations	Price
TH3110D1008	1 Heat/ 1 Cool Conventional & Heat Pump	R,Rc,W,Y,G,O,B,C	72.68
TH3210D1004	2 Heat/ 1 Cool Heat Pump	R,Y,AUX,E,G,O,B,L,C	101.38

Wireless Thermostat Systems
FocusPRO® Wireless Thermostat Kit

- Powered by RedLINK™ reliability
- Can display outdoor temperature and humidity
- 1-Year battery life, 2-month low battery warning



YTH5320R1000

Part #	Kit Includes:	Price
YTH5320R1000	TH5320R1002 Wireless Non-Programmable FocusPRO® Stat, THM5320R1000 Equipment Interface Module, & C7735A1000 Return Air Sensor	476.68
YTH6320R1001	TH6320R1004 Wireless FocusPRO® 5+1+1 Programmable Stat, THM5320R1000 Equipment Interface Module, C7735A1000 Return Air Sensor	513.19

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Thermostats

VisionPRO® IAQ Total Home Comfort System

- Provides control of temperature, humidification, dehumidification and ventilation
- Up to 2 Heat/2 Cool stages convention, up to 4 Heat/2 Cool in Heat Pump mode
- Selectable auto or manual changeover
- Large, clear display with backlit shows the current and set temperature and time
- Touchscreen interaction
- Common wire powering
- Manual or auto changeover selectable
- Real-time clock keeps time during power failures and automatically updates to daylight savings
- Change/check reminders for servicing/replacing filters
- Controls dehumidification using air conditioner with high or low speed fan or a whole house dehumidifier
- Controls ventilation with other HRV, ERV or fresh air damper
- Advanced heat pump control features balance point plus 2°F drop



YTH9421C1002


HVAC

Part #	Description	Price
YTH9421C1002	TH9421C1004 VisionPRO IAQ Thermostat, THM5421C1008 Equipment Interface Module	575.43

Temperature Sensors

C7089 Remote Outdoor Temperature Sensor

- Senses outdoor temperature for display; can manage dual-fuel and lock-out auxiliary heat in heat pump applications
- Maximum wire run of 200'
- Includes 60" leadwire, mounting clips and screws
- Dimensions: 2-1/4" x 3/8" with 60" leadwire
- Factory calibrated



Part #	Description	Price
S1-C7089U1006	For VisionPRO® & VisionPRO® IAQ Thermostats	55.08

C7189 Remote Indoor Sensor

- Mounts in living space up to 200' away from W8900 remote module



Part #	Description	Price
S1-C7189U1005	For VisionPRO and VisionPRO IAQ Thermostats	64.26

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Thermostats

Digital Thermostats

- Non-programmable
- Battery powered



Horizontal

Part #	Description	Price
PSDH121	1 or 2 Stage Heat/1 Stage Cool	132.00

Mechanical Thermostats

- Adjustable heat anticipator
- 24 Volt



Part #	Description	Price
PSMH45	2 Heat/1 Cool, Horizontal	90.00

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Thermostats

York Value Series Thermostat

- Controls single-stage heat pump, gas/oil/electric, millivolt
- Large digital display
- Battery or system powered
- Auxiliary heat indicator for heat pump models
- Fahrenheit or Celsius
- Separate mounting plate
- Manual changeover

Part #	Stages	Program	Power Source	Price
S1-THEC11NY	1 Heat/1 Cool	Non Programmable	Hardwired or Battery	62.50
S1-THEH21NY	2 Heat/1 Cool	Non Programmable	Hardwired or Battery	82.14

Touchscreen 7-Day Programmable Communicating Control

- High definition color, touchscreen user interface incorporates graphics and animation
- Plug & play automatic system configuration
- System diagnostics for ease of trouble shooting
- Temperature set point range: 40°F to 90°F
- Separate heat and cool set points
- Programming: 7 day or non-programmable
- Programming periods:
 - (2) Periods: Day, Away
 - (3) Periods: Day, Away, Sleep
 - (4) Periods: Awake, Away, Return, Sleep
- Auto changeover (may be disabled)
- Programmable fan (installer selectable)
- Humidity sensor offsets
- Smart Recovery (in heating and cooling)
- Copy functions: Copy period, day and zone
- Permanent memory
- Humidity display and control
- Temperature sensor offsets (indoor and outdoor)
- UL Listed
- 5-Year limited warranty



HVAC

Part #	Description	Price
S1-TTSCC01	Touchscreen Communicating Control Compatible with Communicating Equipment	800.56

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Thermostats

Thermostat Guards

5970 - Universal Thermostat Guard

- Replaces over 100 competitive models
- Fits virtually all thermostats
- Tamper resistant design
- For new and existing thermostat applications
- Slim contemporary style
- Strong durable clear plastic
- Two keys included

Braeburn.




Part #	Description	Price
BR5970	Fits Thermostats Up to 7.3" W x 5.25" H x 1.8" D	16.32

585-TG Plastic Thermostat Guard

- Old No. 585-UK2
- Perfect for most applications
- Ring and solid bases included
- Solid: 8-1/4"H x 5-3/8"W x 3-1/2"D
- Ring: 8-1/8"H x 4-5/8"W x 3-5/8"D

DIVERSITECH




Part #	Description	Price
585-TG	Clear Plastic, (2) Bases	10.00

585-TG1 Plastic Thermostat Guard

- Old No. 585-RK
- Perfect for std size wall T-Stats
- Ring and solid bases included
- Solid: 6-3/8"H x 3-1/2"W x 3"D
- Ring: 6-3/8"H x 3-1/2"W x 3-1/4"D

DIVERSITECH



Part #	Description	Price
585-TG1	Clear Plastic, (2) Bases	30.92

585-TG4 Steel Thermostat Base

- Old No. 585-UWM
- Most versatile guard in solid steel construction
- Beige steel, ring base included
- 6" x 4" x 3" Clearance

DIVERSITECH



Part #	Description	Price
585-TG4	Beige Steel, Ring Base	41.20

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

HVAC

Cement / Sand / Patching / Ice Melt

Quikrete® Hydraulic Water-Stop Cement

- Blocks running water or leaks in masonry or concrete
- Rapid setting, high strength
- Sets in 3 - 5 minutes



Part #	Description	Price
QK1126-11	10 lb Pail Water-Stop Cement	14.26
QK1126-20	20 lb Pail Water-Stop Cement	23.62

Quikrete® Concrete Cement Mix

- 4000 psi Average compressive strength
- Blend of portland cement, sand, and gravel or stone
- Just add water
- For any general concrete application



Part #	Description	Price
QK1101-10	10 lb Bag Concrete Cement Mix	4.87
QK1101-60	60 lb Bag Concrete Cement Mix	6.55
QK1101-80	80 lb Bag Concrete Cement Mix	6.52

Quikrete® Sand/Topping Mix

- Uniformly blended mixture of portland cement, commercial grade sands and other approved ingredients
- Use for repairing and topping damaged concrete surfaces less than 2" thick, chimney caps, large crack repair, thick beds for ceramic floor tile, filling cores in masonry block walls



Part #	Description	Price
QK1103-60	60 lb Bag Sand/Topping Mix	7.64
QK1103-80	80 lb Bag Sand/Topping Mix	8.63

Quikrete® Blacktop Patch

- Asphalt cold patch for repairing potholes and large cracks in asphalt pavement
- Does not require heating or mixing, pour directly out of bag
- Can be formed and compacted
- Patched area is ready for immediate use



Part #	Description	Price
QK1701-52	50 lb Bag Blacktop Patch	16.93

POR-ROK® Aqua Plug™ Hydraulic Cement

- Use to stop water leakage



Part #	Size	Price
FG-NOV10AP	10 lbs	20.19

HVAC

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Cement

HVAC

Page Left Blank

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

D. Chemicals, Compounds, Tape, Solder Supplies

1. Chemicals

Acid Neutralizers, Acid Test Kits.....	D - 3
Caulk & Sealants.....	D - 3
Chemical Sprayers.....	D - 3
Coil Cleaners.....	D - 4
Condensate Drain and Pan Cleaners.....	D - 5
Gorilla Glue.....	D - 6
Leak Detectors.....	D - 6
Lubricants.....	D - 6
Plastic Pipe Primers, Cleaners, Cement.....	D - 7
Refrigerant Flushing.....	D - 8
Solderless Bonding - HVAC Super Pro.....	D - 8
Thread Sealants, Pipe Joint Compounds.....	D - 9
Wasp Spray.....	D - 9

2. Tape

Duct Tape.....	D - 10
Electrical Tape.....	D - 11
Thread Sealing Tape.....	D - 11

3. Welding / Soldering

Abrasives - Mill-Rose.....	D - 12
Gas Tanks & Refills.....	D - 12
Heat Absorbant Chemicals.....	D - 13
Solder & Flux - J.W. Harris.....	D - 14
Solder & Flux - Oatey.....	D - 15
Solder Flux - Lake Chemical Co.....	D - 15
Solder - Lenox.....	D - 15
Solder - Wolverine.....	D - 15
Torches & Tips, Accessories - Prest-o-Lite.....	D - 16
Torches & Tips - IPRO Innovative Products.....	D - 17
Torches & Kits - Worthington Cylinders & Torches.....	D - 17
Torches & Tips, Supplies - TurboTorch.....	D - 19

**Chemicals
, Compound**

Acid Neutralizers / Acid Test Kits / Sealants

Compressor Oil Related Products

Acid-Away®

- Compressor burnout acid neutralizer
- For systems that operate on alkybenzene and mineral oil



Part #	Size	Price
RE45004	4 oz	20.40

Acid Test Kit

- For refrigeration oil



Part #	Description	Price
ATK-4	(4) Per Package	44.99

Silicone Sealants

370 HVAC/R Silicone Sealant

- One-part sealant formulated for HVAC/R
- Adheres to clean ductwork, other metals and many types of wood
- Meets FDA and USDA requirements for use in federally inspected meat and poultry plants
- Seals wall penetrations



Part #	Size	Color	Price
SICLEAR	10.1 oz	Clear	5.02
SIALUMINUM	10.1 oz	Aluminum	4.78

376 HVAC/R High Temp Red Silicone Sealant

- One-part non-slumping paste
- Sealing, encapsulating and protective coating where parts must perform at high temperatures, such as heating elements in appliances, stove and furnace vent pipe, moving oven belts, industrial ovens



Part #	Size	Temp Range	Price
SIREDD	10.1 oz	-85° to 600°F	7.90

Insulating Foams

Foam Sealant - One Component

- One component closed-cell expanding polyurethane foam sealant
- 20 Minutes tack free, 12 hours fully cured
- Paintable (paint to protect from UV)
- "R" Value 4.7 (1" thickness lineal)
- UL Listed, not firestop



Part #	Description	Price
DI01714	12 oz Foam-Yields 275' (3/8")	15.96
DI01724	20 oz Foam-Yields 460' (3/8")	31.15

DAP Fireblock Foam Polyurethane Sealant

- Meets CA-25-4
- Quickly fill and seal large gaps around vents, pipes, ducts and wires; and at wall-to-floor or ceiling-to-floor joints
- For use in Type V residential construction
- Bright orange for easy code identification
- Expands 2-1/2 to 3 times its dispensed size



Part #	Size	Price
BR19016	9 oz	15.58

Chemicals, Compound

Sealing Compounds

DiversiGum Sealing Compound

- Non-hardening, for plugging openings through foundations or around refrigeration tube entry



Part #	Description	Price
6-202-2	2 lb Slug	11.95
AG-25	3/8" x 25' Caulking Cord	15.00

Chemical Sprayers

All Purpose Sprayer

- All purpose spray bottles, lightweight and versatile
- Adjustable nozzle atomizes any low viscosity liquid
- Adjusts from mist to 12' jet stream



Part #	Description	Price
BS-32	Quart Spray Bottle	7.02


Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Chemicals

Pump Style Compression Sprayer

- Adjustable nozzle
- Corrosion resistant
- Durable extension wand



Part #	Description	Price
S1-MA-00205	2 gal	35.68

Brite' Alum Quality Coil Cleaner

- Acid-based condenser coil cleaner
- Deep penetrating, heavy foaming action
- Removes scale, oxides and contaminants



Part #	Size	Price
VABA1	1 gal	12.10



Coil Cleaners

Nu-Brite®

- Foaming coil cleaner
- Brightens as it cleans
- Safer than acids
- Biodegradable]
- USDA approved



Part #	Size	Price
S1-429108	1 gal	48.97

Triple "D"™ Premium Alkaline Coil Cleaner

- Triple-action degreaser, deodorant
- Non-foaming condenser, evaporator and electronic air filter cleaner
- Non-toxic, biodegradable
- USDA Authorized



Part #	Size	Price
TRIPLE-D	1 gal	42.18

401 Green Coil Cleaner

- Self-rinsing



Part #	Size	Price
S1-401	1 gal	10.92

501 Red Foaming Acid Coil Cleaner



Part #	Size	Price
S1-501	1 gal	27.43

Foaminator Powered Alkaline Cleaner (Yellow)



Part #	Size	Price
FMP-1	8 oz	5.12

Cal-Spray® Evap Foam® No Rinse

- High performance detergent with special surfactants and alkaline cleaners, foaming
- "No rinse required" condenser coil cleaner
- Spray right side up or upside down
- For cooling or evaporator coils



Part #	Description	Price
S1-417175	18 oz Aerosol	22.02

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Chemicals
Compoun

Coil Cleaners

Nu-Blast® Condenser Coil Cleaner

- "No rinse required" condenser coil cleaner
- High pressure blast plus solvent cleaning



Part #	Description	Price
S1-429075	18 oz Aerosol	31.83

Coil Cleaning Foam

- Heavy-duty foam detergent coil cleanser
- Aerosol can with lemon fragrance



Part #	Size	Price
358-20	19 oz	9.70

Source 1 Everclean Coil Coat

- Water based anti-foulant for cooling coils
- Forms microscopically thin coating that renders cooling surfaces self-cleaning for up to 2 years
- Prevents fungus and similar organisms from growing in the coating



Part #	Description	Price
S1-9932	32 oz Spray Bottle	29.07



Condensate Drain Pan Cleaners

Pro-Treat® 151 Premium

- Cleans condensate drain pans and humidifiers
- (1) Tablet per 3 tons each month
- EPA Registered



PT-151

Part #	Description	Price
PT-151	(100) Tablets per Jar	48.00
PT-153	(6) Tablets/Card	10.37

Condensate Drain Cleaners

Charles Gallo Drain Gun

- Clears condensate drains, lightweight, portable
- Creates 800 psi pressure



Part #	Description	Price
GG-1	Gallo Gun	110.71

Swoosh CO2 Cartridge



Part #	Description	Price
GGC12	Replacement Cartridge for SWOOSH CO2	64.53

**Chemicals
, Compound**

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Tools and Adhesives

Gorilla Brand Premium Glue™

Bonds Wood, Stone, Metal, Ceramics, Glass, Plastics and More

- 100% Solvent free
- Polyurethane
- Indoor/outdoor use
- Sandable and stainable



Part #	Size	Price
GO50002	2 oz	5.90

VISU-GLOW® High Visibility Leak Detector

- Fluorescent color shows brightly even in dimly lit places
- For use on CSST systems
- High viscosity stays on vertical surfaces
- Makes it easy to find leaks
- Non-corrosive, non-toxic
- Safe for oxygen
- Temperature range: 15° to 200°F



Part #	Description	Price
LA32898	8 oz	9.18

Leak Finder

- Specially formulated for refrigeration and air conditioning systems especially automotive



Part #	Description	Price
DICL8	8 oz, Brush Applicator	9.29

True-Blue™ Leak Detector

- High bubbling, high viscosity



Part #	Description	Price
800-002	1 qt with Spray Top	10.82
800-003	1 gallon	31.79

WD-40

Aerosol WD-40 Smart Straw

- Stops leaks
- Cleans and protects
- Loosens rusted parts
- Frees sticky mechanisms
- Drives out moisture



Part #	Description	Price
WD10152	12 oz Smart Straw	9.35

Liquid Wrench® Penetrating Oil

- Loosens rusted bolts, nuts & parts



L1-04



L1-06/L1-12

Part #	Description	Price
L1-04	4 oz PVC Bottle	2.76
L1-12	11 oz Aerosol Can	8.67

Zoom-Spout Oiler

- All purpose oiler with a 14" telescoping spout



Part #	Size	Price
800-005	4 oz	4.71

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Chemicals, Compound

Plastic Pipe Cleaners / Primers / Cement

Plastic Pipe Primers and Cleaners

PVC and CPVC Purple Primer (Purple Label)

- Softens and prepares surfaces of PVC and CPVC before applying solvent cements



Part #	Size	Price
HE60403	1/4 pt	4.89
HE60413	1/2 pt	6.71

PVC Clear Primer (Red Label)

- Soften and prepare surface of PVC pipe and fittings



Part #	Size	Price
HE60453	1/4 pt	4.85
HE60460	1 pt	11.86
HE60465	1 qt	19.63

Plastic Pipe Cement

PVC Cement Clear (Blue Label)

- Medium body, medium set
- For PVC Types I and II potable water, DWV and SW pipe and fittings up to 6" diameter Sch 40 and 80
- Conforms to ASTM D2564



Part #	Size	Price
HE60003	1/4 pt	4.26
HE60013	1/2 pt	6.09
HE60015	1 pt	10.43
HE60020	1 qt	18.28



Plastic Pipe Cements

All Purpose Cement

- Medium-bodied milky clear cement for ABS, PVC & CPVC up to 6" diameter
- Recommended for Sch 40 & Sch 80, potable water, pressure pipe, gas, conduit & DWV
- Recommended application temperature 40°F to 100°F
- Meets performance requirements of ASTM D-2564, D-2235 & F-493



Part #	Size	Price
OA30818	4 oz	7.22
OA30821	8 oz	11.88

PVC Heavy Duty Clear Cement

- Heavy-bodied clear cement for PVC pipe & fittings up to 12" dia for Sch 40 & Sch 80
- Recommended for all grades & types of PVC pipe & fittings, potable water, pressure pipe, gas, conduit & DWV
- Helps fill gaps in large diameter pipe & loose fitting joints



Part #	Size	Price
OA30850	4 oz	7.59
OA30863	8 oz	12.05

PVC Regular Clear Cement

- Regular-bodied clear cement for use on PVC pipe & fittings up to 4" for DWV Sch 40 & up to 2" for Sch 80
- Recommended for all grades & types of PVC pipe & fittings, potable water, pressure pipe, gas, conduit & DWV



Part #	Size	Price
OA31012	4 oz	6.15
OA31013	8 oz	9.29

Chemicals, Compound

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Plastic Pipe Primers / Cleaners / Cement

Plastic Pipe Primers/Cleaners

Cleaner

- Clear cleaner for ABS, PVC & CPVC pipe and fittings
- All schedules and all diameters
- Flows freely and evaporates quickly
- Fast removal of surface dirt, grease and grime



Part #	Size	Price
OA30782	8 oz	8.66

QwikShot® Acid Flush™

- Treats acid without leaving disruptive residues
- Quickly flushes harmful acids into the filter-drier



Part #	Description	Price
QT2501	Acid Flush Kit	14.28



Refrigerant Flushing

Pro-Flush HVAC Flushing Solvent

- HVAC/R Flushing solvent for R-410A retrofits, refrigerant conversions and retrofits
- Low toxicity
- Non-flammable
- Residue-free



Part #	Description	Price
PF-16	16 oz Refill	176.91
PF-KIT	Power Flush Kit	308.90

QwikInjector® Service Tool

- Adds oil or other liquid additives into a vapor-compression refrigeration or air conditioning system with interrupting system



Part #	Description	Price
QT2510	Quick Injector Service Tool	33.29

HVAC Super Pro

HVAC Super Pro Solderless Bonding

- -65°F to 350°F Temperature range after curing
- 1200 psi Maximum continuous pressure after cure
- Works on all round copper, brass and aluminum tubing
- Will come apart when heated above 450°F



Part #	Description	Price
HVAC098	Bottle of HVAC Super Pro	44.99

Rx11-Flush®

- Ozone-safe solvent for flushing refrigeration and air conditioning systems/line sets
- Rinses away particulate, sludge, carbon residues, acids, oils and water



Part #	Description	Price
RX-11	4300-09 1 lb Canister Rx11 Flushing	126.43
S1-RX4300-89	Injection Tool*	78.89

* Fits Pneu-flush® and Zerol Ice® as well

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Chemicals, Compound

Thread Sealants

Hercules Thread Sealants

Megaloc™ Sealant

- Lead-free, blue, grit-free high performance thread sealant
- Leak-proof hydraulic resistance to 12,000 psi
- Withstands gas pressure to 2,600 psi
- Performs over temperatures of -50° to +400°F
- Odorless, non-separating and non-hazardous
- Never hardens, cracks or becomes brittle
- Wipes clean from hands with a dry rag



15806

Part #	Size	Price
HE15808	16 oz	13.35

Wasp and Hornet Killers

Wasp and Hornet Killer by ENFORCER®

- Shoots 20' jet blast



Part #	Description	Price
8-WH16	16 oz Wasp and Hornet	17.27

Resin Based Thread Sealants

Pro-Tite™ Resin-Based Thread Sealant

- Resin based thread sealant
- Use on metals and plastics subject to extreme vibration
- Service temperature: -100° to 400°F, full vacuum to 10,000 psi
- Impervious to most chemicals



Part #	Description	Price
CLL-1	1-1/3 oz Squeeze Tube	6.03
CLL-4	4 oz Brush Top	14.28
CLL-16	16 oz Brush Top	36.12

Pipe Joint Compounds

505™ Key-Tite™ Green Waterproof Metal Pipe Thread Sealant

- Special formulation seals and lubricates metal pipe joints as well as protects them from rusting and seizing
- Applicable for all types of metal joints
- For sealing and lubricating all metal piping systems carrying various materials



Part #	Model #	Size	Price
KY12PTB	105050041	1/2 pt w/Brush	13.75
KYPT	105050031	1 pt	19.35

**Chemicals
, Compound**

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Tape

Duct Tape

Polyken® 223 Multi-Purpose Duct Tape

- Versatile performance
- Rubber based adhesive
- Polyethylene coated cloth backing
- Low VOC content
- UL723 Listed



Part #	Size	Color	Price
1086550	2" x 60 yds	Grey	51.98
1086636	2" x 60 yds	White	51.98

Polyken® 243 Multi-Purpose Duct Tape

- High performance in cold temperatures, excellent tear characteristics
- Rubber base adhesive
- Polyethylene coated cloth backing
- Low VOC content



Part #	Size	Color	Price
1086402	2" x 60 yds	Silver	51.98

Polyken® 251 Metallized Duct Tape

- Professional grade
- Rubber based adhesive
- Polyethylene coated cloth backing
- Low VOC content
- UL723 Listed



Part #	Size	Color	Price
1086422	2" x 60 yds	Metallic	51.98

Polyken® 360-17 Waterproofing Repair Tape

- Printed, 2 mil dead-soft aluminum foil backing
- 15 mil Butyl rubber mastic adhesive
- Permanent
- Low VOC content



Part #	Size	Color	Price
1087780	3" x 100'	Aluminum	51.98

Polyken® 337 Plain Foil Tape

- 2 mil, dead-soft aluminum foil backing
- For rigid pre-formed aluminum foil-faced duct systems
- Rubber adhesive
- Low VOC content
- UL723 Listed



Part #	Size	Color	Price
1087625	2" x 50 yds	Aluminum	51.98
1087633	3" x 50 yds	Aluminum	51.98

Polyken® 338 Foil/Scrim/Kraft Tape

- Diamond pattern
- Tear resistant
- Foil/tri-directional fiberglass/paper backing
- Rubber adhesive
- Low VOC content
- UL723 Listed



Part #	Size	Color	Price
1087668	3" x 50 yds	Aluminum	51.98

Polyken® 339 Cold Weather Premium Foil Tape

- UL181A-P and B-FX Listed
- Printed, aluminum foil backing for fiberglass duct systems and flexible duct closures
- Acrylic adhesive
- Operating temperatures: -10°F - 325°F



Part #	Size	Color	Price
1087636	2-1/2" x 60 yds	Aluminum	51.98
1087637	3" x 60 yds	Aluminum	51.98

FlexFix™ 555 Film Tape

- UL 181B-FX Listed
- High tack acrylic adhesive
- Hand-tearable
- Solvent-free
- Printed for easy inspection
- For class 1 flexible air ducts and connectors, reflective and bubble installation, and metal to metal connections in HVAC and refrigeration applications



Part #	Size	Color	Price
1141184	2" x 60 yds	Metallic	51.98

Chemicals
, Compound

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Tape

Gorilla Duct Tape



Part #	Size	Pkg	Price
GORTAPE	2" x 25 yds	24-Pc	12.58

Foil-Grip™ 1402 Duct Tape

- Indoor/outdoor use
- Pressure sensitive, UL classified
- Rolled elastomeric



Part #	Description	Price
DT1402.3	3" x 100' Printed	65.14

Amazing! Tile Tape

- Makes watertight junctions and connections for plastic tubing
- Made out of PVC, which provides super stretchability
- Properties:
 - Tensile strength: 20#/sq inch
 - Elongation: 230%
 - Dielectric: 8800V
 - Thickness: 8 mm



Part #	Size	Price
BT02	2" x 108'	7.02

Black Vinyl Electrical Tape

- Individually wrapped
- Black vinyl
- UL Listed



Part #	Size	Price
T20-030	3/4" x 60'	2.12



Teflon® Tape

Better Quality White Thread Sealant Tape

Standard Grade (White) Teflon® Sealant Tape TF20-1

- 100% Virgin PTFE Teflon
- -450°F to +550°F
- 3000 psi



Part #	Description	Price
70190-ZB	1/2" x 260" Roll	0.54
70200-ZB	1/2" x 520" Roll	0.71
70202-Z	1/2" x 1296" Roll	3.03
70196-Z	3/4" x 520" Roll	1.66

**Chemicals
, Compound**

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

We'ding / Solder Supplies

Abrasives

Aluminum Oxide "Yellow Stuff" Open Coat 120 Grit

Superior Grade AA

- Water-resistant designed to clean soft metal
- Open coat abrasive cloth, "J" weight cotton backing



Part #	Size	Price
GC	1-1/2" x 10 yds	16.40

"Wet One" 120 Grit A.O. (Blue Box)


Premium Grade AAA

- 100% waterproof, aluminum oxide
- Ideal where exposed to water



Part #	Size	Price
SC	1-1/2" x 10 yds	8.25

Acetylene Tanks & Contents



Part #	Description	Price
PRESBTKG	40 cu ft B Acetylene Tank & Gas	101.45
PRESMCTKG	10 cu ft MC Acetylene Tank & Gas	66.91

Carbon Dioxide Tanks & Contents

Part #	Description	Price
PRESCO2TKG	10# CO2 Tank & Gas	110.11

Nitrogen Tanks & Contents



Part #	Description	Price
PRESNTRTKG	40 cu ft Nitrogen Tank & Gas	145.32

Oxygen Tanks & Contents



Part #	Description	Price
PRESOXRTKG	20 cu ft Oxygen R Tank & Gas	86.69



PlumBest MAPP and Propane Cylinders



Part #	Description	Price
TU0916-0122	16 oz MAPP Gas Tank	11.33
TU0916-0004	14.1 oz Propane Tank	8.78

**Chemicals
, Compound**

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Chemicals

Heat Absorbant Chemicals

Thermo-Trap® Paste

- Heat absorbing paste to isolate heat encountered in soldering, welding, and brazing
- USDA approved



Part #	Description	Price
4371-36	11 oz Tube Paste	28.37

Thermo-Trap® Gel

- Heat absorbing paste to isolate heat encountered in soldering, welding, and brazing
- Adheres to all surfaces
- Will not melt or run
- Cleans up easily, will not stain work surfaces
- Harmless to skin and clothing, odorless
- 100% Biodegradable



Part #	Description	Price
4371-32	32 oz Spray Gel	44.40

Cool Gel® Heat Barrier Spray

- Unique gelled formula sticks to surfaces without dripping or running off
- Clear, non-staining gel leaves no residue eliminating clean-up
- Safe, non-toxic, harmless to skin and odorless
- Convenient trigger spray
- Helps protect rubber, plastic, distortion, painted, and finished surfaces during soldering, brazing or welding
- Reduces danger of fire to surrounding surfaces



Part #	Size	Price
LA11509	1 qt	26.67

**Chemicals
, Compound**

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com



Alloys / Solders / Flux

Brazing Alloys

Harris O Brazing Alloy

- Low-cost alloy for many copper-to-copper applications where good fit-up can be maintained & brazing temp not critical



Part #	Description	Price
HA21035	1#, .050 x 1/8" x 28 Stick	14.60

Stay-Silv® 5 Brazing Alloy

- Used to bridge gaps where close fit-up can't be maintained
- Medium-range alloys
- More ductile than Harris O



Part #	Description	Price
HA41035	1#, .050 x 1/8" x 28 Stick	50.40

Stay-Silv® 6 Brazing Alloy

- Used to bridge gaps where more ductile filler metal is required
- Medium-range alloys
- More ductile than Harris O



Part #	Description	Price
HA51035	1#, .050 x 1/8" x 28 Stick	57.42

Stay-Silv® 15 Brazing Alloy

- Used for air conditioning and refrigeration



Part #	Description	Price
HA61035	1#, .050 x 1/8" x 28 Stick	160.56

Solders

Bridgit® Lead-Free Solder

- Contains nickel for strong joints
- Excellent for large diameter fittings and ill-fitting or non-concentric pipes



Part #	Description	Price
HA16000	1/8" x 1 lb Spool	33.92

Stay-Brite® Silver Solder

- Bonds with all of the ferrous and non-ferrous alloys



Part #	Description	Price
HA10001	1/8" x 1 lb, 4%	68.34
HA10009	#8, 1/8" x 1 lb, 6%	73.29

Flux

Stay-Clean® Liquid Soldering Flux

- General purpose zinc chloride flux
- For use with all soft solders, tin/lead, tin/antimony and Stay-Brite solders
- For virtually all metals except aluminum, magnesium, or titanium
- Not recommended for use in electrical or electronic applications



Part #	Description	Price
HA40002	4 oz Flip Top	5.38
HA40003	16 oz Bottle	9.34

Stay-Clean® Paste Soldering Flux

- Active soldering flux for use with tin/lead, tin/antimony, and tin/silver solders
- For most metals, copper, brass, bronze, steel, stainless steel, galvanized, monel
- Not recommended for aluminum, magnesium, or titanium
- Not recommended for use in electrical or electronic applications



Part #	Description	Price
HA40027	4 oz Brush Cap	3.70
HA40028	16 oz Can	8.90

Stay-Silv® Brazing Flux

- For use with silver brazing alloys on all metals except aluminum, magnesium or titanium
- Effective to 1600°F
- Meets AMS 3411, AWS 5.31, Class FB3C; Fed Spec. 0-F-499D, Type B



Part #	Description	Price
HA40023	1 lb Jar	7.50
HA40022	7 oz Brush Cap	5.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Chemicals
, Compound

Solder / Flux

Solder

Silver Lead Free Plumbing Solder



Part #	Size	Price
OA23001	1 lb	22.82

Flux

No. 5 Paste Flux

- Cleans and fluxes at the same time
- Effective on all metals except aluminum, magnesium and stainless steel
- 100% Lead free
- Blended to clean surface oxidation



Part #	Size	Price
OA30013	4 oz	2.37
OA30014	8 oz	3.51

Flux

Regular Solder Flux Paste

- Super detergent action cleans as it solders
- Water soluble
- Non-acid, non-toxic, lead-free
- Contains no zinc chloride
- For use on most metal types
- Use with all lead-free and common soft solders
- Meets Mil Spec Mil-F-4995 type II



22107

Part #	Size	Price
LA22104	4 oz	5.80

LENOX

Solder

Lead-Free Silver Solder

- Melting temperature: 440°F
- Ideal for use on large diameter pipe
- Tensile strength: 6,900 psi
- Wide pasty range (440°-640°F) for more working time



Part #	Description	Price
WS15318	1 lb Spool	28.30

95/5 Lead-Free Solder

- Melting temperature 455°F
- Tensile strength 5500 psi



Part #	Description	Price
WS15018	1 lb Spool 95/5 Solder	22.10

97/3 Lead-Free Solder

- NSF 61 Certification for safe use in potable water applications
- Lead-free tin-copper solder
- Melting temperature 455°F
- Tensile strength 5800 psi



Part #	Description	Price
WS15064	1 lb Spool	22.20

Silvabrite 100®

- Lead free
- Stronger than 50/50
- "The Safe-Water Solder"
- Wide melting range for easy use



Part #	Size	Package	Price
SB100	1/16"	1 lb Spool	28.50

**Chemicals
, Compound**

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Welding / Solder Supplies

General Purpose Air Gas Outfits

- For sweat-type fittings, heating & brazing
- Ideal for copper, brass, steel & wrought iron pipe w/solder-type fittings
- Instant heat - 4000°F without pumping or priming
- Convenient - small, light, easy to handle & always ready to use



"B" General Purpose

Part #	Torch Handle	Brazing Tips	Regulator	Price
LI30X37	403	#4 POL	R-411B	181.58

Refrigeration and A/C Air-Acetylene Outfits

- For soldering, heating and bending in refrigeration and air-conditioning work
- Piston type connection between torch and heads for easy hand tightening
- RBO Protection in each regulator
- Sold with or without tote and/or tanks
- Convenient - small, light, easy to handle & always ready to use



"B" Tank

Part #	Torch Handle	Brazing Tips	Regulator	Price
LI30X63	401M	#1A & 3-5	R-411B	96.28

Nitrogen Regulators

- Comes with a 1/4" Flare fitting that accepts standard refrigerant charging hoses



Part #	Description	Price
LI21365	500 psi Nitrogen Regulator	143.82

Torch Handles & Tips

Swirljet® Quick Disconnect Handle

- Acetylene pressure fuel
- Can be used with propane & MAPP gas
- Runs quieter & cooler, also gives better heat transfer than comparable tips



Part #	Description	Price
LI21702	Pol #1 Handle	77.24

Swirljet® Tip

- Acetylene pressure fuel
- Provides maximum effective heating power
- All weather use




Part #	-----Silver Braze----- Size	Capacity	Price
LI21473	4 - 6"	1 - 4"	79.54

Sabre "V" Series

Welding & Cutting Kit

- Includes:
 - Goggles
 - Striker
 - Twin hose A-A
 - Tote
 - Welding handle
 - Light duty #4 welding nozzle
 - Cutting attachment
 - Oxy/Acet regulators
 - Oxy/FG check valves
 - Kangaroo Kart & tanks
- Top quality oxy-fuel equipment



Part #	Description	Price
LI22550	For Light Duty Welding/Cutting	344.99

Welding Handle



Part #	Description	Price
LIQJ28	Welding Torch for 22550	65.62

Chemicals
, Compound

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Welding / Solder Supplies



Part #	Description	Price
QWJ-0	#0 Oxy-Acetylene Tip	20.83
QWJ-1	#1 Oxy-Acetylene Tip	20.83
QWJ-2	#2 Oxy-Acetylene Tip	20.83

Accessories


Fitted Hose Assemblies

- Single hose for acetylene, 3/16"




Part #	Description	Price
LI501F12	12-1/2', A-A Connection	32.20

Friction Lighters



Part #	Description	Price
LI790F34	Single Flint Lighter, Heavy Duty, Box of 10	2.77
LI790F37	Renewal Flints - Box of 200	2.10

Replacement Parts



Part #	Description	Price
LI505L00	Box End Wrench for B & MC Tank Valves	2.09
LI21867	White Empty/Full Gauge	11.97
LI22604	PZ-6 QC Spark Lighting Kit	103.64

Propane Torch Kit

- Temperature range: up to 2500°F (1400°C)
- Easy push button self-igniting
- All angle performance
- Adjustable flame pattern
- Tip cleaning gas blend



Part #	Description	Price
PT7200	Propane Torch Kit	29.95
PR7200	Propane Refill for PT7200	5.95

Torches

Swivel Hand Torch

- Adjustable swirl flame



Part #	Description	Price
330538	21170-LS10 360° Swivel	100.94
330540	21172-LS20 Self Igniting 360° Swivel	126.32
330557	Replacement Tip for LS20	9.82

Self-Igniting Hand Torch



Part #	Description	Price
330542	Self-Igniting Swirl Flame	106.71
330544	Self-Igniting w/Adj Swirl Flame	117.45
330546	Self-Igniting Adj Ultra Swirl Flame	129.09
330555	Replacement Tip for LT90 & LT91	8.82

Mobile Torch System



Part #	Description	Price
330533	LX400FB Mobile Torch System Kit	307.67

**Chemicals
, Compound**

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Welding / Solder Supplies

"B" Air Acetylene Kit

- Includes:
 - Air acetylene piston regulator with TANKTOTE handle, GAUGEGUARD and 2" gauge
 - AA Torch handle
 - AA Hose
 - TANKTOTE sleeve
 - "B" Tank key



TANK NOT INCLUDED

Part #	Description	Price
330562	LX800B Kit with AA800 5/16" Self-Igniting Swirl Flame Tip	416.02

Swirl Flame Tip

- Quick connect, provides maximum output



Part #	Description	Price
330568	A5 1/4" Medium-Duty Tip	103.37
330570	A11 7/16" Heavy-Duty Tip	116.51
330571	A14 1/2" Air Acetylene Extra-Heavy Duty Tip	142.25
330572	A32 5/8" Air Acetylene Extra-Heavy Duty Tip	202.17

**Chemicals
,
Compound**

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Solder Supplies

Acetylene Torches

Extreme™ Air Acetylene Torch Kit

- Extreme™ Swirl Technology
- All tips feature quick disconnect couplings
- Rear valve position
- Includes:
 - Traditional manual lighting torch
 - Hose (AH-12)
 - Handle (G4)



X-4B

Part #	Soft Solders To	Silver Brazes To	Regulator	Tips	Tank Connection	Price
TU0386-0335	3"	1-5/8"	AR-B	A-3, A-11	B	389.00
TU0386-0338	1-1/2"	3/4"	AR-B	A-5	B	304.00

Extreme™ Air Acetylene Standard Tip

- Quick disconnect couplings
- Color coded O-rings for gas identification
- Can be used with any Acetylene torch (PLF-A5 or G-4) handle



Part #	Tip Size	Price
TU0386-0100	1/8"	75.95
TU0386-0101	3/16"	82.33
TU0386-0102	1/4"	97.45
TU0386-0103	5/16"	107.00
TU0386-0104	7/16"	113.00
TU0386-0105	1/2"	139.00
TU0386-0106	3/4"	198.00

**Chemicals
, Compound**

Air Acetylene Components

Acetylene Torch Handle



Part #	Description	Price
TU0386-0308	TurboTorch Handle	97.83

Acetylene Regulator



Part #	Description	Price
TU0386-0725	Acetylene Regulator Fits "B" Tank	121.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Solder Supplies

Acetylene Gauge



Part #	Description	Price
TU0386-1200	Fuel Gauge for Acetylene Regulator	46.81

Acetylene Hose

- 3/16" ID with 3/8" 24-thread Left-hand nuts
- Fits G4 and PLF-A handle, AR-B and AR-MC regulators



Part #	Description	Price
TU0386-1090	12' Acetylene Hose with "A" Fittings	56.22
TU0386-1091	24' Acetylene Hose with "A" Fittings	96.72

**Propane and MAP-Pro™
Standard Propane and MAP-Pro™ Kit**

- Includes:
 - Adjustable regulator (R-LP)
 - Handle (H-4)
 - Hose (H-12)
 - Instruction manual



LP-2

Part #	Model	Soft Solders To	Silver Brazes To	Tips	Price
TU0386-0007	LP-2	4"	2"	T-3, T-5	402.00
TU0386-0006	LP-3	2-1/2"	1-1/4"	T-4	306.00

Standard Propane and MAP-Pro™ Tip



T2



T-3



T-4



T-5



T-6

Part #	Model	Tip Size	LP Soft Solder To:	MAPP Solder To:	Price
TU0386-0150	T-2	5/16"	1/8" - 1/4"	1/8" - 1/2"	96.23
TU0386-0151	T-3	7/16"	1/4" - 1"	1/4" - 1-1/2"	98.99
TU0386-0152	T-4	1/2"	1/4" - 1-1/2"	1/4" - 2-1/2"	118.00
TU0386-0153	T-5	3/4"	1-1/2" - 2-1/2"	1" - 4"	125.00
TU0386-0154	T-6	1"	1-1/2" - 4"	1-1/2" - 6"	150.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Chemicals
, Compound

Solder Supplies

Extreme™ Self-Lighting Propane and MAP-Pro™ Torch

- High capacity applications
- Quick disconnect couplings between handle and tips
- 3-Year warranty



Part #	LP Soft Solder To:	MAPP Solder To:	Price
TU0386-1293	3/4" - 3"	3/4" - 4"	130.00

TX500 ProPak Torch Kit



Part #	Description	Price
TU0386-1299	Includes TX-500 Extreme Self-lighting Hand Torch, T504 and T503 Extreme Tips	144.00

Extreme™ STK Propane and MAP-Pro™ Torch

- Extreme™ Swirl Technology
- 360° Interchangeable swivel tips



Part #	Tip	LP Soft Solder To:	MAPP Solder To:	Includes	Price
TU0386-0403	ST-3	1/4" - 3"	1/4" - 3-1/2"	STK-R Pressure Regulator w/CGA-600 Connection	94.29

Extreme™ STK Hand Torch Tip

- Extreme™ Swirl technology
- 360° Swivel tips



Part #	LP Soft Solder To:	MAPP Soft Solder To:	Price
TU0386-0171	1/4" - 3"	1/4" - 3-1/2"	79.77

**Chemicals
, Compound**

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Solder Supplies

Turbototes® Carriers

Turbototes® Tank Tote

- Includes hose rack for storage and heavy nylon belt



Part #	Description	Price
TU1421-0016	For "B" Tanks	78.93

Turbototes® Tank and Cylinder Carrier

- Heavy duty steel construction



Part #	Description	Price
TU1421-0034	For "B" Tanks	110.00

Parts and Accessories

Hose



Part #	Description	Price
TU1412-0080	H-12 12' LP or MAPP® Hose	68.91


Flint Striker



Part #	Description	Price
TU1423-0023	Cup Type Single Flint Striker, Round File	4.48

Round Style Flint Striker

- Renewable flint



J40-048

Part #	Description	Price
J40-048	Flint Striker	4.71
J40-049	Round Flint Renewal Unit	6.36

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Chemicals
, Compound

E. Tool and Supplies

1. Hand Tools

Brushes.....	E - 3
Hand Tools.....	E - 3
Inspection Tools - Telescoping.....	E - 4
Levels, Rules, Tape Measurers.....	E - 4
Nut Drivers.....	E - 4
Pipe & Tubing Tools.....	E - 5
Pliers.....	E - 7
Saws & Saw Products.....	E - 8
Screwdrivers.....	E - 10
Strap, Twine.....	E - 10
Utility Knives.....	E - 10
Wrenches.....	E - 10

2. HVAC Hand Tools

Fin Tools.....	E - 11
Flaring Tool.....	E - 11
Fan Blade & Blower Wheel Puller.....	E - 11

3. Duct and Sheet Metal Tools

Sheet Metal/Duct Tools.....	E - 13
Snips.....	E - 15
Pipe & Tubing Tools.....	E - 16

4. Storage

Nipple Trays.....	E - 18
-------------------	--------

5. Safety

Flashlights, Batteries.....	E - 19
Safety Gear.....	E - 19
Utility Blower - Air King.....	E - 20
Aerosol Paint.....	E - 20
Caution Tape.....	E - 20

6. Electrical Accessories

Extension Cords, Work Lights, Light Bulbs.....	E - 21
--	--------

7. Cleaning Supplies

Hand Cleaners.....	E - 22
Rags.....	E - 22

8. Blades, Bits and Cutting Accessories

Blades - Lenox Products.....	E - 23
Drill Bits, Power Bits.....	E - 27
Drill Chucks.....	E - 27

9. Anchors, Bolts, Nuts, Fasteners and Screws

Anchors.....	E - 28
Panning Nails.....	E - 28

E. Tool and Supplies (Continued)

9. Anchors, Bolts, Nuts, Fasteners and Screws

Screws, Bolts & Nuts..... E - 28

10. Hose

Garden Hose & Accessories..... E - 30

Neoprene Air Tubing - Ma-Line..... E - 30

Brushes / Tools

Paint Brushes - Linzer

1500 White Chinese Bristle Paint Brush

- For latex paints, chip, touch-up and varnish
- Flat trim: 1-1/2"
- Wood handle
- Steel ferrule



Part #	Size	Thickness	Price
LI1500.12	1/2"	1/4"	0.22
LI1500.1	1"	5/16"	0.26
LI1500.112	1-1/2"	5/16"	0.34
LI1500.2	2"	5/16"	0.38

Wire Brushes - Linzer

Shoe-Handle Wire Brush

- Rows: 16x4



Part #	Size	Price
LI300	11"L x 1"W	1.22

Fitting Brushes

Tu-Turn Fitting Brushes

- Tempered steel bristles
- Hard-drawn carbon steel



Part #	Dia	Price
TT1	1"	3.80
TT114	1-1/4"	5.31
TT112	1-1/2"	5.43
TT2	2"	5.43
TT4	4"	12.89

Cleaning Brushes

Hand Cleaning Brushes



Part #	Description	Price
AMA-200	2-1/8" Brass Brush - 48" L	7.56
AMA-762	2" Black Bristle Brush - 27" L	4.34

Caulk Guns

Drop-In Half-Barrel Type Caulk Gun

- Drop-in half barrel type
- Painted steel



Part #	Description	Price
C35-090	9" Barrel Caulk Gun	6.89

Hex Key Adapter

Part #	Description	Price
MA-60609	Hex Key Adapter	9.96

Tool and Supplies

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Tools

Telescoping Inspection Tools


Telescopic Inspection Mirror

- American made
- Double ball joint links swivel mirrors for viewing to 360°



Part #	Description	Price
DIM-2	2-1/4" Circular Extends 10" to 14"	18.26
DIM-3	2-1/8" x 3-1/2" Rectangular Extends 11-1/4" to 15-1/4"	18.27

Telescoping Glass Mirrors



Part #	Description	Price
MA-142A	2-1/4" Round 9-1/4 - 14-1/4	5.58
DIM-1	1-1/4" Round w/Pocket Clip Telescopic 7"-18"	4.25

Tape Measurers

Tape Measure - Plumbers Supply Co.



Part #	Size	Price
PSCTAPE	1-1/4" x 25'	15.20

ConnexTM Nut Drivers

CONNEXTM Pre-Assembled Magnetic Hex Driver

- CONNEXTM Quick change handles
- Use with Zip-In® and "A" hex head screws



Part #	Hex Dia	Shaft Length	Grips	Price
MAHHD1	1/4"	6-7/8"	Red	12.33
MAHHD2	5/16"	6-7/8"	Yellow	12.67

CONNEXTM Hollow Hex Chuck Driver

- Use with CONNEXTM Quick change handles
- Precision-fit and hardened hollow hex chuck driver shaft components
- 1/4" Power insert shanks
- Color-coded



Part #	Hex Dia	Shaft Length	Grips	Price
HD1	1/4"	1-1/2"	Red	4.67
HD2	1/4"	3"	Red	5.89
HD4	5/16"	3"	Yellow	6.17
HD6	3/8"	3"	Blue	6.36

CONNEXTM Quick Change Handle

- Clear, molded acetate
- Shock-proof and shatter-proof
- Quick-connect holder mechanism accepts any 1/4" shank chuck driver



Part #	Grip Dia.	Holder Dia.	O/A Length	Price
CONNEX1	1-1/8"	11/16"	5-1/4"	7.57
CONNEX2	1-1/8"	11/16"	3-1/8"	6.73

Tool and Supplies

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Pipe / Tubing Tools

Tubing Cutters and Cutter Wheels

Tubing Cutters Ergonomically Designed for Professional Performance

- Professional deburring
- Will not damage cutting wheel
- Easy to use - change out wheels with only a screwdriver



Part #	Tube Diameter Range	Price
21010-TC11/8	1/8" - 1-1/8"	39.93
21011-TC13/8	1/8" - 1-3/8"	57.55
21012-TC13/4	1/8" - 1-3/4"	86.10

Premium Tube Cutter

- Enclosed precision feed mechanism
- Resists jams
- Wide rollers with flare cut-off groove
- Wheel recessed into cutter body saving 1" in cutting radius
- High quality alloy steel construction makes a sharper cutting wheel edge for less burr
- Spare wheel attached
- Corrosion-resistant finish
- Retractable reamer



Part #	Description	Capacity	Price
RC60101	Small	1/8" to 1-1/8" OD	48.81

Heavy-Duty Mini-Cutter

- Wide body for easy grip
- Large rollers and flare cut-off groove
- Small-Mini has turning radius of only 1-3/16"
- Big-Mini cuts from 1/4" - 1/8" OD and still compact



Part #	Description	Capacity	Price
RC60121	Mini-Cutter	1/8" - 7/8" OD	26.95
RC60142	Big-Mini	1/4" - 1-1/8" OD	50.03



Cutter Wheel

Part #	Description	Price
RC60100	For 60101, 60102, 60103	8.18
RC60120	For 60121, 60142	8.12

**Scissor Cutters Plastic Pipe
PVC Scissor-Action Cutter**

- Reversible blade



MILL-ROSE



Part #	Description	Price
73003	Cuts 1/8" to 1-1/4" OD Tube/Hose	25.95

Sure Grip Tube Slicer

- Produces cuts in ABS, PVC, rubber and fabric reinforced hose to 1" ID
- Rigid, durable nylon handle
- Blade is resharpenable and replaceable



Part #	Description	Price
MATC400	For Up to 1" ID Plastic Tubing	20.14

Ratchet Pipe & Tube Cutters & Blades



Ratchet Action Tube Cutter



Part #	Description	Price
MARTC829	5/16" - 1-1/8" OD Large Capacity	38.43

Big Helper™ PVC Pipe Cutter

- Cuts up to 2-1/2" Sch 40 PVC pipe
- Molybdenum stainless steel blade
- Reversible stainless steel blade



Part #	Description	Price
MGB-42A	1-5/8" OD PVC Cutter	45.75

Tool and Supplies

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Pipe & Tubing Tools

Tube Benders

Spring Type Tube Bender Set

- For soft copper and aluminum tubing
- For 1/4" to 7/8" OD tubing
- Tools allow hand bending of soft tubing to any shape without collapsing walls
- Special spring steel, zinc finish
- End belled for quick tube removal



Part #	Description	Price
IE163F	Set of (4) Benders for 1/4", 3/8", 1/2", 5/8" OD Tubing	15.96

Compact Tube Bender Kit

- For soft copper, brass, steel and aluminum tubing
- For 1/4"-7/8" OD tubing
- Compact Design, and one handed operation allow you to fit it in places where others struggle and operate with ease
- Easy to read and color coded sizes to make operation simple and seamless
- Can bend all the way up to 90 degrees



Part #	Description	Price
CBK	Hilmor Compact Bender Kit 1/4"-7/8"	233.33



Tube Benders

Lever Type Tube Bender

- For soft copper, brass, steel and aluminum tubing
- For 3/4" OD tubing
- Tool allows bending of soft tubing to any shape without collapsing walls
- Features spring loaded tube holding mechanism, clear markings for precise angle bends, and stainless steel rollers to reduce friction against tube
- Can bend as far as 180 degrees



Part #	Description	Price
LB34	Hilmor Lever Bender 3/4"	233.33

Tri-Tube Bender

- For soft copper, brass, steel and aluminum tubing
- For 1/4", 5/16", and 3/8 or 1/4", 3/8", and 1/2" OD tubing
- Allows up to 180 degree of bending angle
- Indicators in the handle take the guess work out of sizing you pipe



Part #	Description	Price
TB1438	Hilmor Tri-Tube Bender 1/4", 5/16", 3/8"	46.67
TB1412	Hilmor Tri-Tube Bender 1/4", 3/8", 1/2"	66.67

Tool and Supplies

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Pliers

Pliers

- Channellock Blue™ plastic grips are not intended, recommended, or warranted for dielectric properties

Straight Jaw Tongue and Groove Pliers



Part #	Length	Capacity	Price
CH424	4-1/2"	1/2"	20.00
CH426	6-1/2"	7/8"	17.28
CH420	9-1/2"	1-1/2"	20.85
CH430	10"	2"	21.69
CH440	12"	2-1/4"	24.61
CH460	16"	4-1/4"	40.87

**Tool and
Supplies**

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Saws & Saw Products

Hand Hacksaw Frames & Blades

Low Profile High Tension Frame

- Low profile tip for close-quarter cuts
- 28,000 PSI
- Frame includes (1) 12" 24 TPI blade



Part #	Description	Price
20920-5012	Metal Cutting in Tight Spots	34.05

Hand Saws

Close Quarter® Saw

- Reaches into tight spaces where standard won't fit



Part #	Description	Price
20908-908	Close Quarter Saw	19.04
20906-906	6"L x 1/4"W, 32 TPI Blade	16.70

PVC/ABS Plastic Pipe Hand Saw

- Wide rigid carbon steel blade with hardened teeth
- Cut any size diameter plastic pipe, wood and nail-embedded wood
- Heavy-duty lightweight aluminum handle



Part #	Description	Price
20980-HSF-18	18" Blade & Rubberized Handle	29.52
20982-HSB-12	12" Replacement Blade	12.45
20981-HSB-18	18" Replacement Blade	15.85

Hole Saws

Bi-Metal Hole Saws

- TUFF TOOTH™ design is reinforced to cut stronger and last longer
- Patented VARI-TOOTH® design resists tooth stripping
- High speed steel teeth resist breaking and offer extended life



Use Arbor 1L, 1SL, 4L or 5L


- (1) Per box



Part #	Dia	Pipe Tap	Pipe Entr	Price
30014-14L	7/8"	3/4"	1/2"	12.08
30016-16L	1"	-	-	13.08

Use Arbor 2L, 2SL, 3L, 6L or 7L

- (1) Per box



Part #	Dia	Pipe Tap	Pipe Entr	Price
30026-26L	1-5/8"	-	-	13.78
30028-28L	1-3/4"	1-1/2"	1-1/4"	17.32
30030-30L	1-7/8"	-	-	17.32
30032-32L	2"	-	1-1/2"	17.32
30034-34L	2-1/8"	-	-	20.90
30036-36L	2-1/4"	2"	-	20.90
30038-38L	2-3/8"	-	-	20.90
30040-40L	2-1/2"	-	2"	22.52
30042-42L	2-5/8"	2-1/2"	-	22.52
30044-44L	2-3/4"	-	-	22.52
30048-48L	3"	-	2-1/2"	23.32
30050-50L	3-1/8"	-	-	23.96
30052-52L	3-1/4"	3"	-	23.96
30056-56L	3-1/2"	-	-	23.96

Tool and Supplies

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Saws & Saw Products

Hole Saws (Continued)


Bi-Metal Hole Saws

Use Arbor 2L, 2SL, 3L, 6L or 7L

Part #	Dia	Pipe Tap	Pipe Entr	Price
30058-58L	3-5/8"	-	3"	27.72
30060-60L	3-3/4"	3-1/2"	-	32.74
30064-64L	4"	-	-	35.25
30066-66L	4-1/8"	-	3-1/2"	38.27
30068-68L	4-1/4"	4"	-	50.18
30072-72L	4-1/2"	-	-	69.19
30076-76L	4-3/4"	4-1/2"	-	76.94
30080-80L	5"	-	-	85.36
30088-88L	5-1/2"	-	-	102.27
30096-96L	6"	-	-	119.36

Hole Saw Arbor

- 7L "Ejector Arbor" makes removal of material from inside of hole saw easier



Part #	Model	Fits Hole Saws		Shank	Price
		Size	Size		
1779774	1L	9L-19L	1/2"	Hex	17.94
1779801	2L	20L-96L	1/2"	Hex	28.96

Pilot Drill Bit



Part #	Fits Arbor #	Chuck Size	Pack	Price
30297-123CT	1L,2L,4L,7L	1/4"	1	12.87
1779771	1L, 2L, 4L	1/4"	1	6.14
1779810	3L,5L,6L,7L	1/4"	25	5.45

T-2 Technology Snap-Back™ Arbor

- Hex shank
- Faster and easier to engage/disengage hole saw
- Drives off pins, not threads
- No tools needed - prevents hole saw from locking on arbor
- Arbor threads directly into all hole saws



Part #	Fits Hole Saws	Thread Size	Price
1779772	20L-96L	5/8"-18	32.18
1779670	20L-96L	5/8"-18	29.65

One Tooth™ Wood Hole Cutter

- 3 Times faster than regular hole saws
- Safer/less torque than self feed bits
- Easy plug ejection
- Cuts wet, frozen, pressure treated and hard wood without binding
- Can be resharpened



Part #	Cutter Size	Price
25441-41HC	2-9/16" for 2" Pipe	39.97
25464-64HC	4" for 3" Pipe & Coupling, Dryer Vent	73.40

Hole Saw Accessories



Part #	Description	Price
30857-AA1	Arbor Adaptor	4.69
30846-55X	5-1/2" Extension	19.99
30847-12X	12" Extension	20.60
30848-18X	18" Extension	28.52

Tool and Supplies

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Screwdrivers / Strap / Utility Knives / Wrenches

6-In-One Screwdriver

- Includes:
 - 1/4" & 3/16" Slotted bit
 - #1 & #2 Phillips bit
 - 5/16" Nut driver



Part #	Description	Price
LU26031	6-In-1 Orange Driver	6.26

Lenox All-In-One Screwdrivers



Part #	Description	Price
23931-6-IN-1	6-In-1	11.46
23932-9-IN-1	9-In-1	16.07

6-in-1 Reversible Driver

- Combination bits change to drive 6 head styles/sizes
- Includes 3/16", 1/4", 9/32", 5/16" Slotted, #1 or #2 Phillips



Part #	Description	Price
MARD6	Regular Grip Driver	9.50

**Utility Strap
Hang-N-Strap**

- Strong, durable 1" polypropylene webbing



Part #	Size	Price
HS-30	31"	6.14
HS-60	60"	8.58

Utility Knives & Blades

Lenox® Gold™ Quick Change Knife



Part #	Description	Price
20350-GOLD5C	Replacement Blades, 5/Pk	3.90

Top Button Action Utility Knife

- Safe, easy to operate thumb action mechanism on top



Part #	Description	Price
MA4PK	3-Position	9.34

Double Blade Utility Blades

- Heavy duty .025 gauge fits
- 3PK, 4PK, and 5PK knives



Part #	Description	Price
MAUBS5	Replacement Blades, 5/Pk	2.54

Ratchet Wrenches

Ratchet Wrench

- For installing or servicing heating, air conditioning or refrigeration units



Part #	Square	Hex	Price
MARRW3	3/16", 1/4", 5/16", 3/8"	-	15.10
MARRW4	3/16", 1/4"	1/2" & 9/16"	18.33

Hex Key Wrench Insert



Part #	Square	Hex	Price
MARRW3/16	1/4"	3/16"	7.07

Tool and Supplies

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Tools

Fin Tools

Multi-Head Fin Straightening Tool

- Nylon angled head



Part #	Description	Price
BR19917	Kit Includes: (1) Handle & (6) Heads: 8,9,10,11,12,14	17.72

Fin Straightening Tool

- All metal long lasting fin straightener
- Heavy-duty spring wire bristles automatically adjust to all fin spacings



Part #	Description	Price
T-200	Fin-Tool	7.34

Fin Straightening Tool

- With adjustable nylon combs



Part #	Description	Price
MAFST2	For 16, 18, 20 FPI	12.04

Fin Straightening Tool

- Straightens condenser and evaporator fins
- Cleans away lint, rust, dirt and other debris
- Adjustable tension
- Sturdy metal body



Part #	Description	Price
RC61170	Large Handle Fin Straightener	15.31

6-In-1 Fin Straightener

- Straightener sizes are marked on head - 8, 9, 10, 12, 14 & 15 fins per inch



Part #	Description	Price
RC61171	Compact 4" Length	15.87

Flaring Tools

Heavy-Duty 45° Flaring Tool

- Heavy-duty tool designed for tight places
- Hardened steel flaring bar to resist tube slippage
- Forged steel yoke slips over bar and locks with a turn
- Precision threaded feed screw and long handle



Part #	Capacity	Price
RC60210	3/16" OD to 5/8" OD	49.82

Tool and Supplies

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com



Sensible Products


HVAC Hand Tools



Tools

Fan Blade and Blower Wheel Puller

- Removes fan blades/blower wheels that are frozen to a motor shaft
- Can be used to apply pushing or pulling force
- Includes (4) pulling hooks and (3) set screws
- Accommodates 5/8" belt drive and 1/2" or less direct drive motor shafts



Part #	Description	Price
UP-1	"The Ultimate Puller"	27.98

Tool and Supplies

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Tools

Punches

Snap Lock Punch for Gutter

- Used to crimp end caps on gutter
- Formed metal cutting jaws
- Nickel plate and black oxide finish
- Green grips



Part #	Length	Throat Depth	Price
MASL2	8"	1/4" - 5/8"	42.94

Awls

Scratch Awl

- High carbon alloy tool steel blade polished to resist rust
- May be re sharpened many times
- Easy-to-spot orange handles are shock and shatter resistant



Part #	Blade Dia	Nom Length	Price
MAA00	1/8"	5-1/2"	3.14

Scribers

Pocket Size Sheet Metal Scriber

- Five teeth produce 10 scribing depths
- Compact scribe stores in pocket, pouch or tool box
- Use hang hole or magnet to keep handy on the job



Part #	Min/Max Adjustments	Price
MAA40	1/8" - 1" Depths	3.31

Dividers

- Length: 11"
- Scratch awl points are easily re sharpened or replaced
- Nickel plated steel body



Part #	Description	Price
MA18	32" Max Circle Diameter	15.49

Seamers

Hand Seamer

- Bends and flattens metal easily
- Makes permanent, tight fitting seams
- Black vinyl cushion grips with handle stops
- All steel parts and hardware are nickel plated
- 1/4" - 1-1/4" Diameter



Part #	Jaw Capacity	Length	Price
MAS2	3-1/4"W	8"	51.17

Offset Hand Seamer

- Bends and flattens metal overhead or in confined areas



Part #	Jaw Capacity	Length	Price
MAS3	3-1/4"W	8"	56.59

6" Hand Seamer

- Use for all the Metal Trades
- Wider jaws minimizes buckling and bowing



Part #	Jaw Capacity	Length	Price
MAS6	6"W	8"	72.80

Folding Tools

- Folding seams are formed from two steel halves, permanently joined together



Part #	Width	Folding Depths	Price
MA12F	12"	3/8" and 1"	15.06

Tool and Supplies

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Tools

Folding Tools (Continued)

Part #	Width	Folding Depths	Price
MA18F	18"	3/8" and 1"	21.01

Duct Stretcher

- Wheels can be changed to other side of tool for applications where side of duct is close to wall or obstruction



Part #	Description	Price
MADS2	16" Offset Handle	27.77

Notchers



Part #	Description	Price
22211-N2	1" V Notcher	41.28

Hole Cutters


"Gold Standard" Hole Cutter

- Cuts holes up to 12" diameter in 20 gauge sheet metal
- Use with any standard 1/4" electric drill
- Cast aluminum body
- All wearing parts made of special heat-treated steel



Part #	Hole Diameter	Price
MAHC1	2" - 12"	68.10
MAHC2	2" - 20"	86.70

Hole Cutter Replacement Part



Part #	Description	Price
MACB	Malco Bit for HC1 and HC2	11.51

Crimpers

Single Crimper with Red Grip

- Fast, easy to use and lightweight
- Handy lock makes tool pocket sized
- Length: 8"



Part #	Throat Depth	Price
MASC1	1-1/4"	23.07

5-Blade Pipe Crimper

- Longer shallower crimps replicate to factory precision indentations
- Length: 9-5/8"



Part #	Throat Depth	Price
MAC5R	1-5/8"	35.04

Multi-Purpose Wiring/Crimping Tool

- Multi-purpose wiring tool; deluxe wire stripper



Part #	Description	Price
MA-03200	Crimping Tool	8.93

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Tool and Supplies

Tools

Dampers

Damper Regulator Hardware

- For use on 24-30 gauge steel
- Standard 5/16" threads
- Packaged 12 sets per bag
- NOT for stove pipe; Use only for air handling applications where temp doesn't exceed 350°F



Part #	Description	Price
MADR69	Damper Regulator Set, Includes: (1) Spring Bearing, Inside Washer, Handle & (1) Wing-Nut	10.95

Duct Knives

Double Edge Duct Knife

- Use as an aid in fabricating fiberglass duct
- Long life, double edge blade
- Resharpenable
- Made of heavy cutlery steel with hickory wood handle



Part #	Description	Price
MADK6S	Double Edge Cushion Grip, Serrated, 6"	15.27

Fiberglass Flex Duct Tools

Tensioning Tool

- Hardened steel stampings with weather resistant nickel chrome finish
- Vinyl grips with hand stops
- Tensioning adjustment knob and auto cut-off mechanism



Part #	Description	Price
MATY6	High Leverage Tie Tool, Auto Cut-Off	53.99

Tie Tool

- Action tie tools feature long wearing, serviceable parts
- Comfortable handles reduce the pinch point area
- Works on all ties including thin designs



Part #	Description	Price
MATY4	Manual Cut-Off	38.13

Hammers

Sheet Metal Hammer - Setting

- Polished finish



Part #	Size	Handle	Head Wt	Price
MASH3V	5-1/2"	Vinyl	18 oz	54.97

Snips

Aviation Snip

- Long blade life
- Ultimate spring durability
- Quick identification



22101



22102



22103



22105

Part #	Description	Price
22101-101	Cuts Left	26.82
22102-102	Cuts Right	26.82
22103-103	Straight	26.82
22105-105	Bulldog	33.02

"Jiffy" Aviation Snips

- Meets ANSI & DIN standards
- Cushion grip



Part #	Description	Price
SH13964	Right Cut Green Handle	17.71
SH13967	Bulldog Aviation Snips	18.97
SH13968	Straight Cut Yellow Handle	17.71

Tool and Supplies

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Snips

Snips for Metal and Vinyl

Max2000™ Snip

- An adjustable crossover disk assures an optimal length of cut that remains smooth and accurate
- Machined serrations on outside face of cutting edge
- Length: 10-3/4"



Part #	Description	Price
MAM2001	Cuts Left, Red Ergonomic Grip	25.81
MAM2002	Cuts Right, Green Ergonomic Grip	25.81
MAM2003	Combination, Yellow Ergonomic Grip	25.81

Andy™ Pattern Snip

- Ground blade edge
- Mild curve cuts, straight shearing, or cuts multiple layers of sheet metal
- Lightweight aluminum handle
- Larger handle loops



Part #	Description	Price
MAMC14N	14" Length, 3-1/4" Cutting Length	41.77



Metal working tools

Snips

For sheet metal, duct, and stainless steel

- Features color coded handles and splines to help you find the right cut for the job.
- Strong durable blades and a comfortable ergonomic grip



Part #	Description	Price
1891133	Hilmer Aviation Snip Left Cut	26.82

Metal working tools (Continued)

Snips

Part #	Description	Price
1891134	Hilmer Aviation Snip Right Cut	26.82
1891135	Hilmer Aviation Snip Striaight Cut	26.82
1891136	Hilmer Aviation Bulldog	33.02

Offset Snips

Part #	Description	Price
1891137	Hilmer Offset Left Cut Snips	33.02
1891138	Hilmer Offset Right Cut Snips	33.02

Aluminum Snips

- Features longer blades keeping your cuts neater and making short work of the job
- Replacement blades take the trouble out of dull fixed blade snips and allows the tool to have a longer life



Part #	Description	Price
1891173	Hilmer 13" Auminum Handle snips	46.67
1891174	Hilmer Replacement Blades for 1891173	18.67

Metal Folder

- Can bend up to 18 gauge sheet metal
- Accurately makes uniform 3/8" or 1" folds
- Sight Holes provide accuracy



Part #	Description	Price
1891146	Hilmer 12 inch Folding Tool	20.00
1890985	Hilmer 18 inch Folding Tool	28.00

Hole Cutter

- Features both inch and metric scales
- Cuts holes as small as 2" and all the way up to 12" or 20"
- Fits into any drill with a 1/4" chuck or larger



Part #	Description	Price
1891191	Hilmer Hole Cutter 2 inch to 12 inch	88.00
1891192	Hilmer Hole Cutter 2 inch to 20 inch	112.00

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Tool and Supplies

Pipe & Tubing Tools

Metal working tools (Continued)

Hole Cutter

Part #	Description	Price
1891193	Hilmor Hole Cutter replacement bit	14.67

Metal Tools



Part #	Description	Price
1891180	Hilmor 1 inch V notcher	41.28
1891182	Hilmor Snap Lock Punch	41.28
1891185	3 inch Hand Seamer	52.28

**Tool and
Supplies**


Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Tools

Nipple Boxes w/Swinger Handle

RICHARD
SPECIALTY CO., INC.



Part #	Size	Nipple Size	Nipples Held	Price
R317500	1/2"	Close Through 6"	77	41.60
R317600	3/4"	Close Through 6"	66	43.80
R317700	1"	Close Through 6"	50	49.90

**Tool and
Supplies**

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Safety Gear

Flashlights

Energizer® Industrial Flashlight

- Yellow body made of polypropylene



Part #	Power Source	Run Time	Output	Price
EV1151	(2) AA	32 hrs	11 Lum	5.80
EV1251	(2) D	12 hrs	16 Lum	7.16
EV1351	(3) D	20 hrs	34 Lum	9.40

Batteries

Energizer® Alkaline Industrial Battery



Part #	Size	Price
EVEN91	AA	0.74
EVEN92	AAA	0.78
EVEN93	C	1.28
EVEN95	D	1.56
EV1250	1-1/2 Volt	0.78
EVEN22	9 Volt	2.78

US Safety® Solaris Eyewear

- Molded from impact resistant nylon
- Cushion brow pad, soft PVC nose pads and rubberized bayonet temples
- 99.9% UV Protection lenses molded from optical grade polycarbonate material with scratch resistant coating



Part #	Description	Price
97101	Clear Lens Eyewear	5.06
97102	Gray Lens Eyewear	5.16
97104	Silver Mirror Eyewear	5.36
97105	Indoor Outdoor Eyewear	5.56

Latex Gloves

Industrial Grade Powdered Latex Disposable Gloves

- Fits left or right hand
- Made from component materials that comply with Federal Regulation for Food Contact: 21CFR, 170-199
- Applications:
 - Plumbing
 - Assembly
 - Manufacturing
 - Sanitation
 - General maintenance



Part #	Description	Price
WC2500L-L	Large,100/Box	6.69

Work Gloves

Select Split Cowhide Leather Double Palm Gloves

- Select split double leather palm
- Leather fingertips and knuckle strap
- Gunn pattern
- 2-1/2" Rubberized safety cuff



Part #	Description	Price
WC500DP-L	Large Double Palm Teal	3.58

Standard 100% Cotton Brown Jersey Gloves

- Standard weight
- Knit wrist
- Clute cut



Part #	Description	Price
WC750C	9 oz Brown Jersey	0.90

Dust Masks

- Disposable
- Non-toxic



Part #	Description	Price
G30-021	Dust Mask, 50/Pak	13.31

Tool and Supplies

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Safety Gear

Shoe Liner Booties



Part #	Description	Price
SC-1	Shoe Covers - 1 Pair	20.00

Sweatbands

- Comfortably keeps perspiration from your eyes and face
- Durable



Part #	Description	Price
SE22450	450 Swett-Band™ All Purpose, Rubber Headband	1.88



Pivoting Utility Blower

- Commercial grade
- Side mounted rotary dial switch controls
- Molded ABS plastic



Part #	Description	Price
9550	3-Speed, 1/16 hp, 120V	64.66



Rust-Oleum® Industrial Enamel Aerosols

- V2100/2200 System
- For metal, rust-preventative
- Maximum corrosion protection
- USDA acceptable and Agriculture Canada approved
- Superior resistance to chipping, cracking, and peeling
- Indoor/outdoor

V2100 System Enamel Aerosols

- Zinc-rich coatings provide maximum corrosion resistance



Part #	Size	Color	Price
RUV2155	15 oz	Safety Orange	8.32
RUV2178	15 oz	Flat Black	8.32

Caution Tape

- Black print on safety yellow
- 3 mil Thickness



Part #	Size	Price
J43-310	3" x 1000'	18.00

Tool and Supplies

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Tools

Extension Cords

Arctic Blue 12/3 Blue/Orange Extension Cord with Primelok® & Primelight®

- Water and oil resistant
- Flame retardant
- Ultra flexible
- Abrasion resistant
- Nickel-coated corrosion-resistant brass blades
- Primelight® indicator light
- Primelok® locking connector
- Temperature range: -58°F to +221°F



Part #	Size	Price
C01618	50'	48.95
C01619	100'	87.17

Rough Service Light Bulbs

**Coated Shatterproof
Rough Service Light Bulb**



Part #	Description	Price
7-75W	75W	316.18

**Tool and
Supplies**

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Hand Cleaners

GOJO® Hand Cleaner

Natural* Orange™ Pumice

- Quick-acting lotion formula with pumice scrubbing particles for cleaning industrial soils, medium dirt, and grease
- Orange citrus scent



Part #	Description	Price
0955-04	1 Gal with Pump Dispenser	14.37

Hercules For Hands™

- Ready-to-use, pre-saturated towels remove plastic pipe cement, grease and grime, tar and ink from users' hands
- Contains aloe, lanolin, and vitamin E
- Won't shred - leaves no residue



Part #	Description	Price
HE45333	Tub of 70 Hand Towels	14.71



Wiping Rags

Part #	Description	Price
20-202	20-202 Nearwhite Cotton 10 Lb Ctn	11.20

Tool and Supplies

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Blades

Reciprocating Saw Blades

Lenox® Gold™ Reciprocating Blade

- Longest lasting blade ever™
- Reinforced tooth design and precision applied titanium coating dissipate heat
- Titanium coating makes teeth more wear resistant so they stay sharp for quicker cuts
- Bi-metal design stands up to the most demanding applications



Part #	TPI	L x W x Thick	Pkg Qty	Applications	Price
21064-610G	10	6" x 3/4" x .035"	5	Wood & Thick Metal (1/8" - 1/2")	23.75

Demolition Blade

- Engineered to rip through a wide array of materials with ease including structural steel, lumber, pipe and nail embedded wood
- Wider and thicker to stand up to the brutal conditions in demolition applications
- Shatter resistant, bi-metal design provides the flexibility and durability single-metal blades can't



Part #	TPI	L x W x Thick	Pkg Qty	Applications	Price
20598-966R	6	9" x 7/8" x .062"	2	Demolition, Nail-Embedded Wood, Drywall & Plaster	13.22
20597-960R	10	9" x 7/8" x .062"	2	Demolition	13.22

Tool and Supplies

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Blades

Lazer™ Reciprocating Saw Blade

- Best for Extreme metal cutting
- Reinforced tooth design ensures higher performance in the most demanding jobs
- A wider, thicker body than conventional blades delivers whip-free cuts that stay straight and smooth
- Lasts up to 45% longer than competitors blades
- Shatter resistant, bi-metal design provides the flexibility and durability single-metal blades can't



Part #	TPI	L x W x Thick	Pkg Qty	Applications	Price
20176-9110R	10	9" x 1" x .042"	5	Structural Steels & All Metals (3/16" - 1/2")	34.95
20172-6114R	14	6" x 1" x .042"	5	Structural Steels & All Metals (3/32" - 3/8")	28.00
20178-9114R	14	9" x 1" x .042"	5	Structural Steels & All Metals (3/32" - 3/8")	34.95
20174-6118R	18	6" x 1" x .042"	5	Structural Steels & All Metals (1/16" - 1/4")	28.00
20180-9118R	18	9" x 1" x .042"	5	Structural Steels & All Metals (1/16" - 1/4")	34.95

Diamond™ Reciprocating Saw Blade

- Lasts three times longer than convention carbide grit
- Narrow kerf design enables thinner, faster cuts



Part #	Grit	L x W x Thick	Pkg Qty	Applications	Price
10833-800RDG	Diamond	8" x 3/4 x 0.40	1	Cast Iron, Tile, Brick & Architectural Stone	22.28

Master-Grit® Reciprocating Saw Blade

- Cuts through materials that resist chip-forming
- Uniformly applied, durable carbide grit particles on a flexible blade provide fast cuts without snagging or binding



Part #	Grit	L x W x Thick	Pkg Qty	Applications	Price
20576-800RG	Medium	8" x 3/4" x .040"	2	Fiberglass, Ceramic Tile, Cultured Marble, Clays, Brick, Non-ferrous Metal, Cement Board & Cast Iron	22.20

Tool and Supplies


Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Blades

Bi-Metal™ Reciprocating Saw Blade

- Patented TUFF TOOTH™ design provides long blade life
- Optimized for specific applications
- Shatter resistant, bi-metal design provides the flexibility and durability single-metal blades can't



Part #	TPI	L x W x Thick	Pkg Qty	Applications	Price
20575-634R	4	6" x 3/4" x .050"	5	Wood	21.70
20560-606R	6	6" x 3/4" x .035"	5	Wood, Non-ferrous Metal, Plastics & Composites	3.96
20572-656R	6	6" x 3/4" x .050"	5	Wood & Nail-Embedded Wood	23.60
20570-636RP	6	6" x 3/4" x .050"	5	Drywall & Plaster	4.72
20530-B656R	6	6" x 3/4" x .050"	25	Wood & Nail-Embedded Wood	4.24
20556-676RC	6	6" x 7/16" x .050"	25	Wood, Non-ferrous Metal, Plastics & Composites	5.01
20580-810R	10	8" x 3/4" x .050"	5	Nail-Embedded Wood, Non-ferrous Metal Thick Metal (1/8" - 1/2"), Plastics & Composites	25.05
20590-B810R	10	8" x 3/4" x .050"	25	Nail-Embedded Wood, Non-ferrous Metal Thick Metal (1/8" - 1/2"), Plastics & Composites	4.55
20582-956R	6	9" x 3/4" x .050"	5	Wood & Nail-Embedded Wood	31.25
20558-B956R	6	9" x 3/4" x .050"	25	Wood & Nail-Embedded Wood	5.64
20585-156R	6	12" x 3/4" x .050"	5	Wood & Nail-Embedded Wood	38.20
20562-610R	10	6" x 3/4" x .035"	5	Wood, Non-ferrous Metal, Plastics & Composites	19.80
20564-614R	14	6" x 3/4" x .035"	5	Non-ferrous & Medium Metal (3/32" - 5/16")	19.80
20592-650R	10/14	6" x 3/4" x .050"	1	Demolition	4.94
20583-110R	10/14	12" x 3/4" x .050"	5	Nail-Embedded Wood & Medium Metal (3/32" - 5/16")	38.20
12129-635R	10/14	6" x 3/4" x .035"	5	Nail-Embedded Wood & Medium Metal (3/32" - 5/16")	3.95
12130-835R	10/14	8" x 3/4" x .035"	5	Nail-Embedded Wood & Medium Metal (3/32" - 5/16")	4.79
20520-314RC	14	3-5/8" x 5/16" x .035"	5	Wood & Medium Metal (3/32" - 5/16")	3.73
20550-414R	14	4" x 3/4" x .035"	5	Non-ferrous & Medium Metal (3/32" - 5/16")	3.06
20552-418R	18	4" x 3/4" x .035"	5	Non-ferrous & Thin Metal (1/8" & Less)	15.30
20566-618R	18	6" x 3/4" x .035"	5	Non-ferrous & Thin Metal (1/8" & Less)	19.80
20529-B618R	18	6" x 3/4" x .035"	25	Non-ferrous & Thin Metal (1/8" & Less)	3.55
20578-818R	18	8" x 3/4" x .035"	5	Non-ferrous & Thin Metal (1/8" & Less)	25.05
20487-B818R	18	8" x 3/4" x .035"	25	Non-ferrous & Medium Metal (3/32" - 5/16")	4.55
20554-424R	24	4" x 3/4" x .035"	5	Thin Metal (1/8" & Less)	3.06
20568-624R	24	6" x 3/4" x .035"	5	Thin Metal (1/8" & Less)	19.80

Tool and Supplies

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Blades

Bi-Metal Hacksaw Blades

- Bi-metal construction allows blades to bend and flex without breaking
- TUFF TOOTH™ design eliminates tooth strippage



Part #	TPI	Length x Width	Pkg Qty	Application	Price
20144-V218HE	18	12" x 1/2"	10	Heavy Metal	2.47
20116-218HE	18	12" x 1/2"	1	Heavy Metal	2.35
20145-V224HE	24	12" x 1/2"	10	Medium Metal	24.70
20117-224HE	24	12" x 1/2"	1	Medium Metal	2.35
20146-V232HE	32	12" x 1/2"	10	Non-ferrous Metals	2.47

Tool and Supplies

Find Everything Under the Sun at One of Our Convenient Branches


www.plumbers-supply-co.com

Bits

Vari-Bits®

Vari-Bit® Step Drill Bits

- High speed steel construction and steam oxide coating
- Two cutting flutes for clean burr-free holes



Part #	Number Hole Sizes	Hole Sizes	Elec Drill Size	Price
30881-VB1	13	1/8 - 1/2	1/4"	42.06
30883-VB3	9	1/4 - 3/4	3/8"	64.23
30888-VB11	2	7/8, 1-1/8	3/8"	98.34

Wood Bits

Lenox® Leader® Automatic Feed Wood Bit

- Forged body design, strong construction
- Can be re-sharpened with file



Part #	Description	Price
1787602	Lead Screw Fits LL100-256, 5/Pk	16.90



Recessed Magnetic Nut Setter

Part #	Size	Price
EVEZ1/4	1/4"	2.86
EVEZ3/8	3/8"	3.52
EVEZ5/16	5/16"	3.06
EVEZL1/4	1/4" Long	3.90

Recessed Magnetic Nut Setter (Continued)

Part #	Size	Price
EVEZL5/16	5/16" Long	4.18

"Jiffy" Chuck Assortments

- An assortment of 9 original Jiffy Magnetic Chucks in a plastic storage box
- Contains 1 ea:
 - Sizes 1/4"x1-3/4", 1/4"x2-9/16", 1/4"x4", 1/4"x6", 5/16"x1-3/4", 5/16"x2-9/16", 5/16"x4", 5/16"x6", 3/8"x1-3/4"
 - Quick change adapter



Part #	Description	Price
SHDC-10	"Jiffy" Chuck Kit with Adapter	33.78

Tool and Supplies

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Tools


Plastic Anchor Kits

- Kit made of shatter proof plastic
- Has slot for hanging on peg-board
- (100) Anchors per kit



Part #	Description	Price
BR6607	3/16" x 7/8" Phillips/Slot Pan Head	6.82
BR6608	1/4" x 1" Phillips/Slot Pan Head	7.94

Evco Anchor Kits in Plastic Box



Part #	Description	Price
AK14HW100	1/4" Bit Dia, Red Anchors, 100/Per Box	15.56



Sheet Metal Nails

- Blued, hardened



Part #	Description	Price
BR16778	1-1/4" Panning Nails, 5 lbs	16.78

**Screws
Zip-In® Screw**



Part #	Size	Pkg Qty	Price
MAHW7X1/2ZX	7 x 1/2"	100	2.86



Painted® Zip-In Register Screw - Painted White



Part #	Size	Pkg Qty	Price
MAHW8X3ZWG	8 x 3"	25	5.56



Drill-In Screw



Part #	Size	Pkg Qty	Price
MAHW12X2X	12 x 2"	25	4.57

Bit-Tip® #2 Screw - Hex Washer Head

- Taps a matching thread
- Drills it's own hole
- Fastens in steel up to .200 thick



Part #	Screw Size	Driver Size	Pkg Qty	Price
MABT174X	1/4-14x1"	3/8"	100	14.37




Screws

Drill Point Screw




- Hex washer head zinc plated

Plastic Carton



Part #	Hex Head Size	Point Size	Thread Per Inch	Pkg Qty	Price
EV8X3/4DP500	1/4"	#2	18	500	16.26
EV10X3/4DP500	1/4"	#2	18	500	16.26

Small Box



Part #	Hex Head Size	Point Size	Thread Per Inch	Pkg Qty	Price
EV12X1DP500	5/16"	#3	14	100	31.60

Tool and Supplies

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com


Screws

Zip Screw Pack

Part #	Size	Box Qty	Price
EV10X112TP50	10x1-1/2	50	4.02
EV12X2A250	12x2	250	21.36
EV6X3/8TP100	6x3/8	100	3.14
EV8X1TP500	8x1	500	13.96
EV8X112TP100	8x1-1/2	100	13.96
EV8X2WOPH50	White 8x2	50	13.96
EV8X2WOPH25	White 8x2	250	13.96

Xtra Sharp Taper Point Screws


- Slotted hex washer head - zinc plated
- 1/4" Hex head size



Plastic Cartons

Part #	Size	Pkg Qty	Price
EV7X1/2TPM	7" x 1/2"	1,000	13.00
EV7X1/2TP100	7" x 1/2"	100	13.00
EV8X1/2TPM	8" x 1/2"	1,000	18.00
EV8X3/4TPM	8" x 3/4"	1,000	21.00
EV8X1TP500	8" x 1"	500	13.96
EV8X2TP250	8" x 2"	250	3.02
EV8X2TP50	8" x 2"	50	3.02

Small Box



Part #	Size	Pkg Qty	Price
EV7X1/2TP100	7" x 1/2"	100	3.18
EV8X2TP50	8" x 2"	50	3.02
EV10X3/4DP500	10" x 3/4"	500	16.26

Nuts

Heavy Hex Nut

- Zinc-plated



Part #	Size	Price
ZHN14	1/4"	0.03
ZHN38	3/8"	7.94

Washers

Flat Washer - Plated



Part #	Size	Price
W38	3/8"	3.20

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Hose

Garden Hose

**14 Series Reinforced 4-Ply Rubber/Vinyl
Medium-Duty Garden Hose**

- Good burst strength, withstands nozzle shut-off
- Strength of rubber, handling ease of vinyl
- Full-Flo brass couplings
- Kink-resistant
- Weather and abrasion resistant



Part #	Size	Price
GIL15-58050	5/8" x 50'	35.90

Neoprene Air Tubing

- For use on furnaces, boilers, venter motors, air duct pressure switches & rooftop pressure differential switches
- Pressure rating: -20 to + 20"wc
- Temperature rating:: 0° to 160°F



Part #	Description	Length	Price
MA-NAT316-5	3/16" ID Air Tubing	5'	8.56

**Tool and
Supplies**

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

F. Reference Charts

Reference Charts - Capacitors.....	F - 3
Reference Charts - Procedure for Starting a Compressor.....	F - 4
Reference Charts - Electrical Wiring.....	F - 5
Reference Charts - Basic System Analysis.....	F - 6

Capacitors

All PSC motors are designed to be used with an external capacitor. This capacitor operates in the circuit continuously. It is commonly referred to as a run capacitor. The most common capacitor for fan/blower motors is 5 MFD, 370V. However, other ratings will also be used, depending on the model.

FACT: A capacitor is a device capable of storing and releasing an electric charge.


FACT: Always discharge a capacitor before removing it from an installation.

FACT: The capacitor used with a capacitor start motor is called a start capacitor because it is only used while the motor is starting.

FACT: The capacitor rating is printed on the capacitor itself, the motor nameplate, or the system wiring diagram. You must know this rating to properly choose the replacement capacitor.

FACT: Capacitors are rated by both capacity (2 MFD, 5 MFD, etc.) and voltage (370V, 440V, etc). The rated capacitor size should not be changed, since the motor operates at maximum efficiency when using the specified capacitor size. If necessary, the replacement capacitor voltage rating can be high then specified, but not lower without impairing capacitor life.

FACT: Capacitors can be hooked up in parallel to increase capacity. For example, two 5 MFD, 370V capacitors connected in parallel are the equivalent of a 10 MFD, 370V capacitor. See illustration below.



FACT: If the ground lead is present, it will be green or green with a yellow tracer. The wiring diagram for all FASCO motors is shown on the motor nameplate.


FACT: To reverse rotation of FASCO electrically reversible models, switch the four external connectors (two female receptors and two male plugs). It's impossible to plug the male plugs together, and it's impossible to plug the female receptors into each other. One plug goes into each receptor, and if rotation is wrong, simply reverse the plugs.

FACT: The current FASCO reversing lead system consists of two yellow and two purple leads.

FACT: On multi-speed motors, always connect the common (white) lead to the power first.


FACT: Connecting like-color leads (yellow to yellow, purple to purple) will give clockwise rotation (shaft end). Connecting unlike-color leads will give counterclockwise rotation (shaft end).

FACT: When the original motor does not have two separate capacitor leads and the original wiring pattern is desired, the following diagram can be used for most FASCO motors.



Find Everything Under the Sun at One of Our Convenient Branches

Compressor Guide



OHM VALUES FOR COMPRESSOR WINDINGS

Remove compressor wires before taking the following readings:

Reading 1: Common to Run = 1/2 to 3-1/2 Ohms

Reading 2: Common to Start = Common to Run value 3

Reading 3: Start to Run = Reading 1 + Reading 2

Procedure for Starting a Compressor the First Time

Energize compressor for maximum of 2 seconds, then let it sit for 1/2 minute. Repeat process three times, adding 1 second to each successive run cycle, for a total of four operations. Now energize the compressor for 15 seconds and leave it off 1/2 minute.

- 1st Cycle: On 2 seconds, off 30 seconds**
- 2nd Cycle: On 3 seconds, off 30 seconds**
- 3rd Cycle: On 4 seconds, off 30 seconds**
- 4th Cycle: On 5 seconds, off 30 seconds**
- 5th Cycle: On 15 seconds, off 30 seconds**

The short run time between cycles minimizes pressure change in compressor shell and greatly reduces oil foaming. The 1/2 minute off time allows oil to settle back into the sump. It is now safe to operate the compressor without loss of lubrication. This entire process takes less than five minutes.

If the compressor fails to start on the first bump, wait 10 minutes and try again. If it fails to start after the 3rd bump, temporarily install a Kickstart in parallel with the run capacitor. It should not be necessary to leave the Kickstart in place once the 5-cycle bump has been completed.


Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Electrical

Branch Circuit Wire Sizing Table

(Based on 2% Voltage Drop)
 Chart is based on 75°C. wire. (Types FEPW, RH, RHW, THHW, THW, THWN, XHHW, USE, and ZW.)
 Use Chart for Wire Sizing Only.
 Refer to Electrical Code (or product specs) for fuse sizing.



Reference
Charts

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

A/C Troubleshooting Guide

Basic System Analysis

System Problem	Discharge Pressure	Suction Pressure	Superheat	Subcooling	Amps
Overcharge	↗	↗	↘	↗	↗
Undercharge	↘	↘	↗	↘	↘
Liquid Restriction (Drier)	↘	↘	↗	↗	↘
Low Evaporator Airflow	↘	↘	↘	↗	↘
Dirty Condenser	↗	↗	↘	↘	↗
Low Outside Ambient Temperature	↘	↘	↗	↗	↘
Inefficient Compressor	↘	↗	↗	↗	↘
TXV Feeler Bulb Charge Lost	↘	↘	↗	↗	↘
TXV Feeler Bulb Loose Mounted	↗	↗	↘	↘	↗
Poorly Insulated Feeler Bulb	↗	↗	↘	↘	↗

Reference Charts

Find Everything Under the Sun at One of Our Convenient Branches

www.plumbers-supply-co.com

Part #	Page
-	F-5
0955-04	E-22
1006	C-117
1007	C-117
105010	C-109
105012	C-109
105014	C-109
10506	C-109
10507	C-109
10508	C-109
105110	C-110
105112	C-110
105114	C-110
105116	C-110
10516	C-110
10517	C-110
10518	C-110
10541735	C-113
10553235	C-113
106010	C-107
106012	C-107
106014	C-107
10603	C-107
10604	C-107
10605	C-107
10606	C-107
10607	C-107
10608	C-107
10609	C-107
1066	C-118
10833-800RDG	E-24
1086402	D-10
1086422	D-10
1086550	D-10
1086636	D-10
1087625	D-10
1087633	D-10
1087636	D-10
1087637	D-10
1087668	D-10
1087780	D-10
10GV12A	C-10
10GV18	C-10
10GV36	C-10
10GVF	C-10
10GVFF	C-10
10GVL45	C-10
10GVL90	C-10
10GVSC	C-10
10GVVT	C-10
10RDH	C-8
10RF	C-8
10RM	C-8
10RN12	C-8
10RP18	C-8
10RP24	C-8
10RP3	C-8
10RPA	C-8
10RS	C-8
1101065	C-118
1101066	C-118
1101067	C-118
1101267	C-118
110184	C-113
110186	C-113
110210888	C-113
1102128108	C-113

Part #	Page
110212888	C-113
1102148108	C-113
1102148128	C-113
1102168108	C-113
1102168128	C-113
1102168148	C-113
1102188148	C-113
1102208148	C-113
1102228188	C-113
1102248208	C-113
1102248228	C-113
1102308248	C-113
1102308268	C-113
110660	C-116
11138	C-114
111510	C-119
1135	C-117
1136	C-117
1137	C-117
1141184	D-10
1145	C-117
1146	C-117
1147	C-117
114910	C-110
114914	C-110
11496	C-110
11497	C-110
11498	C-110
115010	C-110
115012	C-110
115014	C-110
115016	C-110
115018	C-110
115020	C-110
11503	C-110
11504	C-110
11505	C-110
11506	C-110
11507	C-110
11508	C-110
11509	C-110
1155	C-118
1156	C-118
1157	C-118
1165	C-118
1166	C-118
1167	C-118
12129-635R	E-25
12130-835R	E-25
122225102516	C-108
122425102514	C-108
122SC6	C-109
122SC7	C-109
1245	C-118
1246	C-118
1247	C-118
1275	C-118
1276	C-118
1277	C-118
12GV36	C-11
12GVF	C-11
12GVL45	C-11
12GVSC	C-11
12GVVT	C-11
12REA45	C-8
12RF	C-8
12RM	C-8

Part #	Page
12RP18	C-8
12RP24	C-8
12RP3	C-8
12RPA	C-8
12RS	C-8
12RT12	C-8
1356026	C-114
13S108	C-112
13S128	C-112
13S148	C-112
13S168	C-112
13S188	C-112
13S208	C-112
13S228	C-112
13S248	C-112
13S88	C-112
1436-005	A-7
14S108	C-112
14S128	C-112
14S148	C-112
14S168	C-112
14S1810	C-112
14S188	C-112
14S2010	C-112
14S208	C-112
14S228	C-112
14S248	C-112
14S268	C-112
14S288	C-112
14S88	C-112
15S128	C-112
15S148	C-112
15S168	C-112
15S188	C-112
15S208	C-112
15S228	C-112
15S248	C-112
15S88	C-112
16048	C-6
1605	C-117
16050	C-6
1606	C-117
1607	C-117
16S108	C-112
16S128	C-112
16S148	C-112
16S168	C-112
16S188	C-112
16S2010	C-112
16S208	C-112
16S2210	C-112
16S268	C-112
16S288	C-112
16S308	C-112
16S88	C-112
17208	C-113
1779670	E-9
1779771	E-9
1779772	E-9
1779774	E-9
1779801	E-9
1779810	E-9
1787602	E-27
1844S4A	C-15
1849QA-N	C-15
1890985	E-16
1891133	E-16

Part #	Page
1891135	E-16
1891136	E-16
1891137	E-16
1891138	E-16
1891146	E-16
1891173	E-16
1891174	E-16
1891180	E-17
1891182	E-17
1891185	E-17
1891191	E-16
1891192	E-16
1891193	E-17
1FA0403	C-60
1FA0406	C-60
1FA0413	C-60
1FF0110	C-111
1FF0112	C-111
1FF0114	C-111
1NP0807	C-60
1NP0808	C-60
1RC0434	C-60
1RC0463	C-60
1RC0471	C-60
20-202	E-22
20108	C-111
20116-218HE	E-26
20117-224HE	E-26
20128	C-111
20144-V218HE	E-26
20145-V224HE	E-26
20146-V232HE	E-26
20148	C-111
20168	C-111
20172-6114R	E-24
20174-6118R	E-24
20176-9110R	E-24
20178-9114R	E-24
20180-9118R	E-24
20188	C-111
202010	C-111
20208	C-111
20228	C-111
202410	C-111
20248	C-111
202510	C-111
20350-GOLD5C	E-10
20487-B818R	E-25
20520-314RC	E-25
20529-B618R	E-25
20530-B656R	E-25
20550-414R	E-25
20552-418R	E-25
20554-424R	E-25
20556-676RC	E-25
20558-B956R	E-25
20560-606R	E-25
20562-610R	E-25
20564-614R	E-25
20566-618R	E-25
20568-624R	E-25
20570-636RP	E-25
20572-656R	E-25
20575-634R	E-25
20576-800RG	E-24
20578-818R	E-25
20580-810R	E-25

**PART
INDEX**

Part Number Index



Part #	Page
20582-956R.....	E-25
20583-110R.....	E-25
20585-156R.....	E-25
20590-B810R.....	E-25
20592-650R.....	E-25
20597-960R.....	E-23
20598-966R.....	E-23
2088.....	C-111
20906-906.....	E-8
20908-908.....	E-8
20920-5012.....	E-8
20980-HSF-18.....	E-8
20981-HSB-18.....	E-8
20982-HSB-12.....	E-8
21010-TC11/8.....	E-5
21011-TC13/8.....	E-5
21012-TC13/4.....	E-5
21064-610G.....	E-23
211010.....	C-113
21108.....	C-112
211210.....	C-113
21128.....	C-112
21148.....	C-112
21168.....	C-112
21188.....	C-113
212010.....	C-113
21208.....	C-113
212210.....	C-113
21228.....	C-113
212410.....	C-113
21248.....	C-113
212510.....	C-113
21288.....	C-113
21308.....	C-113
2188.....	C-112
22048.....	C-6
22101-101.....	E-15
22102-102.....	E-15
22103-103.....	E-15
22105-105.....	E-15
22211-N2.....	E-14
230-CP4.....	C-62
230-D4.....	C-62
230-DCLIP-10.....	C-62
230-DE4.....	C-62
230-EB4.....	C-62
230-EIN4.....	C-62
230-FB4.....	C-62
230-IK4.....	C-62
230-WC4.....	C-62
23108.....	C-111
23128.....	C-111
23148.....	C-111
23168.....	C-111
23188.....	C-111
23208.....	C-111
23228.....	C-111
23248.....	C-111
2388.....	C-111
23931-6-IN-1.....	E-10
23932-9-IN-1.....	E-10
23AT188.....	C-111
23AT208.....	C-111
23AT248.....	C-111
23AT308.....	C-111
243106.....	C-115
243127.....	C-115

Part #	Page
243148.....	C-115
24R2104.....	C-115
24R2105.....	C-115
24R2106.....	C-115
24R2126.....	C-115
24R2146.....	C-115
24R4104.....	C-115
24R4105.....	C-115
24R4107.....	C-116
24R4126.....	C-116
24R4127.....	C-116
24R4128.....	C-116
24R4147.....	C-116
24R4148.....	C-116
24R6106.....	C-116
24R6107.....	C-116
24R6108.....	C-116
24R6126.....	C-116
24R6127.....	C-116
24R6128.....	C-116
24R6148.....	C-116
25441-41HC.....	E-9
25464-64HC.....	E-9
2650-660.....	C-120
273106.....	C-115
273126.....	C-115
273127.....	C-115
273148.....	C-115
27R2104.....	C-115
27R2105.....	C-115
27R2106.....	C-115
27R2126.....	C-115
27R2146.....	C-115
27R4104.....	C-115
27R4105.....	C-115
27R4106.....	C-115
27R4107.....	C-115
27R4126.....	C-115
27R4127.....	C-115
27R4128.....	C-115
27R4147.....	C-115
27R4148.....	C-115
27R6106.....	C-115
27R6107.....	C-115
27R6108.....	C-115
27R6126.....	C-115
27R6127.....	C-115
27R6128.....	C-115
27R6147.....	C-115
27R6148.....	C-115
283106.....	C-115
283127.....	C-115
283148.....	C-115
28R2104.....	C-116
28R2105.....	C-116
28R2106.....	C-116
28R2126.....	C-116
28R4104.....	C-116
28R4105.....	C-116
28R4106.....	C-116
28R4107.....	C-116
28R4126.....	C-116
28R4127.....	C-116
28R4128.....	C-116
28R4147.....	C-116
28R4148.....	C-116

Part #	Page
28R6106.....	C-116
28R6107.....	C-116
28R6108.....	C-116
28R6126.....	C-116
28R6127.....	C-116
28R6128.....	C-116
28R6148.....	C-116
2NH04500706.....	C-35
2NH04501006.....	C-35
2NH04501506.....	C-35
2NH04502006.....	C-35
2NP04501006.....	C-35
2NP04501506.....	C-35
2NP04502006.....	C-35
30014-14L.....	E-8
30016-16L.....	E-8
30026-26L.....	E-8
30028-28L.....	E-8
30030-30L.....	E-8
30032-32L.....	E-8
30034-34L.....	E-8
30036-36L.....	E-8
30038-38L.....	E-8
30040-40L.....	E-8
30042-42L.....	E-8
30044-44L.....	E-8
30048-48L.....	E-8
30050-50L.....	E-8
30052-52L.....	E-8
30056-56L.....	E-8
30058-58L.....	E-9
30060-60L.....	E-9
30064-64L.....	E-9
30066-66L.....	E-9
30068-68L.....	E-9
30072-72L.....	E-9
30076-76L.....	E-9
30080-80L.....	E-9
30088-88L.....	E-9
30096-96L.....	E-9
30297-123CT.....	E-9
30846-55X.....	E-9
30847-12X.....	E-9
30848-18X.....	E-9
30857-AA1.....	E-9
30881-VB1.....	E-27
30883-VB3.....	E-27
30888-VB11.....	E-27
31146.....	C-116
31148.....	C-116
31246.....	C-116
31248.....	C-116
31306.....	C-116
31308.....	C-116
31PF410.....	C-116
31PF412.....	C-116
31PF610.....	C-116
31PF612.....	C-116
31PF614.....	C-116
330533.....	D-17
330538.....	D-17
330540.....	D-17
330542.....	D-17
330544.....	D-17
330546.....	D-17
330555.....	D-17
330557.....	D-17

Part #	Page
330562.....	D-18
330568.....	D-18
330570.....	D-18
330571.....	D-18
330572.....	D-18
3500.7901.....	C-15
3500.8941B.....	C-15
352.....	C-113
358-20.....	D-5
396.....	C-3
3GV12.....	C-9
3GV12A.....	C-9
3GV18.....	C-9
3GV24.....	C-9
3GV36.....	C-9
3GV48.....	C-9
3GV60.....	C-9
3GVAF.....	C-9
3GVAM.....	C-9
3GVF.....	C-9
3GVFF.....	C-9
3GVFSR.....	C-9
3GVL45.....	C-9
3GVL90.....	C-9
3GVPC.....	C-9
3GVSC.....	C-9
3GVTC.....	C-9
3GVVTH.....	C-9
3GVWS.....	C-9
3GVWT.....	C-9
3GVX4.....	C-9
3GVX5.....	C-9
3H20634A2.....	C-18
3H33074-7.....	C-18
3H37362-1.....	C-18
3RDH.....	C-7
3REA90.....	C-7
3RF.....	C-7
3RHW.....	C-7
3RN4.....	C-7
3RP12.....	C-7
3RP24.....	C-7
3RP3.....	C-7
3RP4.....	C-7
3RP5.....	C-7
3RPA12.....	C-7
3RS.....	C-7
4000.7121.....	C-15
4000.7141.....	C-15
401-005.....	A-9
401-007.....	A-9
401-010.....	A-9
406-005.....	A-9
406-007.....	A-9
406-010.....	A-9
406-020.....	A-9
406-030.....	A-9
407-007.....	A-9
409-005.....	A-9
409-007.....	A-9
41-402.....	C-95
41-404.....	C-95
41-410.....	C-95
41-411.....	C-95
41-413.....	C-95
410-007.....	A-9
417-005.....	A-9

PART INDEX

Part #	Page
417-007.....	A-9
417-010.....	A-9
417-020.....	A-9
429-005.....	A-9
429-007.....	A-9
429-010.....	A-9
429-020.....	A-9
429-030.....	A-9
435-007.....	A-9
436-007.....	A-9
437-101.....	A-9
437-131.....	A-10
437-338.....	A-10
4371-32.....	D-13
4371-36.....	D-13
438-101.....	A-10
438-247.....	A-10
44-110.....	C-117
44-112.....	C-117
44-19.....	C-117
4410.....	C-117
4412.....	C-117
447-005.....	A-10
447-007.....	A-10
449-007.....	A-10
44S4.....	C-117
44S5.....	C-117
44S6.....	C-117
44S7.....	C-117
44S8.....	C-117
450-005.....	A-10
450-007.....	A-10
4684589.....	C-75
49P1636.....	C-108
49P2036.....	C-108
49P2436.....	C-108
49P3036.....	C-108
49T2020.....	C-108
49T2424.....	C-108
4GV06.....	C-9
4GV12.....	C-9
4GV12A.....	C-9
4GV18.....	C-9
4GV24.....	C-9
4GV36.....	C-9
4GV48.....	C-9
4GV60.....	C-9
4GVAF.....	C-9
4GVAM.....	C-9
4GVF.....	C-9
4GVFF.....	C-9
4GVFSR.....	C-9
4GVL45.....	C-9
4GVL90.....	C-9
4GVPC.....	C-9
4GVSC.....	C-9
4GVT.....	C-9
4GVVTH.....	C-9
4GVWS.....	C-9
4GVWT.....	C-9
4GVX5.....	C-9
4GVX6.....	C-9
4GVY43.....	C-9
4HBC-4LH.....	C-16
4HBC-4RH.....	C-16
4RDH.....	C-7
4REA90.....	C-7

Part #	Page
4RF.....	C-7
4RFA.....	C-7
4RHW.....	C-7
4RN5.....	C-7
4RN6.....	C-7
4RN7.....	C-7
4RP12.....	C-7
4RP18.....	C-7
4RP24.....	C-7
4RP3.....	C-7
4RP4.....	C-7
4RP5.....	C-7
4RPA.....	C-7
4RS.....	C-7
4RT4.....	C-7
5-408.....	C-59
5-409.....	C-59
5-520.....	C-59
50024917-001.....	C-54
50027998-002.....	C-54
50028044-001.....	C-54
510-3400.....	A-9
51P4126.....	C-115
51P4127.....	C-115
51P6106.....	C-115
51P6127.....	C-115
51P666.....	C-116
52543.....	C-108
52544.....	C-108
52643.....	C-108
52653.....	C-108
52654.....	C-108
52764.....	C-108
52765.....	C-108
5416.....	C-107
5418.....	C-107
5510NC.....	C-107
5512NC.....	C-107
5514NC.....	C-107
5518NC.....	C-107
553NC.....	C-107
554NC.....	C-107
555NC.....	C-107
556NC.....	C-107
557NC.....	C-107
558NC.....	C-107
559NC.....	C-107
58106.....	C-107
58107.....	C-107
58108.....	C-107
58109.....	C-107
581210.....	C-107
581410.....	C-107
581412.....	C-107
58148.....	C-107
581612.....	C-107
581614.....	C-107
581816.....	C-107
5843.....	C-107
585-TG.....	C-142
585-TG1.....	C-142
585-TG4.....	C-142
5853.....	C-107
5854.....	C-107
5863.....	C-107
5864.....	C-107
5865.....	C-107

Part #	Page
5875.....	C-107
5876.....	C-107
5885.....	C-107
5886.....	C-107
5887.....	C-107
5896.....	C-107
5897.....	C-107
5898.....	C-107
59P4126.....	C-116
59P4127.....	C-116
59P6106.....	C-116
59P6127.....	C-116
59P6148.....	C-116
5GV12.....	C-10
5GV12A.....	C-10
5GV18.....	C-10
5GV24.....	C-10
5GV36.....	C-10
5GV48.....	C-10
5GV60.....	C-10
5GVAF.....	C-10
5GVAM.....	C-10
5GVF.....	C-10
5GVFF.....	C-10
5GVFSR.....	C-10
5GVL45.....	C-10
5GVL90.....	C-10
5GVSC.....	C-10
5GVT.....	C-10
5GVVTH.....	C-10
5GVWS.....	C-10
5GVX6.....	C-10
5GVY34.....	C-10
5GVY44.....	C-10
5H71675B.....	C-18
5H71956-1.....	C-18
5H73035.....	C-18
5H75769-2.....	C-18
5H80683.....	C-18
5H80689.....	C-18
5RDH.....	C-7
5REA90.....	C-7
5RF.....	C-7
5RHW.....	C-7
5RN6.....	C-7
5RN7.....	C-7
5RN8.....	C-7
5RP18.....	C-7
5RP24.....	C-7
5RP3.....	C-7
5RP5.....	C-7
5RPA.....	C-7
5RS.....	C-7
6-12-4NM.....	C-65
6-12-6NM.....	C-65
6-1200.....	C-11
6-202-2.....	D-3
6-2424L.....	C-59
6-2748L.....	C-59
6-3030L.....	C-59
6-3050.....	C-11
6-3060L.....	C-59
6-330.....	C-70
6-34-4NM.....	C-65
6-34-6NM.....	C-65
6-3636L.....	C-59
6-5070.....	C-11

Part #	Page
6-9718.....	C-70
620-200.....	C-63
620-252.....	C-63
620-253.....	C-63
620-254.....	C-63
620-274W.....	C-63
620-403.....	C-63
620-605.....	C-63
620-608.....	C-63
620-701.....	C-63
623-001.....	C-66
623-002.....	C-66
623-003.....	C-66
623-004.....	C-66
623-005.....	C-66
6231556149.....	C-62
625-800.....	C-64
625-AF6.....	C-128
625-AF8.....	C-128
625-GD30H.....	C-63
625-GD40H.....	C-63
625-GD60H.....	C-63
625-IS5.....	C-65
626-15T.....	C-64
626-20T.....	C-64
63A10.....	C-108
63A5.....	C-108
63A6.....	C-108
63A7.....	C-108
63A8.....	C-108
650-200.....	C-82
6GV12.....	C-10
6GV12A.....	C-10
6GV18.....	C-10
6GV24.....	C-10
6GV36.....	C-10
6GV48.....	C-10
6GV60.....	C-10
6GVAF.....	C-10
6GVAM.....	C-10
6GVF.....	C-10
6GVFF.....	C-10
6GVFSR.....	C-10
6GVL45.....	C-10
6GVL90.....	C-10
6GVPC.....	C-10
6GVSC.....	C-10
6GVT.....	C-10
6GVVTH.....	C-10
6GVWS.....	C-10
6GVX7.....	C-10
6GVX8.....	C-10
6GVY34.....	C-10
6GVY35.....	C-10
6GVY44.....	C-10
6HBC-3LH.....	C-16
6HBC-3RH.....	C-16
6REA90.....	C-7
6RF.....	C-7
6RHW.....	C-7
6RN7.....	C-7
6RP12.....	C-7
6RP18.....	C-7
6RP24.....	C-7
6RP3.....	C-7
6RP4.....	C-7
6RP5.....	C-7

**PART
INDEX**

Part Number Index



Part #	Page
6RPA12.....	C-7
6RS.....	C-7
6RT6.....	C-7
6S60.....	C-114
7-75W.....	E-21
7-P36.....	C-67
7-P48.....	C-67
700-400.....	C-94
701-032.....	A-7
701-043.....	A-7
70190-ZB.....	D-11
70196-Z.....	D-11
70200-ZB.....	D-11
70202-Z.....	D-11
710-003.....	C-119
710-100.....	C-119
710-101.....	C-119
710-102.....	C-119
710-103.....	C-119
710-185G.....	C-119
73003.....	E-5
750-12100.....	C-65
750-34100.....	C-65
750-60F-3PH.....	C-64
750-MLT50.....	C-65
750-MLT75.....	C-65
750-NMLT50.....	C-65
750-NMLT75.....	C-65
750-NMLT9050.....	C-65
750-NMLT9075.....	C-65
750-RC841.....	C-65
750-RC842.....	C-65
755-30F.....	C-64
755-60F.....	C-64
755-60NF.....	C-64
781088.....	C-108
78755.....	C-108
78866.....	C-108
7GV24.....	C-10
7GV48.....	C-10
7GV60.....	C-10
7GVFSR.....	C-10
7GVL90.....	C-10
7GVSC.....	C-10
7GVVTH.....	C-10
7RF.....	C-7
7RM.....	C-7
7RN8.....	C-7
7RP18.....	C-7
7RP24.....	C-7
7RP3.....	C-7
7RP4.....	C-7
7RP5.....	C-7
7RPA.....	C-7
7RS.....	C-7
8-WH16.....	D-9
800-002.....	D-6
800-003.....	D-6
800-005.....	D-6
810.....	C-108
84ST10.....	C-110
84ST12.....	C-110
84ST14.....	C-110
84ST16.....	C-110
84ST5.....	C-110
84ST6.....	C-110
84ST7.....	C-110

Part #	Page
84ST8.....	C-110
8D60.....	C-114
8GV12.....	C-10
8GV12A.....	C-10
8GV24.....	C-10
8GV36.....	C-10
8GV48.....	C-10
8GV60.....	C-10
8GVF.....	C-10
8GVFF.....	C-10
8GVFSR.....	C-10
8GVL45.....	C-10
8GVL90.....	C-10
8GVSC.....	C-10
8GVT.....	C-10
8GVVTH.....	C-10
8RDH.....	C-7
8REA90.....	C-7
8RF.....	C-7
8RM.....	C-7
8RP12.....	C-7
8RP24.....	C-7
8RP3.....	C-7
8RP4.....	C-7
8RP5.....	C-7
8RPA.....	C-7
8RS.....	C-7
8RT8.....	C-7
901024.....	C-107
901026.....	C-106
901030.....	C-106
901224.....	C-107
901226.....	C-106
901228.....	C-106
901426.....	C-106
901626.....	C-106
901826.....	C-106
90326.....	C-106
90328.....	C-106
90330.....	C-106
90426.....	C-106
90430.....	C-106
90526.....	C-106
90530.....	C-106
90624.....	C-106
90626.....	C-106
90630.....	C-106
90724.....	C-106
90730.....	C-106
90824.....	C-107
90826.....	C-106
90830.....	C-106
90924.....	C-107
90930.....	C-106
9550.....	E-20
97101.....	E-19
97102.....	E-19
97104.....	E-19
97105.....	E-19
993.....	C-117
994.....	C-117
995.....	C-117
996.....	C-117
9F30095.....	C-18
A12HS20GR.....	B-3
ACT-6.....	C-84
AF10161.....	C-51

Part #	Page
AF10201.....	C-51
AF10201P40.....	C-51
AF10241.....	C-51
AF10241P40.....	C-51
AF12121.....	C-51
AF12121P40.....	C-51
AF12201.....	C-51
AF12201P40.....	C-51
AF12241.....	C-51
AF12241P40.....	C-51
AF12242P40.....	C-51
AF14141.....	C-51
AF14141P40.....	C-51
AF14201.....	C-51
AF14201P40.....	C-51
AF14202P40.....	C-51
AF14241.....	C-51
AF14241P40.....	C-51
AF14251.....	C-51
AF14251P40.....	C-51
AF14301P40.....	C-51
AF15201.....	C-51
AF15201P40.....	C-51
AF15202.....	C-51
AF15202P40.....	C-51
AF16161.....	C-51
AF16162P40.....	C-51
AF16201.....	C-51
AF16201P40.....	C-51
AF16202.....	C-51
AF16202P40.....	C-51
AF16204P40.....	C-51
AF16241.....	C-51
AF16241P40.....	C-51
AF16242.....	C-51
AF16242P40.....	C-51
AF16251.....	C-51
AF16251P40.....	C-51
AF16252.....	C-51
AF16252P40.....	C-51
AF16254P40.....	C-51
AF18181.....	C-51
AF18182.....	C-51
AF18241.....	C-51
AF18241P40.....	C-51
AF18242.....	C-51
AF18242P40.....	C-51
AF18251.....	C-51
AF20201.....	C-51
AF20201P40.....	C-51
AF20202.....	C-51
AF20202P40.....	C-51
AF20204P40.....	C-51
AF2022141.....	C-51
AF20221P40.....	C-51
AF20241.....	C-51
AF20241P40.....	C-51
AF20242P40.....	C-51
AF2025.....	C-51
AF20251.....	C-51
AF20251P40.....	C-51
AF20252.....	C-51
AF20252P40.....	C-51
AF20254P40.....	C-51
AF20301.....	C-51
AF20301P40.....	C-51
AF20302.....	C-51

Part #	Page
AF20302P40.....	C-51
AF2200-M.....	C-72
AF2224121.....	C-51
AF24241.....	C-51
AF24241P40.....	C-51
AF24242P40.....	C-51
AF25251.....	C-51
AF25251P40.....	C-51
AF25252P40.....	C-51
AF3030.....	C-51
AG-25.....	D-3
AHE18B3XH21.....	C-25
AHE24B3XH21.....	C-25
AHE30B3XH21.....	C-25
AHE36C3XH21.....	C-25
AHE42D3XH21.....	C-25
AHE48D3XH21.....	C-25
AHE60D3XH21.....	C-25
AJ009JNADCH/AA.....	C-20
AJ009JNNDCH/AA.....	C-20
AJ012JNADCH/AA.....	C-20
AJ012JNNDCH/AA.....	C-20
AJ018JNADCH/AA.....	C-20
AJ018JNNDCH/AA.....	C-20
AJ024JCJ2CH/AA.....	C-20
AJ024JCJ3CH/AA.....	C-20
AJ036JCJ5CH/AA.....	C-20
AK14HW100.....	E-28
AMA-200.....	E-3
AMA-762.....	E-3
AQN36VFUAGM.....	C-19
AQX36VFUAGM.....	C-19
AR09HSFSJWKNCV.....	C-19
AR09HSFSJWKXCV.....	C-19
AR118.12.....	B-5
AR118.34.....	B-5
AR118.38.....	B-5
AR12HSFSJWKNCV.....	C-19
AR12HSFSJWKXCV.....	C-19
AR18.2.30.....	B-5
AR18HSFSJWKNCV.....	C-19
AR18HSFSJWKXCV.....	C-19
AR24HSFSJWKNCV.....	C-19
AR24HSFSJWKXCV.....	C-19
AR34.38.....	B-5
AR38.38.....	B-5
AR58.34.....	B-5
AR58.38.....	B-5
AR78.34.....	B-5
AR78.38.....	B-5
AT031.10.....	C-69
AT031.12.....	C-69
AT031.14.....	C-69
AT031.16.....	C-69
AT031.18.....	C-69
AT031.20.....	C-69
AT031.4.....	C-69
AT031.5.....	C-69
AT031.6.....	C-69
AT031.7.....	C-69
AT031.8.....	C-69
AT031.9.....	C-69
AT036.10.....	C-69
AT036.12.....	C-69
AT036.14.....	C-69
AT036.16.....	C-69
AT036.18.....	C-69

PART INDEX

Part #	Page
AT036.20.....	C-69
AT036.4.....	C-69
AT036.5.....	C-69
AT036.6.....	C-69
AT036.7.....	C-69
AT036.8.....	C-69
AT036.9.....	C-69
AT076B.10.....	C-69
AT076B.12.....	C-69
AT076B.14.....	C-69
AT076B.16.....	C-69
AT076B.18.....	C-69
AT076B.4.....	C-69
AT076B.5.....	C-69
AT076B.6.....	C-69
AT076B.7.....	C-69
AT076B.8.....	C-69
AT076B.9.....	C-69
AT078B.10.....	C-69
AT078B.12.....	C-69
AT078B.14.....	C-69
AT078B.16.....	C-69
AT078B.18.....	C-69
AT078B.4.....	C-69
AT078B.5.....	C-69
AT078B.6.....	C-69
AT078B.7.....	C-69
AT078B.8.....	C-69
AT078B.9.....	C-69
ATD10.....	C-109
ATD12.....	C-109
ATD14.....	C-109
ATD6.....	C-109
ATD7.....	C-109
ATD8.....	C-109
ATDRP10.....	C-109
ATDRP6.....	C-109
ATDRP7.....	C-109
ATDRP8.....	C-109
ATK-4.....	D-3
ATSD10.....	C-109
ATSD12.....	C-109
ATSD14.....	C-109
ATSD16.....	C-109
ATSD5.....	C-109
ATSD6.....	C-109
ATSD7.....	C-109
ATSD8.....	C-109
ATSD9.....	C-109
ATT.10.....	C-109
ATT12.....	C-109
ATT14.....	C-109
ATT16.....	C-109
ATT6.....	C-109
ATT8.....	C-109
ATTPC2.....	C-126
ATTRP10.....	C-109
ATTRP12.....	C-109
ATTRP6.....	C-109
ATTRP7.....	C-109
ATTRP8.....	C-109
AVG24B3XH21C.....	C-25
AVG36C3XH21C.....	C-25
AVG48D3XH21C.....	C-25
AVG60D3XH21C.....	C-25
B150U12.....	A-3
B150U34.....	A-3

Part #	Page
B444.38.....	B-3
B45L12.....	A-3
B45SL12.....	A-3
B90L12.....	A-3
B90L34.....	A-3
B90SL12.....	A-3
BCAP12.....	A-3
BCAP34.....	A-3
BFK164S.....	C-89
BFK165S.....	C-89
BH450W.....	C-4
BHB1.12.....	A-3
BHB1.34.....	A-3
BHB34.12.....	A-4
BHQ024A06.....	C-38
BHQ030A06.....	C-38
BHQ036A06.....	C-38
BHQ042A06.....	C-38
BHQ048A06.....	C-38
BHQ060A06.....	C-38
BHZ024A06.....	C-38
BHZ030A06.....	C-38
BHZ036A06.....	C-38
BHZ042A06.....	C-38
BHZ042A25.....	C-38
BHZ048A06.....	C-38
BHZ060A06.....	C-38
BMPLUS3000.....	C-46
BN66SS12.....	A-4
BOK163HH.....	C-89
BOK163SHH.....	C-89
BOK164S.....	C-89
BP12.....	A-4
BP34.....	A-4
BR1000NC.....	C-130
BR1020.....	C-130
BR1220.....	C-131
BR1220NC.....	C-131
BR13655.....	C-59
BR165.....	C-129
BR16778.....	E-28
BR17495.....	C-103
BR17673.....	B-5
BR17674.....	B-5
BR19016.....	D-3
BR19112.....	B-5
BR19115.....	B-5
BR19116.....	B-5
BR19117.....	B-5
BR19879.....	C-62
BR19880.....	C-62
BR19881.....	C-62
BR19917.....	E-11
BR2020.....	C-131
BR2020NC.....	C-132
BR2950.....	C-135
BR3020.....	C-132
BR3220.....	C-132
BR34.12.....	A-3
BR4005.....	C-61
BR4008.....	C-61
BR500.....	C-130
BR5020.....	C-133
BR505.....	C-130
BR5220.....	C-134
BR5390.....	C-135
BR5490.....	C-135

Part #	Page
BR5970.....	C-142
BR6100.....	C-135
BR6300.....	C-135
BR6400.....	C-135
BR6607.....	E-28
BR6608.....	E-28
BR671.....	C-127
BR678.....	C-127
BR688.....	C-127
BR7453.....	C-64
BS-32.....	D-3
BT02.....	D-11
BT12.....	A-3
BT34.....	A-3
BT34.12.....	A-3
C01618.....	E-21
C01619.....	E-21
C35-090.....	E-3
CACR118OD.....	A-5
CACR12OD.....	A-5
CACR138OD.....	A-5
CACR158OD.....	A-5
CACR218OD.....	A-5
CACR258OD.....	A-5
CACR318OD.....	A-5
CACR34OD.....	A-5
CACR358OD.....	A-5
CACR38OD.....	A-5
CACR58OD.....	A-5
CACR78OD.....	A-5
CAP4003.....	C-104
CAP0503.....	C-104
CAP0504.....	C-104
CAP07503.....	C-104
CAP07504.....	C-104
CAP1003.....	C-104
CAP1004.....	C-104
CAP12503.....	C-104
CAP1503.....	C-104
CAP1504.....	C-104
CAP2003.....	C-104
CAP2004.....	C-104
CAP2053.....	C-105
CAP2054.....	C-105
CAP2503.....	C-104
CAP2504.....	C-104
CAP2543.....	C-105
CAP2553.....	C-105
CAP2554.....	C-105
CAP3003.....	C-104
CAP3004.....	C-104
CAP3043.....	C-105
CAP3053.....	C-105
CAP3054.....	C-105
CAP3503.....	C-104
CAP3504.....	C-104
CAP3543.....	C-105
CAP3553.....	C-105
CAP3554.....	C-105
CAP35753.....	C-105
CAP35754.....	C-105
CAP4004.....	C-104
CAP4043.....	C-105
CAP4053.....	C-105
CAP4054.....	C-105
CAP40753.....	C-105
CAP40754.....	C-105

Part #	Page
CAP4503.....	C-104
CAP4504.....	C-104
CAP4553.....	C-105
CAP4554.....	C-105
CAP45753.....	C-105
CAP45754.....	C-105
CAP5004.....	C-104
CAP5053.....	C-105
CAP5054.....	C-105
CAP5504.....	C-104
CAP5553.....	C-105
CAP5554.....	C-105
CAP55753.....	C-105
CAP6053.....	C-105
CAP6054.....	C-105
CAP60754.....	C-105
CAP7053.....	C-105
CAP8004.....	C-104
CAP80103.....	C-105
CAP8053.....	C-105
CAP8054.....	C-105
CBK.....	E-6
CC32.....	C-66
CD100A.....	C-125
CH-102.....	C-84
CH070CAV1.....	C-21
CH1022.3.....	A-8
CH105CAV.....	C-21
CH3.....	C-124
CH3002.....	A-8
CH3003.....	A-8
CH3022.....	A-8
CH3023.....	A-8
CH3212.....	A-8
CH3213.....	A-8
CH3232.....	A-8
CH3233.....	A-8
CH420.....	E-7
CH424.....	E-7
CH426.....	E-7
CH430.....	E-7
CH440.....	E-7
CH460.....	E-7
CL-70.....	C-129
CLL-1.....	D-9
CLL-16.....	D-9
CLL-4.....	D-9
CON1P3024.....	C-83
CON1P4024.....	C-83
CON2P30115.....	C-83
CON2P30230.....	C-83
CON2P3024.....	C-83
CON2P4024.....	C-83
CON3P3024.....	C-83
CON3P40115.....	C-83
CON3P4024.....	C-83
CONNEXT1.....	E-4
CONNEXT2.....	E-4
CP-16.....	C-57
CP-22T.....	C-57
CR118OD50.....	A-5
CR12OD50.....	A-5
CR14OD50.....	A-5
CR34OD50.....	A-5
CR38OD50.....	A-5
CR516OD50.....	A-5
CR58OD50.....	A-5

**PART
INDEX**

Part Number Index



Part #	Page
CR78OD50.....	A-5
CZF02413C.....	C-22
CZF03013C.....	C-22
CZF03613C.....	C-22
CZF04213C.....	C-22
CZF04813C.....	C-22
CZF06013C.....	C-22
CZH02411C.....	C-22
CZH03611C.....	C-22
CZH04811C.....	C-22
CZH06011C.....	C-22
D212.....	C-66
D222.....	C-66
D222C.....	C-66
D232.....	C-66
D6NZ048N06546NX	C-39
D90-290Q.....	C-86
D90-340.....	C-86
D90-370.....	C-86
D90-380.....	C-86
DA22.....	C-66
DAFM3.....	C-126
DARC4T.....	C-3
DB148120.....	C-5
DBX1000-4.....	C-4
DCM3.....	C-123
DF2211.....	C-11
DF2212.....	C-11
DF2220.....	C-11
DF2221.....	C-11
DF2222.....	C-11
DF2223.....	C-11
DGAA056BDTD.....	C-14
DGAA070BDTD.....	C-14
DGAA077BDTD.....	C-14
DH12.....	C-66
DI01714.....	D-3
DI01724.....	D-3
DI6-1.....	C-59
DICL8.....	D-6
DIM-1.....	E-4
DIM-2.....	E-4
DIM-3.....	E-4
DL1247.....	C-5
DL147.....	C-5
DL379.....	C-124
DL389.....	C-124
DL389KIT.....	C-124
DM384.....	C-123
DM393.....	C-123
DNQ024N05606.....	C-40
DNQ030N05606.....	C-40
DNQ036N07206.....	C-40
DNQ042N09006.....	C-40
DNQ048D11006.....	C-40
DNQ048N11006.....	C-40
DNQ060N11006.....	C-40
DNZ024N05606NX..	C-39
DNZ030N05606NX..	C-39
DNZ036N07206.....	C-39
DNZ036N07225.....	C-39
DNZ042N09006.....	C-39
DNZ048N11006.....	C-39
DNZ048N11025NX..	C-39
DNZ060N11006NX..	C-39
DNZ060N11025.....	C-39
DNZ060N11046.....	C-39

Part #	Page
DT1402.3.....	D-11
DTH31.....	C-125
DU10169.....	C-119
DVB350.....	C-4
DVB3D.....	C-4
DVB425.....	C-4
DVB4D.....	C-4
DW11248.....	C-5
DW21848.....	C-5
DXF2.....	C-66
EB12F.....	C-14
EB15F.....	C-14
EB20F.....	C-14
ECO-5.....	C-75
EK165S.....	C-88
EK307S.....	C-88
EM151.....	C-126
EMTC12.10.....	C-64
EP1565.....	C-108
EP1576.....	C-108
EP1587.....	C-108
EP1598.....	C-108
EV10X112TP500.....	E-29
EV10X3/4DP500.....	E-28, E-29
EV1151.....	E-19
EV1250.....	E-19
EV1251.....	E-19
EV12X1DP500.....	E-28
EV12X2A250.....	E-29
EV1351.....	E-19
EV6X3/8TP100.....	E-29
EV7X1/2TP100.....	E-29
EV7X1/2TPM.....	E-29
EV8X1/2TPM.....	E-29
EV8X112TP100.....	E-29
EV8X1TP500.....	E-29
EV8X2TP250.....	E-29
EV8X2TP50.....	E-29
EV8X2WOPH250.....	E-29
EV8X2WOPH50.....	E-29
EV8X3/4DP500.....	E-28
EV8X3/4TPM.....	E-29
EVEN22.....	E-19
EVEN91.....	E-19
EVEN92.....	E-19
EVEN93.....	E-19
EVEN95.....	E-19
EVEZ1/4.....	E-27
EVEZ3/8.....	E-27
EVEZ5/16.....	E-27
EVEZL1/4.....	E-27
EVEZL5/16.....	E-27
EWC MAN.....	C-46
F100F2002.....	C-47
F100F2010.....	C-47
FAS-6.....	C-128
FC18A3XC1.....	C-27
FC18B3XC1.....	C-27
FC2200A1009.....	C-47
FC2400A1005.....	C-47
FC24A3XC1.....	C-27
FC24B3XC1.....	C-27
FC30A3XC1.....	C-27
FC30B3XC1.....	C-27
FC32A3XC1.....	C-27
FC35B3XC1.....	C-27
FC35C3XC1.....	C-27

Part #	Page
FC36A3XC1.....	C-27
FC36B3XC1.....	C-27
FC36C3XC1.....	C-27
FC37A3XC1.....	C-27
FC42C3XC1.....	C-27
FC43B3XC1.....	C-27
FC43C3XC1.....	C-27
FC48C3XC1.....	C-27
FC48D3XC1.....	C-27
FC60C3XC1.....	C-27
FC60D3XC1.....	C-27
FC62D3XC1.....	C-27
FC64D3XC1.....	C-27
FG-NOV10AP.....	C-143
FIMG18.....	C-128
FMB.....	C-61
FMP-1.....	D-4
FR1425.....	C-111
FR1620.....	C-111
FR2020.....	C-111
FR2025.....	C-111
FTL3.....	C-67
FUL0325.....	C-3
FUL0425.....	C-3
FUL0625.....	C-3
FV08VKL1.....	C-127
G30-021.....	E-19
G5TWIN.....	C-75
GAT12.....	B-4
GAT38.....	B-4
GAT516.....	B-4
GC.....	D-12
GCGD24S21S2X....	C-24
GCGD30S21S2X....	C-24
GCGD36S21S2....	C-24
GCGD48S21S2....	C-24
GCGD60S21S2X....	C-24
GF1042LH.....	C-53
GF109920.....	C-53
GF109942.....	C-53
GF1137.....	C-53
GF12758.....	C-47
GF12880.....	C-47
GF7221.....	C-53
GF99013.....	C-53
GF99052.....	C-53
GF99053.....	C-53
GG-1.....	D-5
GGC12.....	D-5
GIL15-58050.....	E-30
GO50002.....	D-6
GORTAPE.....	D-11
GP12.....	A-4
GPK-35.....	C-75
GVA1.....	C-65
GVA2.....	C-65
H13-150.....	B-4
H20-001.....	B-4
H20-005.....	B-4
H20-010.....	B-4
H4.....	C-82
H6.....	C-82
HA10001.....	D-14
HA10009.....	D-14
HA16000.....	D-14
HA21035.....	D-14
HA40002.....	D-14

Part #	Page
HA40003.....	D-14
HA40022.....	D-14
HA40023.....	D-14
HA40027.....	D-14
HA40028.....	D-14
HA41035.....	D-14
HA51035.....	D-14
HA61035.....	D-14
HC10640.....	C-78
HC10641.....	C-78
HC10644.....	C-78
HC10647.....	C-78
HC10651.....	C-78
HC10680.....	C-78
HC10710.....	C-79
HC10711.....	C-79
HC10712.....	C-79
HC10713.....	C-79
HC10714.....	C-79
HC10715.....	C-79
HC10717.....	C-79
HC10718.....	C-79
HC10719.....	C-79
HC10720.....	C-79
HC10721.....	C-79
HC10764.....	C-79
HC10765.....	C-79
HC10766.....	C-79
HC10767.....	C-79
HC10811.....	C-80
HC10814.....	C-80
HC10816.....	C-80
HC10819.....	C-80
HC10820.....	C-80
HC10821.....	C-80
HC10823.....	C-80
HC10825.....	C-80
HC10827.....	C-80
HC10830.....	C-80
HC10832.....	C-80
HC11300.....	C-78
HC11301.....	C-78
HC11302.....	C-78
HC11303.....	C-78
HC11305.....	C-78
HC11860.....	C-78
HC11861.....	C-78
HC11862.....	C-78
HC11865.....	C-78
HC11866.....	C-78
HC11867.....	C-78
HC11870.....	C-78
HC11871.....	C-78
HC11872.....	C-78
HC11875.....	C-78
HC11876.....	C-78
HC11877.....	C-78
HC11879.....	C-78
HC11881.....	C-78
HC11885.....	C-78
HC11891.....	C-78
HC11896.....	C-78
HC11906.....	C-78
HC11912.....	C-78
HC11920.....	C-78
HC12745.....	C-81
HC12900.....	C-78

Part #	Page
HC12901.....	C-78
HC12902.....	C-78
HC12903.....	C-78
HC13200.....	C-78
HC13201.....	C-78
HC13202.....	C-78
HC13220.....	C-78
HC13221.....	C-78
HC13222.....	C-78
HC13223.....	C-78
HC22445.....	C-80
HC22447.....	C-80
HC22450.....	C-80
HC22452.....	C-80
HC22453.....	C-80
HC22458.....	C-80
HC22459.....	C-80
HC22E1003.....	C-54
HC43108.....	C-79
HC43109.....	C-79
HC43110.....	C-79
HC43111.....	C-79
HC43116.....	C-79
HC43117.....	C-79
HC43118.....	C-79
HC43119.....	C-79
HC43120.....	C-79
HC43121.....	C-79
HC43124.....	C-79
HC43125.....	C-79
HC43127.....	C-79
HC43128.....	C-79
HC43129.....	C-79
HC43130.....	C-79
HC43131.....	C-79
HC43134.....	C-79
HC43135.....	C-79
HC43139.....	C-79
HC43140.....	C-79
HC43143.....	C-79
HC43144.....	C-79
HC43147.....	C-79
HC43154.....	C-79
HC43155.....	C-79
HC43156.....	C-79
HC43157.....	C-79
HC43158.....	C-79
HC43159.....	C-79
HC43161.....	C-79
HC43163.....	C-79
HC43166.....	C-79
HC43167.....	C-79
HC43168.....	C-79
HC43169.....	C-79
HC43170.....	C-79
HC43171.....	C-79
HC43173.....	C-79
HC43174.....	C-79
HC43175.....	C-79
HC43177.....	C-79
HC43178.....	C-79
HC43179.....	C-79
HC43180.....	C-79
HC43181.....	C-79
HC43182.....	C-79
HC43186.....	C-79
HC43325.....	C-80

Part #	Page
HC43326.....	C-80
HC43362.....	C-80
HC43372.....	C-80
HC43401.....	C-80
HC43404.....	C-80
HC43405.....	C-80
HC43406.....	C-80
HC43407.....	C-80
HC43408.....	C-80
HC43410.....	C-80
HC43411.....	C-80
HC43413.....	C-80
HC43416.....	C-80
HC43417.....	C-80
HC43418.....	C-80
HC43419.....	C-80
HC43420.....	C-80
HC43423.....	C-80
HC43424.....	C-80
HC43425.....	C-80
HC43428.....	C-80
HC43430.....	C-80
HC43431.....	C-80
HC43432.....	C-80
HC43433.....	C-80
HC43438.....	C-80
HC43505.....	C-80
HC43507.....	C-80
HC43519.....	C-80
HC43520.....	C-80
HC43521.....	C-80
HC43530.....	C-80
HC43535.....	C-80
HC43649.....	C-79
HC43670.....	C-79
HC45500.....	C-81
HC45504.....	C-82
HC50290.....	C-82
HC50292.....	C-82
HC50294.....	C-82
HC50299.....	C-82
HC50310.....	C-82
HC50311.....	C-82
HC50312.....	C-82
HC50314.....	C-82
HC50350.....	C-81
HC50351.....	C-81
HC50354.....	C-81
HC50356.....	C-81
HC50500.....	C-81
HC50502.....	C-81
HC50504.....	C-81
HC50505.....	C-81
HC50506.....	C-81
HC50560.....	C-81
HD1.....	E-4
HD100AS0111.....	C-17
HD125AS0111.....	C-17
HD2.....	E-4
HD30AS0111.....	C-17
HD4.....	E-4
HD45AS0111.....	C-17
HD6.....	E-4
HD60AS0111.....	C-17
HD75AS0111.....	C-17
HE15808.....	D-9
HE45333.....	E-22

Part #	Page
HE60003.....	D-7
HE60013.....	D-7
HE60015.....	D-7
HE60020.....	D-7
HE60403.....	D-7
HE60413.....	D-7
HE60453.....	D-7
HE60460.....	D-7
HE60465.....	D-7
HM506H8908.....	C-54
HM509A2000.....	C-54
HM509H8908.....	C-54
HM512A2000.....	C-54
HMI1TT3.....	C-74
HMI1TT5.....	C-74
HPR-3.....	C-61
HPR-6.....	C-61
HS-30.....	E-10
HS-60.....	E-10
HSB193-S01.....	C-18
HSB86-S01.....	C-18
HSR4B.....	C-3
HSR4W.....	C-3
HVAC098.....	D-8
HVBP16125.....	C-5
HVBP24125.....	C-5
HVBP60125.....	C-5
I33-100.....	C-62
ICM255C.....	C-98
ICM271C.....	C-98
ICM275C.....	C-99
ICM2805.....	C-99
ICM280C.....	C-99
ICM281C.....	C-99
ICM282C.....	C-99
ICM283.....	C-99
ICM284.....	C-100
ICM286.....	C-100
ICM289.....	C-100
ICM2901.....	C-101
ICM2902.....	C-101
ICM293.....	C-100
ICM295.....	C-100
ICM296.....	C-101
ICM300C.....	C-98
ICM304C.....	C-98
ICM320C.....	C-98
ICM321C.....	C-98
ICM326H.....	C-101
ID6204.....	A-7
ID6206.....	A-7
ID62P-12.....	A-7
ID62P-16.....	A-7
ID62P-20.....	A-7
ID6806.....	A-7
ID6808.....	A-7
ID6810.....	A-7
ID68104.....	A-7
ID6812.....	A-7
ID6816.....	A-7
ID6820.....	A-7
ID6824.....	A-7
ID6828.....	A-7
ID6832.....	A-7
ID6836.....	A-7
ID6840.....	A-7
ID6848.....	A-7

Part #	Page
ID6856.....	A-7
ID6864.....	A-7
ID6872.....	A-7
ID6880.....	A-7
ID6888.....	A-7
IE163F.....	E-6
IE535C.....	C-72
ILS2509.....	C-62
ILS5006.....	C-62
ILS5007.....	C-62
ILS5009.....	C-62
INF165.....	C-124
IQP-120T.....	C-57
IQP-KUBE.....	C-58
ISO-18.....	C-61
ISO-2.....	C-61
J40-048.....	D-22
J40-049.....	D-22
J43-310.....	E-20
K194AT-48.....	C-102
K19AT-18.....	C-102
K19AT-24.....	C-102
K19AT-30.....	C-102
K19AT-36.....	C-102
KDRED1513.....	C-119
KDT121212.....	C-119
KY12PTB.....	D-9
KYPT.....	D-9
L1-04.....	D-6
L1-12.....	D-6
LA11509.....	D-13
LA22104.....	D-15
LA32898.....	D-6
LAQSICM325H.....	C-101
LB34.....	E-6
LG550521.....	C-56
LG551320.....	C-57
LG553455.....	C-57
LG553458.....	C-57
LG554200.....	C-56
LG554405.....	C-56
LG554425.....	C-56
LG554530.....	C-56
LG599065.....	C-58
LG599123.....	C-58
LI1500.1.....	E-3
LI1500.112.....	E-3
LI1500.12.....	E-3
LI1500.2.....	E-3
LI21365.....	D-16
LI21473.....	D-16
LI21702.....	D-16
LI21867.....	D-17
LI22550.....	D-16
LI22604.....	D-17
LI300.....	E-3
LI30X37.....	D-16
LI30X63.....	D-16
LI501F12.....	D-17
LI505L00.....	D-17
LI790F34.....	D-17
LI790F37.....	D-17
LIQJ28.....	D-16
LS1183850.....	C-70
LS121434100.....	C-70
LS2232.....	C-68
LS2240.....	C-68

**PART
INDEX**

Part Number Index



Part #	Page	Part #	Page	Part #	Page	Part #	Page
LS2832.....	C-68	MARRW4.....	E-10	OA23001.....	D-15	Q314A4586.....	C-94
LS2840.....	C-68	MARTC829.....	E-5	OA30013.....	D-15	Q3200U1004.....	C-95
LS343820.....	C-70	MAS2.....	E-13	OA30014.....	D-15	Q340A1066.....	C-102
LS343830.....	C-70	MAS3.....	E-13	OA30782.....	D-8	Q340A1074.....	C-102
LS343840.....	C-70	MAS6.....	E-13	OA30818.....	D-7	Q340A1082.....	C-102
LS343850.....	C-70	MASC1.....	E-14	OA30821.....	D-7	Q340A1090.....	C-102
LS583820.....	C-70	MASH3V.....	E-15	OA30850.....	D-7	QAV-2.....	C-60
LS583825.....	C-70	MASL2.....	E-13	OA30863.....	D-7	QK1101-10.....	C-143
LS583834100.....	C-70	MATC400.....	E-5	OA31012.....	D-7	QK1101-60.....	C-143
LS583840.....	C-70	MATY4.....	E-15	OA31013.....	D-7	QK1101-80.....	C-143
LS583850.....	C-70	MATY6.....	E-15	OAS.....	C-46	QK1103-60.....	C-143
LS783820.....	C-70	MAUBS5.....	E-10	P70AA-118C.....	C-71	QK1103-80.....	C-143
LS783830.....	C-70	MC18B3XC1.....	C-27	PC090C00A2AAA1..	C-44	QK1126-11.....	C-143
LS783840.....	C-70	MC24B3XC1.....	C-27	PC120C00A2AAA1..	C-44	QK1126-20.....	C-143
LS783850.....	C-70	MC32A3XC1.....	C-27	PD24242P.....	C-61	QK1701-52.....	C-143
LU26031.....	E-10	MC35B3XC1.....	C-27	PD24362P.....	C-61	QT2501.....	D-8
M90293.....	C-86	MC36B3XC1.....	C-27	PD30302P.....	C-61	QT2510.....	D-8
MA-03200.....	E-14	MC36C3XC1.....	C-27	PD30402P.....	C-61	QT2910.....	C-66
MA-12812.....	C-122	MC37A3XC1.....	C-27	PD32322P.....	C-61	QT2912.....	C-66
MA-12817.....	C-122	MC43B3XC1.....	C-27	PD33332P.....	C-61	QTM-1.....	C-60
MA-12823.....	C-121	MC43C3XC1.....	C-27	PD33382P.....	C-61	QTM-2.....	C-60
MA-12837.....	C-122	MC48C3XC1.....	C-27	PD36362P.....	C-61	QTRN080L.....	C-127
MA-142A.....	E-4	MC60D3XC1.....	C-27	PD36422P.....	C-61	QWJ-0.....	D-17
MA-49858.....	C-122	MC62D3XC1.....	C-27	PD38362P.....	C-61	QWJ-1.....	D-17
MA-60609.....	E-3	MCP9A.....	C-124	PD38483P.....	C-61	QWJ-2.....	D-17
MA-DM1.....	C-121	MGB-42A.....	E-5	PD50553P.....	C-61	R2230.....	C-75
MA-FM55.....	C-92	MI145.....	B-4	PDP150AE0130.....	C-17	R317500.....	E-18
MA-HDT38.....	C-58	MI150.....	B-4	PDP175AE0130.....	C-17	R317600.....	E-18
MA-NAT316-5.....	E-30	MI160.....	B-4	PDP200AE0130.....	C-17	R317700.....	E-18
MA-PDT392B.....	C-121	MI300G.38.....	B-3	PDP250AE0130.....	C-17	R320.12P.....	B-5
MA-RT340.....	C-121	MO28048.....	C-18	PDP300AE0130.....	C-17	R320P.....	B-5
MA05031-2.....	C-122	MO28050.....	C-18	PDP350AE0130.....	C-17	R410A.....	C-75
MA08BN21.....	C-26	MO53079.....	C-18	PDP400AE0130.....	C-17	RC19020.....	C-72
MA12830A.....	C-123	MO53080.....	C-18	PDT550.....	C-125	RC19100.....	C-73
MA12BN21.....	C-26	MO53081.....	C-18	PF-16.....	D-8	RC19173.....	C-73
MA12BN41.....	C-26	MP-12C.....	C-61	PF-KIT.....	D-8	RC19660.....	C-73
MA12F.....	E-13	MP-18C.....	C-61	PR7200.....	D-17	RC21985.....	C-72
MA16CN21.....	C-26	MP-2C.....	C-61	PRD-RD-12.....	C-46	RC21986.....	C-72
MA16CN41.....	C-26	MP-3C.....	C-61	PRD-RD10.....	C-46	RC22060.....	C-72
MA18.....	E-13	MP-4C.....	C-61	PRESBTKG.....	D-12	RC22260.....	C-72
MA18F.....	E-14	MP-6C.....	C-61	PRESO2TKG.....	D-12	RC22660.....	C-72
MA20DN21.....	C-26	MS-RH/KA/P/A/T.....	C-120	PRESMCTKG.....	D-12	RC22985.....	C-72
MA20DN41.....	C-26	MV12BN21C.....	C-26	PRESNTRTKG.....	D-12	RC22986.....	C-72
MA4PK.....	E-10	MV12DN21C.....	C-26	PRESOXRTKG.....	D-12	RC25980.....	C-73
MAA00.....	E-13	MV16CN21C.....	C-26	PSCTAPE.....	E-4	RC29985.....	C-72
MAA40.....	E-13	MV20DN21C.....	C-26	PSDH121.....	C-140	RC41215.....	C-77
MABT174X.....	E-28	MWR-WE10.....	C-62	PSMH45.....	C-140	RC42001.....	C-77
MAC5R.....	E-14	MX12BN21.....	C-26	PT-151.....	D-5	RC42004.....	C-77
MACB.....	E-14	MX16CN21.....	C-26	PT-153.....	D-5	RC42715.....	C-77
MADK6S.....	E-15	MX20DN21.....	C-26	PT7200.....	D-17	RC44215.....	C-77
MADR69.....	E-15	NC090C00C6AAA1..	C-45	PTC123G35AXXX...	C-12	RC44315.....	C-77
MADS2.....	E-14	NC120C00C6AAA1..	C-45	PTH073G35AXXX...	C-12	RC49001.....	C-76
MAFST2.....	E-11	NC180C00D6AAA2..	C-45	PTH093G35AXXX...	C-12	RC49002.....	C-76
MAHC1.....	E-14	NCM-300.....	C-46	PTH123G35AXXX...	C-12	RC49035.....	C-76
MAHC2.....	E-14	ND120C00C6AAA2..	C-45	PTH123G50AXXX...	C-12	RC49036.....	C-76
MAHHD1.....	E-4	ND14.18.....	C-46	PTH153G50AXXX...	C-12	RC49090.....	C-76
MAHHD2.....	E-4	ND14.8.....	C-46	PV1.....	C-58	RC49867.....	C-77
MAHW12X2X.....	E-28	ND16.8.....	C-46	PV12.....	C-58	RC49967.....	C-76
MAHW7X1/2ZX.....	E-28	ND180C00D6AAA2..	C-45	PV14.....	C-58	RC60100.....	E-5
MAHW8X3ZWG.....	E-28	ND20.14.....	C-46	PV34.....	C-58	RC60101.....	E-5
MAM2001.....	E-16	ND24.10.....	C-46	PV38.....	C-58	RC60120.....	E-5
MAM2002.....	E-16	ND8.20.....	C-46	PV58.....	C-58	RC60121.....	E-5
MAM2003.....	E-16	NM036C00A1AAA1..	C-40	PV78.....	C-58	RC60142.....	E-5
MAMC14N.....	E-16	NM048C00A1AAA1..	C-41	PVC40PE2.10.....	A-8	RC60210.....	E-11
MARD6.....	E-10	OA11909.....	B-5	PVC40PE3.10.....	A-8	RC61170.....	E-11
MARRW3.....	E-10	OA11910.....	B-5	PVC40PE34.20.....	A-8	RC61171.....	E-11
MARRW3/16.....	E-10	OA11911.....	B-5	PWHK01C.....	C-62	RC69080.....	C-76

PART INDEX

Part Number Index



Part #	Page
SH13964.....	E-15
SH13967.....	E-15
SH13968.....	E-15
SH369624G60.....	C-118
SH369626G60.....	C-118
SH369628G60.....	C-118
SH4812020G90.....	C-118
SH4812022G90.....	C-118
SH4812024G90.....	C-118
SH4812026G90.....	C-118
SH4812028G60.....	C-118
SHDC-10.....	E-27
SHP425300.....	C-97
SIALUMINUM.....	D-3
SICLEAR.....	D-3
SIG1100.....	C-95
SIREL.....	D-3
SL241024.....	C-106
SL241030.....	C-106
SL241224.....	C-106
SL241230.....	C-106
SL241426.....	C-106
SL241626.....	C-106
SL24326.....	C-106
SL24328.....	C-106
SL24330.....	C-106
SL24426.....	C-106
SL24428.....	C-106
SL24430.....	C-106
SL24526.....	C-106
SL24530.....	C-106
SL24624.....	C-106
SL24626.....	C-106
SL24630.....	C-106
SL24726.....	C-106
SL24730.....	C-106
SL24824.....	C-106
SL24826.....	C-106
SL24830.....	C-106
SL24924.....	C-106
SL24930.....	C-106
SL361626.....	C-106
SL361826.....	C-106
SL362026.....	C-106
SL601026.....	C-106
SL601030.....	C-106
SL601226.....	C-106
SL601230.....	C-106
SL601426.....	C-106
SL601626.....	C-106
SL60330.....	C-106
SL60430.....	C-106
SL60530.....	C-106
SL60630.....	C-106
SL60730.....	C-106
SL60830.....	C-106
SL60930.....	C-106
SLICK375.....	B-3
SLP1025.....	C-97
SLP2550.....	C-97
SLS2507.....	C-62
SLS2508.....	C-62
SLS5007.....	C-62
SLS5008.....	C-62
SS-1.....	C-58
SS-2.....	C-58
SVH4.....	C-3

Part #	Page
SVHAB4.....	C-3
SVHAW3.....	C-3
SVHAW4.....	C-3
SW1068.....	C-52
SW2000.....	C-52
T-200.....	E-11
T20-030.....	D-11
T220.....	C-125
T3403.....	C-103
T6031A-1029.....	C-74
T8034N1007.....	C-136
T834N1002.....	C-136
TB1412.....	E-6
TB1438.....	E-6
TCC.118.....	B-3
TCC.12.....	B-3
TCC.138.....	B-3
TCC.158.....	B-3
TCC.34.....	B-3
TCC.38.....	B-3
TCC.58.....	B-3
TCC.78.....	B-3
TD-1.....	C-121
TD-2.....	C-121
TD481010.....	C-110
TD48108.....	C-110
TD481210.....	C-110
TD48128.....	C-110
TD481410.....	C-110
TD48148.....	C-110
TD481610.....	C-110
TD48168.....	C-110
TD481810.....	C-110
TD48188.....	C-110
TD482010.....	C-110
TD48208.....	C-110
TD482210.....	C-110
TD48228.....	C-110
TD482410.....	C-110
TD48248.....	C-110
TD482510.....	C-110
TD48268.....	C-110
TD48288.....	C-110
TD48308.....	C-111
TD4888.....	C-110
TD60108.....	C-111
TD60128.....	C-111
TD60148.....	C-111
TD60168.....	C-111
TD60188.....	C-111
TD60208.....	C-111
TD602410.....	C-111
TD60248.....	C-111
TD6088.....	C-111
TG8S040A08MP11..	C-34
TG8S060A10MP11..	C-34
TG8S060A12MP11..	C-34
TG8S080B12MP11..	C-34
TG8S080C16MP11..	C-34
TG8S100C20MP11..	C-34
TG8S120C20MP11..	C-34
TG8S130D20MP11..	C-34
TG9S040A08MP11..	C-33
TG9S060A10MP11..	C-33
TG9S060B12MP11..	C-33
TG9S080B12MP11..	C-33

Part #	Page
TG9S080C16MP11..	C-33
TG9S080C22MP11..	C-33
TG9S100C16MP11..	C-33
TG9S100C20MP11..	C-33
TG9S120D16MP11..	C-33
TG9S120D20MP11..	C-33
TG9S130D20MP11..	C-33
TH3110D1008.....	C-138
TH3210D1004.....	C-138
TH5110D1006.....	C-137
TH8110U1003.....	C-136
TH8320U1008.....	C-136
TH8321U1006.....	C-136
TLC-3-10.....	C-66
TLC-3-12.....	C-66
TM8X060A12MP11..	C-32
TM8X080B12MP11..	C-32
TM8X080C16MP11..	C-32
TM8X100C16MP11..	C-32
TM8X100C20MP11..	C-32
TM8X120C20MP11..	C-32
TM9V060B12MP11C	C-30
TM9V080B12MP11C	C-30
TM9V080C16MP11C	C-30
TM9V100C16MP11C	C-30
TM9V100C20MP11C	C-30
TM9V120D20MP11C	C-30
TM9X060B12MP11..	C-31
TM9X080B12MP11..	C-31
TM9X080C16MP11..	C-31
TM9X100C16MP11..	C-31
TM9X100C20MP11..	C-31
TM9X120D20MP11..	C-31
TR123324-004.....	C-48
TR255649-101.....	C-48
TR255649-102.....	C-48
TR255649-103.....	C-48
TR255649-105.....	C-48
TR447380-010.....	C-48
TR455600-001.....	C-47
TR455600-125.....	C-47
TR455602-025.....	C-47
TR455602-125.....	C-47
TR455602-225.....	C-47
TRG-116-6.....	C-53
TRIPLE-D.....	D-4
TT1.....	E-3
TT112.....	E-3
TT114.....	E-3
TT2.....	E-3
TT4.....	E-3
TU0386-0006.....	D-20
TU0386-0007.....	D-20
TU0386-0100.....	D-19
TU0386-0101.....	D-19
TU0386-0102.....	D-19
TU0386-0103.....	D-19
TU0386-0104.....	D-19
TU0386-0105.....	D-19
TU0386-0106.....	D-19
TU0386-0150.....	D-20
TU0386-0151.....	D-20
TU0386-0152.....	D-20
TU0386-0153.....	D-20
TU0386-0154.....	D-20
TU0386-0171.....	D-21
TU0386-0308.....	D-19

Part #	Page
TU0386-0335.....	D-19
TU0386-0338.....	D-19
TU0386-0403.....	D-21
TU0386-0725.....	D-19
TU0386-1090.....	D-20
TU0386-1091.....	D-20
TU0386-1200.....	D-20
TU0386-1293.....	D-21
TU0386-1299.....	D-21
TU0916-0004.....	D-12
TU0916-0122.....	D-12
TU1412-0080.....	D-22
TU1421-0016.....	D-22
TU1421-0034.....	D-22
TU1423-0023.....	D-22
TU200.....	C-105
TUV-BTER.....	C-52
TUV-BTER-OS.....	C-52
TUVL-100-03.....	C-52
TUVL-215P-OS.....	C-52
TW1810.....	C-67
TW1812.....	C-67
TW182.....	C-67
TW183.....	C-67
TW185.....	C-67
TW186.....	C-67
TW188.....	C-67
UH070CAV.....	C-21
UH070CAV1.....	C-21
UH105CAV.....	C-21
UN0532.....	C-120
UN0534.....	C-120
UN0537.....	C-120
UN0538.....	C-120
UN0547.....	C-120
UP-1.....	E-12
URD-12.....	C-46
URD-14.....	C-46
URD-8.....	C-46
URDLM24X18.....	C-46
UV-18.....	C-52
UV-18R.....	C-52
UZC-4.....	C-46
VABA1.....	D-4
VAX-2.....	C-73
VAX-3.....	C-73
VAX-4.....	C-73
VAX-5.....	C-73
VAX-6.....	C-73
VC-4.....	C-72
VCR-1.....	C-72
VCRT-1.....	C-72
VLC-10.....	C-60
VLC-12.....	C-60
VR8200A2132.....	C-93
VST-44.....	C-73
W01010.....	A-6
W01011.....	A-6
W01019.....	A-6
W01023.....	A-6
W01029.....	A-6
W01030.....	A-6
W01035.....	A-6
W01036.....	A-6
W01049.....	A-6
W01247.....	A-6
W02055.....	A-6

PART INDEX

Part #	Page	Part #	Page	Part #	Page
W02350.....	A-6	WW-PC.....	C-60	ZF060N10N2AAA1..	C-42
W02716.....	A-6	WW-R.....	C-60	ZF060N10N4AAA1..	C-42
W02717.....	A-6	XP060C00N2AAA2..	C-41	ZF072N10N2AAA1..	C-42
W02722.....	A-6	YC090C00A2AAA2..	C-44	ZF090N15N2AAA5..	C-42
W02728.....	A-6	YC120C00A2AAA2..	C-44	ZF090N15N4AAA5..	C-42
W02734.....	A-6	YC180C00A2AAA2..	C-44	ZF120N20N2AAA5..	C-43
W02747.....	A-6	YCD18S41S1.....	C-23	ZF120N20N4AAA5..	C-43
W02809.....	A-6	YCJD24S41S1.....	C-23	ZF150N20N2AAA5..	C-43
W02817.....	A-6	YCD30S41S1.....	C-23	ZF180N32N2AAA1..	C-43
W02822.....	A-6	YCD36S41S1.....	C-23	ZHN14.....	E-29
W02828.....	A-6	YCD36S43S3.....	C-23	ZHN38.....	E-29
W02834.....	A-6	YCD42S41S2.....	C-23		
W02847.....	A-6	YCD48S41S1.....	C-23		
W03030.....	A-6	YCD48S43S3.....	C-23		
W10141.....	A-6	YCD60S41S2.....	C-23		
W10142.....	A-6	YCD60S43S3.....	C-23		
W10143.....	A-6	YCD60S44S3.....	C-23		
W10144.....	A-6	YCF24S41S1.....	C-23		
W10145.....	A-6	YCF30S41S1.....	C-23		
W10146.....	A-6	YCF36S41S1.....	C-23		
W10147.....	A-6	YCF42S41S1.....	C-23		
W10148.....	A-6	YCF48S41S2.....	C-23		
W10157.....	A-6	YCF60S41S2.....	C-23		
W38.....	E-29	YD120C00A2AAA2..	C-44		
WB03034.....	A-6	YD180C00A2AAA2..	C-44		
WC2500I-L.....	E-19	YHJD36S43S4.....	C-37		
WC500DP-L.....	E-19	YHJD36S44S4.....	C-37		
WC750C.....	E-19	YHJD48S43S3.....	C-37		
WCA1.....	C-67	YHJD48S44S3.....	C-37		
WD10152.....	D-6	YHJD60S43S3.....	C-37		
WS-1.....	C-58	YHJD60S44S3.....	C-37		
WS10X3106.....	C-115	YHJF18S41S1.....	C-37		
WS10X3126.....	C-115	YHJF24S41S1.....	C-37		
WS10X3146.....	C-115	YHJF30S41S1.....	C-37		
WS14310.....	C-114	YHJF36S41S4.....	C-37		
WS14312.....	C-114	YHJF42S41S5.....	C-37		
WS15018.....	D-15	YHJF48S41S5.....	C-37		
WS15064.....	D-15	YHJF60S41S1.....	C-37		
WS15310.....	C-114	YHJR18S41S3.....	C-37		
WS15314.....	C-114	YHJR24S41S4.....	C-37		
WS15318.....	D-15	YHJR30S41S4.....	C-37		
WS16310.....	C-114	YHJR36S41S4.....	C-37		
WS16312.....	C-114	YHJR42S41S4.....	C-37		
WS16314.....	C-114	YHJR48S41S4.....	C-37		
WS21310.....	C-114	YHJR60S41S6.....	C-37		
WS21312.....	C-114	YP9C060B12MP12C	C-29		
WS21314.....	C-114	YP9C080B12MP12C	C-29		
WS900E.....	C-12	YP9C080C16MP12C	C-29		
WSJ24310.....	C-114	YP9C100C16MP12C	C-29		
WSJ24312.....	C-114	YP9C100C20MP12C	C-29		
WSJ24314.....	C-114	YP9C120D20MP12C	C-29		
WSJ60310.....	C-114	YTH5320R1000.....	C-138		
WSJ60312.....	C-114	YTH6320R1001.....	C-138		
WSJ60314.....	C-114	YTH9421C1002.....	C-139		
WT07.....	C-67	YZF02413C.....	C-36		
WT07C.....	C-67	YZF03013C.....	C-36		
WT11.....	C-67	YZF03613C.....	C-36		
WT11C.....	C-67	YZF04213C.....	C-36		
WT15.....	C-67	YZF04813C.....	C-36		
WT15C.....	C-67	YZF06013C.....	C-36		
WTB07.....	C-67	YZH02411C.....	C-36		
WTB07C.....	C-67	YZH03611C.....	C-36		
WTB11.....	C-67	YZH04811C.....	C-36		
WTB11C.....	C-67	YZH06011C.....	C-36		
WTB15.....	C-67	ZF036N08N2AAA1..	C-42		
WTB15C.....	C-67	ZF048N10N2AAA1..	C-42		
WW-H1.....	C-60	ZF060C00A2AAA1..	C-41		

**PART
INDEX**

A

A/C Disconnects DiversiTech.....	C-64
A/C Pads Duragrid.....	C-61
A/C Whips DiversiWhips.....	C-65
Abrasives Mill-Rose.....	D-12
Access Fittings	
Copper Couplers.....	C-73
Copper Refrigerant.....	C-73
Acetylene Regulators TurboTorch.....	D-19
Acetylene Tanks & Refills	D-12
Acid Neutralizers Rectorseal.....	D-3
Acid Test Kits	
For Refrigeration Oil.....	D-3
QwikShot.....	D-8
Adhesives	
Armaflex 520.....	B-5
Hardcast Duct Liner.....	C-5
HVAC Super Pro.....	D-8
Silicone Caulk.....	D-3
Aerosol Paint Rust-Oleum.....	E-20
Agri Drain Tape.....	D-11
Air Cleaners	
Field Controls UV Air Purifiers.....	C-52
Honeywell Media.....	C-47
Second Wind UV Air Purifier.....	C-52
Source 1 Electronic.....	C-50
Source 1 Hybrid.....	C-49
Source 1 Media.....	C-49
Source 1 UV Purifiers.....	C-52
Triatomic Environmental UV Air Purifier.....	C-52
Trion.....	C-47
Air Conditioners	
Amana PTAC.....	C-12
Coleman UPG.....	C-24
York.....	C-22-23
York Commercial.....	C-44
Air Filters	
GeneralAire Media.....	C-47
Honeywell Media.....	C-47
Koch Filter.....	C-51
Koch Media.....	C-51
Koch Media Filter.....	C-48
Source 1 Media.....	C-49-50
Air Flow Meters UEI.....	C-126
Air Handler Blocks DiversiTech.....	C-61
Air Handlers	
McDaniel Metals Filter Racks.....	C-68
York.....	C-25-26
York Packaged Commercial Split.....	C-45

Air King Utility Blowers.....	E-20
Air Pressure Switches York UPG.....	C-97
Air Tubing MA-Line Neoprene.....	E-30
Air-Acetylene Outfits Prest-O-Lite.....	D-16
Air-Tite Takeoffs Southwark.....	C-109
Alarm System Condensing Unit.....	C-60
Alarms FireX Smoke Detector.....	C-120
Allied Tube & Conduit Conduit.....	C-64
Alligator Clips MA-Line.....	C-122
Alloys Brazing.....	D-14
Aluminum Tubing Bramec.....	C-103
Amana	
Grilles.....	C-13
PTAC Units.....	C-12
Wire Harness Kit.....	C-62
Amazing Tape Agri Drain.....	D-11
Anchor Brand Cotton Rags.....	E-22
Anchor Kits	
Bramec.....	E-28
Evco.....	E-28
Andy Snips Malco.....	E-16
Anti-Vibration Pads DiversiTech.....	C-61
AP/Armaflex Armacell Pipe Insulation.....	B-5
Appion Refrigerant Recovery.....	C-75
AquaGuard Float Switches.....	C-59
Armacell	
Armaflex Insulated Tape.....	B-5
Pipe Insulation.....	B-5
Armaflex 520 Adhesive.....	B-5
Atco	
Ductboard Triangles.....	C-119
Flex Duct.....	C-69
Reducers.....	C-119
Aviation Snips	
Lenox.....	E-15
Shook.....	E-15
Awls Malco.....	E-13

B

B-Line Beam Clamps.....	B-3
B-Vent	
Hart & Cooley.....	C-7-8
Simpson Dura-Vent.....	C-9-11
Versa Cap.....	C-11
Barbed Fittings Nylon.....	A-7
Bath Fans	

Product Index

Broan.....	C-127
Panasonic.....	C-127
Bath Vent Deflect-O.....	C-3
Batoray	
Batteries.....	E-19
Eyewear.....	E-19
Flashlights.....	E-19
Batteries Batoray.....	E-19
Beam Clamps	
B-Line.....	B-3
Erico Caddy.....	B-3
Belts Source 1 "V".....	C-92
Benders Imperial Tube.....	E-6
Big Helper PVC Pipe Cutters.....	E-5
Bits	
Lenox Drill Vari-Bit.....	E-27
Lenox Wood.....	E-27
Black Cast Iron Fittings 125# Threaded....	A-3
Black Malleable Iron	
Fittings 150#.....	A-3
Unions.....	A-3
Black Steel	
Fittings.....	A-4
Pipe Nipples.....	A-4
Blacktop Patch Quikrete.....	C-143
Blade and Wheel Pullers Sensible	
Products.....	E-12
Blades	
Lenox Handsaw.....	E-26
Lenox Saw.....	E-23
Utility Knife.....	E-10
Block Spades Insulated Terminal.....	C-66
Blower Controls ICM.....	C-98
Blower Motors Source 1.....	C-91
Blowers Air King Utility.....	E-20
Booster Fans DiversiTech.....	C-128
Boss Silicone Sealants.....	D-3
Boxes Electrical Outlet.....	C-63
Brackets	
Air Conditioner.....	C-62
Motor Mount.....	C-92
Braeburn	
Indoor Remotes Sensors.....	C-135
Temporary Construction Thermostat.....	C-129
Thermostat Accessories.....	C-135
Thermostats.....	C-130
Bramec	
Anchor Kits.....	E-28
Equipment Stands.....	C-61
FHA Plates.....	B-4
Lubricants.....	D-6

Stud Guards.....	B-4
Tubing.....	C-58, C-103
Brazing Alloys Harris Group.....	D-14
Broan Bath Fans.....	C-127
Brushes	
Cleaning.....	E-3
Fitting.....	E-3
Linzer Products Paint.....	E-3
Linzer Products Wire.....	E-3
Tu-Turn Fitting.....	E-3
Bulbs Rough Service Light.....	E-21
Burner Controls	
Honeywell Gas.....	C-93
ICM.....	C-100
Burners Honeywell Pilot.....	C-94

C

C02 Cartridges Swoosh.....	D-5
Cable Clamps Nylon.....	C-67
Cable Connectors Romex.....	C-65
Cable Staples DiversiTech.....	C-65
Cable Ties	
HD Nylon.....	C-67
Nylon.....	C-67
Caddy Beam Clamps.....	B-3
Capacitors	
Turbo 200 Universal.....	C-105
UPG Run.....	C-104
Caps Flare.....	C-72
Carbon Dioxide Tanks & Refills	D-12
Carbon Monoxide Detectors MA-Line...	C-123
Carbon Steel Fittings Black Nipples.....	A-4
Carson Industries Duragrid® Condenser	
Pads.....	C-61
Cast Iron Fittings Black 125# Threaded...	A-3
Caulk Silicone.....	D-3
Caulk Guns Plumbest.....	E-3
Caution Tape National Marker.....	E-20
Cement	
CGM Hydraulic.....	C-143
Hercules PVC.....	D-7
PVC Oatey.....	D-7
Quikrete.....	C-143
Cerro Flow Products	
Copper CerroPure® Tubing.....	A-5
Copper Refrigeration Tubing.....	A-5
CerroPure® Cerro Flow Products Copper	
Tubing.....	A-5

CGM Inc Hydraulic Cement..... C-143

Channel Strut System..... B-3

Channel Fittings PHD Manufacturing..... B-3

Channellock Pliers..... E-7

Chargers Kwik-Charge..... C-72

Charging Ball Valves Yellow Jacket..... C-73

Charging Hose Yellow Jacket..... C-72-73

Charging Manifolds Yellow Jacket..... C-76-77

Check Valves Little Giant..... C-58

Chemical Sprayers

 DiversiTech..... D-3

 MA-Line..... D-4

Chimney Liner Kits Simpson Dura-Vent.. C-11

Chimney Systems Simpson Dura-Vent.... C-9-11

Chuck Assortment Shook..... E-27

Circuit Breakers DiversiTech..... C-63

Clamp-On Meters

 MA-Line..... C-121

 UEI..... C-124

Clamps

 Beam..... B-3

 Ideal Hose..... A-7

 IPRO Temperature/Pressure..... C-121

 Nylon Wire/Cable..... C-67

 Strut Pipe..... B-3

Coil Cleaners

 Concentrate..... D-4

 DiversiTech..... D-4-5

 Nu-Calgon..... D-4-5

 Vapco..... D-4

Coil Coat Everclean..... D-5

Coils

 Coleman UPG Vexar Evaporator..... C-15

 First Company..... C-16

 Unitary Products Group Evaporator..... C-27

 UPG..... C-27

Coleman UPG

 Air Conditioners..... C-24

 Mfg Housing Parts & Accessories..... C-15

 Stylecrest Mfg Housing Gas Furnaces... C-14

Collars

 Hart & Cooley..... C-82

 Southwark Sheet Metal..... C-109

Compressor Heaters DiversiTech..... C-84

Compressor Terminal Repair Kits..... C-66

Compressor Terminals Electrical..... C-66

Compressor Totes Wagner..... C-84

Compressors UPG..... C-84

Concrete Cement Mix Quikrete..... C-143

Condensate Drain Cleaners DiversiTech D-5

Condensate Drain Pan Cleaners

 DiversiTech..... D-5

Condensate Drain Pan Fittings

 DiversiTech..... C-59

Condensate Drain Pans DiversiTech..... C-59

Condensate Overflow Switches

 DiversiTech..... C-58

 Rectorseal..... C-58

Condensate Pumps

 DiversiTech..... C-57

 Little Giant..... C-56

 Mini-Split..... C-57-58

Condensate Traps Plumbest..... C-59

Condenser Coil Cleaners

 DiversiTech..... D-4-5

 Nu-Calgon..... D-4-5

 Vapco..... D-4

Condenser Fan Motors UPG..... C-90

Condenser Fin Tools Straightening..... E-11

Condenser Motors Source 1..... C-90

Condenser Pads

 Carson Industries Duragrid®..... C-61

 DiversiTech..... C-61

Conduit

 Allied Tube & Conduit..... C-64

 Greenfield..... C-64

 LiquidTite..... C-65

 LiquidTite Flexible..... C-65

Conduit Fittings

 Electrical..... C-64

 LiquidTite..... C-65

 Romex..... C-65

Connectors

 Duro Dyne Flexible Duct..... C-119

 Romex..... C-65

Construction Solutions Dryer Vent

 Boxes..... C-4

Construction Thermostats Temporary.. C-129

Contactors

 Source 1..... C-83

 Unitary Products Group..... C-83

Control Wire Quietside..... C-62

Cool Gel LA-CO..... D-13

Copper Fittings

 Refrigerant Access..... C-73

 Wrot..... A-6

Copper Saddle Valves Piercing..... C-60

Copper Tubing

 Cerro Flow Products..... A-5

 Cerro Flow Products Refrigeration..... A-5

Core Removal Tools DiversiTech..... C-72

Product Index

Core Remover/Storers Valve.....	C-72
Core Tools Yellow Jacket.....	C-73
Cork Insulation Tape DiversiTech.....	C-70
Cotton Rags Anchor Brand.....	E-22
Couplers Quick.....	C-73
Couplings Galv Steel.....	A-4
Covalence Adhesives	
Duct Tapes.....	D-10
Tapes.....	D-10
Covers Electrical Outlet.....	C-63
Crankcase Heaters DiversiTech.....	C-84
Crimping Tools	
MA-Line.....	E-14
Malco.....	E-14
Current Sensing Relays Source 1.....	C-55
Cutter Wheels Yellow Jacket.....	E-5
Cutters	
Lenox Tubing.....	E-5
Malco Hole.....	E-14
Malco Tube.....	E-5
Mill-Rose.....	E-5
Cylinders MAPP and Propane.....	D-12

D

Damper Controls EWC Controls Inc.....	C-46
Damper Motors EWC Controls Inc.....	C-46
Damper Regulators Malco.....	E-15
Dampers	
EWC Controls Inc.....	C-46
Galv Sheet Metal.....	C-117
Hart & Cooley.....	C-78, C-82
York.....	C-60
DAP Foam Sealants.....	D-3
Deflect-O	
Dryer Vent.....	C-3
Duct.....	C-3
Kitchen Vents.....	C-3
Vinyl Hose.....	C-4
Defrost Timers ICM.....	C-98
Diffusers	
DiversiTech.....	C-82
Hart & Cooley.....	C-78-79
Hart & Cooley T-Bar.....	C-81
Direct Vent GS Chimney Liner Kits	C-11
Simpson Dura-Vent.....	
Disconnects	
DiversiTech.....	C-64
Electrical Terminal.....	C-66

DiversiGum Sealing Compounds.....	D-3
DiversiTech	
Air Handler Blocks.....	C-61
Chemical Sprayers.....	D-3
Circuit Breakers.....	C-63
Coil Cleaners.....	D-4-5
Compressor Terminal Repair Kit.....	C-66
Condensate Drain Cleaners.....	D-5
Condensate Drain Pan Cleaners.....	D-5
Condensate Drain Pans.....	C-59
Condensate Pumps.....	C-57
Copper Saddle Valves.....	C-60
Core Removal Tools.....	C-72
Crankcase Heaters.....	C-84
Disconnects.....	C-64
Duct Hangers.....	C-119
Electrical Outlet Boxes.....	C-63
Electrical Switches.....	C-63
Electrical Terminals.....	C-66
Electrical Wire Connectors.....	C-66
EMT Thinwall Conduit & Fittings.....	C-64
Flood Detectors.....	C-58
Fuses.....	C-63
HD Wire & Cable Ties.....	C-67
Humidifier Cleaners.....	D-5
HVAC Supplies.....	C-61
Insulation.....	C-70
Leak Detector Chemicals.....	D-6
Line Tap Valves.....	C-60
LiquidTite Flex Conduit.....	C-65
Nylon Barbed Fittings.....	A-7
Refrigerant Flush.....	D-8
Refrigerant Test Kits.....	D-3
Relays.....	C-86
Sealants.....	D-3
SpeediChannel Line Set Covers.....	C-62
Staples.....	C-65
Test Leads.....	C-67
Thermometers.....	C-121
Thermostat Guards.....	C-142
Thread Sealants.....	D-9
Transformers.....	C-103
Utility Strap.....	E-10
Vinyl Grommets.....	C-65
Wasp & Hornet Spray.....	D-9
Wire & Cable Clamps.....	C-67
Wire & Cable Ties.....	C-67
DiversiWhips A/C Whips.....	C-65
Dividers Malco.....	E-13
Draft Booster Fans DiversiTech.....	C-128
Draft Controls Field Controls.....	C-128
Drain Cleaners DiversiTech Condensate..	D-5
Drain Pan Cleaners DiversiTech.....	D-5
Drain Pan Fittings DiversiTech.....	C-59
Drain Pans DiversiTech.....	C-59

Drill Bits
 Lenox Vari-Bit..... E-27
 Lenox Wood..... E-27

Drill Chucks Evco..... E-27

Dryer Boxes
 Construction Solutions..... C-4
 Downflow..... C-4

Dryer Hose Flexible..... C-3

Dryer Vent
 Deflect-O..... C-3
 Southwark..... C-3

Duct
 Atco Flex..... C-69
 Flexible Dryer..... C-3
 Southwark Sheet Metal..... C-110

Duct Connectors Flexible..... C-119

Duct Fittings Southwark Sheet Metal..... C-110

Duct Hangers DiversiTech..... C-119

Duct Insulation Reflectix..... C-5

Duct Knives Malco..... E-15

Duct Liner Owens Corning QuietR Acoustic..... C-5

Duct Liner Adhesives Hardcast..... C-5

Duct Liner Board Owens Corning..... C-5

Duct Panning
 Sheet Metal..... C-113
 ThermO-Pan..... C-6

Duct Rings Hart & Cooley..... C-78

Duct Sealants Hardcast..... C-5

Duct Strap
 DiversiTech..... C-119
 Plumbest Galvanized..... B-4

Duct Stretchers Malco..... E-14

Duct Tape
 Covalence Adhesives..... D-10
 Gorilla Glue..... D-11
 Hardcast..... D-11

Duct Ties HD Nylon..... C-67

Duct Tools
 Hilmor..... E-16
 Malco..... E-16
 Malco Flex Fiberglass..... E-15

Duct Wraps Owens Corning..... C-5

Ductboard Triangles Atco..... C-119

Ductless Splits
 Condensate Pumps..... C-57-58
 Control Wire..... C-62
 Hanging Brackets..... C-62
 Line Set Covers..... C-62
 Line Sets..... C-62
 Quietside Samsung..... C-20-21
 Samsung..... C-19

Samsung Quietside Remote Controls.... C-62
 SpeediChannel Fitting Starter Kit..... C-62

Duragrid Pads Carson Industries..... C-61

Duro Dyne Flexible Duct Connectors..... C-119

Dust Masks Plumbest..... E-19

DWV Fittings PVC..... A-8

Dynatemp
 R-22 Refrigerant..... C-75
 R-410A Refrigerant..... C-75

E

Egg Crate Diffusers..... C-82

Elbows Sheet Metal..... C-106

Electric Heater Strips DiversiTech..... C-84

Electric Strip Heaters UPG..... C-35

Electrical Wire Terminals..... C-66

Electrical Boxes
 DiversiTech..... C-63
 Handy Box..... C-63
 Steel..... C-63

Electrical Covers Outlet..... C-63

Electrical Disconnects DiversiTech..... C-64

Electrical Fittings
 EMT..... C-64
 LiquidTite..... C-65
 Romex..... C-65

Electrical Switches DiversiTech..... C-63

Electrical Tape Plumbest..... D-11

Electrical Test Equipment MA-Line..... C-122

Electronic Air Cleaners
 Source 1..... C-50
 Trion..... C-47

Emerson Controls Moisture Indicators.... C-74

EMT
 Conduit..... C-64
 Electrical Fittings..... C-64

Energy Recovery Ventilators Source 1. C-55

ENFORCER Wash & Hornet Spray..... D-9

Equipment Brackets Bramec..... C-62

Equipment Pads DiversiTech..... C-61

Equipment Stands Bramec..... C-61

Erico Beam Clamps..... B-3

Evaporator Coils
 Coleman UPG Vexar..... C-15
 Unitary Products Group..... C-27
 York Commercial Split..... C-45

Evaporator Pads

Product Index



GeneralAire.....	C-53
Honeywell.....	C-54
Source 1.....	C-55
Trion.....	C-53

EVCO

Anchor Kits.....	E-28
Drill Chucks.....	E-27
Screws.....	E-28

EWC Controls Inc.

By-Pass & Static Pressure Control Dampers.....	C-46
Damper Motors.....	C-46
Outdoor Sensors.....	C-46
Rectangular Dampers.....	C-46
Round Dampers.....	C-46
Zoning Control Systems.....	C-46

Exhaust Fans

Broan.....	C-127
Panasonic.....	C-127

Extension Cords Prime Wire and Cable... E-21

Eyewear Batoray..... E-19

F

Fan Coils First Company..... C-16

Fan Control Centers White-Rodgers..... C-85

Fan Relays Source 1..... C-85

Fans

Air King Utility Blower.....	E-20
Broan Bath.....	C-127
DiversiTech Booster.....	C-128
Panasonic Ventilating.....	C-127

Fasteners

Nuts.....	E-29
Washers.....	E-29

FHA Plates Bramec..... B-4

Fiberglas® Duct Wraps Owens Corning. C-5

Field Controls

Air Purification Systems.....	C-52
Draft Controls.....	C-128
IAQ Systems.....	C-128
UV Air Purification Replacement Lamps.....	C-52

Filter Frames

Southwark.....	C-111
York UPG.....	C-111

Filter Racks

McDaniel Metals.....	C-68
Source 1.....	C-68

Filter-Driers..... C-88

Filters

GeneralAire Media.....	C-47
Honeywell Media.....	C-47

Koch Filter.....	C-48, C-51
Source 1 Media.....	C-49-50

Fin Tools Straightening..... E-11

Firex

Duct Smoke Alarm Sampling Tubes.....	C-120
Smoke Detectors.....	C-120

First Company

Coils.....	C-16
Fan Coils.....	C-16

Fitting Brushes Tu-Turn..... E-3

Fittings

Black Cast Iron 125# Threaded.....	A-3
Black Cast Iron Threaded.....	A-3
Black Malleable Iron 150#.....	A-3
Black Malleable Iron Threaded.....	A-3
Black MI Threaded.....	A-3
Black Steel.....	A-4
Black Steel Nipples.....	A-4
Copper Access.....	C-73
DiversiTech Condensate Drain Pan.....	C-59
EMT Electrical Conduit.....	C-64
Galv Sheet Metal.....	C-107-108, C-116-117

Galv Steel.....	A-4
LiquidTite.....	C-65

Nylon Barbed..... A-7

Oval Galv Sheet Metal..... C-117-118

PVC DWV..... A-8

PVC Insert..... A-7

PVC Sch 40..... A-9

Romex..... C-65

Romex Metallic Connectors..... C-65

Southwark Sheet Metal..... C-106, C-110

Wrot Copper Pressure..... A-6

Yellow Jacket Access..... C-73

Flare Caps Refrigeration..... C-72

Flaring Tools Yellow Jacket..... E-11

Flashing

Bramec Dektite Pipe.....	B-5
Oatey.....	B-5

Flashlights Batoray..... E-19

Flex Duct

Atco Insulated.....	C-69
Dryer.....	C-3

Flex Duct Connectors Duro Dyne..... C-119

Flex Vent Hart & Cooley Type B..... C-7-8

Flint Strikers

Plumbest.....	D-22
Prest-O-Lite.....	D-17
TurboTorch.....	D-22

Float Switches

AquaGuard.....	C-59
Condensate Overflow.....	C-58

Flood Detectors Wet Switch..... C-58

Flue Caps Versa Cap.....	C-11
Fluorescent Scanner Solution Yellow Jacket.....	C-74
Flushing Refrigerant.....	D-8
Flux	
JW Harris.....	D-14
LA-CO.....	D-15
Oatey.....	D-15
Foam Insulation Tape DiversiTech.....	C-70
Foam Sealants	
DAP.....	D-3
DiversiTech.....	D-3
Foil Tape Polyken.....	D-10
Folding Tools Malco.....	E-13
Frames Paramount Register Installation.....	C-82
Freedom Steel	
G60 Coated Galvanized Sheet Metal.....	C-118
G90 Coated Galvanized Sheet Metal.....	C-118
Fresh Air System Field Controls.....	C-128
Furnace Blower Motors Source 1.....	C-91
Furnace Control Modules ICM.....	C-99
Furnace Filters	
GeneralAire Media.....	C-47
Honeywell Media.....	C-47
Koch Filter Media.....	C-48
Koch Hoghair Media.....	C-51
Source 1 Media.....	C-49-50
Furnaces	
Stylecrest Mfg Housing Gas.....	C-14
York Gas.....	C-29-31, C-33
Fuse Boxes For Type "T" Plug Fuses.....	C-63
Fuses	
Cartridge Type.....	C-64
DiversiTech.....	C-63
Time Delay Plug.....	C-64

G

Gallo Gun Condensate Drain Cleaners.....	D-5
Galv Sheet Metal	
Freedom Sheet Steel.....	C-118
Pipe & Fittings.....	C-106
Galv Steel Fittings.....	A-4
Garden Hose Gilmour.....	E-30
Gas Tanks & Refills.....	D-12
Gas Conversion Kits	
Modine.....	C-18
UPG.....	C-60
Gas Furnaces	

Stylecrest Mfg Housing.....	C-14
York.....	C-29-31, C-33
Gas Heaters Modine.....	C-17
Gas Igniters HSI.....	C-94
Gas Leak Detector Chemicals	
DiversiTech.....	D-6
LA-CO.....	D-6
Gas Leak Detectors	
UEI.....	C-125
Yellow Jacket.....	C-74
Gas Packs York.....	C-39, C-42-43
Gas Pressure Test Kit Yellow Jacket.....	C-74
Gas Pressure Tester Refco.....	C-75
Gas Tanks MAPP and Propane.....	D-12
Gas Valves	
Honeywell.....	C-93
Honeywell Combination.....	C-93
Robertshaw.....	C-94
White-Rodgers.....	C-93-94
Gas Vent Hart & Cooley Type B.....	C-7-8
Gaskets Yellow Jacket Charging Hose.....	C-72
Gauges	
TurboTorch Fuel.....	D-20
Yellow Jacket Manifold.....	C-76
Yellow Jacket Vacuum Pump.....	C-76
GeneralAire	
Air Cleaners.....	C-47
Evaporator Pads.....	C-53
Humidifiers.....	C-53
Humidistats.....	C-53
Replacement Parts.....	C-53
Gilmour Garden Hose.....	E-30
Glasses Batoray Safety.....	E-19
Gloves	
West Chester Latex.....	E-19
West Chester Work.....	E-19
Glue Lutz Gorilla Glue.....	D-6
GOJO Hand Cleaner.....	E-22
Gorilla Glue Duct Tape.....	D-11
Grease Bramec Lubricating.....	D-6
Greenfield Conduit.....	C-64
Grilles	
Amana.....	C-13
Hart & Cooley.....	C-78-80
Hart & Cooley T-Bar.....	C-81
Grommets DiversiTech Vinyl.....	C-65
Gutter Tools Malco Snap Lock Punches...	E-13

H

Hacksaw Blades Lenox.....	E-26
Hacksaws Lenox.....	E-8
Hammers Malco.....	E-15
Hand Cleaners	
GOJO.....	E-22
Hercules.....	E-22
Hand Saws Lenox.....	E-8
Handy Boxes Utility.....	C-63
Hang-N-Strap Utility.....	E-10
Hangers	
DiversiTech Duct.....	C-119
Sioux Chief Tube.....	B-4
Hanging Wire DiversiTech.....	C-119
Hard Starts	
Kickstart.....	C-96
SUPCO.....	C-96
Hardcast	
Duct Liner Adhesives.....	C-5
Duct Tape.....	D-11
Mastic Duct Sealants.....	C-5
Harnesses A/C Whips.....	C-65
Harris Group Brazing Alloys.....	D-14
Hart & Cooley	
B-Vent.....	C-7-8
Commercial T-Bar.....	C-81
Registers & Grilles.....	C-78
T-Bar Diffuser.....	C-82
T-Bar Diffuser Accessories.....	C-82
Head Pressure Controls ICM.....	C-101
Heat Absorbant Chemicals	
Cool Gel.....	D-13
Thermo-Trap.....	D-13
Heat Pumps	
Amana PTAC.....	C-12
Ductless Split.....	C-19
Quietside Ductless Split.....	C-20-21
York.....	C-36-38
York Commercial.....	C-44
Heat Strips UPG.....	C-35
Heaters	
DiversiTech Compressor.....	C-84
Modine Gas Unit.....	C-18
Modine Unit.....	C-17
Hercules	
Hand Cleaners.....	E-22
PVC Cement.....	D-7
PVC Primers/Cleaners.....	D-7

Thread Sealants.....	D-9
Hex Drivers Malco.....	E-4
Hex Key Adapter MA-Line.....	E-3
Hex Key Wrench Inserts Malco.....	E-10
Hex Nuts	E-29
Hilmor Duct Tools.....	E-16
Hilmor Tools Tube Benders.....	E-6
Hoghair Media Koch Filter.....	C-51
Hole Cutters	
Lenox One Tooth.....	E-9
Malco.....	E-14
Hole Saws Lenox.....	E-8
Honeywell	
Air Cleaners.....	C-47
Environment Controls.....	C-139
Gas Valves.....	C-93
Humidifier Pads.....	C-54
Humidifier Parts.....	C-54
Humidifiers.....	C-54
Igniters.....	C-95
Pilot Burners.....	C-94
Remote Temperature Controls.....	C-74
Replacement Media.....	C-47
Temperature Sensors.....	C-139
Thermocouples.....	C-102
Thermostats.....	C-136-138
Wireless Thermostats.....	C-138
Hornet & Wasp Spray	
DiversiTech.....	D-9
ENFORCER.....	D-9
Hose	
Flexible Dryer Vent.....	C-3
Garden.....	E-30
MA-Line PVC.....	C-58
Prest-O-Lite Acetylene.....	D-17
TurboTorch Acetylene.....	D-20
TurboTorch LP/MAPP.....	D-22
Yellow Jacket Charging.....	C-72-73
Yellow Jacket FlexFlow.....	C-73
Hose Clamps Ideal.....	A-7
Hot Dawg Modine.....	C-17
Hot Surface Igniters	
Honeywell.....	C-95
Robertshaw.....	C-95
Source 1.....	C-94
SUPCO.....	C-95
Humidifier Cleaners DiversiTech.....	D-5
Humidifier Kits Plumbest.....	C-60
Humidifier Pads	
GeneralAire.....	C-53
Honeywell.....	C-54
Source 1.....	C-55
Trion.....	C-53

Humidifier Parts Honeywell..... **C-54**

Humidifiers

- GeneralAire..... **C-53**
- Honeywell..... **C-54**
- Source 1..... **C-55**

Humidistats GeneralAire..... **C-53**

HVAC Super Pro Solderless Bonding..... **D-8**

Hybrid Air Cleaners Source 1..... **C-49**

Hydraulic Cement CGM Inc..... **C-143**

I

Ice Maker Kits Plumbest..... **C-60**

ICM

- Burner Controls..... **C-100**
- Defrost Timers..... **C-98**
- Furnace Control Modules..... **C-99**
- Head Pressure Controls..... **C-101**
- Ignition Controls..... **C-100**
- Pilot Modules..... **C-100**

Ideal Hose Clamps..... **A-7**

Igniters HSI..... **C-94**

Ignition Controls Honeywell Gas..... **C-93**

Ignition Modules ICM..... **C-100**

Imperial

- Chargers..... **C-72**
- Tube Benders..... **E-6**

Indoor Air Quality UPG..... **C-49**

Insert Fittings PVC..... **A-7**

Inspection Mirrors Telescoping..... **E-4**

Insulated Flexible Duct Atco Duct..... **C-69**

Insulation

- Armacell Pipe..... **B-5**
- Reflectix Duct..... **C-5**

Insulation Foams

- DAP..... **D-3**
- DiversiTech..... **D-3**

Insulation Tape

- Cork..... **C-70**
- Foam..... **C-70**

IPRO

- Pressure Clamps..... **C-121**
- Propane Torch..... **D-17**

J

Jackson Industries HVAC Super Pro..... **D-8**

Jackson Systems

- Thermostats..... **C-129**
- Warning Watchdog Alarm System..... **C-60**

Johnson Controls

- Pressure Controls..... **C-71**
- Thermocouples..... **C-102**

Joist Panning

- Sheet Metal..... **C-113**
- ThermO-Pan..... **C-6**

JW Harris

- Flux..... **D-14**
- Solder..... **D-14**

K

Kickstart Hard Start Devices..... **C-96**

Kitchen Vent Deflect-O..... **C-3**

Knives

- Malco..... **E-15**
- Malco Duct..... **E-15**
- Malco Utility..... **E-10**
- Utility..... **E-10**

Koch Filter

- Hoghair Air Filters..... **C-51**
- Multi-Pleat Series..... **C-48, C-51**

Kon-Trole Condensate Pan & Humidifier
Cleaners..... **D-5**

L

LA-CO

- Cool Gel..... **D-13**
- Flux & Pastes..... **D-15**
- Leak Detectors..... **D-6**

Lamps

- Field Controls UV Replacement..... **C-52**
- Second Wind UV Replacement..... **C-52**
- Source 1 UV Replacement..... **C-52**
- Triatomic Environmental UV
Replacement..... **C-52**

Latex Gloves West Chester..... **E-19**

Leads

- Compressor..... **C-66**
- Superflex Test..... **C-67**

Leak Detector Chemicals

- DiversiTech..... **D-6**
- LA-CO..... **D-6**

Leak Detectors

- UEI Leak..... **C-125**
- Yellow Jacket..... **C-74**

Product Index



Lenox
 Hacksaw Frames..... E-8
 Hand Saws..... E-8
 Hole Saws..... E-8
 One Tooth Hole Cutters..... E-9
 Screwdrivers..... E-10
 Snips..... E-15
 Solder..... D-15
 Torches..... D-17
 Tube Cutters..... E-5
 Utility Knives..... E-10

Leslie Locke Versa Cap..... C-11

Light Bulbs Rough Service..... E-21

Lighters
 Plumbest Flint..... D-22
 TurboTorch Flint..... D-22

Line Set Covers DiversiTech..... C-62

Line Sets
 Mueller Industries..... C-70
 Quietside..... C-62

Line Tap Valves DiversiTech..... C-60

Linzer Products
 Cleaning Brushes..... E-3
 Paint Brushes..... E-3
 Wire Brushes..... E-3

Liquid Wrench Lubricants & Penetrants... D-6

LiquidTite
 Conduit..... C-65
 Conduit Fittings..... C-65
 Flexible Conduit..... C-65

Lithium Grease Bramec..... D-6

Little Giant
 Check Valves..... C-58
 Condensate Pumps..... C-56-57

Lubricants
 Bramec..... D-6
 Pipe Joint Compounds..... D-9
 WD-40..... D-6

Lufkin Tape Measures..... E-4

Lutz
 Gorilla Glue..... D-6
 Screwdrivers..... E-10

LuxPro Thermostats..... C-140

M

MA-Line
 Carbon Monoxide Detectors..... C-123
 Chemical Sprayers..... D-4
 Digital Thermometers..... C-121
 Hex Key Adapter..... E-3

MA-Line..... C-122
 Motor Mounting Brackets..... C-92
 Nitrogen Regulators..... D-16
 PVC Braided Hose..... C-58
 Test Equipment..... C-121-123
 Thermometers..... C-121
 Tools..... E-14
 Tubing..... E-30

MAC Line Piercing Valves..... C-60

Mainstream Engineering
 Compressor Terminal Repair Kits..... C-66
 Qwik Tools..... D-8

Malco
 Awls..... E-13
 Crimpers..... E-14
 Damper Hardware..... E-15
 Dividers..... E-13
 Fiberglass Ductboard Tools..... E-15
 Folding Tools..... E-13
 Hammers..... E-15
 Hole Cutters..... E-14
 Nut Drivers..... E-4
 Punches..... E-13
 Ratchet Wrenches..... E-10
 Screwdriver Sets..... E-10
 Screws..... E-28
 Scribes..... E-13
 Seamers..... E-13
 Snips..... E-16
 Tubing Tools..... E-5
 Utility Knives..... E-10

Malleable Iron Fittings
 Black 150#..... A-3
 Black Unions..... A-3

Manifold Gauges Yellow Jacket..... C-76

Manifolds
 Refco..... C-75
 Yellow Jacket..... C-76-77

Manometers UEI Digital Electronic..... C-126

MAPP Gas Disposable Tank..... D-12

Masks Plumbest Dust..... E-19

Mastics Hardcast Duct Sealants..... C-5

McDaniel Metals Air Handler Filter Racks. C-68

Media Air Cleaners
 Honeywell..... C-47
 Source 1..... C-49
 Trion..... C-47

Media Air Filters
 For Trion..... C-48
 GeneralAire..... C-47
 Honeywell..... C-47
 Koch Filter Hoghair..... C-51
 Source 1..... C-49-50

Meters

MA-Line.....	C-121
UEI Clamp-On.....	C-124
Mill-Rose	
Abrasives.....	D-12
Pipe Cutters.....	E-5
Thread Sealants.....	D-11
Mini-Splits	
ClearVueKube Condensate Pump.....	C-58
Control Wire.....	C-62
Hanging Brackets.....	C-62
Line Set Covers.....	C-62
Line Sets.....	C-62
Little Giant Condensate Pump.....	C-57
Quietside.....	C-20-21
Samsung Quietside Remote Controls....	C-62
SpeediChannel Fitting Starter Kit.....	C-62
Mirrors Telescoping Inspection.....	E-4
Modine	
Gas Conversion Kits.....	C-18
Parts.....	C-18
Unit Heaters.....	C-17-18
Moisture Indicators Emerson.....	C-74
Motor Blade and Wheel Pullers	
Sensible Products.....	E-12
Motor Mounts MA-Line Brackets.....	C-92
Motors	
EWC Controls Inc.....	C-46
Modine.....	C-18
Source 1 Blower.....	C-91
Source 1 Condenser.....	C-90
UPG Condenser Fan.....	C-90
Mounting Blocks Bramec Furnace.....	C-61
Mueller Industries Line Sets.....	C-70
Multimeters	
Digital.....	C-123
MA-Line.....	C-121-122
UEI.....	C-124

N

Nails Sheet Metal.....	E-28
National Marker Caution Tape.....	E-20
Needle Valves Piercing.....	C-60
Neoprene Air Tubing MA-Line.....	E-30
Nipple Trays Richard Specialty.....	E-18
Nipples Black Carbon Steel.....	A-4
Nitrogen Regulators MA-Line.....	D-16
Nitrogen Tanks & Refills	D-12
Notchers Lenox Tools.....	E-14
Nu-Calgon	

Coil Cleaners.....	D-4-5
Heat Pastes.....	D-13
Refrigeration Flush Solvents.....	D-8
Nut Drivers Malco.....	E-4
Nutone Bath Fans.....	C-127
Nuts	
Electrical Wire.....	C-66
Hex.....	E-29
Strut.....	B-3
Nylon Barbed Fittings DiversiTech.....	A-7
Nylon Clamps Wire/Cable.....	C-67
Nylon Ties	
HD Wire & Cable.....	C-67
Wire & Cable.....	C-67

O

Oatey	
Flux.....	D-15
Primers/Cleaners.....	D-8
PVC Cement.....	D-7
Roof Flashing.....	B-5
Solder & Lead.....	D-15
Oil	
Bramec Lubricating.....	D-6
Liquid Wrench Penetrating.....	D-6
Yellow Jacket Vacuum Pump.....	C-76
Oil Pumps & Injectors Yellow Jacket.....	C-76
Orifices UPG Refrigerant.....	C-28
Outdoor Sensors EWC Controls Inc.....	C-46
Outlet Boxes	
DiversiTech.....	C-63
Steel.....	C-63
Outlet Covers Electrical.....	C-63
Overflow Switches Condensate.....	C-58
Owens Corning	
Duct Liner Board.....	C-5
Fiberglas® Duct Wraps.....	C-5
QuietR Acoustic Duct Liner.....	C-5
Oxygen Tanks & Refills	D-12

P

Packaged Heating and Cooling York....	C-39-45
Packaged Terminal Air Conditioners	
Amana.....	C-12
Paint Aerosol.....	E-20
Paint Brushes Linzer Products.....	E-3

Product Index



Panasonic Ventilating Bath Fans.....	C-127
Panning	
Sheet Metal.....	C-113
ThermO-Pan.....	C-6
Pans DiversiTech Drain.....	C-59
Panther American Pipe Hangers.....	B-4
Paramount Installation Frames.....	C-82
Penetrating Oil Liquid Wrench.....	D-6
PHD Manufacturing	
Channel Fittings.....	B-3
Cushion Clamps.....	B-3
Piercing Valves	
DiversiTech.....	C-60
Needle.....	C-60
Pilot Burners Honeywell.....	C-94
Pilot Gas Valves Honeywell.....	C-93
Pilot Modules ICM.....	C-100
Pipe	
Oval Galv Sheet Metal.....	C-117
PVC Type 1120 Pressure.....	A-8
Southwark Galv Sheet Metal.....	C-106
Pipe Clamp Adapters UEI.....	C-126
Pipe Clamps Strut.....	B-3
Pipe Cutters	
Big Helper PVC.....	E-5
Malco Ratchet Action.....	E-5
Ratchet.....	E-5
Scissor Action.....	E-5
Pipe Fittings	
Black Cast Iron 125# Threaded.....	A-3
Black Malleable Iron 150#.....	A-3
Black Steel.....	A-4
Copper Wrot.....	A-6
Galv Steel.....	A-4
PVC DWV.....	A-8
PVC Insert for Polyethylene.....	A-7
PVC Sch 40.....	A-9
Pipe Flashing	
Bramec Dektite.....	B-5
Oatey No-Calk.....	B-5
Pipe Hangers	
Clamps.....	B-4
Panther American.....	B-4
Pipe Hooks Sioux Chief DWV.....	B-4
Pipe Insulation Armacell.....	B-5
Pipe Nipples Black Steel.....	A-4
Pipe Strap	
1-Hole.....	B-4
2-Hole.....	B-4
Plumbest Perforated.....	B-4
Pipe Tape Agri Drain.....	D-11

Pipe Thread Sealants	
DiversiTech.....	D-9
Hercules.....	D-9
Plaster Frames Sheet Metal.....	C-116
Plastic Pipe Cement	
Hercules.....	D-7
Oatey.....	D-7
Plastic Pipe Cutters	
Big Helper.....	E-5
Scissor.....	E-5
Sure Grip.....	E-5
Plastic Pipe Primers/Cleaners	
Hercules.....	D-7
Oatey.....	D-8
Plates	
Electrical Outlet Covers.....	C-63
FHA.....	B-4
Plenums Southwark Sheet Metal.....	C-108
Pliers Channellock.....	E-7
Plugs	
Black Steel.....	A-4
Galv Steel.....	A-4
Plumbers Supply Tape Measure.....	E-4
Plumbest	
Caulk Gun.....	E-3
Dust Masks.....	E-19
MAPP & Propane.....	D-12
Pipe Strap.....	B-4
Solder Supplies.....	D-22
Pocket Thermometers	
DiversiTech.....	C-121
MA-Line.....	C-121
Poly Tubing Clear.....	C-58
Polyethylene Fittings PVC Insert.....	A-7
Polyken Tape Duct.....	D-10
Pressure Clamps IPRO.....	C-121
Pressure Controls	
ICM.....	C-101
Johnson Controls.....	C-71
Pressure Pipe Type 1120 PVC.....	A-8
Pressure Switches	
SUPCO.....	C-97
York UPG.....	C-97
Pressure Tester Refco Gas.....	C-75
Prest-O-Lite	
Accessories.....	D-17
Air-Acetylene Outfits.....	D-16
Friction Lighters.....	D-17
Sabre "V" Series.....	D-16
Torch Handles & Tips.....	D-16
Prime Wire and Cable Extension Cords..	E-21

Primers/Cleaners

- Hercules..... **D-7**
- Oatey..... **D-8**

Propane Gas Disposable Tank..... **D-12**

Propane Torch IPRO..... **D-17**

Psychrometers UEI..... **C-125**

PTAC Units Amana..... **C-12**

Pumps

- DiversiTech Condensate..... **C-57**
- Little Giant Check Valves..... **C-58**
- Little Giant Condensate..... **C-56-57**

Punches

- Malco..... **E-13**
- Malco Snap Lock for Gutters..... **E-13**

PVC Braided Hose MA-Line..... **C-58**

PVC Cement

- Hercules..... **D-7**
- Oatey..... **D-7**

PVC Fittings

- DWV..... **A-8**
- Insert..... **A-7**
- Sch 40..... **A-9**

PVC Pipe Type 1120 Pressure..... **A-8**

PVC Pipe Cutters

- Big Helper..... **E-5**
- Scissor..... **E-5**
- Sure Grip..... **E-5**

PVC Primers/Cleaners

- Hercules..... **D-7**
- Oatey..... **D-8**

Q

Quick Couplers Yellow Jacket..... **C-73**

QuietR Acoustic Duct Liner Owens Corning..... **C-5**

Quietside

- Control Wires..... **C-62**
- Ductless Mini-Split..... **C-20-21**
- Line Sets..... **C-62**

Quikrete

- Blacktop Patch..... **C-143**
- Concrete Cement Mix..... **C-143**
- Sand/Topping Mix..... **C-143**
- Water-Stop Cements..... **C-143**

Qwik Tools Mainstream Engineering..... **D-8**

R

Rags Anchor Brand..... **E-22**

Rain Caps Galv Sheet Metal..... **C-117**

Ratchet Wrenches Malco..... **E-10**

Receptacle Covers Steel..... **C-63**

Receptacles DiversiTech..... **C-63**

Reciprocating Saw Blades Lenox..... **E-23**

Rectorseal

- Acid Neutralizers..... **D-3**
- Compressor Oil Related Products..... **D-3**
- Condensate Overflow Control..... **C-58**

Reducers Atco Knocked Down..... **C-119**

Reed Scissor Shears..... **E-5**

Refco

- Gas Pressure Tester..... **C-75**
- Manifolds..... **C-75**
- Test Instruments..... **C-75**
- Vacuum Pumps..... **C-75**

Reference Charts

- A/C System Analysis..... **F-6**
- Branch Circuit Wire Sizing Table..... **F-5**
- Capacitors..... **F-3**
- Compressor Start Procedure..... **F-4**

Reflectix Duct Insulation..... **C-5**

Refrigerant Flushing

- DiversiTech..... **D-8**
- Mainstream QwikShot..... **D-8**
- Nu-Calgon..... **D-8**

Refrigerant Orifices UPG..... **C-28**

Refrigerant Recovery Appion..... **C-75**

Refrigerant Test Kits Acid for Oil..... **D-3**

Refrigerants

- Dynatemp R-22..... **C-75**
- Dynatemp R-410A..... **C-75**

Refrigeration Caps Flare..... **C-72**

Refrigeration Controls

- Honeywell Temperature..... **C-74**
- Johnson Pressure Controls..... **C-71**

Refrigeration Fittings Copper Access..... **C-73**

Refrigeration Tubing Cerro Flow Products..... **A-5**

Register Frames Paramount..... **C-82**

Registers & Grilles

- Hart & Cooley..... **C-78**
- Hart & Cooley Commercial T-Bar..... **C-81**

Regulators

- MA-Line Nitrogen..... **D-16**

Product Index

TurboTorch.....	D-19
Relays	
DiversiTech.....	C-86
Fan Control.....	C-85
Source 1 Current Sensing.....	C-55
Remote Controls Samsung Quietside	
Ductless Systems.....	C-62
Return Air Panning	
Sheet Metal.....	C-113
ThermO Manufacturing.....	C-6
Richard Specialty Nipple Boxes.....	E-18
Robertshaw	
Gas Valves.....	C-94
Hot Surface Igniters.....	C-95
Rod Threaded.....	B-4
Romex Fittings.....	C-65
Roof Curbs Unitary Products Group.....	C-60
Roof Flashing	
Bramec Dektite.....	B-5
Oatey No-Calk.....	B-5
Roof Jacks Coleman UPG.....	C-15
Rules	
Lufkin Tape Measures.....	E-4
Plumbers Supply Company Tape.....	E-4
Run Capacitors UPG.....	C-104
Rust-Oleum Aerosol Paints.....	E-20

S

Sabre "V" Series Prest-O-Lite.....	D-16
Saddle Valves Piercing.....	C-60
Safety Equipment Shoe Booties.....	E-20
Safety Glasses Batoray.....	E-19
Sampling Tubes FireX.....	C-120
Samsung Mini-Split Systems.....	C-19
Samsung Quietside	
Mini-Split Systems.....	C-20-21
Remote Controls.....	C-62
Sand/Topping Mix Quikrete.....	C-143
Sanyo Parts.....	C-62
Saw Blades	
Lenox.....	E-8
Lenox Reciprocating.....	E-23
Saws	
Close Quarter.....	E-8
Hacksaw.....	E-8
Lenox Hand.....	E-8
Lenox Hole.....	E-8
PVC/ABS Plastic Pipe.....	E-8

Scratch Awls Malco.....	E-13
Screwdrivers	
Lenox.....	E-10
Lutz.....	E-10
Malco.....	E-10
Screws	
Drill Point.....	E-28
Evco.....	E-28
Malco Bit-Tip.....	E-28
Malco Drill-In.....	E-28
Malco Painted.....	E-28
Malco Zip-In.....	E-28
Taper Point.....	E-29
Zip.....	E-29
Scribers Malco.....	E-13
Sealants	
DiversiTech.....	D-9
Hercules Thread.....	D-9
Insulating Foam.....	D-3
Mill-Rose Teflon Tape.....	D-11
Sealing Compounds.....	D-3
Silicone.....	D-3
Sealing Compounds DiversiGum.....	D-3
Seamers Malco Hand.....	E-13
Second Wind	
Replacement Parts.....	C-52
UV Air Purifiers.....	C-52
UV Lamps.....	C-52
Sellstrom Sweatbands.....	E-20
Sensible Products Motor and Wheel	
Pullers.....	E-12
Sensors	
Braeburn Remote Temperature.....	C-135
Honeywell Temperature.....	C-139
Sequencers White-Rodgers.....	C-87
Setting Hammers Malco.....	E-15
Shears Reed Scissor.....	E-5
Sheet Metal	
Dampers.....	C-117
Galv Sheet Steel.....	C-118
Nails.....	E-28
Oval Galv.....	C-117
Roof Caps.....	C-117
Snaplock Pipe.....	C-106
Southwark Duct.....	C-110
Southwark Fittings.....	C-106, C-108-109, C-111-114
Southwark Plenum.....	C-108
Sheet Steel Freedom Galvanized.....	C-118
Shoe Covers Booties Protectors.....	E-20
Shook	
Aviation Snips.....	E-15

Chucks.....	E-27
Shop Towels Anchor Brand.....	E-22
Sight Glass Emerson.....	C-74
Silicone Sealants	
Boss.....	D-3
Caulk.....	D-3
Simpson Dura-Vent	
Direct Vent GS Chimney Liner Kits.....	C-11
Round B-Vent.....	C-9
Sioux Chief Pipe Hangers and Fasteners..	B-4
Smoke Detector Accessories FireX.....	C-120
Smoke Detectors FireX.....	C-120
Snap Collars Southwark.....	C-109
Snaplock Pipe Southwark Galv Sheet Metal.....	C-106
Snips	
Aviation.....	E-15
Lenox.....	E-15
Malco.....	E-16
Solder	
JW Harris.....	D-14
Lenox Tools.....	D-15
Wolverine.....	D-15
Solder Supplies	
Gas Tanks.....	D-12
Heat Absorbant Chemicals.....	D-13
LA-CO Flux.....	D-15
Lenox Torches.....	D-17
Oatey Flux.....	D-15
Oatey Solder.....	D-15
Plumbest.....	D-22
Presto-O-Lite.....	D-16
TurboTorch.....	D-19-20, D-22
Solderless Bonding HVAC Super Pro.....	D-8
Solenoid Valves Source 1 Humidifier.....	C-55
Source 1	
Air Pressure Switches.....	C-97
Blower Motors.....	C-91
Contactors.....	C-83
Energy Recovery Ventilators.....	C-55
Evaporator Coils.....	C-27
Fan Relays.....	C-85
Filter Frame Kits.....	C-111
Filter Racks.....	C-68
Fuses.....	C-64
Hot Surface Igniter.....	C-94
Humidifier Accessories.....	C-55
Humidifiers.....	C-55
Media Air Cleaners.....	C-49
Media Filters.....	C-49-50
Thermostat Wire.....	C-67
Transformers.....	C-103
TXV Kits.....	C-24
UV Air Purifiers.....	C-52

V-Belts.....	C-92
Southwark	
Air-Tite Takeoffs.....	C-109
Dryer Vent.....	C-3
Sheet Metal Collars.....	C-109
Sheet Metal Duct.....	C-110
Sheet Metal Fittings.....	C-106
Sheet Metal Pipe & Fittings.....	C-106
Sheet Metal Plenums.....	C-108
Sheet Metal Takeoffs.....	C-108
Sheet Metal Wall Stacks.....	C-114
SpeediChannel Line Set Covers	
DiversiTech.....	C-62
Spin Fittings Southwark Sheet Metal.....	C-109
Sporlan Valves	
Emerson.....	C-88-89
Filter-Driers.....	C-88
Sprayers Chemical.....	D-3
Stack Boots Southwark Sheet Metal.....	C-114
Stack Caps Versa Cap.....	C-11
Stackhead Oval Galv Sheet Metal.....	C-118
Stainless Steel Hose Clamps.....	A-7
Stands Bramec Equipment.....	C-61
Staples Cable.....	C-65
Start Collars Southwark.....	C-109-111
Steam/Hot Water Unit Heaters Modine.....	C-18
Steel Fittings	
Black.....	A-4
Black Steel Nipples.....	A-4
Galv.....	A-4
Steveco Fan Control Centers.....	C-85
Stove Pipe Wire	C-119
Strap	
DiversiTech.....	E-10
Duct.....	C-119
Hang-N-Strap Utility.....	E-10
Pipe.....	B-4
Plumbest Pipe Steel.....	B-4
Strut PHD.....	B-3
Strut Nuts Erico Caddy.....	B-3
Stud Guards Bramec.....	B-4
Style Crest Manufactured Housing Equipment.....	C-14
SUPCO	
Igniters.....	C-95
Pressure Switches.....	C-97
Superflex Test Leads.....	C-67
Sweatbands Sellstrom.....	E-20
Switches	
Condensate Overflow.....	C-58
Electrical.....	C-63

Product Index



SUPCO Pressure.....	C-97
Swoosh CO2 Cartridges.....	D-5
System Flushing Products	
DiversiTech.....	D-8
Mainstream QwikShot.....	D-8
T	
<hr/>	
T-Bar	
Hart & Cooley Accessories.....	C-82
Hart & Cooley Commercial.....	C-81
Takeoffs	
Southwark Air-Tite.....	C-109
Southwark Sheet Metal.....	C-108
Tank Totes TurboTorch.....	D-22
Tanks	
Acetylene.....	D-12
Carbon Dioxide.....	D-12
Disposable MAPP and Propane.....	D-12
Nitrogen.....	D-12
Oxygen.....	D-12
Tap Valves Piercing.....	C-60
Tape	
Agri Drain.....	D-11
Armaflex Insulated.....	B-5
Caution.....	E-20
Cork Insulation.....	C-70
Covalence Adhesives.....	D-10
Foam Insulation.....	C-70
Gorilla Glue Duct.....	D-11
Hardcast Duct.....	D-11
Mill-Rose Teflon.....	D-11
Plumbest Electrical.....	D-11
Tape Measurers	
Lufkin.....	E-4
Plumbers Supply.....	E-4
Teflon Tape Mill-Rose Thread Sealants.....	D-11
Temperature Clamps IPRO.....	C-121
Temperature Controls Honeywell	
Remote Bulb.....	C-74
Temperature Sensors	
Braeburn.....	C-135
Honeywell.....	C-139
Temporary Construction Thermostats	C-129
Tensioning Tools Malco.....	E-15
Terminal Repair Kits Compressor.....	C-66
Terminals Electrical Wire.....	C-66
Test Equipment	
MA-Line.....	C-121-123
Refo.....	C-75
UEI.....	C-123-126

Yellow Jacket.....	C-74
Test Leads Superflex.....	C-67
Thermal Expansion Valves Source 1.....	C-24
ThermO-Pan ThermO-Manufacturing	
Return Air Panning.....	C-6
Thermo-Trap Nu-Calgon.....	D-13
Thermocouples	
Honeywell.....	C-102
Johnson Controls.....	C-102
Thermometers	
Pocket.....	C-121
UEI.....	C-124-125
Thermostat Guards	
Braeburn.....	C-142
DiversiTech.....	C-142
Thermostat Wire Source 1.....	C-67
Thermostats	
Braeburn Non-Programmable.....	C-130
Braeburn Temporary.....	C-129
Honeywell.....	C-136-139
Honeywell Wireless.....	C-138
Jackson Temp-Stat™.....	C-129
LuxPro.....	C-140
UPG.....	C-141
UPG Communicating.....	C-141
Thinwall Fittings EMT.....	C-64
Thread Sealants	
DiversiTech.....	D-9
Hercules.....	D-9
Mill-Rose.....	D-11
Threaded Fittings	
Black Cast Iron.....	A-3
Black Malleable Iron.....	A-3
Threaded Rod Galvanized.....	B-4
Tie Tools Malco.....	E-15
Timers ICM Defrost.....	C-98
Toggle Switches Electrical.....	C-63
Tools	
Condenser Fin.....	E-11
Fiberglass Flex Duct.....	E-15
Lenox.....	D-17, E-5, E-8, E-10, E-23, E-25-27
Lutz.....	E-10
MA-Line.....	E-14
Mainstream Engineering Qwik.....	D-8
Malco.....	E-4, E-10, E-13-16
Malco Tubing.....	E-5
Mill-Rose.....	E-5
Pipe Cutters.....	E-5
Reed.....	E-10
Sensible Products Motor and Wheel	
Pullers.....	E-12

Telescoping Inspection Mirror..... **E-4**
Yellow Jacket..... **E-11**

Torches

IPro Propane..... **D-17**
Lenox..... **D-17**
Presto-O-Lite Handles & Tips..... **D-16**
TurboTorch..... **D-19-20**
TurboTorch Components..... **D-19**
TurboTorch Handles..... **D-19**

Totes Wagner Compressor..... **C-84**

Transformers

DiversiTech..... **C-103**
Modine..... **C-18**
Source 1..... **C-103**

Traps Plumbest Condensate..... **C-59**

Travel-Tack Hardcast..... **C-5**

Triatomic Environmental UV Air Purifiers **C-52**

Trion

Electronic Air Cleaners..... **C-47**
Humidifier Pads..... **C-53**
Lint Screen..... **C-48**
Media Air Cleaners..... **C-47**

Tu-Turn Fitting Brushes..... **E-3**

Tube Benders

Hilmor Tools..... **E-6**
Imperial..... **E-6**

Tube Cutters

Lenox..... **E-5**
Malco Ratchet Action..... **E-5**
Mill-Rose..... **E-5**

Tube Hangers Sioux Chief..... **B-4**

Tube Slicers Malco Sure Grip..... **E-5**

Tubing

Aluminum..... **C-103**
Cerro Flow Products Copper
CerroPure®..... **A-5**
Cerro Flow Products Refrigeration..... **A-5**
Neoprene Air..... **E-30**
Polyvinyl..... **C-58**

TurboTorch

Accessories..... **D-22**
Propane and MAPP®..... **D-20**
Solder Supplies..... **D-19**
Torch Handles..... **D-19**
Turbototes®..... **D-22**

TXV Kits Source 1..... **C-24**

U

UEI

Air Flow Meters..... **C-126**
Clamp-On Meters..... **C-124**

Digital Thermometers..... **C-125**
Infrared Thermometers..... **C-124**
Leak Detectors..... **C-125**
Manometers..... **C-126**
Multimeters..... **C-123**
Multimeters Clamp-On Digital..... **C-124**
Pipe Clamp Adapters..... **C-126**
Temperature & Humidity Testers..... **C-125**

Unions Black MI..... **A-3**

Unit Heaters Modine..... **C-17**

UPG

Air Pressure Switches..... **C-97**
Coils..... **C-27**
Compressors..... **C-84**
Condenser Fan Motors..... **C-90**
Contactors..... **C-83**
Electric Strip Heaters..... **C-35**
Evaporator Coils..... **C-27**
Filter Frame Kits..... **C-111**
Filter-Driers..... **C-88**
Gas Conversion Kits..... **C-60**
Humidifiers..... **C-55**
Indoor Air Quality..... **C-49**
Orifice Kits..... **C-28**
Roof Curbs..... **C-60**
Run Capacitors..... **C-104**
Thermostats..... **C-141**
UV Air Purifiers..... **C-52**

Utility Boxes Handy Box..... **C-63**

Utility Fan Air King..... **E-20**

Utility Knives

Lenox..... **E-10**
Malco..... **E-10**

Utility Strap DiversiTech..... **E-10**

UV Air Purifiers

Field Controls..... **C-52**
Second Wind..... **C-52**
Source 1..... **C-52**
Triatomic..... **C-52**

UV Lamps

Field Controls..... **C-52**
Second Wind..... **C-52**
Triatomic Environmental..... **C-52**
UPG..... **C-52**

V

V-Belts Source 1..... **C-92**

Vacuum Ball Valves Yellow Jacket..... **C-73**

Vacuum Gauges Yellow Jacket..... **C-76**

Vacuum Pumps Refco..... **C-75**

Product Index

Valve Core Remover/Storers	
DiversiTech.....	C-72
Valves	
Gas.....	C-93-94
Little Giant Check.....	C-58
Piercing.....	C-60
Yellow Jacket Vacuum/Charging.....	C-73
Vapco Coil Cleaners.....	D-4
Vari-Bits Lenox.....	E-27
Vent	
Deflect-O Dryer.....	C-3
Deflect-O Kitchen.....	C-3
Hart & Cooley Type B Gas.....	C-7-8
Southwark Dryer.....	C-3
Vent Boxes Dryer.....	C-4
Ventilating Fans	
Broan.....	C-127
Panasonic.....	C-127
Ventilation	
Field Controls Draft Controls.....	C-128
Field Controls Fresh Air System.....	C-128
Ventilators Source 1.....	C-55
Versa Cap Flue & Hot Stack Caps.....	C-11
Vinyl Hose Deflect-O.....	C-4
Voltage Meters MA-Line.....	C-122

W

Wagner Compressor Totes.....	C-84
Wall Plates Braeburn Thermostat.....	C-135
Wall Sleeves Amana.....	C-12
Wall Stacks Southwark Sheet Metal.....	C-114
Warning Watchdog Alarm System	
Jackson Systems.....	C-60
Washers Flat.....	E-29
Wasp & Hornet Spray	
DiversiTech.....	D-9
ENFORCER.....	D-9
Water-Stop Cement Quikrete.....	C-143
WD-40 Lubricants.....	D-6
Weld-On Pipe Thread Sealants.....	D-9
Welding Supplies	
Presto-O-Lite.....	D-16
TurboTorch.....	D-19, D-22
West Chester	
Latex Gloves.....	E-19
Work Gloves.....	E-19
Wet Switch Flood Detectors.....	C-58

Whips DiversiWhips.....	C-65
White-Rodgers	
Fan Control Centers.....	C-85
Gas Valves.....	C-93-94
Sequencers.....	C-87
Wire	
Quietside Control.....	C-62
Source 1 Thermostat.....	C-67
Stove Pipe Hanging.....	C-119
Wire Brushes Linzer Products.....	E-3
Wire Clamps Nylon.....	C-67
Wire Harness Kits Amana.....	C-62
Wire Nuts Electrical.....	C-66
Wire Strippers MA-Line Crimpers.....	E-14
Wire Terminals Electrical.....	C-66
Wire Ties	
HD Nylon.....	C-67
Nylon.....	C-67
Wireless Thermostats Honeywell.....	C-138
Wolverine Solder.....	D-15
Wood Bits Lenox.....	E-27
Work Gloves West Chester.....	E-19
Wrenches Malco Ratchet.....	E-10

Y

Yellow Jacket	
Access Fittings.....	C-73
Charging Hose.....	C-72-73
Filter-Driers.....	C-89
Fin Straightener.....	E-11
Flaring Tools.....	E-11
FlexFlow Charging Hose.....	C-73
Leak Detectors.....	C-74
Manifold Gauges.....	C-76
Manifolds.....	C-76-77
Oil Pumps & Injectors.....	C-76
Test Equipment.....	C-74
Vacuum Gauges.....	C-76
Vacuum Pump Oil.....	C-76
Vacuum/Charging Valves.....	C-73
York	
Air Conditioners.....	C-22-23
Air Handlers.....	C-25-26
Filter Frame Kits.....	C-111
Gas Furnaces.....	C-29-31, C-33
Heat Pumps.....	C-36-38
Packaged Heating and Cooling.....	C-39-45

Z

Zip Ties Nylon.....	C-67
Zone Controls Honeywell.....	C-139
Zoning EWC Controls Inc.....	C-46



QUALITY
EVERYTHING UNDER THE SUN
CONSULT AND DELIVER
LEADER
CONTINUOUS IMPROVEMENT
TRUST
FAMILY



Mission Statement

Build **trusting** relationships with our Customers and Suppliers, allowing us to deliver the expertise and products they **value**.



PLUMBERS SUPPLY CO.

Everything Under The Sun.

www.Plumbers-Supply-Co.com