


AirLife[®]
Respiratory product catalog



AirLife[®]



Table of contents

Arterial blood gas sampling

- 4-5 Reduced heparin samplers
- 6-9 Kits
- 8-9 Aspirators

Bronchial hygiene

- 12..... Incentive spirometers
- 13..... acapella and TheraPEP System
- 14..... EzPAP and Threshold

Gas delivery devices and monitors

- 16..... ETCO₂ monitors
- 17..... O₂ analyzers
- 18-20 Oxygen sensors
- 21-22 Oximetry
- 23-25 Air/O₂ blenders and gas mixers

High flow oxygen therapy and non-invasive ventilation

- 28-29 NIV masks
- 30..... High flow cannulas and heated circuits
- 31..... NIV circuits

Humidification active

- 34-35 Heated circuits
- 36..... Humidification chamber and sterile water

Humidification passive

- 38-45 HME and HMEF's
- 44-47 Filters
- 48-49 Circuits non-heated
- 50-51 Circuit accessories

Infant care

- 54..... Consumables guide
- 55..... Infant temperature probes and T-piece kits
- 56..... Infant phototherapy
- 57..... Meconium suction device

Medication delivery and asthma management

- 60-62 Small volume medication nebulizers
- 63..... High-efficiency medication nebulizers and masks
- 64..... Continuous medication nebulizers
- 65..... MDI holding chambers and masks
- 66..... Tee and valved tee adapters
- 67..... MDI in-line adapters
- 68..... Peak flow meters and mouthpieces

Oxygen therapy

- 70-72 O₂ cannulas
- 73-74 O₂ masks
- 75..... Aerosol masks
- 76-77 OxyMask
- 78..... Aerosol character masks and tubing
- 79..... Tubing and drainage bags
- 80-86 Connectors
- 87..... Prefilled and dry bubble humidifiers
- 88-89 Prefilled and dry large volume nebulizers

Resuscitation

- 92-95 Self-inflating resuscitation bags
- 96..... Flow-inflating resuscitation kits
- 97-98 Resuscitation accessories

Suction catheters and trach care

- 100-103 Closed suction catheters and adapters
- 104-105 Open suction catheters and kits
- 106..... Meconium suction device
- 107..... Trach care kits
- 108..... Unit dose saline and sterile water solutions
- 109..... Trach ties and bite blocks

Arterial blood gas sampling

Page

4-5 Reduced heparin samplers

6-9 Kits

8-9 Aspirators

AirLife lyophilized heparin arterial blood gas syringes and kits



AirLife arterial blood gas sampling family

AirLife offers a comprehensive portfolio of arterial blood gas sampling options for protection and accuracy when you need it most. All AirLife blood samplers utilize lyophilized heparin to preserve blood sample integrity, which reduces risk of dilution errors that may be associated with liquid heparin. We offer a needle protection sheath that cores the bevel and encapsulates the contaminated needle and prevents blood spatter if dropped. The integral safety clips on the syringe allow for audible and visual confirmation that the needle is secure. Syringes are available non-vented or with a rear vented system which automatically evacuates air out the back of the syringe as the blood fills during the draw.

Reduced heparin syringes and kits

To help ensure the accuracy of ionized calcium results we offer reduced heparin to compensate for calcium binding. If you are measuring electrolytes as part of your blood gas analysis, choose these reduced heparin options for the most accurate results.

Cat. no.	Description	Qty.
ABG 3 mL syringe Lyophilized reduced heparin = 7.9 I.U.		
4000033	ABG 3 mL vented syringe, needle stopper cube, bulk packaging	400
4000LRH	ABG 3 mL vented syringe, luer lock	100
4000RH	ABG 3 mL vented syringe	100
4022400	ABG 3 mL vented syringe, 22 gauge x 1" needle, luer lock, needle protection sheath	100
4022LRH	ABG 3 mL vented syringe, 22 gauge x 1" needle, luer lock, needle stopper cube	100
4022RH	ABG 3 mL vented syringe, 22 gauge x 1" needle, needle stopper cube	100
4022RHTR	ABG 3 mL vented syringe, 22 gauge x 1" needle, needle protection sheath	100
402324	ABG 3 mL vented syringe, 23 gauge x 1" needle, luer lock, needle stopper cube	400
4023322	ABG 3 mL vented syringe, 23 gauge x 1" needle, needle protection sheath	100
4023400	ABG 3 mL vented syringe, 23 gauge x 1" needle, luer lock, needle protection sheath	100
4023LRH	ABG 3 mL vented syringe, 23 gauge x 1" needle, luer lock, needle stopper cube	100
4023RH	ABG 3 mL vented syringe, 23 gauge x 1" needle, needle stopper cube	100
4025RH	ABG 3 mL vented syringe, 25 gauge x 5/8" needle, needle stopper cube	100
ABG 3 mL kits Lyophilized reduced heparin = 7.9 I.U.		
4023522	ABG kit 3 mL syringe, 23 gauge x 1" needle, alcohol pad, povidone-iodine pad, label, bandage, ice bag, 2x2 gauze pads, needle protection sheath	100
4023966	ABG kit 3 mL syringe, 23 gauge x 1" needle, alcohol pad, povidone-iodine pad, bandage, ice bag, 2x2 gauze pads, luer lock, needle protection sheath	100
4422042	ABG kit 3 mL syringe, 23 gauge x 1" needle, alcohol pad, povidone-iodine pad, bandage, 2x2 gauze pads, luer lock, needle protection sheath	100
4423LRH2	ABG kit 3 mL syringe, 23 gauge x 1" needle, alcohol pad, povidone-iodine pad, label, bandage, ice bag, luer lock, needle protection sheath, 2 biohazard bags	100
4423LRHT	ABG kit 3 mL syringe, 23 gauge x 1" needle, alcohol pad, povidone-iodine pad, label, bandage, ice bag, 2x2 gauze pads, luer lock, needle protection sheath	100
4623LRHT	ABG kit 3 mL syringe, 23 gauge x 1" needle, luer lock, alcohol pad, povidone-iodine pad, label, bandage, ice bag, 2x2 gauze pads, needle protection sheath	100
4800008	ABG kit 3 mL syringe, 23 gauge x 1" needle, alcohol pad, label, ice bag, 2x2 gauze pads, luer lock, needle protection sheath	100
ABG 1 mL syringe Lyophilized reduced heparin = 3.2 I.U.		
9000RH	ABG 1 mL syringe	100
9023RHSL	ABG 1 mL syringe 23 gauge x 1" needle, needle protection sheath	100
9025RH	ABG 1 mL syringe 25 gauge x 5/8" needle, needle stopper cube	100
9025RHTR	ABG 1 mL syringe 25 gauge x 5/8" needle, needle protection sheath	100
ABG 1 mL kits Lyophilized reduced heparin = 3.21 I.U.		
9425080	ABG kit 1 mL syringe 25 gauge x 5/8" needle, alcohol pad, povidone-iodine pad, label, bandage, ice bag, 2x2 gauze pads, needle protection sheath	100
9523RSL	ABG kit 1 mL syringe, 23 gauge x 5/8" needle, alcohol pad, label, ice bag, 2x2 gauze pads	100
ABG aspirators Lyophilized reduced heparin as indicated		
601LRH	ABG aspirator 1 mL, luer lock, heparin=3.2 I.U.	100
601RH	ABG aspirator 1 mL, heparin=3.2 I.U.	100
603LRH	ABG aspirator 3 mL, luer lock, heparin=7.9 I.U.	100
603RH	ABG aspirator 3 mL, heparin=7.91 U.(N)	100

AirLife reduced heparin arterial blood gas sampling

Product Number	Syringe Size (mL)	Vented syringe	Total Heparin per Sampler (I.U. - International units)	LL = Luer Lock LS = Luer Slip	Gauge	Length (inch)	Gauze Pad (2x2, 2 pads per package)	Alcohol Prep Pad	Povidone-Iodine Prep Pad	Label ("3" denotes 3-part, "5" denotes Special)	Bandage (Standard, Character, Elasto)	Ice Bag ("5") denotes Special	Needle Protection Sheath	Cube Stopper	Waste Syringe (mL)	Case Qty
Reduced heparin 3 mL syringes																
4000033	3	•	7.9	LS										•		400
4000LRH	3	•	7.9	LL												100
4000RH	3	•	7.9	LS												100
4022400	3	•	7.9	LL	22	1							•			100
4022LRH	3	•	7.9	LL	22	1								•		100
4022RH	3	•	7.9	LS	22	1								•		100
4022RHTR	3	•	7.9	LS	22	1							•			100
4023322	3	•	7.9	LS	23	1							•			100
4023400	3	•	7.9	LL	23	1							•			100
4023LRH	3	•	7.9	LL	23	1								•		100
4023RH	3	•	7.9	LS	23	1								•		100
4025RH	3	•	7.9	LS	25	5/8								•		100
Reduced heparin 3 mL kits																
4023522	3		7.9	LS	23	1	•	•	•	•	•	•	•			100
4023966	3		7.9	LL	23	1	•	•	•		•	•	•			100
4422042	3		7.9	LL	23	1	•	•	•		•		•			100
4423LRH2	3		7.9	LL	23	1	•	•	•	•	•	•	•			100
4423LRHT	3		7.9	LL	23	1	•	•	•	•	•	•	•			100
4623LRHT	3	•	7.9	LL	23	1	•	•	•	•	•	•	•			100
4800008	3		7.9	LL	23	1	•	•	•	•		•	•			100
Reduced heparin 1 mL syringes																
9000RH	1		3.2	LS												100
9023RHSL	1		3.2	LS	23	1							•			100
9025RH	1		3.2	LS	25	5/8								•		100
9025RHTR	1		3.2	LS	25	5/8							•			100
Reduced heparin 1 mL kits																
9425080	1		3.2	LS	25	5/8	•	•	•	•	•	•	•			100
9523RSL	1		3.2	LS	23	5/8	•	•		•		•				100
Reduced heparin aspirators																
601LRH	1		3.2	LL												100
601RH	1		3.2	LS												100
603LRH	3		7.9	LL												100
603RH	3		7.9	LS												100



AirLife reduced heparin 1 mL arterial blood gas kit

All AirLife reduced heparin syringes are easily identified by a green plunger

Cat. No.	Description	Qty.
ABG 3 mL syringe Lyophilized heparin = 113 I.U.		
4000011	ABG 3 mL vented syringe, needle stopper cube, bulk packaging	400
4023	ABG 3 mL vented syringe, 23 gauge x 1" needle, needle stopper cube	100
402324	ABG 3 mL vented syringe, 23 gauge x 1" needle, luer lock, needle stopper cube, bulk packaging	400
4022088	ABG 3 mL vented syringe, 22 gauge x 1" needle, needle stopper cube, bulk packaging	400
4000L	ABG 3 mL vented syringe, luer lock	100
4022EU	ABG 3 mL vented syringe, 22 gauge x 1" needle, needle stopper cube	100
4022LL	ABG 3 mL vented syringe, 22 gauge x 1" needle, luer lock, needle stopper cube	100
4022LTRU	ABG 3 mL vented syringe, 22 gauge x 1" needle, luer lock, needle protection sheath	100
4022TRU	ABG 3 mL vented syringe, 22 gauge x 1" needle, needle protection sheath	100
4023LL	ABG 3 mL vented syringe, 23 gauge x 1" needle, luer lock, needle stopper cube	100
4023LTRU	ABG 3 mL vented syringe, 23 gauge x 1" needle, luer lock, needle protection sheath	100
4023TRU	ABG 3 mL vented syringe, 23 gauge x 1" needle, needle protection sheath	100
MQ4000	ABG 3 mL vented syringe	100
ABG 3 mL kits Lyophilized heparin = 113 I.U.		
4022MGTR	ABG kit 3 mL syringe, 22 gauge x 1" needle, luer lock, alcohol pad, label, bandage, ice bag, 2x2 gauze pads, needle protection sheath	100
4023099	ABG kit 3 mL syringe, 23 gauge x 1" needle, alcohol pad, label, ice bag, 2x2 gauze pads, needle protection sheath	100
4023500	ABG kit 3 mL syringe, 23 gauge x 1" needle, alcohol pad, label, bandage, 2x2 gauze pads, needle protection sheath	100
4023755	ABG kit 3 mL syringe, 23 gauge x 1" needle, alcohol pad, 2x2 gauze pads, needle protection sheath	100
4023DM	ABG kit 3 mL syringe, 23 gauge x 1" needle, alcohol pad, ice bag, 2x2 gauze pads, needle stopper cube	100
4400122	ABG kit 3 mL syringe, 23 gauge x 1" needle, luer lock, alcohol pad, povidone-iodine pad, bandage, 2x2 gauze pads, needle protection sheath	100
4422LTRU	ABG kit 3 mL syringe, 22 gauge x 1" needle, luer lock, alcohol pad, povidone-iodine pad, label, bandage, ice bag, 2x2 gauze pads, needle protection sheath	100
4422TRU	ABG kit 3 mL syringe, 22 gauge x 1" needle, alcohol pad, povidone-iodine pad, label, bandage, ice bag, 2x2 gauze pads, needle protection sheath	100
4423LTRU	ABG kit 3 mL syringe, 23 gauge x 1" needle, luer lock, alcohol pad, povidone-iodine pad, label, bandage, ice bag, 2x2 gauze pads, needle protection sheath	100
4423SL1	ABG kit 3 mL syringe, 23 gauge x 1" needle, luer lock, alcohol pad, bandage, ice bag, 2x2 gauze pads, needle protection sheath	100
4423TRU	ABG kit 3 mL syringe, 23 gauge x 1" needle, alcohol pad, povidone-iodine pad, label, bandage, ice bag, 2x2 gauze pads, needle protection sheath	100
4523670	ABG kit 3 mL syringe, 23 gauge x 1" needle, alcohol pad, ice bag, 2x2 gauze pads, needle protection sheath	100
4623L	ABG kit 3 mL syringe, 23 gauge x 1" needle, luer lock, alcohol pad, povidone-iodine pad, 2x2 gauze pads, needle stopper cube	100
4623LTRU	ABG kit 3 mL syringe, 23 gauge x 1" needle, luer lock, alcohol pad, povidone-iodine pad, 2x2 gauze pads, needle protection sheath	100
4623TRU	ABG kit 3 mL syringe, 23 gauge x 1" needle, alcohol pad, povidone-iodine pad, bandage, 2x2 gauze pads, needle protection sheath	100
4800009	ABG kit 3 mL syringe, 22 gauge x 1" needle, luer lock, alcohol pad, label, 2x2 gauze pads, needle protection sheath	100
4800011	ABG kit 3 mL syringe, 23 gauge x 1" needle, luer lock, alcohol pad, ice bag, 2x2 gauze pads, needle protection sheath	100
4800023	ABG kit 3 mL syringe, 22 gauge x 1" needle, luer lock, alcohol pad, ice bag, 2x2 gauze pads, needle protection sheath	100
4800038EU	ABG kit 3 mL syringe, 23 gauge x 1" needle, luer lock, alcohol pad, label, bandage, ice bag, 2x2 gauze pads, needle protection sheath	100



Vented vs. non-vented syringes can be easily distinguished by the color coded plunger tip. Dark green plunger tip on left is non-vented and light green plunger tips on right is vented.

Removing air from the equation

Air can compromise the blood sample, leading to erroneous results. The pre-set plunger integrates a rear venting system, which automatically evacuates air out the back of the syringe as the blood fills during the draw.

In the event of a short blood draw, you need an efficient way to remove the air left in the syringe. Coupled with the needle protection device, rear venting enables you to evacuate air bubbles without passing them through the blood sample. An integral media allows only the air to escape, and then expands and seals when contacted by blood.

Product Number	Syringe Size (mL)	Vented syringe	Total Heparin per Sampler (I.U.-International units)	LL = Luer Lock LS = Luer Slip	Gauge	Length (inch)	Gauze Pad (2x2, 2 pads per package)	Alcohol Prep Pad	Povidone-Iodine Prep Pad	Label ("3" denotes 3-part, "S" denotes Special)	Bandage (Standard, Character, Elasto)	Ice Bag ("S") denotes Special	Needle Protection Sheath	Cube Stopper	Waste Syringe (mL)	Case Qty
ABG 3 mL syringe Lyophilized heparin = 113 I.U.																
400011	3	X	113	LS										•		400
4000L	3	X	113	LL												100
4022088	3	X	113	LS	22	1										100
4022EU	3	X	113	LS	22	1								•		100
4022LL	3	X	113	LL	22	1								•		100
4022LTRU	3	X	113	LL	22	1								•		400
4022TRU	3	X	113	LS	22	1								•		400
4023	3	X	113	LS	23	1								•		100
402324	3	X	113	LL	23	1							•			100
4023LL	3	X	113	LL	23	1							•			100
4023LTRU	3	X	113	LL	23	1								•		100
4023TRU	3	X	113	LS	23	1							•			100
MQ4000	3	X	113	LS									•			100
ABG 3 mL kits Lyophilized heparin = 113 I.U.																
4022MGTR	3		113	LL	22	1	•	•		•	•	•	•			100
4023099	3		113	LS	23	1	•	•		•	•	•	•			100
4023500	3		113	LS	23	1	•	•		•	•	•	•			100
4023755	3		113	LS	23	1	•	•					•			100
4023DM	3		113	LS	23	1	•	•				•		•		100
4400122	3		113	LL	23	1	•	•	•		•		•			100
4422LTRU	3		113	LL	22	1	•	•	•	•	•	•	•			100
4422TRU	3		113	LS	22	1	•	•	•	•	•	•	•			100
4423LTRU	3		113	LL	23	1	•	•	•	•	•	•	•			100
4423SL1	3		113	LL	23	1	•	•			•	•	•			100
4423TRU	3		113	LS	23	1	•	•	•	•	•	•	•			100
4523670	3		113	LS	23	1	•	•			•	•	•			100
4623L	3		113	LL	23	1	•	•	•					•		100
4623LTRU	3		113	LL	23	1	•	•	•				•			100
4623TRU	3		113	LS	23	1	•	•	•		•		•			100
4800009	3		113	LL	22	1	•	•		•			•			100
4800011	3		113	LL	23	1	•	•				•	•			100
4800023	3		113	LL	22	1	•	•				•	•			100
4800038EU	3	•	113	LL	23	1	•	•		•	•	•	•			100

Designed with clinicians in mind

The *AirLife* needle protection system provides you with an unobstructed view of the arterial flash indicating the needle has entered the artery. By using a needle protection device that may obstruct flash visibility, there is a risk of the needle passing through the artery—possibly subjecting the patient to another puncture.

With the *AirLife* needle protection system, you retain the freedom of drawing blood without needle protection devices that can get in the way.

The integral safety clips on the syringe allow for audible and visual confirmation that the needle is secure and cannot be removed from the *AirLife* needle protection system.

When it comes to needle coverage, the *AirLife* needle protection from CareFusion cores the bevel and encapsulates the contaminated needle following a blood draw. This helps eliminate the risk of blood splatter if the syringe is dropped. Once enclosed in the *AirLife* needle protection system, the needle is completely contained.



AirLife 3 mL ABG syringe with needle protection. Reduced heparin vented syringe (left) and standard heparin non-vented syringe (right)

Cat. No.	Description	Qty.
Aspirators <i>Lyophilized heparin = 113 I.U. unless otherwise indicated</i>		
601EU	ABG aspirator 1 mL syringe, heparin=56.5 I.U.	100
601W	ABG aspirator kit 1 mL syringe, 3 mL waste syringe, heparin=56.5 I.U.	100
603EU	ABG aspirator 3 mL syringe	100
6038601	ABG aspirator 3 mL syringe, 3 mL waste syringe, luer lock, bulk packaging	400
603RAH	ABG aspirator kit 3 mL syringe, 5 mL waste syringe, luer lock	100
603W	ABG aspirator kit 3 mL syringe, 5 mL waste syringe	100
605EU	ABG aspirator 5 mL syringe	100
ABG 1 mL syringes <i>Lyophilized heparin = 56.5 I.U.</i>		
9000MU	ABG 1 mL vented syringe, 3 mL waste syringes	100
9023	ABG 1 mL syringe, 23 gauge x 1" needle, needle stopper cube	100
9023TRU	ABG 1 mL syringe, 23 gauge x 1" needle, needle protection sheath	100
9025EU	ABG 1 mL syringe, 25 gauge x 5/8" needle, needle stopper cube	100
9025TRU	ABG 1 mL syringe, 25 gauge x 5/8" needle, needle protection sheath	100
ABG 1 mL kits <i>Lyophilized heparin = 56.5 I.U.</i>		
9025510	ABG kit 1 mL syringe, 25 gauge x 5/8" needle, alcohol pad, bandage, ice bag, 2x2 gauze pads, needle protection sheath	100
9423TRU	ABG kit 1 mL syringe, 23 gauge x 1" needle, alcohol pad, povidone-iodine pad, label, bandage, ice bag, 2x2 gauze pads, needle protection sheath	100
9425LG	ABG kit 1 mL syringe, 25 gauge x 5/8" needle, alcohol pad, povidone-iodine pad, label, bandage, ice bag, 2x2 gauze pads, needle protection sheath, large latex free gloves	100
9425TRU	ABG kit 1 mL syringe, 25 gauge x 5/8" needle, alcohol pad, povidone-iodine pad, label, bandage, ice bag, 2x2 gauze pads, needle protection sheath	100
9425TRU3	ABG kit 1 mL syringe, 25 gauge x 5/8" needle, alcohol pad, povidone-iodine pad, label, bandage, ice bag, 2x2 gauze pads, needle protection sheath	100
9425TRU4	ABG kit 1 mL syringe, 25 gauge x 5/8" needle, alcohol pad, label, bandage, ice bag, 2x2 gauze pads, needle protection sheath	100
9425611	ABG kit 1 mL syringe, 25 gauge x 5/8" needle, alcohol pad, povidone-iodine pad, label, bandage, ice bag, 2x2 gauze pads, needle protection sheath	100
97225L	ABG kit 1 mL syringe, 22 gauge x 1" needle, alcohol pad, bandage, ice bag, 2x2 gauze pads, needle protection sheath	100
MQ9000	ABG 1 mL syringe	100
Neonatal cord ABG kit <i>Lyophilized heparin = 113 I.U.</i>		
650NCGSL	ABG neonatal cord kit 3 mL syringe, 22 gauge x 1.5" needles x 2, luer lock, label, needle protection sheath	



Neo cord ABG kit includes 2 labels and samplers to accommodate both venous and arterial draws.



603RAH 3 mL ABG Aspirator with 5 mL waste syringe.

Product Number	Syringe Size (mL)	Vented syringe	Total Heparin per Sampler (I.U.-International units)	LL = Luer Lock LS = Luer Slip	Gauge	Length (inch)	Gauze Pad (2x2, 2 pads per package)	Alcohol Prep Pad	Povidone-Iodine Prep Pad	Label ("3" denotes 3-part, "S" denotes Special)	Bandage (Standard, Character, Elasto)	Ice Bag ("S") denotes Special	Needle Protection Sheath	Cube Stopper	Waste Syringe (mL)	Case Qty
Aspirators																
601EU	1		56.5	LS												100
601W	1		56.5	LS											3	100
603EU	3		113	LS												100
6038601	3		113	LL											3	400
603RAH	3		113	LL											5	100
603W	3		113	LS											5	100
605EU	5		113	LS												100
ABG 1 mL syringes																
9000MU	1	X	56.5	LS											3	100
9023	1		56.5	LS	23	1								•		100
9023TRU	1		56.5	LS	23	1							•			100
9025EU	1		56.5	LS	25	5/8								•		100
9025TRU	1		56.5	LS	25	5/8							•			100
ABG 1 mL kits																
9025510	1		56.5	LS	25	5/8	•	•			•	•	•			100
9423TRU	1		56.5	LS	23	1	•	•	•	•	•	•	•			100
9425LG	1		56.5	LS	25	5/8	•	•	•	•	•	•	•			100
9425TRU	1		56.5	LS	25	5/8	•	•	•	•	•	•	•			100
9425TRU3	1		56.5	LS	25	5/8	•	•	•	•	•	•	•			100
9425TRU4	1		56.5	LS	25	5/8	•	•		•	•	•	•			100
9425611	1		56.5	LS	25	5/8	•	•	•	•	•	•	•			100
9722SL	1		56.5	LS	22	1	•	•			•	•	•			100
MQ9000	1		56.5	LS												100
Neonatal cord ABG kit																
650NCGSL	3		113	LL	22 (x2)	1.5				•			•			50

AirLife respiratory products represent more than 30 years of innovation.

AirLife respiratory products have been synonymous with quality, reliability and commitment for more than 30 years. Our products are used in every aspect of respiratory treatment across the entire patient care continuum.

Look for AirLife respiratory products throughout this catalog as a symbol of our ongoing commitment to quality and value.



**Our *AirLife*
product portfolio
is expanding**

**View our e-catalog
for the most
up-to-date selection
of products.**

Visit [CareFusion.com/ALcatalog](https://www.carefusion.com/ALcatalog) today

Bronchial hygiene

Page

12..... Incentive spirometers

13..... acapella and TheraPEP System

14..... EzPAP and Threshold



Volumetric incentive spirometer 4000 mL available with or without one-way valve



Volumetric incentive spirometer 2500 mL available with or without one-way valve




Volumetric incentive spirometer 2500 mL with one-way valve pediatric version

AirLife® volumetric incentive spirometers

Our AirLife volumetric incentive spirometers simplify deep breathing therapy with an intuitive design that prompts patients to correctly perform and monitor their own breathing exercises, even without direct supervision. A patient goal indicator can be adjusted and allows patients to monitor their own progress. Dual-sided calibrations clearly identify achieved volumes of up to 4,000 mL capacity. The flexible tubing lets the patient adjust the mouthpiece for use in various positions, and a mouthpiece holder provides storage when not in use. Available with or without a one-way valve.

Cat. no.	Description	Qty.
2,500 mL capacity (pediatric version)		
001905A	With colorful targets and one-way valve	12/cs
2,500 mL capacity		
001903A	With one-way valve	12/cs
001904A	Without one-way valve	12/cs
4,000 mL capacity		
001901A	With one-way valve	12/cs
001902A	Without one-way valve	12/cs

AirLife Airx™ flow incentive spirometer



001900 AirLife Airx flow incentive spirometer

The AirLife brand Airx flow incentive spirometer is disposable and designed for exercising and measuring of volume flow. The device helps preoperative and postoperative patients increase their lung volume by keeping the instrument's inhalation-sensitive ball suspended with their inhalation. The flow passages vary in diameter, affecting the effort required to raise the ball. The ball stays suspended as long as the patient maintains this effort. The flow indicator dial can be adjusted to indicate flow rates by mL/second. The device includes spirometer housing, detachable base plate, 12" segmented corrugated tubing with 22 mm OD and mouthpiece.

Cat. no.	Description	Qty.
001900	AirLife Airx flow incentive spirometer	20/cs

Smiths Medical acapella® vibratory PEP therapy system



Top to bottom: acapella DM blue, acapella DH green, acapella choice, acapella duet

These acapella vibratory PEP systems are helpful in achieving the following therapeutic goals of bronchial hygiene, including aiding in the removal of retained secretions, preventing or reversing atelectasis, reducing airway trapping and optimizing the delivery of bronchodilators.

Cat. no.	Mfr. no.	Description	Qty.
acapella choice vibratory PEP product			
26-27-7000	27-7000	acapella choice w/mouthpiece (dark green)	10
acapella DM vibratory PEP products (blue)			
26-21-1015	21-1015	acapella DM w/mouthpiece (blue)	10
26-21-3015	21-3015	acapella DM w/pediatric mask (blue)	1
26-21-5015	21-5015	acapella DM w/medium mask (blue)	1
26-21-7015	21-7015	acapella DM w/large mask (blue)	1
acapella DH vibratory PEP products (green)			
26-21-1530	21-1530	acapella DH w/mouthpiece (green)	10
26-21-3530	21-3530	acapella DH w/pediatric mask (green)	1
26-21-5530	21-5530	acapella DH w/medium mask (green)	1
26-21-7530	21-7530	acapella DH w/large mask (green)	1
acapella duet vibratory PEP products			
26-27-9000	27-9000	acapella duet kit clear, (includes acapella duet, mouthpiece, small volume nebulizer, oxygen tubing and flex tubing)	10
26-27-9001	27-9001	acapella duet w/mouthpiece	10
acapella accessories			
26-27-0050	27-0050	Mouthpiece for acapella (fits all acapella family designs)	50

Smiths Medical TheraPEP® PEP therapy system



TheraPEP PEP therapy system 26-20-1112

This easy-to-use PEP system is indicated for mobilizing secretions for patients with secretion problems such as cystic fibrosis, to prevent or reverse atelectasis, and assist with reducing airway trapping. The TheraPEP system can also be an alternative therapy system for incentive spirometry or for those patients that are unable to appropriately perform incentive spirometry.

Cat. no.	Mfr. no.	Description	Qty.
26-20-1112	20-1112	TheraPEP system with mouthpiece	10
26-20-3112	20-3112	TheraPEP system with pediatric mask	1
26-20-5112	20-5112	TheraPEP system with small adult mask	1
26-20-7112	20-7112	TheraPEP system with large mask	1
Accessories			
26-20-3115	20-3115	Pediatric mask for TheraPEP	1
26-20-5115	20-5115	Small adult mask	1
26-20-7115	20-7115	Large adult mask	1
26-20-0050	20-0050	TheraPEP mouthpiece 22mm ID	50
26-20-0120	20-0120	TheraPEP pressure port and resistor	10
26-20-1110	20-1110	TheraPEP pressure port, resistor and mouthpiece	10
26-20-0005	20-0005	Connector 22mm ID x 22mm ID	10
26-20-0010	20-0010	TheraPEP pressure port	10
26-20-0022	20-0022	TheraPEP port, tubing and indicator	10

Smiths Medical EzPAP® positive airway pressure therapy system



EzPAP® system with mouthpiece and manometer 26-23-0757

This easy-to-use positive airway pressure system offers lung expansion therapy that accelerates the opening of airways to help reverse or prevent atelectasis. Each EzPAP system includes an EzPAP lung expansion device, mouthpiece, pressure port cap and 7' oxygen tubing. The EzPAP system is designed to provide an inspiratory boost during inspiration and all the benefits of PEP therapy during exhalation. It is also available with three face mask options and can be used with small volume medication nebulizer.

Cat. no.	Mfr. no.	Description	Qty.
26-23-0747	23-0747	EzPAP system w/mouthpiece	10
26-23-0757	23-0757	EzPAP system w/mouthpiece and disposable manometer	10
26-23-1747	23-1747	EzPAP system w/pediatric mask	1
26-23-2747	23-2747	EzPAP system w/medium mask	1
26-23-3747	23-3747	EzPAP system w/large mask	1
26-23-6000	23-6000	EzPAP kit (includes pressure gauge with gauge protector, three EzPAP units with mouthpiece, three gauge guards and two 22 mm ID adapters in a durable plastic box)	1

Philips Respironics IMT and PEP therapy devices



Threshold PEP and Threshold® IMT devices left HS735, right HS730

The Threshold® inspiratory muscle trainer (IMT) and positive expiratory pressure (PEP) devices are designed to provide consistent and specific pressure, regardless of how quickly or slowly patients breathe. Threshold devices incorporate flow-independent one-way valves to provide consistent resistance and feature adjustable specific pressure settings.

Cat. no.	Mfr. no.	Description	Qty.
HS730	HS730-010	Threshold IMT device	10/cs
HS735	HS735	Threshold PEP device	10/cs

Can't find what you're looking for?

Visit our AirLife website for more information at [CareFusion.com/ALcatalog](https://www.carefusion.com/ALcatalog)

Gas delivery devices and monitors

Page

16..... ETCO₂ monitors

17..... O₂ analyzers

18-20 Oxygen sensors

21-22 Oximetry

23-25 Air/O₂ blenders and gas mixers

Smiths Medical Capnocheck® II hand-held capnograph/oximeter




Capnocheck II hand-held capnograph/oximeter

The Capnocheck II is a highly portable capnograph available in multiple configurations to meet your needs. It measures ETCO₂, inspired CO₂, respiration rate, SpO₂ and heart rate and displays data in waveforms, trends and numeric values. The Capnocheck II has both visual and audio alarms with adjustable alarm limits.

Cat. no.	Description
26-8401	Capnocheck II (capnography only) with battery and charger
26-8400D	Capnocheck II with with SAC* technology oximeter, battery and charger
26-8400	Capnocheck II with oximeter, battery and charger

AirLife ETCO₂ sampling cannulas



AirLife ETCO₂ sampling cannula 2812M-10

The AirLife ETCO₂ sampling cannula offers a soft, clear design to optimize patient comfort while allowing unobstructed patient observation. Available in pediatric or adult configurations to meet a hospital's ETCO₂ monitoring needs, these cannulas allow for simultaneous O₂ inhalation and end-tidal gas sampling, with one nares delivering the O₂ while the other nares samples CO₂. Offered with crush-resistant tubing to minimize occlusion and kinking.

Cat. no.	Description	Qty.
2802M-10	Pediatric 7' O ₂ & CO ₂ tubing, male	10/cs
2802F-10	Pediatric 7' O ₂ & CO ₂ tubing, female	10/cs
2812M-10	Adult 7' O ₂ & CO ₂ tubing, male	10/cs
2812M-10U	Adult 7' O ₂ U/Connect-It & CO ₂ tubing, male	10/cs
2812M-25	Adult 7' O ₂ & CO ₂ tubing, male	25/cs
2812F-10	Adult 7' O ₂ & CO ₂ tubing, female	10/cs
2812F-25	Adult 7' O ₂ & CO ₂ tubing, female	25/cs
2811M-10	Adult 7' O ₂ , 2" CO ₂ tubing, male	10/cs
2811F-10	Adult 7' O ₂ , 2" CO ₂ tubing, female	10/cs
28M2M	ETCO ₂ sampling line 10' tubing, male to male	10/cs
28M2F	ETCO ₂ sampling line 10' tubing, male to female	10/cs

Smiths Medical Capnocheck Plus capnograph/oximeter



Capnocheck Plus capnograph/oximeter

This stand-alone, bedside or transport capnograph incorporates sidestream technology for applications with both intubated and non-intubated patients. The Capnocheck Plus offers breath-by-breath CO₂ detection, multiple display options and the flexibility to incorporate SpO₂ and FiO₂ technology.

Cat. no.	Description
26-9004000	Capnocheck Plus (capnograph only)
26-9004005	Capnocheck Plus with SAC* technology oximeter
26-9004007	Capnocheck Plus with SAC* technology oximetry and FiO ₂
26-9004002	Capnocheck Plus with FiO ₂
26-9004001	Capnocheck Plus with oximeter
26-9004003	Capnocheck Plus with oximeter and FiO ₂

Smiths Medical Capnocheck Sleep system



Capnocheck Sleep system

The Capnocheck Sleep Capnograph is specially designed for sleep screenings and lab-based sleep studies. It offers breath-by-breath CO₂ detection and has been designed to minimize monitor noise.

Cat. no.	Description
26-9004050	Capnocheck Sleep system
26-9004051	Capnocheck Sleep system with oximeter

*SAC Technology: Serial AutoCorrelation allows low perfusion and motion tolerance

Maxtec MaxO₂+ oxygen analyzer family



MaxO₂+A oxygen analyzer R217P62

The MaxO₂+A was designed with simplicity and portability in mind. It is ideal for both inline and spot checking oxygen concentrations. It is a perfect complement for your Maxtec Blender Buddy and comes with a 24-month warranty.

The MaxO₂+AE is ideal for inline use when alarms are not deemed necessary and can be used with older ventilators and oscillators.

Cat. no.	Description
R217P62	MaxO ₂ +A oxygen analyzer
R217P72	MaxO ₂ +AE oxygen analyzer
R125P02011	Oxygen sensor for MaxO ₂ +A oxygen analyzer, 24-month warranty
R125P03002	Oxygen sensor for MaxO ₂ +AE oxygen analyzer, 24-month warranty
MAX-250ESF	Oxygen sensor for MaxO ₂ +AE oxygen analyzer, 12-month warranty

Maxtec Handi+[®] oxygen analyzer



Handi+ oxygen analyzer R218P12

This all-in-one disposable oxygen analyzer and sensor is designed to measure oxygen concentration in the patient's breathing environment. It is engineered for fast response, maximum reliability and stable performance and is ideal for spot-checking oxygen levels provided by medical oxygen delivery equipment and respiratory care systems.

Specifications

Range	0% to 99.9%
Accuracy	
At constant temperature, RH and pressure	±1%
Over full operating temperature range	±3%
Linearity	±1%
Response time	< 15 sec. for 90% step change at 25° C
Operating temperature	59° to 104° F (15° to 40° C)
Humidity	0% to 95% noncondensing
Power requirements	One internal, non-replaceable lithium battery
Weight	2.13 oz. (60 grams)

Cat. no.	Description
R218P12	Handi+ oxygen analyzer


Give your patients the air they need.

Our extensive AirLife portfolio of respiratory system solutions empowers physicians and clinicians to achieve the highest quality of patient therapy. Whether your patients are ventilated or breathing on their own, AirLife consumables, along with a broad offering of products from our strategic partners, help address your cross-contamination concerns in today's healthcare environment. Our respiratory system products also provide essential tools to drive efficiencies, maximize clinical goals and increase patient comfort.

Replacement oxygen sensors

	Cat. no.	Mfr. no.	Replacement for	Warranty
	R109P49	R109P49	Datascope unit	12-month
	R109P48	R109P48	Hill-Rom	14-month
	MAX-13	R115P10	Airshields (6735142) Analytical Industries (PSR-11-917-J) Bio-Med Devices (10006 sensor, M-10, M-2 monitors) Datascope (Anestar S) Hudson (5567, V-11) Invivo (9445 sensor) Mercury Medical (10-103-05) MiniOX (406931) Pacifitech (PT-11A) Puritan-Bennett (4-020933-00, 7820 monitor, 7200 vent) Respironics (Esprit Vent Lifecare (#PLV-102), vision, 37-079 sensor) Teledyne (R17MED, #C-43690, AX300, MX300) VTI (100580)	14-month
	MAX-9	R114P80	Airshields (6736140) Analytical Industries (PSR-11-55) Hudson (5500, V-05, 5590, 5577, 5584, 5595, 6477) Mercury Medical (10-103-03) Pacifitech (PT-05) Teledyne (R13, #B-39636)	14-month
	MAX-12	R109P45	Airshields (8362030 isolette incubator) Analytical Industries (PSR-11-917-M) CareFusion (AVEA® ventilator) Datascope (Multinex analyzer, 0600-00-0002 (use Max-12f)) Hamilton (396008, 396009, Galileo, Raphael, Arabella, Aladdin, 51254) Hudson (5566, V-12) IMT (PF300) Mercury Medical (10-103-06) Pacifitech (PT-12A) Siemens (9004979-E347E) Spacelabs (90513, capnograph) Teledyne (R24MED, #B-62321) VTI (103100)	14-month
	MAX-11	R113P10	Airshields (PSR-11-915-2) Dräger (Narkomed series, Fabius series, 6400, Babylog/Savina, Evita series, 6850645, 6803290) Hudson (5557, V-14) Invivo (Magnitude) Mercury Medical (10-103-07) Pacifitech (PT-14A) Teledyne (R23MED, #C-61139) VTI (101372, 100352)	12-month
	MAX-19	R116P60	Analytical Industries (PSR-11-33-1) Hamilton (HM-01, Veolar, Amadeus, Arabella) Hudson (5568 C1, V-01) Mercury Medical (10-103-00) Pacifitech (PT-01) Teledyne (T1 #A-37016)	12-month

Replacement oxygen sensors, (continued)

	Cat. no.	Mfr. no.	Replacement for	Warranty
	MAX-18	R116P40	Analytical Industries (PSR-11-33-1) Hudson (5569, V-02, 5525, 5528, 5529, 5550, 5552) Mercury Medical (10-103-01) Pacifitech (PT-02) Teledyne (C1R, #B-39022)	12-month
	MAX-17	R116P10	Analytical Industries (PSR-11-77) Hudson (5558, V-03) Mercury Medical (10-103-02) Pacifitech (PT-03) Penlon (MTS) Teledyne (T-7)	12-month
	MAX-1	R113P90	Analytical Industries (PSR-11-915) GE (Datex-Ohmeda) (0237-2034-700 Excel Modulus, 4700 Oxicap, 5250 RGM, 5120/5125 monitor, 7800) HP (15201A) Hudson (5556) Mercury Medical (10-103-07) Pacifitech (PT-10) Teledyne (R15, #C-41131) VTI (101272, 100352)	12-month
	MAX-2	R107P20	Analytical Industries (PSR-11-915-1) Dräger (Narkomed Series, Fabius Series, 6400, GS Series, Tiro Series, 6850645, 6803290) HP (15201A) Invivo (Magnitude) Mercury Medical (10-103-12) Pacifitech (PT-24) Teledyne (R31MED) VTI (101372)	24-month
	MAX-10	R112P10	Analytical Industries (PSR-11-915-4) GE (Datex-Ohmeda) (6050-0004-110, Modulus SE, 7900 series, Aisys, Aestiva series, Smartvent S-5, Espire) Mercury Medical (10-103-10) Pacifitech (PT-20A)	12-month
	R125P07	R125P07	Analytical Industries (PSR-11-917-J) Bio-Med Devices (10006, M-10, M-2 monitors) Datascop (Anestar S) Hudson (5567) Invivo (9445) Mercury Medical (10-103-05) Pacifitech (PT-11A) Puritan-Bennett (4-020933-00, 7820 monitor, 7200 vent) Respironics (Esprit Vent Lifecare (#PLV-102) vision, 37-079 sensor) Teledyne (R17MED, #C-43690, AX300, MX300) VTI (100580)	24-month
	MAX-250E	R125P03-002	Analytical Industries (PSR-11-917-J1) CareFusion (Bird® Sentry Blender, 66045) Fluke (VT Mobile) Mercury Medical (10-103-08) Pacifitech (PT-25A) Teledyne (R29MED)	24-month

Replacement oxygen sensors, (continued)

	Cat. no.	Mfr. no.	Replacement for	Warranty
	MAX-14	R116P80	DeVilbiss (O2ANA-101 sensor) Mercury Medical (10-103-13) Pacifitech (PT-26)	14-month
	MAX-11i	R113P06	Dräger incubators, IC8000 (high-temperature applications)	12-month
	R125P02011	R125P02-011	Maxtec (MaxO ₂ +A)	24-month
	MAX-250ESF	R115P85	Maxtec (MaxO ₂ +AE, OM-25ME, OM-25AE)	12-month
	MAX-250	R125P01-002	Maxtec (OM-25A) Mercury Medical (10-103-11) Pacifitech (PT-250) Teledyne (R29IMED)	24-month
	R125P11001	R125P11-001	Viasys - Vela Diamond series, 16101	24-month
	MAX-16	R114P70	Puritan-Bennett (4-072214-00, 840, 740, 760 & PB2000 tester vents) Versamed	16-month
	R109P09	R109P09	Teledyne O ₂ monitor and analyzer (AX300/MX300 series)	12-month
	R112P16	R112P16	Hudson 5800, 5803, 5800, Sensidyne v22	12-month

Maxtec Soft Tip™ SpO₂ reusable probes



Soft Tip™ finger sensors

All Maxtec Soft Tip SpO₂ sensors are compatible with most commonly used oximeter systems and modules. The SpO₂ Soft Tip product family features unique product designs, easy patient applications and improved comfort. Our complete line of products are designed to be high quality and affordably priced.

Available models: Nellcor® soft tip, HP® soft tip, Konica Minolta® soft tip, Datex® soft tip, BCI® soft tip and Nonin® soft tip.

Cat. no.	Description	Qty.
Use with Nonin		
R134P06001	Large	1
R134P06002	Medium	1
R134P06003	Small	1
Use with Nellcor		
R134P09001	Large	1
R134P09002	Medium	1
R134P09003	Small	1
Use with Minolta		
R134P39002	Medium	1
R134P39003	Small	1

Maxtec MD300 pulse oximeters



MD300 C2 pulse oximeter R204P23



MD300 C63 pulse oximeter R204P27

The MD300 pulse oximeters are high-quality yet affordable devices ideal for both pediatric and adult applications. The compact and portable design works in many settings, including hospitals, home care and EMS. They are equipped with a full-color OLED display that provides a clear readout of blood-oxygen saturation, pulse rate and SpO₂ waveform.

Cat. no.	Description	Qty.
R204P23	MD300 C2 pulse oximeter	1
R204P27	MD300 C63 pulse oximeter	1

Maxtec reusable SpO₂ probes




SpO₂ large finger probe



SpO₂ ear probe



SpO₂ adapter/extension cable



SpO₂ Y-probe

All the SpO₂ sensors are compatible with most commonly used oximeter systems and modules. The SpO₂ product family features unique product designs, easy patient applications and improved comfort. Our complete line of products are designed to be of the highest quality and affordably priced.

Available models: Hewlett Packard,[®] Kontron,[®] Nonin,[®] Ohmeda,[®] Siemens,[®] S & W,[®] Invivo,[®] Nellcor,[®] Novamatrix,[®] SensorMedics,[®] and SpaceLabs.[®] For part number information, contact your CareFusion sales rep.

Cat. no.	Mfr. no.	For use with	
SpO₂ large finger probes			
MAX-3012	R118P06	Nonin monitors	
R118P09	R118P09	Nellcor monitors	
MAX-3282-9	R118P14	CSI monitors	
MAX-3412	R118P18	Ohmeda monitors	
MAX-2112	R118P28	Palco monitors	
MAX3222-12	R118P36	BCI monitors	
MAX-2412	R118P26	HP monitors	
Cat. no.	Mfr. no.	For use with	Qty.
SpO₂ ear probes			
R135P30	R135P30	HP ear probe	1
R135T02	R135T02	Nellcor ear probe	1
R135B03	R135B03	Nellcor ear probe	1
R135B04	R135B04	BCI ear probe	1
R135B05	R135B05	Nonin ear probe	1
R135B06	R135B06	Ohmeda ear probe	1
SpO₂ adapter/extension cables			
MAX-4212	R121P07	Nellcor monitors	
Adult disposable probes			
R119P02010	R119P02010	Nellcor monitors	
Pediatric disposable probes			
R119P02020	R119P02020	Nellcor monitors	
Infant disposable probes			
R119P02050	R119P02050	Nellcor monitors	
Neonatal disposable probes			
R119P02060	R119P02060	Nellcor monitors	
SpO₂ Y probes			
R120P02001	R120P02001	Nellcor monitors	

What are your quality goals?

- Improving patient satisfaction
- Improving patient safety
- Standardizing products and process
- Reducing cost

If you checked any, or all, of the above contact your sales representative today to learn how AirLife[®] can help you achieve your quality objectives.

Bird® high flow air/oxygen blender



Blender V03800A



Blender V10030A

These air/oxygen blenders are ideal for use with ventilators and provide flows to a flowmeter or as a stand-alone device for mask CPAP, nasal cannulas and resuscitation bags. The blenders have an overall flow range of 2 to 120 L/min and can deliver accurate FiO_2 mixtures from two outlet ports. An alarm activation and bypass feature is triggered when the supply gas pressures differ by 20 ± 2 psi.

Blender V10030A is made entirely of nonmagnetic materials and is specifically designed for use in MRI environments.

Specifications

Outlet flow range	2 to 120 L/min
Accuracy	$\pm 3\%$
Bleed flow	10 to 12 L/min continuous
Gas supply pressure range	30 to 75 psig
Dimensions	3.5" x 3.4" x 3.6"
Weight	2.75 lbs

Cat. no.	Description	Inlet fittings
V03800A	High flow air/oxygen blender (US)	DISS
V10030A	MRI high flow air/oxygen blender	DISS

Maxtec SmartStack IV stand



The SmartStack IV stand is a specially designed pole base made from 100% cast aluminum, providing extra stand support and durability. Its patented design will stack neatly with other bases of its kind, allowing for extra storage space, a more organized facility and easy transportation of multiple stands all at once.

Cat. no.	Description	Qty.
R100P49001	SmartStack Premium IV stand	1/ea

Bird OmniBlender air/oxygen blender



Blender V03803T

This air/oxygen blender is designed for a variety of applications. It features three outlet ports that help provide combined flows from 2 to 100 L/min, enabling you to power three separate items at once. An alarm activation and bypass feature is triggered when the supply gas pressures differ by 20 ± 2 psi.

Specifications

Outlet flow range	2 to 100 L/min
Accuracy	$\pm 3\%$
Bleed flow	10 to 12 L/min continuous
Gas supply pressure range	30 to 75 psig
Dimensions	3.5" x 3.4" x 3.6"
Weight	3.0 lbs

Cat. no.	Description	Inlet fittings
V03803T	OmniBlender air/oxygen blender	DISS

Accessories for use with Bird blenders



Rail mount V09440

Cat. no.	Description
V07426	Air inlet filter/water trap
V05141	Bracket, wall mount
V04322	Bracket, pole mount
V09437	Bracket, rail mount
V09440	Bracket, adjustable rail mount
V05213	Bracket, wall mount, female
V09220	Flowmeter, oxygen (0 to 15 L/min), includes wingnut
V03867	Hose, air, high pressure, 3', female both ends
V02899	Hose, air, high pressure, 15', female both ends
V03868	Hose, oxygen, high pressure, 3', male/female
V00060	Hose, oxygen, high pressure, 15', male/female
V2688-332	90° elbow adapter

Bird low-flow air/oxygen blender



Blender V03920A

These low-flow air/oxygen blenders are designed for air, ground and in-house transports and infant applications. The blenders feature a 3 to 30 L/min flow range with no gas bleed flow or 0 to 30 L/min flow range with a 2.5 to 3.5 L/min gas bleed flow. An alarm activation and bypass feature is triggered when the supply gas pressures differ by 20 ± 2 psi.

Specifications

Outlet flow range	0 to 30 L/min
Accuracy	$\pm 3\%$
Bleed flow	2.5 to 3.5 L/min when activated
Gas supply pressure range	30 to 75 psig
Dimensions	3.5" x 3.4" x 3.6"
Weight	2.75 lb

Cat. no.	Description	Inlet fittings
V03920A	Low flow air/oxygen blender	DISS

Bird UltraBlender air/oxygen blender



Blender V10040A

These air/oxygen blenders feature two pressure compensated flowmeters mounted to either side of the unit. An alarm activation and bypass feature is triggered when the supply gas pressures differ by 20 ± 2 psi. The blenders are ideal for use in NICUs and PICUs, and are available in a variety of configurations.

Specifications

Outlet flow range	0 to 30 L/min
Accuracy	$\pm 3\%$
Bleed flow	2.5 to 3.5 L/min when activated
Gas supply pressure range	30 to 75 psig
Dimensions	3.5" x 3.4" x 3.6"
Weight	4 lb

Cat. no.	Left-side flowmeter (L/min)	Right-side flowmeter (L/min)	Inlet fittings
V10040A	2.0–16, increments of 1	0.1–1.0, increments of 0.1	DISS
V10041A	2.0–16, increments of 1	0.5–5.0, increments of 0.5	DISS
V10042A	2.0–16, increments of 1	1.0–10, increments of 1	DISS
V10046A	2.0–16, increments of 1	2.0–16, increments of 1	DISS
V10047A	1.0–10, increments of 1	0.1–1.0, increments of 0.1	DISS
V10049A	1.0–10, increments of 1	1.0–10, increments of 1	DISS

Maxtec MaxVenturi blender



MaxVenturi blender

The MaxVenturi blender from Maxtec has been specifically designed to interface with multiple applications. This unit provides users with the ability to mix ambient air and oxygen without the need for piped medical grade air, making it the perfect solution for high flow therapy in almost any environment.

Cat. no.	Description
R211P03020	MaxVenturi Blender w/oxygen sensor and DISS fittings
R211P03022	MaxVenturi Blender w/oxygen sensor, locking clamp and DISS fittings
R127P35	Coiled oxygen hose, 15'
MAX-250E	Oxygen sensor for MaxVenturi blender

Maxtec Blender Buddy gas blending attachment



Blender Buddy R219P12001, analyzer sold separately

The Blender Buddy attachment turns any blender into a high performance blending device. Its oxygen port on top of the manifold allows gas to be analyzed in a clean, dry environment away from the patient to avoid cross-contamination. Robust design provides quality and reliability.

Cat. no.	Description
R219P12001	For Bird blender, Blender Buddy with port and standard flow meters 0–3 LPM and 0–15 LPM
R219P11	For Bird Sentry blender, Blender Buddy with standard flow meters 0–3 LPM and 0–15 LPM
R219P12003	For Bird high flow blender, Blender Buddy comes with port and one 0–70 LPM flow meter
R219P17001	For Bird blender, Blender Buddy comes with port and 2–26 LPM and 0–5 LPM flow meters

Maxtec 2-in-1 and 3-in-1 adapters



(From left to right) 2-in-1 muffled adapter (PIN R219P50), 2-in-1 adapter (PIN R219P32) and 3-in-1 adapter (PIN R219P31).

The 3-in-1 adapter can be used to fit various sizes of tubing (22 mm, 15 mm and 1/4" cannula) to a DISS fitting on oxygen flow meters.

The 2-in-1 adapter fits 22 mm and 15 mm sizes. They are a perfect complement for your high flow oxygen therapy system.

Cat. no.	Description	Qty.
R219P31	3-in-1 adapter	1
R219P31001	3-in-1 adapter	5
R219P50	2-in-1 adapter, muffled	1
R219P50001	2-in-1 adapter, muffled	5
R219P32	2-in-1 adapter	1
R219P32001	2-in-1 adapter	5

Maxtec Blender Buddy accessory kits



Blender accessory kit R219P49001

The blender accessory kits combine flow and oxygen concentration measurement with gas delivery in one convenient package. Kits include a Blender Buddy, coiled air/oxygen hose and flow meter(s).

Cat. no.	Description
R219P49001	For Bird high flow blender, includes Blender Buddy (R219P12003), 0-70 LPM flow meter and 2-in-1 muffled adapter
R219P49002	For Bird low flow blender, includes Blender Buddy (R219P12001), 0-3 LPM and 0-15 LPM flow meters and 3-in-1 adapter
R219P17002	For Bird blender, includes Blender Buddy (R219P17001), 2-26 LPM and 0-5 LPM flow meters
R219P17003	For Bird blender, includes Blender Buddy (R219P17001), 2-26 LPM, 0-5 LPM flow meters and MaxO ₂ + oxygen analyzer



**Our *AirLife*
product portfolio
is expanding**

**View our e-catalog
for the most
up-to-date selection
of products.**

Visit [CareFusion.com/ALcatalog](https://www.carefusion.com/ALcatalog) today

High flow oxygen therapy and non-invasive ventilation

Page

28-29NIV masks

30High flow cannulas and heated circuits

31.....NIV circuits

AirLife non-invasive masks



AirLife full face NIV mask

AirLife noninvasive ventilation (NIV) full face and nasal masks offer clinicians a reliable option, while providing patients comfort and security. The adjustable four-point headgear and flexible swivel connector enables ease in fit and adjustment. Masks feature a lightweight silicone design that contours to the patient's face for a comfortable fit, while the quick release clip eliminates the need to refit after removal. The odorless, easy-to-clean masks include both vented and non-vented options and are available in three sizes to fit a wide range of patients.

Cat. no.	Description	Qty.
Full face non-invasive masks		
NIV040S	NIV full face mask vented with anti-asphyxia valve-small	1/ea
NIV040M	NIV full face mask vented with anti-asphyxia valve-medium	1/ea
NIV040L	NIV full face mask vented with anti-asphyxia valve-large	1/ea
NIV041S	NIV full face mask nonvented-small	1/ea
NIV041M	NIV full face mask nonvented-medium	1/ea
NIV041L	NIV full face mask nonvented-large	1/ea
NIV043S	NIV full face mask nonvented with anti-asphyxia valve-small	1/ea
NIV043M	NIV full face mask nonvented with anti-asphyxia valve-medium	1/ea
NIV043L	NIV full face mask nonvented with anti-asphyxia valve-large	1/ea



AirLife nasal NIV mask

Cat. no.	Description	Qty.
Nasal non-invasive masks		
NIV042S	NIV nasal mask vented with anti-asphyxia valve-small	1/ea
NIV042M	NIV nasal mask vented with anti-asphyxia valve-medium	1/ea
NIV042L	NIV nasal mask vented with anti-asphyxia valve-large	1/ea
NIV044S	NIV nasal mask nonvented with anti-asphyxia valve-small	1/ea
NIV044M	NIV nasal mask nonvented with anti-asphyxia valve-medium	1/ea
NIV044L	NIV nasal mask nonvented with anti-asphyxia valve-large	1/ea



Adjustable forehead rest for comfort and stability



All masks feature quick release strap

CareFusion MiniMe® pediatric nasal gel mask



MiniMe pediatric mask

Designed for children ages 2-12, the MiniMe mask features patented AIR° gel with Advanced Cushion Technology. The bendable wire in a flexible shell helps the instantly reshape to accommodate even the smallest of noses. The skin-soft gel cushion helps seal masks without irritating or indenting the face.

Cat. no.	Description	Qty.
TMS-8004	MiniMe pediatric nasal NIV vented mask w/small headgear	1/ea
TMS-8003	MiniMe pediatric nasal NIV vented mask w/medium headgear	1/ea
TMS-8002	MiniMe pediatric nasal NIV vented mask w/large headgear	1/ea
TMS-923	MiniMe pediatric nasal NIV nonvented mask w/small headgear	1/ea
TMS-924	MiniMe pediatric nasal NIV nonvented mask w/medium headgear	1/ea
TMS-925	MiniMe pediatric nasal NIV nonvented mask w/large headgear	1/ea
TMS-89MMPXS	MiniMe small headgear	1/ea
TMS-89MMPET	MiniMe medium headgear	1/ea
TMS-89MM	MiniMe large headgear	1/ea

CareFusion MiniMe2™ pediatric nasal gel mask



MiniMe2 pediatric mask


Designed for children ages 2-12, our MiniMe2 mask features our patented AIR° gel with Advanced Cushion Technology. With increased moldability, MiniMe2 provides your smallest patients the ultimate fit and maximum comfort. The Touchless Spacebar™ eliminates any contact with patient's forehead.

Cat. no.	Description	Qty.
23995-001	MiniMe2 pediatric nasal NIV vented mask with headgear small/medium	1/ea
23996-001	MiniMe2 pediatric nasal NIV vented mask with headgear medium/large	1/ea
23997-001	MiniMe2 pediatric nasal nonvented NIV mask with headgear small/medium	1/ea
23998-001	MiniMe2 pediatric nasal nonvented NIV mask with headgear medium/large	1/ea
23999-001	MiniMe2 headgear small/medium	1/ea
24000-001	MiniMe2 headgear medium/large	1/ea

Give your patients the air they need.

Our extensive AirLife portfolio of respiratory system solutions empowers physicians and clinicians to achieve the highest quality of patient therapy. Whether your patients are ventilated or breathing on their own, AirLife consumables, along with a broad offering of products from our strategic partners, help address your cross-contamination concerns in today's healthcare environment. Our respiratory system products also provide essential tools to drive efficiencies, maximize clinical goals and increase patient comfort.

High flow oxygen therapy and non-invasive ventilation



ResMed AcuCare HFNC (high flow nasal cannula)

The ResMed AcuCare™ HFNC is built to allow clinicians to apply it to the patient in seconds. The dual-strap, stretch fabric headgear lets you move the straps apart to loosen, and bring them together to tighten. The innovative headgear-to-frame combination is designed to stay in place once applied, providing speed and stability for built-in success in high flow oxygen therapy.

Cat. no.	Description	Qty.
RSD23003	AcuCare adult high flow nasal cannula small	20/cs
RSD23004	AcuCare adult high flow nasal cannula medium	20/cs
RSD23005	AcuCare adult high flow nasal cannula large	20/cs




Fast, intuitive fit

Fits in seconds | Stays in place | Enhances comfort

- The dual-strap headgear sits snugly at the crown of the head
- The frame stabilizes the cannula on the face, and suits a wide range of individual facial profiles.
- From this stable platform, the prongs provide a contoured fit in the nares, ensuring patient comfort even at high flow rates.

Intersurgical heated single limb circuit



Cat. no.	Description	Qty.
ISG2026035	Single limb heated circuit with adapters	20/cs
ISG2026036	Single limb heated circuit with adapters and humidification chamber	7/cs

Intersurgical auto-fill humidification chamber




ISG2310030 Auto-fill chamber

Extensive research has enabled Intersurgical to develop a single use, auto-fill humidification chamber with many unique features that offer benefits and advantages over the competitor devices. The innovative chamber design has been refined to enhance performance and function while making it easier to use. The auto-fill chamber establishes a fixed level of fluid within the chamber to maintain a constant system volume. This coupled with the strong polycarbonate body and non-compressible float design, ensures that adverse changes in system volume are reduced to a minimum. Features include a yellow float ring to better visualize water level and a protective covering around the edge of heated metal plate. The auto-fill chamber provides optimum humidity output without compromising the resistance to flow.

Cat. no.	Description	Qty.
ISG2310030	Auto-fill chamber complete with fill set and spike with a sealed cap	30/cs

AirLife smooth bore respiratory circuits



003770 NPPV circuit

Our NPPV smooth bore respiratory circuits are designed to provide you with a universal, disposable ventilation circuit for all your noninvasive respiratory needs. Contents include:

- 72" smooth bore tube with an inline attached leak test
- Adapter/exhalation port and port cap
- 96" pressure line tube
- Tubing hanger
- Hose clips
- 22 mm connector for nonvented mask applicator

Cat. no.	Description	Qty.
003769	Without respiratory filter	10/cs
003770	With respiratory filter	10/cs

AirLife
respiratory
products
represent
more than
30 years of
innovation.

AirLife respiratory products have been synonymous with quality, reliability and commitment for more than 30 years. Our products are used in every aspect of respiratory treatment across the entire patient care continuum.

Look for AirLife respiratory products throughout this catalog as a symbol of our ongoing commitment to quality and value.



**Our active
humidification portfolio
is expanding**

**View our e-catalog
for the most
up-to-date selection
of products.**

Visit [CareFusion.com/ALcatalog](https://www.carefusion.com/ALcatalog) today

Humidification active


Page

34-35 Heated circuits


36..... Humidification chamber and sterile water

Intersurgical Flextube™ heated wire breathing systems

Intersurgical breathing circuits have been designed to be compatible with the majority of humidifier base units found in intensive care areas. The coiled wire design offers an efficient method of transferring inspiratory and expiratory gases to the patient. Heated wire breathing systems require clear identification of the inspiratory and expiratory limbs to ensure correct orientation when connecting to the ventilator. Intersurgical breathing systems feature a green tint for the inspiratory limb and the expiratory limb is white. Systems are packaged ready for use, complete with Intersurgical high quality accessories.




Dual limb heated wire breathing circuit



Cat. no.	Description	Qty.
ISG2026030	Dual limb heated circuit with adapters	10/cs
ISG2026031	Dual limb heated circuit with adapters and humidification chamber	7/cs

Single limb heated wire breathing circuit



Cat. no.	Description	Qty.
ISG2026035	Single limb heated circuit with adapters	20/cs
ISG2026036	Single limb heated circuit with adapters and humidification chamber	7/cs

AirLife® circuits: Adult parallel wire

All circuits are made with corrugated tubing and have a temperature probe tee and inspiratory and expiratory limbs that disconnect at the "Y". Circuits contain hose clips.

All circuits are designed exclusively for use with Fisher & Paykel Healthcare Humidifiers MR850, MR730 and HC500, and come with parallel wires. Circuits come assembled and ready to use.

Cat. no.	Description	Qty.
RT500-853	Adult 5' dual heated circuit with 1 "Y" port	20/cs
RT507-853	Adult 5' dual heated circuit with 2 "Y" ports	20/cs
RT510-853	Adult 5' dual heated circuit with 1 "Y" port	20/cs
RT600-850	Adult 6' heated single limb circuit	20/cs
RT607-853	Adult 6' dual heated circuit with 2 "Y" ports	20/cs
RT607-854	Adult 6' heated single limb circuit with 2 "Y" ports	20/cs
RT609-855	Adult 6' heated single limb circuit	20/cs

Code	D=Dual heat DS=Dual- single heat S=Single limb	Circuit length	Humidifiers	Heater wire adapter	WYE style	Temp probe	Exh valve	Pressure lines	Dry gas line	Exp limb H ₂ O trap	Elbow	Omni-Flex™ connector
RT500-853	D	5'	MR850 MR730	900MR805 900MR900	Y	900MR869 900MR569			•		•	
RT507-853	D	5'	MR850 MR730	900MR805 900MR900	Y	900MR869 900MR569			•		•	
RT600-850	S	6'	MR850 MR730	900MR806 900MR901	N/A	900MR869 900MR569			•			
RT607-853	D	6'	MR850 MR730	900MR805 900MR900	Y	900MR869 900MR569			•		•	
RT607-854	DS	6'	MR850 MR730	900MR806 900MR901	Y	900MR869 900MR569			•	• (5276)	•	
RT609-855	S	6'	MR850 MR730	900MR806 900MR901	N/A	900MR869 900MR569	•	• (1/8 and 3/16)	•			•

Key

- D Dual limb heated
- DS Dual limb - single heated
- S Single limb heated
- P Parallel "Y"
- Y Standard "Y"

AirLife circuits: Pediatric parallel wire

Circuits are made with corrugated tubing with a temperature probe tee and inspiratory and expiratory limbs that disconnect at the "Y."

All circuits are designed exclusively for use with Fisher & Paykel Healthcare Humidifiers MR850, MR730 and HC500, and come with parallel wires.

Cat. no.	Description	Qty.
RT409-852	Ped 4' dual heated circuit	20/cs
RT509-852	Ped 5' dual heated circuit	20/cs

Code	D=Dual heat DS=Dual- single heat S=Single limb	Circuit length	Humidifiers	Heater wire adapter	WYE style	Temp probe	Pressure line	Dry gas line	Omni-Flex™ connector
RT409-852	D	4 ft	MR850 MR730	900MR805 900MR900	Y	900MR869 900MR569	• (1/4 and 1/8)	•	•
RT509-852	D	5 ft	MR850 MR730	900MR805 900MR900	Y	900MR869 900MR569	• (1/4 and 1/8)	•	•

Key

- D Dual limb heated
- DS Dual limb - single heated
- S Single limb heated
- P Parallel "Y"
- Y Standard "Y"



Our active humidification product portfolio is expanding

View our e-catalog for the most up-to-date selection of products.
Visit CareFusion.com/ALcatalog today

Intersurgical auto-fill humidification chamber



ISG2310030 Auto-fill chamber

Extensive research has enabled Intersurgical to develop a single use, auto-fill humidification chamber with many unique features that offer benefits and advantages over competitor devices. The innovative chamber design has been refined to enhance performance and function while making it easier to use. The auto-fill chamber establishes a fixed level of fluid within the chamber to maintain a constant system volume. This, coupled with the strong polycarbonate body and non-compressible float design, ensures that adverse changes in system volume are reduced to a minimum. Features include a yellow float ring to better visualize water level and a protective covering around the edge of the heated metal plate. The auto-fill chamber provides optimum humidity output without compromising the resistance to flow.

Cat. no.	Description	Qty.
ISG2310030	Auto-fill chamber complete with fill set and spike with a sealed cap	30/cs

AirLife sterile water in flexible containers



2D0735X (left) and 2D0737 (right)

The closed system design of these flexible sterile water bags helps minimize the possibility of contamination to your patients. When solution bags are attached to the appropriate feed sets, replenishing empty nebulizers and refilling chambers are simplified. The easy one-step set-up offers convenience and reduces patient interruptions. These bags contain sterile water for inhalation, USP, and are available in two sizes: 1,000 and 2,000 mL.

Cat. no.	Description	Qty.
2D0735X	1,000 mL	14/cs
2D0737	2,000 mL	6/cs

AirLife sterile water in hanging bottle containers



CHB0010 (left) and CHB0020 (right)

The closed system design of these hanging bottles helps minimize the possibility of contamination to your patients. When sterile water hanging bottles are attached to the appropriate feed sets, replenishing empty nebulizers and refilling chambers is simplified. The easy one-step set-up offers convenience and helps reduce patient interruptions. The sterile water hanging bottles contain sterile water for inhalation, USP, and are available in two sizes: 1,000 and 2,000 mL.

Cat. no.	Description	Qty.
CHB0010	Water for inhalation with spikable cap and hanger 1000 mL	12/cs
CHB0020	Water for inhalation with spikable cap and hanger 2000 mL	8/cs

Maxtec SmartStack IV stand



The SmartStack IV stand is a specially designed pole base made from 100% cast aluminum, providing extra stand support and durability. Its patented design will stack neatly with other bases of its kind, allowing for extra storage space, a more organized facility and easy transportation of multiple stands all at once.

Cat. no.	Description	Qty.
R100P49001	SmartStack Premium IV stand	1/ea

Humidification passive

Page

38-45 HME and HMEF's

44-47 Filters

48-49 Circuits non-heated

50-51 Circuit accessories

AirLife HME's and HMEF's

These Heat and Moisture Exchangers (HMEs) and Filtered Heat and Moisture Exchangers (HMEFs) capture the patient's exhaled heat and moisture and return them in the inspired gas. Small and compact, they are lightweight, provide low resistance to flow and are specially treated to provide bacteriostatic and hygroscopic (HCH) benefits. Select either the large volume or small volume models depending on tidal volume requirements.

Cat. no.	Description	Connection	Qty.
HME-Heat and moisture exchangers			
003003	HME large volume	15 mm male, 15/22 mm female/male	50/cs
4000-I	HME large volume with adult Omni-Flex™	Omni-Flex™ connector	50/cs
003010	HME large volume with gas sampling port and 6" flextube	15 mm ISO male for Y-piece; 15 mm female for tube; standard luer lock port for gas sampling at dry side	20/cs
003004	HME small volume	15 mm male, 15/22 mm female/male	50/cs
4001-I	HME small volume with pediatric Omni-Flex	Omni-Flex connector	50/cs
003014	HME adult trach with suction port	15 mm female for trach tube	50/cs
003011	HME infant	15 mm ISO male for Y-piece; 15 mm female for tube	50/cs
HMEF-Filtered heat and moisture exchangers			
003005	HMEF large volume with gas sampling port	15/22 mm ISO male/female for Y-piece; 15/22 mm ISO female/male for tube, face mask, closed suctioning system; standard luer lock port for gas sampling at dry and filtered side	25/cs
003006	HMEF small volume with gas sampling port	15/22 mm ISO male/female for Y-piece; 15/22 mm ISO female/male for tube, face mask, closed suctioning system; standard luer lock port for gas sampling at dry and filtered side	50/cs
003007	HMEF HEPA large volume with gas sampling port	15 mm ISO male for Y-piece; 15/22 mm ISO female/male for tube, face mask, closed suctioning system; standard luer lock port for gas sampling at dry and filtered side	20/cs
003009	HMEF large volume with gas sampling port and 6" flextube	15/22 mm ISO male/female for Y-piece; 15 mm female for tube, face mask, closed suctioning system; standard luer lock port for gas sampling at dry and filtered side	15/cs

Heat and moisture exchangers performance specifications

Caption ID	Cat. no.	Tidal volumes	Dead space	Weight	Humidification efficiency	Filter efficiency	Flow resistance
HME-Heat and moisture exchangers							
A.	003003	150–1,250 mL	31 mL	13 g	500 mL/35 mg H ₂ O/L	n/a	0.5 L/s 1.0 cmH ₂ O 1.0 L/s 2.5 cmH ₂ O
B.	003004	80–600 mL	21 mL	8 g	500 mL/30.0 mg H ₂ O/L	n/a	0.5 L/s 0.8 cmH ₂ O 1.0 L/s 2.4 cmH ₂ O
C.	003010	250–1,500 mL	60 mL	22 g	500 mL/32.3 mg H ₂ O/L	n/a	0.5 L/s 0.9 cmH ₂ O 1.0 L/s 2.5 cmH ₂ O 1.5 L/s 3.5 cmH ₂ O
D.	003011	5–50 mL	2 mL (3 mL spontaneous)	2 g	50 mL/31.5 mg H ₂ O/L	n/a	0.25 L/s 1.1 cmH ₂ O
E.	003014	n/a	16 mL	6 g	500 mL/25.5 mg H ₂ O/L	n/a	0.5 L/s 0.13 cmH ₂ O 1.0 L/s 0.29 cmH ₂ O 1.5 L/s 0.45 cmH ₂ O
HMEF-Filtered heat and moisture exchangers							
F.	003005	200–1,250 mL	59 mL	38 g	500 mL/33 mg H ₂ O/L	BFE, mil 99.999% VFE, mil 99.98%	0.5 L/s 0.9 cmH ₂ O 1.0 L/s 2.1 cmH ₂ O 1.5 L/s 3.9 cmH ₂ O
G.	003006	70–600 mL	22 mL	17 g	500 mL/30.3 mg H ₂ O/L	BFE, mil 99.999% VFE, mil 99.99%	9 L/s 0.5 cmH ₂ O 15 L/s 1.0 cmH ₂ O 30 L/s 2.0 cmH ₂ O
H.	003007	250–1,250 mL	95 mL	43 g	500 mL/35 mg H ₂ O/L	BFE, mil > 99.9999% VFE, mil 99.99993% at 0.3 m 99.997%	0.5 L/s 1.6 cmH ₂ O 1.0 L/s 3.3 cmH ₂ O 1.5 L/s 5.5 cmH ₂ O
I.	003009	300–1,250 mL	80 mL	46 g	500 mL/33 mg H ₂ O/L	BFE, mil 99.999% VFE, mil 99.98%	0.5 L/s 1.0 cmH ₂ O 1.0 L/s 2.7 cmH ₂ O 1.5 L/s 5.1 cmH ₂ O

Change frequency: 24 hours

HME-Heat and moisture exchangers



A. 003003 HME



4000-I HME with adult Omni-Flex connector



B. 003004 HME



C. 003010 HME



4001-I HME with pediatric Omni-Flex connector



D. 003011 HME



E. 003014 HME

HMEF-Filtered heat and moisture exchangers




F. 003005 HMEF



G. 003006 HMEF



H. 003007 HMEF



I. 003009 HMEF

AirLife® Edith HMEs



AirLife Edith heat and moisture exchangers meet the HME requirements for adult and pediatric patients in the OR, intensive care unit and other respiratory care environments. The Edith Trach was specially designed to support tracheostomized patients, allowing spontaneously breathing patients to benefit from heat and moisture conservation.

Cat. no.	Description	Qty.
557056200	HME EDITH 500	30/cs
557055200	HME EDITH 1000	30/cs
557057200	HME EDITH 1500	30/cs
557044500	HME EDITH 1500 with flex tube	25/cs
557085000	HME EDITH 1500 Memoflex tube	80/cs
557005000	HME EDITH TRACH	40/cs

Specifications

Caption ID	Cat. No.	Description	Tidal Volumes (mL)	Dead Space (mL)	Weight (g)	Moisture Output (mg H ₂ O/L) Measures at VT (mL)	Moisture Loss (mg H ₂ O/L) Measures at VT (mL)	Pressure Drop (kPa/cmH ₂ O) Measures at VT (mL)	Patient Connection (mm)	Machine Connection (mm)
A.	557056200	Edith 500 HME	70-500	17	6	32 ¹ /30 ¹ 250/500	5.5 ¹ /7.5 ¹ 250/500	0.08/0.8 ¹ (30 L/min) 0.2/2.01 ¹ (60 L/min)	15M/15F	15F
B.	557055200	Edith 1000 HME	110-1000	28	8	30 ¹ /29 ¹ 750/1000	7.5 ¹ /8.5 ¹ 750/1000	0.01/1.0 ¹ (30 L/min) 0.25/2.5 ¹ (60 L/min)	15M/15F	15F
C.	557057200	Edith 1500 HME	150-1500	38	9	31.5 ¹ /30.5 ¹ 750/1000	6.0 ¹ /7.0 ¹ 750/1000	0.01/1.0 ¹ (30 L/min) 0.25/2.5 ¹ (60 L/min)	15M/15F	15F
D.	557044500	Edith 1500 Flex	150-1500	90	20	33.5 ¹ /32.5 ¹ 750/1000	4.0 ¹ /5.0 ¹ 750/1000	0.05/1.5 ¹ (30 L/min) 0.14/1.4 ¹ (60 L/min)	15F	22F
E.	557085000	Edith 1500 Memoflex	150-1500	90	20	33.5 ¹ /32.5 ¹ 750/1000	4.0 ¹ /5.0 ¹ 750/1000	0.05/1.5 ¹ (30 L/min) 0.14/1.4 ¹ (60 L/min)	15F	22F
F.	557005000	Edith Trach	60-1000	16	6	24 ² 500	13.5 ² 500	0.02/2.2 ¹ (60 L/min)	15F	n/a

Change frequency: 24 hours

¹ Measured according to stand ISO 9360:2000.

² Moisture loss is determined using dry gas (not room air). These products are in conformity with the relevant provisions of the Council Directive 93/42/EEC, concerning medical devices, Annex I - Essential Requirements.



A. 557056200 HME

B. 557055200 HME

C. 557057200 HME

D. 557044500 HME

E. 557085000 HME

F. 557005000 Trach HME

AirLife Bypass HME


AirLife Bypass HME (BHME) technology delivers aerosolized medication treatments without breaking the ventilator circuit. Easy one-handed operation allows bypass engagement for simple medication delivery set-up. The bypass lever position and clear visual indicators help identify gate engagement. The filtered BHME helps minimize the risk of respiratory complications and reduces the risk of cross-contamination.

Cat. no.	Description	Qty.
003020	AirLife non-filtered bypass HME	25/cs
003021	AirLife filtered bypass HME	25/cs

AirLife BHME humidifiers



Optional filter helps minimize the risk of respiratory complications and reduces chance of cross-contamination.



Bypass lever position and clear visual indicators ensure gate engagement.

	003020 AirLife Nonfiltered BHME	003021 AirLife Filtered BHME
Tidal volumes	250–1,250 mL	250–1,250 mL
Weight	43 g	44 g
Dead space	68 mL	68 mL
Moisture loss	250 mL = 9.1 mg H ₂ O/L 500 mL = 10.6 mg H ₂ O/L 750 mL = 12.9 mg H ₂ O/L 1,000 mL = 14.3 mg H ₂ O/L 1,250 mL = 14.9 mg H ₂ O/L	250 mL = 8.7 mg H ₂ O/L 500 mL = 11.1 mg H ₂ O/L 750 mL = 12.9 mg H ₂ O/L 1,000 mL = 14.7 mg H ₂ O/L 1,250 mL = 15.7 mg H ₂ O/L
Moisture output	250 mL = 35.0 mg H ₂ O/L 500 mL = 33.5 mg H ₂ O/L 750 mL = 31.2 mg H ₂ O/L 1,000 mL = 29.8 mg H ₂ O/L 1,250 mL = 29.2 mg H ₂ O/L	250 mL = 35.4 mg H ₂ O/L 500 mL = 33.0 mg H ₂ O/L 750 mL = 31.2 mg H ₂ O/L 1,000 mL = 29.4 mg H ₂ O/L 1,250 mL = 28.4 mg H ₂ O/L
Resistance <i>before</i> use	Flow at 0.5 L/sec = 0.6 cmH ₂ O Flow at 1.0 L/sec = 1.6 cmH ₂ O Flow at 1.5 L/sec = 3.3 cmH ₂ O	Flow at 0.5 L/sec = 1.3 cmH ₂ O Flow at 1.0 L/sec = 3.3 cmH ₂ O Flow at 1.5 L/sec = 6.1 cmH ₂ O
Resistance <i>after</i> use	Flow at 0.5 L/sec = 0.7 cmH ₂ O Flow at 1.0 L/sec = 2.0 cmH ₂ O Flow at 1.5 L/sec = 4.5 cmH ₂ O	Flow at 0.5 L/sec = 1.5 cmH ₂ O Flow at 1.0 L/sec = 4.0 cmH ₂ O Flow at 1.5 L/sec = 6.0 cmH ₂ O

	003020 AirLife Nonfiltered BHME	003021 AirLife Filtered BHME
Filtration efficiency	n/a	BFE= 99.999% VFE= 99.99% NaCl= 95%
Recommended change out	24 hours	24 hours
Connections	15 mm ISO male connector for Y piece 15/22 mm ISO female/male connector for ET tube, closed suctioning system, etc.	
Gas leakage	0 cc/min at 7 kPa (71 cmH ₂ O)	0 cc/min at 7 kPa (71 cmH ₂ O)
Compliance	0.68 mL/kPa at 7 kPa (71 cmH ₂ O)	0.68 mL/kPa at 7 kPa (71 cmH ₂ O)
MR conditional	Field strength = 3 – Tesla or less Spatial gradient = 720 Gauss/cm or less Radio frequency (RF) field = 128 MHz Specific absorption rate = 2.9 W/kg	
Packaging	25 units per case	25 units per case

Change frequency: 24 hours

AirLife HMEF's (formerly Vital Signs)



AirLife HMEF's

AirLife heat and moisture exchangers with filters (HMEFs) meet filtration requirements for adult and pediatric applications in the operating room, intensive care unit and other respiratory care environments.

Caption ID	Cat. No.	Description	Qty.
A.	557070100	HMEF 1000/S with gas sampling port	50
B.	557070500	HMEF 500 with gas sampling port	40
C.	M1004132	HMEF 750/S with gas sampling port	50
D.	M1010534	HMEF 1000/S with gas sampling port and angled connection	50
E.	M1010538	HMEF 750/S with gas sampling port and angled connection	50
F.	M1038637	HMEF 1000	50
G.	M1038639	HMEF 750	50
H.	8004231	HMEF Mini	50
HMEF's with Flex			
n/a	557019500	HMEF 1000 with flex tube and swivel	30
n/a	557070700	HMEF 500 with flex tube and gas sampling port	60
I.	557071500	HMEF 1000 with flex tube and gas sampling port	30
n/a	557071600	HMEF 1000 with flex tube	30
n/a	557085500	HMEF 1000 with Memoflex tube	40
J.	M1005260	HMEF 750 with Memoflex tube	50

Caption ID	Cat. No.	Tidal Volume (mL)	Dead Space (mL)	Weight (g)	Moisture Output (mg H ₂ O/L) Measures at VT (mL)	Moisture Loss (mg H ₂ O/L) Measures at VT (mL)	Pressure Drop (kPa/cmH ₂ O) Measures at VT (mL)	Gas Sampling Port	Patient Connection (mm)	Machine Connection (mm)	Filtration Efficiency Bacterial/Viral (%)
A.	557070100	300-1000	77	24	33/32/30 500/750/1000	4.5/5.5/7.5 500/750/1000	0.10 (1.0) 0.23 (2.3)	•	15M/22M	15M/22F	99.9999/99.99
B.	557070500	120-500	30	15	31/30 250/500	6.5/7.5 250/500	0.15 (1.5) 0.33 (3.3)		15F/22M	15M/22F	99.9999/99.98
C.	M1004132	120-750	34	17	32/30/27 250/500/750	5.5/7.5/10.5 250/500/750	0.09 (0.9) 0.22 (2.2)	•	15M/22M	15M/22F	99.9999/99.98
D.	M1010534	300-1000	77	24	33/32/30 500/750/1000	4.5/5.5/7.5 500/750/1000	0.10 (1.0) 0.23 (2.3)	•	15M/22M	15M/22F	99.9999/99.99
E.	M1010538	120-750	34	17	32/30/27 250/500/750	5.5/7.5/10.5 250/500/750	0.09 (0.9) 0.22 (2.2)	•	15M/22M	15M/22F	99.9999/99.98
F.	M1038637	300-1000	77	24	33/32/30 500/750/1000	4.5/5.5/7.5 500/750/1000	0.10 (1.0) 0.23 (2.3)		15M/22M	15M/22F	99.9999/99.99
G.	M1038639	120-750	34	17	32/30/27 250/500/750	5.5/7.5/10.5 250/500/750	0.09 (0.9) 0.22 (2.2)		15M/22M	15M/22F	99.9999/99.98
H.	8004231	60-500	21	14	31/27 250/500	6.5/10.5 250/500	0.14 (1.4) 0.32 (3.2)		15F/22M	15M/22F	99.9999/99.98
HMEF's with Flex											
n/a	557019500	300-1000			33/32/30 500/750/1000	4.5/5.5/7.5 500/750/1000	0.10 (1.0) 0.23 (2.3)				99.9999/99.99
n/a	557070700	120-500			31/30 250/500	6.5/7.5 250/500	0.15 (1.5) 0.33 (3.3)				99.9999/99.98
I.	557071500	300-1000			33/32/30 500/750/1000	4.5/5.5/7.5 500/750/1000	0.10 (1.0) 0.23 (2.3)	•			99.9999/99.99
n/a	557071600	300-1000			33/32/30 500/750/1000	4.5/5.5/7.5 500/750/1000	0.10 (1.0) 0.23 (2.3)				99.9999/99.99
n/a	557085500	300-1000			33/32/30 500/750/1000	4.5/5.5/7.5 500/750/1000	0.10 (1.0) 0.23 (2.3)				99.9999/99.99
J.	M1005260	120-750			31/30 250/500	6.5/7.5 250/500	0.15 (1.5) 0.33 (3.3)				99.9999/99.98

Change frequency: 24 hours



A. 557070100 HMEF



B. 557070500 HMEF



C. M1004132 HMEF



D. M1010534 HMEF and E. M1010538 HMEF



F. M1038637 HMEF



G. M1038639 HMEF



H. 8004231 HMEF



I. 557071500 HMEF



J. M1005260 HMEF

AirLife HME's and filters (formerly Vital Signs)

AirLife's family of HME's and filters offer options for every setting in your facility. They are designed to provide high humidification with bacterial/viral filtration for adult and pediatric patients.

Cat No	Description	Qty
Bacterial/viral filters		
303EU	Filter	50/cs
303HEPA	HEPA filter	50/cs
HME-Heat and moisture exchangers		
5701EU	Adult/pediatric heat and moisture exchanger	50/cs
5702EU	Adult heat and moisture exchanger	50/cs
5704EU	Neonatal heat and moisture exchanger	50/cs
5705	Tracheostomy heat and moisture exchanger	50/cs
5706	Tracheostomy heat and moisture exchanger with suction port	50/cs
5722EU	Adult heat and moisture exchanger with flex tube	50/cs

Specifications

Caption ID	Cat. No.	Tidal volume (mL)	Dead Space (mL)	Weight (g)	Resistance (cmH ₂ O)	Moisture output (mgH ₂ O/L)	Patient Connection (mm)	Machine Connection (mm)	Filtration Efficiency ¹ Bacterial/Viral (%)
Bacterial/viral filters									
A.	303EU	n/a	30	16	1.8 @ 60 Lpm	n/a	22F	22M/15F	99.9/99.8
B.	303HEPA	n/a	30	16	2.2 @ 60 Lpm	n/a	22F	22M/15F	99.9/99.8
HME-Heat and moisture exchangers									
C.	5701EU	100-1200	30	13	1.0 @ 30 Lpm	>29 @ 31°C	22M/15F	15M	n/a
D.	5723EU	90-1000	30	13	<1.5 @ 60 Lpm	>29 @ 31°C	22M/15F	15M	n/a
E.	5702EU	150-1500	46	18	1.0 @ 30 Lpm	>29 @ 31°C	22M/15F	15M	n/a
F.	5722EU	150-1500	46	18	1.9 @ 60 Lpm	>29 @ 31°C	22M/15F	15M	n/a
G.	5704EU	5-50	<5	2	1.0 @ 5 Lpm	>29 @ 31°C	15F	15M	n/a
H.	5706/5705	<40	14	6	1.0 @ 30 Lpm	>29 @ 31°C	15F	n/a	n/a

¹ Measured by the method of Nelson Laboratories, Inc., USA. Records on file



A/B. 303EU and 303HEPA Filters



C/D. 5701EU HME and 5723EU HME shown w/o flex



E/F. 5702EU HME and 5722EU HME shown w/o flex



G. 5704EU Neonatal HME



H. 5705 and 5706 Trach HME available with or without suction port

Give your patients the air they need.

Our extensive AirLife portfolio of respiratory system solutions empowers physicians and clinicians to achieve the highest quality of patient therapy. Whether your patients are ventilated or breathing on their own, AirLife consumables, along with a broad offering of products from our strategic partners, help address your cross-contamination concerns in today's healthcare environment. Our respiratory system products also provide essential tools to drive efficiencies, maximize clinical goals and increase patient comfort.

AirLife nonconductive bacterial/viral-retentive filter



Filter 001851

AirLife disposable respiratory filter is designed to trap bacteria and viral particles by electrostatic attraction and its dense makeup. Small, lightweight and translucent, our hydrophobic filter resists moisture and offers easy visualization of water buildup.

Specifications

Bacterial filtration efficiency (BFE)	99.9%
Viral filtration efficiency (VFE)	99.7%
Flow resistance	
At 1.0 L/sec	0.54 cmH ₂ O
At 1.0 L/sec after 48 hrs	0.90 cmH ₂ O
Compressible volume	43 mL

Cat. no.	Description	Qty.
001851	Nonconductive bacterial/viral-retentive	50/cs

Change frequency: 24 hours

AirLife high-efficiency respiratory filter with diffuser



High-efficiency filter 001853

Our AirLife high-efficiency filter is made of hydrophobic polypropylene and has 22/15 mm male/female and 22 mm female ISO connectors.

Specifications

Bacterial filtration efficiency (BFE)	99.999+%
Viral filtration efficiency	99.999+%
NaCl filtration efficiency	99.8%
Flow resistance	
At 0.5 L/sec	1.2 cmH ₂ O
At 1.0 L/sec	2.8 cmH ₂ O
Compressible volume	59 mL

Cat. no.	Description	Qty.
001853	AirLife high-efficiency respiratory filter with diffuser	50/cs

Change frequency: 48 hours

AirLife HEPA filter



HEPA filter 001852

Our AirLife HEPA filter offers low flow resistance and high-efficiency particulate air (HEPA) filtration to enable your patient to breathe easier. It is a nonconductive hydrophobic HEPA filter with 22/15 mm male/female and 22 mm female ASTM conical connectors and a transparent housing that allows visualization of secretion accumulation or potential occlusions.

Specifications

Bacterial filtration efficiency (BFE)	99.9999+%
Viral filtration efficiency (VFE)	99.9999+%
DOP filtration efficiency	99.998% (0.3 μ particles)
Flow resistance	
At 0.5 L/sec	0.4 cmH ₂ O
At 1.0 L/sec	0.9 cmH ₂ O
At 1.0 L/sec after 24 hr	1.2 cmH ₂ O
At 1.0 L/sec after 48 hr	1.7 cmH ₂ O
Compressible volume	84 mL
Weight	45 g

Cat. no.	Description	Qty.
001852	AirLife HEPA filter	20/cs

Change frequency: 24 hours

AirLife filters for small bore tubing



Small bore tubing filters 305EU and 311EU

Cat. no.	Description	Qty.
305EU	Oxygard filter for pressures less than 25psi	50
311EU	Hydrogard filter	50

AirLife Uni-Filters

Disposable bacterial/viral filters provide highly efficient protection against various types of microorganisms present in breathing circuits. These filters reduce the transfer of bacteria and viruses among patients, personnel and equipment. Uni-Filters use electrostatic means to capture harmful submicron particles, while its hydrophobic membranes repel humidity from the filter medium. The transparent housing allows visualization of humidity or secretions within filter.

Cat No	Description	Qty
557021200	Uni-Filter	45/cs
557022500	Uni-Filter with gas sampling port	60/cs
M1003346	Uni-Filter Junior	50/cs
M1003345	Mini-Filter with gas sampling port	50/cs
8570230	Uni-Filter with gas sampling port and Memoflex tube	50/cs

Specifications

Caption ID	Cat. No.	Dead Space (mL)	Weight (g)	Pressure Drop ² (kPa/cmH ₂ O) @ 30Lpm	Pressure Drop ² (kPa/cmH ₂ O) @ 60Lpm	Gas Sampling Port	Patient Connection (mm)	Machine Connection (mm)	Filtration Efficiency ¹ Bacterial/Viral (%)
A.	557021200	60	27	0.04/0.4	0.08/0.8	n/a	15F/22M	22F	99.98/99.9
B.	557022500	35	16	0.07/0.7	0.19/1.9	luer	15F/22M	15M/22F	99.9999/99.999
C.	M1003346	35	16	0.08/0.8	0.22/2.2	n/a	15F/22M	15M/22F	99.9999/99.999
D.	M1003345	22	14	0.14/1.4	0.32/3.2	luer	15F/22M	15M/22F	99.9999/99.999
n/a	8570230			0.07/0.7	0.19/1.9	luer	15F/22M	15F	99.9999/99.999

¹ Measured by the method of Nelson Laboratories, Inc., USA. Records on file

² Measured according to standard ISO 9360:2000

Storage temperature: -30°C / -22°F to +40°C / +104°F. Shelf life: maximum 2 years. Expiration date printed on packaging.

These products are in conformity with the relevant provisions of the Council Directive 93/42/EEC, concerning medical devices, Annex 1-Essential Requirements



A. 557021200 Uni-Filter



B. 557022500 Uni-Filter




C. M1003346 Uni-Filter




D. M1003345 Mini-Filter


AirLife adult dual-limb ventilator circuits, may be used with MR850, MR700 and MR600 Series heaters




OP1775




OP1776




OY1777



OY1778




OY1779




OY3770


Cat. no.	Description	Qty.
001790	63" segmented inspiratory corrugated tube with water trap in line 24" from ported patient "Y," segmented expiratory tube has water trap at 24" from "Y" with humidifier adapter connector and circuit hanger	6/cs
001793	Two 6' flexible corrugated tubes, ported patient "Y" with port plugs, elbow connector and tube hanger	6/cs
001794	Two 6' flexible corrugated tubes, ported patient "Y" with port plugs, elbow connector, tube hanger and 1/4" pressure sensing line	6/cs
OP1775	Two 72" flexible corrugated tubes, ported patient parallel "Y" with port plugs, elbow connector, inspiratory connector, angled temp port with plug at distal limb and tube hanger	10/cs
OP1776	Two 72" flexible corrugated tubes, ported patient parallel "Y" with port plugs, elbow connector, inspiratory connector, angled temp port with plug at distal limb, tube hanger and 1/4" and 1/8" pressure sensing lines	10/cs
OY1777	Two 72" flexible corrugated tubes, ported patient "Y" with port plugs, elbow connector, inspiratory connector, angled temp port with plug at distal limb, tube hanger, 1/4" and 1/8" pressure sensing lines and valved tee	10/cs
OY1778	Two 72" flexible corrugated tubes, ported patient "Y" with port plugs, elbow connector, inspiratory connector, angled temp port with plug at distal limb and tube hanger	10/cs
OY1779	Two 72" flexible corrugated tubes, ported patient "Y" with port plugs, elbow connector, inspiratory connector, angled temp port with plug at distal limb, tube hanger and 1/4" and 1/8" pressuring sensing lines	10/cs
OY3770	72" adult segmented tubing, polypropylene "Y" with temperature and pressure sensing ports with caps, tube holder, hose clips, external exhalation valve, exhalation drive line and expiratory spirometer adapter, 1/4" pressure line and angled, capped temperature port connector on inspiratory limb	10/cs




001795



003762



003760



003764

AirLife adult single-limb portable ventilator circuits

Cat. no.	Description	Qty.
001795	5 ft single limb, 6" patient tube, 1/8" ID pressure line, silicone diaphragm exhalation valve	10/cs
003760	7 ft single limb, 6" patient tube, 1/8" ID pressure line and pressure port cap, polyisoprene diaphragm exhalation valve	15/cs
003762	7 ft single limb, 6" patient tube, 3/16" ID pressure line, polyisoprene diaphragm exhalation valve	15/cs
003764	7 ft single limb, 6" patient tube, 1/8" and 1/4" pressure lines, silicone diaphragm exhalation valve	15/cs

AirLife pediatric non-heated circuits

Cat. no.	Description	Qty.
1206-701	4 ft dual limb with dry gas and pressure lines, parallel wye, water trap and Omni-Flex adapter	20/cs
9076-701	4 ft dual limb with dry gas and pressure lines, standard wye, water trap and Omni-Flex adapter	20/cs
6833-701	6 ft dual limb with dry gas 2 pressure lines, standard wye, exhalation valve, water trap and Omni-Flex adapter	20/cs
6949-701	6 ft single limb with dry gas 2 pressure lines, standard wye, exhalation valve and water trap	20/cs

AirLife infant non-heated circuits

Cat. no.	Description	Qty.
6800-503	4 ft dual limb dry gas and 2 pressure lines, standard wye, water trap and Omni-Flex adapter	30/cs
0260-503	4 ft dual limb with pressure line, standard wye	30/cs
5599-503	5 ft dual limb with pressure line, standard wye	30/cs

AirLife IPPB circuits

AirLife IPPB universal manifolds are compatible with Bird®, Puritan Bennett® and other commonly used IPPB devices. They feature a silicone diaphragm inside a retainer cap that can be turned to direct exhaled air away from the therapist and patient. All include 39" (22 mm ID) tubing, two supply lines, 6" (22 mm ID) flextube and mouthpiece.

Cat. no.	Description	Qty.
001608	With 360° baffled nebulizer for small particle size	50/cs
001628	With 120° baffled Quick-Neb™ right angle nebulizer	50/cs

AirLife ventilator monitoring adapter circuit




AirLife ventilator monitoring adapter circuit 001504

Our circuit is a flexible, single-patient-use, one-way valving system designed for pulmonary function measurements, such as tidal or minute volume, vital capacity and negative inspiratory force. Circuit comes with a U/Adapt-It™ adapter with 15 mm ID base, 6" flextube, two one-way valves, an oxygen tube connector, a 22 mm OD tube adapter and a 22 mm ID/15 mm ID adapter.

Cat. no.	Description	Qty.
001504	Ventilator monitoring adapter circuit	50/cs

AirLife disposable thermometers



AirLife disposable liquid crystal thermometer 001955

The AirLife TempO₂ I™ and TempO₂ II™ systems offer a multitude of thermometer configurations, both liquid column and liquid crystal, designed for all applications and to meet most temperature monitoring situations.

Liquid column thermometers may be used with most ventilator manifolds and heated aerosol set-ups. The small tapered end will fit most ported straight adapters and patient "Y" adapters, or its 15 mm OD circumference may be inserted into any standard tee adapter. Readout is provided in both Fahrenheit and Celsius.

Liquid crystal thermometers produce a direct digital readout that can be placed in the inspirator limb of the patient circuit. They have a Celsius scale of 20° to 42° with a convenient Fahrenheit conversion table alongside. Temperature is determined by using the three-color readout bands. Green means temperature is exact, tan means it is slightly higher, and blue means it is slightly lower.

Cat. no.	Description	Qty.
TempO₂ I Liquid column thermometers		
001950	Thermometer only	50/cs
001951	With 004086 U/Adapt-It connector, both arms 22 mm (7/8") OD	50/cs
001952	With 004084 U/Adapt-It connector, one arm 22 mm (7/8") OD and one arm 22 mm (7/8") ID	50/cs
TempO₂ II Liquid crystal thermometer		
001955	With two 22 mm OD adapters	50/cs

AirLife connectors for Omni-Flex™ systems



AirLife pediatric connector 3215



AirLife adult connector 3222

Our AirLife connectors for Omni-Flex systems provide an additional length of tubing for your ventilator circuit for increased flexibility and mobility. Connect between a patient's endotracheal or tracheostomy tube and ventilator circuit wye connection or HME. Connectors expand from 5 to 6.5 cm.

Cat. no.	Description	Qty.
3215	Pediatric, 15 mm OD x 15mm ID	50/cs
3222	Adult, 15 mm OD x 22mm OD	50/cs

AirLife disposable water traps



Water trap 001860



Water traps left 5275P, right 5276

Our water traps are for use with 22 mm tubing.

Cat. no.	Description	Qty.
5276	4" flexible tube and clamp	50/cs
5275P	Twist valve	50/cs
001860	Self-sealing	50/cs

AirLife infant nebulizer tees



Infant neb tee 5900-504 packaged with MistyMax 10 medication nebulizer

Infant neb tee with cap 5903-504

Our AirLife infant nebulizer tees can be used to convert an adult nebulizer for infant use. They are clean and ready to use.

Cat. no.	Description	Qty.
5900-504	Infant nebulizer tee with MistyMax10 nebulizer	30/cs
5903-504	Infant nebulizer tee with cap	30/cs

Southmedic MDI adapter



MDI in-line adapter

The Southmedic MDI adapter is compatible with both plastic and metal canister stems and is equipped with an attached tether strap. It is designed to operate with or without dosage counters. These adapters do not contain natural rubber latex or phthalates such as DEHP.

Cat. no.	Description	Qty.
SMDIA-1000	22MM ID X Nozzle facing 22mm OD	25/cs
SMDIA-1100	22MM OD X Nozzle facing 22mm ID	25/cs
SMDIA-1200	22MM OD X Nozzle facing 22mm OD	25/cs
SMDIA-1300	15MM OD X Nozzle facing 15mm ID	25/cs

AirLife valved tee adapters



Valved tee adapter 002058 shown in use



Valved tee adapters 002058, 002060, 002061

Our valved tee adapters make it easy to deliver aerosolized medication to your ventilator patients. Used in conjunction with a nebulizer, the valved tee adapter offers a safe and convenient way to introduce medication into the circuit.

Unlike other tee adapters that require time-consuming and potentially hazardous breaks in the system, the valved tee adapter becomes a permanent part of the ventilator circuit. Its spring-loaded valve opens and closes the circuit during nebulizer insertion and removal.

Because the adapter maintains a closed system, the risk of condensate being accidentally sprayed into the air is greatly reduced. Choose from three sizes for placement at different locations in the circuit. The adapter is sold with the spring loaded valve and cap, and includes the 18 mm base.

Cat. no.	Connection	Qty.
002058	15 mm ID x 15 mm OD	30/cs
002060	22 mm OD x 22 mm OD	30/cs
002061	22 mm ID x 22 mm OD	30/cs



**Our *AirLife*
product portfolio
is expanding**

**View our e-catalog
for the most
up-to-date selection
of products.**

Visit [CareFusion.com/ALcatalog](https://www.carefusion.com/ALcatalog) today

Infant care

Page

54.....	Consumables guide
55.....	Infant temperature probes and T-piece kits
56.....	Infant phototherapy
57.....	Meconium suction device

AirLife® infant care consumables guide

Product	Description	Part no.	GE compatible equipment
Infant skin temperature probes	For use with GE Giraffe™, Panda™ and Omnibed™ systems		Warmers–Panda, Giraffe, Omnibed
	Infant skin temp probe, disposable, 10/cs.	2074816-001	
	Infant skin temp probe, disposable, 50/cs.	2074817-001	
	Infant skin temp probe, reusable, 1/ea.	2075796-001	
Infant skin temperature probes	For use with GE Lullaby systems		Lullaby warmer
	Infant skin temp probe, disposable, 10/cs.	6600-0208-700	
	Infant skin temp probe, disposable, 50/cs.	6600-0196-700	
	Infant skin temp probe, reusable, 1/ea.	6600-0628-700	
T-Piece resuscitation kit	For use with GE Stand-alone Resuscitation		Stand-alone Resuscitation
	T-piece neonatal circuit kit, size 0 mask, 10/cs.	M1091316VS	
	T-piece neonatal circuit, 10/cs.	M1091335VS	
	T-piece neonatal circuit kit, size 1 mask, 10/cs.	M1091365VS	
Phototherapy pad covers and nests	For use with GE BiliSoft® Phototherapy System		BiliSoft Phototherapy System
	AirLife disposable pad cover, large, 50/cs.	M1093121	
	AirLife disposable pad cover, small, 50/cs.	M1093120	
	AirLife disposable pad cover, large, 20/cs.	M1097109	
	AirLife disposable pad cover, small, 20/cs.	M1097108	
	AirLife disposable nest, large, 15/cs.	M1093123	
	AirLife disposable nest, small, 15/cs.	M1093122	
Phototherapy pad covers and vests	For use with GE BiliBlanket® Plus Phototherapy System		BiliBlanket Plus
	AirLife disposable pad cover, 50/cs.	6600-0270-200	
	AirLife disposable vest, 50/cs.	6600-0461-200	

AirLife infant skin temperature probes




Disposable infant temperature probe 2074816-001 / 2074817-001 for use with GE Panda and Giraffe systems



Reusable infant temperature probe 2075796-001 for use with GE Panda and Giraffe systems



Reusable infant temperature probe 6600-0628-700 for use with GE Lullaby systems




Disposable infant temperature probe 6600-0196-700 / 6600-0208-700 for use with GE Lullaby systems

Temperature is a key vital sign when monitoring premature infants, as they are vulnerable to having abnormally low core temperatures. Our infant skin temperature probes provide a less invasive method of temperature management to help monitor the body temperature of premature newborns who experience difficulty maintaining normothermia.

Cat. no.	Description	Qty.
Infant skin temperature probes for use with GE Panda and Giraffe systems		
2074816-001	Infant skin temperature probe disposable	10/cs
2074817-001	Infant skin temperature probe disposable	50/cs
2075796-001	Infant skin temperature probe reusable	1/ea
0203-1980-300	Heat reflective patch for use with reusable infant temperature probe	50/cs

Cat. no.	Description	Qty.
Infant skin temperature probes for use with GE Lullaby systems		
6600-0208-700	Infant skin temperature probe disposable	10/cs
6600-0196-700	Infant skin temperature probe disposable	50/cs
6600-0628-700	Infant skin temperature probe reusable	1/ea
0203-1980-300	Heat reflective patch for use with reusable infant temperature probe	50/cs

AirLife T-piece resuscitation kit



Universal device connector fits both 15 mm male and 10 mm female connections without the need for an additional adapter.

Neonatal T-piece circuit with size 1 mask M1091365VS for use with GE StAR system

The T-piece resuscitator kit is a single-patient-use resuscitator circuit intended to provide respiratory support for neonatal patients. It is designed with a positive end-expiratory pressure (PEEP) valve to help maintain optimal pressure and made of corrugated tubing without any latex or added DEHP.

Cat. no.	Description	Qty.
AirLife T-piece circuits for use with GE Stand alone resuscitation system (StAR)		
M1091335VS	T-piece Neonatal Circuit	10/cs
M1091316VS	T-piece Neonatal Circuit Kit, size 0 mask	10/cs
M1091365VS	T-piece Neonatal Circuit Kit, size 1 mask	10/cs

AirLife phototherapy pad covers and nests



Disposable pad cover slips over the LED pad with transparent straps to wrap around the baby while swaddling.

Phototherapy pad cover - M1097109



Disposable nest offers boundaries and support with a cushy foot roll and gentle, transparent straps.

Phototherapy nest - M1093123

AirLife phototherapy disposables help provide simple intensive therapy when newborns present with hyperbilirubinemia. These ultra-soft disposable pad covers and nests are made of flame-retardant fabric gentle on sensitive newborn skin. Designed to help promote skin to skin contact, the pad covers and nests enable comfortable swaddling and much needed support during phototherapy treatments.

Cat. no.	Description	Qty.
Phototherapy pad covers for use with GE Bilisoft phototherapy system		
M1093120	Small pad cover for babies <1500grams	50/cs
M1097108	Small pad cover for babies <1500grams	20/cs
M1093121	Large pad cover for babies >1500grams	50/cs
M1097109	Large pad cover for babies >1500grams	20/cs
Phototherapy nests for use with GE Bilisoft phototherapy system		
M1093122	Small nest for babies <1500grams	15/cs
M1093123	Large nest for babies >1500grams	15/cs


Focus on quality care

Less waste and errors = higher quality and better outcomes

The AirLife® team can help you meet your goals to eliminate variability in processes, thereby helping to reduce waste, lessen errors and experience better quality products and outcomes.

Contact your AirLife® sales representative today to learn how our products can help you achieve your quality objectives.

AirLife phototherapy pad covers and vest



Phototherapy vest - 6600-0461-200



Phototherapy pad cover - 6600-0270-200

The disposable pad covers and vests are designed for use with both premature and full-term infants. The pad covers and vests slip directly over the light pad, and the infant lies directly on top to receive the phototherapy treatment.

Cat. no.	Description	Qty.
Phototherapy pad covers and vest for use with GE Biliblanket phototherapy system		
6600-0461-200	Vest disposable	50/cs
6600-0270-200	Pad covers disposable	50/cs

Maxtec EyeMax phototherapy masks




EyeMax phototherapy masks

The EyeMax™2 is designed to adapt to the baby's changing head shape. The single-piece, wrap-around design attaches at two points on either side of the baby's head and can be independently adjusted to prevent unwanted movement and allow a perfect fit. The special UV light eye protection pad has been ergonomically designed to prevent "light leaks".

- Easy-to-use design
- Adjustable band for a perfect fit
- Bigger eye pad for less pressure and better UV protection

Cat. no.	Description	Qty.
R300P01	Phototherapy mask - regular 12.6" to 15" (blue)	20/cs
R300P02	Phototherapy mask - premie 10.4" to 12.6" (orange)	20/cs
R300P03	Phototherapy mask - micro premie 7.87" to 10.24" (green)	20/cs

AirLife Meconium suction device—(Kurtis MSD)



All-in-one neonatal suction catheter and endotracheal tube

The AirLife Meconium Suction Device (MSD) reduces the number of steps to suction meconium from an infant’s trachea by integrating the endotracheal tube, suction adapter, and stylet. Designed by a neonatologist, the AirLife MSD is typically less expensive than buying components separately and requires less assembly during “high anxiety” births. Device is available in 2 sizes.

Cat. no.	Description	Qty.
4535EU	AirLife Meconium suction device 3.0 mm	10/cs
4530VS	AirLife Meconium suction device 3.5 mm	10/cs

AirLife respiratory products represent more than 30 years of innovation.

AirLife respiratory products have been synonymous with quality, reliability and commitment for more than 30 years. Our products are used in every aspect of respiratory treatment across the entire patient care continuum.

Look for AirLife respiratory products throughout this catalog as a symbol of our ongoing commitment to quality and value.



**Our *AirLife*
product portfolio
is expanding**

**View our e-catalog
for the most
up-to-date selection
of products.**

Visit [CareFusion.com/ALcatalog](https://www.carefusion.com/ALcatalog) today

Medication delivery and asthma management

Page

60-62	Small volume medication nebulizers
63.....	High-efficiency medication nebulizers and masks
64.....	Continuous medication nebulizers
65.....	MDI holding chambers and masks
66.....	Tee and valved tee adapters
67.....	MDI in-line adapters
68.....	Peak flow meters and mouthpieces

The AirLife® Misty Max 10 small volume nebulizer



AirLife® Misty Max 10® disposable nebulizer 002430

Our AirLife brand Misty Max 10® disposable nebulizer delivers fast and effective treatment to a wide range of patients. They feature a one-piece jet design that delivers high output rates, resulting in faster treatment times and consistent medication delivery.

A full 10 cc capacity provides medication dosing flexibility. The anti-spill design helps prevent medication waste and allows the unit to be used at an angle to accommodate various patient positions.

Nebulizer with bacteria filter 002450 provides protection and convenience through its utilization of a reservoir and one-way valves for administration of medicated aerosol. The aerosol is contained within the nebulizer system instead of freely flowing into the surrounding air.


Cat. no.	Description	Qty.
Nebulizers without mask		
002430	Nebulizer only	50/cs
002431	With 7' oxygen tubing and blue rigid tip	50/cs
002434	With baffled tee adapter, 7' oxygen tubing and mouthpiece	50/cs
002435	With tee adapter (22 mm ID x 22 mm OD), 7' oxygen tubing with blue rigid tip and mouthpiece	50/cs
002437	With baffled tee adapter and mouthpiece	50/cs
002438	With baffled tee adapter, 7' oxygen tubing with blue rigid tip, mouthpiece and 6" flextube	50/cs
002439	With baffled tee adapter, 7' U/Connect-It oxygen tubing with blue rigid tip, mouthpiece and 6" flextube	50/cs
002442	With baffled tee adapter and intermittent finger control	50/cs
002445	With baffled tee, 7' U/Connect-It® oxygen tubing with blue rigid tip and mouthpiece	50/cs
002446	With baffled tee, 7' U/Connect-It oxygen tubing with blue rigid tip, mouthpiece and 6" flextube	50/cs
002447	With 22 mm valved tee adapter (22 mm ID x 22 mm OD) adapter and 7' oxygen tubing with blue rigid tip	50/cs
Misty Max 10 nebulizer with bacteria filter		
002450	With patient "Y" mouthpiece, 7' oxygen tubing with rigid blue tip, 6" flextube and bacteria filter	25/cs
Misty Max 10 nebulizers with pediatric mask		
002443	With pediatric aerosol mask	50/cs
002444	With pediatric aerosol mask and 7' oxygen tubing with blue rigid tip	50/cs
002440	With pediatric aerosol elephant mask	50/cs
002455	With pediatric aerosol elephant mask (adjustable tube) and 7' oxygen tubing with blue rigid tip	50/cs
Misty Max 10 nebulizers with adult mask		
002432	With adult aerosol mask	50/cs
002433	With adult aerosol mask and 7' oxygen tubing with blue rigid tip	50/cs

The chart below provides the in vitro performance characteristics of the AirLife brand Misty Max 10 nebulizer. In vitro measurements will help guide the end user as to the likelihood of effective delivery of inhaled medication to the lower respiratory tract.

Performance characteristics	5 L/min flow	8 L/min flow	10 L/min flow
MMAD Mass median aerodynamic diameter (μM)	2.21 ± 0.07	1.61 ± 0.09	1.30 ± 0.07
GSD Geometric standard deviation	2.05 ± 0.14	2.18 ± 0.262	2.20 ± 0.06
Respirable fraction % < 4.7 μM (by mass)	79.7 ± 1.7	85.2 ± 3.2	91.5 ± 0.9
Output rate (gpm)	0.252 ± 0.009	0.325 ± 0.010	0.329 ± 0.010
Treatment time 3 mL albuterol solution (min.)	9.97 ± 0.03	8.16 ± 0.30	7.36 ± 0.26
Residual (g)	0.91 ± 0.03	0.92 ± 0.06	0.89 ± 0.04
Operating pressure (psi)	10.7 ± 0.5	24.9 ± 0.3	34.2 ± 0.8
Inhaled respirable mass 3 mL dose of 0.083% albuterol (μg)	365 ± 10	384 ± 4	362 ± 14

*Data presented: mean ± standard deviation

AirLife Misty Fast™ small volume nebulizer



The AirLife Misty Fast small volume nebulizer is the perfect choice for hospitalized patients. It delivers comparable results to the AirLife Misty Max 10, but in half the time. The one piece jet design delivers high output rates and consistent medication delivery. Misty Fast's swivel mouthpiece provides for greater patient positioning to enhance comfort during treatment. Multiple kit configurations provide you with the solution options to meet your medication delivery needs. Misty Fast is designed to be used in hospital setting only.

Cat. no.	Description	Qty.
Nebulizers without mask		
FN2431	With 7' O ₂ tubing	50/cs
FN2434	With baffled tee, swivel mouthpiece, 7' O ₂ tubing	50/cs
FN2438	With baffled tee, swivel mouthpiece, 6" flextube and 7' O ₂ tubing	50/cs
FN2439	With baffled tee, swivel mouthpiece, 6" flextube and 14' U/Connect-It O ₂ tubing	50/cs
FN2445	With baffled tee, swivel mouthpiece, and 7' U/Connect-It O ₂ tubing	50/cs
FN2446	With baffled tee, swivel mouthpiece, 6" flextube and 7' U/Connect-It O ₂ tubing	50/cs
Nebulizers with adult mask		
FN2433	With adult mask and 7' O ₂ tubing	50/cs
Nebulizers with pediatric mask		
FN2444	With ped mask & 7' O ₂ tubing	50/cs
FN2455	With ped elephant mask and 7' O ₂ tubing	50/cs



AirLife Misty Fast small volume nebulizer



AirLife Misty Fast small volume nebulizer kit FN2438

Want to learn how much time Misty Fast can save your facility?

To access the Misty Fast Time Savings Calculator and view the Misty Fast video, visit [CareFusion.com/mistyfast](https://www.carefusion.com/mistyfast)



AirLife Misty Fast small volume nebulizer with Eden the elephant pediatric aerosol mask FN2455

AirLife filtered nebulizer system*



AirLife filtered nebulizer system 124030EU

The AirLife filtered nebulizer system was designed and tested for the clinical investigation for aerosolized pentamidine; however, it is suitable to deliver most any kind of aerosolized respiratory medication. Its design and configuration help minimize the environmental impact of any aerosolized medication compared to a standard small volume nebulizer.

Cat. no.	Description	Qty.
124030EU	AirLife filtered nebulizer system with baffled tee, flex tube, oxygen tubing, mouthpiece, one-way valves and an expiratory filter	20/cs

*Formerly known as the Respigard II nebulizer system.

KidsMed infant and pediatric aerosol masks



Masks clockwise from left: T.C. Turtle® mask 001271, Nic the Dragon® mask 001266, Eden the Elephant® mask 001276

Designed to reduce fear of treatment with an aerosol mask and encourage use compliance during asthma therapy, these character-themed masks provide effective medication delivery while enabling asthma treatment for children. The toy-like masks aid in the perception that the character is breathing along with the child, which encourages the patient to take frequent deep breaths, allowing for a more effective and fun treatment. The masks' soft, polyvinyl chloride construction ensures a comfortable fit. Infant and pediatric sizes are available with three different characters.

Cat. no.	Description	Qty.
Infant masks		
001271	T.C. Turtle® mask	50/cs
0012715	T.C. Turtle mask with strap	50/cs
Pediatric masks		
001266	Nic the Dragon® mask	50/cs
001276	Eden the Elephant® mask	50/cs

Focus on quality care

Less waste and errors = higher quality and better outcomes

The AirLife® team can help you meet your goals to eliminate variability in processes, thereby helping to reduce waste, lessen errors and experience better quality products and outcomes.

Contact your AirLife® sales representative today to learn how our products can help you achieve your quality objectives.

Philips Respironics SideStream Plus breath-enhanced high-efficiency nebulizers



SideStream Plus breath-enhanced high-efficiency nebulizer features an easy-action inspiratory valve that opens on inspiration to boost medication delivery and closes on exhalation, preserving medication and reducing waste. Significantly less pressure is required to open the inspiratory valve compared to most breath-enhanced nebulizers. There's no need to remove the valve when using a mask, making treatments easier for pediatric and elderly patients. With its proven SideStream five-jet venturi design, SideStream Plus provides a high respirable fraction and shortens treatment times.

The Sami the Seal child-friendly mask is designed to appeal to children and has been shown to reduce aerosol deposition in and around the eyes. Used with SideStream nebulizers, Sami is made of soft, flexible material for comfort and fit. The SideStream Plus adult mask is recommended for use with the SideStream Plus breath-enhanced nebulizer. The reusable mask is contoured to fit the face.

Cat. no.	Description	Qty.
HS870	With 7' oxygen tubing and mouthpiece	10/cs
HS880	Aerosol mask, pediatric, Sami the Seal	50/cs
105-2521	Aerosol mask, adult	50/cs

AirLife SideStream high-efficiency nebulizers



Nebulizer with angled mouthpiece 002173R

These SideStream nebulizers are designed to provide maximum aerosol quality and respirable output for any nebulizer treatment with a fast treatment time. Each of these high-efficiency nebulizers is supplied with 7' (84") tubing and a vent seal adapter for use with your ventilator applications.

Cat. no.	Description	Qty.
002173	Nebulizer only	50/cs
002173R	With angled mouthpiece	50/cs
002174	With baffled tee adapter, mouthpiece and 6" flextube	50/cs
002175	With U/Connect-It tubing, baffled tee adapter, mouthpiece and 6" flextube	50/cs

Specifications

Comparison of performance	SideStream nebulizers	Conventional nebulizers*
% 1 to 5 microns	71.95	37.82
Residual volume (mL)	0.64	1.14
Total output (mL)	1.86	1.37
Respirable output (mL)	1.33	0.52
Respirable output rate (mL/min)	0.19	0.06
Treatment time (min)	7.14	9.64

*Averaged performance of leading conventional nebulizers

AirLife Misty Finity® continuous nebulizers



Misty Finity continuous nebulizer series left to right: 002550, 002533, 002530 and 002501

The benefits of continuous nebulization therapy are enhanced with the reliability, flexibility and consistent performance of our Misty Finity nebulizers. Across multiple patient settings, they enhance the delivery of aerosol therapy for patients within current medication dosing requirements. They feature easy assembly, spill-resistant caps and built-in IV ports. Multiple sizes and configurations are available.

The large-volume, high-flow nebulizers offer both direct-connect (*directly to flow meter*) and straight-connect options (*connect via oxygen tubing to flow meter*). Their 240 mL capacity allows for up to eight hours of therapy.

With both low-flow and high-flow options, the medium-volume nebulizers provide options for both mask and in-line therapy. The low-flow nebulizer allows for up to four hours of therapy; the high-flow nebulizers allow for up to two hours of therapy. All have a capacity of 30 mL.

The small-volume, low-flow nebulizer allows for up to one hour of therapy at 4 L/min flow rate and two hours of therapy at 2 L/min flow rate. Its capacity is 10 mL.

Performance data*	MMAD	GSD	Respirable Fraction (% < 4.7µM)
Small-volume nebulizer 2 L/min flow rate 4 L/min flow rate	1.25 1.55	2.6 2.1	94.1%** 88.8%
Medium-volume nebulizer Low flow, 2.5 L/min flow rate High-flow, 8 L/min flow rate	1.68 1.74	1.9 2.8	89.6% 80.7%
Large-volume nebulizer 11 L/min flow rate	2.80	2.5	71.2%**

*The recommended flow rates are listed

**Difference statistically significant, per students t-test for means ($p < 0.05$)

Cat. no.	Description	Qty.
Small-volume nebulizer (10 mL capacity)		
002550	With 7' O ₂ tubing	50/cs
002551	With adult mask and 7' crush-resistant O ₂ tubing	25/cs
Medium-volume nebulizers (30 mL capacity)		
002530	Low-flow with 7' O ₂ tubing	25/cs
002533	High-flow with 7' O ₂ tubing	25/cs
002534	High-flow with adult mask and 7' O ₂ tubing	25/cs
002535	High-flow with 7' O ₂ tubing and pediatric aerosol elephant mask	25/cs
Large-volume nebulizers (240 mL capacity)		
002500	With 7' crush-resistant O ₂ tubing	18/cs
002501	Direct connect	18/cs
002502	Direct connect with adult mask and 8' 22 mm corrugated tubing	18/cs
002503	With pediatric aerosol mask and 8' corrugated tubing	18/cs

Philips Respironics OptiChamber Diamond valved holding chamber



OptiChamber Diamond VHC

The OptiChamber Diamond valved holding chamber (VHC) is smaller than most conventional VHCs and incorporates a stepped mouthpiece, a clear, anti-static chamber, and a low resistance expiratory valve that helps measure breath count and breath hold. For use with inhaled steroids, as well as long-acting and rescue pressurized metered dose inhaler (pMDI) medications, OptiChamber Diamond's intuitive design enhances medication delivery and compliance for patients of all ages, at home or in the hospital.

Cat. no.	Mfr. no.	Description	Qty.
OptiChamber Diamond valved chambers without masks			
107-7478	1077478	OptiChamber Diamond in box	10/cs
107-9830	1079830	OptiChamber Diamond in reclosable bag	50/cs
OptiChamber Diamond valved chambers with masks			
107-9823	1079823	OptiChamber Diamond w/small LiteTouch mask	10/cs
107-9826	1079826	OptiChamber Diamond w/medium LiteTouch mask	10/cs
107-9827	1079827	OptiChamber Diamond w/large LiteTouch mask	10/cs

Philips Respironics LiteTouch face masks



LiteTouch face masks

LiteTouch mask's soft-seal technology is designed to contour to the face, reducing leakage with minimal applied force. It is designed to be more comfortable and less technique dependent than conventional masks. It's clear, rigid structure provides easy application and an unrestricted view of the patient's face during therapy. The masks are detachable and are available in three sizes.

Cat. no.	Mfr. no.	Description	Qty.
LiteTouch face masks			
108-2714	1082714	LiteTouch mask, small	10/cs
108-2715	1082715	LiteTouch mask, medium	10/cs
108-2716	1082716	LiteTouch mask, large	10/cs

Philips Respironics ProChamber valved holding chamber



ProChamber valved holding chamber HS2003-050

This professional model valved holding chamber is ideal for acute respiratory care settings. For use with pediatric masks for infants and children, it is small in size and provides effective drug delivery. With a 145 mL volume, the chamber measures 5¾" long and has a 2" diameter. Mouthpiece has a 22 mm standard OD. Masks come in three sizes and are available separately.

Cat. no.	Mfr. no.	Description	Qty.
HS2003-050	HS2003-050	ProChamber valved holding chamber	50/cs

Face masks for use with valved holding chambers

Cat. no.	Mfr. no.	Description	Qty.
HS81111	HS81111-010	Small	10/cs
HS81211	HS81211-010	Medium	10/cs
HS81311	HS81311-010	Large	10/cs

KidsMED Reggie the Rabbit® pediatric spacer mask



Reggie the Rabbit spacer mask 002088

This colorful, toy-like rabbit spacer mask is designed to help children feel more comfortable during their MDI therapy. Proper MDI procedure without a mask is often difficult to administer to young children; the Reggie the Rabbit mask can help reduce a child's fear and increase compliance with MDI therapy, allowing for a more effective and fun treatment.

The spacer mask is constructed of soft, polyvinyl chloride with rabbit facial details in nontoxic paint. Mask measures 4"W x 2¾"H x 1½"D. Its adapter port has a ¾" diameter and fits most spacers.

Cat. no.	Description	Qty.
002088	Reggie the Rabbit pediatric spacer mask	10/cs

AirLife tee adapters



Tee adapter with mouthpiece 001505



Baffled tee adapter 001508

The AirLife tee adapters are made of clear, break-resistant plastic.

Cat. no.	Description	Qty.
001500	Trach tee 22 mm OD on both ends with a 15 mm ID base	50/cs
001503	Tee adapter for small nebulizers, with 22 mm OD arms and 18 mm ID base	50/cs
001505	Tee adapter with 22 mm ID/22 mm OD arms, 18 mm ID base and mouthpiece	50/cs
001506	Mouthpiece with tee adapter 001503	50/cs
001508	Baffled tee adapter for small nebulizers, with 22 mm OD arms and 18 mm ID base	50/cs

AirLife infant nebulizer tees



Infant neb tee with Misty Max 10 nebulizer 5900-504



Infant neb tee with cap 5903-504

AirLife valved tee adapters



Valved tee adapter 002058 shown in use



Valved tee adapters 002058, 002060, 002061

Our valved tee adapters make it easy to deliver aerosolized medication to your ventilator patients. Used in conjunction with a nebulizer, the valved tee adapter offers a safe and convenient way to introduce medication into the circuit.

Unlike other tee adapters that require time-consuming and potentially hazardous breaks in the system, the valved tee adapter becomes a permanent part of the ventilator circuit. Its spring-loaded valve opens and closes the circuit during nebulizer insertion and removal.

Because the adapter maintains a closed system, the risk of condensate being accidentally sprayed into the air is greatly reduced. Choose from three sizes for placement at different locations in the circuit. The adapter is sold with the spring loaded valve and cap, and includes the 18 mm base.

Cat. no.	Connection	Qty.
002058	15 mm ID x 15 mm OD	30/cs
002060	22 mm OD x 22 mm OD	30/cs
002061	22 mm ID x 22 mm OD	30/cs

Our AirLife infant nebulizer tees can be used to convert standard small volume nebulizer for use in-line with a 10 mm infant circuit. Clean and ready to use.

Cat. no.	Description	Qty.
5900-504	Infant nebulizer tee with Misty Max 10 neb	30/cs
5903-504	Infant nebulizer tee with cap	30/cs
6200-504	Infant nebulizer tee with Misty Max 10 neb, 10 mm x 6" extension tubing and 7' oxygen tubing	30/cs
6286-504	Infant nebulizer tee with Misty Max 10 neb and 10 mm x 6" extension tubing	30/cs

Southmedic MDI adapter



MDI adapter shown in-line



MDI adapter SMDIA-1000 (left) and SMDIA-1100 (right)

The Southmedic MDI adapter is compatible with both plastic and metal canister stems and is equipped with an attached tether strap. These adapters do not contain natural rubber latex or phthalates such as DEHP.

Cat. no.	Description	Qty.
SMDIA-1000	22MM ID X Nozzle facing 22mm OD/15mm ID	25/cs
SMDIA-1100	22MM OD X Nozzle facing 22mm ID	25/cs
SMDIA-1200	22MM OD X Nozzle facing 22mm OD/15mm ID	25/cs
SMDIA-1300	15MM OD X Nozzle facing 15mm ID	25/cs

Can't find what you're looking for?

Visit our AirLife website for more information at CareFusion.com/ALcatalog

Medication delivery

Peak flow meters and mouthpieces

AirLife AsthmaCheck™ peak flow meter



AsthmaCheck™ peak flow meter 002068

The AsthmaCheck peak flow meter measures a patient's peak expiratory flow and helps monitor respiratory conditions, including asthma. Its built-in, three-zone system facilitates patient training and compliance, and allows for flexibility in setting the zones to meet patients' individual needs.

Measuring only 2.25" x 6", the meter meets ATS standards for accuracy and precision. The AsthmaCheck meter is equipped with an easy-grip handle to direct hands away from the airflow path and features a linear scale that measures from 60 to 810 L/min in increments of 10 L/min. Designed for single-patient use, the device can be cleaned with soap and water and is top-rack dishwasher safe. Disposable one-way valve mouthpieces are also available to offer protection from cross-contamination during multipatient screenings. This device meets ATS standards for accuracy and precision.

Cat. no.	Mfr. no.	Description	Qty.
002068	HS002068-010	AsthmaCheck peak flow meter	10/cs

Philips Respironics PersonalBest peak flow meters



PersonalBest low-range peak flow meter HS756

These peak flow meters meet or exceed ATS standards for accuracy and precision. They offer an integrated three-zone asthma management system recommended by NAEPP that helps patients comply with treatment regimens. The color-coded indicators can be adjusted to delineate a patient's green, yellow and red zones based on a personal best peak flow. Available in full (60 to 810 L/min in 10 L/min increments) and low (50 to 390 L/min in 5 L/min increments) ranges, both with companion card.

Cat. no.	Mfr. no.	Description	Qty.
HS-755	HS755-012	Full-range peak flow meter	12/cs
HS756	HS756-012	Low-range peak flow meter	12/cs
HS757	HS757-100	Mouthpieces, plastic without one-way valve	100/cs

Philips Respironics disposable mouthpieces for peak flow meters



These disposable plastic mouthpieces are for use with AsthmaCheck meter 002068 and PersonalBest meters HS-755 and HS756.

Cat. no.	Mfr. no.	Description	Qty.
002073	HS002073-200	Adult, with 1-way valve, plastic	200/cs
HS715	HS715	Pediatric, without 1-way valve, plastic	100/cs

Philips Respironics AsthmaPACKS: adult and pediatric



109-9014 AsthmaPACK adult

The Personal Asthma Care Kit (PACK) for patient adherence implements three key elements of the NAEPP asthma treatment guidelines with one prescription: peak flow monitoring, MDI drug delivery and asthma education. Provide your patients with the tools needed to better understand their asthma with a comprehensive, clinician-directed, patient-managed asthma plan. AsthmaPACK includes a PersonalBest peak flow meter, OptiChamber Diamond valved holding chamber, self-help booklet, instructional video, educational self-help booklet and a carrying case.

AsthmaPACK children's asthma care kit is designed to make learning fun with engaging cartoon characters and age-appropriate devices. An exciting feature of this kit is the interactive bilingual (English/Spanish) coloring and activity storybook, "Tucker Tackles Asthma." The kit contains a low range PersonalBest peak flow meter, OptiChamber Diamond valved holding chamber, coloring book, crayons, self-help booklet, instructional DVD and carrying case.

Cat. no.	Mfr. no.	Description	Qty.
109-9014	1099014	AsthmaPACK adult with OptiChamber Diamond VHC, personal best full-range PFM, self-help booklet, DVD and carrying case	10/cs
109-9015	1099015	AsthmaPACK pediatric with OptiChamber Diamond VHC, personal best low-range PFM, Sami/Tucker coloring book, self-help book, DVD and carrying case	10/cs

Oxygen therapy

Page

70-72 O₂ cannulas

73-74 O₂ masks

75..... Aerosol masks

76-77 OxyMask

78..... Aerosol character masks and tubing


79..... Tubing and drainage bags

80-86 Connectors

87..... Prefilled and dry bubble humidifiers

88-89 Prefilled and dry large volume nebulizers

AirLife® soft lariat cushion cannulas




AirLife® soft lariat cushion cannula SFT2600

AirLife soft cushion cannulas include lariat tubing that is approximately 37%* softer than our standard AirLife cannulas. This soft tubing helps reduce chafing behind the ear to minimize skin irritation. These latex-free cannulas come with crush-resistant tubing to minimize occlusion and kinking.

*Based on a material durometer difference of 30 using the Shore A hardness scale.

Cat. no.	Description	Qty.
SFT2611	Neonate soft with 7' tubing	50/cs
SFT2601	Infant soft with 7' tubing	50/cs
SFT2602	Pediatric soft with 7' tubing	50/cs
SFT2692	Pediatric soft with 7' U/Connect-It® tubing	50/cs
SFT2606	Adult soft without tubing	50/cs
SFT2604	Adult soft with 4' tubing	50/cs
SFT2600	Adult soft with 7' tubing	50/cs
SFT2614	Adult soft with 14' tubing	50/cs
SFT2625	Adult soft with 25' tubing	25/cs
SFT2699	Adult soft with 7' U/Connect-It tubing	50/cs
SFT2614U	Adult soft with 14' U/Connect-It tubing	50/cs

AirLife foam cover cushion cannulas




AirLife foam cover cushion cannulas FM2600

AirLife cushion cannulas with soft foam ear covers help reduce skin irritation around the ears. The soft, gray covers slide smoothly on the headset tubing, making them easy to position for enhanced comfort and fit. These latex-free cannulas come with crush-resistant tubing to minimize occlusion and kinking. The foam ear covers are also sold separately and can be easily added to any oxygen delivery device for patient comfort and reduced skin irritation.

Cat. no.	Description	Qty.
FM2602	Pediatric foam cover with 7' tubing	50/cs
FM2692	Pediatric foam cover with 7' U/Connect-It tubing	50/cs
FM2606	Adult foam cover without tubing	50/cs
FM2604	Adult foam cover with 4' tubing	50/cs
FM2600	Adult foam cover with 7' tubing	50/cs
FM2614	Adult foam cover with 14' tubing	50/cs
FM2625	Adult foam cover with 25' tubing	25/cs
FM2699	Adult foam cover with 7' U/Connect-It tubing	50/cs
002016	Foam ear covers - pair of 2	50/cs

AirLife cushion nasal cannulas




AirLife cushion cannula 002600

These nasal cannulas have a soft, clear cushion design that supports the nasal prongs to optimize patient comfort. Cushion cannulas are available in sizes from neonate to adult with a variety of oxygen tubing lengths. All oxygen supply tubing is crush-resistant to minimize occlusion and kinking.

Cat. no.	Description	Qty.
Neonate, infant and pediatric cannulas		
002611	Neonate, with 7' tubing	50/cs
002601	Infant, with 7' tubing	50/cs
002602	Pediatric, with 7' tubing	50/cs
002662	Pediatric, without tubing	50/cs
002692	Pediatric, with 7' U/Connect-It® tubing	50/cs
Adult cannulas		
002606	Adult, without tubing	50/cs
002600-4	With 4' tubing	50/cs
002600	With 7' tubing	50/cs
002600-14	With 14' tubing	50/cs
002600-25	With 25' tubing	25/cs
002600-50	With 50' tubing	20/cs
002699	With 7' U/Connect-It tubing	50/cs
002630	Flared tip, without tubing	50/cs
002630-4	Flared tip, with 4' tubing	50/cs

AirLife ETCO₂ sampling cannulas



AirLife ETCO₂ sampling cannula 2812M-10

The AirLife ETCO₂ sampling cannula offers a soft, clear design to optimize patient comfort while allowing unobstructed patient observation. Available in pediatric or adult configurations to meet a hospital's ETCO₂ monitoring needs, these cannulas allow for simultaneous O₂ inhalation and end-tidal gas sampling, with one nare delivering the O₂ while the other nare samples CO₂. Offered with crush-resistant tubing to minimize occlusion and kinking.

Cat. no.	Description	Qty.
2802M-10	Pediatric 7' O ₂ & CO ₂ tubing, male	10/cs
2802F-10	Pediatric 7' O ₂ & CO ₂ tubing, female	10/cs
2812M-10	Adult 7' O ₂ & CO ₂ tubing, male	10/cs
2812M-10U	Adult 7' O ₂ U/Connect-It & CO ₂ tubing, male	10/cs
2812M-25	Adult 7' O ₂ & CO ₂ tubing, male	25/cs
2812F-10	Adult 7' O ₂ & CO ₂ tubing, female	10/cs
2812F-25	Adult 7' O ₂ & CO ₂ tubing, female	25/cs
2811M-10	Adult 7' O ₂ , 2" CO ₂ tubing, male	10/cs
2811F-10	Adult 7' O ₂ , 2" CO ₂ tubing, female	10/cs
28M2M	ETCO ₂ sampling line 10' tubing, male to male	10/cs
28M2F	ETCO ₂ sampling line 10' tubing, male to female	10/cs

What are your quality goals?

- Improving patient satisfaction
- Improving patient safety
- Standardizing products and process
- Reducing cost

If you checked any, or all, of the above contact your sales representative today to learn how AirLife® can help you achieve your quality objectives.

Vital Signs Capnoflex end tidal CO₂ sampling cannulas




End tidal CO₂ sampling cannula for Capnoflex

The Vital Signs ETCO₂ sampling cannulas for Capnoflex have a proprietary design for use exclusively with the Capnoflex module utilized with the GE Dash 3000/4000/5000™ patient monitors. They are offered in a variety of styles for all patients, in both nasal and oral/nasal designs with or without oxygen delivery. Many of the Capnoflex kits have Nafion sampling lines offering extended usage for patients that are receiving high humidity. All cannulas come with 8' sampling lines.

Cat. no.	Description	Qty.
2013066-003	Infant CO ₂ sampling nasal cannula only	10/cs
2067767-003	Infant CO ₂ sampling nasal cannula with dehumidification sampling line	10/cs
2013066-007	Infant CO ₂ sampling nasal cannula with O ₂ delivery	10/cs
2067767-006	Infant CO ₂ sampling nasal cannula with dehumidification sampling line and O ₂ delivery	10/cs
2013066-002	Pediatric CO ₂ sampling nasal cannula only	10/cs
2067767-002	Pediatric CO ₂ sampling nasal cannula with dehumidification sampling line	10/cs
2013066-005	Pediatric CO ₂ sampling nasal cannula with O ₂ delivery	10/cs
2067767-005	Pediatric CO ₂ sampling nasal cannula with dehumidification sampling line and O ₂ delivery	10/cs
2013067-002	Pediatric CO ₂ sampling oral/nasal cannula only	10/cs
2067767-008	Pediatric CO ₂ sampling oral/nasal cannula with dehumidification sampling line	10/cs
2013067-004	Pediatric CO ₂ sampling oral/nasal cannula with O ₂ delivery	10/cs
2067767-010	Pediatric CO ₂ sampling oral/nasal cannula with dehumidification sampling line and O ₂ delivery	10/cs
2013066-001	Adult CO ₂ sampling nasal cannula only	10/cs
2067767-001	Adult CO ₂ sampling nasal cannula with dehumidification sampling line	10/cs
2013066-004	Adult CO ₂ sampling nasal cannula with O ₂ delivery	10/cs
2067767-004	Adult CO ₂ sampling nasal cannula with dehumidification sampling line and O ₂ delivery	10/cs
2013067-001	Adult CO ₂ sampling oral/nasal cannula only	10/cs
2067767-007	Adult CO ₂ sampling oral/nasal cannula with dehumidification sampling line	10/cs
2013067-003	Adult CO ₂ sampling oral/nasal cannula with O ₂ delivery	10/cs
2067767-009	Adult CO ₂ sampling oral/nasal cannula with dehumidification sampling line and O ₂ delivery	10/cs
2013069-001	CO ₂ sampling line with male luer connection - 6.5 ft	10/cs
2013069-002	CO ₂ dehumidification sampling line with male luer connection - 6.5 ft	10/cs

AirLife standard nasal cannulas




Nasal cannula flared (top), Nasal cannula nonflared (bottom)

The AirLife standard nasal cannulas offer an angulated, flexible lip plate, which provides comfort at the tip of the nasal region, with beveled tips to provide a softer edge. Disposable cannulas are curved and are available with flared or nonflared tips. They are packaged separately with varying lengths of oxygen tubing. All oxygen supply tubing is crush-resistant to minimize occlusion and kinking.

Cat. no.	Description	Qty.
Cannulas		
001309	Flared tip, without tubing	50/cs
001311	Nonflared tip, without tubing	50/cs
Cannulas with crush-resistant lumen tubing		
001320	Flared tip, with 7' tubing	50/cs
001365	Flared tip, with 7' U/Connect-It tubing	50/cs
001321	Flared tip, with 14' tubing	50/cs
001322	Flared tip, with 21' tubing	25/cs
001325	Nonflared tip, with 7' tubing	50/cs
001366	Nonflared tip, with 7' U/Connect-It tubing	50/cs
001326	Nonflared tip, with 14' tubing	50/cs
001326U	Nonflared tip, with 14' U/Connect-It tubing	50/cs
001327	Nonflared tip, with 21' tubing	25/cs
001329	Nonflared tip, with 50' tubing	15/cs

AirLife adult low-flow mini cushion cannulas




AirLife mini-cannula 02616

For use with up to 3 L/min of oxygen, these mini cushion cannulas feature curved, tapered nasal prongs and a one-piece design that eliminates the need for flaps. They are available with either 4' or 7' of crush-resistant supply tubing.

Cat. no.	Description	Qty.
002616-4	With 4' tubing	50/cs
002616	With 7' tubing	50/cs

AirLife demand cannulas




AirLife demand cannula 002704

These cannulas feature inspiratory sensing from both lumen, offering innovation in both comfort and effective oxygen delivery for the long-term oxygen therapy patient. They sense patient inspiration and deliver oxygen through both crush-resistant lumens to maintain appropriate oxygen flow even when one nasal cavity is occluded. Made from the same material as the widely used AirLife cushion cannula.

Cat. no.	Description	Qty.
002704	With 4' tubing	25/cs
002707	With 7' tubing	25/cs

AirLife oxygen catheters



AirLife oxygen catheter K21


These catheters are available in two different sizes to suit your needs.

Cat. no.	Description	Qty.
K21	10 Fr	50/cs
K20	14 Fr	50/cs


AirLife oxygen masks



3-in-1 adult mask, elongated



Infant mask 2D4823



Pediatric under-the-chin-style mask 001262



Pediatric short-style mask 001260



Adult under-the-chin-style mask 001201

AirLife disposable oxygen masks are latex-free and made from soft, high-grade vinyl resins. The smooth, feathered edges are designed for patient comfort while reducing irritation points. AirLife oxygen masks are designed for anatomical compatibility. A full range is available to meet all requirements in infant, pediatric and adult sizes.

AirLife 3-in-1 masks are packaged as high-concentration, non-rebreathing masks complete with reservoir bags and one-way valves.

Cat. no.	Description	Qty.
Infant vinyl oxygen mask		
2D4823	Medium-concentration mask with 7' tubing	50/cs
Pediatric vinyl oxygen mask (under-the-chin style)		
001262	Medium-concentration mask with 7' tubing	50/cs
001267	High-concentration, rebreather mask with 7' crush-resistant tubing	50/cs
001268	High-concentration, non-rebreather 3-in-1 mask with safety vent and 7' crush-resistant tubing	50/cs
001269	High-concentration, nonrebreather mask with 7' tubing	50/cs
Pediatric vinyl oxygen mask (short style)		
001260	Medium-concentration mask with 7' tubing	50/cs
001264	High-concentration, rebreather mask only	50/cs
001265	High-concentration, rebreather mask with 7' crush-resistant tubing	50/cs
Adult vinyl oxygen masks (under-the-chin style)		
001200	Medium-concentration mask only	50/cs
001201	Medium-concentration mask with 7' crush-resistant tubing	50/cs
001361	Medium-concentration mask with 7' crush-resistant U/Connect-It tubing	50/cs
001202	High-concentration, non-rebreather 3-in-1 mask with safety vent	50/cs
001203	High-concentration, non-rebreather 3-in-1 mask with safety vent and 7' crush-resistant tubing	50/cs
001362	High-concentration, non-rebreather 3-in-1 mask with safety vent and 7' crush-resistant U/Connect-It tubing	50/cs
001210	High-concentration, non-rebreather 3-in-1 mask with 7' crush-resistant tubing	50/cs
001211	High-concentration, non-rebreather mask with safety vent and 7' tubing	50/cs
001212	High-concentration, non-rebreather mask with 7' tubing	50/cs
001204	High-concentration, rebreather mask only	50/cs
001205	High-concentration, rebreather mask with 7' crush-resistant tubing	50/cs

AirLife venturi-style masks



Venturi-style mask 001240

We offer a wide selection of standard venturi-style masks that feature six diluter jets ranging from 24% to 50% FiO₂. The masks are available with various oxygen diluters to accommodate pediatric or adult patients. All masks are under-the-chin style and are supplied with 6" flextube, humidification hood and 7' crush-resistant tubing. We also offer a venturi-style adapter kit with a tracheostomy mask. For use with 50 psi oxygen source and flowmeter.

Cat. no.	Description	Qty.
Diluter jet venturi-style masks		
001240	Adult, with 6" flextube, 6 diluter jets (24%, 28%, 31%, 35%, 40% and 50% oxygen concentrations), humidification hood and 7' tubing	50/cs
001248	Adult, tracheostomy, with 6" flextube, 6 diluter jets (24%, 28%, 31%, 35%, 40% and 50% oxygen concentrations), humidification hood and 7' tubing	50/cs
001250	Pediatric, with 6" flextube, 6 diluter jets (24%, 28%, 31%, 35%, 40% and 50% oxygen concentrations), humidification hood and 7' tubing	50/cs
001363	Adult, with U/Connect-It tubing	50/cs
Trach tee		
001247	With 6" flextube, 6 diluter jets (24%, 28%, 31%, 35%, 40% and 50% oxygen concentrations), humidification hood, 7' tubing	50/cs

AirLife Dual Dial™ venturi-style masks



Dual Dial venturi-style mask 001255

Utilizing two oxygen concentration dials, our venturi-style masks deliver nine specific oxygen concentrations ranging from 24% to 55% O₂. They accommodate pediatric and adult patients. Each mask comes complete with 7' of crush-resistant oxygen tubing, 6" flextube, color-coded low and medium concentration dials, a high-humidity adapter and a humidification hood. For use with 50 psi oxygen source and flowmeter.

Cat. no.	Description	Qty.
001259	Pediatric	50/cs
001255	Adult	50/cs

Can't find what you're looking for?

Visit our AirLife website for more information at CareFusion.com/ALcatalog

AirLife aerosol masks



Short-style pediatric mask 001261



Under-the-chin-style pediatric mask 001263



Adult high-concentration mask 001207

These soft, high-quality AirLife disposable aerosol masks are made from high-grade resins. The smooth, feathered edges are designed for patient comfort while reducing irritation points. All AirLife masks are designed for anatomical compatibility. A comprehensive line is available to meet requirements in pediatric and adult sizes.

Cat. no.	Description	Qty.
Pediatric masks		
001261	Short-style mask	50/cs
001263	Under-the-chin-style mask	50/cs
Adult masks		
001206	Mask only, under-the-chin style	50/cs
001207	Mask only, high concentration	50/cs
001209	Mask with 5' corrugated tubing	50/cs
001208	Mask with 6' corrugated tubing	50/cs

AirLife tracheostomy masks




Tracheostomy mask 001225

The AirLife disposable tracheostomy masks are available in pediatric and adult sizes, and incorporate several patient features. The neckband is made from a comfortable, nonbiting material, and the swivel tubing connector permits access from either side of the patient. The special strap clips allow the mask to be removed with minimal disturbance to the patient.

Cat. no.	Description	Qty.
001226	Pediatric mask	50/cs
001225	Adult mask	50/cs
001227	Adult mask, large	50/cs

AirLife face tent masks



Face tent mask 001220

The AirLife disposable face tent masks are available in an adult under-the-chin style to be used with large bore aerosol tubing for high humidity aerosol therapy. The face tent is molded of soft vinyl. The under-the-chin design and clarity offer patient comfort, clear vision and ease of speech. The face tent incorporates a thick wall to give more stability to the mask and is available with 5' (60") or 6' (72") corrugated tubing for greater versatility.

Cat. no.	Description
001220	Mask only
001222	With 5' corrugated tubing
001221	With 6' corrugated tubing

Southmedic OxyMask™ and OxyPlus™



OM-1125-8 adult OxyMask

The OxyMask delivers 24% to 90% oxygen at flows of 1 to 15 Lpm or to flush. Its unique open design provides a comfortable, non-claustrophobic fit for the patient while facilitating clear speech communication and easy oral access. This helps to ensure uninterrupted therapy while reducing the possibility of re-breathing CO₂. The OxyPlus large mask is 25% larger than the standard OxyMask. It does not contain natural rubber latex or phthalates such as DEHP.

Cat. no.	Description	Qty.
OM-1125-8	OxyMask with 7' tubing	25/cs
OM-1425-8	OxyMask with ear elastics and 7' tubing	25/cs
OM-7025-8	OxyMask with 7' tubing non PVC	25/cs
OM-1125-14	OxyMask with 14' tubing	25/cs
OP-1125-8	OxyPlus large mask with 7' tubing	25/cs
OP-1425-8	OxyPlus large mask with ear elastics & 7' tubing	25/cs
OP-7025-8	OxyPlus large mask with 7' tubing non PVC	25/cs
OP-1125-14	OxyPlus large mask with 14' tubing	25/cs
ETTI-1025	Yellow Endotracheal Tube Insert	25/cs

Southmedic OxyKid™ & OxyTyke™



OK-1125-8 OxyKid pediatric mask

OxyTyke and OxyKid provide 22% to 65% and 24% to 90% oxygen, respectively at flows of 1 to 15 Lpm or to flush. Their unique open design provides a comfortable, non-claustrophobic fit for the patient while facilitating clear speech communication and easy oral access. This ensures uninterrupted therapy while reducing the possibility of re-breathing CO₂. OxyKid masks are for children 3 to 10 years of age, 33 to 70 lbs. OxyTyke masks are for infants and toddlers between 6 months and 3 years old, from 16 to 33 lbs. It does not contain natural rubber latex or phthalates such as DEHP.

Cat. no.	Description	Qty.
OT-1025-8	OxyTyke infant mask with 7' tubing	25/cs
OT-7025-8	OxyTyke infant mask with 7' tubing non PVC	25/cs
OK-1125-8	OxyKid pediatric mask with 7' tubing	25/cs
OK-7025-8	OxyKid pediatric mask with 7' tubing non PVC	25/cs
OK-1125-14	OxyKid pediatric mask with 14' tubing	25/cs

Southmedic OxyMask End-Tidal CO₂



OM-2125-8 OxyMask end-tidal CO₂


OxyMask ET CO₂ delivers 24% to 65% oxygen with continuous CO₂ monitoring. Oxygen flows from 1 to 15 Lpm or to flush reduces risk of CO₂ rebreathing. It is ideal for conscious sedation and surgical post-op oxygenation. This mask is available in 3 sizes. The OxyPlus ET CO₂ is 25% larger than the OxyMask ET CO₂ and the OxyKid ET CO₂ is for children 3 to 10 years of age, 33 to 70 lbs. These masks do not contain natural rubber latex or phthalates such as DEHP.

Cat. no.	Description	Qty.
OK-2125-8	OxyKid pediatric ET CO ₂ mask with 7' O ₂ tubing	25/cs
OK-2125-8SLM	OxyKid pediatric ET CO ₂ mask with 7' O ₂ tubing and 8' sampling line	25/cs
OM-2125-8	OxyMask ET CO ₂ with 7' O ₂ tubing	25/cs
OM-2125-8SLM	OxyMask ET CO ₂ with 7' O ₂ tubing and 8' sampling line	25/cs
OM-2125-14	OxyMask ET CO ₂ with 14' O ₂ tubing	25/cs
OM-2125-14SLM	OxyMask ET CO ₂ with 14' O ₂ tubing and 15' sampling line	25/cs
OM-2325-8	OxyMask ET CO ₂ with 7' O ₂ tubing and yellow endotracheal tube insert	25/cs
OP-2125-8	OxyPlus ET CO ₂ large mask with 7' O ₂ tubing	25/cs
OP-2125-8SLM	OxyPlus ET CO ₂ large mask with 7' O ₂ tubing and 8' sampling line	25/cs
OP-2325-8	OxyPlus ET CO ₂ large mask with 7' O ₂ tubing and yellow endotracheal tube insert	25/cs

One OxyMask can replace multiple traditional oxygen therapy interfaces to help facilities drive:


- SKU standardization
- Inventory reduction
- Reduced Medical waste
- Reduced complexity for bedside staff

OxyMask delivers oxygen concentrations from 24% to 90%* FiO₂, at flows ranging from 1 to 15+ Lpm or to flush.



*AARC Clinical Practice Guideline
Reprinted from RESPIRATORY CARE (Respir Care 2002; 47(6):717-720)

Southmedic OxyMulti-Mask™



OHH-1025-8 OxyMulti-Mask

The OxyMulti-Mask is a multi-purpose mask with 22mm swivel adapter that delivers 23% to 83% oxygen at flows from 1 to 15 Lpm or to flush. It can be used with or without high humidity or aerosol therapy. It is available in 3 sizes. The OxyMulti Plus mask is 25% larger than the OxyMulti-Mask. The OxyMulti Kid is for patients 3 to 10 years of age, 33 to 70 lbs. This mask does not contain natural rubber latex or phthalates such as DEHP.

Cat. no.	Description	Qty.
OHH-1025-8	OxyMulti-Mask with adapter and 7' tubing	25/cs
OPHH10258	OxyMulti Plus mask with adapter and 7' tubing	25/cs
OKHH-1025-8	OxyMulti Kid Ultra pediatric mask with adapter and 7' tubing	25/cs
OAT-1025	OxyTrach mask	25/cs
TCS-1005	Comfort strap for OxyTrach mask	5/pkg

Southmedic Capnoxigen® mask



CO2-01 Capnoxigen adult mask

Capnoxigen mask is a consistent means to monitor breathing of non-intubated patients, allowing sampling of exhaled carbon dioxide from both the mouth and nose while at the same time administering oxygen. Soft form-fitting for comfort. This mask does not contain natural rubber latex.

Cat. no.	Description	Qty.
CO2-01	Capnoxigen mask adult	25/cs
CO2-03	Capnoxigen ophthalmic adult	25/cs
CO2-04	Capnoxigen pediatric	25/cs

Southmedic OxyMask Aerosol



OKN-1025 OxyKid pediatric aerosol mask

The OxyMask Aerosol promotes greater patient use compliance for aerosol therapy because it is comfortable to wear and has a unique, open design. The swivel adaptor helps optimize aerosol delivery when the patient is lying down or in a vertical position. The OxyMask Aerosol is available in 4 sizes. The OxyPlus large aerosol mask is 25% larger than the OxyMask Aerosol. The OxyKid Aerosol mask is for patients 3 to 10 years of age, 16 to 33 lbs. The OxyTyke Aerosol mask is for patients from 6 months to 3 years of age, 10 to 33 lbs. This mask does not contain natural rubber latex or phthalates such as DEHP.

Cat. no.	Description	Qty.
OTN-1025	OxyTyke infant aerosol mask with 22 mm elbow	25/cs
OKN-1025	OxyKid pediatric aerosol mask with 22 mm elbow	25/cs
OMN-1025	OxyMask aerosol mask with 22 mm elbow	25/cs
OPN-1025	OxyPlus large aerosol mask with 22 mm elbow	25/cs

Southmedic OxyArm™



OA-PLUS-1125 OxyArm Plus with adjustable headband

OxyArm provides minimal contact with the face, making it ideal for use with burn victims or for eye, ear, nose, or neuro surgery patients. The OxyArm can deliver 24% to 50% oxygen at flows from 1 to 15 Lpm or to flush. This device does not contain natural rubber latex.

Cat. no.	Description	Qty.
OA-1025-8	OxyArm with 7' tubing non-adjustable headband	25/cs
OAPLUS1125	OxyArm Plus clear adjustable headband with diffuser arm	25/cs
OAPLS11258	OxyArm Plus clear adjustable headband with diffuser arm and 7' tubing	25/cs

Oxygen therapy

KidsMed infant and pediatric aerosol masks



Masks clockwise from left: T.C. Turtle® mask 001271, Nic the Dragon® mask 001266, Eden the Elephant® mask 001276

Designed to reduce fear of treatment with an aerosol mask and encourage use compliance during asthma therapy, these character-themed masks provide effective medication delivery while enabling asthma treatment for children. The toy-like masks aid in the perception that the character is breathing along with the child, which encourages the patient to take frequent deep breaths, allowing for a more effective and fun treatment. The masks' soft, polyvinyl chloride construction ensures a comfortable fit. Infant and pediatric sizes are available with three different characters.


Cat. no.	Description	Qty.
Infant masks		
001271	T.C. Turtle® mask	50/cs
0012715	T.C. Turtle mask with strap	50/cs
Pediatric masks		
001266	Nic the Dragon® mask	50/cs
001276	Eden the Elephant® mask	50/cs



001266 Nic the Dragon pediatric aerosol mask

Aerosol character masks and tubing

AirLife oxygen supply tubing



Crush-resistant oxygen tubing with U/Connect-It (left) or standard connection (right)

We offer an extensive line of disposable vinyl-tipped oxygen tubing. It comes with crush-resistant lumen to resist occlusion. Choose from a variety of lengths ranging from 7' (84") to 50' (600"). **Tubing 001350** also comes with a U/Connect-It connector to attach directly to flowmeters without an adapter.

Cat. no.	Description	Qty.
Tubing with crush-resistant lumen		
001302	7'	50/cs
001303	14'	50/cs
001304	21'	25/cs
001305	25'	25/cs
001307	30'	20/cs
001308	40'	20/cs
001306	50'	15/cs
Tubing with crush-resistant lumen and U/Connect-It connector		
001350	7'	50/cs
Tubing with standard lumen		
001330	7'	50/cs
Tubing with crush-resistant lumen, green		
001303GRN	14'	50/cs
001304GRN	21'	25/cs
001305GRN	25'	25/cs
001308GRN	40'	20/cs
001306GRN	50'	15/cs

AirLife in-line water trap




In-line water trap 001861

Our AirLife in-line water trap is for use with oxygen tubing. It's intended for single patient use.

Cat. no.	Description	Qty.
001861	In-line water trap	25/cs

AirLife corrugated tubing



AirLife disposable EVA tubing (DEHP free)

Our variety of AirLife disposable corrugated tubing for aerosol and IPPB applications offers flexibility and convenience to meet therapeutic needs. Cuffs on all tube ends lock to 7/8" (22 mm) connections. AirLife EVA clear corrugated tubing is made of polyethylene/ethyl vinyl acetate and does not contain DEHP.

Cat. no.	Description	Qty.
Clear tubing—Composed of polyethylene/ethyl vinyl acetate (EVA) plastic for strength and drapability (DEHP free)		
001401	5'	50/cs
001400	6'	50/cs
Clear tubing, segmented every 6"—composed of polyethylene/ethyl vinyl acetate (EVA) plastic for strength and drapability (DEHP free)		
001411	5'	50/cs
001410	6'	50/cs
001404	100'	1/cs
001405	100', flat pack in dispenser box	1/cs
Blue tubing		
001425	6"	50/cs
001424	18"	50/cs
001423	39"	50/cs
001422	4'	50/cs
001421	5'	50/cs
001420	6'	50/cs
Blue tubing, segmented every 6"		
001452	4'	50/cs
001451	5'	50/cs
001450	6'	50/cs
001426	100'	1/cs
001427	100', flat pack in dispenser box	1/cs

AirLife aerosol drainage bag with tee adapter



AirLife aerosol drainage bag 001501

Our aerosol drainage bag holds 500 cc of fluid and can be attached to standard corrugated tubing. The bag features a tee adapter with 22 mm OD arms and a 15 mm ID base. Also included are two 18 mm OD oxygen tubing adapters, which can be attached to each arm of the tee adapter.

Cat. no.	Description	Qty.
001501	Aerosol drainage bag	50/cs

AirLife aerosol drainage bags with "Y" adapter



AirLife aerosol drainage bag 001562

Our AirLife aerosol drainage units collect moisture accumulating from continuous in-line aerosol therapy. Composed of durable vinyl, the bags attach to a trach tee or a patient "Y". The drainage bags with 2 L capacity have a hanger and a bottom drainage port. Some units also include a one-way safety valve that allows patients to breathe room air if the system occludes.


Cat. no.	Description	Qty.
001560	Trach elbow with valves, "Y" unit with safety valve	50/cs
001561	"Y" unit with safety valve	50/cs
001562	"Y" unit without safety valve	50/cs




AirLife trach tee adapter 001500
 22 mm OD x 22 mm OD
 15 mm ID base
 50/case



AirLife tee adapter for small nebulizers 001503
 22 mm OD x 22 mm OD
 18 mm base
 50/case



AirLife tee adapter 001505 shown with mouthpiece
 22 mm ID x 22 mm OD
 18 mm ID base and mouthpiece
 50/case



AirLife tee adapter with mouthpiece 001506
 22 mm OD x 22 mm OD
 18 mm base with mouthpiece
 50/case



AirLife baffled tee adapter 001508
 22 mm OD x 22 mm OD
 18 mm ID base
 50/case



AirLife tee 004000
 22 mm OD x 22 mm ID
 15 mm base
 50/case



AirLife tee 004001
 22 mm ID x 22 mm ID
 15 mm base
 50/case



AirLife tee 004011
 22 mm OD x 22 mm OD
 15 mm base
 50/case



AirLife tee with base 004225
 22 mm ID x 22 mm OD
 18 mm ID base
 50/case



AirLife tee w/one-way valves 004050
 22 mm OD x 22 mm OD and 15 mm base
 with oxygen stem and thermometer port
 50/case



AirLife tee w/one-way valves 004051
 22 mm OD x 22 mm OD and 15 mm base
 with oxygen stem
 50/case



AirLife tee 004052
 22 mm OD x 22 mm OD and 15 mm base
 with thermometer port
 50/case



AirLife valved tee adapter 002058

15 mm ID x 15 mm OD
30/case



AirLife valved tee adapter 002060

22 mm OD x 22 mm OD
30/case



AirLife valved tee adapter 002061

22 mm ID x 22 mm OD
30/case



AirLife straight connector 004078

22 mm ID x 22 mm OD
with oxygen stem and thermometer port
50/case



AirLife straight connector 004080

22 mm OD x 22 mm OD
with oxygen stem and thermometer port
50/case



AirLife straight connector 004081

22 mm ID x 22 mm OD
with oxygen stem
50/case



AirLife straight connector 004083

22 mm OD x 22 mm OD
with oxygen stem
50/case



AirLife straight connector 004084

22 mm ID x 22 mm OD
with thermometer port
50/case



AirLife straight connector 004086

22 mm OD x 22 mm OD
with thermometer port
50/case



AirLife straight connector 004154

22 mm ID x 22 mm OD
with oxygen stem and thermometer port
50/case



AirLife straight connector 004204

22 mm ID x 22 mm OD x 15mm ID
with oxygen stem
50/case



AirLife temperature probe adapter 5979-504

22 mm ID x 22 mm OD
with temperature port
50/case



AirLife elbow 004301

15 mm ID/22 mm OD x 22 mm ID
50/case



AirLife elbow 004303

15 mm ID base x 22 mm ID
with capped temperature port and oxygen stem
50/case



AirLife ventilator elbow 5930-504

15 mm ID/22 mm OD x 15 mm OD
50/case



AirLife ventilator elbow 5999-504 with temperature port

22 mm ID x 22 mm OD
50/case



AirLife elbow 001550 with capped suction port

15 mm ID/22 mm OD x 22 mm OD
50/case



AirLife elbow 001551

15 mm ID/22 mm OD x 22 mm ID
with capped temperature port
50/case



AirLife Y connector 001830

22 mm OD x 22 mm OD x 15 mm ID
50/case



AirLife Y connector 001831

22 mm OD x 22 mm OD x 15 mm ID with integral
thermometer and pressure-sensing ports
50/case



AirLife Y connector 5924-504

Standard Infant Y with stem and port
connections and suction port with strap plug
30/case



AirLife Y connector 5925-504

Standard Infant Y with port and stem
connections
30/case



AirLife pediatric connector 3215

Omni-Flex™ connector, pediatric
15 mm OD x 15 mm ID
50/case



AirLife adult connector 3222

Omni-Flex connector, adult
15 mm OD x 22 mm OD/15 mm ID
50/case



AirLife connector 5908-504
0.165" OD x 0.258" ID
50/case



AirLife connector 5911-504
22 mm OD x 22 mm ID
150/case



AirLife connector 5912-504
7.5 mm OD x 0.258" OD
150/case




AirLife connector 5913-504
22 mm ID x 22 mm ID
150/case



AirLife connector 5915-504
7.5 mm OD x 0.165" OD
150/case



AirLife connector 5916-504
15 mm OD x 22 mm OD
150/case



AirLife oxygen plug 5917-504
7.5 mm OD plug
150/case



AirLife connector 5918-504
3-way
150/case



AirLife oxygen plug 5920-504
4.5 mm plug
150/case



AirLife connector 5923-504
15 mm ID x 22 mm ID
150/case



AirLife connector 5939-504
15 mm OD x 15 mm OD
150/case



AirLife oxygen tubing adapter 5906-504
15 mm OD x 0.258" OD/22 mm OD
50/case




AirLife drive line adapter 001810
50/case



AirLife circuit hanger 001832
50/case



AirLife pressure adapter 001801
50/case



AirLife large one-way valve 001802
22 mm OD x 22 mm OD
50/case



AirLife straight connector 001800
22 mm OD x 22 mm OD
50/case




AirLife trach tee oxygenator 001507
with flextube and oxygen stem connector
50/case



AirLife weaning parameter kit 001504
50/case



AirLife intubation adapter 001820
22 mm OD/15 mm ID both ends
50/case



AirLife cuff connector 001821
22 mm ID x 22 mm ID
50/case




AirLife connector 5940-504
22 mm OD x 22 mm OD
30/case



AirLife tubing connector 001823
22 mm OD x 22 mm OD
One end tapered
50/case



AirLife tubing connector 001822
22 mm OD x 22 mm OD
Both ends tapered
50/case



AirLife spirometer adapter 001812
For use with Puritan-Bennett MA-1™
and MA-2™ spirometers
50/case




AirLife oxygen tubing connector 001811
50/case




AirLife 001842
Oxygen tubing swivel connector
male/female
25/case



AirLife male/male connector 001841
Oxygen tubing swivel connector
male/male
25/case



AirLife two-step tubing adapter 001824
22 mm ID x 15 mm ID
2-step tubing adapter
100/case



AirLife oxygen stem with plug 001803
50/case




AirLife oxygen nut/nipple connector 001840
50/box 250/case



AirLife connector 5991-504

15 mm OD x 22 mm ID
150/case



AirLife tee-type infant temperature probe adapter 5941-504

30/case



AirLife infant neb tee with cap 5903-504

30/case



AirLife infant neb tee shown with nebulizer (not included) 5900-504

30/case



AirLife universal mouthpiece 001000

500/case



AirLife U/Adapt-It® exhalation manifold body 004379

22 mm ID x 22 mm OD

Give your patients the air they need.

Our extensive *AirLife* portfolio of respiratory system solutions empowers physicians and clinicians to achieve the highest quality of patient therapy. Whether your patients are ventilated or breathing on their own, *AirLife* consumables, along with a broad offering of products from our strategic partners, help address your cross-contamination concerns in today's healthcare environment. Our respiratory system products also provide essential tools to drive efficiencies, maximize clinical goals and increase patient comfort.

AirLife prefilled humidifier systems



Compact prefilled humidifier with adapter 002620



Humidifier adapter ALP2002

Filled with sterile water for inhalation, these humidifier systems feature a dual-purpose reservoir with a snap-open trigger, which makes a round opening for secure attachment of a humidifier adapter (available with Humidifier Systems 002620 and AL2702, and also separately). The oxygen pathway is designed to help prevent particulate from reaching oxygen delivery tubing. An audible relief valve warns if the patient's tubing becomes occluded.

Designed for convenient shelf storage, **Compact Humidifier 002620** has a multiangle outlet port that prevents spitting, even at high flow rates, and a small bottle opening that prevents refilling. It includes an adapter and a 4 psi pressure-relief valve with alarm.

Cat. no.	Description	Qty.
002620	With humidifier adapter, 500 mL	12/cs
AL2500	Without adapter, 500 mL	12/cs
AL2700	Without adapter, 750 mL	12/cs
AL2702	With humidifier adapter, 750 mL	12/cs
ALP2002	Humidifier adapter	120/cs

AirLife empty humidifiers



Empty humidifiers left 002003, right 002006

Transparent for maximum clarity, our latex-free AirLife empty humidifiers provide an economical alternative to prefilled humidifiers. These 370 mL capacity units have an audible-alarm pressure-relief valve to warn patient and caregivers of obstructions to flow. Available with either a 3 or 6 psi pressure-relief valve. The 6 psi model is designed for applications where longer lengths of tubing can increase back pressure. With both the jar and lid constructed of break-resistant plastic, humidifiers also feature an ergonomically designed, durable plastic flowmeter nut.

Cat. no.	Description	Qty.
002003	370 mL capacity, with 3 psi valve (white cap)	50/cs
002006	370 mL capacity, with 6 psi valve (blue cap)	50/cs

Focus on quality care

Less waste and errors = higher quality and better outcomes

The AirLife® team can help you meet your goals to eliminate variability in processes, thereby helping to reduce waste, lessen errors and experience better quality products and outcomes.

Contact your AirLife® sales representative today to learn how our products can help you achieve your quality objectives.

AirLife prefilled nebulizer kits and heaters



Prefilled nebulizer kits left CK0010, right CK0005



Nebulizer heater 2M8021 (shown with nebulizer kit)

Our prefilled nebulizers provide performance and ease of use. You can obtain heated and cool high-output aerosols adjustable from 28% to 100% FiO₂. We offer a wide selection of solutions: sterile water for inhalation; USP; 0.45% sodium chloride for inhalation, USP; and 0.9% sodium chloride for inhalation, USP. Easy set-up includes an aluminum heat exchange system and external slip-on heater (*sold separately*), which heats the aerosol while reducing the possibility of contamination.

Cat. no.	Description	Qty.
Nebulizer heaters		
2M8021	Nebulizer heater (<i>used with CK0005 through CK9010</i>)	1/cs
Prefilled nebulizer kits packaged with adapter		
CK0005	500 mL sterile water for inhalation, USP	12/cs
CK0010	1000 mL sterile water for inhalation, USP	12/cs
CK4505	500 mL 0.45% sodium chloride for inhalation, USP	12/cs
CK4510	1000 mL 0.45% sodium chloride for inhalation, USP	12/cs
CK9010	1000 mL 0.9% sodium chloride for inhalation, USP	12/cs
Nebulizer replacement water		
CN0005	500 mL sterile water for inhalation, USP	18/cs
CN0010	1000 mL sterile water for inhalation, USP	12/cs
CN4505	500 mL 0.45% sodium chloride for inhalation, USP	18/cs
CN4510	1000 mL 0.45% sodium chloride for inhalation, USP	12/cs
CN9010	1000 mL 0.9% sodium chloride for inhalation, USP	12/cs

AirLife
respiratory
products
represent
more than
30 years of
innovation.

AirLife respiratory products have been synonymous with quality, reliability and commitment for more than 30 years. Our products are used in every aspect of respiratory treatment across the entire patient care continuum.

Look for AirLife respiratory products throughout this catalog as a symbol of our ongoing commitment to quality and value.

AirLife empty nebulizers



350 mL nebulizer 002002



350 mL nebulizer 5007P



500 mL nebulizer 5207

Empty nebulizer 002002 has FiO_2 settings adjustable from 35% to 100%.

Empty nebulizers 5007P and 5207 have FiO_2 settings adjustable from 28% to 98%.

Cat. no.	Description	Qty.
002002	350 mL	24/cs
5007P	350 mL	50/cs
5207	500 mL	50/cs

Misty Ox high flow nebulizers



Misty Ox high flow 441H



Misty Ox GIN (Gas Injection Nebulizer) 441G

Misty Ox high flow nebulizers are designed for accurate continuous aerosol therapy at flow rates up to 110 liters per minute (LPM) to meet even the most challenging patient's inspiratory demands. Available in an air entrainment design (441H) as well as a closed system design (441G) for quieter operation. These nebulizer adapters are compatible with most standard pour bottle solutions.

Cat. no.	Description	Qty.
441H	Misty Ox High flow for FiO_2 's from 60-100 at flow ranges from 42-89 LPM	24/cs
441G	Misty Ox GIN for FiO_2 's from 60-100 at flow ranges from 40-110 LPM - requires both air and oxygen 50 psi gas sources	24/cs



**Our *AirLife*
product portfolio
is expanding**

**View our e-catalog
for the most
up-to-date selection
of products.**

Visit [CareFusion.com/ALcatalog](https://www.carefusion.com/ALcatalog) today

Resuscitation

Page

92-95 Self-inflating resuscitation bags

96..... Flow-inflating resuscitation kits

97-98 Resuscitation accessories

AirLife® self-inflating resuscitation devices II



Adult resuscitation bag 2K7010

Infant resuscitation bag 2K7205



AirLife resuscitation II bag family

The AirLife single patient use resuscitation devices II are designed with a light-weight, textured bag for secure handling and user comfort. The clear valve housing provides an unobstructed view of the valve operation while the 360° swivel connector helps optimize positioning of the device. The adult and pediatric bags collapse for ease of storage, and all bags are latex-free. **The oxygen tubing includes a U/Connect-It® adapter for easy connection to any oxygen source.** Accessories include a manometer, PEEP valve, CO₂ detector, expiratory filter, and masks. Available in infant, pediatric and adult sizes in numerous configurations to meet your resuscitation needs.

Cat. no.	Description	Qty.
Adult		
2K7000	Adult, bag reservoir, medium mask, 7' oxygen tubing	6/cs
2K7001	Adult, bag reservoir, medium mask, pressure-relief valve, 7' oxygen tubing	6/cs
2K7002	Adult, bag reservoir, medium mask, CO ₂ detector, 7' oxygen tubing	6/cs
2K7003	Adult, bag reservoir, medium mask, PEEP valve, 7' oxygen tubing	6/cs
2K7004	Adult, bag reservoir, medium mask, 10' oxygen tubing	6/cs
2K7005	Adult, bag reservoir, medium mask, PEEP valve, pressure-relief valve, manometer, 14' oxygen tubing	6/cs
2K7006	Adult, bag reservoir, medium mask, expiratory filter, manometer, pressure-relief valve, 7' oxygen tubing	6/cs
2K7007	Adult, bag reservoir, medium mask, manometer, CO ₂ detector, pressure-relief valve, 7' oxygen tubing	6/cs
2K7008	Adult, bag reservoir, large mask, 7' oxygen tubing	6/cs
2K7009	Adult, bag reservoir, large mask, pressure-relief valve, manometer, 10' oxygen tubing	6/cs
2K7010	Adult, 40" tube reservoir, medium mask, 7' oxygen tubing	6/cs
2K7011	Adult, 40" tube reservoir, medium mask, PEEP valve, 7' oxygen tubing	6/cs
2K7012	Adult, 40" tube reservoir, medium mask, expiratory filter, 10' oxygen tubing	6/cs
2K7013	Adult, 40" tube reservoir, medium mask, PEEP valve, 10' oxygen tubing	6/cs
2K7014	Adult, bag reservoir, medium mask, expiratory filter, manometer, CO ₂ detector, 10' oxygen tubing	6/cs
Pediatric		
2K7100	Pediatric, bag reservoir, pediatric mask, pressure-relief valve, 7' oxygen tubing	12/cs
2K7101	Pediatric, bag reservoir, pediatric mask, manometer, pressure-relief valve, 10' oxygen tubing	12/cs
2K7102	Pediatric, bag reservoir, pediatric mask, manometer, pressure-relief valve, 7' oxygen tubing	12/cs
2K7103	Pediatric, bag reservoir, pediatric mask, pressure-relief valve, PEEP valve and manometer, 14' oxygen tubing	12/cs
2K7104	Pediatric, 40" tube reservoir, pediatric mask, pressure-relief valve, 7' oxygen tubing	12/cs
2K7105	Pediatric, 40" tube reservoir, pediatric mask, pressure-relief valve, manometer, 7' oxygen tubing	12/cs
2K7106	Pediatric, 40" tube reservoir, pediatric mask, manometer, PEEP valve, pressure-relief valve, 10' oxygen tubing	12/cs
Infant		
2K7200	Infant, bag reservoir, infant mask, manometer, pressure-relief valve, 7' oxygen tubing	12/cs
2K7201	Infant, bag reservoir, neonate mask, manometer, PEEP valve, pressure-relief valve, 14' oxygen tubing	12/cs
2K7202	Infant, 40" tube reservoir, infant mask, pressure-relief valve, 7' oxygen tubing	12/cs
2K7203	Infant, 40" tube reservoir, neonate mask, manometer, pressure-relief valve, 7' oxygen tubing	12/cs
2K7204	Infant, 40" tube reservoir, infant mask, manometer, pressure-relief valve, 7' oxygen tubing	12/cs
2K7205	Infant, 40" tube reservoir, neonate mask, PEEP valve, manometer, pressure-relief valve, 7' oxygen tubing	12/cs
2K7206	Infant, 40" tube reservoir, without mask, manometer, PEEP valve, pressure-relief valve, 7' oxygen tubing	12/cs
2K7207	Infant, 40" tube reservoir, infant mask, pressure-relief valve, PEEP valve, manometer, 7' oxygen tubing	12/cs
2K7208	Infant, 40" tube reservoir, without mask, manometer, pressure-relief valve, 7' oxygen tubing	12/cs

AirLife self-inflating resuscitation devices II



Pediatric resuscitation bag 2K7102

Adult resuscitation bag 2K7006

Cat. no.	Bag size			Mask	Reservoir style		Oxygen tubing length			Pressure-relief valve	CO ₂ detector	On the exhalation port			Manometer	Manometer port
	Infant	Pediatric	Adult		Bag	40" tubing	7'	10'	14'			PEEP valve	Filter	Diverter		
Kits with medium masks																
2K7000			•	•	•		•							•		•
2K7001			•	•	•		•			60 cm				•		•
2K7002			•	•	•		•				•			•		•
2K7003			•	•	•		•					•				•
2K7004			•	•	•			•					•			•
2K7005			•	•	•				•	60 cm		•			•	•
2K7006			•	•	•		•			60 cm			•		•	•
2K7007			•	•	•		•			60 cm	•			•	•	•
2K7010			•	•		•	•							•		•
2K7011			•	•		•	•					•				•
2K7012			•	•		•		•					•			•
2K7013			•	•		•		•				•				•
2K7014			•	•	•		•				•		•		•	•
Kits with large masks																
2K7008			•	•	•		•							•		•
2K7009			•	•	•			•		60 cm				•		•
Kits with pediatric masks																
2K7100		•		•	•		•			40 cm				•		•
2K7101		•		•	•			•		40 cm				•	•	•
2K7102		•		•	•		•			40 cm				•	•	•
2K7103		•		•	•				•	40 cm		•			•	•
2K7104		•		•		•	•			40 cm				•		•
2K7105		•		•		•	•			40 cm				•	•	•
2K7106		•		•		•		•		40 cm		•			•	•
Kits with infant masks																
2K7200	•			•	•		•			40 cm				•	•	•
2K7202	•			•		•	•			40 cm				•		•
2K7204	•			•		•	•			40 cm				•	•	•
2K7207	•			•		•	•			40 cm		•			•	•
Kits with neonate masks																
2K7201	•			•	•				•	40 cm		•			•	•
2K7203	•			•		•	•			40 cm				•	•	•
2K7205	•			•		•	•			40 cm		•			•	•
Kits without masks																
2K7206	•					•	•			40 cm		•			•	•
2K7208	•					•	•			40 cm				•	•	•

AirLife self-inflating resuscitation devices



Pediatric resuscitation bag 2K8020 Adult resuscitation bag 2K8005C2M




AirLife resuscitation bag family


Reliable and affordable, our single patient use self-inflating resuscitation devices helps answer your contamination concerns in today's healthcare environment. Our devices feature a textured bag, double-swivel elbow, and three removable oxygen reservoir options. **All kits come with 10' U/Connect-It oxygen tubing for easy connection to any oxygen source.** Accessories include PEEP valve, manometer or 7' manometer tubing, expiratory filter, CO₂ detector and pressure-relief valve.

Cat. no.	Description	Qty.
Adult		
2K8000	Adult, without mask, oxygen reservoir bag	6/cs
2K8001	Adult, without mask, 40" oxygen reservoir tubing	6/cs
2K8004	Adult, with mask, oxygen reservoir bag	6/cs
2K8004F	Adult, with mask, oxygen reservoir bag, filter	6/cs
2K8004M	Adult, with mask, oxygen reservoir bag, manometer	6/cs
2K8004C2	Adult, with mask, oxygen reservoir bag, CO ₂ detector	6/cs
2K8004C2M	Adult, with mask, oxygen reservoir bag, CO ₂ detector, manometer	6/cs
2K8005	Adult, with mask, 40" oxygen reservoir tubing	6/cs
2K8005F	Adult, with mask, 40" oxygen reservoir tubing, filter	6/cs
2K8005M	Adult, with mask, 40" oxygen reservoir tubing, manometer	6/cs

Cat. no.	Description	Qty.
Adult (continued)		
2K8005C2	Adult, with mask, 40" oxygen reservoir tubing, CO ₂ detector	6/cs
2K8005C2M	Adult, with mask, 40" oxygen reservoir tubing, CO ₂ detector, manometer	6/cs
2K8017	Adult, with mask, 28" large bore tubing	6/cs
2K8032	Adult, with mask, 28" large bore tubing, pressure-relief valve	6/cs
2K8032M	Adult, with mask, 28" large bore tubing, pressure-relief valve, manometer	6/cs
2K8033	Adult, without mask, with oxygen reservoir bag, PEEP valve	6/cs
2K8034	Adult, without mask, with 40" oxygen reservoir tubing, PEEP valve	6/cs
2K8035	Adult, with mask, oxygen reservoir bag, PEEP valve	6/cs
2K8035M	Adult, with mask, oxygen reservoir bag, manometer, PEEP valve	6/cs
2K8035C2	Adult, with mask, oxygen reservoir bag, CO ₂ detector, PEEP valve	6/cs
2K8036	Adult, with mask, 40" oxygen reservoir tubing, PEEP valve	6/cs
Pediatric		
2K8008	Pediatric, with mask, 40" oxygen reservoir tubing, pressure-relief valve	6/cs
2K8008F	Pediatric, with mask, 40" oxygen reservoir tubing, pressure-relief valve, filter	6/cs
2K8008M	Pediatric, with mask, 40" oxygen reservoir tubing, pressure-relief valve, manometer	6/cs
2K8008C2	Pediatric, with mask, 40" oxygen reservoir tubing, pressure-relief valve, CO ₂ detector	6/cs
2K8008C2M	Pediatric, with mask, 40" oxygen reservoir tubing, pressure-relief valve, CO ₂ detector, manometer	6/cs
2K8018	Pediatric, with mask, 28" large bore tubing, pressure-relief valve	6/cs
2K8020	Pediatric, with mask, oxygen reservoir bag, pressure-relief valve	6/cs
2K8037	Pediatric, with mask, 40" oxygen reservoir tubing, pressure-relief valve, PEEP valve	6/cs
2K8037C2	Pediatric, with mask, 40" oxygen reservoir tubing, pressure-relief valve, CO ₂ detector, PEEP valve	6/cs
2K8039	Pediatric, with mask, oxygen reservoir bag, pressure-relief valve, PEEP valve	6/cs
2K8039M	Pediatric, with mask, oxygen reservoir bag, manometer, pressure-relief valve, PEEP valve	6/cs
2K8039C2	Pediatric, with mask, oxygen reservoir bag, CO ₂ detector, pressure-relief valve, PEEP valve	6/cs
Infant		
2K8010	Infant, with mask, 40" oxygen reservoir tubing, pressure-relief valve	6/cs
2K8010M	Infant, with mask, 40" oxygen reservoir tubing, pressure-relief valve, manometer	6/cs
2K8010C2	Infant, with mask, 40" oxygen reservoir tubing, pressure-relief valve, CO ₂ detector	6/cs
2K8010C2M	Infant, with mask, 40" oxygen reservoir tubing, pressure-relief valve, CO ₂ detector, manometer	6/cs
2K8019	Infant, with mask, 28" large bore tubing, pressure-relief valve	6/cs
2K8021	Infant, with mask, oxygen reservoir bag, pressure-relief valve	6/cs
2K8038	Infant, with mask, 40" oxygen reservoir tubing, pressure-relief valve, PEEP valve	6/cs
2K8038M	Infant, with mask, 40" oxygen reservoir tubing, pressure-relief valve, manometer, PEEP valve	6/cs
2K8040	Infant, with mask, oxygen reservoir bag, pressure-relief valve, PEEP valve	6/cs



Pressure-relief valve—unlocked position




Pressure-relief valve—locked position

AirLife resuscitation bags

Cat. no.	Bag size			Mask	Reservoir style			Pressure-relief valve	CO ₂ detector	On the exhalation port			Manometer	Manometer port
	Infant	Pediatric	Adult		Bag	40" tubing	28" large bore tubing			PEEP valve	Filter	Diverter		
2K8000			•		•							•		
2K8001			•			•						•		
2K8004			•	•	•							•		
2K8004F			•	•	•						•			
2K8004M			•	•	•							•	•	•
2K8004C2			•	•	•				•			•		
2K8004C2M			•	•	•				•			•	•	•
2K8005			•	•		•						•		
2K8005F			•	•		•					•			
2K8005M			•	•		•						•	•	•
2K8005C2			•	•		•			•			•		
2K8005C2M			•	•		•			•			•	•	•
2K8017			•	•			•					•		
2K8032			•	•			•	60 cm				•		•
2K8032M			•	•			•	60 cm				•	•	•
2K8033			•		•						•			•
2K8034			•			•					•			•
2K8035			•	•	•						•			•
2K8035M			•	•	•						•		•	•
2K8035C2			•	•	•				•			•		•
2K8036			•	•		•					•			•
2K8008		•	•	•		•		40 cm				•		•
2K8008F		•	•	•		•		40 cm			•			•
2K8008M		•	•	•		•		40 cm				•	•	•
2K8008C2		•	•	•		•		40 cm	•			•		•
2K8008C2M		•	•	•		•		40 cm	•			•	•	•
2K8018		•	•	•			•	40 cm				•		•
2K8020		•	•	•	•			40 cm				•		•
2K8037		•	•	•		•		40 cm		•				•
2K8037C2		•	•	•		•		40 cm	•	•				•
2K8039		•	•	•	•			40 cm		•				•
2K8039M		•	•	•	•			40 cm		•			•	•
2K8039C2		•	•	•	•			40 cm	•	•				•
2K8010	•		•	•		•		40 cm				•		•
2K8010M	•		•	•		•		40 cm				•	•	•
2K8010C2	•		•	•		•		40 cm	•			•		•
2K8010C2M	•		•	•		•		40 cm	•			•	•	•
2K8019	•		•	•			•	40 cm				•		•
2K8021	•		•	•	•			40 cm				•		•
2K8038	•		•	•		•		40 cm		•				•
2K8038M	•		•	•		•		40 cm		•			•	•
2K8040	•		•	•	•			40 cm		•				•

AirLife Baby Safe™ flow-inflating resuscitation devices



5501GL1

5424BDG1

Baby Safe is an innovative, flow-inflating resuscitator for your most delicate of patients. It features a unique adjustable pressure-limiting (APL) valve which helps maintain peak inspiratory pressure and reduces the risk of barotrauma and an optional bleed vent to help control positive and expiratory pressure (PEEP) - making resuscitation easier for the clinician and safer for the patient. Baby Safe comes preassembled with the optional pressure manometer attached, making it ready for immediate use when every second matters.

Cat. no.	Description	Qty.
.5L bag kits without mask		
5404BD	0.5L bag, 35cm H ₂ O valve, NRPR vent, 6' pressure tubing, 7' O ₂ tubing	20/cs
5404BDL1	0.5L bag, 35cm H ₂ O valve, NRPR vent, 6' pressure tubing, 7' O ₂ tubing	20/cs
5404DL1	0.5L bag, 35cm H ₂ O valve, 6' pressure tubing, 7' O ₂ tubing	20/cs
5404L1	0.5L bag, 35cm H ₂ O valve, 7' O ₂ tubing	20/cs
5504	0.5L bag, 60cm H ₂ O valve, 7' O ₂ tubing	20/cs
5504B	0.5L bag, 60cm H ₂ O valve, NRPR vent, 7' O ₂ tubing	20/cs
5504BD	0.5L bag, 60cm H ₂ O valve, NRPR vent, 6' pressure tubing, 7' O ₂ tubing	20/cs
5504BDL1	0.5L bag, 60cm H ₂ O valve, NRPR vent, 6' pressure tubing, 7' O ₂ tubing	20/cs
5504BDV1	0.5L bag, 60 cm H ₂ O APL & FlowTrol, NRPR vent, 6' pressure tubing, 7' O ₂ tubing	20/cs
5504BGL1	0.5L bag, 60cm H ₂ O valve, NRPR vent, manometer, 7' O ₂ tubing	20/cs
5504DHL1	0.5L bag, 10" extension hose, 60cm H ₂ O valve, 6' pressure tubing, 7' O ₂ tubing	20/cs
5504DL1	0.5L bag, 60cm H ₂ O valve, 6' pressure tubing, 7' O ₂ tubing	20/cs
5504HL1	0.5L bag, 10" extension hose, 60cm H ₂ O valve, 7' O ₂ tubing	20/cs
5504HLV1	0.5L bag, 10" extension hose, 60 cm H ₂ O APL & FlowTrol, 7' O ₂ tubing	20/cs
5504UCL1	0.5L bag, 60cm H ₂ O valve, NRPR vent, 7' O ₂ tubing	20/cs
5514RESP	0.5L bag, 10" extension hose, 60cm H ₂ O valve, Ayres Tee, 7' O ₂ tubing	20/cs
.5L bag kits with mask		
5424BD	0.5L bag, infant dome mask, 35cm H ₂ O valve, NRPR vent 6' pressure tubing, 7' O ₂ tubing	20/cs
5424BDG1	0.5L bag, infant dome mask, manometer, 35cm H ₂ O valve, NRPR vent, 6' pressure tubing, 7' O ₂ tubing	20/cs
5424BDL1	0.5L bag, infant dome mask, 35cm H ₂ O valve, NRPR vent, 6' pressure tubing, 7' O ₂ tubing	20/cs
5424BDV	0.5L bag, infant dome mask, 35 cm H ₂ O APL & FlowTrol, NRPR vent, 6' pressure tubing, 7' O ₂ tubing	20/cs
5424D	0.5L bag, infant dome mask, 35 cm H ₂ O valve, 6' pressure tubing, 7' O ₂ tubing	20/cs

Cat. no.	Description	Qty.
.5L bag kits with mask (continued)		
5474BD	0.5L bag, neonate and infant dome masks, 35cm H ₂ O valve, NRPR vent, 6' pressure tubing, 7' O ₂ tubing	20/cs
5514EU	0.5L bag, neonate mask, 60cm H ₂ O valve, 7' O ₂ tubing	20/cs
5524BD	0.5L bag, infant dome mask, 60cm H ₂ O valve, NRPR vent, 6' pressure tubing, 7' O ₂ tubing	20/cs
5524BDH	0.5L bag, infant dome mask, 10" hose, 60cm H ₂ O valve, NRPR vent, 6' pressure tubing, 7' O ₂ tubing	20/cs
1L bag kits		
5401BD	1 L bag, 35cm H ₂ O valve, NRPR vent, 6' pressure tubing, 7' O ₂ tubing	20/cs
5401L1	1 L bag, 35cm H ₂ O valve and 7' O ₂ tubing	20/cs
5501BD	1 L bag, 60cm H ₂ O valve, NRPR vent, 6' pressure tubing, 7' O ₂ tubing	20/cs
5501DL1	1 L bag, 60cm H ₂ O valve, 6' pressure tubing, 7' O ₂ tubing	20/cs
5501GL1	1 L bag, 60cm H ₂ O valve, manometer, 7' O ₂ tubing	20/cs
5501HL1	1 L bag, 10" extension hose, 60cm H ₂ O valve, 7' O ₂ tubing	20/cs
5501L1	1 L bag, 60cm H ₂ O valve, 7' O ₂ tubing	20/cs
5511RESP	1 L bag, 10" extension hose, Ayres Tee, 60cm H ₂ O valve, 7' O ₂ tubing	20/cs

AirLife disposable flow-inflating resuscitation devices



Flow-inflating bag 2K80233

AirLife disposable flow-inflating resuscitation devices feature green, neoprene bags with 7' of pre-attached oxygen tubing with a U/Connect-It fitting to easily connect to an oxygen source. Five sizes are available, from neonate to adult, with a range of accessories including valved masks, manometers and manometer tubing.

Cat. no.	Description	Qty.
2K8023	Flow-inflating bag 0.25 L	20/cs
2K80231	Flow-inflating bag 0.25 L with valved neonate mask	20/cs
2K80232	Flow-inflating bag 0.25 L with manometer	20/cs
2K80233	Flow-inflating bag 0.25 L with valved neonate mask & manometer	20/cs
2K8025	Flow-inflating bag 0.5 L	20/cs
2K80251	Flow-inflating bag 0.5 L with valved infant mask	20/cs
2K80252	Flow-inflating bag 0.5 L with manometer	20/cs
2K80253	Flow-inflating bag 0.5 L with valved infant mask & manometer	20/cs
2K8027	Flow-inflating bag 1 L	20/cs
2K80271	Flow-inflating bag 1 L with valved child mask	20/cs
2K80272	Flow-inflating bag 1 L with manometer	20/cs
2K80273	Flow-inflating bag 1 L with valved child mask & manometer	20/cs
2K8029	Flow-inflating bag 2 L	20/cs
2K80292	Flow-inflating bag 2 L with manometer	20/cs
2K80293	Flow-inflating bag 2 L with valved adult mask & manometer	20/cs
2K8030	Flow-inflating bag 3 L	20/cs
2K80302	Flow-inflating bag 3 L with manometer	20/cs
2K80303	Flow-inflating bag 3 L with valved large adult mask & manometer	20/cs

AirLife mouth-to-mask resuscitators




Mouth-to-mask resuscitator 2K8012

Our AirLife mouth-to-mask resuscitators include oxygen port, filter and mouthpiece. Choose pediatric or adult.

Cat. no.	Description	Qty.
2K8013	Pediatric with 6" tubing	10/cs
2K8012	Adult with 6" tubing	10/cs

AirLife CO₂ detectors



AirLife CO₂ detectors 2K8086 (left), 2K8085 (right)

The AirLife CO₂ colorimetric detectors with Seebreath technology help verify tracheal tube placement and observe respiration through breath-by-breath color changes. These long-lasting CO₂ detectors detect expired CO₂ levels for up to 24 hours and feature a lightweight design with easy-to-see color change.

Cat. no.	Description	Qty.
2K8085	Adult and pediatric: 10 kg (22 lbs) and larger	10/cs
2K8086	Infant: 1 kg (2.2 lb)–15 kg (33 lb)	10/cs

AirLife disposable resuscitation face masks



AirLife resuscitation face masks

Disposable face masks are designed for use with manual and automatic resuscitators and ventilators. They feature a dome with a thumb rest and a soft, shaped, air-filled cuff to allow a tight fit to the patient's face with an easy grip. Supplied with hook ring. Mask dome and cushion are made of PVC. All sizes are individually packed, nonsterile.

Cat. no.	Size	Qty.
2K8050	Neonate	20/cs
2K8051	Infant	20/cs
2K8052	Toddler	20/cs
2K8053	Child/small adult	20/cs
2K8054	Medium adult	20/cs
2K8055	Large adult	20/cs

AirLife adjustable PEEP valves



PEEP valve 2K8080

Our disposable AirLife PEEP valves are for use with resuscitation devices. They have a range of 0 to 20 cm/H₂O and come with a blue cap.

Cat. no.	Description	Qty.
2K8082	Valve with 30 mm ID connection and 22 mm adapter	10/cs
2K8080	Valve with 30 mm ID connection	10/cs

AirLife T-piece resuscitation kit



Universal device connector fits both 15 mm male and 10 mm female connections without the need for an additional adapter.

Neonatal T-piece circuit with size 1 mask M1091365VS

The T-piece resuscitator kit is a single-patient-use resuscitator circuit intended to provide respiratory support for neonatal patients. It is designed with a positive end-expiratory pressure (PEEP) valve to help maintain optimal pressure and made of corrugated tubing without any latex or added DEHP.

Cat. no.	Description	Qty.
AirLife T-piece circuits for use with GE Stand alone resuscitation system (StAR)		
M1091335VS	T-piece neonatal circuit	10/cs
M1091316VS	T-piece neonatal circuit kit, size 0 mask	10/cs
M1091365VS	T-piece neonatal circuit kit, size 1 mask	10/cs

Give your patients the air they need.


Our extensive AirLife portfolio of respiratory system solutions empowers physicians and clinicians to achieve the highest quality of patient therapy. Whether your patients are ventilated or breathing on their own, AirLife consumables, along with a broad offering of products from our strategic partners, help address your cross-contamination concerns in today's healthcare environment. Our respiratory system products also provide essential tools to drive efficiencies, maximize clinical goals and increase patient comfort.

Suction catheters and trach care

Page

100-103	Closed suction catheters and adapters
104-105	Open suction catheters and kits
106.....	Meconium suction device
107.....	Trach care kits
108.....	Unit dose saline and sterile water solutions
109.....	Trach ties and bite blocks

Verso™ closed suction system



CSC100 airway access adapter with CSC114 14 Fr catheter



CSC500 Verso "T" airway access adapter



CSC100 Verso 45° airway access adapter



CSC400 Verso 90° airway access adapter

The AirLife® closed suction system provides safe and simple access to a ventilated patient's airway. Utilizing the Verso™ airway access adapter, the system allows procedure and catheter change-outs to be done through a single port without ever disconnecting the circuit. Safe, continuous ventilation throughout these changes are assured through Pucker™ Valve technology, which seals the patient's airway from the access port. It is available in neonatal/infant and adult/pediatric sizes. The Verso and Neo-Verso™ adapters are approved for use up to seven days, and the catheters are approved for use up to 72 hours.


Cat. no.	Description	Qty.
Verso adapters		
CSC100	Verso 45° adult/pediatric airway access adapter double swivel	20/bx
CSC400	Verso 90° adult/pediatric airway access adapter	20/bx
CSC500	Verso "T" adult/pediatric airway access adapter	20/bx
Closed suction catheters sterile (for use with Verso adapters)		
CSC110	10 Fr w/depth markings	50/cs
CSC112	12 Fr w/depth markings	50/cs
CSC114	14 Fr w/depth markings	50/cs
CSC116	16 Fr w/depth markings	50/cs
Specialty catheters sterile (for use with Verso adapters)		
CSC114D	14 Fr directional tip w/depth markings	50/cs
CSC110T	10 Fr tracheostomy length w/depth markings	50/cs
CSC112T	12 Fr tracheostomy length w/depth markings	50/cs
CSC114T	14 Fr tracheostomy length w/depth markings	50/cs
CSC116T	16 Fr tracheostomy length w/depth markings	50/cs

Suction catheters and trach care *Closed suction catheters and Verso™ adapters*


Verso closed suction system




CSC600 Neo-Verso airway access adapter



CSC300 Neo-Verso "Y" airway access adapter



CSC205S



CSC206 6 Fr catheter



Verso closed suction family of products

Cat. no.	Description	Qty.
Neo-Verso® adapters		
CSC300	Neo-Verso® "Y" neonatal/infant airway access adapter direct connects with 2.0, 2.5, 3.0, 3.5, 4.0 tubes	20/bx
CSC600	Neo-Verso neonatal/infant airway access adapter	20/bx
Closed suction catheters sterile (for use with Neo-Verso adapter)		
CSC205	5 Fr w/depth markings	50/cs
CSC206	6 Fr w/depth markings	50/cs
CSC207	7 Fr w/depth markings	50/cs
CSC208	8 Fr w/depth markings	50/cs
Specialty catheter sterile (for use with Neo-Verso adapter)		
CSC205S	5 Fr, fluid/access	50/cs

Expanded *AirLife* closed suction portfolio - new items available in Summer of 2016

AirLife closed suction




Full system assembled

The improved *AirLife* closed suction system features an innovative design with features such as: an enhanced double swivel elbow adapter; improved PIP seal valve; and an ergonomic suction valve intended for simple operation.

Approved for use up to 7 days, its durable, two-piece design also allows you to replace the catheter only, if needed, saving you from having to break open the circuit unnecessarily, while also saving cost.

Made without DEHP or natural rubber latex.



Catheter with double swivel elbow adapter



Ergonomic suction valve provides a simple, one-handed suction valve operation with clear, visible lock and unlock position



Our *AirLife* closed suction portfolio is expanding


View our e-catalog for the most up-to-date selection of products.

Visit CareFusion.com/ALcatalog today

AirLife closed suction catheter systems



Double swivel elbow adapter with ball joint 77AA05



14 Fr catheter 77C14E



Tee piece adapter with flex tube and Omni-Flex™ 77AA07

Cat. no.	Description	Qty.
Adapters		
77AA05	Adult adapter - double swivel elbow, 15 mm x 22 mm flex tube	20
77AA06	Adult adapter - T-piece w/swivel, 22 mm x 22 mm flex tube	20
77AA07	Adult adapter - T-piece w/swivel, 22 mm x 22 mm flex tube, Omni-Flex connector	20
77AA08	Adult adapter - T-piece w/swivel, 22 mm x 22 mm flex tube, MDI adapter	20
Endotracheal catheters		
77C10E	10 Fr, endotracheal tube length	20
77C12E	12 Fr, endotracheal tube length	20
77C14E	14 Fr, endotracheal tube length	20
77C16E	16 Fr, endotracheal tube length	20
77C14ED	14 Fr, endotracheal tube length, directional tip	20
Tracheostomy catheters		
77C10T	10 Fr, tracheostomy length	20
77C12T	12 Fr, tracheostomy length	20
77C14T	14 Fr, tracheostomy length	20
77C16T	16 Fr, tracheostomy length	20
Endotracheal catheter kits		
77K105E	10 Fr catheter, endotracheal tube length, double swivel elbow, 15 mm x 22 mm flex tube	20
77K106E	10 Fr catheter, endotracheal tube length, T-piece w/swivel, 22 mm x 22 mm flex tube	20
77K125E	12 Fr catheter, endotracheal tube length, double swivel elbow, 15 mm x 22 mm flex tube	20
77K126E	12 Fr catheter, endotracheal tube length, T-piece w/swivel, 22 mm x 22 mm flex tube	20
77K145E	14 Fr catheter, endotracheal tube length, double swivel elbow, 15 mm x 22 mm flex tube	20
77K145ED	14 Fr catheter, endotracheal tube length, directional tip, double swivel elbow, 15 mm x 22 mm flex tube	20
77K146E	14 Fr catheter, endotracheal tube length, T-piece w/swivel, 22 mm x 22 mm flex tube	20
77K146ED	14 Fr catheter, endotracheal tube length, directional tip, T-piece w/swivel, 22 mm x 22 mm flex tube	20
77K165E	16 Fr catheter, endotracheal tube length, double swivel elbow, 15 mm x 22 mm flex tube	20
77K166E	16 Fr catheter, endotracheal tube length, T-piece w/swivel, 22 mm x 22 mm flex tube	20
Tracheostomy catheter kits		
77K105T	10 Fr catheter, tracheostomy length, double swivel elbow, 15 mm x 22 mm flex tube	20
77K106T	10 Fr catheter, tracheostomy length, T-piece w/swivel, 22 mm x 22 mm flex tube	20
77K107T	10 Fr catheter, tracheostomy length, T-piece w/swivel, 22 mm x 22 mm flex tube, Omni-Flex connector	20
77K125T	12 Fr catheter, tracheostomy length, double swivel elbow, 15 mm x 22 mm flex tube	20
77K126T	12 Fr catheter, tracheostomy length, T-piece w/swivel, 22 mm x 22 mm flex tube	20
77K127T	12 Fr catheter, tracheostomy length, T-piece w/swivel, 22 mm x 22 mm flex tube, Omni-Flex connector	20
77K145T	14 Fr catheter, tracheostomy length, double swivel elbow, 15 mm x 22 mm flex tube	20
77K146T	14 Fr catheter, tracheostomy length, T-piece w/swivel, 22 mm x 22 mm flex tube	20
77K147T	14 Fr catheter, tracheostomy length, T-piece w/swivel, 22 mm x 22 mm flex tube, Omni-Flex connector	20
77K165T	16 Fr catheter, tracheostomy length, double swivel elbow, 15 mm x 22 mm flex tube	20
77K166T	16 Fr catheter, tracheostomy length, T-piece w/swivel, 22 mm x 22 mm flex tube	20
77K167T	16 Fr catheter, tracheostomy length, T-piece w/swivel, 22 mm x 22 mm flex tube, Omni-Flex connector	20
MDI adapter kits		
77K108E	10 Fr catheter, endotracheal tube length, T-piece w/swivel, 22 mm x 22 mm flex tube, MDI adapter	20
77K128E	12 Fr catheter, endotracheal tube length, T-piece w/swivel, 22 mm x 22 mm flex tube, MDI adapter	20
77K148E	14 Fr catheter, endotracheal tube length, T-piece w/swivel, 22 mm x 22 mm flex tube, MDI adapter	20
77K168E	16 Fr catheter, endotracheal tube length, T-piece w/swivel, 22 mm x 22 mm flex tube, MDI adapter	20
77K108T	10 Fr catheter, tracheostomy length, T-piece w/swivel, 22 mm x 22 mm flex tube, MDI adapter	20
77K128T	12 Fr catheter, tracheostomy length, T-piece w/swivel, 22 mm x 22 mm flex tube, MDI adapter	20
77K148T	14 Fr catheter, tracheostomy length, T-piece w/swivel, 22 mm x 22 mm flex tube, MDI adapter	20
77K168T	16 Fr catheter, tracheostomy length, T-piece w/swivel, 22 mm x 22 mm flex tube, MDI adapter	20

AirLife Tri-Flo® catheters



Looped catheter with control port and depth markings T64C

Tri-Flo sterile suction catheters are designed with two triangular eyes and a beveled tip to be less traumatic to your patients while still providing high suctioning efficiency. Clear connectors and depth markings are standard on all 5/6, 8 and 10 Fr sizes. Catheters are available with or without a control port to provide you with the choice of continuous or controlled suctioning.

Cat. no.	Size (Fr)	Qty.
With control port, looped		
T63C	5/6 w/depth markings	50/cs
T64C	8 w/depth markings	50/cs
T61C	10 w/depth markings	50/cs
T68C	12	50/cs
T60C	14	50/cs
T62C	18	50/cs
With control port, straight pack		
T263C	5/6 w/depth markings	100/cs
T264C	8 w/depth markings	100/cs
T261C	10 w/depth markings	100/cs
T268C	12 w/depth markings	100/cs
T260C	14 w/depth markings	100/cs
T262C	18 w/depth markings	100/cs
Without control port, looped		
T61	10 w/depth markings	50/cs
T60	14	50/cs
T62	18	50/cs
Without control port, straight pack		
T261	10 w/depth markings	100/cs
T260	14 w/depth markings	100/cs
T262	18 w/depth markings	100/cs


AirLife Tri-Flo “No Touch” catheters



Looped catheter with control port T60C



Catheter and basin T160C



Top catheter end with control port; bottom catheter end without control port



Catheter depth markings



Beveled catheter tip with two triangular eyes

Tri-Flo sterile catheters are designed with a plastic sleeve to provide an additional layer of safety between the clinician and the patient. Catheters include a pop-up basin for your solution.

Cat. no.	Size (Fr)	Qty.
T164C	8 w/depth markings	100/cs
T161C	10 w/depth markings	100/cs
T168C	12	100/cs
T160C	14	100/cs
T162C	18	100/cs

AirLife rigid basin kits



Tri-Flo suction Cath-N-Glove kit 44-12

Each sterile kit includes a Tri-Flo suction catheter, two powder-free vinyl gloves in an inner wallet and a rigid basin. The rigid basin can be used to hold your solution while the inner wallet can serve as a sterile field during set-up if utilizing an aseptic technique. Depth markings are standard on all 5/6, 8 and 10 Fr size catheters help facilitate proper placement.

Cat. no.	Size (Fr)	Qty.
44-56	5/6 w/depth markings	100/cs
44-08	8 w/depth markings	100/cs
44-10	10 w/depth markings	100/cs
44-12	12	100/cs
44-14	14	100/cs
44-18	18	100/cs

AirLife rigid basin kits with saline



Tri-Flo suction Cath-N-Glove kit with saline 41-12

Each sterile kit includes a Tri-Flo suction catheter, 4-oz sterile saline solution for flushing and lubrication, two latex-free nitrile gloves in an inner wallet and a rigid basin. The inner wallet can be used as a sterile field during set-up to ensure aseptic technique. Infant and pediatric kits 5/6, 8 and 10 Fr feature depth markings.

Cat. no.	Size (Fr)	Qty.
41-56	5/6 w/depth markings	12/cs
41-08	8 w/depth markings	12/cs
41-10	10 w/depth markings	12/cs
41-12	12	12/cs
41-14	14	12/cs

AirLife Tri-Flo Cath-N-Glove™ economy suction kits



Tri-Flo suction kit with vinyl glove 4693T

Tri-Flo sterile economy kits include suction catheter, a pop-up solution basin and one or two powder-free vinyl exam gloves. They are packaged in a plastic peel pouch for ease of use and quick preparation. Kits with 5/6, 8 and 10 Fr catheters feature depth markings.

Cat. no.	Size (Fr)	Qty.
With 1 powder-free vinyl glove		
4693T	5/6 w/depth markings	100/cs
4697T	8 w/depth markings	100/cs
4695T	10 w/depth markings	100/cs
4698T	12	100/cs
4694T	14	100/cs
With 2 powder-free vinyl gloves		
4893T	5/6 w/depth markings	100/cs
4897T	8 w/depth markings	100/cs
4895T	10 w/depth markings	100/cs
4898T	12	100/cs
4894T	14	100/cs
4896T	18	100/cs

AirLife Cath-N-Glove wallet catheter kits with pop-up basin




Tri-Flo suction kit with nitrile gloves 4864T

Sterile suction kits include a Tri-Flo suction catheter, a pop-up solution basin and two sturdy, precuffed blue nitrile exam gloves in an inner wallet. Kits with 5/6, 8 and 10 Fr catheters feature catheters with depth markings.

Cat. no.	Size (Fr)	Qty.
4863T	5/6 w/depth markings	100/cs
4867T	8 w/depth markings	100/cs
4865T	10 w/depth markings	100/cs
4868T	12	100/cs
4864T	14	100/cs

AirLife Meconium suction device—(Kurtis MSD)



All-in-one neonatal suction catheter and endotracheal tube

The AirLife Meconium Suction Device (MSD) reduces the number of steps to suction meconium from an infant's trachea by integrating the endotracheal tube, suction adapter, and stylet. Designed by a neonatologist, the AirLife MSD is typically less expensive than buying components separately and requires less assembly during "high anxiety" births. Device is available in 2 sizes.

Cat. no.	Description	Qty.
4535EU	AirLife Meconium suction device 3.0 mm	10/cs
4530VS	AirLife Meconium suction device 3.5 mm	10/cs

What are your quality goals?

- Improving patient satisfaction
- Improving patient safety
- Standardizing products and process
- Reducing cost

If you checked any, or all, of the above contact your sales representative today to learn how AirLife® can help you achieve your quality objectives.

AirLife tracheostomy care kits



Tracheostomy care kit 4681A

Sterile single use cleaning trays are designed for care of the tracheostomy patient. Choose from kits with or without gloves.

Overwrap trays include:

- Three rigid basins for cleaning, soaking and rinsing
- Presewn trach dressing
- Three gauze sponges
- Three pipe cleaners
- Cleaning brush
- Three cotton-tipped applicators
- Twill tape, 32"
- Plastic forceps
- Water-resistant drape
- Hospital wrap

Cat. no.	Additional components	Qty.
4681A	Two vinyl gloves	20 trays/cs
4682A	Without gloves	20 trays/cs



Tracheostomy care kit 3T3030A



Tracheostomy care kit 3T4691



Tracheostomy care kit 3T4691A



Tracheostomy care kit 3T4692

Tracheostomy care kits are packaged sterile in a tray with a coated paper lid. All kits include:

- Trach gauze dressing
- Twill tape, 34"
- Trach brush
- Four gauze sponges, 4x4"

Cat. no.	Additional components	Qty.
3T3030A	2 cotton-tipped applicators, 3 pipe cleaners	30/cs
3T4691	2 cotton-tipped applicators, 2 pipe cleaners, 1 pair vinyl gloves, towel	20/cs
3T4691A	2 cotton-tipped applicators, 3 pipe cleaners, 1 pair vinyl gloves, 1 water-resistant towel	30/cs
3T4692	3 cotton-tipped applicators, 3 pipe cleaners, 1 pair vinyl gloves, 2 packets hydrogen peroxide, 30 mL, 1 trach pad	30/cs

AirLife Modudose™ unit dose solutions



Left to right - 5262 15 mL 0.9% saline, AL7455 5 mL 0.45% saline, AL7023 3 mL sterile water

These unit dose solutions contain sterile water, normal saline (0.9% sodium chloride) or half-normal saline solution (0.45% sodium chloride) and have twist-and-pull-off tops for easy opening. The vials feature graduations in 0.5 mL increments and dispense by the drop, the milliliter or as a stream. Their tapered tip facilitates use with various tracheal suction systems.

Cat. no.	Vial size (mL)	Qty.
AL7023	Sterile water 3 mL blue vial	1000/cs
AL7025	Sterile water 5 mL blue vial	1000/cs
AL7455	0.45% half normal saline 5 mL green vial	1000/cs
5251	0.9% normal saline 3 mL pink vial	1000/cs
5257	0.9% normal saline 5 mL pink vial	1000/cs
5261	0.9% normal saline 10 mL pink vial	144/cs
5262	0.9% normal saline 15 mL pink vial	144/cs

AirLife sterile solutions




Left - sterile water 4872B, right - sterile 0.9% saline solution 4873A

For your suction procedure needs, each peel-back foil lid cup contains 4 oz (120 mL) of sterile water or 0.9% normal saline solution. Packaged sterile.

Cat. no.	Description	Qty.
4872B	Sterile water	48/cs
4873A	Normal saline solution, sterile	48/cs

AirLife sterile water and sodium chloride irrigation solutions



AL4109 - 0.9% sodium chloride

AL4175 - sterile water

Use our sterile irrigation solutions in disposable containers for your cleansing, moistening, diluting and soaking needs. 85 mL bottles with snap-off top feature a large mouth and tamper-evident seal for safe storage at the patient's bedside until needed. 110 mL bottles with dual top can be opened by either a twist-and-pull-off top for squeeze-dispensing or by a snap-off top for pouring.

Cat. no.	Description	Qty.
85 mL bottles with snap-off top		
AL4175	Sterile water	25/cs
AL4275	0.9% sodium chloride	25/cs
110 mL bottles with dual top		
AL4100	Sterile water	25/cs
AL4109	0.9% sodium chloride	25/cs

Focus on quality care

Less waste and errors = higher quality and better outcomes

The AirLife® team can help you meet your goals to eliminate variability in processes, thereby helping to reduce waste, lessen errors and experience better quality products and outcomes.

Contact your AirLife® sales representative today to learn how our products can help you achieve your quality objectives.

AirLife tracheostomy tube holders



Tracheostomy tube holder CFN340

The AirLife tracheostomy tube holders have ultrasonically welded Velcro™ tabs to assure a secure fit that keeps the tracheostomy tube in place and minimizes its movement. The adjustable straps fit the majority of patients and can easily be modified to meet the patient's needs. 10 holders are contained per box and 10 boxes per case.

Cat. no.	Additional components	Qty.
CFN340	Adult (approx. 1x14" + 1x4.5")	100/cs
CFN342	Neonate and infant (approx. 1x6.7" + 1x2.75")	100/cs

AirLife tracheostomy tube holders



Tracheostomy tube holder RES240A

Our holders include hook-and-loop fastener tabs. For single patient use. There are 10 holders per box and 10 boxes per case.

Cat. no.	Additional components	Qty.
RES240A	Adult	100/cs
RES242A	Neonate and infant	100/cs

Southmedic non-PVC bite blocks



Adult bite block ETPSR00A50

The Southmedic bite block prevents occlusion of the ET tube when patient bites down. Bite block is soft enough to protect teeth, yet durable enough to protect the endotracheal tube (ET tube), with its unique design to fit multiple sizes of ET tubes. This item does not contain natural rubber latex or phthalates such as DEHP. Available in adult and pediatric sizes.

Cat. no.	Additional components	Qty.
ETPSR00A50	Adult fits tube sizes from 6.5–9.5	50/cs
ETPSR00P50	Pediatric tube size from 3.5–6.0	50/cs



**Our *AirLife*
product portfolio
is expanding**

**View our e-catalog
for the most
up-to-date selection
of products.**

Visit [CareFusion.com/ALcatalog](https://www.carefusion.com/ALcatalog) today

CareFusion
Vernon Hills, IL

carefusion.com/airlife

© 2016 CareFusion Corporation or one of its subsidiaries. All rights reserved. *AirLife*, *Misty Fast*, *Misty Finity*, *Misty Max 10*, *AirLife Airx*, *AirLife AsthmaCheck*, *AirLife Dual Dial*, *AirLife* manual self-inflating resuscitation devices II, *AirLife Modudose*, *AirLife Tri-Flo*, *AirLife Tri-Flo Cath-N-Glove*, *Neo-Verso*, *U/Connect-It*, *Verso*, *CareFusion* and the *CareFusion* logo are trademarks or registered trademarks of CareFusion Corporation or one of its subsidiaries. All other trademarks are property of their respective owners. AL5515 (0316-6000)

