

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	23,792	9.7	0.32	(9.1 - 10.3)		3,007,091	(2,804,177 - 3,210,005)
U.S. Total**	25-34	46,206	8.5	0.23	(8.1 - 9.0)		3,484,273	(3,289,991 - 3,678,556)
U.S. Total**	35-44	58,062	8.3	0.20	(7.9 - 8.7)		3,331,787	(3,166,948 - 3,496,625)
U.S. Total**	45-54	81,551	9.0	0.20	(8.6 - 9.4)		3,937,436	(3,761,774 - 4,113,098)
U.S. Total**	55-64	100,769	9.6	0.19	(9.3 - 10.0)		3,645,897	(3,494,988 - 3,796,806)
U.S. Total**	65+	149,386	8.3	0.15	(8.0 - 8.6)		3,616,642	(3,479,529 - 3,753,755)
AL	18-24	379	8.6	1.75	(5.1 - 12.0)		41,443	(24,069 - 58,816)
AL	25-34	762	7.9	1.16	(5.6 - 10.2)		47,656	(33,440 - 61,871)
AL	35-44	995	8.5	1.18	(6.2 - 10.8)		51,017	(36,468 - 65,566)
AL	45-54	1,462	9.2	0.95	(7.3 - 11.1)		60,534	(47,802 - 73,266)
AL	55-64	2,137	9.5	0.82	(7.9 - 11.1)		56,182	(46,245 - 66,119)
AL	65+	3,123	7.9	0.59	(6.7 - 9.0)		55,518	(47,135 - 63,900)
AK	18-24	307	9.3	2.13	(5.1 - 13.5)		7,046	(3,728 - 10,365)
AK	25-34	656	7.5	1.35	(4.8 - 10.1)		7,786	(4,934 - 10,637)
AK	35-44	692	9.7	1.46	(6.9 - 12.6)		8,959	(6,246 - 11,673)
AK	45-54	859	10.3	1.45	(7.4 - 13.1)		10,474	(7,413 - 13,536)
AK	55-64	963	8.3	1.16	(6.0 - 10.6)		7,837	(5,635 - 10,040)
AK	65+	775	9.5	1.50	(6.5 - 12.4)		6,282	(4,229 - 8,335)
AZ	18-24	363	9.5	1.90	(5.8 - 13.3)		61,413	(36,291 - 86,534)
AZ	25-34	634	8.6	1.45	(5.8 - 11.5)		74,704	(49,130 - 100,277)
AZ	35-44	713	10.2	1.42	(7.4 - 12.9)		82,517	(59,099 - 105,935)
AZ	45-54	1,044	7.8	1.06	(5.7 - 9.9)		63,986	(46,551 - 81,421)
AZ	55-64	1,522	7.6	0.94	(5.8 - 9.5)		55,286	(41,636 - 68,936)
AZ	65+	2,879	8.4	0.79	(6.9 - 10.0)		79,954	(64,768 - 95,139)
AR	18-24	219	6.9	1.86	(3.2 - 10.5)		19,589	(8,804 - 30,373)
AR	25-34	475	6.7	1.24	(4.2 - 9.1)		24,778	(15,532 - 34,025)
AR	35-44	497	9.2	1.60	(6.1 - 12.4)		32,934	(21,195 - 44,674)
AR	45-54	860	8.6	1.18	(6.3 - 10.9)		33,414	(24,075 - 42,753)
AR	55-64	1,098	11.7	1.25	(9.3 - 14.2)		41,045	(31,954 - 50,136)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
AR	65+	1,939	9.3	0.81	(7.7 - 10.9)		41,600	(34,259 - 48,941)
CA	18-24	911	7.5	1.05	(5.4 - 9.5)		294,829	(211,376 - 378,282)
CA	25-34	1,860	8.6	0.80	(7.0 - 10.2)		463,200	(375,018 - 551,381)
CA	35-44	2,148	8.1	0.74	(6.7 - 9.6)		419,421	(341,427 - 497,415)
CA	45-54	2,488	9.4	0.76	(7.9 - 10.9)		496,462	(414,057 - 578,867)
CA	55-64	2,808	9.8	0.89	(8.0 - 11.5)		427,292	(346,752 - 507,831)
CA	65+	4,317	9.4	0.65	(8.2 - 10.7)		436,505	(375,365 - 497,646)
CO	18-24	603	13.3	1.61	(10.1 - 16.4)		65,155	(48,559 - 81,751)
CO	25-34	1,223	8.3	0.90	(6.5 - 10.1)		59,848	(46,599 - 73,098)
CO	35-44	1,643	7.4	0.75	(6.0 - 8.9)		51,582	(41,021 - 62,143)
CO	45-54	2,202	8.4	0.70	(7.0 - 9.8)		61,706	(51,307 - 72,105)
CO	55-64	2,846	9.3	0.72	(7.9 - 10.7)		58,932	(49,614 - 68,250)
CO	65+	3,558	8.4	0.60	(7.2 - 9.5)		52,033	(44,500 - 59,567)
CT	18-24	447	11.3	2.04	(7.3 - 15.3)		37,890	(23,636 - 52,145)
CT	25-34	812	10.9	1.51	(7.9 - 13.8)		44,861	(31,862 - 57,860)
CT	35-44	1,179	11.1	1.16	(8.8 - 13.4)		49,569	(38,745 - 60,393)
CT	45-54	1,579	9.5	0.93	(7.7 - 11.3)		52,277	(41,818 - 62,737)
CT	55-64	1,855	9.1	0.82	(7.5 - 10.8)		41,355	(33,788 - 48,923)
CT	65+	2,709	8.6	0.78	(7.0 - 10.1)		46,025	(37,440 - 54,609)
DE	18-24	308	11.9	2.29	(7.3 - 16.4)		10,664	(6,345 - 14,982)
DE	25-34	524	9.5	1.49	(6.5 - 12.4)		10,801	(7,359 - 14,243)
DE	35-44	641	10.0	1.41	(7.3 - 12.8)		11,233	(8,023 - 14,443)
DE	45-54	915	9.5	1.33	(6.8 - 12.1)		12,281	(8,710 - 15,853)
DE	55-64	1,020	11.9	1.36	(9.2 - 14.6)		13,695	(10,440 - 16,950)
DE	65+	1,691	8.1	0.82	(6.4 - 9.7)		11,299	(8,986 - 13,613)
DC	18-24	137	12.2	3.18	(5.9 - 18.5)		9,565	(4,337 - 14,793)
DC	25-34	395	10.9	2.01	(7.0 - 14.9)		14,287	(8,870 - 19,705)
DC	35-44	524	9.6	1.75	(6.2 - 13.1)		8,238	(5,162 - 11,314)
DC	45-54	626	11.4	1.85	(7.8 - 15.0)		8,946	(5,937 - 11,954)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
DC	55-64	785	10.3	1.58	(7.2 - 13.4)		6,670	(4,571 - 8,768)
DC	65+	1,229	7.4	0.93	(5.6 - 9.2)		5,731	(4,289 - 7,172)
FL	18-24	311	9.5	2.13	(5.3 - 13.7)		168,435	(90,328 - 246,542)
FL	25-34	628	8.6	1.61	(5.4 - 11.7)		200,703	(122,993 - 278,413)
FL	35-44	800	6.4	1.18	(4.1 - 8.7)		151,498	(95,320 - 207,676)
FL	45-54	1,103	8.8	1.41	(6.0 - 11.6)		237,345	(158,345 - 316,344)
FL	55-64	1,594	8.7	0.89	(6.9 - 10.4)		207,021	(164,191 - 249,851)
FL	65+	3,058	7.6	0.71	(6.2 - 9.0)		268,712	(218,276 - 319,149)
GA	18-24	307	9.3	1.82	(5.7 - 12.9)		94,020	(56,401 - 131,639)
GA	25-34	572	7.8	1.36	(5.1 - 10.5)		102,144	(65,971 - 138,317)
GA	35-44	740	6.6	1.08	(4.5 - 8.7)		89,580	(60,040 - 119,119)
GA	45-54	1,138	9.0	1.05	(6.9 - 11.1)		125,692	(95,878 - 155,506)
GA	55-64	1,332	9.0	1.01	(7.0 - 10.9)		99,007	(76,306 - 121,709)
GA	65+	1,917	8.0	0.76	(6.5 - 9.5)		92,092	(74,369 - 109,815)
HI	18-24	627	9.0	1.56	(6.0 - 12.1)		11,592	(7,526 - 15,657)
HI	25-34	997	11.9	1.63	(8.7 - 15.1)		21,937	(15,591 - 28,283)
HI	35-44	1,036	8.7	1.16	(6.4 - 10.9)		14,934	(10,905 - 18,963)
HI	45-54	1,242	8.6	1.22	(6.2 - 11.0)		16,182	(11,487 - 20,877)
HI	55-64	1,573	9.3	1.11	(7.1 - 11.5)		16,557	(12,521 - 20,593)
HI	65+	1,997	6.2	0.71	(4.8 - 7.6)		12,962	(10,010 - 15,913)
ID	18-24	224	7.0	2.01	(3.0 - 10.9)		11,193	(4,658 - 17,728)
ID	25-34	438	6.6	1.73	(3.2 - 10.0)		13,564	(6,388 - 20,741)
ID	35-44	660	7.8	1.43	(5.0 - 10.6)		14,990	(9,486 - 20,495)
ID	45-54	962	12.2	1.75	(8.7 - 15.6)		24,305	(16,965 - 31,644)
ID	55-64	1,325	8.1	1.04	(6.1 - 10.2)		14,906	(11,083 - 18,728)
ID	65+	2,171	9.0	1.05	(6.9 - 11.0)		18,862	(14,337 - 23,387)
IL	18-24	285	9.9	2.19	(5.6 - 14.2)		125,254	(67,737 - 182,771)
IL	25-34	524	8.2	1.52	(5.2 - 11.2)		140,112	(86,958 - 193,267)
IL	35-44	671	8.2	1.44	(5.3 - 11.0)		137,745	(87,935 - 187,554)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IL	45-54	958	7.9	1.10	(5.7 - 10.1)		142,828	(102,308 - 183,348)
IL	55-64	1,145	8.7	1.21	(6.4 - 11.1)		135,134	(96,594 - 173,674)
IL	65+	1,958	8.5	0.88	(6.7 - 10.2)		145,346	(114,424 - 176,267)
IN	18-24	520	6.7	1.30	(4.1 - 9.2)		43,851	(26,459 - 61,242)
IN	25-34	891	8.5	1.09	(6.3 - 10.6)		67,807	(49,979 - 85,636)
IN	35-44	1,111	9.6	1.01	(7.7 - 11.6)		78,457	(61,780 - 95,133)
IN	45-54	1,458	9.5	0.89	(7.8 - 11.3)		86,545	(70,173 - 102,917)
IN	55-64	1,792	10.8	0.90	(9.0 - 12.5)		84,262	(69,796 - 98,727)
IN	65+	2,729	8.7	0.74	(7.2 - 10.1)		77,605	(64,030 - 91,179)
IA	18-24	371	10.0	1.89	(6.2 - 13.7)		31,287	(18,921 - 43,652)
IA	25-34	685	7.5	1.17	(5.2 - 9.8)		27,846	(18,982 - 36,709)
IA	35-44	858	7.1	1.03	(5.1 - 9.2)		25,210	(17,772 - 32,648)
IA	45-54	1,198	8.1	0.91	(6.3 - 9.9)		33,598	(25,905 - 41,292)
IA	55-64	1,468	8.2	0.81	(6.6 - 9.8)		31,371	(25,053 - 37,690)
IA	65+	2,488	8.1	0.62	(6.9 - 9.4)		38,914	(32,907 - 44,921)
KS	18-24	579	10.8	1.40	(8.1 - 13.6)		31,892	(23,385 - 40,398)
KS	25-34	1,138	8.8	0.94	(6.9 - 10.6)		32,320	(25,287 - 39,352)
KS	35-44	1,410	8.8	0.89	(7.1 - 10.6)		30,099	(23,948 - 36,249)
KS	45-54	2,035	7.9	0.74	(6.4 - 9.3)		30,237	(24,470 - 36,004)
KS	55-64	2,570	7.3	0.61	(6.1 - 8.5)		25,097	(20,849 - 29,344)
KS	65+	3,940	7.5	0.50	(6.6 - 8.5)		30,164	(26,077 - 34,250)
KY	18-24	512	9.7	1.45	(6.8 - 12.5)		40,729	(28,354 - 53,105)
KY	25-34	974	10.0	1.36	(7.3 - 12.6)		54,560	(39,055 - 70,066)
KY	35-44	1,381	10.9	1.21	(8.5 - 13.3)		61,323	(47,210 - 75,435)
KY	45-54	2,131	11.7	1.01	(9.8 - 13.7)		72,557	(59,718 - 85,397)
KY	55-64	2,631	12.6	1.16	(10.4 - 14.9)		68,895	(55,449 - 82,341)
KY	65+	3,401	11.2	0.84	(9.6 - 12.9)		70,685	(59,772 - 81,598)
LA	18-24	389	8.7	1.61	(5.6 - 11.9)		41,335	(25,943 - 56,727)
LA	25-34	719	5.4	1.19	(3.1 - 7.8)		34,546	(19,276 - 49,816)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
LA	35-44	993	7.0	1.12	(4.8 - 9.2)		39,495	(26,786 - 52,204)
LA	45-54	1,561	6.7	0.87	(5.0 - 8.4)		42,001	(30,994 - 53,008)
LA	55-64	2,105	10.4	1.05	(8.3 - 12.5)		57,884	(45,706 - 70,062)
LA	65+	3,203	6.4	0.66	(5.1 - 7.7)		38,877	(30,759 - 46,995)
ME	18-24	423	13.6	1.84	(10.0 - 17.2)		16,143	(11,562 - 20,725)
ME	25-34	867	11.8	1.34	(9.2 - 14.4)		16,702	(12,727 - 20,678)
ME	35-44	1,221	11.2	1.10	(9.0 - 13.3)		17,472	(13,908 - 21,036)
ME	45-54	1,856	11.1	0.86	(9.4 - 12.7)		22,580	(18,968 - 26,193)
ME	55-64	2,254	11.5	0.79	(10.0 - 13.1)		22,533	(19,343 - 25,723)
ME	65+	3,142	9.1	0.61	(7.9 - 10.3)		20,545	(17,758 - 23,331)
MD	18-24	351	12.8	2.11	(8.6 - 16.9)		70,695	(46,189 - 95,201)
MD	25-34	988	9.2	1.28	(6.7 - 11.7)		70,199	(50,297 - 90,101)
MD	35-44	1,646	9.6	1.06	(7.5 - 11.7)		73,844	(57,199 - 90,489)
MD	45-54	2,566	8.9	0.78	(7.4 - 10.4)		77,050	(63,422 - 90,677)
MD	55-64	2,828	8.2	0.74	(6.8 - 9.6)		59,871	(48,982 - 70,759)
MD	65+	4,183	6.8	0.66	(5.5 - 8.1)		53,234	(42,799 - 63,668)
MA	18-24	1,104	12.7	1.32	(10.1 - 15.3)		86,796	(67,869 - 105,722)
MA	25-34	2,152	12.2	1.04	(10.2 - 14.3)		102,112	(83,837 - 120,387)
MA	35-44	2,889	11.1	0.81	(9.5 - 12.7)		92,268	(78,442 - 106,095)
MA	45-54	4,188	10.4	0.66	(9.1 - 11.7)		102,672	(89,322 - 116,022)
MA	55-64	4,542	11.1	0.72	(9.7 - 12.6)		91,388	(79,101 - 103,675)
MA	65+	6,368	8.4	0.54	(7.3 - 9.4)		81,179	(70,551 - 91,806)
MI	18-24	585	15.0	1.77	(11.5 - 18.4)		147,789	(110,786 - 184,791)
MI	25-34	827	10.0	1.28	(7.5 - 12.5)		114,750	(84,393 - 145,106)
MI	35-44	1,204	9.7	1.05	(7.6 - 11.8)		114,922	(89,416 - 140,429)
MI	45-54	1,817	11.0	0.92	(9.2 - 12.8)		156,546	(129,394 - 183,699)
MI	55-64	2,357	10.1	0.78	(8.5 - 11.6)		129,183	(108,654 - 149,712)
MI	65+	3,526	8.5	0.62	(7.3 - 9.8)		123,547	(105,136 - 141,958)
MN	18-24	671	8.6	1.20	(6.2 - 11.0)		43,564	(31,234 - 55,895)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MN	25-34	1,352	8.3	0.93	(6.5 - 10.1)		58,211	(44,839 - 71,584)
MN	35-44	1,664	8.5	0.85	(6.8 - 10.1)		56,143	(44,579 - 67,707)
MN	45-54	2,331	7.5	0.75	(6.0 - 9.0)		57,906	(46,006 - 69,806)
MN	55-64	2,619	8.7	0.70	(7.4 - 10.1)		58,025	(48,583 - 67,467)
MN	65+	3,410	6.6	0.61	(5.4 - 7.8)		48,187	(39,150 - 57,224)
MS	18-24	340	7.3	1.47	(4.5 - 10.2)		22,888	(13,673 - 32,103)
MS	25-34	659	7.7	1.30	(5.1 - 10.2)		29,135	(19,098 - 39,171)
MS	35-44	797	7.4	1.13	(5.1 - 9.6)		26,714	(18,423 - 35,005)
MS	45-54	1,292	9.2	0.99	(7.2 - 11.1)		35,898	(28,007 - 43,788)
MS	55-64	1,760	10.4	1.01	(8.4 - 12.4)		36,568	(29,224 - 43,911)
MS	65+	2,832	7.0	0.56	(5.9 - 8.2)		28,685	(24,091 - 33,279)
MO	18-24	335	11.0	1.93	(7.3 - 14.8)		66,452	(42,700 - 90,204)
MO	25-34	611	10.7	1.50	(7.8 - 13.6)		81,470	(57,921 - 105,018)
MO	35-44	734	9.5	1.50	(6.6 - 12.5)		69,847	(47,168 - 92,526)
MO	45-54	1,125	11.5	1.18	(9.2 - 13.9)		96,443	(76,340 - 116,545)
MO	55-64	1,433	11.1	1.20	(8.7 - 13.4)		81,794	(63,499 - 100,088)
MO	65+	2,405	8.9	0.89	(7.1 - 10.6)		79,005	(62,904 - 95,107)
MT	18-24	456	12.7	1.89	(9.0 - 16.4)		12,202	(8,373 - 16,030)
MT	25-34	943	8.4	1.11	(6.2 - 10.6)		10,338	(7,551 - 13,125)
MT	35-44	946	9.7	1.22	(7.3 - 12.0)		10,778	(7,975 - 13,582)
MT	45-54	1,489	9.7	1.00	(7.8 - 11.7)		13,384	(10,560 - 16,208)
MT	55-64	1,934	8.6	0.82	(7.0 - 10.2)		12,451	(10,058 - 14,845)
MT	65+	2,808	8.9	0.69	(7.5 - 10.2)		14,017	(11,812 - 16,221)
NE	18-24	1,004	8.5	1.01	(6.6 - 10.5)		15,620	(11,869 - 19,371)
NE	25-34	1,883	7.3	0.72	(5.9 - 8.8)		17,736	(14,223 - 21,250)
NE	35-44	2,188	8.4	0.75	(7.0 - 9.9)		18,457	(15,132 - 21,783)
NE	45-54	3,181	6.7	0.58	(5.6 - 7.9)		16,478	(13,612 - 19,345)
NE	55-64	4,013	7.2	0.54	(6.2 - 8.3)		16,083	(13,656 - 18,509)
NE	65+	6,684	6.6	0.43	(5.8 - 7.5)		17,455	(15,169 - 19,740)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NV	18-24	270	7.5	1.58	(4.4 - 10.6)		18,614	(10,708 - 26,520)
NV	25-34	529	6.8	1.31	(4.2 - 9.3)		25,517	(15,532 - 35,501)
NV	35-44	607	5.5	1.09	(3.3 - 7.6)		20,115	(12,123 - 28,108)
NV	45-54	776	7.3	1.17	(5.0 - 9.6)		27,136	(18,431 - 35,841)
NV	55-64	989	9.5	1.70	(6.2 - 12.8)		29,525	(18,553 - 40,498)
NV	65+	1,558	8.4	1.07	(6.3 - 10.5)		30,115	(22,348 - 37,881)
NH	18-24	246	14.0	2.55	(9.0 - 19.0)		17,697	(10,891 - 24,503)
NH	25-34	530	12.3	1.96	(8.5 - 16.2)		17,632	(11,709 - 23,555)
NH	35-44	862	9.9	1.21	(7.6 - 12.3)		16,064	(12,075 - 20,052)
NH	45-54	1,392	9.3	0.94	(7.4 - 11.1)		20,024	(15,888 - 24,160)
NH	55-64	1,733	9.8	0.90	(8.0 - 11.5)		17,786	(14,410 - 21,163)
NH	65+	2,618	8.0	0.69	(6.7 - 9.4)		15,560	(12,833 - 18,286)
NJ	18-24	736	13.1	1.72	(9.8 - 16.5)		103,248	(74,494 - 132,001)
NJ	25-34	1,694	8.1	0.89	(6.4 - 9.9)		87,752	(68,281 - 107,222)
NJ	35-44	2,322	8.3	0.79	(6.8 - 9.8)		95,999	(77,421 - 114,578)
NJ	45-54	3,051	8.2	0.65	(6.9 - 9.4)		108,174	(90,711 - 125,637)
NJ	55-64	3,198	8.7	0.69	(7.3 - 10.0)		93,560	(78,552 - 108,568)
NJ	65+	4,441	7.2	0.53	(6.1 - 8.2)		90,763	(77,299 - 104,227)
NM	18-24	564	8.8	1.35	(6.1 - 11.4)		17,891	(12,286 - 23,495)
NM	25-34	958	7.5	0.88	(5.7 - 9.2)		20,277	(15,466 - 25,088)
NM	35-44	1,082	9.0	1.10	(6.9 - 11.2)		22,257	(16,708 - 27,806)
NM	45-54	1,530	9.2	0.82	(7.6 - 10.8)		25,576	(20,975 - 30,177)
NM	55-64	1,909	10.5	0.85	(8.8 - 12.1)		27,487	(22,931 - 32,043)
NM	65+	2,596	10.1	0.71	(8.7 - 11.5)		29,821	(25,533 - 34,109)
NY	18-24	416	12.0	2.03	(8.1 - 16.0)		228,240	(148,010 - 308,470)
NY	25-34	756	7.6	1.13	(5.4 - 9.8)		200,813	(141,148 - 260,478)
NY	35-44	787	7.6	1.05	(5.6 - 9.7)		189,537	(137,482 - 241,593)
NY	45-54	1,098	9.9	1.22	(7.5 - 12.3)		270,994	(202,019 - 339,969)
NY	55-64	1,151	9.5	1.03	(7.5 - 11.5)		222,483	(174,677 - 270,290)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NY	65+	1,706	10.0	1.26	(7.5 - 12.5)		277,168	(204,486 - 349,850)
NC	18-24	677	9.1	1.45	(6.2 - 11.9)		87,079	(58,231 - 115,928)
NC	25-34	1,344	6.0	0.78	(4.5 - 7.5)		74,161	(54,812 - 93,509)
NC	35-44	1,623	8.5	0.88	(6.8 - 10.2)		110,322	(86,891 - 133,754)
NC	45-54	2,045	8.6	0.83	(7.0 - 10.2)		116,992	(93,771 - 140,214)
NC	55-64	2,358	8.0	0.64	(6.7 - 9.3)		93,533	(78,382 - 108,683)
NC	65+	3,648	6.2	0.48	(5.3 - 7.1)		83,790	(70,872 - 96,707)
ND	18-24	252	9.8	2.03	(5.8 - 13.8)		7,877	(4,521 - 11,232)
ND	25-34	516	7.4	1.42	(4.6 - 10.2)		6,889	(4,215 - 9,564)
ND	35-44	548	8.3	1.51	(5.3 - 11.3)		6,393	(4,012 - 8,775)
ND	45-54	858	5.5	0.87	(3.8 - 7.2)		5,010	(3,432 - 6,589)
ND	55-64	1,058	7.1	1.02	(5.1 - 9.1)		6,160	(4,348 - 7,973)
ND	65+	1,576	8.0	0.89	(6.3 - 9.7)		8,412	(6,511 - 10,312)
OH	18-24	615	14.3	1.54	(11.3 - 17.4)		159,853	(124,100 - 195,606)
OH	25-34	1,193	9.2	1.04	(7.1 - 11.2)		127,731	(98,101 - 157,361)
OH	35-44	1,578	11.6	1.08	(9.4 - 13.7)		163,673	(131,797 - 195,549)
OH	45-54	2,346	9.8	0.79	(8.3 - 11.4)		161,526	(135,037 - 188,015)
OH	55-64	3,060	10.9	0.82	(9.3 - 12.5)		160,329	(135,266 - 185,391)
OH	65+	4,062	8.2	0.58	(7.1 - 9.4)		142,168	(121,926 - 162,410)
OK	18-24	391	9.0	1.71	(5.6 - 12.4)		34,615	(21,071 - 48,159)
OK	25-34	923	11.4	1.17	(9.1 - 13.7)		57,889	(45,651 - 70,128)
OK	35-44	977	9.7	1.01	(7.7 - 11.6)		44,839	(35,305 - 54,374)
OK	45-54	1,308	10.1	0.90	(8.3 - 11.8)		50,741	(41,540 - 59,941)
OK	55-64	1,750	11.2	0.91	(9.4 - 13.0)		51,449	(42,782 - 60,115)
OK	65+	2,600	9.6	0.75	(8.1 - 11.1)		52,458	(44,033 - 60,882)
OR	18-24	248	13.1	2.39	(8.4 - 17.8)		47,238	(29,198 - 65,278)
OR	25-34	491	13.2	1.82	(9.6 - 16.8)		67,824	(48,241 - 87,408)
OR	35-44	574	7.7	1.22	(5.3 - 10.1)		37,913	(25,863 - 49,962)
OR	45-54	807	10.8	1.37	(8.1 - 13.5)		55,986	(41,290 - 70,682)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OR	55-64	1,231	11.0	1.12	(8.8 - 13.2)		55,928	(44,157 - 67,699)
OR	65+	1,827	9.1	0.78	(7.5 - 10.6)		52,763	(43,583 - 61,943)
PA	18-24	1,045	12.7	1.56	(9.6 - 15.8)		162,443	(119,852 - 205,034)
PA	25-34	1,872	10.6	0.99	(8.7 - 12.5)		160,070	(129,155 - 190,984)
PA	35-44	2,328	10.7	0.95	(8.8 - 12.5)		161,508	(131,550 - 191,467)
PA	45-54	3,521	9.9	0.72	(8.5 - 11.3)		181,418	(154,541 - 208,294)
PA	55-64	4,222	10.0	0.66	(8.7 - 11.3)		165,349	(143,017 - 187,681)
PA	65+	6,586	8.0	0.49	(7.0 - 9.0)		166,069	(145,375 - 186,763)
RI	18-24	249	9.9	2.48	(5.0 - 14.8)		11,444	(5,441 - 17,447)
RI	25-34	516	12.9	1.70	(9.6 - 16.3)		16,631	(12,142 - 21,120)
RI	35-44	728	10.7	1.41	(7.9 - 13.4)		13,570	(9,855 - 17,286)
RI	45-54	1,015	11.3	1.15	(9.0 - 13.5)		17,374	(13,765 - 20,983)
RI	55-64	1,190	10.1	1.04	(8.1 - 12.2)		13,376	(10,573 - 16,180)
RI	65+	1,679	10.1	0.88	(8.4 - 11.8)		16,126	(13,259 - 18,993)
SC	18-24	627	10.1	1.53	(7.1 - 13.1)		48,026	(32,951 - 63,100)
SC	25-34	1,183	7.9	0.95	(6.1 - 9.8)		47,396	(35,936 - 58,856)
SC	35-44	1,466	8.2	0.97	(6.2 - 10.1)		47,587	(35,951 - 59,223)
SC	45-54	2,086	9.7	0.95	(7.9 - 11.6)		62,670	(49,973 - 75,368)
SC	55-64	2,822	9.3	0.82	(7.7 - 10.9)		54,476	(44,647 - 64,304)
SC	65+	4,407	7.5	0.57	(6.3 - 8.6)		51,910	(43,996 - 59,823)
SD	18-24	506	12.0	2.01	(8.0 - 16.0)		9,968	(6,410 - 13,525)
SD	25-34	974	6.3	0.89	(4.5 - 8.0)		6,560	(4,709 - 8,411)
SD	35-44	948	5.9	0.97	(4.0 - 7.8)		5,563	(3,739 - 7,386)
SD	45-54	1,336	5.1	0.75	(3.6 - 6.5)		5,565	(3,938 - 7,192)
SD	55-64	1,651	9.7	1.37	(7.0 - 12.4)		10,000	(7,078 - 12,922)
SD	65+	2,362	7.0	0.90	(5.3 - 8.8)		8,752	(6,502 - 11,002)
TN	18-24	298	7.8	2.17	(3.5 - 12.0)		47,750	(20,139 - 75,360)
TN	25-34	641	6.8	1.24	(4.4 - 9.3)		56,036	(35,309 - 76,763)
TN	35-44	806	7.0	1.04	(5.0 - 9.1)		57,175	(40,173 - 74,177)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
TN	45-54	1,262	8.4	0.99	(6.5 - 10.3)		76,047	(57,865 - 94,229)
TN	55-64	1,592	8.5	0.90	(6.8 - 10.3)		69,010	(54,257 - 83,764)
TN	65+	2,360	7.8	0.84	(6.1 - 9.4)		72,603	(56,519 - 88,687)
TX	18-24	592	5.4	1.10	(3.2 - 7.5)		142,276	(83,476 - 201,075)
TX	25-34	1,094	7.0	1.04	(4.9 - 9.0)		252,875	(175,715 - 330,035)
TX	35-44	1,330	5.8	0.80	(4.3 - 7.4)		203,739	(147,519 - 259,959)
TX	45-54	1,475	6.3	0.77	(4.8 - 7.8)		219,388	(166,220 - 272,555)
TX	55-64	1,818	9.7	1.14	(7.4 - 11.9)		270,974	(204,663 - 337,284)
TX	65+	2,688	7.4	0.68	(6.1 - 8.7)		214,660	(174,696 - 254,625)
UT	18-24	845	10.2	1.15	(7.9 - 12.4)		32,794	(25,203 - 40,386)
UT	25-34	1,698	7.2	0.72	(5.8 - 8.7)		32,120	(25,710 - 38,531)
UT	35-44	2,026	8.7	0.81	(7.1 - 10.3)		31,192	(25,259 - 37,124)
UT	45-54	2,060	9.9	0.79	(8.3 - 11.4)		29,965	(25,095 - 34,835)
UT	55-64	2,282	9.8	0.77	(8.3 - 11.3)		24,894	(20,886 - 28,902)
UT	65+	3,349	8.5	0.59	(7.3 - 9.6)		23,044	(19,760 - 26,328)
VT	18-24	276	14.5	2.41	(9.7 - 19.2)		9,465	(6,135 - 12,794)
VT	25-34	481	11.2	1.69	(7.9 - 14.5)		7,704	(5,296 - 10,112)
VT	35-44	709	13.5	1.60	(10.3 - 16.6)		9,866	(7,382 - 12,349)
VT	45-54	1,105	9.9	1.11	(7.8 - 12.1)		9,530	(7,343 - 11,716)
VT	55-64	1,426	10.2	0.97	(8.3 - 12.1)		9,489	(7,635 - 11,342)
VT	65+	1,981	8.2	0.76	(6.7 - 9.6)		8,028	(6,500 - 9,556)
VA	18-24	340	7.4	1.50	(4.5 - 10.4)		60,998	(36,106 - 85,890)
VA	25-34	775	9.0	1.24	(6.6 - 11.5)		97,137	(69,783 - 124,491)
VA	35-44	999	6.9	0.96	(5.0 - 8.8)		73,828	(52,929 - 94,728)
VA	45-54	1,351	9.6	1.09	(7.5 - 11.8)		114,797	(87,691 - 141,903)
VA	55-64	1,553	11.4	0.97	(9.5 - 13.3)		112,078	(92,237 - 131,919)
VA	65+	2,233	8.0	0.71	(6.6 - 9.4)		85,789	(70,192 - 101,386)
WA	18-24	758	9.7	1.20	(7.4 - 12.1)		63,886	(47,788 - 79,984)
WA	25-34	1,356	9.0	0.94	(7.2 - 10.9)		83,069	(65,256 - 100,882)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WA	35-44	1,897	9.5	0.81	(7.9 - 11.1)		86,121	(71,202 - 101,040)
WA	45-54	2,592	9.7	0.70	(8.3 - 11.0)		93,034	(79,397 - 106,671)
WA	55-64	3,470	10.6	0.66	(9.3 - 11.9)		92,576	(80,764 - 104,389)
WA	65+	4,932	9.6	0.54	(8.6 - 10.7)		88,925	(78,774 - 99,075)
WV	18-24	298	9.2	2.01	(5.3 - 13.2)		15,928	(8,723 - 23,134)
WV	25-34	486	11.4	1.58	(8.3 - 14.5)		24,115	(17,228 - 31,001)
WV	35-44	685	10.3	1.23	(7.9 - 12.7)		23,515	(17,760 - 29,270)
WV	45-54	891	10.5	1.18	(8.2 - 12.8)		27,274	(20,910 - 33,638)
WV	55-64	1,295	9.8	0.94	(8.0 - 11.7)		26,120	(20,996 - 31,243)
WV	65+	1,697	10.1	0.86	(8.4 - 11.8)		32,149	(26,529 - 37,769)
WI	18-24	260	8.1	2.00	(4.2 - 12.1)		45,244	(22,489 - 67,998)
WI	25-34	520	8.7	1.51	(5.7 - 11.6)		61,950	(40,019 - 83,882)
WI	35-44	632	9.4	1.72	(6.0 - 12.8)		66,369	(41,275 - 91,464)
WI	45-54	998	7.3	1.06	(5.3 - 9.4)		61,116	(43,419 - 78,814)
WI	55-64	1,202	10.4	1.57	(7.3 - 13.5)		76,706	(52,500 - 100,913)
WI	65+	1,642	7.6	1.09	(5.5 - 9.8)		63,418	(45,028 - 81,809)
WY	18-24	215	9.1	2.26	(4.6 - 13.5)		5,191	(2,532 - 7,851)
WY	25-34	487	10.5	1.85	(6.9 - 14.1)		8,011	(5,118 - 10,904)
WY	35-44	567	8.0	1.55	(4.9 - 11.0)		5,393	(3,266 - 7,520)
WY	45-54	982	8.9	1.30	(6.3 - 11.4)		6,772	(4,741 - 8,803)
WY	55-64	1,500	8.4	1.09	(6.3 - 10.6)		6,288	(4,618 - 7,958)
WY	65+	2,398	9.2	0.91	(7.5 - 11.0)		7,136	(5,688 - 8,584)
Territories								
GU	18-24	266	4.6	1.75	(1.1 - 8.0)		831	(189 - 1,472)
GU	25-34	413	6.0	1.86	(2.4 - 9.7)		1,268	(474 - 2,062)
GU	35-44	436	2.9	0.99	(1.0 - 4.9)		656	(219 - 1,093)
GU	45-54	372	6.7	1.55	(3.6 - 9.7)		1,331	(707 - 1,955)
GU	55-64	295	6.2	1.40	(3.5 - 9.0)		875	(485 - 1,266)
GU	65+	220	11.3	4.05	(3.3 - 19.3)		1,197	(267 - 2,127)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory, BRFSS 2012**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
PR	18-24	567	10.1	1.47	(7.2 - 13.0)		38,463	(26,749 - 50,176)
PR	25-34	825	9.8	1.14	(7.6 - 12.1)		48,758	(37,152 - 60,363)
PR	35-44	904	7.2	0.91	(5.4 - 9.0)		34,250	(25,519 - 42,980)
PR	45-54	1,015	9.3	1.19	(6.9 - 11.6)		44,922	(32,916 - 56,929)
PR	55-64	1,103	10.5	1.00	(8.5 - 12.5)		45,140	(36,353 - 53,928)
PR	65+	1,860	6.9	0.69	(5.5 - 8.2)		36,554	(29,208 - 43,900)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.