

Keysight Technologies

Paving the Way for
Research and Innovation



Table of Contents



Introduction	3
Materials Measurement.....	4
Device Characterization in Terahertz.....	5
Millimeter-wave Measurements	6
RF and Communications	8
Nanotechnology	11
Energy Research.....	13
Digital and Photonic.....	15
Non-linear Waveform Measurements	16
Modular Solutions	17
Design, Simulation and Analysis Software	18
Resources, Partnerships and Collaboration	19
For Further Information	20

Introduction

Research often goes beyond scientific discovery to become the discovery of new sciences. As you develop hypotheses, new theorems and theories to expand the world's knowledge, confidence in measurements is paramount. In research laboratories around the world, Keysight Technologies, Inc. instrumentation and partnership has become an integral part of advanced experimental systems.

By offering solutions and services for leading-edge electronic design and test, Keysight works in close collaboration with engineers, scientists, and researchers around the globe to meet the communications, electronics, life sciences, material sciences and chemical analysis challenges of today and tomorrow. Keysight is committed to providing innovative measurement solutions that enable our customers and partners deliver products and services that make a measurable difference in the lives of people everywhere.

This brochure highlights key research areas such as: materials measurement, device characterization, millimeter-wave, nanotechnology, RF and communications, digital and photonic and renewable energy, as well as the solutions that can help you meet your research and development objectives. Keysight offers a full breath of electronic design and test solutions for both teaching and research labs.



Materials Measurement

University of Washington's Applied Physics Laboratory and Center for Process Analytical Chemistry are working on new sensors to monitor carbon nano-tube sonication. Utilizing Keysight's PNA Series network analyzer and the 85070E dielectric probe kit for complex permittivity measurements, researchers have developed a principal component analysis to categorize single- and double-walled carbon nano-tubes in a solution.

From meta-materials to dielectric substrates, microwave food products to bio-fuels, accurate characterization of electromagnetic properties at RF, microwave and mm-wave frequencies provide scientists with critical information needed for material and circuit design, modeling, research, manufacturing and quality control. Keysight offers a wide variety of instruments and fixtures to meet the most demanding needs.


E4990A Precision Impedance Analyzer, 20 Hz to 120 MHz

This is an integrated solution for the measurement and analysis of components and circuits as well as dielectric, magnetic and semiconductor materials. Its equivalent circuit function automatically extracts a circuit model from measured data, letting you analyze the characteristics of your device or material. Additional test fixtures allows for dielectric constant and impedance measurements of liquids.



E4991B Impedance/Material Analyzer, 1 MHz to 3 GHz

This instrument offers ultimate impedance measurement performance and powerful built in analysis function. The optional 16453A dielectric material test fixture enables measurements of dielectric constant and loss tangent of solid materials, while the 16454A magnetic material test fixture offers accurate permeability measurements of toroidal – shaped magnetic materials.



ENA, PNA-L, PNA and PNA-X Series Network Analyzers

From 5 Hz to 1.5 THz, choose from a growing selection of RF and Microwave network analyzers with the appropriate accessories for your materials measurement needs. Further analysis can be done by adding the N1501A dielectric probe kit to measure complex permittivity of liquids, conformable solids, or smooth flat hard solids. High temperature, slim form and performance probes are available, and waveguide, free space and NRL arch methods are supported. Add the N1500A material measurement suite with appropriate sample holders and test fixtures to measure electromagnetic properties of dielectric and magnetic materials over a broad frequency range.



Device Characterization in TeraHertz

Interest in terahertz is accelerating since many materials exhibit unique terahertz frequency-range properties that provide high contrast for imaging and spectroscopic materials identification. There also is a need for measurement equipment to be expanded into the terahertz region not only to support these applications but also to measure devices that, due to Moore's law, are rapidly pushing up toward 1 THz and beyond. From detecting cancer tumors to inspecting semiconductors, terahertz measurements are gradually increasing.

For many years, the University of Leeds Photonics Laboratory has performed some of the world's best research in terahertz. In the past five years its program has expanded to include involvement with most aspects of the terahertz research going on around the world. As a leading provider of microwave, millimeter wave and IR/optical measurement equipment, Keysight Technologies is supporting some of this research with an eye toward expanding our measurement coverage into this area – and exploring new possibilities in measurement, imaging and spectroscopy.


Directly Connected PNA-X-based Solutions

These solutions connect directly to the front panel of a dual source PNA-X network analyzer and do not require a millimeter-wave test set controller. This configuration with allows full S-Parameter measurements up to 1.5 THz, and is a fully integrated solution that provides stable and repeatable measurements in the THz frequencies using a PNA-X.

The Key features of this solution are:

- Does not require a test set controller
- Supports full S-parameter measurements within a waveguide band with a dual source PNA-X network analyzer with either 2- or 4-ports
- Uses external power supplies that come with the recommended frequency extenders from Virginia Diodes Inc
- Frequency offset mode of the PNA-X is utilized to drive the frequency extenders
- Currently support power calibration and power sweep with all of Keysight's recommended frequency extenders
- Allows use of a higher IF frequency for the test and reference signals and can be driven with either a 26.5, 44, 50 or 67 GHz PNA-X network analyzer
- A downloadable macro is available from Keysight that simplifies the setup of the frequency offset mode

Refer to *Banded Millimeter Wave Network Analysis - Technical Overview (5992-2177EN)* for more details.



Millimeter-wave Measurements

Keysight Technologies and the University of Texas at Dallas established a leading millimeter-wave and sub-millimeter-wave electronics characterization facility at the Texas Analog Center of Excellence (TxACE). The facility will be available to industrial and government institutions using an open, collaborative framework. "With a facility of this type in a university environment, critical barriers will be removed for research in this challenging measurement area." Ken O - Director of TxACE and holder of the Texas Instruments Distinguished Chair at UT Dallas.

Millimeter-wave is becoming more common as measurement needs are pushed beyond 110 GHz, to 220 GHz, 325 GHz, and even 1 THz. Applications include on-wafer device characterizations as well as various types of materials measurements. High performance equipment is the essential part for all R&D activity in millimeter wave industry. Keysight provides the following test instruments needed for your millimeter wave labs.

N5290/91A Single-Sweep Millimeter-Wave Solutions

N5290A/91A is single-sweep millimeter-wave solution based on PNA and PNA-X vector network analyzers. This operates from 900 Hz to 110 GHz (N5290A), or up to 120 GHz with over-range capability to 125 GHz (N5291A). The N5290/91A solutions come fully configured around the PNA/PNA-X network analyzers, and include a millimeter-wave test set controller (N5292A), Keysight designed frequency-extender modules (N5293/95AXxx), and the necessary cables to allow users to make either 2- or 4-port measurements over the entire frequency range. The broadband N5290/91A millimeter-wave solutions provide high-performance measurement capability complimented by measurement applications from the PNA/PNA-X that include pulsed-RF, gain compression, 4-port true-differential, scalar mixer/converter measurements, and spectrum analysis.



Key features

- Provides 2- and 4-port S-Parameter and other measurements from 900 Hz to 110 GHz (N5290A) or 120 GHz (N5291A) in a single sweep.
- Accurate and Traceable measurement from 900 Hz to 120 GHz with rugged 1 mm connectors.
- Available various software application for detail analysis

N5292A Millimeter-Wave Test Set Controller for PNA/PNA-X

The N5292A millimeter-wave controller provides 2- or 4- port interface capability to the millimeter-wave frequency extender modules and with a PNA or PNA-X Series B model network analyzers.

- 2- or 4-ports (N5292A-200 or 400)
- Both Keysight designed frequency extenders (N5293/95AXxx) and OML/VDI head modules can be connected.
- Accurate and stable measurements with dedicated Interface connectors and cables to the frequency extenders
- Available adapter kits for existing OML/VDI frequency extender modules (required power supplies for extenders)



X-Series Signal Analyzers (UXA, PXA, MXA, EXA)

The UXA, PXA, MXA and EXA signal analyzers characterize challenging millimeter-wave signals like 5G, 802.11, satellite and radar. Perform most operations in two steps or less using the streamlined, multi-touch user interface. Wide-open performance, flexibility, capability and expandability help you address the most demanding applications in research, communications and more.



Microwave Analog and Vector Signal Generators

Keysight offers a broad selection of microwave signal generators with basic to advanced functionality, each delivering benchmark performance in its class. Vector models offer modulation bandwidths > 2 GHz.

- PSG models offer metrology-grade performance to 67 GHz, with frequency extenders to 1.1 THz
- MXG and EXG X-Series microwave models offer attractive size, speed and cost alternatives with frequency ranges to 40 GHz



Frequency Extension Source Modules

Millimeter wave sources are essential instruments for developing almost all millimeter wave systems and for extending the range of microwave systems. The E8257DSxx and DVxx series of external, high power, frequency banded mm-wave source modules, when paired with the high performance PSG, provide synthesized frequency performance, mm-wave test signals for waveguide bands from 50 to 1.1 THz.




RF and Communications

Enabling the development of devices and networks is the creation of new wireless communication standards and waves of continuous improvement to existing standards. As such, Keysight actively participates in the development of test processes and measurement methods in many of the wireless connectivity standards. We are determined never to let test equipment needs stand in your way of developing innovative products and technology for evolving wireless standards.


X-Series measurement applications

- Library of more than 27 measurement applications; transportable between X-Series signal analyzers
- Provide traditional or multi-touch GUI measurement applications on N90x0A or N90x0B Series signal analyzers
- Install during instrument purchase or as an upgrade to existing instruments
- Run applications such as 89600 VSA software and MATLAB for more detailed analysis



Signal Studio software with vector signal generators

- Create Keysight-validated and performance-optimized reference signals
- Configure signals in an easy-to-use, application-specific graphical interface
- Over 23 applications offer broad coverage
- Scale the capability and performance to meet your specific test needs




89600 VSA and WLA software

- Verify signal performance quickly with multiple simultaneous views in time, frequency and modulation domains
- Pinpoint answers to signal problems with advanced troubleshooting tools including trace-to-trace coupling, triggering, and record and playback
- Accelerate development with consistent measurements at any stage of design – from baseband to RF and millimeter wave, from simulation to design validation
- Supports more than 75 signal standards and modulation types
- Wireless Link Analysis constructs dynamic bidirectional decodes of MAC and PHY layer messaging for insight and troubleshooting with LTE FDD


Electronic Design Automation (EDA) software

- Advanced Design System (ADS) is the industry's leading RF, microwave and high speed digital electronic design automation software with integrated MoM-, FEM- and FDTD-based EM simulation
- SystemVue enables system architects and algorithm developers to innovate the physical layer (PHY) of next-generation communications systems
- Keysight's Device Modeling tools provide complete end-to-end modeling solutions, from automated measurements, accurate device model extraction, comprehensive qualification to final process design kit (PDK) validation



Signal Optimizer Software

- Make complicated 5G wideband application system calibrations at RF and microwave simpler than ever with step-by-step guided calibration
- Establish reference calibration planes at the DUT connection input and output using Keysight U9391 comb generator and Signal Optimizer software
- Create and analyze digital/custom IQ modulated waveforms and 5G candidate modulation on OFDM with proven IP from Keysight Signal Studio and 89600 VSA software




Spectrum and signal analyzers

- Design, test and deliver your next breakthrough up to 110 GHz.
- Deliver better answers faster with consistent results using the streamlined, multi-touch user interface.
- Achieve spurious-free dynamic range >75 dBc across 500 MHz bandwidth
- Evolve as technology changes with easily upgradeable instruments
- Basic spectrum analyzers (N9322C and N9320B)
 - General-purpose spectrum analysis for R&D, universities and polytechnic education to address primary frequency domain measurement needs
 - Easy-to-use one-button PowerSuite measurements
- Modular PXIe VSA (M9391A) provides multi-channel design validation for 802.11ac and LTE based on Keysight's 89600 VSA software.
- Modular VXT PXIe vector transceiver (M9421A) provides rapid solution for test of wireless components, power amplifiers, and RF front-end modules



High performance Infiniium Oscilloscopes – S, V and Z-Series

- Capture wide bandwidth of WiMAX with 63 GHz of available bandwidth
- Capture MIMO signals with up to four channel inputs
- Use built in FFT capability to seamlessly tie frequency and time domains together
- Superior dynamic range, up to 2 Gpts memory and microwave probe amplifiers for scientific applications





Network analyzers – ENA or PNA-X Series

- Perform comprehensive network analysis for WiMAX component needs
- Integrate measurements for active devices with minimum iterations
- Attain accurate measurements with fast sweep speeds, wide dynamic range and low trace noise



Signal generators (signal sources)

- Widest selection of baseband, RF and microwave models with basic to advanced functionality, from baseband to 67 GHz
- PSG Series offer the lowest phase noise and highest bandwidth
- MXG and EXG X-Series offer best-in-class performance and low cost of ownership
- Generate LTE, 802.11ac, GNSS signals and more
- Modular PXIe VSG (M9381A) provides multi-channel design validation for 802.11ac and LTE supported by Keysight's Signal Studio software.



FieldFox Handheld RF and Microwave Analyzers

- Ten-instruments-in-one to save you money
- Easy to share and carry from class to lab
- Save time with ready-made lesson plans and teaching aids
- Carry precision with you

Nanotechnology

When your next discovery is within reach, getting there first – and getting a glimpse of what others haven't seen – depends on accurate, efficient nanotech measurement tools. Keysight's nanotech portfolio lets you image, manipulate and characterize a wide variety of nano-scale behaviors – electrical, chemical, biological, molecular, atomic and more. Our growing collection of instruments, accessories, software, services and consumables can reveal the clues you need to understand the nanoscale world.

8500B Field Emission Scanning Electron Microscope (FE-SEM) with EDS

The Keysight 8500B is a compact field-emission scanning electron microscope (FE-SEM) researchers can utilize right in their own laboratory. This innovative system is optimized for low-voltage imaging and extremely high surface contrast and resolution, and offers integrated energy dispersive spectroscopy (EDS). Variable low voltage greatly reduces charging and the need for sample coating, making the 8500B excellent for a broad range of application such as polymers, biological samples, semiconductor devices and more.

With a footprint of only 581 by 670 millimeters, the 8500B FE-SEM is easy to install and use and no dedicated facilities are required.



G200 Nano-Indenter

The G200 is the world's most accurate, flexible, and user-friendly instrument for nanoscale mechanical testing. Electromagnetic actuation allows the G200 to achieve unparalleled dynamic range in force and displacement. Furthermore, Keysight's innovative Express Test option, an award-winning technology that allows up to 100 indents to be performed at 100 different surface sites in 100 seconds, makes the G200 the world's fastest means of performing instrumented indentation for mechanical-properties mapping at the nanoscale. Applications include semiconductor, thin films, MEMS, hard coatings, ceramics, metals, bio materials and polymers.



The Blackett Laboratory, Department of Physics, Imperial College London utilizes the Keysight AFM to facilitate research into organic and hybrid semiconductor systems and opto-electronics devices. "We are very excited about the possibilities that the Keysight AFM system will enable, especially in our research for novel high-performance semiconducting materials and devices," said Dr. Thomas Anthopoulos, a reader in Experimental Solid-State Physics. "The high-spatial-resolution Kelvin force microscopy and current sensing capabilities of the system combined with its excellent environmental control will allow study of the electronic and structural properties of these novel material systems and devices down to nanometer scale."



9500 Atomic Force Microscope

The 9500 AFM seamlessly integrates revolutionary new software, a new high-bandwidth digital controller, and a state-of-the-art mechanical design to provide unrivaled scan rates (up to two seconds per frame) and truly astonishing ease of use. In addition to completely redefining the user experience for atomic force microscopes, this intelligently conceived system delivers the superior performance and flexible functionality. The new NanoNavigator software, whose workflow-based graphical user interface (GUI) makes the system noticeably ease to use. The software's Auto Drive feature, for example, automatically and optimally sets all parameters within seconds. The 9500 performs all modes including the new Quick sense that enables quantitative mapping of nanomechanical properties. application include materials sciences, life sciences, electrical characterization and more.



81150A and 81160A Pulse Function Arbitrary Noise Generators

Accurate and repeatable measurements, small voltages for fully characterizing nanotech materials and devices. The combination of pulse and function arbitrary generator allows special stress tests like pulse width modulation. The modulation of the duty cycle allows for control of the amount of power, which is critical for this type of device. Short pulses and bursts of pulses avoid heat generation, and short pulse width avoids leakage through gate oxide.



B1500A Semiconductor Device Analyzer

Provides accurate, flexible current-voltage (IV) and capacitance-voltage (CV) measurements of devices such as carbon nano-tube transistors and single electron transistors. Its task-oriented interface lets you make a few quick selections regarding the device – and it then chooses the appropriate settings, makes measurements, analyzes the data and displays the results.

Energy Research

Keysight offers tools to easily characterize new emerging high-power semi-conductors and a wide variety of power, measurement, and switching products – ideal building blocks to characterize electrical properties of solar cells, modules, arrays and new battery technology. Tools that help decrease your test costs, without sacrificing performance, and increase test flexibility in your rapidly changing test environments.



B1505A Power Device Analyzer/Curve Tracer

The B1505A power device analyzer/curve tracer is an all-in-one solution with next-generation curve tracer functionality that can accurately evaluate and characterize power devices at up to 10 kV and 1500 amps. The B1505A is capable of handling all types of power device evaluation, with features that include a wide voltage and current range, fast pulsing capability (10 microseconds), micro-Ohm level on-resistance measurement resolution and sub-pA level current measurement capability. In addition, an oscilloscope view permits visual verification of both current and voltage pulsed waveforms right on the front panel of the B1505A.

When testing DUTs used in power storage applications, such as battery packs, battery management systems, bi-directional, and satellite power conditioning units, you ideally need test hardware that can provide continuous current sourcing and loading. Keysight's Advance Power System offers full two-quadrant glitch-free operation.

N6900A & N7900A 1000W & 2000W APS DC Power Supplies

The Advanced Power System (APS) family consists of 1 kW and 2 kW single output DC power supplies that deliver a new level in power supply performance enabled by Keysight's exclusive VersaPower architecture. The APS family was designed to help you overcome your toughest power test challenges by delivering industry-leading specifications and innovative features in an integrated solution. VersaPower architecture is designed to accurately capture current profiles, increase measurement speed and reduce development time with integrated features. Keysight's 14585A software now supports the N6900 & N7900 series.



N8900A 5, 10, and 15 kW Autoranging DC Power Supplies

The Keysight N8900 Series provides 5 kW, 10 kW, and 15 kW autoranging, single-output programmable DC power for high power applications that require just the right amount of performance at just the right price. The N8900 Series power supplies' autoranging output characteristic enables unprecedented flexibility by offering a wide range of voltage and current combinations at full power. Choose the right voltage/current combination up to 1500 V and up to 510 A of current. Units can be paralleled to deliver of 100 KW while acting as a single supply.



The N6781A and the 14585A allow you to visualize dynamic current of your design in real time. You can optimize your hardware and software making tradeoffs between low power modes in real time.

N6781A 2-Quadrant SMU for Battery Drain Analysis

The Keysight N6781A is a source/measure unit (SMU) designed specifically for the task of battery drain analysis. Whether the device-under-test (DUT) is a mobile phone, medical device, or wireless sensor, the N6781A's seamless measurement ranging, programmable output resistance, and auxiliary DVM combine to be the best set of advanced features on the market for battery drain analysis. When used with the 14585A Control and Analysis software, the N6781A becomes an even more powerful battery drain analysis solution, offering additional insights into your measurements.



Digital and Photonic

The technical world is changing faster than ever before. Big data analytics and machine learning technology provide new insights into processes and optimization in all industries. Tremendous search capability in text, voice, images and video is opening new facets in our private lives.

All this is made possible through a huge communication network based on hyperscale data centers, long distance and metro transport networks, but also a more refined wireline and wireless access network.

The underlying technology is based on:

- 100G, 400G, 600G and 1 Tbit/s optical transceivers for the client and line sides
- High speed interconnects at backplanes
- High speed interfaces between CPU and accelerators like FPGA and GPUs
- Increasingly integrated optics (Silicon Photonics) for high density and energy efficiency



Coherent Optical Transmission

Keysight offers solutions for the generation and analysis of complex modulated optical signals. Multichannel arbitrary waveform generators (AWG) are typically used to synthesize complex modulated signals, while optical modulation analyzers (OMA) provide detailed insight into complex modulated optical signals at the physical layer.

For coherent optical transmitter and receiver testing, the M8290A rack-mountable, compact and cost-effective modular coherent test system for the AXIe platform addresses the 400G speed class, and fills the gap between the portable N4392A integrated optical modulation analyzer for 100G and the real-time oscilloscope-based N4391A optical modulation analyzer supporting speed classes of 400G, 600G and 1 Terabit per second.

- Based on Keysight 89601B vector signal analysis (VSA) software
- Test solutions for ICRs and other coherent optical transmit and receive devices
- Range from modular coherent test solution to portable, integrated instrument




Tunable Laser Based Spectral Analysis

The Keysight Technologies 8160xx Family of Tunable Laser Sources offers the full wavelength range from 1240 nm to 1650 nm. The 81606A Top Line module, and the 81607A, 81608A Value Line modules can perform two-way sweeps with up to 200 nm/s. The 81609A Basic Line module tunes in wavelength steps of 0.1 pm resolution. Combined with optical power sensors and polarization controllers, all four tunable laser sources bring the widest dynamic range for measuring the spectral transmission of wavelength-selective components for coarse and dense wavelength division multiplexing (CWDM, DWDM) and passive optical networks (PON).


With +18 dBm output power, the 81602A extra high power tunable laser model helps overcome the limitations of probe coupling efficiency, particularly where surface probes need to operate over a broad wavelength range in the optical O-band.

All 8160xx modules fit into the bottom slot of the 8164B mainframe.


- Supported by N7700A Photonic Application Suite for spectral component test
- Better wavelength accuracy, repeatability and resolution at all sweep speeds
- Faster maximum sweep speed and shorter acceleration zone at sweep endpoints
- Bidirectional measurement sweeps with specifications applying in both directions



Non-linear Waveform Measurements



MIDF
File



Testing today's high-power devices demands an alternate solution—one that quickly and accurately measures and displays the device's nonlinear behavior under large signal conditions, and provides an accurate behavioral model that can be used for linear and nonlinear circuit simulations.

Since S-parameters assume that all elements in the system are linear, this approach does not work well when attempting to simulate performance when the amplifier is in compression or saturation, as real-world HPAs often are. The errors are particularly apparent when simulating the combined performance of two cascaded devices that exhibit nonlinear behavior. While engineers may live with this inaccuracy, it invariably results in extensive and costly empirical-based iterations of the design, adding substantial time and cost to the design and verification process.

Nonlinear Vector Network Analyzer

- Efficiently and accurately analyze and design active devices and systems under real-world operating conditions, to reduce design cycles by as much as 50%
- Gain valuable insight into device behavior with full nonlinear component characterization
- Display calibrated time-domain waveforms of incident, reflected, and transmitted waves of the DUT in coaxial, in-fixture, or on-wafer environments
- Show the amplitude and phase of all harmonic and distortion spectral products to design optimal matching circuits
- Create user-defined displays such as dynamic load lines
- Measure with full traceability to the National Institute of Science and Technology (NIST)

Modular Solutions

M9703B 12-bit High-Speed Digitizer



The Keysight AXIe high-speed digitizer provides the ideal solution for advanced experiments in hydrodynamics, plasma fusion, and particle physics. With this module you can build a large number of synchronous acquisition channels with unprecedented measurement fidelity in the smallest footprint. Advanced IP design, state-of-the-art technology, and on-board real-time data processing are combined to achieve outstanding performance.

M9391A PXIe Vector Signal Analyzer, 1 MHz to 3 GHz or 6 GHz and M9381A PXIe Vector Signal Generator, 1 MHz to 3 GHz or 6 GHz

The M9391A PXI VSA is a modular vector signal analyzer designed for fast data interfaces and high-speed automated test systems.

The M9381A PXI VSG is a modular vector signal generator that accelerates throughput by delivering new levels of speed in signal generation fast RF tuning, Keysight proprietary innovative baseband tuning and versatile list mode.



The M9391A PXI VSA, combined with the M9381A PXIe VSG provides a complete solution for fast, high quality measurements optimized for RF manufacturing test environments. Keysight also provides software which can be used with benchtop and modular equipment for measurement consistency: X-Series measurement applications, 89600 VSA software, Signal Studio, Waveform Creator and SystemVue.

M8190A 12 GSa/s Arbitrary Waveform Generator

Keysight AXIe arbitrary waveform generators are the source of greater fidelity, delivering high resolution and wide bandwidth – simultaneously. This unique combination lets you create signal scenarios that push your design to the limit and bring new insight to your analysis. Applicable for physics, radar, satellite and cable communication and current and emerging wireless standards like wireless backhaul and 5G mobile networks.



- 12- or 14-bit vertical resolution
- SFDR up to 90 dBc
- 2 GSa arbitrary waveform memory per channel with advanced sequencing
- Bandwidth of 5 GHz

Design, Simulation and Analysis Software

Keysight EEsof EDA is the leading supplier of Electronic Design Automation (EDA) software for communications product design. RF, microwave, signal integrity (SI), power integrity (PI), device modeling and signal-processing design engineers create better products faster using design flows built on Keysight's system, component, and physics-level design tools.


BenchVue Software

- Integrate lab instrumentation in one software platform to visualize measurements from multiple instruments
- Rapidly develop test sequences without learning a language --teach the concepts not the tool
- Visualize multiple measurements simultaneously
- Extensible apps for flexibility and additional capability
- Remote teaching/learning capabilities




RF and Microwave Design

Keysight's RF and Microwave design and simulation tools provide the most complete solution for creating robust designs with first pass success and high yield in MMIC, RF-Mixed Signal IC, RF board, RF SiP and RF module technologies.




Signal and Power Integrity Analyses and Simulation

Keysight's high-speed design and simulation tools help designers cut through the challenges of multigigabit digital PCB designs with time and frequency domain simulation technology and fast and accurate post-layout EM-based SI and PI analysis.




System Design and Verification

Keysight's system design and verification tools enable designers of high performance physical layer in emerging wireless communications systems, 4G/5G, LTE, LTE-A, MIMO, DPD, satellite & radar systems, and SDR to make optimum use of the latest RF/analog and DSP techniques.



Device Modeling and Characterization

Keysight provides premier solutions for modeling and characterization of CMOS and III-V devices, including automated measurements, accurate device model extraction, comprehensive model qualification, PDK validation and comprehensive modeling services.



Over 850 universities are enrolled in the Keysight EEsof University Educational Support Program, available to qualifying institutions offering academic instruction in electrical engineering, RF and communications system design, electromagnetic analysis, high-speed digital design and device modeling. There is no better way for students to prepare for the real world than building skills on industry tools that will be in demand wherever their talent and interests lead.

For more information on the Keysight EEsof University Educational Support Program, visit <http://www.keysight.com/find/eesof-university>

Learn about RF and microwave fundamentals and ADS. View the ADS Example Book: Focused on RF and Microwave Design demo guides at <http://www.keysight.com/find/eesof-ads-rfmw-examples>.



Download your next insight

Keysight software is downloadable expertise. From first simulation through first customer shipment, we deliver the tools your team needs to accelerate from data to information to actionable insight.

- Electronic design automation (EDA) software
- Application software
- Programming environments
- Utility software

Learn more at

www.keysight.com/find/software

Start with a 30-day free trial.

www.keysight.com/find/free_trials

Resources, Partnerships and Collaboration

Advance in the lab and the classroom

When we work together, we do amazing things. That's why Keysight is committed to meaningful collaboration with researchers, educators and students. In your research, our ongoing pursuit of innovation continues to enable new breakthroughs. In your teaching, our software and instruments offer students experience with the same tools used in industry. Connect with Keysight and discover new ways to advance in the lab and the classroom.

Free resources from the Education Corner website

Education Corner provides access to free resources for researchers, educators and students to advance in the lab and the classroom. This includes:

- Measurement fundamentals
- Tips on using different measurement instruments
- Teaching tools
- Journal articles
- Faculty spotlights
- Application notes
- Webcast seminars and videos
- Example lab exercises
- Insights from early career engineers
- Student resources
- Information on education discounts and promotions

www.keysight.com/find/education

Research partnerships and collaboration

Keysight, we help move technology forward. We are committed to meaningful collaboration and engage in strategic partnerships with universities and research labs worldwide. We work with these universities to develop and advance technology in areas of mutual interest.



www.keysight.com/find/research

Special programs, promotions and discounts

When we work together, we do amazing things. Learn how Keysight helps universities expand and modernize laboratories, create industry-ready engineers, connect with thought leaders and gain positive exposure.

www.keysight.com/find/edupromo

Order your FREE updated Education & Research DVD




www.keysight.com/find/researchdvd

For Further Information

Software products	www.keysight.com/find/89600vsa www.keysight.com/find/signaloptimizer www.keysight.com/find/eesof-evaluation www.keysight.com/find/software www.keysight.com/find/measurementapps www.keysight.com/find/programmingsw www.keysight.com/find/instrumentcontrol www.keysight.com/find/free_trials www.keysight.com/find/trialsbyapp
Optical Products	www.keysight.com/find/pol www.keysight.com/find/voa www.keysight.com/find/Vseries www.keysight.com/find/plts
Nano products	www.keysight.com/find/afm www.keysight.com/find/nano
Material Measurement	www.keysight.com/find/materials www.keysight.com/find/na www.keysight.com/find/impedance
Device Characterization in Terahertz	www.keysight.com/find/thz
Energy	www.keysight.com/find/b1505a

Evolving Since 1939

Our unique combination of hardware, software, services, and people can help you reach your next breakthrough. We are unlocking the future of technology.
From Hewlett-Packard to Agilent to Keysight.



For more information on Keysight Technologies' products, applications or services, please contact your local Keysight office. The complete list is available at: www.keysight.com/find/contactus

Americas

Canada	(877) 894 4414
Brazil	55 11 3351 7010
Mexico	001 800 254 2440
United States	(800) 829 4444

Asia Pacific

Australia	1 800 629 485
China	800 810 0189
Hong Kong	800 938 693
India	1 800 11 2626
Japan	0120 (421) 345
Korea	080 769 0800
Malaysia	1 800 888 848
Singapore	1 800 375 8100
Taiwan	0800 047 866
Other AP Countries	(65) 6375 8100

Europe & Middle East

Austria	0800 001122
Belgium	0800 58580
Finland	0800 523252
France	0805 980333
Germany	0800 6270999
Ireland	1800 832700
Israel	1 809 343051
Italy	800 599100
Luxembourg	+32 800 58580
Netherlands	0800 0233200
Russia	8800 5009286
Spain	800 000154
Sweden	0200 882255
Switzerland	0800 805353
	Opt. 1 (DE)
	Opt. 2 (FR)
	Opt. 3 (IT)
United Kingdom	0800 0260637

For other unlisted countries:
www.keysight.com/find/contactus
(BP-9-7-17)



www.keysight.com/go/quality
Keysight Technologies, Inc.
DEKRA Certified ISO 9001:2015
Quality Management System

myKeysight

myKeysight

www.keysight.com/find/mykeysight

A personalized view into the information most relevant to you.

http://www.keysight.com/find/emt_product_registration

Register your products to get up-to-date product information and find warranty information.

KEYSIGHT SERVICES

Accelerate Technology Adoption.
Lower costs.

Keysight Services

www.keysight.com/find/service

Keysight Services can help from acquisition to renewal across your instrument's lifecycle. Our comprehensive service offerings—one-stop calibration, repair, asset management, technology refresh, consulting, training and more—helps you improve product quality and lower costs.



Keysight Assurance Plans

www.keysight.com/find/AssurancePlans

Up to ten years of protection and no budgetary surprises to ensure your instruments are operating to specification, so you can rely on accurate measurements.

Keysight Channel Partners

www.keysight.com/find/channelpartners

Get the best of both worlds: Keysight's measurement expertise and product breadth, combined with channel partner convenience.

www.keysight.com/find/education

