










F-250 XL Regular Cab 4x2. Oxford White. F-350 LARIAT SuperCab 4x4. Shadow Black. F-450 LARIAT Crew Cab 4x4, White Platinum. Available equipment.



6.7L Power Stroke V8 Turbo Diesel





DO MORE WITH THE DIESEL LEADER.

Designed, engineered and built by Ford, our 2nd-generation 6.7L Power Stroke® V8 Turbo Diesel engine² produces the power and torque you need to get the job done.

Best-in-class standard 860 lb.-ft. of torque and 440 hp are facilitated in part by a large turbocharger, which helps improve airflow and performance. You'll really appreciate it when towing heavy loads uphill and at high altitudes.

Best-in-class diesel fuel economy³ is maintained with the help of high-pressure fuel injectors that achieve a clean, efficient burn.

Power upfits any time, whether the truck is in motion or at a complete stop. Our class-exclusive live-drive power takeoff (PTO) provision² lets you power upfits whenever the diesel engine is running. It keeps the job going with an output gear linked directly to the engine crankshaft.


Proven in over 12 million miles of cumulative testing and real-world use under extreme conditions, this B20-capable engine is the most tested Power Stroke diesel ever. From 120°F scorching heat to -40°F bone-chilling cold. Rest assured, it's Built Ford Tough.®




F-350 LARIAT Crew Cab 4x4. Bronze Fire/Caribou two-tone. Available equipment.







6.2L 2-Valve V8 Gas



RULE THE CLASS WITH 6.2LV8 GAS.

The Built Ford Tough® 6.2L 2-valve V8 gives you the most power and torque of any standard gas engine in the class: 385 hp and 405 lb.-ft. of torque. Designed, engineered, built and torture-tested by Ford, this state-of-the-art E85-capable engine is the standard powerplant on F-250 and F-350.

Ease your heavy-duty workload with lots of low-rpm torque. The gas engine's stiff SOHC valvetrain with roller-rocker shafts enables an intake- and exhaust-port layout that optimizes airflow, helping it produce plenty of torque down low.

Alternative fuel options include a CNG/Propane Gaseous Engine Prep Package that readies your truck to be upfit for compressed natural gas (CNG), propane autogas, or as a bi-fuel vehicle with the ability to seamlessly switch between CNG or propane and gasoline.

Providing flexibility and extended range, trucks upfit to a bi-fuel system include a tank for each type of fuel. Contact your local Ford Dealer for ordering details. By purchasing a Super Duty upfit for CNG or propane, you may even qualify for state incentives related to alternative-fuel use, infrastructure or vehicles. Visit www.afdc.energy.gov/afdc/laws for details.











PULL THE MOST - CONFIDENTLY.

Ford F-Series Super Duty is the only truck in its class offering you up to 31,200 lbs. of max. towing capability.

To help you handle all that weight,


Super Duty utilizes trailer sway control. The system monitors the motions of the truck to detect trailer sway and selectively brakes as needed,² helping you maintain control of the truck and the trailer.

When negotiating an incline, whether in Drive or Reverse, standard hill start assist helps you out by momentarily maintaining brake pressure until the engine delivers enough torque to move the truck uphill.

Less manual braking is required of drivers on diesel models thanks to engine braking performance. The diesel's turbocharger provides engine-exhaust braking power for grade descent control with less wear and tear on the wheel brakes and transmission. Engine-exhaust braking includes a manual push-button control on the instrument panel. Super Duty just keeps on helping you get it done.









F-450 KING RANCH® Crew Cab 4x4. Bronze Fire. Monochromatic Paint Package. Available equipment.

















HIT THE GROUND TOWING.

Thanks to our 5th-Wheel/Gooseneck Trailer Tow Prep Package and Ford Custom Accessories 5th-Wheel and Gooseneck Hitch Kits¹ by Reese,® your Super Duty can arrive ready to tow – right from the factory. Plus, you'll get the strength of an under-the-bed-frame crossmember² and the utility of a flat cargo bed floor.

New dynamic hitch assist shows your projected path based on steering angle. The black dashed line and white curved lines help you line up a trailer without a spotter more easily.

Cable Lock System by Master Lock^{®2} includes a vinyl-coated cable and a locking shackle that are used to secure cargo.

For an easier towing experience overall, Super Duty offers features like an in-bed 7-pin connector² and PowerScope® trailer tow mirrors.² There's even a factory-installed, integrated trailer brake controller² to balance the performance of the truck's brakes and electric trailer brakes.³ And the LCD productivity screen² offers a pre-towing checklist and recalls settings for different trailers. Ready, set, tow.









TAILGATE ASSIST





F-350 LARIAT Crew Cab DRW 4x4. White Platinum. High-Capacity Trailer Tow Package. Available equipment.

Information Provided by:

2016 SUPER DUTY ford.com

















INCREASE YOUR PRODUCTIVITY.


From electronics to cargo and beyond – Super Duty streamlines your workday.

Outside, you'll find rugged features like the industrial-grade Tough Bed® factory-installed, spray-in bedliner¹ that helps shield your investment. And a stowable bed extender,¹ made of rugged fiberglass-reinforced polypropylene, that lets you haul more with the tailgate down or secure smaller loads with it up.

Inside, lots of storage space helps keep your gear secure, yet within easy reach. A closable dash-top area houses the SYNC® with MyFord Touch®1 media hub. There's lockable under-seat storage in the center of the 40/20/40 split front seat¹ and beneath the 60/40 split flip-up/fold-down rear bench seat¹ on certain Crew Cab models. The flow-through center console¹ holds hanging files and features a 110-volt power outlet and two 12-volt powerpoints. Power up in Super Duty.

















COMMAND IT WITH YOUR VOICE.

Voice-activated SYNC®1 technology helps you keep your eyes on the road and hands on the wheel. SYNC. Say the word.

- Hands-free calling lets you make a call with a simple push of a button along with the sound of your voice.
- Automatic phone book download transfers the names and numbers in your compatible phone automatically, once paired.
- Voice-activated music commands let you say what music you want to hear and listen to it easily with voice-activated search, or say "Bluetooth® audio" to stream content from your phone.
- **SYNC AppLink**^{™2} lets you control some of your favorite compatible mobile apps with your voice.
- 911 Assist®3 is a convenient no-charge feature that allows you to connect your compatible cell phone to help call 911, even if you can't.

Upgrade to SYNC with MyFord Touch.®1,4

- An LCD screen lets you easily read and control the things you want.
- **Voice-activated navigation**⁴ features voice-recognition technology that lets you say commands as conversational as "find a restaurant." The system then helps guide you to your destination with audible turn-by-turn directions.
- Voice control climate lets you use your voice to adjust the climate, so you can stay comfortable without having to lift a finger.






LARIAT. Charcoal Black leather trim. SYNC with MyFord Touch. Available equipment.

¹Driving while distracted can result in loss of vehicle control. Only use SYNC/MyFord Touch/other devices, even with voice commands, when it is safe to do so. Some features may be locked out while the vehicle is in gear. Not all features are compatible with all phones. ²Available feature. SYNC AppLink is available on select models and compatible with select smartphone platforms. SYNC AppLink is not compatible with MyFord Touch. Commands may vary by phone and AppLink software. ³The vehicle's electrical system (including the battery), the wireless service provider's signal and a connected mobile phone must all be available and operating for 911 Assist to function properly. These systems may become damaged in a crash. The paired mobile phone must be connected to SYNC, and the 911 Assist feature enabled, in order for 911 to be dialed. When the feature is ON, 911 Assist uses your paired and connected mobile phone to assist occupants to contact emergency services by dialing 911 if your airbag deploys or, on certain vehicles, if the emergency fuel pump shut-off is activated. 'Available feature.





CONNECT WITH YOUR WORLD.

SiriusXM® Satellite Radio welcomes you to the World of SiriusXM.¹ Enjoy more than 150 channels including commercial-free music, plus live sports, news and exclusive entertainment, with a 6-month trial subscription to the All Access package included with your new vehicle. You'll hear every channel available, plus you can listen online and on the SiriusXM app.¹

Navigation² with SiriusXM Traffic and Travel Link®

includes a 5-year complimentary SiriusXM Traffic and Travel Link¹ trial subscription. Global Positioning System (GPS) technology is combined with 3-D mapping and provides voice-guided turn-by-turn directions. With SiriusXM Traffic and Travel Link, you'll get detailed traffic information, plus current and forecasted weather, gas station locations and prices, sports scores and schedules, and movie theater locations with show listings and times.

(((SiriusXM°)))

LARIAT. SYNC® with MyFord Touch.® Available equipment.

Front Suspension

Twin-I-Beam (F-250/F-350 4x2); solid Twin-Coil Monobeam axle (F-250/F-350/F-450 4x4) Axle (rating @ ground) – 5,250 lbs. (F-250/F-350 4x2); 5,600 lbs. (F-250/F-350 with 3,31 axle); 6,000 lbs. (F-250/F-350/F-450 4x4)

Springs – Coil

Shock absorbers – 1.38" gas type Stabilizer bar – Standard

Rear Suspension

Solid axle

Axle (rating @ ground) – 6,200 lbs. (F-250); 7,280 lbs. (F-350 SRW); 9,650 lbs. (F-350 DRW/F-450)

Springs – Leaf

Shock absorbers – 1.38" gas type Stabilizer bar – Standard on DRW; optional in package on SRW

Steering

Assist – Power Overall ratio – 20.49:1 (F-250/F-350 4x2); 20.41:1 (F-250/F-350 4x4); 17.8:1 average (F-450)

Brakes

Power 4-wheel vented-disc with ABS (standard) Rotor diameter (front/rear) – 14.29"/14.29" (F-250/F-350); 14.53"/15.35" (F-450)

Wheels

Steel or aluminum

Size – 17," 18" or 20" (F-250/F-350); 19.5" (F-450) Number of studs – 8 (F-250/F-350); 10 (F-450) Bolt-circle diameter – 6.69" (170-mm) SRW; 7.87" (200-mm) F-350 DRW; 8.86" (225-mm) F-450

CONQUER THE TOUGHEST TERRAIN.

Thanks in part to a heavy-duty independent Twin-l-Beam suspension on Super Duty 4x2s and a rugged twin-coil monobeam setup on 4x4s.

The highly capable F-450 has a robust rear axle, rear leaf springs, front and rear stabilizer bars and shocks, and rear driveline U-joints. It's also outfitted with durable steering gears and linkages, plus a braking system that includes large, capable brakes and precise anti-lock brake calibration.

The turn of a dial on the instrument panel is all it takes to change drive settings on Super Duty 4x4s featuring convenient electronic shift-on-the-fly operation.¹

Get real-time feedback with our class-exclusive off-road display. Included with the LCD productivity screen¹ on SRW trucks, it monitors the truck's pitch angle, bank angle and wheel direction.

Increase your off-road confidence with Hill Descent Control,^{TM2} which helps maintain the truck's speed on steep declines, so you can concentrate on maneuvering. It's included in the FX4 Off-Road Package, along with transfer case and fuel tank skid plates, Rancho® shocks and box-side decals.

For maximized gripping power, our electronic-locking rear differential uses a true mechanical dog-clutch mechanism to lock the rear axle shafts together so they turn at the same speed. Go further in a Super Duty 4x4.







SUPER DUTY SPECIFICATIONS



POWERTRAINS

| | 6.7L Power Stroke® V8 Turbo Diesel | 6.2L 2-Valve V8 Gas ¹ | | | | | | | |
|--------------------|--|---|--|--|--|--|--|--|--|
| Configuration | OHV (32-valve) | SOHC | | | | | | | |
| Fuel injection | High-pressure common-rail | Sequential electronic | | | | | | | |
| Control system | Electronic | Electronic | | | | | | | |
| Induction system | Single-sequential turbocharger; charged air cooler | Specially tuned | | | | | | | |
| Battery | Dual 12-volt; 750-CCA/78-amp-hr | 12-volt; 650-CCA/72-amp-hr | | | | | | | |
| Alternator | 157-amp (single 200-amp or dual combined 357-amp, optional) | 157-amp (single 200-amp, optional) | | | | | | | |
| Cooling system | Pressurized series flow | Pressurized series flow | | | | | | | |
| Oil-life monitor | Intelligent Oil-Life Monitor® | Oil-minder system | | | | | | | |
| Cylinders | 8 | 8 | | | | | | | |
| Cylinder heads | Aluminum | Aluminum | | | | | | | |
| Block material | Compacted graphite iron | Castiron | | | | | | | |
| Valve operation | Push rod/rocker arms | Roller-rocker shaft | | | | | | | |
| Camshaft drive | Gear | Silent chain | | | | | | | |
| Bore/stroke | 3.90"/4.25" | 4.02"/3.74" | | | | | | | |
| Compression ratio | 16.2:1 | 9.8:1 | | | | | | | |
| Horsepower @ rpm | 440 @ 2,800 | 385 @ 5,500 | | | | | | | |
| Torque lbft. @ rpm | 860 @ 1,600 | 405 @ 4,500 | | | | | | | |
| Recommended fuel | Ultra-low-sulfur diesel or B20 (containing 20% or less biodiesel) | Regular unleaded or E85 Bi-fuel capable CNG or propane gas (requires upfit) | | | | | | | |

Transmission

6-speed SelectShift® automatic

Aluminum

PTO²

(Turbo Diesel only)

Gear Ratios

1st - 3.97:1 2nd - 2.31:1

3rd - 1.51:1

4th - 1.14:1

5th - 0.85:1 6th - 0.67:1

Reverse - 3.12:1

STANDARD FEATURES

Mechanical

97,500-mile tune-up interval³ (gas engine)

Battery saver

Conventional spare tire/wheel/jack with underframe carrier (crank-down type)

Engine-only traction control (EOTC) (DRW only)

Fail-Safe Engine Cooling System (gas engine)

Fuel tank - 26-gallon capacity (F-250/F-350 137," 142" and 156" WB with diesel engine)

Fuel tank – 35-gallon capacity (gas engine)

Fuel tank - 37.5-gallon capacity (F-250/F-350 158" and 172" WB with diesel engine, and F-450)

Hill start assist

Jack – 2-ton mechanical with SRW, 4-ton hydraulic with DRW

Power steering

Stabilizer bar - Front

Stabilizer bar – Rear (DRW only)

Stainless steel exhaust system (major components) Stationary elevated idle control (SEIC)4

Steering damper

Tailgate – Removable with lock and tailgate assist

Tire Pressure Monitoring System (SRW only; excludes spare)

Trailer hitch receiver - 12.5K (2") Built Ford Tough® (SRW with gas engine; SRW with diesel engine and 137" and 142" WB)

Trailer hitch receiver – 14K (2.5") Built Ford Tough (SRW with diesel engine and 156." 158" and 172" WB)

Trailer hitch receiver – 15K (2.5") Built Ford Tough (DRW with 156" and 158" WB; DRW with gas engine and 172" WB)

Trailer hitch receiver – 19K (2.5") Built Ford Tough (F-350 DRW with diesel engine and 172" WB; F-450)

Trailer hitch receiver – 2" sleeve reducer (vehicles with 2.5" receiver)

Trailer sway control

Assist and ride handles

(SuperCab and Crew Cab)

Dome light/map lights (front and rear with Crew Cab)

Overhead console with garage door opener storage

Exterior

7-/4-pin trailer tow connector

Bumpers – Front and rear step

Cargo box – Black box top and tailgate moldings

Cargo box – Cargo tie-down hooks

(4 in 634' box: 6 in 8' box)

Cargo box – Integrated lamp with center high-mounted stop lamp

Cargo box – Partitionable and stackable with stake pockets

Dual-beam jewel-effect headlamps

Intelligent 3-blink turn signal

Roof clearance lamps (DRW)

Underhood service lamp

Windshield wipers – Intermittent

Safety & Security

AdvanceTrac® with RSC® (Roll Stability Control™) (SRW only)

Airbags⁵ – Driver and right-front-passenger front

Airbags⁵ – Front-seat side

Airbags⁵ – Safety Canopy® System with roll-fold side-curtain airbags

Belt-Minder® front safety belt reminder

Brake/shift interlock

Brakes - Power 4-wheel vented-disc with Anti-Lock Brake System (ABS)

Child-safety-seat top tether anchors (Regular Cab front passenger and all rear-seat positions)

Fuel pump inertia shutoff switch

Headlamps-on, key-in-ignition and door ajar alert chimes

Passenger airbag deactivation switch (Regular Cab. SuperCab)

Safety belts – Energy-management retractors at front-outboard positions

Safety belts – Height-adjustable at front-outboard positions

SecuriLock® Passive Anti-Theft System

Side-intrusion door beams

SOS Post-Crash Alert System™

Spare tire/wheel lock



Case Material

Live-drive access on driver's side

Interior

Coat hooks - 1 (Regular Cab); 2 in rear of cab

and sunglasses storage (SuperCab and Crew Cab)

Powerpoints – 12-volt, 2 on instrument panel



F-250 XL Regular Cab 4x2. Magnetic. XL Appearance Package. Available equipment.



XL Regular Cab. Steel HD vinyl trim. XL Appearance Package. Available equipment.

Includes all standard features, plus:

Mechanical

6.2L SOHC 2-valve Gas V8 Flex Fuel E85-capable engine (n/a on F-450)

6.7L Power Stroke® V8 Turbo Diesel B20-capable engine (standard on F-450)

TorgShift® heavy-duty 6-speed SelectShift® automatic transmission

Alternator – 157-amp heavy-duty

Integrated trailer brake controller (DRW)

Manual 4-Wheel-Drive System with manual locking hubs (4x4 models only)

Trailer brake wiring kit

(in-cab. no controller, SRW only)

17" argent-painted steel wheels with painted center caps (F-250/F-350 SRW)

17" argent-painted steel wheels (F-350 DRW) 19.5" polished forged-aluminum wheels (F-450) LT245/75R17 all-season BSW tires - 5 on SRW/ 7 on DRW (F-250/F-350)

225/70R19.5 all-season BSW tires - 6 (F-450)

Seating

40/20/40 split front seat with armrest, cupholders and storage

60/40 split flip-up rear seat (SuperCab only) 60/40 split flip-up/fold-down rear bench seat with outboard and center head restraints (Crew Cab only)

HD vinyl seats

Manual lumbar support for driver's seat

Interior

AM/FM stereo with digital clock and 2 speakers Air conditioning

Climate controls - Manual

Door locks - Manual

Flooring - Black vinyl

¹Requires 5th-Wheel/Gooseneck Trailer Tow Prep Package. See your dealer for details. ²Ford Licensed Accessory. See your dealer for limited warranty details.

Message center – Multifunction plus trip computer includes odometer, trip odometer, engine oil monitor, engine-hour meter, engine-idle meter (gas engine only), distance to empty, average fuel economy, warning messages, system check, language selection and Ice Blue® Lighting

Mirror - Manual day/night rearview

Steering column – Manual tilt/telescoping

Steering wheel - Black vinvl with 3-button message center controls

Visors with passenger mirror

Window – Rear, fixed-glass

Windows - Manual

Exterior

Bumpers – Black-painted with grained top cover Cab steps – 6" angular black molded (DRW only)

Door handles - Black

Glass - Solar-tinted

Grille - Black

Mirrors – Manually telescoping trailer tow with 2-way fold and manual glass

Tow hooks - Black, 2 in front

Available Options

Mechanical

6.7L Power Stroke V8 Turbo Diesel B20-capable engine (standard on F-450)

Electronic shift-on-the-fly (ESOF) 4-Wheel-Drive System with auto/manual locking hubs (4x4 models only)

5th-wheel hitch kit (requires 8' box; includes 18K hitch on SRW or 26.5K hitch on DRW)1

Gooseneck hitch kit1

Alternator – Single, 200-amp extra-heavy-duty

Alternators – Dual, 357-amp total (diesel engine only) Engine block heater

(standard in 15 cold-weather states)

Engine idle shutdown

(diesel engine only; restrictions apply)

Integrated trailer brake controller (standard on DRW)

Operator-commanded exhaust filter regeneration (diesel engine only)

Power take-off (PTO) provision allows transmission-mounted live-drive and stationary modes (diesel engine only)

Rear axle - Electronic-locking (F-250/F-350 SRW only)

Rear axle - Limited-slip

(F-350 DRW only; standard on F-450)

17" 6-spoke cast-aluminum wheels – 4 (F-250/F-350 SRW)

17" polished forged-aluminum wheels – 4 (F-350 DRW)

18" argent-painted steel wheels with painted center caps – 4 (F-350 SRW)

Stainless steel wheel covers (F-350 DRW only: requires 17" argent-painted steel DRW wheels)2

LT245/75R17 all-terrain BSW tires - 5 (F-250/F-350)

LT265/70R17 all-terrain OWL tires - 4 (F-250/F-350 SRW)

LT275/65R18 all-season BSW tires – 5 (F-350 SRW)

LT275/70R18 all-terrain BSW tires - 4 (F-350 SRW 4x4)

Seating

40/20/40 split cloth front seat with armrest, cupholders and storage

40/mini-console/40 front bucket seats (HD vinvl or cloth)

Interior

SYNC® with MyFord® voice-activated, in-vehicle connectivity system with SYNC AppLink™ (requires XL Value Package or XL Appearance Package. and steering wheel-mounted audio controls)

Rapid-heat supplemental cab heater (requires diesel engine and alternator upgrade; standard in 15 cold-weather states when diesel engine is ordered)

Remote Start System (requires Power Equipment Group)

Steering wheel-mounted audio controls (requires SYNC)

Upfitter switches located on instrument panel (4)

Exterior

Bed mat (restrictions apply)

Bedliner – Plastic drop-in

Bedliner - Tough Bed® spray-in includes tailgate guard and black bed bolts

Cab steps – 6" angular black molded (standard on DRW)

Cable Lock System by Master Lock®2

Exterior backup alarm by ECCO®2

Ford Telematics[™] powered by Telogis^{®2} – Fleet tracking system (includes I year of service)

Pickup box delete (F-250/F-350 only; requires 8' box; n/a with 20" wheels or FX4 Off-Road Package)

Roof clearance lamps (standard on DRW)

Skid plates – Transfer case and fuel tank (4x4 only) Splash guards (front and rear on F-250/F-350; rear only on F-450)

Tailgate step includes step, tailgate assist and grab bar

Tonneau cover - Soft-folding²

Wheel-well liners (SRW only)

Available Packages

XL Appearance Package (n/a with XL Value Package) includes AM/FM stereo/single-CD player with MP3 capability, digital clock, 4 speakers, cruise control, bright hub covers and center caps (SRW only), chrome grille surround, and chrome bumpers

XL Value Package (n/a with XL Appearance Package) includes AM/FM stereo/single-CD player with MP3 capability, digital clock, 4 speakers, cruise control, bright hub covers and center caps (SRW only), and chrome bumpers

5th-Wheel/Gooseneck Trailer Tow Prep Package includes 1 under-bed-frame crossmember, 5 pickup bed 5th-wheel/gooseneck attachment points and close-out plugs, and an integrated 7-pin connector on the driver's side pickup bed wall

9,900-lb. GVWR Package

(F-250; restrictions apply)

10,000-lb. GVWR Package (F-350 SRW; restrictions apply)

11,400-lb. GVWR Package (F-350 SRW 4x4 and F-350 SRW SuperCab/Crew Cab 4x2 with 8' box; requires 18" wheels and diesel engine)

Camper Package (restrictions apply) includes front springs upgrade (unless maximum springs have been computer-selected as included equipment), rear stabilizer bar (SRW), slide-in-camper certification and auxiliary rear springs on F-250

CNG/Propane Gaseous Engine Prep Package (F-250/F-350 with gas engine only) includes hardened engine intake valves and valve seats and bi-fuel manifold

FX4 Off-Road Package (4x4 only; n/a on F-450; other restrictions apply) includes transfer case and fuel tank skid plates, Hill Descent Control™ (SRW only), Rancho® shocks and FX4 Off-Road box decals

Heavy-Service Front Suspension Package (restrictions apply) includes front springs upgrade (unless maximum springs have been computer-selected as included equipment)

High-Capacity Trailer Tow Package (F-350) Crew Cab DRW 172" WB 4x4 only: requires diesel engine and 4.30 limited-slip rear axle) includes max. front springs, wide track front axle, front fender flare moldings, and increased GCWR from 31,900 lbs. to 35,000 lbs.

Power Equipment Group includes power door locks and front windows (plus rear on Crew Cab) with front one-touch-up/-down feature; manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signal indicators; accessory delay; Remote Keyless Entry System with 2 integrated keyhead transmitter remotes; and anti-theft perimeter alarm

Snow Plow Prep Package (4x4 only; restrictions apply) includes computer-selected springs for snow plow application and extra-heavy-duty alternator with diesel engine only



Argent-Painted Steel w/Painted Center Cap 17" Standard: F-250/F-350 SRW 18" Optional: F-350 SRW



w/Bright Center Cap

17" Included or 18" Optional: F-250/F-350 SRW w/Value

Package or Appearance Package





Optional: F-350 DRW

17" Polished Forged-Aluminum Optional: F-350 DRW



17" 6-Spoke Cast-Aluminum Optional: F-250/F-350 SRW



19.5" Polished Forged-Aluminum Standard: F-450 DRW



F-350 XLT Crew Cab 4x4. Ingot Silver. XLT Premium Package. Available equipment.



XLT Crew Cab. Steel cloth trim. Flow-through center console. Available equipment.

Includes all XL features, plus:

Mechanical

Integrated trailer brake controller (SRW)

18" cast-aluminum wheels (SRW)

LT275/65R18 all-season BSW tires – 5 (SRW)

Seating

4-way adjustable driver and right-front-passenger head restraints

40/20/40 split front seat with center under-seat lockable storage with 12-volt powerpoint and center armrest with cupholders and storage

60/40 split flip-up/fold-down rear bench seat with bag hooks, dual integrated cupholders and tray, outboard head restraints, center head restraint, and lockable under-seat partitioned storage with 12-volt powerpoint (Crew Cab only) Cloth seats

Interior

AM/FM stereo/single-CD player with MP3 capability, digital clock, 4 speakers and auxiliary audio input iack

SYNC® with MyFord® voice-activated, in-vehicle connectivity system with SYNC AppLink™

SiriusXM® Satellite Radio with 6-month trial subscription

Accessory delay for power features

Cruise control

Door locks - Power

Flooring – Color-coordinated carpet

Flooring – Color-coordinated carpeted floor mats Steering wheel – Black urethane with secondary audio, cruise and 3-button message center controls Visors with covered driver and passenger mirrors

Windows – Power with front one-touch-up/-down feature

¹Requires 5th-Wheel/GooseneckTrailerTow Prep Package. See your dealer for details. ²Ford Licensed Accessory. See your dealer for limited warranty details.

Exterior

Anti-theft perimeter alarm

Bumpers – Chrome with grained top cover

Glass – Privacy (rear doors and rear window)

Grille – Chrome

Mirrors – Manually telescoping trailer tow with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signal indicators

Remote Keyless Entry System with 2 integrated keyhead transmitter remotes

Available Options

Mechanical

6.7L Power Stroke® V8 Turbo Diesel B20-capable engine (standard on F-450)

Electronic shift-on-the-fly (ESOF) 4-Wheel-Drive System with auto/manual locking hubs (4x4 models only)

5th-wheel hitch kit (requires 8' box; includes 18K hitch on SRW or 26.5K hitch on DRW)¹

Gooseneck hitch kit1

Alternator – Single, 200-amp extra-heavy-duty
Alternators – Dual, 357-amp total (diesel engine only)

Engine block heater

(standard in 15 cold-weather states)

Engine idle shutdown (diesel engine only; restrictions apply)

Operator-commanded exhaust filter regeneration (diesel engine only)

Power take-off (PTO) provision allows transmission-mounted live-drive and stationary modes (diesel engine only)

Rear axle – Electronic-locking (F-250/F-350 SRW only)

Rear axle – Limited-slip (F-350 DRW; standard on F-450)

17" 6-spoke cast-aluminum wheels – 4 (F-250/F-350 SRW)

17" polished forged-aluminum wheels – 4 (F-350 DRW)

Stainless steel wheel covers (requires 17" argent-painted steel DRW wheels)²

LT245/75R17 all-season BSW tires – 5 (F-250/F-350 SRW)

LT245/75R17 all-terrain BSW tires – 5 (F-350 DRW) LT245/75R17 all-terrain OWL tires – 4 (F-350 DRW)

LT265/70R17 all-terrain OWL tires – 4 (F-250/F-350 SRW)

LT275/70R18 all-terrain BSW tires – 4 (F-250/F-350 SRW 4x4)

LT275/70R18 all-terrain OWL tires – 4 (F-250/F-350 SRW 4x4)

Seating

40/console/40 front bucket seats with 6-way power driver's seat and flow-through center console with lockable storage, two 12-volt powerpoints and a 110-volt power outlet (SuperCab and Crew Cab only)

Interior

Flooring – Black all-weather floor mats (deletes carpeted floor mats)

Rapid-heat supplemental cab heater (requires diesel engine and alternator upgrade; standard in 15 cold-weather states when diesel engine is ordered)

Rear view camera (requires XLT Interior Package, XLT Value Package or XLT Premium Package)

Rear View Camera and Prep Kit includes loose camera, wiring bundle, and auto-dimming rearview mirror with video display (requires pickup box delete)

Remote Start System

Upfitter switches located on instrument panel (4) Window – Rear, manual-sliding with privacy glass (Regular Cab only)

Window – Rear, power-sliding with privacy glass and defroster (SuperCab and Crew Cab only)

Exterior

Bed mat (restrictions apply)

Bedliner – Plastic drop-in

Bedliner – Tough Bed® spray-in includes tailgate guard and black bed bolts

Body-color bodyside moldings (SRW SuperCab and Crew Cab only)

Cab steps – 6" angular black molded (standard on DRW)

Cab steps – 5" chrome tubular (SuperCab and Crew Cab only)

Cable Lock System by Master Lock®2

Exterior backup alarm by ECCO®2

Ford Telematics[™] powered by Telogis^{®2} – Fleet tracking system (includes 1 year of service)

Mirrors – PowerScope® power-telescoping/-folding trailer tow with power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signal indicators

Pickup box delete (F-250/F-350 only; requires 8' box; n/a with 20" wheels or FX4 Off-Road Package)
Reverse Sensing System (n/a with pickup box delete)
Roof clearance lamps (standard on DRW)

Skid plates – Transfer case and fuel tank (4x4 only) Splash guards (front and rear on F-250/F-350; rear only on F-450)

Stowable bed extender (F-250/F-350 SRW only)
Tailgate step includes step, tailgate assist and grab bar

Tonneau cover – Soft-folding² Wheel-well liners (SRW only)

Available Packages

XLT Interior Package includes 6-way power driver's seat, power-adjustable pedals, autolamp/rainlamp, autolock/unlock and SecuriCode[™] keyless entry keypad

XLT Value Package includes XLT Interior Package, 4.2" LCD productivity screen, auto-dimming rearview mirror, Reverse Sensing System and fog lamps

XLT Premium Package (requires PowerScope mirrors; SuperCab and Crew Cab only) includes XLT Interior Package, chrome exhaust tip, chrome tow hooks, unique chrome mirror caps, chrome cargo tie-down hooks, 6" chrome angular cab steps, 18" chrome-clad aluminum wheels with LT275/65R18 all-season BSW tires (on SRW only), 4.2" LCD productivity screen, auto-dimming rearview mirror, fog lamps, Reverse Sensing System, and steering wheel-mounted audio controls

5th-Wheel/Gooseneck Trailer Tow Prep Package (n/a with stowable bed extender) includes 1 under-bed-frame crossmember, 5 pickup bed 5th-wheel/gooseneck attachment points and close-out plugs, and an integrated 7-pin connector on the driver's side pickup bed wall

9,900-lb. GVWR Package (F-250; restrictions apply)

10,000-lb. GVWR Package (F-350 SRW; restrictions apply)

11,400-lb. GVWR Package (F-350 SRW 4x4 and F-350 SRW SuperCab/Crew Cab 4x2 with 8' box; requires 18" wheels and diesel engine)

Camper Package (restrictions apply) includes front springs upgrade (unless maximum springs have been computer-selected as included equipment), rear stabilizer bar (SRW), slide-in-camper certification and auxiliary rear springs on F-250

CNG/Propane Gaseous Engine Prep Package (F-250/F-350 with gas engine only) includes hardened engine intake valves and valve seats and bi-fuel manifold

FX4 Off-Road Package (4x4 only; n/a on F-450; other restrictions apply) includes transfer case and fuel tank skid plates, Hill Descent Control[™] (SRW only), Rancho[®] shocks and FX4 Off-Road box decals

Heavy-Service Front Suspension Package (restrictions apply) includes front springs upgrade (unless maximum springs have been computer-selected as included equipment)

High-Capacity Trailer Tow Package (F-350 Crew Cab DRW 172" WB 4x4 only; requires diesel engine and 4.30 limited-slip rear axle) includes max. front springs, wide track front axle, front fender flare moldings, and increased GCWR from 31,900 lbs. to 35,000 lbs.

Snow Plow Prep Package (4x4 only; restrictions apply) includes computer-selected springs for snow plow application and extra-heavy-duty alternator with diesel engine only



17" Argent-Painted Steel Standard: F-350 DRW



17" Argent-Painted Steel w/Stainless Steel Cover Optional: F-350 DRW



17" Polished Forged-Aluminum y 17" 6-Spoke Cast-Aluminum Optional: F-350 DRW Optional: F-250/F-350 SRW



18" Chrome-Clad Aluminum Included: F-250/F-350 SRW w/Premium Package



18" Cast-Aluminum Standard: F-250/F-350 SRW



19.5" Polished Forged-Aluminum Standard: F-450 DRW



F-450 LARIAT Crew Cab 4x4. White Platinum/Caribou two-tone. Chrome Package. Available equipment.



LARIAT Crew Cab. Charcoal Black leather trim. Available equipment.

Includes all XLT features, plus:

Mechanical

Alternator – 200-amp extra-heavy-duty

Electronic shift-on-the-fly (ESOF) 4-Wheel-Drive System with auto/manual locking hubs (4x4 models only)

17" polished forged-aluminum wheels (F-350 DRW) 18" bright-machined cast-aluminum wheels (SRW) LT275/65R18 all-season BSW tires – 5 (SRW)

Seating

40/console/40 front bucket seats and flowthrough center console with lockable storage, two 12-volt powerpoints and a 110-volt power outlet

10-way power driver and front-passenger seats
Leather-trimmed seats

Interior

Premium Sound System includes AM/FM stereo/ single-CD player with MP3 capability, digital clock and 8 speakers with subwoofer (SuperCab only)

Premium Audio System from Sony® includes AM/FM stereo/single-CD player with MP3 capability, digital clock, and 8 speakers with subwoofer (Crew Cab only)

SYNC® with MyFord Touch® includes an 8" color LCD touch screen in center stack; dash-top closable storage with media hub (2 USB ports, SD card reader, audio/video input jacks, and 12-volt powerpoint); and SYNC Services¹

SiriusXM® Satellite Radio with 6-month trial subscription

Dual-zone electronic automatic temperature control

Message center – Driver-configurable enhanced information center with LCD productivity screen includes gauge setup, compass, trip computer, fuel economy and towing/off-road applications, SelectShift® controls, Ice Blue® Lighting, halo lighting and davtime illumination

Mirror – Auto-dimming rearview

Power-adjustable pedals

Power outlet – 110-volt on instrument panel

Rear view camera

Steering wheel – Color-coordinated leatherwrapped with secondary audio, cruise and 5-button message center controls

Visors with illuminated driver and passenger mirrors
Window – Rear, power-sliding with privacy glass
and defroster

Woodgrain-style instrument panel accents

Exterior

Autolamp automatic on/off headlamps with rainlamp feature

Cab steps – 5" chrome tubular (DRW)

Door handles - Body-color

Fog lamps

Mirrors – PowerScope® power-telescoping/ -folding trailer tow with power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signal indicators

Reverse Sensing System

SecuriCode[™] keyless entry keypad

Available Options

Mechanical

6.7L Power Stroke® V8 Turbo Diesel B20-capable engine (standard on F-450)

5th-wheel hitch kit (requires 8' box; includes 18K hitch on SRW or 26.5K hitch on DRW)²

Gooseneck hitch kit²

Alternators - Dual, 357-amp total (diesel engine only)

Engine block heater

(standard in 15 cold-weather states)

Power take-off (PTO) provision allows transmission-mounted live-drive and stationary modes (diesel engine only)

Rear axle – Electronic-locking (F-250/F-350 SRW only)

Rear axle – Limited-slip (F-350 DRW; standard on F-450)

20" premium cast-aluminum wheels – 4

(F-250/F-350 SRW 4x4 only) 20" chrome-clad aluminum wheels – 4 (requires

Chrome Package; F-250/F-350 SRW 4x4 only) LT245/75R17 all-terrain BSW tires – 5 (F-350 DRW)

LT245/75R17 all-terrain OWL tires – 4 (F-350 DRW)

LT275/70R18 all-terrain BSW tires – 4 (F-250/F-350 SRW 4x4)

LT275/70R18 all-terrain OWL tires – 4 (F-250/F-350 SRW 4x4)

LT275/65R20 all-terrain BSW tires – 4 (F-250 4x4 only; requires FX4 Off-Road Package)

LT275/65R20 all-terrain OWL tires – 4 (F-250/F-350 SRW 4x4)

Seating

40/20/40 split leather-trimmed front seats, center under-seat lockable storage with 12-volt powerpoint, and center armrest with cupholders and storage

Heated rear outboard seats (requires LARIAT Interior Package or LARIAT Ultimate Package; Crew Cab only)

Interior

Navigation System with Premium Sound System includes HD Radio™ Technology, AM/FM stereo/single-CD player with MP3 capability, USB port, in-dash touch screen, voice-activated controls, SiriusXM Traffic and Travel Link,® and 8 speakers with subwoofer

Flooring – Black all-weather floor mats (deletes carpeted floor mats)

Rapid-heat supplemental cab heater (requires diesel engine; standard in 15 cold-weather states when diesel engine is ordered)

Remote Start System

Universal garage door opener

Upfitter switches located on instrument panel (4)

Exterior

Bed mat (restrictions apply)

Bedliner - Plastic drop-in

Bedliner – Tough Bed® spray-in includes tailgate guard and black bed bolts

Body-color bodyside moldings (SRW only)

Cab steps – 5" chrome tubular (standard on DRW)
Cable Lock System by Master Lock®3

Exterior backup alarm by ECCO®3

Ford Telematics™ powered by Telogis®3 – Fleet tracking system (includes I year of service)

Power-sliding moonroof (Crew Cab only)

Roof clearance lamps (standard on DRW)

Skid plates – Transfer case and fuel tank (4x4 only) Splash guards (front and rear on F-250/F-350; rear only on F-450)

Stowable bed extender (F-250/F-350 SRW only)

Tailgate step includes step, tailgate assist and grab bar

Tonneau cover – Soft-folding³

Two-tone lower-accent paint (includes accent-color wheel-lip moldings on SRW)

Wheel-well liners (SRW only)

Available Packages

LARIAT Interior Package includes easy entry/ exit memory, power, heated/cooled driver's seat; power, heated/cooled front-passenger seat; memory, power trailer tow mirrors; memory, power-adjustable pedals; and Remote Start System

LARIAT Ultimate Package (Crew Cab only; restrictions apply) includes easy entry/exit memory, power, heated/cooled driver's seat; power, heated/cooled front-passenger seat; memory, power trailer tow mirrors; memory, power-adjustable pedals; power moonroof; Navigation System; tailgate step: and Remote Start System

5th-Wheel/Gooseneck Trailer Tow Prep Package (n/a with stowable bed extender) includes 1 under-bed-frame crossmember, 5 pickup bed 5th-wheel/gooseneck attachment points and close-out plugs, and an integrated 7-pin connector on the driver's side pickup bed wall

9,900-lb. GVWR Package (F-250; restrictions apply)

10,000-lb. GVWR Package (F-350 SRW; restrictions apply)

11,400-lb. GVWR Package (F-350 SRW 4x4 and F-350 SRW SuperCab/Crew Cab 4x2 with 8' box; requires 18" wheels and diesel engine)

Camper Package (restrictions apply) includes front springs upgrade (unless maximum springs have been computer-selected as included equipment), rear stabilizer bar (SRW), slide-in-camper certification and auxiliary rear springs on F-250

Chrome Package includes chrome exhaust tip, chrome tow hooks, unique chrome mirror caps, chrome cargo tie-down hooks, 6" chrome angular cab steps and 18" chrome-clad aluminum wheels with LT275/65R18 all-season BSW tires (on SRW only)

CNG/Propane Gaseous Engine Prep Package (F-250/F-350 with gas engine only) includes hardened engine intake valves and valve seats and bi-fuel manifold

FX4 Off-Road Package (4x4 only; n/a on F-450; other restrictions apply) includes transfer case and fuel tank skid plates, Hill Descent Control[™] (SRW only), Rancho® shocks and FX4 Off-Road box decals

Heavy-Service Front Suspension Package (restrictions apply) includes front springs upgrade (unless maximum springs have been computer-selected as included equipment)

High-Capacity Trailer Tow Package (F-350 Crew Cab DRW 172" WB 4x4 only; requires diesel engine and 4.30 limited-slip rear axle) includes max. front springs, wide track front axle, front fender flare moldings, and increased GCWR from 31,900 lbs. to 35,000 lbs.

Snow Plow Prep Package (4x4 only; restrictions apply) includes computer-selected springs for snow plow application and extra-heavy-duty alternator with diesel engine only



17" Polished Forged-Aluminum Standard: F-350 DRW



18" Bright-Machined Provided 18" Chrome-Clad Aluminum
Cast-Aluminum Included: F-250/F-350 SRW
Standard: F-250/F-350 SRW W/Chrome Package




19.5" Polished Forged-Aluminum Standard: F-450 DRW



20" Premium Cast-Aluminum Optional: F-250/F-350 SRW 4x4



20" Chrome-Clad Aluminum Optional: F-250/F-350 SRW 4x4 w/Chrome Package



KING RANCH®





F-450 KING RANCH Crew Cab 4x4. Green Gem/Caribou two-tone. Chrome Package. Available equipment.

KING RANCH Crew Cab 4x4. Antiqued Mesa Brown leather trim. Black interior. Available equipment.

Includes all LARIAT features, plus:

Seating

Antiqued Mesa Brown leather-trimmed seats with "KING RANCH" seat back logo

Easy entry/exit driver's seat memory feature Heated/cooled driver and front-passenger seats

Navigation System with HD Radio™ Technology Flooring – Color-coordinated carpeted floor mats

with "KING RANCH" logo

Memory Group includes memory feature for power trailer tow mirrors, 10-way power driver's seat, and power-adjustable pedals

Remote Start System

Steering wheel - Antiqued Mesa Brown leather-wrapped with secondary audio, cruise and 5-button message center controls

Unique woodgrain-style instrument panel accents Universal garage door opener

Exterior

Accent-color wheel-lip moldings (SRW)

Body-color bodyside moldings (SRW)

Bumpers – Accent-color monochromatic

Cab steps – Illuminated accent-color platform

Grille – Body-color surround with chrome insert

Mirrors – PowerScope® power-telescoping/-folding trailer tow with memory, power/heated glass, heated manual spotter mirrors, integrated clearance lamps and turn signal indicators with body-color mirror caps

Two-tone lower-accent paint

Available Options

Mechanical

6.7L Power Stroke® V8 Turbo Diesel B20-capable engine (standard on F-450)

5th-wheel hitch kit (requires 8' box; includes 18K hitch on SRW or 26.5K hitch on DRW)1

Gooseneck hitch kit1

Alternators - Dual, 357-amp total (diesel engine only)

Engine block heater (standard in 15 cold-weather states) Power take-off (PTO) provision allows transmission-mounted live-drive and stationary modes (diesel engine only)

Rear axle – Electronic-locking (F-250/F-350 SRW only)

Rear axle - Limited-slip (F-350 DRW; standard on F-450)

20" premium painted cast-aluminum wheels – 4 (F-250/F-350 SRW only)

20" chrome-clad aluminum wheels – 4 (requires Chrome Package; F-250/F-350 SRW 4x4 only)

LT275/70R18 all-terrain BSW tires - 4 (F-250/F-350 SRW 4x4)

LT275/70R18 all-terrain OWL tires - 4 (F-250/F-350 SRW 4x4)

LT275/65R20 all-terrain OWL tires - 4 (F-250/F-350 SRW 4x4)

LT245/75R17 all-terrain BSW tires - 5 (F-350 DRW) LT245/75R17 all-terrain OWL tires – 4 (F-350 DRW)

Seating

Heated rear outboard seats

Interior

Rapid-heat supplemental cab heater (requires diesel engine; standard in 15 cold-weather states when diesel engine is ordered)

Upfitter switches located on instrument panel (4)

Exterior

Bed mat (restrictions apply)

Bedliner – Plastic drop-in

Bedliner – Tough Bed® spray-in includes tailgate guard and black bed bolts

Cable Lock System by Master Lock®2

Exterior backup alarm by ECCO®2

Ford Telematics[™] powered by Telogis^{®2} – Fleet tracking system (includes 1 year of service)

Power-sliding moonroof

Roof clearance lamps (standard on DRW)

Skid plates – Transfer case and fuel tank (4x4 only) Splash guards (front and rear on F-250/F-350; rear only on F-450)

Stowable bed extender (F-250/F-350 SRW only) Tailgate step includes step, tailgate assist and grab bar

Tonneau cover - Soft-folding² Wheel-well liners (SRW only)



20" Chrome-Clad Aluminum Optional: F-250/F-350 SRW 4x4 w/Chrome Package



KING RANCH with Chrome Package includes chrome exhaust tip, chrome tow hooks, unique chrome mirror caps, chrome cargo tie-down hooks, 6" chrome angular cab steps, and 18" chrome-clad aluminum wheels with LT275/65R18 all-season BSW tires (on SRW only)

KING RANCH Monochromatic Paint Package (requires KING RANCH with Chrome Package) includes chrome front and rear bumpers, monochromatic paint, body-color bumper extenders (F-450), body-color front fender flares (DRW), and unique KING RANCH 6.7L Power Stroke diesel engine decal (replaces tape stripe)

5th-Wheel/Gooseneck Trailer Tow Prep **Package** (n/a with stowable bed extender) includes 1 under-bed-frame crossmember, 5 pickup bed 5th-wheel/gooseneck attachment points and close-out plugs, and an integrated 7-pin connector on the driver's side pickup bed wall

9.900-lb. GVWR Package

(F-250; restrictions apply)

10,000-lb. GVWR Package (F-350 SRW; restrictions apply)

11.400-lb. GVWR Package (F-350 SRW 4x4 and F-350 SRW SuperCab/Crew Cab 4x2 with 8' box; requires 18" wheels and diesel engine)

Camper Package (restrictions apply) includes front springs upgrade (unless maximum springs have been computer-selected as included equipment). rear stabilizer bar (SRW), slide-in-camper certification and auxiliary rear springs on F-250

CNG/Propane Gaseous Engine Prep Package (F-250/F-350 with gas engine only) includes hardened engine intake valves and valve seats and bi-fuel manifold

FX4 Off-Road Package (4x4 only; n/a on F-450; other restrictions apply) includes transfer case and fuel tank skid plates. Hill Descent Control™ (SRW only), Rancho® shocks and FX4 Off-Road box decals

Heavy-Service Front Suspension Package (restrictions apply) includes front springs upgrade (unless maximum springs have been computer-selected as included equipment)

High-Capacity Trailer Tow Package (F-350 Crew Cab DRW 172" WB 4x4 only; requires diesel engine and 4.30 limited-slip rear axle) includes max. front springs, wide track front axle, front fender flare moldings, and increased GCWR from 31.900 lbs. to 35.000 lbs.

Snow Plow Prep Package (4x4 only; restrictions apply) includes computer-selected springs for snow plow application and extra-heavy-duty alternator with diesel engine only

¹Requires 5th-Wheel/Gooseneck Trailer Tow Prep Package. See your dealer for details. ²Ford Licensed Accessory. See your dealer for limited warranty details.



17" Polished Forged-Aluminum Standard: F-350 DRW



18" Bright-Machined Cast-Aluminum Standard: F-250/F-350 SRW



18" Chrome-Clad Aluminum Included: F-250/F-350 SRW w/Chrome Package



19.5" Polished Forged-Aluminum formatio 20 Premium Painted Standard: F-450 DRW Cast-Aluminum



Optional: F-250/F-350 SRW 4x4

PLATINUM





F-350 PLATINUM Crew Cab 4x4. Ruby Red. Available equipment. PLATINUM Crew Cab 4x4. Charcoal Black Premium leather trim. Available equipment.

Includes all LARIAT features, plus:

Mechanical

20" 7-spoke cast-aluminum wheels with black-painted pockets (SRW)

LT275/65R20 all-terrain OWL tires (SRW)

Seating

Premium leather-trimmed seats with tuxedo stripe design and "PLATINUM" seat back embroidery

Easy entry/exit driver's seat memory feature Heated/cooled driver and front-passenger seats

Interior

Navigation System with HD Radio™ Technology

Memory Group includes memory feature for power trailer tow mirrors, 10-way power driver's seat, and adjustable pedals

Remote Start System

Steering wheel – Heated, premium leather-wrapped with genuine walnut swirl wood accent, and secondary audio, cruise and 5-button message center controls

Unique woodgrain-style instrument panel accents Universal garage door opener

Exterior

Bumpers – Body-color

Cab steps - 6" chrome angular

Cargo box – Chrome cargo tie-down hooks

Chrome exhaust tip

Door handles – Chrome with body-color bezels

Grille - Satin-chrome surround with bright chrome insert

Mirrors – PowerScope® power-telescoping/-folding trailer tow with memory, power/heated glass, heated manual spotter mirrors, integrated clearance lamps and turn signal indicators, and chrome mirror caps

Raised chrome "PLATINUM" box-side lettering Satin-chrome tailgate appliqué

Tailgate step includes step, tailgate assist and grab bar

Tow hooks - Chrome. 2 in front

Available Options

Mechanical

6.7L Power Stroke® V8 Turbo Diesel B20-capable engine (standard on F-450)

5th-wheel hitch kit (requires 8' box; includes

Gooseneck hitch kit1

(diesel engine only)

Engine block heater

(standard in 15 cold-weather states)

transmission-mounted live-drive and stationary modes (diesel engine only)

(F-250/F-350 SRW only)

(F-350 DRW: standard on F-450)

LT245/75R17 all-terrain OWL tires - 4 (F-350 DRW)

Seating

Rapid-heat supplemental cab heater (requires diesel engine; standard in 15 cold-weather states when diesel engine is ordered)

Upfitter switches located on instrument panel (4)

Exterior

Bed mat (restrictions apply)

Bedliner – Plastic drop-in

guard and black bed bolts

Body-color bodyside moldings (SRW)

Cable Lock System by Master Lock®2

Power-sliding moonroof

Roof clearance lamps (standard on DRW)

Skid plates – Transfer case and fuel tank

Splash guards (front and rear on F-250/F-350: rear only on F-450)

Available Packages

9.900-lb. GVWR Package

10.000-lb. GVWR Package

11,400-lb. GVWR Package (F-350 SRW with diesel engine)

and bi-fuel manifold

31,900 lbs. to 35,000 lbs.

alternator with diesel engine only

(F-350 SRW; restrictions apply)

(F-250; restrictions apply)

5th-Wheel/Gooseneck Trailer Tow Prep

includes 1 under-bed-frame crossmember,

Package (n/a with stowable bed extender)

5 pickup bed 5th-wheel/gooseneck attachment

7-pin connector on the driver's side pickup bed wall

Camper Package (DRW only: restrictions apply)

includes front springs upgrade (unless maximum

springs have been computer-selected as included

CNG/Propane Gaseous Engine Prep Package

equipment) and slide-in-camper certification

(F-250/F-350 with gas engine only) includes

hardened engine intake valves and valve seats

FX4 Off-Road Package (4x4 only; n/a on F-450;

other restrictions apply) includes transfer case and

fuel tank skid plates, Hill Descent Control™ (SRW

only), Rancho® shocks and FX4 Off-Road box decals

Heavy-Service Front Suspension Package

upgrade (unless maximum springs have been

High-Capacity Trailer Tow Package (F-350

Crew Cab DRW 172" WB 4x4 only; requires diesel

engine and 4.30 limited-slip rear axle) includes

max. front springs, wide track front axle, front

fender flare moldings, and increased GCWR from

Snow Plow Prep Package (4x4 only: restrictions

apply) includes computer-selected springs for

snow plow application and extra-heavy-duty

¹Requires 5th-Wheel/Gooseneck Trailer Tow Prep

Package. See your dealer for details. ²Ford Licensed

Accessory. See your dealer for limited warranty details.

computer-selected as included equipment)

(restrictions apply) includes front springs

points and close-out plugs, and an integrated

18K hitch on SRW or 26.5K hitch on DRW)1

Alternators – Dual, 357-amp total

Power take-off (PTO) provision allows

Rear axle - Electronic-locking

Rear axle - Limited-slip

LT245/75R17 all-terrain BSW tires - 5 (F-350 DRW)

Heated rear outboard seats

Interior

Bedliner – Tough Bed® spray-in includes tailgate

Exterior backup alarm by ECCO®2

Ford Telematics[™] powered by Telogis^{®2} – Fleet tracking system (includes 1 year of service)

Stowable bed extender (F-250/F-350 SRW only)

Tonneau cover – Soft-folding²

Wheel-well liners (SRW only)



17" Polished Forged-Aluminum 19.5" Polished Forged-Aluminum Optional: F-350 DRW



Standard: F-450 DRW



w/Black-Painted Pockets Standard: F-250/F-350 SRW



EXTERIORS





White Platinum Metallic Tri-coat





Ingot Silver*



Race Red



Ruby Red Metallic Tinted Clearcoat



Bronze Fire*



Blue Jeans*



Caribou*

Green Gem*



Magnetic*



Shadow Black

INTERIORS





1 Steel HD Vinyl





3 Adobe Cloth



4 Adobe Leather

2 Steel Cloth





5 Charcoal Black Leather



6 Antiqued Mesa Brown Leather





7 Pecan Premium Leather

8 Charcoal Black Premium Leather

| Exteriors | Two-Tone | | | | | | | | | |
|---|----------|---|---|----|--------|---|--------------|----------|---|---|
| | XL | | Х | LT | LARIAT | | KING RANCH®1 | PLATINUM | | |
| White Platinum Metallic Tri-coat ² | | | | | | 4 | 5 | 6 | 7 | 8 |
| Oxford White | | 1 | 2 | 2 | 3 | 4 | 5 | 6 | | |
| Ingot Silver | | 1 | 2 | 2 | | | 5 | | | 8 |
| Race Red ³ | | 1 | 2 | 2 | 3 | 4 | 5 | | | |
| Ruby Red Metallic Tinted Clearcoat ² | | | | | 3 | 4 | 5 | 6 | | 8 |
| Bronze Fire | | | | | 3 | 4 | 5 | 6 | 7 | 8 |
| Blue Jeans | | 1 | 2 | 2 | 3 | 4 | 5 | 6 | | |
| Caribou | | 1 | 2 | 2 | 3 | 4 | 5 | | | |
| Magnetic | | 1 | 2 | 2 | | | 5 | | | |
| Green Gem | | 1 | 2 | 2 | 3 | 4 | 5 | 6 | | |
| Shadow Black ³ | | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |


- Caribou Two-Tone Accent exterior standard on KING RANCH, optional on LARIAT
- Magnetic Two-Tone Accent exterior optional on LARIAT with Charcoal Black Leather interior only


¹KING RANCH available in Black or Adobe interior environment. ²Additional charge. ³New for 2016. Colors are representative only. See your dealer for actual paint/trim options.







TECHNICAL SPECIFICATIONS









DIMENSIONS

| Exterior | Regular Cab LWB 4x2/4x4 | SuperCab SWB 4x2/4x4 | LWB 4x2/4x4 | Crew Cab SWB 4x2/4x4 | LWB 4x2/4x4 | | |
|--|-------------------------------|----------------------------|----------------|----------------------------|----------------|--|--|
| | 76.6"/79.2" | 77.0"/79.5" | 76.9"/79.3" | 77.4"/79.7" | 77.3"/79.8" | | |
| A. Height – F-250 SRW (w/o options) | | | | | | | |
| A. Height – F-350 SRW (w/o options) | 76.5"/80.0" | 76.9"/80.4" | 76.7"/80.2" | 77.2"/80.8" | 77.2"/80.8" | | |
| A. Height – F-350 DRW (w/o options) | 76.7"/79.5" | - | 76.9"/79.7" | - | 77.3"/79.9" | | |
| A. Height – F-450 DRW (w/o options) | _ | _ | _ | _ | 79.7" | | |
| B . Width – SRW (excl. mirrors) | 79.9" | 79.9" | 79.9" | 79.9" | 79.9" | | |
| B . Width – DRW (excl. mirrors) | 96.0" | - | 96.0" | - | 96.0" | | |
| B . Width – With mirrors | 104.9" | 104.9" | 104.9" | 104.9" | 104.9" | | |
| B . Width – With mirrors extended | 110.0" | 110.0" | 110.0" | 110.0" | 110.0" | | |
| C. Ground clearance – F-250 SRW | 8.5"/8.2" | 8.5"/8.2" | 8.5"/8.1" | 8.5"/8.1" | 8.5"/8.1" | | |
| C . Ground clearance – F-350 SRW | 8.5"/8.2" | 8.5"/8.2" | 8.5"/8.2" | 8.5"/8.2" | 8.5"/8.2" | | |
| C. Ground clearance – F-350 DRW | 8.1"/8.0" | _ | 8.1"/8.0" | _ | 8.0"/8.0" | | |
| C . Ground clearance – F-450 DRW | - | _ | _ | _ | 8.0" | | |
| D . Load floor height – F-250 SRW | 35.2"/36.3" | 34.8"/35.6" | 34.4"/35.4" | 34.2"/35.1" | 34.1"/35.0" | | |
| D . Load floor height – F-350 SRW | 34.7"/38.5" | 34.4"/37.9" | 34.1"/38.0" | 33.9"/37.8" | 33.8"/37.7" | | |
| D . Load floor height – F-350 DRW | 35.0"/36.4" | _ | 34.3"/35.7" | _ | 34.1"/35.6" | | |
| D . Load floor height – F-450 DRW | - | _ | _ | _ | 35.4" | | |
| E. Cargo box height | 20.0" | 20.0" | 20.0" | 20.0" | 20.0" | | |
| F. Length | 227.6" | 232.4" | 248.6" | 246.8" | 263.0" | | |
| G . Overhang – Rear | 52.4" | 52.4" | 52.4" | 52.4" | 52.4" | | |
| H . Wheelbase | 137.0" | 141.8" | 158.0" | 156.2" | 172.4" | | |
| I. Overhang – Front | 38.1" | 38.1" | 38.1" | 38.1" | 38.1" | | |
| J. Angle of departure – F-250 SRW | 17.8º/19.2º | 17.4º/18.5º | 17.0º/18.3º | 16.7º/18.0º | 16.7º/17.9º | | |
| J. Angle of departure – F-350 SRW | 17.3º/21.5º | 17.0º/20.9º | 16.6º/21.1º | 16.4º/20.8º | 16.3º/20.8º | | |
| J. Angle of departure – F-350 DRW | 17.6º/19.3º | _ | 16.9º/18.7º | _ | 16.7º/18.5º | | |
| J. Angle of departure – F-450 DRW | - | - | - | - | 18.30 | | |

| Exterior | Regular Cab LWB 4x2/4x4 | SuperCab SWB 4x2/4x4 | LWB 4x2/4x4 | Crew Cab SWB 4x2/4x4 | LWB 4x2/4x4 |
|---|-------------------------------|----------------------------|----------------|----------------------------|----------------|
| K . Ramp breakover angle – F-250 SRW | 17.5º/20.4º | 16.9º/19.8º | 15.8º/18.1º | 15.7º/18.1º | 15.0º/17.3º |
| K . Ramp breakover angle – F-350 SRW | 17.2º/21.5º | 16.7º/20.9º | 15.6º/19.2º | 15.5º/19.2º | 14.8º/18.2º |
| K . Ramp breakover angle – F-350 DRW | 17.5º/20.4º | _ | 15.9º/18.6º | _ | 15.0º/17.4º |
| K . Ramp breakover angle – F-450 DRW | _ | _ | _ | _ | 17.0° |
| L. Angle of approach – F-250 SRW | 18.0º/19.4º | 18.19/20.19 | 18.7º/20.0º | 18.7º/20.0º | 18.9º/20.6º |
| L . Angle of approach – F-350 SRW | 18.19/18.89 | 18.2º/19.5º | 18.8º/19.3º | 18.8º/19.3º | 19.0º/20.0º |
| L . Angle of approach – F-350 DRW | 18.2º/19.2º | - | 19.0º/20.6º | _ | 19.1º/20.3º |
| L. Angle of approach – F-450 DRW | _ | _ | _ | _ | 19.80 |
| Interior | | | | | |
| Front head room | 40.7" | 40.7" | 40.7" | 40.7" | 40.7" |
| Front shoulder room | 68.0" | 68.0" | 68.0" | 68.0" | 68.0" |
| Front hip room | 67.6" | 67.6" | 67.6" | 67.6" | 67.6" |
| Front leg room (max.) | 43.3" | 43.3" | 43.3" | 43.3" | 43.3" |
| Rear head room | _ | 38.1" | 38.1" | 40.8" | 40.8" |
| Rear shoulder room | _ | 68.1" | 68.1" | 68.0" | 68.0" |
| Rear hip room | _ | 67.3" | 67.3" | 67.6" | 67.6" |
| Rear leg room | _ | 31.6" | 31.6" | 42.1" | 42.1" |
| Cargo Box | | | | | |
| Volume (cu. ft.) | 77.3 | 64.1 | 77.3 | 64.1 | 77.3 |
| M. Length at floor | 98.0" | 81.8" | 98.0" | 81.8" | 98.0" |
| N. Width at wheelhouse | 50.9" | 50.9" | 50.9" | 50.9" | 50.9" |
| O. Width at floor (maximum) | 69.3" | 69.3" | 69.3" | 69.3" | 69.3" |

SRW = single rear wheel DRW = dual rear wheel

SWB = short wheelbase (6¾' cargo box) LWB = long wheelbase (8' cargo box)













40/20/40







40/mini-console/40 40/console/40 front busket soats

| | Regular Cab | SuperCab | Crew Cab | 6¾′ Box Size | 8' Box Size | split front seat | front bucket seats | front bucket seats |
|----------|-------------|----------|----------|--------------|-------------|------------------|---------------------|--------------------|
| XL | | | | | | | | |
| XLT | | | | | | | | |
| LARIAT | | | | | | | | |
| KING RAI | NCH® | | | | | | | |
| PLATINU | М | | | | | Infor | mation Provided by: | |
| | | | | | | | | |

INTERIOR STORAGE (cu. ft.)

Front 40/20/40 split seat center under-seat lockable storage – 0.36
Front flow-through center console main bin – 1.23
Rear Crew Cab 60/40 split bench under-seat lockable storage – 1.17



TECHNICAL SPECIFICATIONS

MAXIMUM PAYLOAD WEIGHT RATINGS (lbs.)

| | Max. GVWR | Regular Cab 137.0" WB | SuperCa 141.8" WB | ab 158.0" WB | Crew Ca 156.2" WB | b 172.4" WB | |
|------------------|--|---|---|---|---|--|--|
| F-250 SRW 4x2 | 9,900 10,000 | 3,890 4,040 | 3,600 3,700 | 3,500 3,600 | 3,390 3,490 | 3,280 3,380 | |
| F-250 SRW 4x4 | 9,900 10,000 | 3,480 3,580 | 3,200 3,300 | 3,100 3,200 | 3,000 3,100 | 2,880 2,980 | |
| F-350 SRW 4x2 | 10,000 10,200 10,500 10,500 10,700 10,800 10,900 11,000 11,100 11,400 11,500 | 3,920 4,370 4,220 | 3,630 4,080 3,650 3,900 | 3,560 3,760 — — 3,620 4,410 — 4,160 4,260 | 3,450 3,650 - 4,090 3,580 - - - 4,120 | 3,310 3,810 4,260 3,710 3,960 4,050 | |
| F-350 SRW 4x4 | 10,000 10,400 10,500 10,600 10,700 10,800 11,000 11,100 11,200 11,300 11,400 11,500 | 3,510 3,910 3,950 — — 3,650 3,790 4,5101 — 4,760 4,160 4,260 | 3,240 - 3,740 3,790 - - 4,250 3,740 - 3,910 4,000 | 3,160 | 3,060 3,660 3,800 3,590 4,270 3,700 3,800 | 2,950 | |
| F-350 DRW 4x2 | 13,500 13,900 14,000 | 7,050 — 6,840 | _ _ _ | - 7,000 6,340 | _ _ _ | - - 6,870 | |
| F-350 DRW 4x4 | 13,800 14,000 | 6,880 6,420 | _ _ | - 6,680 | | - 6,460 | |
| F-450 DRW 4x4 | 14,000 | _ | | _ | | 5,300 | |

CONVENTIONAL TOWING — MAXIMUM LOADED TRAILER WEIGHT RATINGS (lbs.)

| | Automatic Transmission Axle Engine Ratio GCWR | | RegularCab | | | | | | | SuperCab | | | | | | | Crew Cab | | | | | | |
|----------------------------|---|---|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|--|--|
| | | | F-250 SRW 4x2 | F-350 SRW 4x2 | F-350 DRW 4x2 | F-250 SRW 4x4 | F-350 SRW 4x4 | F-350 DRW 4x4 | F-250 SRW 4x2 | F-350 SRW 4x2 | F-350 DRW 4x2 | F-250 SRW 4x4 | F-350 SRW 4x4 | F-350 DRW 4x4 | F-250 SRW 4x2 | F-350 SRW 4x2 | F-350 DRW 4x2 | F-250 SRW 4x4 | F-350 SRW 4x4 | F-350 DRW 4x4 | F-450 DRW 4x4 | | |
| 6.2L 2-valve FFV | 3.73 4.30 | 19,200 19,800 22,200 22,800 | 12,500 - 12,500 - | 12,500 - 12,500 - | - 13,200 - 16,100 | 12,500 - 12,500 - | 12,500 - 12,500 - | - 12,700 - 15,700 | 12,500 - 12,500 - | 12,500 - 12,500 - | - 12,800 - 15,700 | 12,400 - 12,500 - | 12,300 - 12,500 - | - 12,400 - 15,300 | 12,500 - 12,500 - | 12,500 - 12,500 - | - 12,500 - 15,500 | 12,200 - 12,500 - | 12,100 - 12,500 - | - 12,100 - 15,100 | - - - | | |
| 6.7L V8 Turbo Diesel | 3.31 3.55 3.73 4.30 | 23,500 23,500 32,100 35,000 ² 40,400 | 12,500 12,500 - - | 12,500 12,500 - - | - - 19,000 - - | 12,500 12,500 - - | 12,500 12,500 - - | - - 19,000 - - | 14,000 14,000 - - | 14,000 14,000 - - | - - 19,000 - - | 14,000 14,000 - - | 14,000 14,000 — — | - - 19,000 - - | 14,000 14,000 - - | 14,000 14,000 - - | - - 19,000 - - | 14,000 14,000 - - | 14,000 14,000 - - | - 19,000 19,000 | - - - - 19,000 | | |

5TH-WHEEL/GOOSENECK TOWING — MAXIMUM LOADED TRAILER WEIGHT RATINGS (lbs.)

| 1 | Transmission | | RegularCab | | | | | | | SuperCab | | | | | | | Crew Cab | | | | | | |
|----------------------------|------------------------------|---|----------------------------|----------------------------|---------------------------------|----------------------------|----------------------------|---------------------------------|----------------------------|----------------------------|---------------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|---------------------------------|----------------------------|----------------------------|------------------------------------|---------------------|--|--|
| | | | F-250 SRW 4x2 | F-350 SRW 4x2 | F-350 DRW 4x2 | F-250 SRW 4x4 | F-350 SRW 4x4 | F-350 DRW 4x4 | F-250 SRW 4x2 | F-350 SRW 4x2 | F-350 DRW 4x2 | F-250 SRW 4x4 | F-350 SRW 4x4 | F-350 DRW 4x4 | F-250 SRW 4x2 | F-350 SRW 4x2 | F-350 DRW 4x2 | F-250 SRW 4x4 | F-350 SRW 4x4 | F-350 DRW 4x4 | F-450 DRW 4x4 | | |
| 6.2L 2-valve FFV | 3.73 4.30 | 19,200 19,800 22,200 22,800 | 12,900 - 15,900 - | 12,900 - 15,900 - | - 13,100 - 16,100 | 12,500 - 15,500 - | 12,500 - 15,500 - | - 12,600 - 15,600 | 12,700 - 15,700 - | 12,600 - 15,600 - | - 12,700 - 15,700 | 12,300 - 15,300 - | 12,200 - 15,200 - | - 12,200 - 15,200 | 12,400 - 15,400 - | 12,400 - 15,400 - | - 12,400 - 15,400 | 12,100 - 15,100 - | 12,000 - 15,000 - | - 12,000 - 15,000 | _ _ _ _ | | |
| 6.7L V8 Turbo Diesel | 3.31 3.55 3.73 4.30 | 23,500 23,500 32,100 35,000 ² 40,400 | l | 16,500 16,500 — — | _ _ _ 24,700 _ _ | 16,200 16,200 — — | 16,100 16,100 — — | _ _ _ 24,300 _ _ | 16,300 16,300 - - | 16,200 | _ _ _ 24,200 _ _ | 15,900 15,900 — — | 15,900 15,900 — — | _ _ 23,800 _ _ | 16,100 16,100 — — | 16,000 16,000 - - | _ _ _ 24,000 _ _ | 15,100 15,100 — — | 15,700 15,700 — — | - 23,500 26,500 ³ | | | |

¹Requires Camper Package. ²Requires High-Capacity Trailer Tow Package. ³5th-wheel towing limited to 5th-wheel hitch rating of 26,500 lbs.

Maximum capabilities shown are for properly equipped vehicles with required equipment and a 150-lb. driver. Weight of additional options, equipment, passengers and cargo must be deducted from this weight. For additional information, see your Ford Dealer. Conventional Towing Notes: This information also applies to models with Pickup Box Delete option (66D). Trailer tongue load weight should be 10–15% of total loaded trailer weight. Make sure that the vehicle payload (reduced by option weight) will accommodate trailer tongue load weight and the weight of passengers and cargo, cannot cause vehicle weights to exceed the rear GAWR (Gross Axle Weight Rating) or GVWR (Gross Vehicle Weight Rating). These ratings can be found on the vehicle's Safety Compliance Certification Label. Sth-Wheel Towing Notes: This information also applies to models with Pickup Box Delete option (66D). Trailer kingpin weight should be 15~25% of total loaded trailer weight. Make sure that the vehicle payload (reduced by option weight) will accommodate trailer kingpin weight and the weight of passengers and cargo added to the towing vehicle. The addition of trailer kingpin weight, and the weight of passengers and cargo, cannot cause vehicle weights to exceed the rear GAWR (Gross Axle Weight Rating) or GVWR (Gross Vehicle Weight Rating). These ratings can be found on the vehicle's Safety Compliance Certification Label.



WB = wheelbase











F-250 XL Crew Cab in Oxford White accessorized with 5" black step bars, fog lamps, smoked hood and side window deflectors, heavy-duty splash guards, commercial-grade tool/cargo box by Delta,®1 and Ford Commercial Graphics by 3M Original Wraps1

5th-wheel hitch kits (18K, 26.5K)

All-weather floor mats

Remote Access

Wheel-well liners

Exterior

Commercial graphics¹
Exhaust tip
Hitch-mounted bike carriers¹
Hood protector¹
Racks and carriers¹
Splash guards
Sportz[®] tents¹
Stainless steel wheel covers¹
Step bars
Trailer towing accessories
Wheel lock kit

Interior

Ash cup/coin holders
Cargo organizers and protectors
In-vehicle safe¹
Leather-trimmed interior seating¹
Premium carpeted floor mats
Protective seat covers¹
Tablet cradle¹

Bed Products

Bed extender, liners and mats
Cable lock¹
Retractable stake pocket tie-downs¹
Tonneau covers¹

Electronics

Ford Telematics™ powered by Telogis®1
Keyless entry keypad
Remote start systems
Speed control
Vehicle Security System
Warning sensor systems¹
Wireless charging¹







ford.com/trucks/superduty/

Follow Ford:









New Vehicle Limited Warranty. We want your Ford F-Series Super Duty® ownership experience to be the best it can be. Under this warranty, your new vehicle comes with 3-year/36,000-mile bumper-to-bumper coverage, 5-year/60,000-mile Powertrain Warranty coverage, 5-year/60,000-mile safety restraint coverage, and 5-year/unlimited-mile corrosion (perforation) coverage – all with no deductible. The Ford 6.7L Power Stroke® diesel engine gets 5-year/100,000-mile warranty coverage. Please ask your Ford Dealer for a copy of this limited warranty.

Roadside Assistance. Covers your vehicle for 5 years or 60,000 miles, so you have the security of knowing that help may be only a phone call away should you run out of fuel, lock yourself out of the vehicle or need towing. Your Ford Dealer can provide complete details on all of these advantages.

Ford Credit. Get the ride you want. Whether you plan to lease or finance, you'll find the choices that are right for you at Ford Credit. Ask your Ford Dealer for details or check us out at fordcredit.com.

Ford Extended Service Plan. For a purchase or lease, the Ford Extended Service Plan (ESP) gives you peace-of-mind protection designed to cover key vehicle components and protect you from the cost of unexpected repairs. Ask your dealer for a Ford ESP, the only service contract backed exclusively by Ford and honored at all Ford dealerships.

Insurance Services. Get Ford Motor Company quality in your auto insurance. Our program offers industry-leading benefits and competitive rates. Call 1-877-367-3847, or visit us at fordvip.com for a no-obligation quote. Insurance offered by American Road Services Company (in CA, American Road Insurance Agency), a licensed agency and subsidiary of Ford Motor Company.

Ford Original Accessories will be warranted for whichever provides you the greatest benefit: 24 months/unlimited mileage, or the remainder of your Bumper-to-Bumper 3-year/36,000-mile New Vehicle Limited Warranty. Ford Licensed Accessories (FLA) are warranted by the accessory manufacturer's warranty. FLA are designed and developed by the accessory manufacturer and have not been designed or tested to Ford Motor Company engineering requirements. Contact your Ford Dealer for details and/or a copy of all limited warranties.

Comparisons based on competitive models (class is Full-Size Pickups over 8,500 lbs. GVWR), publicly available information and Ford certification data at time of release. Vehicles may be shown with optional and aftermarket equipment. Features may be offered only in combination with other options or subject to additional ordering requirements/limitations. Dimensions and capacity ratings shown may vary due to optional features and/or production variability. Information is provided on an "as is" basis and could include technical, typographical or other errors. Ford makes no warranties, representations, or guarantees of any kind, express or implied, including but not limited to, accuracy, currency, or completeness, the operation of the information, materials, content, availability, and products. Ford reserves the right to change product specifications, pricing and equipment at any time without incurring obligations. Your Ford Dealer is the best source of the most up-to-date information on Ford vehicles. Body manufacturers are responsible for compliance certification of the completed vehicle. The Ford New Vehicle Limited Warranty and any government certification made by Ford shall cover only the vehicle as manufactured by Ford and shall not extend to any addition, modification or change of or to the vehicle by the Ford Authorized Pool Account.

HD Radio is a proprietary trademark of iBiquity Digital Corp. iPhone is a trademark of Apple Inc., registered in the U.S. and other countries. King Ranch is a registered trademark of King Ranch, Inc. Master Lock is a registered trademark of Tenneco Automotive Operating Company Inc. SiriusXM services require a subscription, sold separately by SiriusXM after trial period. Fees and taxes apply. All fees and programming subject to change. Sirius satellite service is available only to those in the 48 contiguous USA, D.C. and PR (with coverage limitations). Our Internet radio service is available throughout our satellite service area and in AK and HI. Some channels not available in all lineups. Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc. Sony is a registered trademark of the Sony Corporation. The Bluetootth word mark is a trademark of the Bluetooth SiG, Inc.



