SAFETY DATA SHEET

1. Product and Company Identification

Product identifier In-The-Swim chlorine-free oxidizing shock

Other means of identification Not available

Recommended use Chlorine-free shock oxidizer

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company nameLPM Manufacturing, Inc.Address2005 E. Indian School Rd.

Phoenix, AZ 85016 United States

Telephone 602-366-3999
E-mail Not available.

Emergency phone number 800-424-9300 (CHEMTREC)

2. Hazards Identification

Physical hazardsCorrosive to metalsCategory 1Health hazardsAcute toxicity, oralCategory 4Skin corrosion/irritationCategory 1Serious eye damage/eye irritationCategory 1

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement May be corrosive to metals.

Harmful if swallowed.

Causes severe skin burns and eye damage.

Precautionary statement

Prevention Keep only in original container.

Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Do not breathe dust.

Wear protective gloves/protective clothing/eye protection/face protection.

Response Absorb spillage to prevent material damage.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing.

Specific treatment (see this label).

Storage Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information 1.65% of the mixture consists of component(s) of unknown acute oral toxicity.

	3. Composition/Information on Ing	redients			
Mixtures					
Chemical name	Common name and synonyms	CAS number	%		
Pentapotassium Bis(peroxymonosulphate) Bis(sulphate)		70693-62-8	80-83		
Sodium carbonate		497-19-8	13-16		
Potassium persulfate		7727-21-1	3-6		
Dihydroxypentamagnesium, tetrakis[carbonato(-2)]		7760-50-1	1-4		
	4. First Aid Measures		-		
Inhalation	If inhaled: If breathing is difficult, remove person	to fresh air and keep com	fortable for breathing.		
Skin contact	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.				
Eye contact	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
Ingestion	If swallowed: Rinse mouth. Do NOT induce vomiting.				
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Dusts may irritate the respiratory tract, skin and eyes. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.				
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Symptoms may be delayed.				
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Wash contaminated clothing before reuse.				
	5. Fire Fighting Measures				
Suitable extinguishing media	Water spray.				
Unsuitable extinguishing media	Do not use carbon dioxide or other gas-filled fire extinguishers; they will have no effect on decomposing persulfates.				
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed. Will release oxygen when heated, intensifying a fire. Acidic mist may be present; self contained breathing apparatus should be used.				
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.				
Fire-fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.				
Specific methods	Cool containers exposed to flames with water un	til well after the fire is out.			
General fire hazards	Improper storage of large masses of "OXONE" o ignition of combustibles (see section on "Handlin cause decomposition with liberation of heat and omay occur.	g and Storage"). Grinding	or intensive mixing may		
	6. Accidental Release Measur	es			
Personal precautions, protective equipment and emergency procedures	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Wear a dust mask if dust is generated above exposure limits. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust from the spilled material. Ensure adequate ventilation.				
Methods and materials for containment and cleaning up	Sweep up material and place in a disposal container without raising dust. Collect dust using a vacuum cleaner equipped with HEPA filter. Minimize dust generation and accumulation. Prevent entry into waterways, sewers or confined areas.				

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and Storage

Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take any precaution to avoid mixing with combustibles. Do not breathe dust. Avoid contact with eyes, skin and clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Practice good housekeeping.

Conditions for safe storage, including any incompatibilities

Store locked up. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Store in corrosive resistant container with a resistant inner liner. Keep only in the original container. Store in a cool, dry place out of direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Do not store near combustible materials.

8. Exposure Controls/Personal Protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

ComponentsTypeValuePotassium persulfate (CAS 7727-21-1)TWA 0.1 mg/m3

Biological limit values
Appropriate engineering
controls

No biological exposure limits noted for the ingredient(s). Not normally required if good ventilation is maintained.

Individual protection measures, such as personal protective equipment

Eye/face protection Face shield or chemical goggles.

Skin protection

Hand protection Rubber gloves. Confirm with a reputable supplier first.

Other Not available.

exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. Wash hands after handling and before eating.

9. Physical and Chemical Properties

Appearance Granular solid Physical state Solid. Powder. **Form** Clear Color Odorless Odor Odor threshold Not available. pН Not available. Not available. Melting point/freezing point Initial boiling point and boiling Not available range Not available. Pour point Not available. Specific gravity Partition coefficient Not available. (n-octanol/water) Flash point Not available. Not available. **Evaporation rate** Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Flammability limit - lower Not available. Flammability limit - upper Not available. (%)

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%) Not available. Not available. Vapor pressure Not available. Vapor density Relative density Not available. Not available. Solubility(ies) **Auto-ignition temperature** Not available. Not available. **Decomposition temperature** Not available. **Viscosity**

10. Stability and Reactivity

Reactivity Do not mix with other chemicals.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Chemical stability Material is stable under normal conditions. Conditions to avoid Keep away from heat, sparks and open flame.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

May include and are not limited to: Sulfur oxides. Oxygen.

11. Toxicological Information

Information on likely routes of exposure

Harmful if swallowed. Causes digestive tract burns. Ingestion Inhalation of dusts may cause respiratory irritation. Inhalation

Causes severe skin burns Skin contact Eye contact Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

Information on toxicological effects

Harmful if swallowed. **Acute toxicity**

Species Test Results Components

Dihydroxypentamagnesium, tetrakis[carbonato(-2)] (CAS 7760-50-1)

Acute

Dermal

LD50 Not available

Inhalation

LC50 Not available

Oral

LD50 Rat > 5000 mg/kg

Potassium persulfate (CAS 7727-21-1)

Acute

Dermal

LD50 Rabbit > 10000 mg/kg

Inhalation

LC50 Rat > 5 mg/L

Oral

LD50 Rat 802 mg/kg

Sodium carbonate (CAS 497-19-8)

Acute

Dermal

LD50 Rat > 2000 mg/kg

Inhalation

LC50 Guinea pig 400 mg/m3

0.8 mg/l, 2 Hours

1.2 mg/l, 2 Hours Mouse

ComponentsSpeciesTest ResultsRat2.3 mg/l, 2 Hours

Oral

LD50 Rat 4090 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Exposure minutesNot available.Erythema valueNot available.Oedema valueNot available.

Serious eye damage/eye

irritation

Causes serious eye damage.

Corneal opacity valueNot available.Iris lesion valueNot available.Conjunctival reddeningNot available.

value

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitization

Respiratory sensitization Not classified.

Skin sensitization Not available.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, NTP, or OSHA.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful.

Further information Not available.

12. Ecological Information

Ecot	oxicity	See below		
	Components		Species	Test Results
;	Sodium carbonate (CAS 497-19-8)			
	Crustacea	EC50	Daphnia	265 mg/L, 48 Hours
-	Aquatic			
	Crustacea	EC50	Water flea (Ceriodaphnia dubia)	156.6 - 298.9 mg/l, 48 hours
	Fish	LC50	Bluegill (Lepomis macrochirus)	300 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potentialNo data available.Mobility in soilNo data available.Mobility in generalNot available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport Information

U.S. Department of Transportation (DOT)

Basic shipping requirements:

UN number UN3260

Proper shipping name Corrosive solid, acidic, inorganic, n.o.s. (Monopersulfate compound)

Hazard class 8
Packing group II

Special provisions IB8, IP2, IP4, T3, TP33

Packaging exceptions154Packaging non bulk212Packaging bulk240

DOT



15. Regulatory Information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

No

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

SDWAI

Not regulated.

(SDWA)

Food and Drug

Not regulated.

Administration (FDA)

US state regulations CA Reg. No 11411-50017

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

US - New Jersey RTK - Substances: Listed substance

Potassium persulfate (CAS 7727-21-1) Listed

US - Texas Effects Screening Levels: Listed substance

Potassium persulfate (CAS 7727-21-1) Listed. Sodium carbonate (CAS 497-19-8) Listed.

US. Massachusetts RTK - Substance List

Potassium persulfate (CAS 7727-21-1) Listed.

US. Pennsylvania RTK - Hazardous Substances

Potassium persulfate (CAS 7727-21-1) Listed.

US. Rhode Island RTK

Not regulated.


Country(s) or region Inventory name On inventory (yes/no)*


United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty,

consequential damages which may result from the use of or reliance on any information contained

Disclaimer

Issue date

Further information

Other information

in this document. 09-January-2015

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

expressed or implied, is made and supplier will not be liable for any losses, injuries or

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

This chemical is a pesticide product registered by the the California Department of Pesticide Regulations (DPR) and is subject to certain labeling requirements under the California pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

PRECAUTIONARY STATEMENTS: DANGER **CORROSIVE**

CAUSES SKIN AND EYE DAMAGE. May be harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, smoking tobacco or using the toilet. Remove and wash contaminated clothing after use.

PHYSICAL OR CHEMICAL HAZARD: STRONG OXIDIZING AGENT. Mix only into water, using clean, dry utensils. Never add water to product. Always add product to large quantities of water. Do not mix with other chemicals. Do not add this product to any dispensing device containing remnants of any other product. Such use or contamination with moisture, organic matter or other chemicals, may cause a violent reaction leading to fire or liberation of hazardous gases. In such case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large amounts of water.