



The Biotechnology Education Company ®

EDVO-Kit

192

**Forensics Antigen
Detection: Can A Dead
Cat Tell Us If The Owner
Was Murdered?**

See Page 3 for storage instructions.

EXPERIMENT OBJECTIVE:

The objective of this experiment is to introduce to the students the principles of antigen-antibody interactions for forensic identification of blood using the Ouchterlony procedure. Samples were obtained from the blood around the dead cat and from the blood stains on the bed sheets to determine if it was human or cat blood.

EDVOTEK, Inc. • 1-800-EDVOTEK • www.edvotek.com

Can A Dead Cat Tell Us If The Owner Was Murdered?

Table of Contents

	Page
Experiment Components	3
Experiment Requirements	3
Background Information	4
Experiment Procedures	11
Study Questions	13
Instructor's Guidelines	
Notes to the Instructor and Pre-Lab Preparations	15
Expected Results	18
Study Questions and Answers	18
Material Safety Data Sheets	19

All components are intended for educational research only. They are not to be used for diagnostic or drug purposes, nor administered to or consumed by humans or animals.

EDVOTEK and The Biotechnology Education Company are registered trademarks of EDVOTEK, Inc.



This experiment is designed for 10 student groups.

No actual blood or blood products are used in this experiment.

Experiment Components

Store components A - F in the refrigerator.

A	Cat Anti-serum	Refrigerator
B	Human Anti-serum	Refrigerator
C	Control Cat blood sample	Refrigerator
D	Control Human blood sample	Refrigerator
E	Questioned Cat blood from crime scene	Refrigerator
F	Questioned blood from T-shirt	Refrigerator
G	Powdered buffer	Room temp.
	• UltraSpec-Agarose™	Room temp.
	• Practice loading solution	Room temp.
	• Transfer pipets	
	• Petri plates	
	• Well cutters	
	• Microtest tubes	

Requirements

- Micropipet and tips
- Pipet pump
- Plastic container or Pyrex baking dish
- Plastic wrap
- Distilled Water
- Pipets - 5 ml or 10 ml
- Marking pen
- Measuring spatula or toothpicks
- Heat plate, Bunsen burner, or microwave
- Paper towels
- Waterbath

This experiment does not contain components which have been prepared from human sources.

Background Information

Securing and Handling the Evidence

Forensic Scientists collect and analyze evidence from a crime scene in order to identify the nature of the evidence and its source. While this collection process takes place, the scientist cannot make any definitive statements about the nature of the evidence. One cannot assume that a red stain on the floor or a latent (not currently visible) stain found by another detection method is actually blood. The first step when dealing with any biological evidence is to correctly identify the material. It may seem obvious that the red stain on a knife found lying next to a murder victim is blood, yet it still must be tested to confirm if the stain is indeed blood. Only when you have determined the exact nature of the evidence, can further testing be done to produce additional information.

Determining the nature of the evidence is a complex multi-step process. Forensic scientists use various assays to quickly and accurately determine the identity of a substance that must also satisfy the following criteria: the test must be quick, inexpensive, and most importantly, it must minimally affect the evidence. It is important that the initial testing be performed quickly and inexpensively in order to determine the direction of the investigation. A lengthy, expensive test would waste time and money if the sample being tested turns out to be something other than what it's thought to be.

Maintaining the Integrity of the Evidence

In addition to collecting and testing evidence, the Forensic Scientist is also one of many people responsible for maintaining the integrity of the evidence itself. Steps must be taken to ensure that nothing is done to the evidence that would minimize or diminish its value, thus making it less useful in an important situation, as in a courtroom or trial setting. When evidence is collected, it is placed into a collection bag that is then sealed and taped shut, with the initials of the collector and collection date written across the tape. This is the first line of defense against any potential evidence tampering. In order to access the evidence, the seal on the bag/container must be broken. The evidence is then brought to a secure evidence room where signed records of its arrival are documented. Access to the room is restricted to only a few people who keep track of all the items. Any scientist who wishes to perform a test on the evidence must sign for the items they remove, noting the date and time as well. Eventually, these records provide a detailed picture of when the evidence was collected and every time it was moved or accessed for testing.

Testing procedures are affected in a variety of ways. After retrieving the evidence from the storage room a forensic scientist will note the condition of the container is in. Is the container properly sealed? Does the evidence tape sealing the openings look undisturbed? Are there any new openings in the container? All these questions must be answered and the condition of the container must be noted in the scientist's lab notebook before testing can begin. Next, the scientist must open the container without disturbing the prior sealing done by others. If at all possible, new openings should be made. This allows others who have made openings and sealed them to be able to say that their seal was undisturbed afterwards. This is important to show that the evidence wasn't tampered with and to document everyone who has tested the evidence. Often, by the end of its life, the evidence bag will have numerous openings that have been resealed and signed. Even when testing the items, the scientist should take absolute care to ensure that evidence is never compromised to a point where contamination can occur. Contamination is



Background Information

the transfer of minute amounts of material from one piece of evidence to another and it can drastically alter the value of the evidence and can result in a complete loss of value. For example, if two articles of clothing are laid on a lab bench together. One is a reference sample collected from a suspect. The other was found on the victim of a crime. By placing the items in the open air in the same room at the same time, you run the risk of material from one article transferring over to the other. This could result in an innocent suspect being punished for a crime he or she did not commit. When working on a crime case, only one piece of evidence should be unsealed at a time. With all items sealed in their respective bags, contamination cannot occur. After testing is complete, all items are then signed back into the evidence room by the scientist who removed them. This procedure is used to document all of those who had access to the evidence and what was done to the evidence.

Presumptive and Confirmatory Tests

These quick tests have to use very little sample so that further testing can be done. Often the amounts of evidence collected are very small. We can't use up an entire piece of evidence in one test. It is imperative that as a forensic scientist, you do your best to preserve as much of the evidence as possible. That is why simple chemical tests are used for the initial testing of possible biological evidence. There will of course be times when the amount of evidence is so small that the entire sample would be consumed in a test. In only these cases, the evidence is saved for the most conclusive tests. In all other cases, you will conduct both Presumptive and Confirmatory tests.

The first level of testing consists of Presumptive Tests. You have found a substance you think will contribute to your investigation and you want to know what the substance is. Common sense may tell you that the red liquid on the ground near a knife is probably blood but that doesn't mean you have scientifically proven it to the degree that it can be used as evidence in court. You instead perform simple tests to screen evidence in order to determine if further testing is necessary.

These initial tests are called "presumptive" because of their potential results. Presumptive tests can, at best, only strongly indicate that the tested substance is what you think it is. This is because there are other substances which could give a positive result to the test, making you think that your sample is one thing when it is actually another. These are called "false positives". It is very likely that the positive result is correct and with experience you can learn to tell a true positive from some of the false one. But, because there is a chance of a false positive, you can't say for sure that you have confirmed the identity of the tested substance.

That is where aptly named Confirmatory Tests come in. Presumptive testing has indicated that the substance is probably what you think it is. Now, you have to perform a test that conclusively confirms this substance is what you think. As with the presumptive tests, it is the results of a confirmatory test that place it in this category. Confirmatory tests do not give false positives. A positive result from a confirmatory test for blood means that the substance you tested is blood. It is only after you have gotten a correct, positive result from a confirmatory test that you can state the identity of a substance.

Background Information

The Ultimate Purpose of Forensic Testing: The Courtroom

Why do we go through all of these steps? The first reason is simply that it is part of doing a good job. As a Forensic Scientist, you should feel proud of the quality of the work you do and should always be striving to perform as well as you possibly can. That means you should be taking all the necessary actions to make sure that your results are accurate, repeatable and timely. In short, you should strive to be an exemplary scientist. The second and more practical reason is that this evidence ultimately has a purpose and if you don't do a good job, you will make the evidence unfit for that purpose. And that purpose is of course the use of the evidence in a courtroom setting. Regardless of whether or not you are working for a law enforcement agency or at a private lab doing work for clients, your work is eventually going to end up being used in the justice system to help assign responsibility for a crime. Sometimes, these crimes are very serious and the judgment of the court could seriously affect the lives of the people involved in the case. Incorrect results on your part can allow guilty people to go free and can condemn the innocent to horrible fates. Any time a forensic scientist might be annoyed with the myriad rules in place to govern their actions, they would do well to remember the far-reaching consequences of possible mistakes.


A CONFIRMATORY TEST: SPECIES IDENTIFICATION USING THE OUCHTERLONY DOUBLE DIFFUSION TEST

Species Identification

As previously stated, you cannot assume anything about the nature of a possible biological stain found at a crime scene. Even if you can show that it is blood, you can't immediately assume that it is human blood. The first steps that the forensic scientist would take after collection would be to determine if the substance was in fact blood. This is accomplished through several types of presumptive and confirmatory tests. A popular presumptive test is the Kastle-Meyer test. And increasingly, tests that exploit the Antigen-Antibody interaction have been used as confirmatory tests. These confirmatory tests show only that the substance is blood, relying on the testing on antibodies common to all blood types and common among many mammalian species.

Often after these confirmatory tests, the samples will be processed using PCR based DNA fingerprinting techniques. Obtaining a forensic profile from the sample is also confirmatory for blood, particularly human blood as the DNA primers used in the PCR process are specific to certain regions of human DNA. If the sample does produce a full profile, it is absolutely a human sample. But this test is time consuming and expensive and results may not be back from the lab for weeks. A simple chemical test that only tests for the species of the source of the blood is often needed. In that instance, a more specific version of an Antibody-Antigen interaction is used.

The interactions of an antibody (Ab) with an antigen (Ag) is the fundamental reaction of immunology.



Most antigens are proteins. The exact identity of the groups that react with the antibody are usually not known. Macromolecular antigens and antibodies form complexes that become insoluble and precipitate from solution. This property makes it possible to perform





Background Information

qualitative and quantitative assays on the antibody-antigen system.


Precipitation occurs with most antigens because the antigen is multivalent, i.e., has several antigenic determinants per molecule to which antibodies can bind. Antibodies have at least two antigen binding sites, thus large aggregates or lattices of antigen and antibody are formed. Experimentally, an increasing amount of antigen is added to a constant amount of antibody in solution. Initially at low antigen concentration, all of the antigen is contained in the precipitate. This is called the antibody-excess zone. As more antigen is added, the amount of protein precipitated increases until the antigen and antibody molecules are at an optimal ratio. This is called the equivalence zone, or equivalence point, where maximum precipitation occurs. When the amount of antigen in solution exceeds the amount of antibody, the amount of precipitation will decrease. This is known as the antigen-excess zone (Figures 1 and 2).

When antibodies and antigens are inserted into different areas of an agarose gel, they diffuse toward each other and form opaque bands of precipitate at the interface of their diffusion fronts. Precipitation reactions of antibodies and antigens in agarose gels provide a method of analyzing various antibody-antigen reactions.



THE OUCHTERLONY PROCEDURE

Double diffusion in two dimensions is a simple procedure invented by and named after the Swedish scientist, Örjan Ouchterlony. Antigen and antibody solutions are placed in separate wells cut in an agarose plate. The reactants diffuse from the wells toward each other and precipitate where they meet at equivalent proportions. A single antigen will combine with its homologous antibody to form a single precipitation line. When two antigens are present, each behaves independently of each other. Thus, the number of precipitin bands indicates there are at least that many antibody-antigen pairs present (see Figure 3). Arrows indicate diffusion patterns of antigens and antibodies.



Background Information




Figure 4:
Reaction of Identity




Figure 5
Reaction of Non-identity




Figure 6
Reaction of Partial Identity

The patterns shown in Figures 3 - 6 are the ideal representation. Under experimental conditions, the spurs are often difficult to visualize.

Double diffusion in two dimensions is a useful technique for comparing antigens for the number of identical or cross-reacting determinants. If a solution of antigen is placed in two adjacent wells and the homologous antibody is placed in the center well, the two precipitin bands that form will join at their closest ends and fuse. This is known as a reaction of identity (Figure 4).

When unrelated antigens are placed in adjacent wells and the center well is filled with antibodies for each antigen, the precipitin bands will form independently of each other and will cross. This is known as a reaction of non-identity (Figure 5).

If two purified antigens cross-react, then placing them in adjacent peripheral wells with antibody to one in the central well will give a single band with the homologous and cross-reacting antigen. Since the cross-reacting antigen lacks some of the antigenic determinants present in the homologous antigen, it is not able to precipitate all of the antibody. The remaining antibody will diffuse beyond the line of cross-reacting precipitate to react with the homologous antigen to produce a spur. The spur that forms projects toward the antigen with the fewer determinants, i.e., the cross-reacting antigen. This is called a reaction of partial identity. Since these non-cross-reacting antibodies often are only a fraction of the total antibody involved in the homologous precipitin reaction, the spur is usually less dense (often difficult to visualize) than the precipitin band from which it projects (See Figure 7).




Figure 7



Experiment Overview and General Instructions

BACKGROUND:

A young woman who lives with her cat was last seen on her daily run. After two days, she was reported missing to the police by her friends. Upon entering her penthouse, her cat was found in a pool of blood, shot in the head. Tiny drops of bloodstains were found trailing from her bed sheets to the blood by the cat. The detective in charge concluded that the woman and the cat were brutally murdered, her body was removed from the site of the crime, and the tiny stains of blood were overlooked when the area was cleaned. Samples were obtained from the blood around the dead cat and from the blood stains on the bed sheets to determine if it was human or cat blood. Students will determine the validity of the hypothesis set forth by the detective.

EXPERIMENT OBJECTIVE:

The objective of this experiment is to introduce to the students the principles of antigen-antibody interactions for forensic identification of blood using the Ouchterlony procedure. Samples were obtained from the blood around the dead cat and from the blood stains on the bed sheets to determine if it was human or cat blood.

LABORATORY SAFETY

No human materials are used in this experiment. Gloves and safety goggles should be worn as good laboratory practice.




Student Experimental Procedures

A. PREPARATION OF AGAROSE & POURING OF OUCHTERLONY PLATES

1. Each group requires 3 plates: 1 practice loading plate and 2 experimental plates. Using a 5 ml or a 10 ml pipet, carefully pipet 5 ml of the cooled agarose (65°C) into each plate, rotating the plate to cover the bottom with agarose. Repeat with the remaining plates.
2. If the molten agarose contains bubbles, gently swirl to remove the bubbles.
3. Allow the agarose to solidify. This will take approximately 10-15 minutes, at which time the gel will appear slightly opaque.
4. If the plates are not to be used that day, the plates can be wrapped with plastic wrap and stored inverted in the refrigerator for two weeks.

B. PRACTICE WELL LOADING (OPTIONAL)

This experiment contains practice loading solution. This solution is included to allow instructors and students to practice loading the sample wells before performing the actual experiment. Use a micropipetting device, or one of the plastic transfer pipets included in your experiment kit to practice loading the sample wells with the practice loading solution.



1. One practice plate should be prepared for each group. Enough reagents have been provided for this purpose.
2. Using the well cutters provided, cut several rows of wells as shown in the diagram above.
3. Practice loading the sample wells with the plastic, disposable transfer pipets. (See "Sample Loading of Wells with Transfer Pipets").
4. If you are using an automatic micropipetting device, the amount of sample that should be loaded is 30 microliters.

Sample Loading of Wells With Transfer Pipets

1. Squeeze the pipet stem, not the bulb, to slowly draw a portion of the sample up into the pipet. The sample should remain in the lower portion of the pipet.

If the sample is overdrawn and becomes lodged in the bulb or on the walls, tap until the sample moves down into the lower stem of the pipet. Eject it back into the tube. Try step 1 again.


2. While holding the pipet tip above the tube, slowly squeeze the pipet stem until the sample is nearly at the opening of the pipet tip.

Student Experimental Procedures

- Place the pipet tip just over, not inside, the sample well. Maintain steady pressure on the pipet stem to prevent sample from being drawn back up into the pipet.
- Slowly squeeze the pipet bulb to eject two (2) drops of sample. The well should appear full, but be careful not to overfill the wells and cause spillage on the agarose surface. Put any remaining sample in the pipet back into the tube.

C. PREPARATION OF SAMPLE WELLS

- Make several copies of the template (at right) for your lab group.
- Place the template under one of the plates so that the pattern is in the center of the plate. The distances between the wells is important. Try to follow the template as accurately as possible.
- Cut the five wells using the well cutter (provided in the kit) in a gentle punching motion. Remove the agarose plugs with a flat-edged toothpick or spatula.
- If well placement is not accurate, there should be enough room on the plate to re-cut the wells using the template.
- Repeat steps 2 and 3 with the remaining plates.




D. LOADING THE SAMPLES

- Orient your lab number or group designation at the top before loading samples.
- Using the same pipet, fill the center well of plate 1 with 30 microliters (2 drops with a transfer pipet) of the Cat antiserum from Tube A. Wells should appear full, but be careful not to overfill the wells and cause spillage on the agarose surface. This may affect your results.
- Fill the outer wells with 30 microliters of blood samples using a clean pipet tip for each sample as follows:


Plate 1

Center well: Cat antiserum (Tube A)
 Left upper well: Control Human blood sample (Tube D)
 Right upper well: Control Cat blood sample (Tube C)
 Left lower well: Questioned Cat blood from crime scene (Tube E)
 Right lower well: Questioned blood from T-shirt (Tube F)



- Using a new pipet, fill the center well of plate 2 with 30 microliters (2 drops with a transfer pipet) of the Human antiserum from Tube B. Wells should appear full, but be careful not to overfill the wells and cause spillage on the agarose surface. This may affect your results.

Student Experimental Procedures



5. Also fill the outer wells with 30 microliters of blood samples using a clean pipet tip for each sample as follows:

Plate 2

Center well: Human antiserum (Tube B)

Left upper well: Control Human blood sample (Tube D)

Right upper well: Control Cat blood sample (Tube C)

Left lower well: Questioned Cat blood from crime scene (Tube E)

Right lower well: Questioned blood from T-shirt (Tube F)

E. INCUBATION

Replace lids onto plates. Carefully place the covered plates in the incubation chamber on top of the wet paper towel layer. Do not invert the plates. Cover the chamber with plastic wrap and let incubate at room temperature 24-48 hours to allow precipitin lines to form or the chamber can be placed in a 37°C incubation oven.

F. READING THE RESULTS

The precipitin lines will be visible in 24-48 hours. Carefully hold a plate up so that the overhead room lights shine through it. You should be able to see opaque white arcs in each side of the plate where the antibody and antigen precipitated. A drawing of the results should be made.

Student Experimental Results

LABORATORY NOTEBOOK RECORDINGS:

Address and record the following in your laboratory notebook or on a separate worksheet.

Before starting the experiment:

- Write a hypothesis that reflects the experiment
- Predict experimental outcomes

During the Experiment:

- Record (draw) your observations, or photograph the results.

Following the Experiment:

- Formulate an explanation from the results.
- Determine what could be changed in the experiment if the experiment were repeated.
- Write a hypothesis that would reflect this change.

Study Questions

Answer the following study questions in your laboratory notebook or on a separate worksheet.

1. In what situation would you expect to see more than one precipitation line between wells on an Ouchterlony plate?
2. What three principle type of reactions may be observed in Ouchterlony gel diffusion?

Can A Dead Cat Tell Us If The Owner Was Murdered?

Notes:



Instructor's Guide

Notes to the Instructor & Pre-Lab Preparations

If you do not find the answers to your questions in this section, a variety of resources are continuously being added to the EDVOTEK® web site. In addition, Technical Service is available from 9:00 am to 6:00 pm, Eastern time zone. Call for help from our knowledgeable technical staff at 1-800- EDVOTEK (1-800-338-6835).


APPROXIMATE TIME REQUIREMENTS

Your individual schedule and time requirements will determine when the Ouchterlony plates should be prepared. It takes approximately 20 to 30 minutes to prepare the plates (generally 10 minutes of this time is required for solidification). Students can prepare the plates, if time allows.

Order
Online

www.edvotek.com

Visit our web site for information about EDVOTEK's complete line of experiments for biotechnology and biology education.



EDVO-TECH SERVICE
1-800-EDVOTEK
(1-800-338-6835)
Mon - Fri 9 am - 6 pm ET

**Technical Service
Department**

Mon - Fri
9:00 am to 6:00 pm ET

FAX: 202-370-1501
Web: www.edvotek.com
email: edvotek@aol.com

**Please have the following
information ready:**

- Experiment number and title
- Kit lot number on box or tube
- Literature version number
(in lower right corner)
- Approximate purchase date

Visit the EDVOTEK web site often for
continuously updated information.

EDVOTEK - The Biotechnology Education Company®
1-800-EDVOTEK • www.edvotek.com
FAX: 202-370-1501 • email: info@edvotek.com



Notes to the Instructor & Pre-Lab Preparations

A. PREPARATION OF AGAROSE AND POURING OF OUCHTERLONY PLATES

1. In a 500 ml Erlenmeyer flask or beaker, add the entire contents of powdered buffer package (Component G) to 225 ml of distilled water. Swirl the flask or beaker to dissolve the powder.
2. Add the entire contents of the agarose package to the flask or beaker. Swirl to disperse large clumps. With a marking pen, indicate the level of solution volume on the outside of the flask or beaker.
3. You must boil the solution to dissolve the agarose. This can be accomplished with a hot plate or Bunsen burner. Cover the beaker with foil. Heat the mixture to boiling over a burner with occasional swirling. Wear safety goggles and a hot glove. Boil the mixture until all the gelatinous agarose is dissolved. During heating, occasionally remove the beaker from the heat and check to see that there are no small, clear particles of agarose. Continue heating with occasional swirling. The final solution should be clear.

A microwave can also be used to melt the agarose (no foil cover) on high in 30 sec. pulses for 2 minutes if required. Swirl the flask in between pulses and microwave for an additional 1-2 minutes. Check to see that there are no small clear particles of agarose. The final solution should be clear.

4. If detectable evaporation has occurred, add distilled water to bring the solution up to the original volume as marked on the flask or beaker in step 2. Total volume should be a minimum of 230 ml.
5. Cool the agarose solution to 65°C in a waterbath. Swirl to promote even dissipation of heat.
6. Aliquot 20 ml of the agarose solution (65°C) for each of the ten groups.

Proceed to A-Preparation of Agarose and Pouring of Ouchterlony Plates on page 10 promptly to prevent solidification of agarose solution. If the solution happens to solidify prior to pouring of Ouchterlony plates, quickly warm it up in a microwave to dissolve.

B. PREPARATION OF INCUBATION CHAMBER (PREPARE DAY OF LABORATORY)

Line the bottom of a plastic container or glass container (such as a Pyrex® dish) with several paper towels. Soak the paper towels with distilled water. There should not be any layer of liquid above the paper towels. All liquid should be absorbed into the paper toweling. Cover the entire chamber with plastic wrap.



Notes to the Instructor & Pre-Lab Preparations

C. PREPARATION OF ANTIBODY AND ANTIGENS

Four Blood samples and two antisera have been supplied in bulk. It is recommended that the blood samples and antisera are aliquoted for each group.

1. Label 10 microtest tubes "A".
2. Label 10 microtest tubes "B".
3. Label 10 microtest tubes "C".
4. Label 10 microtest tubes "D".
5. Label 10 microtest tubes "E".
6. Label 10 microtest tubes "F".
7. Aliquot 40 μ l of Cat antiserum (component A) into each tube "A".
8. Aliquot 40 μ l of Human antiserum (component B) into each tube "B".
9. Aliquot 80 μ l of Control Cat blood sample (component C) into each tube "C".
10. Aliquot 80 μ l of Control Human blood sample (component D) into each tube "D".
11. Aliquot 80 μ l of Questioned Cat blood from crime scene (component E) into each tube "E".
12. Aliquot 80 μ l of Questioned blood from T-shirt (component F) into each tube "F".
13. Each group requires one each of tube A, B, C, D, E and F.
14. Aliquot 10 microtest tubes 100 μ l of practice solution per group.

AVOIDING COMMON PITFALLS

1. Follow instructions carefully when preparing the gel for the plates. Make sure the agarose is completely dissolved.
2. Make neat, clean wells with the well cutters. Take measures to ensure that the wells are properly spaced according to the template on page 11.
3. Add samples to the wells carefully and precisely. Avoid overfilling the wells.
4. Do not tip or invert plates when transferring to the humidity chamber.
5. Placing the humidity chamber in a 37° C incubation oven will expedite the formation of precipitin arcs.
6. Absence of precipitin lines is usually due to disproportionate pipetting between antiserum and blood sample wells, or distance between antiserum and blood sample wells.


**Please refer to the kit
insert for the Answers to
Study Questions**


Material Safety Data Sheets


Full-size (8.5 x 11") pdf copy of MSDS is available at www.edvotek.com or by request.


192

Experiment

 Material Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.		IDENTITY (As Used on Label and List) UltraSpec-Agarose	
Section I Manufacturer's Name EDVOTEK, Inc. Address (Number, Street, City, State, Zip Code) 1121 5th Street NW Washington DC 20001 Date Prepared 08/25/11 Signature of Preparer (optional)		Emergency Telephone Number 202-370-1500 Telephone Number for information 202-370-1500	
Section II - Hazardous Ingredients/Identify Information Hazardous Components (Specific Chemical Identity, Common Name(s)) OSHA PEL ACGIH TLV Recommended % (Optional) This product contains no hazardous materials as defined by the OSHA Hazard Communication Standard. CAS #9012-36-6			
Section III - Physical/Chemical Characteristics Boiling Point For 1% solution 194 F Specific Gravity (H ₂ O = 1) No data Vapor Pressure (mm Hg) No data Melting Point No data Vapor Density (AIR = 1) No data Evaporation Rate (Butyl Acetate = 1) No data Solubility in Water Insoluble - cold			
Appearance and Odor White powder, no odor			
Section IV - Fire and Explosion Hazard Data Flash Point (Method Used) No data Flammable Limits LEL N.D. UEL N.D. Extinguishing Media Water spray, dry chemical, carbon dioxide, halon or standard foam Special Fire Fighting Procedures Possible fire hazard when exposed to heat or flame Unusual Fire and Explosion Hazards None			
Section V - Reactivity Data Stability Unstable Stable X Conditions to Avoid None Incompatibility No data available Hazardous Decomposition or Byproducts			
Hazardous Polymerization May Occur Will Not Occur X Conditions to Avoid None			
Section VI - Health Hazard Data Routes of Entry: Inhalation? Yes Skin? Yes Ingestion? Yes Health Hazards (Acute and Chronic) Ingestion: Large amounts may cause diarrhea Irritation: No data available Carcinogenicity: NTP? IARC Monographs? OSHA Regulation?			
Signs and Symptoms of Exposure No data available Medical Conditions Generally Aggravated by Exposure No data available Emergency First Aid Procedures Treat symptomatically and supportively			
Section VII - Precautions for Safe Handling and Use Steps to be Taken in case Material is Released or Spilled Sweep up and place in suitable container for disposal Waste Disposal Method Normal solid waste disposal Precautions to be Taken in Handling and Storing Non-hazardous for travel. Other Precautions None			
Section VIII - Control Measures Respiratory Protection (Specify Type) Chemical cartridge respirator with full facepiece. Ventilation Local Exhaust Special Mechanical (General) Eye Protection Splash proof goggles Protective Gloves Yes Eye Protection Splash proof goggles Other Protective Clothing or Equipment Impervious clothing to prevent skin contact Work/Hygiene Practices None			

 Material Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.		IDENTITY (As Used on Label and List) Powdered Buffer	
Section I Manufacturer's Name EDVOTEK, Inc. Address (Number, Street, City, State, Zip Code) 1121 5th Street NW Washington DC 20001 Date Prepared 08/25/11 Signature of Preparer (optional)		Emergency Telephone Number 202-370-1500 Telephone Number for information 202-370-1500	
Section II - Hazardous Ingredients/Identify Information Hazardous Components (Specific Chemical Identity, Common Name(s)) OSHA PEL ACGIH TLV Recommended % (Optional) This product contains no hazardous materials as defined by the OSHA Hazard Communication Standard.			
Section III - Physical/Chemical Characteristics Boiling Point 100C Specific Gravity (H ₂ O = 1) 1.017 Vapor Pressure (mm Hg) No data Melting Point No data Vapor Density (AIR = 1) No data Evaporation Rate (Butyl Acetate = 1) No data Solubility in Water Soluble			
Appearance and Odor Solid			
Section IV - Physical/Chemical Characteristics Flash Point (Method Used) Noncombustible Flammable Limits LEL UEL Extinguishing Media Use extinguishing media appropriate to surrounding fire Special Fire Fighting Procedures Wear SCBA and protective clothing to prevent contact with skin and eyes Unusual Fire and Explosion Hazards Emits toxic fumes under fire conditions			
Section V - Reactivity Data Stability Unstable Stable X Conditions to Avoid None Incompatibility Strong acids			
Hazardous Decomposition or Byproducts Nature of decomposition products not known			
Hazardous Polymerization May Occur Will Not Occur X Conditions to Avoid None			
Section VI - Health Hazard Data Routes of Entry: Inhalation? Yes Skin? Yes Ingestion? Yes Health Hazards (Acute and Chronic) Cause eye & skin irritation, material is irritating to mucous membranes and upper respiratory tract. The toxicological properties have not been thoroughly investigated. Carcinogenicity: NTP? IARC Monographs? OSHA Regulation?			
Signs and Symptoms of Exposure None Medical Conditions Generally Aggravated by Exposure None Emergency First Aid Procedures Swallowed - wash out mouth with water provided person is conscious. Skin/eye contact - flush with water. Inhalation - remove to fresh air			
Section VII - Precautions for Safe Handling and Use Steps to be Taken in case Material is Released or Spilled Wear respiratory chemical safety goggles, rubber boots and heavy rubber gloves, sweep up, place in a bag and hold for waste disposal. Waste Disposal Method For small quantities - cautiously add to a large stirred excess of water. Adjust pH to neutral Precautions to be Taken in Handling and Storing Wear appropriate NIOSH/MSHA approved respirator, chemical resistant gloves, safety goggles, safety shower and eye bath. Other Precautions Non-hazardous for travel.			
Section VIII - Control Measures Respiratory Protection (Specify Type) NIOSH/MSHA approved respirator Ventilation Local Exhaust Special Mechanical (General) N/A Other N/A Protective Gloves Yes Eye Protection Yes Other Protective Clothing or Equipment Do not ingest. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Work/Hygiene Practices			

 Material Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.		IDENTITY (As Used on Label and List) Stimulated Blood Samples I92 - Human Simulated Blood	
Section I Manufacturer's Name EDVOTEK Address (Number, Street, City, State, and ZIP Code) 1121 5th Street NW Washington DC 20001 Date Prepared 08/25/11 Signature of Preparer (optional)		Emergency Telephone Number 202-370-1500 Telephone Number for information 202-370-1500	
Section II - Hazardous Ingredients/Identify Information Hazardous Components (Specific Chemical Identity, Common Name(s)) OSHA PEL ACGIH TLV Recommended % (Optional) BSA CAS#9048-46-8			
Section III - Physical/Chemical Characteristics Boiling Point NA Specific Gravity (H ₂ O = 1) NA Vapor Pressure (mm Hg) NA Melting Point NA Vapor Density (AIR = 1) NA Evaporation Rate (Butyl Acetate = 1) NA Solubility in Water Soluble			
Appearance and Odor red liquid			
Section IV - Fire and Explosion Hazard Data Flash Point (Method Used) Flammable Limits LEL UEL Extinguishing Media Water spray, alcohol-resistant foam, dry chem or carbon dioxide Special Fire Fighting Procedures Wear self contained breathing apparatus if necessary Unusual Fire and Explosion Hazards			
Section V - Reactivity Data Stability Unstable Stable X Conditions to Avoid None Incompatibility (Materials to avoid) Strong oxidizing agents. Hazardous Decomposition or Byproducts Under fire conditions, carbon oxides, nitrogen oxides			
Hazardous Polymerization May Occur Will Not Occur X			
Section VI - Health Hazard Data Routes of Entry: Inhalation? Yes Skin? Yes Ingestion? Yes Health Hazards (Acute and Chronic) May be harmful or irritating to eyes, skin, respiratory, or if swallowed. Carcinogenicity: NTP? IARC Monographs? OSHA Regulation?			
Signs and Symptoms of Exposure None Medical Conditions Generally Aggravated by Exposure None Emergency First Aid Procedures In case of eye contact immediately flush with water, with skin wash with soap and water. If breathed in, remove to fresh air. If swallowed, rinse mouth with water.			
Section VII - Precautions for Safe Handling and Use Steps to be Taken in case Material is Released or Spilled Use absorbent material and keep in suitable, closed container for disposal. Waste Disposal Method Follow federal, local, and state laws. Precautions to be Taken in Handling and Storing Keep container tightly closed in a dark, dry, and well-ventilated place. Other Precautions Non-hazardous for travel.			
Section VIII - Control Measures Respiratory Protection (Specify Type) Ventilation Local Exhaust Special Mechanical (General) Other Protective Gloves Yes Eye Protection Safety goggles Other Protective Clothing or Equipment General industrial hygiene practice.			

 Material Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.		IDENTITY (As Used on Label and List) Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked as indicated here.	
Simulated Blood Samples 102 - Cat Antiserum Section I	EDVOTEK 1121 5th Street NW Washington DC 20001	Emergency Telephone Number 202-370-1500 Telephone Number for information 202-370-1500 Date Prepared 08/25/11 Signature of Preparer (optional)	Other Limits Recommended % (Optional) ACGIH TLV
Section II - Hazardous Ingredients/Identify Information Hazardous Components (Specific Chemical Entity, Common Name(s)) OSHA PEL ACGIH TLV Rabbit serum			
Section III - Physical/Chemical Characteristics Boiling Point NA Specific Gravity (H ₂ O = 1) NA Vapor Pressure (mm Hg) NA Melting Point NA Vapor Density (AIR = 1) NA Evaporation Rate (Butyl Acetate = 1) NA Solubility in Water Soluble			
Section IV - Fire and Explosion Hazard Data Appearance and Odor colorless or white liquid, no odor Flash Point (Method Used) Flammable Limits LEL UEL Extinguishing Media Water spray, alcohol-resistant foam, dry chem or carbon dioxide Special Fire Fighting Procedures Wear self contained breathing apparatus if necessary Unusual Fire and Explosion Hazards			
Section V - Reactivity Data Stability Unstable Stable X Conditions to Avoid Incompatibility (Materials to avoid) Strong oxidizing agents. Hazardous Decomposition or Byproducts Under fire conditions - carbon oxides Hazardous Polymerization May Occur Will Not Occur X Section VI - Health Hazard Data Routes of Entry Inhalation? Skin? Ingestion? Yes Yes Yes Health Hazards (Acute and Chronic) May be harmful or irritative to eyes, skin, respiratory, or if swallowed. Carcinogenicity: NTP? IARC Monographs? OSHA Regulation? Signs and Symptoms of Exposure Medical Conditions Generally Aggravated by Exposure Emergency and First Aid Procedures In case of eye contact immediately flush with water, with skin wash with soap and water. If inhaled, remove to fresh air. If swallowed, rinse mouth with water. Section VII - Precautions for Safe Handling and Use Steps to Be Taken in case Material is Released or Spilled Sweep up and shovel. Keep in suitable, closed container for disposal. Waste Disposal Method Follow federal, local, and state laws. Precautions to be Taken in Handling and Storing Keep container tightly closed in a dry and well-ventilated place. Other Precautions Non-hazardous for travel Section VIII - Control Measures Respiratory Protection (Specify Type) Ventilation Local Exhaust Mechanical (General) Special Other Protective Gloves Yes Eye Protection Safety goggles Other Protective Clothing or Equipment Work/Hygiene Practices General Industrial hygiene practice.			
Material Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.			
Simulated Blood Samples 102 - Cat Stimulated Blood Section I	EDVOTEK 1121 5th Street NW Washington DC 20001	Emergency Telephone Number 202-370-1500 Telephone Number for information 202-370-1500 Date Prepared 08/25/11 Signature of Preparer (optional)	Other Limits Recommended % (Optional) ACGIH TLV
Section II - Hazardous Ingredients/Identify Information Hazardous Components (Specific Chemical Entity, Common Name(s)) OSHA PEL ACGIH TLV Rabbit serum			
Section III - Physical/Chemical Characteristics Boiling Point NA Specific Gravity (H ₂ O = 1) NA Vapor Pressure (mm Hg) NA Melting Point NA Vapor Density (AIR = 1) NA Evaporation Rate (Butyl Acetate = 1) NA Solubility in Water Soluble			
Section IV - Fire and Explosion Hazard Data Appearance and Odor red, liquid Flash Point (Method Used) Flammable Limits LEL UEL Extinguishing Media Water spray, alcohol-resistant foam, dry chem or carbon dioxide Special Fire Fighting Procedures Wear self contained breathing apparatus if necessary Unusual Fire and Explosion Hazards			
Section V - Reactivity Data Stability Unstable Stable X Conditions to Avoid Incompatibility (Materials to avoid) Strong oxidizing agents. Hazardous Decomposition or Byproducts Under fire conditions - carbon oxides Hazardous Polymerization May Occur Will Not Occur X Section VI - Health Hazard Data Routes of Entry Inhalation? Skin? Ingestion? Yes Yes Yes Health Hazards (Acute and Chronic) May be harmful or irritative to eyes, skin, respiratory, or if swallowed. Carcinogenicity: NTP? IARC Monographs? OSHA Regulation? Signs and Symptoms of Exposure Medical Conditions Generally Aggravated by Exposure Emergency and First Aid Procedures In case of eye contact immediately flush with water, with skin wash with soap and water. If inhaled, remove to fresh air. If swallowed, rinse mouth with water. Section VII - Precautions for Safe Handling and Use Steps to Be Taken in case Material is Released or Spilled Sweep up and shovel. Keep in suitable, closed container for disposal. Waste Disposal Method Follow federal, local, and state laws. Precautions to be Taken in Handling and Storing Keep container tightly closed in a dry and well-ventilated place. Other Precautions Non-hazardous for travel Section VIII - Control Measures Respiratory Protection (Specify Type) Ventilation Local Exhaust Mechanical (General) Special Other Protective Gloves Yes Eye Protection Safety goggles Other Protective Clothing or Equipment Work/Hygiene Practices General Industrial hygiene practice.			
Material Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.			
Simulated Blood Samples 102 - Cat Antiserum Section I	EDVOTEK 1121 5th Street NW Washington DC 20001	Emergency Telephone Number 202-370-1500 Telephone Number for information 202-370-1500 Date Prepared 08/25/11 Signature of Preparer (optional)	Other Limits Recommended % (Optional) ACGIH TLV
Section II - Hazardous Ingredients/Identify Information Hazardous Components (Specific Chemical Entity, Common Name(s)) OSHA PEL ACGIH TLV Rabbit serum			
Section III - Physical/Chemical Characteristics Boiling Point NA Specific Gravity (H ₂ O = 1) NA Vapor Pressure (mm Hg) NA Melting Point NA Vapor Density (AIR = 1) NA Evaporation Rate (Butyl Acetate = 1) NA Solubility in Water Soluble			
Section IV - Fire and Explosion Hazard Data Appearance and Odor colorless or white liquid, no odor Flash Point (Method Used) Flammable Limits LEL UEL Extinguishing Media Water spray, alcohol-resistant foam, dry chem or carbon dioxide Special Fire Fighting Procedures Wear self contained breathing apparatus if necessary Unusual Fire and Explosion Hazards			
Section V - Reactivity Data Stability Unstable Stable X Conditions to Avoid Incompatibility (Materials to avoid) Strong oxidizing agents. Hazardous Decomposition or Byproducts Under fire conditions - carbon oxides Hazardous Polymerization May Occur Will Not Occur X Section VI - Health Hazard Data Routes of Entry Inhalation? Skin? Ingestion? Yes Yes Yes Health Hazards (Acute and Chronic) May be harmful or irritative to eyes, skin, respiratory, or if swallowed. Carcinogenicity: NTP? IARC Monographs? OSHA Regulation? Signs and Symptoms of Exposure Medical Conditions Generally Aggravated by Exposure Emergency and First Aid Procedures In case of eye contact immediately flush with water, with skin wash with soap and water. If inhaled, remove to fresh air. If swallowed, rinse mouth with water. Section VII - Precautions for Safe Handling and Use Steps to Be Taken in case Material is Released or Spilled Sweep up and shovel. Keep in suitable, closed container for disposal. Waste Disposal Method Follow federal, local, and state laws. Precautions to be Taken in Handling and Storing Keep container tightly closed in a dry and well-ventilated place. Other Precautions Non-hazardous for travel Section VIII - Control Measures Respiratory Protection (Specify Type) Ventilation Local Exhaust Mechanical (General) Special Other Protective Gloves Yes Eye Protection Safety goggles Other Protective Clothing or Equipment Work/Hygiene Practices General Industrial hygiene practice.			