2005/06 MASTER CATALOG

DRUM EQUIPMENT • HAND TRUCKS • LIFT EQUIPMENT • PLATFORM TRUCKS & CARTS • RELATED PRODUCTS

WESCO®

Industrial Products, Inc.

Manufacturers of Material Handling Equipment Since 1948

Drum Handling Equipment

Hand Trucks



Lift Equipment

Platform Trucks and Carts



Dock and Shipping Equipment, Wire Shelving and Wheels

TABLE OF CONTENTS

Drum Handling Equipment

Drum Trucks, Pail Truck ..... 4 - 8
Hydraulic Drum Handlers ..... 9 - 10
Dollies ..... *New Product Page 11* .....10 - 11
Drum Dispensers, Racks & Cradles ..... *New Product Page 12* .....12 - 13
Drum Lifters & Dispensers Used With Hoists ..... *New Product Page 15* .....14 - 15
Fork Truck Mounted Drum Grabs & Dispenser ..... *New Product Page 18* .....16 - 19
Drum Faucets, Valves, Vents, Gauges, Wires ..... 20 - 21
Drum Wrenches, Manual Deheaders, Pumps ..... 22 - 23

Hand Trucks

Industrial Duty Deluxe Steel, Convertible ..... *New Product Page 27* .....24 - 27
Standard Duty Greenline Steel, Convertible ..... *New Product Page 28* .....27 - 30
Touch-N-Tilt, Freight King, Specialty, Heavy Duty, Economy, High Frame ..... *New Product Page 34* .....31 - 36
Mighty-Lite Magnesium, Cobra-Lite Aluminum, Cobra Convertible, 3 Position Truck, Spartan Convertible ..... *New Product Page 44* .....37 - 49
Facts About Diabetes and JDRF 45
Steel & Magnesium Appliance & Vending, Powered Appliance Truck ..... *New Product Page 53* .....50 - 54

Lift Equipment

Pallet Trucks, Manual & Battery ..... *New Product Pages 55, 56, 58, 59 & 60* .....55 - 61
Steel & Magnesium Pedalifts, Lite Lifts, Universal & Cylinder Lifts ..... *New Product Page 64* .....62 - 65
Stackers & Lift Tables, Manual & Powered .... *New Product Pages 68, 69, 70, 71, 72, 74, 75 & 76* ..66 - 76
Gantry Cranes, Chain Hoists, Trolleys ..... 77 - 78
Rais-N-Rol Machinery Movers, Furniture Movers ..... *New Product Page 81* .....79 - 81

Platform Trucks, Carts & Dollies

Aluminum Platform Truck 82
Steel & Wood Platform Truck, Steel Service Carts, Panel Carts ..... *New Product Pages 83, 84 & 85* .....83 - 85
Folding Handle Platform, Telefolding, Office Caddy, Desk Mover ..... *New Product Page 86* .....86 - 87
Superlite, Wire Office Carts 88
Steel Deck & HeviMover Machinery Movers, Wood Dollies, Plastic Box Trucks ..... 89 - 90

Dock and Shipping Equipment, Wire Shelving

Strapping Truck, Cutters, Strapping Tools 91
Easy Mount Strip Doors, Dock Lights, Fans, Pallet Pullers, Curb Ramp ..... 92 - 93
Chrome Plated Wire Shelving ..... 94 - 95
Trailer Stabilizing Jacks & Cargo Bars ..... *New Product Page 96* 96
Wheels ..... 97 - 98

© Copyright 2005 Wesco Industrial Products, Inc. Specifications subject to change without notice.

Printed in USA

Wesco® drum trucks

Drum truck features:

- *Industrial strength heavy duty 1" structural pipe frames.*
- *All joints double welded.*
- *High quality cast iron center moldon rubber wheel with 1" (ID) roller bearings.*
- *Polyolefin wheel is cost competitive and resistant to most environments that may damage rubber wheels.*
- *All trucks can be stored standing upright.*
- *Engineered to handle 55 gallon steel drums.*
- *Capacity: 1,000 lbs.*

5BT & 5BTW economy series

Features:

- Sturdy dual pipe frame.
- Economical angular steel base design.
- Kickstand
- Vinyl handle grips.
- 24" wide at handle.
- 16.25" at nose.
- With wheels resting on floor, 24" to center of lowered chime hook.



10BT & 10BTW standard series

Features:

- Machined steel load wheels behind nose prongs help ease the lifting of the drum.
- Classic single bar frame design.
- Kickstand.
- Vinyl handle grips.
- 24" wide at handle.
- 16.25" at nose.
- With wheels resting on floor, 24" to center of lowered chime hook.



Wheel Choices

	10" x 2.5" Moldon Rubber	10" x 2.25" Polyolefin
Part #	240009	240010
Model #	5BT	5BTW
Capacity	1,000 lbs	1,000 lbs
Weight	68 lbs	53 lbs

	10" x 2.5" Moldon Rubber	10" x 2.25" Polyolefin
Part #	240013	240014
Model #	10BT	10BTW
Capacity	1,000 lbs	1,000 lbs
Weight	64 lbs	50 lbs

15BT and 15BTW deluxe series

Features:

- Four wheel design enables user to quickly and easily load and unload drums from pallet.
- Rear 6" wheels stabilize load for effortless transport.
  - Cast iron center moldon rubber front and rear wheels on 15BT.
  - Polyolefin front and rear wheels on 15BTW.
- **Replaceable hard faced double-beveled nose prongs.**
- Self-storing chime hook.
- Kickstand.
- 16.25" at nose.
- With wheels resting on floor, 20.5" to center of lowered chime hook.

15BT

Wheel Choices

	10" x 2.5" Moldon Rubber	10" x 2.25" Polyolefin
Part #	240001	240002
Model #	15BT	15BTW
Capacity	1,000 lbs	1,000 lbs
Weight	79 lbs	61 lbs

15BTC ergonomic drum truck

Features:

- Ergonomic swivel caster design reduces operator muscle strain and fatigue.
- Swivel casters allow for smooth and tight turns in narrow work areas, such as truck beds and loading docks.
- Not recommended for loading and unloading pallets (Use 15BT above for this purpose).
- 16.25" at nose.
- Kickstand.
- **Replaceable hard faced double-beveled nose prongs.**
- With wheels resting on floor, 20.5" to center of lowered chime hook.

15BTC

6" x 2" Special swivel caster design

Wheel

	10" x 2.5" Moldon Rubber
Part #	240121
Model #	15BTC
Capacity	1,000 lbs
Weight	79 lbs

Wesco® drum trucks

20BT & 20BTW - deluxe series

Features:

- An industry standard.
- Floating axle reduces effort required to break over and balance load.
- Easiest drum truck for one person to use.
- Chime hook can be stored at the top of the frame for easy use.
- **Replaceable hard faced double-beveled nose prongs.**
- Self-standing.
- With wheels resting on floor, 18" to center of lowered chime hook.

20BT

Wheel Choices

	10" x 2.5" Moldon Rubber	10" x 2.25" Polyolefin
Part #	240003	240004
Model #	20BT	20BTW
Capacity	1,000 lbs	1,000 lbs
Weight	74 lbs	59 lbs

30BT & 30BTW - standard series

Features:

- Multi-functional drum truck allows you to move drums on four wheels and acts as a drum cradle for storage or dispensing.
- Frame clearance for dispensing into 5 gallon pails.
- Polyolefin rollers allow for easy faucet positioning of drums.
- Rear axle allows for loading and unloading of drums from pallets.
- Kickstand.
- 16.5" drain height.
- With wheels resting on floor, 27" to center of lowered chime hook.

30BT

Wheel Choices

	10" x 2.5" Moldon Rubber	10" x 2.25" Polyolefin
Part #	240005	240006
Model #	30BT	30BTW
Capacity	1,000 lbs	1,000 lbs
Weight	82 lbs	66 lbs

Wesco® patented poly drum trucks

PATENT NO. 344,833

40BT and 40BTW series

Features:

- Handles all poly and fiber drums except overpacks (use 45BT for overpacks).
- Replaceable "feet" and belt.
- Floating axle reduces effort required to break over and balance load.
- 23.5" depth
- With wheels resting on floor, 27" to center of belt.

MADE IN USA **Patented Design**

45BT and 45BTW series

Features:

- Long belt allows truck to handle all poly drums.
- Recommended primarily for handling of overpacks.
- Replaceable "feet" and belt.
- Floating axle reduces effort required to break over and balance load.
- 23.5" depth.
- With wheels resting on floor, 27" to center of belt.

MADE IN USA **Patented Design**

50BT and 50BTW series

Features:

- Acts as a Poly Drum Truck or Drain Stand.
- Wide "feet" and belt eliminate the risk of drums being punctured by nose prongs and chime hooks.
- Handles all poly drums (except overpacks).
- 6" x 1.5" rear wheel.
- With wheels resting on floor, 27" to center of belt.

MADE IN USA **Patented Design**

Rear wheels on 50BT – Aluminum Ctr. moldon rubber
Rear wheels on 50BTW – Polyolefin

Wheel Choices

	10" x 2.5" Moldon Rubber	10" x 2.25" Polyolefin
Part #	240081	240076
Model #	40BT	40BTW
Capacity	1,000 lbs	1,000 lbs
Weight	82 lbs	67 lbs

	10" x 2.5" Moldon Rubber	10" x 2.25" Polyolefin
Part #	240082	240077
Model #	45BT	45BTW
Capacity	1,000 lbs	1,000 lbs
Weight	82 lbs	67 lbs

	10" x 2.5" Moldon Rubber	10" x 2.25" Polyolefin
Part #	240083	240078
Model #	50BT	50BTW
Capacity	1,000 lbs	1,000 lbs
Weight	86 lbs	65 lbs

Wesco® drum trucks

156DH combination drum and hand truck

Features:

- Up to 800 lb. capacity.
- Can be used as a hand truck or drum truck.
- Chime hook works with 55- and 30-gallon drums.
- Curved frame accommodates 5- gallon pails and kegs.
- 15" depth.
- With noseplate resting flat on floor, 18" to center of lowered chime hook.

156DH-Z

MADE IN USA

Wheel Choices

	10" x 2.75" Semi-Pneumatic	8" x 2" Moldon Rubber	10" x 3.5" Pneumatic
Part #	210340	210349	210266
Model #	156DH-Z	156DH-HB	156DH-P
Capacity	700 lbs	800 lbs	700 lbs
Weight	39 lbs	42.5 lbs	42 lbs
Axle	.625"	.75"	.625"
Bearing	Ball Bearing	Roller Bearing	Ball Bearing

PT pail truck

Features:

- Handles up to four standard steel or plastic 5-gallon pails.
- Ergonomic design eliminates the need to stack pails on a noseplate.
- 10" semi-pneumatic wheels.
- Welded frame construction.



PT

MADE IN USA

	10" x 2.75" Semi-Pneumatic
Part #	240042
Model #	PT
Capacity	500 lbs
Weight	40 lbs

Features:

- *Patented design. US No. 6,619,905*
- *Designed for a firm grip. Exclusive patented auto grip lock will not drop a drum.*
- *1,100 lb. capacity.*

Revolutionary patented design available only from Wesco. Wesco's exclusive auto grip lock automatically locks the grip jaws closed. Even over rough terrain, the Wesco Gator Grip maintains a positive lock. Why take chances with other brands when you can be sure with the Wesco Gator Grip.

DM-1100 ergonomic drum handler

Features:

- Patented design.
- 1,100 lb. capacity.
- Ergonomic solution for lifting, transporting, and placing drums on spill pallets or standard pallets.
- No need for the operator to touch the drum to raise, transport, and lower.
- 1,100 lb capacity hydraulic jack for easy lifting of steel, poly and fiber drums.
- Spring loaded clamp holds any 3/16" or higher drum rim.
- Ergonomic design allows 55 gallon drums to be easily raised 20" above the floor.
- Swivel casters for easy movement and steering.
- Floor lock.
- **Handles most standard 30, 55, and 85 gallon drums.**

DM-1100

STEEL

FIBER

POLY

MADE IN USA

Part #	Model #
240150	DM-1100

Specifications

Weight: 355.5 lbs
Lift Height: 20 inches
Rise/stroke: 1 inch
Height: 48 inches

Legs retracted:
Capacity: 650 lbs
Length: 34.5 inches
Width: 36 inches

Legs extended:
Capacity: 1,100 lbs
Length: 37 inches
Width: 41 inches

Casters:
5" x 2" Phenolic caster

Patented Gator Grip No. 6,619,905





Wesco® drum trucks & stackers

Wesco hydraulic drum stackers

Features:

- Phenolic 5" diameter front wheels and 4" rear phenolic swivel casters.
- Floor lock and safety screen are standard.
- 1,000 lb capacity.
- Lowers drums to the floor.
- Base leg span 42" inside, 48.75" outside.

ESFL-56-DS

Part #	260056	260057	260058
Model #	ESFL-56-DS	ESFL-64-DS	ESFL-76-DS
Lift Height	56"	64"	76"
Overall Height	72"	80"	92"
Weight	295 lbs	314 lbs	327 lbs
Capacity	1,000 lbs	1,000 lbs	1,000 lbs

Spill-Less open drum truck

Features:

- Transport drums in a vertical position.
- Handles 55 gallon drums.
- Heavy duty 5" x 2" polyolefin caster with roller bearings.
- All welded construction.

500

Part #	240015
Model #	500
Capacity	1,000 lbs
Weight	70 lbs
Load Wheels	Two 8" x 2" Moldon Rubber with Roller Bearings

Wesco® drum dollies

Drum dollies

Features:

- Superior design places drum chime over caster kingpin for greater load stability and long caster life.
- All welded steel frame construction with reinforced outriggers.
- Four bolt on 3" swivel casters.
- I.D. varies among models.
- Models available for 30, 55, and 85 gallon drums.



D5-SI

	Sintered Iron Casters	Hard Rubber
Part #	240028	240029
Model #	D3-SI	D3-HR
Capacity	1,000 lbs	900 lbs
Weight	19 lbs	16 lbs
Unit I.D.	19"	19"
Drum size	30 gal.	30 gal.
Part #	240030	240031
Model #	D5-SI	D5-HR
Capacity	1,000 lbs	900 lbs
Weight	22 lbs	19 lbs
Unit I.D.	24"	24"
Drum size	55 gal.	55 gal.
Part #	240088	240089
Model #	D8-SI	D8-HR
Capacity	1,000 lbs	900 lbs
Weight	26 lbs	23 lbs
Unit I.D.	27"	27"
Drum size	85 gal.	85 gal.

Wesco® specialty dollies

Specialty dollies

Features:

- 3" x 1 1/4" polyolefin caster.
- Steel or aluminum designs.

*Model SSD with drain plug and handle.

Part #	240033	240040	240043	240044
Model #	RSD	*SSD	RASD	RAOD
Capacity	900 lbs	900 lbs	900 lbs	900 lbs
Weight	22 lbs	47 lbs	20 lbs	14 lbs
Unit I.D.	24" dia.	23.625" sq.	24" dia.	24" dia.
Drum size	55 gal.	up to 55 gal.	up to 55 gal.	55 gal.
Caster	2 Rdg./2 Swvl.	4 Swivel	4 Swivel	4 Swivel
Material	Steel	Steel	Aluminum	Aluminum

RSD

SSD

New!

RASD

RAOD

Wesco® drum dispenser & racks

Drum carrier and dispenser

Features:

- Lift, transport, tilt, and dispense 55 gallon steel drums.
- Three height adjustments: 9.25", 10.625", and 12".
- Locks vertically or horizontally.
- Ships partially assembled and boxed.
- Heavy duty polyolefin load wheels and caster.
- 37" deep.
- Options include: 30 gallon drum adapter and fiber drum adapter.
- 8" x 2" wheels and 4" x 1 1/4" caster.

ML55

Part #	240037
Model #	ML-55
Capacity (full drum) (half full drum)	800 lbs 500 lbs
Weight	105 lbs
30 Gallon Drum Adapter	
Part #	270040
Model #	DMG-30A
Weight	24 lbs
Fiber Drum Adapter	
Part #	270402
Model #	FBA
Weight	3 lbs

Value drum carrier and dispenser

Features:

- Economically priced.
- Three height adjustments: 9.25", 10.625" and 12".
- Vertical and horizontal locking positions.
- Ships KD.
- Polyurethane wheels and casters.
- 8" x 2" wheels and 4" x 1 1/4" caster.

VDCD

Part #	272404
Model #	VDCD
Capacity (full drum) (half full drum)	800 lbs 500 lbs
Weight	108 lbs

Wesco drum racks

Features:

- Two and three 55 gal. drum models.
- Four-side fork truck entry.
- Can be safely stacked 4 high.
- Standard models ship knocked down and boxed via UPS.
- Quick and easy to assemble.
- Welded and bolted construction.



DR-2


DR-3

Part #	240026	240027
Model #	DR-2	DR-3
Capacity	1,600 lbs	2,400 lbs
Drums	2	3
Dimensions	45.5" x 30" x 12.5"	71.5" x 30" x 12.5"
Weight	49 lbs	75 lbs

Deluxe drum cradle

Features:

- Tips, drains, stores, rotates and moves 30 or 55 gallon steel and fiber drums.
- Dual telescoping wood handles allow easy two handed control and offer a good gripping surface for cold weather usage.
- Large 4" x 1.25" polyolefin wheels for easy movement over uneven floors.
- Shipped knocked down and boxed via UPS.
- **Covered by U.S. patent 4,335,990.**
- **Backed by 2 year warranty against weld failure.**
- Drip tray option.

CW-20

Specifications

- 20" drain height
- 25.5" overall height
- 19" wide

Part #	Model #	Capacity	Weight
240025	CW-20	1,000 lbs	50 lbs

Drip tray option available.

Standard drum cradles

Features:

- Economical and convenient way to tip, drain and store 55 gallon drums.
- Easy for one person to use.
- All models ship knocked down and boxed via UPS.
- Models available with 2.5" polyolefin wheels, self-storing load tipping lever, and swivel casters.
- Drip tray option available for all models

CW-10
(wheels inside frame)

CWO-10
(wheels outside frame)

CWS-10
(two swivel casters)

Specifications

All models 32.5" long by 19.5" wide.
Drum distance to floor on wheeled models is 15".
Drum distance to floor on models without wheels is 13.5".

Part #	Model #	Wheel Position (Polyolefin)	Tipping Lever	Capacity	Weight
240021	C-10	No Wheels	Yes	600 lbs	27 lbs
240022	CW-10	Inboard	Yes	600 lbs	29 lbs
240023	CWO-10	Outboard	Yes	600 lbs	32 lbs
240024	CWS-10	Inboard, 2 swivel casters	Yes	600 lbs	37 lbs

Drip tray

Features:

- Steel slide-out tray 9.75" x 9.75" with 1.75" lip.
- Fits all Wesco drum cradles.
- Polyethylene pan
- Cellulose absorbent holds 3 quarts of liquid.

Drip tray kit with plastic absorbent pan

Model #	DT	Weight
Part #	270413	7.5 lbs



Replacement plastic absorbent pan (disposable)
Part # 270414

CW-10 with optional drip tray

Wesco® drum lifters for hoists

Vertical drum lifter

Features:

- Picks up and sets down drums automatically.
- Ships assembled and boxed.
- Simple-to-set latch controls.
- After releasing drum the grab remains open for next drum.
- For use with sealed open-head or tight-head 55 gallon steel drums.

DL-1

Part #	240036
Model #	DL-1
Capacity	1,000 lbs
Weight	51 lbs

Salvage drum lifters

Features:

- Convenient for fast and gentle loading of steel drums into overpacks.
- Ships boxed via UPS.
- For use with closed head steel drums.

SDL-55

SDL-85

	For 55 Gal. Drums	For 55 or 85 Gal. Drums
Part #	240100	240102
Model #	SDL-55	SDL-85
Capacity	1,000 lbs	1,000 lbs
Weight	20 lbs	21 lbs

Economy drum lifter

Features:

- Lightweight and easy to use.
- Lock pin design holds drum firmly in place.
- Ships boxed via UPS.
- For use with closed head 55 gallon steel drums.

EDL-5

Part #	240057
Model #	EDL-5
Capacity	700 lbs
Weight	15 lbs

Wesco® drum lifters for hoists

Standard drum lifter/ dispenser

Features:

- Easily lift drum and dispense contents.
- Handles 55 gallon steel drums.
- Locks in horizontal or vertical position.
- Ships assembled and boxed.
- See options below.
- Economical, lower capacity VALUE product also available.

Deluxe drum lifter/ dispenser

Features:

- Geared design for controlled dumping from many heights and angles.
- Locking control chain to secure drum from turning.
- Ships assembled and boxed.
- See options below.
- Economical, lower capacity VALUE product also available.

Options

- DMG-30A for use with 30 gallon drums, and FBA for use with fiber drums. For use with DL and DGL-55 models only.

Hoist mount drum lifter

Features:

- Heavy duty annealed ductile iron.
- Curved foot on stabilizing arm prevents damage to drum.

Slings

Features:

- Horizontally lift all "closed or open-head" drums.
- D-shaped lifting ring fits most overhead systems.
- Inverted ring fits web-lifting slings.

DL-55
Tipping handle available only on DL-55 model

Value, VDL-55

Part #	240032	278750
Model #	DL-55	VDL-55
Full Drum Capacity	800 lbs	700 lbs
Half Drum Capacity	500 lbs	440 lbs
Weight	45 lbs	44 lbs

DGL-55

DGL-55-FBA

Value, VDGL-55

Part #	240034	278751
Model #	DGL-55	VDGL-55
Full Drum Capacity	800 lbs	700 lbs
Half Drum Capacity	500 lbs	440 lbs
Weight	70 lbs	84 lbs

Part #	270402	270040
Model #	FBA	DMG-30A
Weight	3 lbs	24 lbs

Hoist Mount Drum Lifter
DRL-3
440001

DLS Drum Sling
440009 (steel)
440010 (non-sparking bronze)

Part #	440001
Model #	DRL-3
Capacity	3,000 lbs
Weight	31 lbs

Part #	440009
Model #	DLS-1000
Capacity	1,000 lbs
Weight	5 lbs

Part #	440010
Model #	DLS-750
Capacity	750 lbs
Weight	5.25 lbs

Wesco® drum grabs for use with fork trucks

Gator Grip

Patented design No. 6,619,905

Traditional devices require drum weight to maintain a positive Lock. If a drum bounces during Fork Truck transportation, the drum may momentarily become weightless, which can cause the Grip to snap open dropping the drum. The patented auto grip Lock automatically Locks the jaws closed even over rough terrain.

STEEL

FIBER

POLY

Features:

- **Patented design.**
- Picks up drums automatically, driver never leaves seat while lifting and releasing drums.
- Use with open or closed head drums.
- Handles steel, fiber and poly drums.
- Gator Grips made in USA.
- Both single and dual grip products available.
- Economy and Heavy Duty models.
- Optional Gator Belt protects drum from wear. Not available on EGG models.

Economy Gator Grip - 1000 lb. cap. per Grip

EGG-1

EGG-2

Heavy Duty Gator Grip - 1600 lb. cap. per Grip

#240093 Carriage Mount Model GG-C

#240096 Single Drum Fork Mount Model GG-F1

#240097 Dual Drum Fork Mount Model GG-F2

Power Stacker Mount #240103 Model GGPS

#240107 Gator Belt Option Model GGBK

Style	Part #	Model #	Capacity per Grip	ID	Weight	Overall Dimensions H	W	D
Economy Single Drum	240091	EGG-1	1,000 lbs	5.5" x 2"	126 lbs	34"	28"	34"
Economy Dual Drum	240092	EGG-2	1,000 lbs	7" x 2.25"	208 lbs	34"	33.25"	34"
Carriage Mount	240093	GG-C	1600lbs	NA	96lbs	33.25"	15.625"	18"
Single Drum/Fork	240096	GG-F1	1600lbs	7" x 2.25"	244lbs	37"	32"	28"
Dual Drum/Fork	240097	GG-F2	1600lbs	7" x 2.25"	340lbs	37"	32"	28"
Stacker Mount	240103	GGPS	1600lbs	NA	96lbs	33.25"	18"	17"
Belt Option	240107	GGBK	NA	NA	4lbs	3"	18.5"	

Note: OSHA requires contacting the manufacturer of your fork truck for written approval for the use of any fork truck attachments.

Wesco® drum grabs for use with fork trucks

Drum grabs for 55 gallon steel drums

Features:

- All welded steel construction for durability.
- Cost effective way to move 55 gallon steel drums.
- Made in USA.

DJ-55

Part #	Model #	Capacity	Handles	Fork Pocket ID	Weight
240048	DJ-55	1,500 lbs/drum	one 55 gallon	5.5" x 2"	145 lbs
270051	DJL-55	1,500 lbs/drum	one 55 gallon	7" x 2.25"	150 lbs
240049	DJ-255	1,500 lbs/drum	two 55 gallon	7" x 2.25"	205 lbs

MADE IN USA



DJ-255

Adjustable drum grabs for 55 or 30 gallon steel drums

Features:

- ADJ models feature all welded steel construction for durability.
- ADJ models are made in the USA.
- All ADJ and DRL units handle 55 or 30 gallon steel drums.
- DRL models have cast arms that are replaceable.
- Cost effective way to move 55 and/or 30 gallon drums.

ADJ-53
30 gallon position



DJ-55
55 gallon position



DRL-DT

MADE IN USA

DRL-2DT-W30

Part #	Model #	Capacity	Handles	Fork Pocket ID	Weight
240047	ADJ-53	1,500 lbs/drum	1-55 gal. or 1-30 gal.	5.5" x 2"	135 lbs
270084	ADJL-53	1,500 lbs/drum	1-55 gal. or 1-30 gal.	7" x 2.25"	135 lbs
240066	ADJ-253	1,500 lbs/drum	2-55 gal. or 2-30 gal.	7" x 2.25"	215 lbs
340002	DRL-DT	1,500 lbs/drum	1-55 gal. or 1-30 gal.	5.5" x 2.5"	130 lbs
340001	DRL-2DT-W30	1,500 lbs total	1-55 or 1-30; 2-55 or 2-30; 1-55 and 1-30	5.5" x 2.5"	163.5 lbs

Wesco® value drum equipment

Value drum grabs

Features:

- Economically priced lower capacity grabs
- VG models: jaws not adjustable
- AVG models: adjustable jaws

SVG-55

DVG-255

DAVG-253

SAVG-53

Part #	Model #	Capacity	Handles	Pocket ID	Weight
272400	SVG-55	1,000 lbs/drum	1-55 gal.	5.5" x 2"	121 lbs
272401	DVG-255	1,000 lbs/drum	2-55 gal.	7" x 2.25"	198 lbs
272408	SAVG-53	1,000 lbs/drum	1-55 gal. or 1-30 gal.	5.5" x 2"	115 lbs
272409	DAVG-253	1,000 lbs/drum	2-55 gal. or 2-30 gal.	7" x 2.5"	194 lbs

Value fork truck drum lifter & tilter

Features:

- Economically priced lower capacity model.
- Two models, 700 & 1,400 lb capacities.
- Operator does not have to leave seat to tilt drum.



VFDLT-1400

Part #	272402	272403
Model #	VFDLT-700	VFDLT-1400
Half Drum Capacity	440 lbs	750 lbs
Full Drum Capacity	700 lbs	1400 lbs
Weight	154 lbs	214 lbs

Wesco® drum grab & dispenser for fork trucks

Fork truck drum lifter & tilter DGF-55

Features:

- Fork truck driver does not have to leave truck to dispense.
- Offers versatile drum dispensing capabilities that do not require hoists.
- Geared design allows controlled dumping and dispensing.
- Does not require any modifications to the fork truck.
- Ships assembled and boxed.
- **Has 800 lbs capacity for a full drum, 500 lbs for a half full drum.**
- Adapters available for 30 gallon and fiber drums.

DGF-55

MADE IN USA

Specifications

20.5" high x 38" wide x 32.5" deep
Fork pocket dimensions (ID) 6.625" x 2.625"
Fork pocket dimensions center to center 31"
Length of Chain 144"

	55 Gallon Drum Unit	30 Gallon Drum Adapter	Fiber Drum Adapter
Part #	240039	270240	270402
Model #	DGF-55	DGF-30A	FBA
Weight	159 lbs	24 lbs	3 lbs

Wesco polyjaws

Features:

- **Patent No. 5366339.** Fork truck attachment for handling most 55 and 30 gallon poly drums.
- Fork truck driver does not have to leave cab to engage or disengage drum.
- Works on poly drums that have at least a 3/16" top lip (chime).
- 1,000 lb. capacity.
- Substantially lower priced than any other poly drum lifter on the market.
- Ships knocked down and boxed via UPS.

PATENTED
No. 5366339

MADE IN USA

Part #	240148
Model #	PJ
Weight	37.75 lbs.

Fork Pocket Size: Inside 5.375" x 1.5"

PJ

Note: OSHA requires contacting the manufacturer of your fork truck for written approval for the use of any fork truck attachments.

Wesco® FM APPROVED drum faucets & valves

Zinc die cast faucets

Features:

- Zinc die cast alloy.
- Easy-to-use self-closing design.
- Can be padlocked in closed position.
- .75" NPT connection.
- Viton gasket.



272083

272080

Part# 272083
With flame arrestor.
FM approved for non-viscous liquids.
Sold only in packages of 10.

Part# 272080
No flame arrestor.
FM approved for viscous liquids only.
Sold only in packages of 10.

Heavy duty brass faucets

Features:

- Easy-to-use self-closing design.
- .75" NPT connection.
- Teflon® gasket.



272037

272081

Part# 272037
Adjustable shank designed to easily adjust to proper drain position after installing in drum.
Internal flame arrestor. FM approved for use with oils (under 30 SAE) and non-corrosive flammables.
Minimum order Qty. 2.

Part# 272081
Rigid shank design. External flame arrestor.
FM approved for use with oils (under 30 SAE) and non-corrosive flammables.
Minimum order Qty. 2.

Heavy duty stainless steel faucet

Features:

- Adjustable shank designed to easily adjust to proper drain position after installing in drum.
- .75" NPT connection.
- Teflon® gasket.

272038

Part# 272038
Internal flame arrestor. FM approved for use with oils (under 30 SAE) and nonflammables, compatible with stainless steel.

Heavy duty 2" brass gate valve

Features:

- Fast, self-closing Teflon® blade.
- 2" NPT connection.

272034

Part# 272034
FM approved for use with viscous non-corrosive fluids heavier than 30 SAE.

Wesco recommends that if a question arises, the user contact the supplier of chemicals to determine if these faucets are compatible with those chemicals. Wesco is unable to offer specific recommendations for chemical usage.

FM APPROVED vent

Features:

- Automatically relieves pressure at 5 PSI.
- Maximum flow of 220 CFM at 20 PSI.
- Flame arrestor prevents sparks and flame from igniting drum contents.
- Fits 2" bung hole in steel and plastic drums.

272030

Part# 272030
For drums in horizontal (pouring) position.
Manual vacuum relief by lifting and rotating valve stem.
FM approved.
Minimum order Qty. 2.

Gauges

Features:

- Economical way to gauge drum contents.
- Heavy gauge glass and plated steel construction.
- Accepts standard .75" NPT faucet.
- Buna-N seals; .75" NPT connection, 22" height (with supplied fitting).



272005 272006

Part# 272005
Basic gauge with fitting.

Part# 272006
Basic gauge with fitting and 272080 faucet.

Part# 272041
Basic gauge with fitting and 272083 faucet.

Ground and bond wires

Features:

- A wide variety of designs for grounding and bonding applications.



272032

272031

272033

272047

OSHA requires that all drums and containers storing and receiving fluids with a FLASHPOINT BELOW 140°F be grounded and bonded. Single drums must be grounded, with containers being dispensed into bonded to the drum. Multiple drums must be bonded to each other with one drum or the rack grounded. The following wires allow meeting these important safety requirements.

Part# 272032
Deluxe Ground Wire: *For connection between drum and true ground.* Three-foot-long heavy duty insulated wire rope with "C" clamp on one end and alligator clip on the other.
Minimum order Qty. 5.

Part# 272031
All Purpose Bond Wire: *For bonding drums to each other, to containers being filled, and to racks.* Three-foot-long heavy duty wire rope with "C" clamp on one end and alligator clip on the other.
Minimum order Qty. 5.

Part# 272033
Standard Bond Wire: *For bonding drums to each other, to containers being filled, and to racks.* Three-foot-long heavy duty wire rope with alligator clips on both ends.
Minimum order Qty. 5.

Part# 272047
Heavy Duty Coiled Ground Wire.
Minimum order Qty. 5.

Wesco® drum wrenches & deheaders

Deheaders

Features:

- Open any size and gauge steel drum quickly, and easily – allowing drum recycling without the risk of fire from cutting with a torch.
- Sharp-edged hardened steel replaceable blade.
- Comfortable plastic hand grip.

272018

Part# 272018
Most popular deheader. (5.5 lbs.)
Part# 272012 Replacement blade

272303

Part# 272303
Vertical slide deheader. (8 lbs.)
Part# 272304 Replacement blade

440013

Part# 440013 Model DDH-1.
Heavy duty deheader. (9 lbs.)
Part# 440014 Model DDH-P202
Replacement blade

Non-sparking deheader

Features:

- 100% non-sparking deheader. **Patent No. 399.718.**
- Sharp-edged hardened non ferrous alloy replaceable blade.
- Comfortable plastic hand grip.



272301

Part# 272301
Non-sparking deheader. 100% non-sparking.
(6.4 lbs.)
Part# 070504
Replacement blade

Non-sparking drum plug wrenches

Features:

- Bronze alloy.
- Stronger than aluminum.
- Offset handle design reduces user stress and minimizes knuckle injury.

272016

Part# 272016
Our most popular wrench. Handles bung patterns 1, 2, 3, & 5.
Minimum order Qty. 3.

272086

Part# 272086
Deluxe model. Built-in 1.25" wrench for tightening faucets into drums. Handles bung patterns 1, 2, 3, & 5.
Minimum order Qty. 3.

Universal drum plug wrench

Features:

- Heavy duty cast iron construction.
- Open most plugs and bung nuts, male & female, steel & plastic.
- Iron alloy will not chip or bend in normal use.
- Protects knuckles.

272017

Part# 272017
Handles bung patterns 1, 2, 3, & 4.
Minimum order Qty. 3.

Bung Patterns

1

2

3

4

5

Wesco® drum pumps & drip pan

Rotary pump

Features:

- 47" 3 piece plated suction tube (assembled).
- Durable phenolic veins.
- Self-priming.
- Supplied with 48" PVC discharge tube.
- UPS shippable.
- Rugged cast iron construction.

272212
(includes pump and drip tray)

Rotary Pump – Cast Iron

Part# 270021
Standard model. (15 lbs.)

Part# 272212
Deluxe model (consists of standard model and drip pan accessory). (18 lbs.)

Non-sparking rotary pump

Features:

- Rugged bronze construction.
- 47" 3 piece plated suction tube (assembled).
- Durable phenolic veins.
- Self-priming.
- Supplied with 48" PVC discharge tube.
- UPS shippable.

440017
(pump only)

Rotary Pump – Bronze

Part# 440017
Bronze, non-sparking for medium viscosity petroleum-based products. Does not include drip pan. (17 lbs.)

Lever pump

Features:

- Pumps 1 pint per stroke.
- Rugged cast iron and steel construction.
- 47" 3 piece plated suction tube (assembled).
- Neoprene seals.
- Self-priming.
- UPS shippable.

272210

Lever Pump

Part# 272210
Includes drip pan. (13 lbs.)

Application Information (For Rotary and Lever Pumps): WESCO iron drum pumps have wetted parts fabricated from cast iron, steel, phenolic (270021 & 272212 only), and neoprene (272210 only) materials. These pumps were designed primarily for the transfer of fuel oil products. It should be noted that these pumps can only be used for chemicals which are compatible with cast iron, steel, neoprene and phenolic.

We recommend that if a question arises, the user contact the supplier of chemicals to determine if these pumps are compatible with those chemicals. WESCO is unable to offer specific recommendations for chemical usage.

Drip pan

Features:

- For installation on pumps with metal suction tube.
- Cast iron and steel construction.
- Hinged cover and bung/suction adapter.

272211

Part# 272211
Drip pan.

Wesco® 100 series industrial hand trucks

- *A 5 year guarantee against weld failure. A Wesco quality exclusive.*
- *Industrial strength heavy duty schedule 40 pipe frame construction.*
- *Ribbed cross braces for extra strength.*
- *All joints double welded.*
- *8" deep by 14" wide nose is 7 gauge thick plate with machined beveled edge and radiused corners for safety.*
- *Zinc plated Auto-Loc® axles assure smooth wheel rotation.*
- *All frames handle 8" or 10" wheels.*
- *Orange enamel finish.*
- *Vinyl handle grips are standard on appropriate frames.*
- *Order by part # or model #.*

Example:

Part #	*or*	*Model #*
210009	*or*	*126-R*

Series 126

Features:

- Single pin handle curved back design allows one hand control.
- Ideal for boxes, kegs, and packages.
- Three horizontal cross straps and full height vertical center strap offer support for small packages.

As shown: 126-Z

MADE IN USA

Series 126D

Features:

- Single "D" shaped handle allows multiple hand positions for one hand control.
- Ideal for boxes, kegs, and packages.
- Three horizontal cross straps and full height vertical center strap provide support for small packages.

As shown: 126D-R1

MADE IN USA

Wheel Choices

Hub: / Dimensions: / Wheel Type:	R Aluminum 8" x 1.625" Moldon Rubber	R1 Steel Offset 8" x 2.5" Semi-Pneumatic	Z Steel Offset 10" x 2.75" Semi-Pneumatic	Z2 Poly Offset 10" x 2.75" Solid Rubber	P Steel Offset 10" x 3.5" Pneumatic	PE Steel Offset 10" x 3.5" Pneumatic
Part #	210009	210010	210011	210380	210012	210370
Model #	126-R	126-R1	126-Z	126-Z2	126-P	126-PE
Capacity	800 lbs	500 lbs	700 lbs	800 lbs	700 lbs	700 lbs
Weight	32 lbs	38 lbs	40 lbs	40 lbs	37 lbs	34 lbs

Wesco exclusive – ribbed cross straps for additional strength

Part #	210016	210017	210018	210381	210019	210371
Model #	126D-R	126D-R1	126D-Z	126D-Z2	126D-P	126D-PE
Capacity	800 lbs	500 lbs	700 lbs	800 lbs	700 lbs	700 lbs
Weight	33 lbs	39 lbs	41 lbs	41 lbs	38 lbs	35 lbs

Wesco exclusive – ribbed cross straps for additional strength

Wesco® 100 series industrial hand trucks

Series 136

Features:

- Two handle tapered body design.
- Three heavy duty horizontal cross straps for added strength.
- Full height center strap provides support for small packages.

As shown: 136-Z



Series 146

Features:

- Two handle extra high back curved design.
- Ideal for high loads.
- Four horizontal cross straps and vertical center strap provide support for small packages.

As shown: 146-R

Series 146D

Features:

- Single "D" shaped handle combined with high back curved design.
- Easier one hand control of stacked goods.
- Four horizontal cross straps and vertical center strap provide support for small packages.

As shown: 146D-R1

Wheel Choices

Hub:	R	R1	Z	Z2	P	PE
Dimensions:	Aluminum 8" x 1.625"	Steel Offset 8" x 2.5"	Steel Offset 10" x 2.75"	Poly Offset 10" x 2.75"	Steel Offset 10" x 3.5"	Steel Offset 10" x 3.5"
Wheel Type:	Moldon Rubber	Semi-Pneumatic	Semi-Pneumatic	Solid Rubber	Pneumatic	Pneumatic
Part #	210024	210025	210026	210382	210027	210372
Model #	136-R	136-R1	136-Z	136-Z2	136-P	136-PE
Capacity	800 lbs	500 lbs	700 lbs	800 lbs	700 lbs	700 lbs
Weight	33 lbs	39 lbs	41 lbs	40 lbs	39 lbs	34 lbs
Part #	210032	210033	210034	210383	210035	210373
Model #	146-R	146-R1	146-Z	146-Z2	146-P	146-PE
Capacity	800 lbs	500 lbs	700 lbs	800 lbs	700 lbs	700 lbs
Weight	34 lbs	40 lbs	42 lbs	42 lbs	39 lbs	36 lbs
Part #	210038	270056	210039	210384	210040	210374
Model #	146D-R	146D-R1	146D-Z	146D-Z2	146D-P	146D-PE
Capacity	800 lbs	500 lbs	700 lbs	800 lbs	700 lbs	700 lbs
Weight	35 lbs	41 lbs	43 lbs	42 lbs	41 lbs	36 lbs

MADE IN USA

Wesco exclusive – ribbed cross straps for additional strength

MADE IN USA

Wesco exclusive – ribbed cross straps for additional strength

MADE IN USA

Wesco® 100 series industrial hand trucks

Series 156

Features:

- Swept back continuous handle with curved back design.
- Very popular frame that allows one or two hand control.
- Four horizontal cross straps and vertical center strap provide support for small packages.

As shown: 156-Z

Wheel Choices

Hub:	R	R1	Z	Z2	P	PE
Dimensions:	Aluminum 8" x 1.625"	Steel Offset 8" x 2.5"	Steel Offset 10" x 2.75"	Poly Offset 10" x 2.75"	Steel Offset 10" x 3.5"	Steel Offset 10" x 3.5"
Wheel Type:	Moldon Rubber	Semi-Pneumatic	Semi-Pneumatic	Solid Rubber	Pneumatic	Pneumatic
Part #	210044	210045	210046	210385	210047	210375
Model #	156-R	156-R1	156-Z	156-Z2	156-P	156-PE
Capacity	800 lbs	500 lbs	700 lbs	800 lbs	700 lbs	700 lbs
Weight	31 lbs	37 lbs	39 lbs	40 lbs	36 lbs	34 lbs

Wesco exclusive – ribbed cross straps for additional strength

MADE IN USA

Wesco® 100 series industrial hand truck options

Nose Extension

- 24" long, 10.5" wide.
- Steel construction.

MADE IN USA

	Part #	Model #
24" Nose Extension - Field Installation	210099	FN-24K
24" Nose Extension - Factory Installed	054201	FN-24F

To order field installation simply note part # or model # on P.O.

To order factory installed option add option part # or model # to end of industrial hand truck part or model #.

Example: 156R with 24" nose extension

Part # 210044,054201 or Model #156-R-FN-24F

Stairclimber

- Continuous belt.
- Replaceable parts.
- **Only available on 10" wheeled models.**
- **Must be factory installed.**

Stairclimber with Continuous Belt

Part #	Model #
270412	CBSCF

Must be factory installed.

Wesco® two-in-one industrial steel hand trucks

Two-In-One *Deluxe* Industrial Steel Hand Trucks

Features:

- Converts easily between 2 and 4 wheel truck.
- Handle locks in horizontal and vertical positions.
- Two lengthwise straps and two cross braces prevent package fall-through.
- **3.5" or 5" Colson Hi-Tech Performa Casters–A Wesco Exclusive.**
- 3/4" Schedule 40 structural pipe bed frame.

As shown: 156-S25-Z2

Colson Hi-Tech Performa Casters Features:

- Standard equipment on all models at no additional cost.
- Less energy required to start moving load and keep it moving.
- Performa wheels reject almost every type of floor debris, including metal shavings, chips, sand and gravel.
- Smooth, quiet ride of a soft-tread wheel.
- As durable as a hard-tread wheel.

Wheel Choices with 3.5" Casters

Hub:	Z	Z2	P
Dimensions:	Steel Offset 10" x 2.75"	Poly Offset 10" x 2.75"	Steel Offset 10" x 3.5"
Wheel Type:	Semi-Pneumatic	Solid Rubber	Pneumatic
Part #	210138	210140	210139
Model #	156-S23-Z	156-S23-Z2	156-S23-P
Weight	60.5 lbs	58.25 lbs	55.25 lbs
2 wheel capacity	700 lbs	800 lbs	700 lbs
4 wheel capacity	1,000 lbs	1,000 lbs	1,000 lbs

Wheel Choices with 5" Casters

Hub:	Z	Z2	P
Dimensions:	Steel Offset 10" x 2.75"	Poly Offset 10" x 2.75"	Steel Offset 10" x 3.5"
Wheel Type:	Semi-Pneumatic	Solid Rubber	Pneumatic
Part #	210144	210141	210143
Model #	156-S25-Z	156-S25-Z2	156-S25-P
Weight	61.5 lbs	60 lbs	56.25 lbs
2 wheel capacity	700 lbs	800 lbs	700 lbs
4 wheel capacity	1,000 lbs	1,000 lbs	1,000 lbs

5" Caster for easier rolling over rough surfaces

Wesco® Greenline DU-ALL economy convertible two-in-one

Features:

- Converts between 2 and 4 wheel positions.
- Capacity: 2 wheel: 500 lbs. 4 wheel: 600 lbs.
- Steel tubular frame construction
- 10" Semi-pneumatic wheels
- 3 1/2" Polyurethane swivel casters.
- Weight: 52 lbs.
- Ships KD, minor assembly required

New!

Part #	210477
Model#	GDA21
Weight	52 lbs
2 Wheel Capacity	500 lbs
4 Wheel Capacity	600 lbs

Wesco® Greenline two-in-one steel hand trucks

Greenline economical two-in-one

Features:

- Converts easily between 2 and 4 wheel truck.
- Double welded tubular construction.
- Lengthwise strap and cross braces prevent package fall-through.
- Solid rubber swivel casters.

As shown:
2 wheel: 656-21-Q
4 wheel: 656-21-Z

48" tall
Bed size 13" x 36"
Total width 20"

656-21-Z

Wheel Choices

Hub: / Dimensions: / Wheel Type:	Q Poly Offset 8" x 1.75" Semi-Pneumatic	Z Steel Offset 10" x 2.75" Semi-Pneumatic	Z2 Poly Offset 10" x 2.75" Solid Rubber	PE Steel Offset 10" x 3.5" Pneumatic
Part #	210323	210324	210326	210325
Model #	656-21-Q	656-21-Z	656-21-Z2	656-21-PE
Weight	37 lbs	46 lbs	38 lbs	38 lbs
2 wheel capacity	300 lbs	500 lbs	500 lbs	500 lbs
4 wheel capacity	400 lbs	600 lbs	600 lbs	600 lbs
Caster size:	3" x 1.25"	5" x 1.25"	5" x 1.25"	5" x 1.25"

Wesco® Greenline E-convertible two-in-one truck

Features:

- Heavy duty tubular steel construction.
- 10" x 2.5" solid rubber wheels, 5" x 1.25" casters.
- Capacity 2 wheel: 700 lbs; 4 wheel: 800 lbs.
- 8" x 12" noseplate.
- Lever activated position conversion.
- Wheel guards.
- Weight 77 lbs.

58" tall
Bed size 13.75" x 48"
Total width 19.5"

Part #	210639
Model#	E-CON
Weight	77 lbs
2 Wheel Capacity	700 lbs
4 Wheel Capacity	800 lbs
Wheel	10" x 2.5" Solid Rubber
Caster	5" x 1.25" Hard Rubber

Wesco® Greenline standard duty steel hand trucks

- **Economically priced.**
- *500 lb frame capacity.*
- *Green enamel finish.*
- *Zinc plated Auto-Loc® axles assure smooth wheel rotation.*
- *All frames can accommodate an 8" or 10" wheel.*
- *7" deep x 14" wide 7 gauge beveled nose plate with radiused corners for safety.*
- *1" OD x 14 gauge wall tubular frame.*
- *Order by part # or model #.*

Example:

Part #	*or*	*Model #*
210461		*626-Q*

Series 626

Features:

- Pin handle with curved back design.
- Welded frame construction.
- 1" O.D. tube.

As shown: 626-Q

Series 626D

Features:

- Single loop handle with curved back design.
- Welded frame construction.
- 1" O.D. tube.

As shown: 626D-R

Series 636

Features:

- Dual handle curved back design.
- Welded frame construction.
- 1" O.D. tube.

As shown: 636-Z8

Wheel Choices

Hub:	Q Poly Offset	R Aluminium	Z8 Poly Offset	Z2 Poly Offset	P Steel Offset	PE Steel Offset
Dimensions:	8" x 1.75"	8" x 1.625"	8" x 2"	10" x 2.75"	10" x 3.5"	10" x 3.5"
Wheel Type:	Semi-Pneumatic	Moldon Rubber	Solid Rubber	Solid Rubber	Pneumatic	Pneumatic
Part #	210461	210466	210330	210361	210456	210356
Model #	626-Q	626-R	626-Z8	626-Z2	626-P	626-PE
Weight	24 lbs	25.5 lbs	25.5 lbs	31 lbs	27.5 lbs	26 lbs
Capacity	300 lbs	500 lbs	500 lbs	500 lbs	500 lbs	500 lbs
Part #	210462	210467	210331	210362	210457	210357
Model #	626D-Q	626D-R	626D-Z8	626D-Z2	626D-P	626D-PE
Weight	25.5 lbs	27 lbs	27 lbs	32.5 lbs	29 lbs	27.5 lbs
Capacity	300 lbs	500 lbs	500 lbs	500 lbs	500 lbs	500 lbs
Part #	210463	210468	210332	210363	210458	210358
Model #	636-Q	636-R	636-Z8	636-Z2	636-P	636-PE
Weight	24.5 lbs	26 lbs	26 lbs	31.5 lbs	28 lbs	26.5 lbs
Capacity	300 lbs	500 lbs	500 lbs	500 lbs	500 lbs	500 lbs

Wesco® Greenline standard duty steel hand trucks

Series 646

Features:

- Dual pin handle with curved back design.
- Welded frame construction.
- 1" O.D. tube.

As shown: 646-Z2

Wheel Choices

Hub:	Q	R	Z8	Z2	P	PE
Dimensions:	Poly Offset 8" x 1.75"	Aluminium 8" x 1.625"	Poly Offset 8" x 2"	Poly Offset 10" x 2.75"	Steel Offset 10" x 3.5"	Steel Offset 10" x 3.5"
Wheel Type:	Semi-Pneumatic	Moldon Rubber	Solid Rubber	Solid Rubber	Pneumatic	Pneumatic
Part #	210464	210469	210333	210364	210459	210359
Model #	646-Q	646-R	646-Z8	646-Z2	646-P	646-PE
Weight	25.5 lbs	27 lbs	27 lbs	32.5 lbs	29 lbs	27.5 lbs
Capacity	300 lbs	500 lbs	500 lbs	500 lbs	500 lbs	500 lbs

Series 656

Features:

- Continuous handle with curved back design.
- Welded frame construction.
- 1" O.D. tube.

As shown: 656-P

Part #	210465	210470	210334	210365	210460	210360
Model #	656-Q	656-R	656-Z8	656-Z2	656-P	656-PE
Weight	26 lbs	27.5 lbs	27.5 lbs	33 lbs	29.5 lbs	28 lbs
Capacity	300 lbs	500 lbs	500 lbs	500 lbs	500 lbs	500 lbs

Folding nose extension option

To order field installation simply note part # or model # on P.O.
To order factory installed option add option part # or model # to the end of the truck part or model #.
Example: 626D-R with 24" nose extension
Part # 210467,054218 or Model # 626D-R-FNG-24F

	Part #	Model #
24" Nose Extension - Field Installation	210249	FNG-24K
24" Nose Extension - Factory Installed	054218	FNG-24F

Wesco® Touch-N-Tilt® ergonomic industrial steel hand trucks

The Touch-N-Tilt® ergonomic feature is an innovative, state of the art device that allows the user to reduce the effort required to break the load over by as much as 66%. This patented product is ideal for employers looking to minimize the physical demands placed on their workforce.

Touch-N-Tilt®

Features:

- Simple and affordable.
- Up to 700 lbs. capacity.
- Available with 8" or 10" wheels.
- **Same strong frames used on Wesco 100 series industrial truck.**
- **U.S. Patent 5,118,124.**

As shown: TNT56-Z



MADE IN USA

Push a pedal and your load feels lighter – 66% lighter

Wheel Choices

Hub: / Dimensions: / Wheel Type:	R Aluminum 8" x 1.625" Moldon Rubber	R1 Steel Offset 8" x 2.5" Semi-Pneumatic	Z Steel Offset 10" x 2.75" Semi-Pneumatic	Z2 Poly Offset 10" x 2.75" Solid Rubber	P Steel Offset 10" x 3.5" Pneumatic	PE Steel Offset 10" x 3.5" Pneumatic
Part #	210516	210517	210518	210521	210519	210520
Model #	TNT26D-R	TNT26D-R1	TNT26D-Z	TNT26D-Z2	TNT26D-P	TNT26D-PE
Capacity	600 lbs	500 lbs	600 lbs	700 lbs	600 lbs	600 lbs
Weight	35.5 lb	41.5 lb	43.5 lbs	43.5 lbs	40.5 lbs	37.5 lbs

Series TNT26D

- Single loop handle design.
- 48" overall height.

TNT26D HANDLE

Series TNT36

- Twin handle design with plastic grips.
- 50" overall height.

TNT36 HANDLE

Part #	210524	210525	210526	210529	210527	210528
Model #	TNT36-R	TNT36-R1	TNT36-Z	TNT36-Z2	TNT36-P	TNT36-PE
Capacity	600 lbs	500 lbs	600 lbs	700 lbs	600 lbs	600 lbs
Weight	35.5 lb	41.5 lb	43.5 lbs	43.5 lbs	40.5 lbs	37.5 lbs

Series TNT46

- Twin handle high back design with plastic grips.
- 51" overall height.

TNT46 HANDLE

Part #	210532	210533	210534	210537	210535	210536
Model #	TNT46-R	TNT46-R1	TNT46-Z	TNT46-Z2	TNT46-P	TNT46-PE
Capacity	600 lbs	500 lbs	600 lbs	700 lbs	600 lbs	600 lbs
Weight	36.5 lb	42.5 lb	44.5 lbs	41.5 lbs	41.5 lbs	39.5 lbs

Series TNT56

- Popular continuous handle design.
- 50" overall height.

TNT56 HANDLE

Part #	210544	210545	210546	210549	210547	210548
Model #	TNT56-R	TNT56-R1	TNT56-Z	TNT56-Z2	TNT56-P	TNT56-PE
Capacity	600 lbs	500 lbs	600 lbs	700 lbs	600 lbs	600 lbs
Weight	33.5 lb	39.5 lb	41.5 lbs	41.5 lbs	38.5 lbs	35.5 lbs

Wesco® Freight King® hand trucks

Freight King® Features:

- *Replaceable hardwood handles are essential for use in cold environments.*
- *Frame made from one piece heavy gauge pressed steel.*
- *Frame is reinforced at critical points.*
- *Bolted construction for easy parts replacement.*
- *Beveled open 5" or 8" nose is made of .5" thick steel.*
- *Legs on T-2 frames prevent handle damage and allow horizontal loading.*
- *Red enamel finish.*
- *Order by Part # or Model #.*

Standard Freight King

Features:

- Curved handles.
- 6" x 1.5" cast iron center moldon rubber wheels with .75" ball bearings.
- *450 lb capacity.*

As shown: T-1-8



MADE IN USA

Part #	Model #	Nose Length	Legs	Weight
210090	T-1	5"	No	30 lbs
210092	T-1-8	8"	No	31 lbs
210091	T-L	5"	Yes	30 lbs
210093	T-L-8	8"	Yes	34 lbs

Docker Freight King

Features:

- Legs and wheel guards on all models.
- 8" x 2" aluminum center moldon rubber wheels with 3/4" ball bearings.
- *650 lb capacity.*

As shown: T-2

MADE IN USA

Part #	Model #	Handle	Height	Width	Nose Length	Weight
210094	T-2	Straight	52"	20"	5"	36 lbs
210095	T-2-8	Straight	52"	20"	8"	37 lbs
210096	T-2C	Curved	48"	19"	5"	36 lbs
210097	T-2C-8	Curved	48"	19"	8"	37 lbs

Freight King Folding Nose Option

- 21" long x 12.75".



To order option, add part # or model # to truck.

FOR EXAMPLE:

Part # 210090, 054200 or *Model # + Option # T-1 -FN21F*

Kit		Factory Installed	
Part #	Model #	Part #	Model #
210100	FN-21K	054200	FN-21F

MADE IN USA

Standard 186 Series

Features:

- Rear axle designs allow loading and unloading of pallets. Rear caster design allows small diameter turns in tight areas.
- Combination two handle and utility bar handle design.
- Distribution of load over 4 wheels improves load control.
- All wheels have ball bearings.

186-Z

MADE IN USA



186-ZC

MADE IN USA

Part #	Model #	Height	Width	Nose Plate Depth	Capacity	Weight	Front Wheels	Rear Wheels
210050	186-Z	47.5"	21"	8"	800 lbs	53 lbs	10" x 2.75" Semi-Pneumatic	6" Moldon Rubber/ Axle
210051	186-RK8	51"	22"	13"	900 lbs	59 lbs	8" x 2.5" Balloon Cushion	6" Moldon Rubber/ Axle
210125	186ZC	47.5"	20.5"	8"	800 lbs	53 lbs	10" x 2.75" Semi-Pneumatic	4 x 1.25" Poly/Swivel Casters

Steel Collaps-A-Trucks

Features:

- All welded construction.
- Collapses for convenient storage and portability.
- Ideal for salesmen, delivery men, or repairmen.
- Ships boxed via UPS.
- Polyolefin wheels.

CT-401

Part #	Model #	5" x 1.25" Wheel Type	12" Folding Nose Extension	Folding Nose Plate	Storage Size	Capacity	Weight	Construction
210218	CT-401	Polyolefin	Yes	Yes	24"H x 7"D	200 lbs	18 lbs	Steel

SideRoller

Features:

- Standard hand truck or side rolling cart capability.
- **Side rolling position allows wide product loads to fit through narrow doorways.**
- Wheels maintain full contact with the floor in both transport positions.
- Spring loaded locking mechanism provides greater steering control and stability.

Unique side rolling hand truck

Patent Pending

Part #	210270
Model #	SR1-Z
Height	48.211"
Width	20.4" standard 22.25" lateral position
Nose Plate Depth	7"
Capacity	500 lbs
Weight	38.5 lbs
Wheels	10" x 2.75" Semi-Pneumatic

Wesco® heavy duty hand trucks

Heavy Duty Shovel Nose Trucks

Features:

- Five year weld guarantee.
- 13" deep x 17.5" x .25" thick tapered nose plate.
- 1" heavy duty Sch-40 pipe frame.
- Easy grip continuous handle frame design.
- 3/4" axle.
- 8" x 2" cast iron moldon rubber or 12" pneumatic wheels.
- Wheel guards.



ST2-HB

MADE IN USA

Heavy Duty
Shovel Nose Truck

ST2-P12

New!

Part #	210064	210066
Model #	ST-2HB	ST2-P12
Capacity	900 lbs	800 lbs
Weight	59.5 lbs	61 lbs
Wheel	8"x2" M.O.	12" Pneumatic

12" Pneumatic Wheel, great for construction sites

Heavy Duty Hand Truck

Features:

- 8" x 2" cast iron center moldon rubber wheels.
- Steel reinforced nose plate.
- .75 inch axle.
- Five handle choices.



MADE IN USA

146-HB

Handle Choices

126 HANDLE | 126D HANDLE | 136 HANDLE | 146 HANDLE | 156 HANDLE

Part #	210263	210264	210134	210135	210265
Model #	126RN-HB	126DRN-HB	136RN-HB	146RN-HB	156RN-HB
Capacity	800 lbs	800 lbs	800 lbs	800 lbs	800 lbs
Weight	39 lbs	40 lbs	40 lbs	40 lbs	38 lbs

Heavy Duty Warehouse Trucks

Features:

- **Five year weld guarantee.**
- Large 10" deep x 16.5" wide x .25" thick tapered nose plate.
- 1" heavy duty Sch-40 pipe frame.
- Wheel guards standard.
- Dual handle design.
- Kick out four wheel model – TM4W or standard two wheel model.
- 3.5" moldon rubber swivel casters on four wheel kick out trucks.

TM4W-HB

TM-HB

Wheel Choices

Hub: / Dimensions: / Wheel Type:	H B Cast Iron 8" x 2" Moldon Rubber	P B Steel Offset 10" x 3.5" Pneumatic	BT 1 Cast Iron 10" x 2.5" Moldon Rubber
Part #	210055	210056	210239
Model #	TM-HB	TM-PB	TM-BT
Capacity	900 lbs	700 lbs	1,000 lbs
Weight	54 lbs	49 lbs	67 lbs
Part #	210060	210061	210062
Model #	TM4W-HB	TM4W-PB	TM4W-BT
Capacity	900 lbs	700 lbs	1,000 lbs
Weight	66 lbs	61 lbs	79 lbs
Caster	3.5"	3.5"	3.5"

156DH Drum/Hand Truck

Features:

- Utility of a hand truck & drum truck.
- Chime hook works with 55 and 30 gallon drums.
- Curved frame holds 5 gallon pails and kegs.
- With noseplate resting flat on floor, 18" to center of lowered chime hook.

156DH-Z

Wheel Choices

Hub: / Dimensions: / Wheel Type:	Z Steel Offset 10" x 2.75" Semi-Pneumatic	H Cast Iron 8" x 2" Moldon Rubber
Part #	210340	210349
Model #	156DH-Z	156DH-HB
Capacity	700 lbs	800 lbs
Weight	39 lbs	42.5 lbs
Axle	.625"	.75"
Bearing	Ball Bearing	Roller Bearing

Wesco® super economy hand truck & high frame package truck

Economy Hand Truck

Features:

- 7.5" x 14" nose plate.
- 16 gauge frame.
- Full pneumatic ball bearing wheels.
- SR models have 10" solid rubber wheels.
- Ships KD.

210127

	Economy	Jr Economy
Wheel	10" Pneumatic	10" Pneumatic
Part #	210127	210213
Capacity	500 lbs	500 lbs
O.A. Width	21.5"	21.5"
O.A. Height	51"	45.5"
Weight	26 lbs	25 lbs

	Economy SR	Jr Economy SR
Wheel	10" Solid Rubber	10" Solid Rubber
Part #	210215	210216
Capacity	500 lbs	500 lbs
O.A. Width	21.5"	21.5"
O.A. Height	51"	45.5"
Weight	40 lbs	39 lbs

Jr Economy Hand Truck

Features:

- Same as Economy except shorter.
- SR models have 10" solid rubber wheels.

Economy Wide Plate Hand Truck

Features:

- Pneumatic wheels.
- Wheel guards and vinyl strips protect cargo.
- 20" wide nose plate.
- SR models have 10" solid rubber wheels.

	Wide Plate Economy	Wide Plate Economy SR
Wheel	10" Pneumatic	10" Solid Rubber
Part #	210214	210217
Capacity	600 lbs	500 lbs
Weight	29 lbs	43 lbs

210214

High Frame Package Truck

Features:

- 8" x 2" solid rubber ball bearing wheels.
- Reinforced frame.
- Folding nose option.



166RN-Z8-FNR-24F
Shown with optional folding nose.

High Frame	
Part #	210261
Model #	166RN-Z8
Capacity	800 lbs
Weight	36 lbs

	Part #	Model #	Capacity	Weight
Folding nose option field installed	210262	FNR-24K	800 lbs	8 lbs
Folding nose option factory installed	054224	FNR-24F	800 lbs	8 lbs

Mighty-Lite® magnesium frame hand trucks

Mighty-Lite® Features:

- *Super strong nose with 5 year guarantee against breakage.*
- *Heavy duty magnesium frame – the strongest light weight truck available.*
- *Magnesium is 33% lighter than aluminum and is the world's lightest structural metal.*
- *Available knocked down and boxed or fully set up, bolted construction for easy parts interchange.*
- *Available options include: stairglides, brake, 12" deep noses, folding nose extensions, top extensions, center straps, Touch-N-Tilt® OPTION and hanger hooks (see page 38).*
- *Wheel guards are standard with S14 noseplates.*

- *Order by part # or model #.*

Example: Part # or Model #

Part #	*Series*	+	*Nose*	+	*Wheel*
220004	*500*	-	*S14*	-	*Z*

Series 500

Features:

- Super light design.
- **Economical cost.**
- Continuous handle.
- Straight back frame.

S14 Nose:
14" w. x 7.625" d.
S18 Nose:
18" w. x 7.625" d.

As shown:
500-S14-R1

Series 510

Features:

- Reinforced upper and lower frame for added strength.
- Continuous handle.
- Straight back frame.
- Comfortable vinyl covered handle **at no extra cost.**

S14 Nose:
14" w. x 7.625" d.
S18 Nose:
18" w. x 7.625" d.

As shown:
510-S14-R3

Wheel Choices

Hub: / Dimensions: / Wheel Type:	R1 Steel Offset 8" x 2.5" Semi-Pneumatic	R3 Aluminum Offset 8" x 1.625" Moldon Rubber	Z Steel Offset 10" x 2.75" Semi-Pneumatic	Z2 Poly Offset 10" x 2.75" Solid Rubber	P Steel Offset 10" x 3.5" Pneumatic	PE Steel Offset 10" x 3.5" Pneumatic
S14" Nose						
Part #	220003	220002	220004	220246	220005	220261
Model #	500-S14-R1	500-S14-R3	500-S14-Z	500-S14-Z2	500-S14-P	500-S14-PE
Capacity	400 lbs	400 lbs	400 lbs	400 lbs	400 lbs	400 lbs
Weight	23 lbs	20 lbs	28 lbs	26.5 lbs	23 lbs	21.5 lbs
S18" Nose						
Part #	220008	220007	220009	220247	220010	220262
Model #	500-S18-R1	500-S18-R3	500-S18-Z	500-S18-Z2	500-S18-P	500-S18-PE
Capacity	400 lbs	400 lbs	400 lbs	400 lbs	400 lbs	400 lbs
Weight	25 lbs	22 lbs	30 lbs	28.5 lbs	25 lbs	23.5 lbs
MADE IN USA						
S14" Nose						
Part #	220013	220012	220014	220248	220015	220263
Model #	510-S14-R1	510-S14-R3	510-S14-Z	510-S14-Z2	510-S14-P	510-S14-PE
Capacity	450 lbs	600 lbs	500 lbs	500 lbs	600 lbs	600 lbs
Weight	24 lbs	21 lbs	29 lbs	27.5 lbs	24 lbs	22.5 lbs
S18" Nose						
Part #	220018	220017	220019	220249	220020	220264
Model #	510-S18-R1	510-S18-R3	510-S18-Z	510-S18-Z2	510-S18-P	510-S18-PE
Capacity	450 lbs	600 lbs	500 lbs	500 lbs	600 lbs	600 lbs
Weight	26 lbs	23 lbs	31 lbs	29.5 lbs	26 lbs	24.5 lbs
MADE IN USA						

Mighty-Lite® magnesium frame hand trucks

Series 520

Features:

- Straight, high back frame for tall loads.
- Heavy duty pin handle for one handed control.
- Reinforced lower frame.
- Comfortable vinyl hand grip.

S14 Nose:
14" w. x 7.625" d.
S18 Nose:
18" w. x 7.625" d.

As shown:
520-S14-Z

Series 525*

Features:

- **Open back nose plate and curved frame.**
- Excellent for kegs and other cylindrical objects.
- High back frame for tall loads.
- Heavy duty pin handle.
- Reinforced lower frame.
- Comfortable vinyl hand grip.

C14 Nose:
14" w. x 7.625" d.

As shown:
525-C14-Z2

Series 530*

Features:

- **Open back nose plate and curved frame.**
- Excellent for kegs and other cylindrical objects.
- Super light design.
- **Economical cost.**
- Continuous handle.

C14 Nose:
14" w. x 7.625" d.

As shown:
530-C14-P

Wheel Choices

Hub: / Dimensions: / Wheel Type:	R1 Steel Offset 8" x 2.5" Semi-Pneumatic	R3 Aluminum Offset 8" x 1.625" Moldon Rubber	Z Steel Offset 10" x 2.75" Semi-Pneumatic	Z2 Poly Offset 10" x 2.75" Solid Rubber	P Steel Offset 10" x 3.5" Pneumatic	PE Steel Offset 10" x 3.5" Pneumatic
S14" Nose						
Part #	220023	220022	220024	220250	220025	220265
Model #	520-S14-R1	520-S14-R3	520-S14-Z	520-S14-Z2	520-S14-P	520-S14-PE
Capacity	450 lbs	600 lbs	500 lbs	500 lbs	600 lbs	600 lbs
Weight	24 lbs	21 lbs	29 lbs	27.5 lbs	24 lbs	22.5 lbs
S18" Nose						
Part #	220028	220027	220029	220251	220030	220266
Model #	520-S18-R1	520-S18-R3	520-S18-Z	520-S18-Z2	520-S18-P	520-S18-PE
Capacity	450 lbs	600 lbs	500 lbs	500 lbs	600 lbs	600 lbs
Weight	26 lbs	23 lbs	31 lbs	29.5 lbs	26 lbs	24.5 lbs

MADE IN USA

C14" Nose						
Part #	220033	220032	220034	220252	220035	220267
Model #	525-C14-R1	525-C14-R3	525-C14-Z	525-C14-Z2	525-C14-P	525-C14-PE
Capacity	450 lbs	600 lbs	500 lbs	600 lbs	600 lbs	600 lbs
Weight	23.5 lbs	20.5 lbs	28.5 lbs	27 lbs	23.5 lbs	22 lbs

***Open back nose plate only available as C14" nose.**

MADE IN USA

C14" Nose						
Part #	220038	220037	220039	220253	220040	220268
Model #	530-C14-R1	530-C14-R3	530-C14-Z	530-C14-Z2	530-C14-P	530-C14-PE
Capacity	400 lbs	400 lbs	400 lbs	400 lbs	400 lbs	400 lbs
Weight	23 lbs	20 lbs	28 lbs	26.5 lbs	23 lbs	21.5 lbs

MADE IN USA

***Open back nose plate only available as C14" nose.**

Mighty-Lite® magnesium frame hand trucks

Series 540*

Features:

- **Open back nose plate and curved frame.**
- Excellent for kegs and other cylindrical objects.
- Reinforced upper frame for added strength.
- Continuous handle.
- Comfortable vinyl covered handle **at no extra cost.**

14" wide by 7.625" deep nose
As shown: 540-C14-P



Series 550

Features:

- Reinforced upper and lower frame for added strength.
- Straight back frame.
- Twin handles for two handed load control.
- Comfortable vinyl hand grips.

S14 - 14" wide by 7.625" deep nose
S18 - 18" wide by 7.625" deep nose
As shown:
550-S14-R1



Series 560*

Features:

- **Open back nose plate and curved frame.**
- Excellent for kegs and other cylindrical objects.
- Twin handles for two handed load control.
- Reinforced upper frame for added strength.
- Comfortable vinyl hand grips.

14" wide by 7.625" deep nose
As shown:
560-C14-R3

Wheel Choices

Hub: / Dimensions: / Wheel Type:	R1 Steel Offset 8" x 2.5" Semi-Pneumatic	R3 Aluminum Offset 8" x 1.625" Moldon Rubber	Z Steel Offset 10" x 2.75" Semi-Pneumatic	Z2 Poly Offset 10" x 2.75" Solid Rubber	P Steel Offset 10" x 3.5" Pneumatic	PE Steel Offset 10" x 3.5" Pneumatic
C14" Nose						
Part #	220043	220042	220044	220254	220045	220269
Model #	540-C14-R1	540-C14-R3	540-C14-Z	540-C14-Z2	540-C14-P	540-C14-PE
Capacity	450 lbs	600 lbs	500 lbs	500 lbs	600 lbs	600 lbs
Weight	23.5 lbs	20.5 lbs	28.5 lbs	27 lbs	23.5 lbs	22 lbs
S14" Nose						
Part #	220048	220047	220049	220255	220050	220270
Model #	550-S14-R1	550-S14-R3	550-S14-Z	550-S14-Z2	550-S14-P	550-S14-PE
Capacity	450 lbs	600 lbs	500 lbs	500 lbs	600 lbs	600 lbs
Weight	24 lbs	21 lbs	29 lbs	27.5 lbs	24 lbs	22.5 lbs
S18" Nose						
Part #	220053	220052	220054	220256	220055	220271
Model #	550-S18-R1	550-S18-R3	550-S18-Z	550-S18-Z2	550-S18-P	550-S18-PE
Capacity	450 lbs	600 lbs	500 lbs	500 lbs	600 lbs	600 lbs
Weight	26 lbs	23 lbs	31 lbs	29.5 lbs	26 lbs	24.5 lbs
C14" Nose						
Part #	220058	220057	220059	220257	220060	220272
Model #	560-C14-R1	560-C14-R3	560-C14-Z	560-C14-Z2	560-C14-P	560-C14-PE
Capacity	450 lbs	600 lbs	500 lbs	500 lbs	600 lbs	600 lbs
Weight	23.5 lbs	20.5 lbs	28.5 lbs	27 lbs	23.5 lbs	22 lbs

MADE IN USA

***Open back nose plate only available as C14" nose.**

MADE IN USA

***Open back nose plate only available as C14" nose.**

Mighty-Lite® magnesium frame hand trucks

Series 570

Features:

- High back frame for tall loads.
- Straight back frame.
- Heavy duty safety loop handle design for one handed control.
- Reinforced upper and lower frame for added strength.

S14 - 14" wide by 7.625" deep nose
S18 - 18" wide by 7.625" deep nose

570-S14-Z

Series 575*

Features:

- **Open back nose plate and curved frame.**
- Excellent for kegs and other cylindrical objects.
- High back frame for tall loads.
- Heavy duty safety loop handle design for one handed control.
- Reinforced upper and lower frame for added strength.
- 14" wide by 7.625" deep nose



575-C14-Z2

Wheel Choices

Hub: / Dimensions: / Wheel Type:	R1 Steel Offset 8" x 2.5" Semi-Pneumatic	R3 Aluminum Offset 8" x 1.625" Moldon Rubber	Z Steel Offset 10" x 2.75" Semi-Pneumatic	Z2 Poly Offset 10" x 2.75" Solid Rubber	P Steel Offset 10" x 3.5" Pneumatic	PE Steel Offset 10" x 3.5" Pneumatic
S14" Nose						
Part #	220063	220062	220064	220258	220065	220273
Model #	570-S14-R1	570-S14-R3	570-S14-Z	570-S14-Z2	570-S14-P	570-S14-PE
Capacity	450 lbs	600 lbs	500 lbs	500 lbs	600 lbs	600 lbs
Weight	24.5 lbs	21.5 lbs	29.5 lbs	28 lbs	24.5 lbs	23 lbs
S18" Nose						
Part #	220068	220067	220069	220259	220070	220274
Model #	570-S18-R1	570-S18-R3	570-S18-Z	570-S18-Z2	570-S18-P	570-S18-PE
Capacity	450 lbs	600 lbs	500 lbs	500 lbs	600 lbs	600 lbs
Weight	26.5 lbs	23.5 lbs	31.5 lbs	30 lbs	26.5 lbs	25 lbs
C14" Nose						
Part #	220073	220072	220074	220260	220075	220275
Model #	575-C14-R1	575-C14-R3	575-C14-Z	575-C14-Z2	575-C14-P	575-C14-PE
Capacity	450 lbs	600 lbs	500 lbs	500 lbs	600 lbs	600 lbs
Weight	24 lbs	21 lbs	29 lbs	27.5 lbs	24 lbs	22.5 lbs

***Open back nose plate only available as C14" nose.**

Touch-N-Tilt® option for Mighty-Lite® trucks

Features

- Simple and affordable.
- Up to 600 lbs. capacity.
- Available with 8" or 10" wheels.
- **U.S. Patent 5,118,124.**
- Available with stair glides.

The Touch-N-Tilt® ergonomic feature is an innovative, state of the art device that allows the user to reduce the effort required to break the load over by as much as 66%. This patented product is ideal for employers looking to minimize the physical demands placed on their workforce.

Touch-N-Tilt® Feature (Must be factory installed)

For 8" wheel trucks		For 10" wheel trucks	
Part #	Model #	Part #	Model #
054220	TNT8	054221	TNT10

To order TNT option, add part # or model # to truck.

For example:

Part # or Model #										
Part#	+	*Option#*	+	*TNT#*	-	*Series*	+	*Nose*	+	*Wheel*	+	*Option*	+	*TNT#*
220012 ,		*054212,*		*054220*	-	*510*	-	*S14*	-	*R3*		*T2F*		*TNT8*

Push a pedal and your load feels lighter – 66% lighter



Mighty-Lite® options

To order option, add part # or model # to truck. For example:

Part #		*Option #*	*or*	*Model #*						
Part #	*+*	*Option #*		*Series*	*+*	*Nose*	*+*	*Wheel*	*+*	*Option*
220004	*,*	*054211*		*500*	*-*	*S14*	*-*	*Z*	*-*	*S2F*

Stair glides

Deluxe cast aluminum stair glides factory installed:	Part #	Model #
Stair glides without wearstrips	054211	S2F
Stair glides with wearstrips	054213	S3F
Touch-N-Tilt stair glides without wearstrips	054212	T2F
Touch-N-Tilt stair glides with wearstrips	054222	T3F

Deluxe cast aluminum stair glides field installed:	Part #	Model #
Stair glide set without wearstrips	220349	S2K
Stair glides with wearstrips	220351	S3K
Touch-N-Tilt stair glide set without wearstrips	220350	T2K
Touch-N-Tilt stair glides with wearstrips	220338	T3K

Top extensions

Top extensions for series 500, 510, 530, 540, 550, and 560 frames:

	Factory Installed		Kit for Field Installation	
	Part #	Model #	Part #	Model #
50" top extension	054232	50UF	220098	50UK
52" top extension	054206	52UF	220080	52UK
60" top extension	054207	60UF	220081	60UK
68" top extension	054209	68UF	220094	68UK

Center straps

Center strap option for series 500, 510, 520, 550, 570:

	Factory Installed		Kit for Field Installation	
	Part #	Model #	Part #	Model #
Single Strap	054205	CSF	220085	CSK
Double Strap	054228	2CSF	220088	2CSK

Folding Nose

Folding nose available for all Mighty-Lite® trucks:

	Factory Installed		Kit for Field Installation	
	Part #	Model #	Part #	Model #
20" Folding Nose	054202	F2EF	220082	F2E
30" Folding Nose	054203	F3EF	220083	F3E

Hanger Hooks

Hanger hook available for models 510, 540, 550, 560:

	Factory Installed		Kit for Field Installation	
	Part #	Model #	Part #	Model #
Hanger Hook	054204	HHF	220084	HHK

Brake Option

Factory installed brake option for:

	Part #	Model #
Continuous handle	054214	BCF
Pin handle	054215	BPF
Twin handle	054216	BTF
"D" handle	054217	BDF

Field installed brake kit option for:

	Part #	Model #
Continuous handle	220354	BCK
Pin handle	220355	BPK
Twin handle	220356	BTK
"D" handle	220357	BDK

Continuous handle

Pin handle

Twin handle

"D" handle

12" Deep Nose Plate

Factory installed 12" deep x 16" wide nose plate for series 500, 510, 520, 550, and 570:

Part #	Model #
054010	S26F

Field installed 12" deep x 16" wide nose plate kit for series 500, 510, 520, 550, and 570:

Part #	Model #
220314	S26K

Custom Nose Plates

Coca-Cola®, Pepsi-Cola®, Budweiser®, and Coors® stamped nose plates are available on all straight back Wesco Mighty-Lite hand trucks at no extra charge. Curved back frame models have stamped cross-braces instead of nose plates.

Wesco can also custom emboss Mighty-Lites with your distributorship's or customer's name. Please call to obtain details on this inexpensive and long lasting form of advertising.

Wesco® Cobra-Lite aluminum hand trucks

Cobra-Lite features:

- *All aluminum construction.*
- *Heavy duty cast 7.5" by 14" or 7.5" by 18" wide nose plate options.*
- *Quality light weight truck at an economical price .*
- *Ships KD and boxed or as components (see page 46 and 47).*
- *Capacity: 600 lbs.*
- *Assembly option available.*
- *All 2" wide cross braces for additional strength. Great for advertising label.*

Series 410

Features:

- Continuous handle.
- 49" overall height.
- Most popular model.
- Available with vinyl dipped handle. See component system on page 44.

As shown:
410-T14-R3

Wheel Choices

Hub: / Dimensions: / Wheel Type:	R2 Poly 8" x 1.625" Moldon Rubber	R3 Aluminum Offset 8" x 1.625" Moldon Rubber	Z Steel Offset 10" x 2.75" Semi-Pneumatic	Z2 Poly Offset 10" x 2.75" Solid Rubber	P Steel Offset 10" x 3.5" Pneumatic	PE Steel Offset 10" x 3.5" Pneumatic
T14" Nose Part #	220320	220332	220321	220370	220322	220375
Model #	410-T14-R2	410-T14-R3	410-T14-Z	410-T14-Z2	410-T14-P	410-T14-PE
Capacity	600 lbs	600 lbs	600 lbs	600 lbs	600 lbs	600 lbs
Weight	16.5 lbs	19.5 lbs	27.5 lbs	26 lbs	22.5 lbs	21 lbs
T18" Nose Part #	220380	220392	220381	220396	220382	220365
Model #	410-T18-R2	410-T18-R3	410-T18-Z	410-T18-Z2	410-T18-P	410-T18-PE
Capacity	600 lbs	600 lbs	600 lbs	600 lbs	600 lbs	600 lbs
Weight	17.5 lbs	20.5 lbs	28.5 lbs	27 lbs	23.5 lbs	22 lbs

Series 420

Features:

- High back pin handle.
- Comfortable vinyl hand grip.
- 52" overall height.

As shown:
420-T18-P

T14" Nose Part #	220323	220333	220324	220371	220325	220376
Model #	420-T14-R2	420-T14-R3	420-T14-Z	420-T14-Z2	420-T14-P	420-T14-PE
Capacity	600 lbs	600 lbs	600 lbs	600 lbs	600 lbs	600 lbs
Weight	16.5 lbs	19.5 lbs	27.5 lbs	26 lbs	22.5 lbs	21 lbs
T18" Nose Part #	220383	220393	220384	220397	220385	220366
Model #	420-T18-R2	420-T18-R3	420-T18-Z	420-T18-Z2	420-T18-P	420-T18-PE
Capacity	600 lbs	600 lbs	600 lbs	600 lbs	600 lbs	600 lbs
Weight	17.5 lbs	20.5 lbs	28.5 lbs	27 lbs	23.5 lbs	22 lbs

COBRA

Series 450

Features:

- Twin handle style with vinyl grips.
- 49" overall height.

As shown:
450-T14-R3

Wheel Choices

Hub:	R2	R3	Z	Z2	P	PE
Dimensions:	Poly	Aluminum Offset	Steel Offset	Poly Offset	Steel Offset	Steel Offset
Wheel Type:	8" x 1.625" Moldon Rubber	8" x 1.625" Moldon Rubber	10" x 2.75" Semi-Pneumatic	10" x 2.75" Solid Rubber	10" x 3.5" Pneumatic	10" x 3.5" Pneumatic
T14" Nose						
Part #	220326	220334	220327	220372	220328	220377
Model #	450-T14-R2	450-T14-R3	450-T14-Z	450-T14-Z2	450-T14-P	450-T14-PE
Capacity	600 lbs	600 lbs	600 lbs	600 lbs	600 lbs	600 lbs
Weight	17 lbs	20 lbs	28 lbs	26.5 lbs	23 lbs	21.5 lbs
T18" Nose						
Part #	220386	220394	220387	220398	220388	220367
Model #	450-T18-R2	450-T18-R3	450-T18-Z	450-T18-Z2	450-T18-P	450-T18-PE
Capacity	600 lbs	600 lbs	600 lbs	600 lbs	600 lbs	600 lbs
Weight	18 lbs	21 lbs	29 lbs	27.5 lbs	24 lbs	22.5 lbs

Series 470

Features:

- High back loop handle.
- 52" overall height.

As shown:
470-T14-P2

T14" Nose						
Part #	220329	220335	220330	220373	220331	220378
Model #	470-T14-R2	470-T14-R3	470-T14-Z	470-T14-Z2	470-T14-P	470-T14-PE
Capacity	600 lbs	600 lbs	600 lbs	600 lbs	600 lbs	600 lbs
Weight	17 lbs	20 lbs	28 lbs	26.5 lbs	23 lbs	21.5 lbs
T18" Nose						
Part #	220389	220395	220390	220399	220391	220368
Model #	470-T18-R2	470-T18-R3	470-T18-Z	470-T18-Z2	470-T18-P	470-T18-PE
Capacity	600 lbs	600 lbs	600 lbs	600 lbs	600 lbs	600 lbs
Weight	18 lbs	21 lbs	29 lbs	27.5 lbs	24 lbs	22.5 lbs

Wesco® Cobra-Lite aluminum bakery truck & options

High Glide Bakery Truck

Features:

- 15" extended noseplate for large loads.
- Coated continuous handle and frame extension.
- Touch-N-Tilt feature for easier load break over (See page 40).
- Extended stairglide, full 16" slide surface.

New!

MADE IN USA

Part #	220472
Model #	HGBT
Height	52.5"
Width	19"
Nose Plate	14" w. x 15" l. beveled
Capacity	300 lbs
Weight	38 lbs
Wheels	10" Balloon Cushion

When ordering by part # add option part # to truck part #. For example: 220320,220351
When ordering by model #, add option model # to truck model #. For example: 410-T14-R2-S3K.

Cobra-Lite Folding Nose, Top Extension and Brake Options

Folding nose for T-14 & T-18 nose plates

	Field Install Kit		Factory Installed	
	Part #	Model #	Part #	Model #
20" Long	220346	F2	054223	F2F
30" Long	220343	F3	054225	F3F

Top extensions for 410 & 450 models

	Field Install Kit		Factory Installed	
	Part #	Model #	Part #	Model #
44" High	220347	44UK	050144	44UF
52" High	220080	52UK	054206	52UF
60" High	220081	60UK	054207	60UF
68" High	220094	68UK	054209	68UF
52" High	220079	52URK (Red Plastic Coated)	050186	52URF
60" High	220071	60URK (Red Plastic Coated)	050181	60URF

Boxed brake option for field installation

	Part #	Model #		Part #	Model #
Continuous	220354	BCK	Twin handle	220356	BTK
Pin handle	220355	BPK	"D" handle	220357	BDK

Cobra-Lite Stairglide and Stairclimber Options

Deluxe cast aluminum stairglides

	Field Install Kit		Factory Installed	
	Part #	Model #	Part #	Model #
Stairglide pair without wearstrips	220349	S2K	054211	S2F
Stairglide pair with wearstrips	220351	S3K	054213	S3F

Stairclimbing Attachments

	Field Install Kit		Factory Installed	
	Part #	Model #	Part #	Model #
Steel stairglide pair with wearstrips	220340	S4K	054236	S4F
Cast aluminum stairclimber pair with continuous rolling belt (8" wheel only)	220339	S5K	054237	S5F

JDRF Juvenile Diabetes Research Foundation International

dedicated to finding a cure

What You Should Know About Juvenile Diabetes

At age 2½ our grandson, Jonah, developed juvenile or type 1 diabetes. As a result, I have tried to learn as much as I can about the disease and what is being done to find a cure. It will be cured.

As a Board member of the Philadelphia Chapter of the Juvenile Diabetes Research Foundation (JDRF), I am trying to spread awareness about the disease. I thought the following information might be of interest to you, our Wesco friends and customers.

Facts about Diabetes and JDRF

JDRF was founded in 1970 by the parents of children with juvenile diabetes—a disease that strikes children suddenly, makes them insulin dependent for life, and carries the constant threat of devastating complications. Since inception, JDRF has provided more than $800 million to diabetes research worldwide. In a typical year, 85% of JDRF's expenditures directly support research and education about research. JDRF's mission is constant: to find a cure for diabetes and its complications through the support of research. 100% of all "Major Gifts" go directly to research.

The Juvenile Diabetes Research Foundation International (JDRF) is the leading charitable funder and advocate of type 1 (juvenile) diabetes research worldwide. The mission of JDRF is to find a cure for diabetes and its complications through the support of research.

General Diabetes Facts

Diabetes is a chronic, debilitating disease affecting every organ system. There are two major types of diabetes: type 1 diabetes (an autoimmune disease also known as juvenile diabetes) and type 2 diabetes (a metabolic disorder also known as adult onset diabetes).

Type 1 (Juvenile) Diabetes Facts

Type 1 (juvenile) diabetes strikes children suddenly, makes them dependent on injected or pumped insulin for life, and carries the constant threat of devastating complications. While diagnosis most often occurs in childhood and adolescence, it can and does strike adults as well.

Areas of Scientific Investigation

- Clinical Trials
- Islet Transplantation
- Tolerance
- Stem Cells
- Beta Cell Development
- Beta Cell Regeneration
- Retinopathy
- Neuropathy
- Nephropathy
- Hydroglycemia
- Beta Cell Function
- Wound Healing
- Immunology
- Genetics
- Environmental Triggers
- Gene Therapy

The Scope of Diabetes

Over 18 million Americans have diabetes (6.3 percent of population).
Diagnosed: 13 Million; Undiagnosed: 5.2 Million.
Over 1.3 million Americans have type 1 diabetes. 194 Million people have diabetes worldwide.
According to World Health Organization estimates, this number will more than double by 2030.
In the U.S., a new case of diabetes is diagnosed every 30 seconds; over 1.3 million people are diagnosed each year.

For more information, contact your local JDRF Chapter. www.jdf.org

Thank you.
Allen Apter
President, Wesco Industrial Products, Inc.

Design it with Wesco® Cobra-lite components

Handles

40R-Red 055143
40B-Blue 050222
Continuous handle with vinyl grip

45
Twin handle w/brace 220119

41
Continuous handle 151512

42
Pin handle 151511

47
Loop handle 151510
Can not be used with curved frame (5).

46
Super D handle 052512

48
Deep D handle 052510

Frames

0
Straight Frame 153855

5
Curved Frame 153897

Magnesium Nose

M14 (cast)
14" W x 7.5" D
151523

Aluminum Noses

T14 (cast)
14" W x 7.5" D
151521

T18 (cast)
18" W x 7.5" D
151533

E14 (extruded)
14" W x 7.625" D
220287

E16 (extruded)
16" W x 12" D
220286

E18 (extruded)
18" W x 7.625" D
220285

EC16 (extruded)
Recessed Heel
16" W x 12" D
220506
For Curved Frame Only

Wheels

P
Steel Offset Hub
10" x 3.5"
Pneumatic Tire
054045

PE
Steel Offset Hub
10" x 3.5"
Pneumatic Tire
054231

PWT
Steel Offset Hub
10" x 3.5"
Pneumatic
Wide Tread Tire
220319

CF
Steel Offset Hub
10" x 3"
Carefree 220348 –
Microcellular
Polyurethane. Will not go flat

BC10
Poly Hub
10" x 3.5"
270274

BC8
Poly Hub
8" x 2.5"
270275

Wheels

R2
Poly Hub
8" x 1.625"
Moldon Rubber Tire
054046

R3
Aluminum Offset Hub
8" x 1.625"
Moldon Rubber Tire
054048

R1
Steel Offset Hub
8" x 2.5"
Semi-Pneumatic Tire
220352

Z
Steel Offset Hub
10" x 2.75"
Semi-Pneumatic Tire
054047

Z2
Poly Offset Hub
10" x 2.75"
Solid Rubber Tire
054230

Design it with Wesco® Cobra-Lite Components

Here's how to design your truck...

From the previous page, choose the following components:
HANDLE, FRAME, NOSEPLATE and WHEEL

Then from the bottom of this page, choose your **OPTIONS:**

EXAMPLE:

41 + 0 + T18 + R3 + F3 + S4K =
410-T18-R3-F3-S4K

Options

Stair Glide & Climber Options

Deluxe cast aluminum stair glides
S2K: without wearstrip 220349
S3K: with wearstrip 220351

S4K
Steel stair glides with wearstrips 220340
Field Install Kit
S4F #054237
Factory Install

S5K
Continuous belt stair climbers 220339
(For 8" wheel only)
Field Install Kit
S5F #054236
Factory Install

Extension Options

Top extension for 40R, 40B, 41 and 45 handles
44UK – 44" top extension 220347
52UK – 52" top extension 220080
60UK – 60" top extension 220081
68UK – 68" top extension 220094
(Vinyl coated top extensions available – see price list)

Folding nose extension
20" long
F2 – For Cast Noses 220346
F2E – For Extruded Noses 220082
30" long
F3 – For Cast Noses 220343
F3E – For Extruded Noses 220083

Brake Options

BCK
Continuous handle 220354

BPK
Pin handle 220355

BTK
Twin handle 220356

BDK
Loop handle 220357

Strap

CS Center strap option
054062 for "T" series noseplates
054205 for "E" series noseplates

Custom Side Strips

Promote your company and products with personalized side strips

Ask your dealer for details.

Wesco® Cobra aluminum convertible trucks

Higher Capacity Convertible Trucks 1,200 lbs.

Features for Cobra Jr and Sr:

- *18" wide noseplate for large loads.*
- *Smooth and easy transition from the 2 to 4 wheeled position.*
- *Non-marking 5" x 1.25" swivel casters.*
- *8 rivets per cross brace. Welded release pedal.*
- *Custom advertising side strips available – contact dealer for details.*
- *2" wide cross braces for added strength and advertising labels.*

Cobra Jr

Features:

- Dual hand grips for improved control.
- 3 frame cross braces.
- 12 inch x 38 inch frame bed.

As shown:
CBR-JR-T18-PE

Look

Cobra Sr

Features:

- Continuous handle allows multiple ways to control load.
- 4 frame cross braces.
- 12 inch x 50.75 inch frame bed.

As shown:
CBR-SR-T18-PE

Look

Cobra Jr and Sr Wheel Choices

Hub:	PWT Steel Offset 10" x 3.5"	PE Steel Offset 10" x 3.5"	Z Steel Offset 10" x 2.75"	Z2 Poly Offset 10" x 2.75"
Dimensions:	Pneumatic	Pneumatic	Semi-Pneumatic	Solid Rubber
Wheel Type:				
T18 NOSE Part # / Model #	220293* CBR-JR-T18-PWT	220291* CBR-JR-T18-PE	220295* CBR-JR-T18-Z	220297* CBR-JR-T18-Z2
E18 NOSE Part # / Model #	220482* CBR-JR-E18-PWT	220494* CBR-JR-E18-PE	220486* CBR-JR-E18-Z	220490* CBR-JR-E18-Z2
E16 NOSE Part # / Model #	220483* CBR-JR-E16-PWT	220495* CBR-JR-E16-PE	220487* CBR-JR-E16-Z	220491* CBR-JR-E16-Z2
Capacity 2 Wheel	600 lbs	600 lbs	600 lbs	600 lbs
Capacity 4 Wheel	1,200 lbs	1,200 lbs	1,200 lbs	1,200 lbs
Overall Height	51.75"	51.75"	51.75"	51.75"
Frame Bed	12" x 38"	12" x 38"	12" x 38"	12" x 38"
Approximate Weight	39 lbs	37.5 lbs	43.5 lbs	42.5 lbs

*Add B to end of part number for coated handle option.

	PWT	PE	Z	Z2
T18 NOSE Part # / Model #	220292* CBR-SR-T18-PWT	220290* CBR-SR-T18-PE	220294* CBR-SR-T18-Z	220296* CBR-SR-T18-Z2
E18 NOSE Part # / Model #	220484* CBR-SR-E18-PWT	220496* CBR-SR-E18-PE	220488* CBR-SR-E18-Z	220492* CBR-SR-E18-Z2
E16 NOSE Part # / Model #	220485* CBR-SR-E16-PWT	220497* CBR-SR-E16-PE	220489* CBR-SR-E16-Z	220493* CBR-SR-E16-Z2
Capacity 2 Wheel	600 lbs	600 lbs	600 lbs	600 lbs
Capacity 4 Wheel	1,200 lbs	1,200 lbs	1,200 lbs	1,200 lbs
Overall Height	61.75"	61.75"	61.75"	61.75"
Frame Bed	12" x 50.75"	12" x 50.75"	12" x 50.75"	12" x 50.75"
Approximate Weight	42.5 lbs	41 lbs	47 lbs	46 lbs

*Add B to end of part number for coated handle option.

Options

- **Platform Deck:** Slip resistant diamond pattern surface for both cast and extruded noseplates.
- **Folding Nose Kit.**
- **Coated handle.**

Folding Nose

	20" for T-18 noseplates	20" for E-18 and E-16 noseplates	30" for T-18 noseplates	30" for E-18 and E-16 noseplates
Part #	220346	220082	220343	220083
Model #	F2	F2E	F3	F3E

Platform Deck 

Part #	220288	220289	220318	220514
Model #	SRD	JRD	SRDE	JRDE
Weight	10 lbs	8 lbs	10 lbs	8 lbs
Length	55"	42"	55"	42"
For Use With	Sr/Cast Noseplate	Jr/Cast Noseplate	Sr/Extruded Noseplate	Jr/Extruded Noseplate

Wesco® 3 position truck, Mini Cobra and Spartan

COBRA

3 Position Truck

Features:

- **Patent Number 6,364,328B1.**
- Same strong, lightweight construction as the Cobra Jr.
- Quickly converts from 2-wheel to ergonomic tilt-back position or platform truck.
- **3 frame cross braces.**
- 12 inch x 38 inch frame bed.
- T-18 nose.

MADE IN USA

Hub:	PE Steel Offset	PWT Steel Offset	Z Steel Offset
Dimensions:	10" x 3.5"	10" x 3.5"	10" x 2.75"
Wheel Type:	Pneumatic	Pneumatic	Semi-Pneumatic
Part #	220591	220593	220594
Capacity 2 Wheel	500 lbs	500 lbs	500 lbs
Capacity 4 Wheel	650 lbs	650 lbs	650 lbs
Overall Height	52"	52"	52"
Weight	43 lbs	43 lbs	48 lbs

Mini Cobra

Features:

- **U.S Patent No. 6,234,497B1.**
- Unique patented design allows user to fold nose for storage.
- 8.25 inch x 32.25 inch frame bed.

MADE IN USA

Part #	220615
Wheels	Two 8" pneumatic Two 4" Jarvis Advantage non-marking casters
Overall Height	44"
Dimensions 2 Wheel	15" w x 16" d x 44" h
Dimensions 4 Wheel	15" w x 16" d x 29.5" h
Capacity 2 Wheel	300 lbs
Capacity 4 Wheel	500 lbs
Weight	28 lbs

Spartan Economy Aluminum 2 in 1 Trucks

Features:

- Sturdy, lightweight aluminum frame.
- 18" wide noseplate for large loads.
- **Extra strength noseplate cast from special aluminum alloy.**
- 10" full pneumatic wheel.
- Non-marking 5" x 1.25" swivel casters.
- Pedal release allows easy conversion from 2-wheel to 4-wheel position.
- Shipped K.D. in box

220001

Economically priced

Look

	Spartan Jr.	Spartan Sr.
Part #	220000	220001
Model #	SPTN-T18-PE-JR	SPTN-T18-PE-SR
Capacity 2 wheel	500 lbs	500 lbs
Capacity 4 wheel	1,000 lbs	1,000 lbs
Overall Height	52"	61.5"
Frame Bed	12" x 38"	12" x 51"
Weight	37.5 lbs	41 lbs

220000

NEW Higher Capacities

Wesco® heavy duty steel appliance & vending trucks

Features:

- *Welded frame and handles for maximum strength.*
- *Non-marking grey vinyl on all contact surfaces securely mounted to truck.*
- *Bolted holding dog assembly for easy interchange of parts.*
- *2" wide heavy duty web belt is standard on all models.*
- *WESCO continuous belt stair climbers standard on all models.*
- *Various belt tightener options to meet your moving needs.*

Wesco Steel Vending Truck

L-1 Features:

- Dual handle control.
- Large pneumatic wheels for rough terrain.
- Welded steel frame.
- One piece belt.
- 47" from noseplate to center of belt

L-1

MADE IN USA

Wheel Choices

	Vending Truck
	P12 Steel Offset 12" x 4" Pneumatic
Part #	230020
Model #	L-1
Capacity	700 lbs
Ratchet	None
Belt	one piece
Height	55"
Weight	62 lbs

Wesco Steel Appliance Trucks

Features:

- All joints double welded for maximum durability.
- Rugged tubular steel construction.
- Available with "Auto-Rewind", "Manual", or "Eccentric" belt tightening systems.
- Aluminum center moldon rubber wheels with .625" ball bearings.
- **750 lb capacity.**
- 26.5" from noseplate to center of belt

Super Wheel

- 10" pneumatic rear wheels .
- Quick and easy turnbuckle mounting system.
- Converts a 2 wheel truck into a 4 wheel truck.

WRC

MADE IN USA

	Part #	Model #
Super Wheel	270075	SSWK

Look

	A Aluminum 6" x 2" Moldon Rubber	R Aluminum 8" x 1.625" Moldon Rubber
Part #	230010	230011
Model #	WRC	WRC-R
Ratchet	Auto Rewind	Auto Rewind
Belt	2 piece clasp	2 piece clasp
Weight	52 lbs	53 lbs
Part #	230028	230029
Model #	WRC-EC	WRC-EC-R
Ratchet	Manual	Manual
Belt	One Piece	One Piece
Weight	52 lbs	53 lbs

Wesco® heavy duty steel appliance & vending trucks

Wesco Steel Vending Machine Trucks

Features:

- Retractable moldon rubber casters (3.5" diameter) help support load.
- Heavy duty 8" **cast iron center moldon rubber wheels** with roller bearings.
- Available with "Auto-Rewind" or "Economy" belt tightening systems.
- **1,200 lb capacity.**
- 28.5" from noseplate to center of belt.

	Manual Ratchet	Auto Rewind Ratchet
Part #	230035	230017
Model #	WRV-60-EC	WRV-60
Height	60"	60"
Belt	one piece	two piece clasp
Weight	83 lbs	83 lbs
Part #	230036	230018
Model #	WRV-66-EC	WRV-66
Height	66"	66"
Belt	one piece	two piece clasp
Weight	86 lbs	86 lbs
Part #	230037	230019
Model #	WRV-72-EC	WRV-72
Height	72"	72"
Belt	one piece	two piece clasp
Weight	95 lbs	95 lbs

Wesco® magnesium vending truck

Wesco Magnesium Vending Machine Trucks

Features:

- Foot pedal release for casters allow operator to open and close them while standing upright.
- Retractable moldon rubber casters (3.5" diameter) help support load.
- Welded magnesium frame, noseplate and handles - **A Wesco Exclusive.**
- Magnesium is 33% lighter than aluminum and is the lightest structural metal.
- Manual belt tightening system.
- Continuous belt stairclimbers are standard.
- 29" from noseplate to center of belt.



MRV-66-EC

Welded Magnesium Frame

A Wesco Exclusive

Wheel Choice

	A Aluminum 6" x 2" Moldon Rubber
Part #	230038
Model #	MRV-60-EC
Capacity	750 lbs
Ratchet	manual
Belt	one piece
Height	60"
Weight	57 lbs
Part #	230040
Model #	MRV-66-EC
Capacity	750 lbs
Ratchet	manual
Belt	one piece
Height	66"
Weight	59 lbs

Wesco® magnesium appliance trucks

Wesco Magnesium Appliance Trucks

Features:

- Magnesium Frame, Noseplate and Handles - **A Wesco Exclusive.**
- Magnesium is 33% lighter than aluminum and is the world's lightest structural metal.
- **Fully welded frame** and handles for maximum strength and durability.
- Available with "Auto-Rewind", or "Manual" belt tightening systems.
- **500 to 750 LB. Capacities.**
- MRC Trucks, 30.5" from noseplate to center of belt.
- M2RC Trucks, from noseplate to center of lower belt 29.5" and 50.5" to center of top belt.



MRC MRC-Z



M2RC-66-EC

Wheel Choices

	A Auminum 6" x 2" Moldon Rubber	R Auminum 8" x 1.625" Moldon Rubber	Z Steel Offset 10" x 2.75" Semi-Pneumatic	PWT Steel Offset 10" x 3.5" Pneumatic
Part #	230001	230002	230004	230005
Model #	MRC	MRC-R	MRC-Z	MRC-PWT
Capacity	750 lbs	750 lbs	500 lbs	600 lbs
Ratchet	auto rewind	auto rewind	auto rewind	auto rewind
Belt	2 piece w/clasp	2 piece w/clasp	2 piece w/clasp	2 piece w/clasp
Height	59"	59"	59"	59"
Weight	37 lbs	46 lbs	53 lbs	49 lbs
Part #	230030	230031	230032	230033
Model #	MRC-EC	MRC-EC-R	MRC-EC-Z	MRC-ECPWT
Capacity	750 lbs	750 lbs	500 lbs	600 lbs
Ratchet	manual	manual	manual	manual
Belt	one piece	one piece	one piece	one piece
Height	59"	59"	59"	59"
Weight	35 lbs	46 lbs	52 lbs	49 lbs
Part #	230008	230009	–	–
Model #	M2RC-66-EC	M2RC-66-EC-R	–	–
Capacity	750 lbs	750 lbs	–	–
Ratchet	(2) manual	(2) manual	–	–
Belt	(2) one piece	(2) one piece	–	–
Height	66"	66"	–	–
Weight	41 lbs	51 lbs	–	–

Options:

Super Wheel

(for magnesium appliance trucks only)

- 10" pneumatic rear wheels for easy handling on rough terrain.
- Quick and easy turnbuckle mounting system.
- Converts a 2 wheel truck into a 4 wheel truck.

	Part #	Model #
Super Wheel	270076	MSWK

Wesco® StairKing battery powered stair climbing appliance truck

Features:

- **PATENT PENDING**
- 1/2 Horsepower, 50 amp, high torque motor runs cooler under load and gets over 80% more lifts per charge.
- Industrial grade gear box transmits steady power and is preferable to other drive designs.
- Large 2" diameter, polyurethane lifting feet provide more secure stair gripping.
- Auto rewind ratchet works first to take the slack out of the cargo belt, and then provides a ratchet crank to securely tighten the load.
- Noseplate measures 24" by 4" deep.
- Sealed maintenance-free battery. Charger and circuit breaker included.
- Welded magnesium frame and noseplate.
- 6" mold-on rubber wheels.
- 30" from noseplate to center of belt.

New!

MADE IN USA

Patent Pending

Available in two heights: 66" and 72"

Model	Part	Weight	Capacity	Dimensions Width	Height	Depth
DC-66	230051	101 lbs	850 lbs	19"	66"	15"
DC-72	230052	102 lbs	850 lbs	19"	72"	15"

Wesco® StairKing battery powered stair climbing appliance truck options

WLF Winch Lift Option

DC-66 with WLF Option

Optional aluminum winch lift attachment has 800 lb capacity.
3-1/2" Jarvis Advantage® swivel casters for 4 wheel support and mobility.
Winch equipped with autobraking system. 18" forks, adjustable width up to 19" outside dimension.
57.25" lift height.
Factory or field installation.

Model #	Part #	Weight	Capacity	Dimensions Width	Height	Depth
Aluminum winch lift attachment*						
WLF	230053	67 lbs	800 lbs	25 "	70 "	30 "
Steel nose extension						
NE-28	230055	18 lbs	-	28 "	4 "	12 "
Steel slip on platform						
SP-20	260160	20 lbs	-	20 "	7 "	20 "
Superwheel option						
MSWK	270076	19 lbs	-	11.5 "	4.5 "	20.5 "
Kick-out wheel						
KOW	230059	9 lbs	850 lbs	-	-	-
Cigarette lighter charger						
BC	230060	2 lbs	-	-	-	-

*can be factory or field installed

SP-20 Platform slips onto WLF forks



NE-28 Steel Nose Extension

Toe plate extension. Easily clips on to standard toe plate and provides 12" deep x 28" wide cargo surface.

Platform attachment. Slides in place over winch lift forks to provide a 20" x 20" lifting platform.

Stair climbing, battery powered appliance truck component details



MADE IN USA

MSWK Superwheel Option

Superwheel attachment installs in seconds. Equipped with 10" x 4" full pneumatic tires. Provides 4 wheel support and eases transport over rough surfaces.

KOW
Kick-Out 3.5" casters for four wheel stability.

BC
Charge battery while driving between stops.
Plugs into cigarette lighter.
Cable length 20'.

Deluxe Models feature 5 year pump warranty and 5,500 lb. capacity plus

■ *Pump overload bypass.* ■ *Rubber coated handle.* ■ *Adjustable fork tie rods.* ■ *Exit rollers*
■ *200° steering.* ■ *Tapered fork tips.* ■ *8 gauge 6" wide reinforced forks.*

Deluxe Adjustable Fork Model

Features:
- 7" moldon polyurethane steering wheel.
- 3" moldon polyurethane load wheels.
- 7.75" raised height.
- 3" lowered height.
- US Patent No. 6,540,241.
- 6" wide forks.



A Wesco exclusive

One truck to do the work of two

Adjustable fork width can be set from 21" to 27" or anywhere in between. Just loosen and reset front and rear adjusting bolts.

Deluxe Adjustable Fork Model

Part #	Fork width x length	Weight	Capacity
272744	21"-27" x 46"	180 lbs	5,500 lbs

Standard Deluxe Models

Features:
- 8" moldon polyurethane steering wheel.
- 3" moldon polyurethane load wheels.
- 8" raised height.
- 3" lowered height.
- 6" wide forks.

Standard Deluxe Models

Part #	Fork width x length	Weight	Capacity
272136	21" x 36"	143 lbs	5,500 lbs
272142	21" x 42"	152 lbs	5,500 lbs
272148	21" x 48"	157 lbs	5,500 lbs
272736	27" x 36"	151 lbs	5,500 lbs
272742	27" x 42"	161 lbs	5,500 lbs
272748	27" x 48"	166 lbs	5,500 lbs

Deluxe Lowboy Models

Features:
- 6" moldon polyurethane steering wheel.
- 2" steel load wheels.
- 6.25" raised height.
- 2.125" lowered height.
- 6" wide forks.



Deluxe Lowboy Models

Part #	Fork width x length	Weight	Capacity
272760	21" x 36"	134 lbs	5,500 lbs
272761	21" x 42"	143 lbs	5,500 lbs
272762	21" x 48"	148 lbs	5,500 lbs
272765	27" x 48"	157 lbs	5,500 lbs

Deluxe Foot Pump Model

Features:
- All the same features and dimensions as Standard Deluxe Model 272748.
- 6" wide forks.

Deluxe Foot Pump Model

Part #	Fork width x length	Weight	Capacity
272766	27" x 48"	170 lbs	5,500 lbs

Look Foot Pump

Patent pending foot pedal gives you the option of using the foot pedal to raise the forks when space constraints make it difficult to use the standard handle to raise the load.

NO EXTRA COST

Wesco® 3 in 1 guard adapter

New!

The Patent Pending 3 in 1 Guard is three products in one compact design. You no longer need to purchase separate milk crate guards, box guards or skid adapters. Wesco's 3 in 1 **guard does it all.**

Features:

- **Patent Pending** design.
- Fits only Wesco 27" x 48" CPI pallet truck #272660.
- Easily attaches to Wesco CPI pallet truck.
- Factory or field installed.

MADE IN USA

PATENT PENDING

Skid Adapter

Milk Crate Guard



Box Guard



Part #	Description
272654	#272660 CPI Pallet Truck with Mounted Guard
272004	Guard only kit, field install on any CPI #272660 Pallet Truck

Wesco® CPI pallet trucks

CPI Economy Pallet Truck

Features:

- Adjustable fork connecting rods.
- Overload bypass.
- Rubber coated handle.
- Raised height: 7.25" lowered height: 2.9"
- **2 year pump warranty.**
- 6" wide forks.
- 7"moldon polyurethane steering wheels.
- 3" moldon polyurethane load wheels.

6" Wide Forks

272660

Part #	Fork width x length	Weight	Capacity
272655	21" x 36"	168 lbs	5,500 lbs
272656	21" x 42"	180 lbs	5,500 lbs
272657	21" x 48"	189 lbs	5,500 lbs
272658	27" x 36"	195 lbs	5,500 lbs
272659	27" x 42"	205 lbs	5,500 lbs
272660	27" x 48"	196 lbs	5,500 lbs

CPII Pallet Truck

Features:

- Polyurethane or nylon wheels.
- Adjustable fork connecting rods.
- Entry/exit rollers.
- Overload bypass.
- Reinforced forks.
- Rubber coated handle.
- Raised height: 8" lowered height: 3"
- **3 year pump warranty.**
- 7" wide forks.
- 8" moldon polyurethane or nylon steering wheels.
- 3" moldon polyurethane or nylon load wheels.



Polyurethane Wheels

Part #	Fork width x length	Weight	Capacity
272777	21" x 48"	200 lbs	5,500 lbs
272778	27" x 48"	203 lbs	5,500 lbs

Nylon Wheels

Part #	Fork width x length	Weight	Capacity
272775	21" x 48"	200 lbs	5,500 lbs
272776	27" x 48"	210 lbs	5,500 lbs

CPII Lowboy Pallet Truck

Features:

- Many features are the same as CPII.
- Lowered height of 2.125".
- **3 year pump warranty.**
- 7" wide forks.
- 7" moldon polyurethane steering wheels.
- 2" steel load wheels.



CPII Lowboy

Part #	Fork width x length	Weight	Capacity
278136	21" x 36"	226 lbs	4,400 lbs
278142	21" x 42"	235 lbs	4,400 lbs
278148	21" x 48"	240 lbs	4,400 lbs
278748	27" x 48"	249 lbs	4,400 lbs

CPIIHD Pallet Truck

Features:

- Adjustable fork connecting rods.
- Entry/exit rollers.
- Overload bypass.
- Reinforced forks.
- Rubber coated handle.
- Raised height: 8" lowered height: 3"
- **3 year pump warranty.**
- 7" wide forks.
- 8" moldon polyurethane steering wheels.
- 3" moldon polyurethane load wheels.

CPII, Heavy-Duty Model

Part #	Fork width x length	Weight	Capacity
272670	27" x 48"	220 lbs	6,600 lbs

Look

Wesco® pallet trucks

Pallet Truck with Hand Brake

Features:

- All the same features as the CPI model.
- 5,500 lb. capacity
- **2 year pump warranty.**
- 6" wide forks.
- 7" moldon polyurethane steering wheels.
- 3" moldon polyurethane load wheels.

Look
Brake

New!

Part #	272667
Fork width x length	27" x 48"
Weight	215 lbs
Capacity	5,500 lbs

Scale Truck

Features:

- Weighing accuracy ± .22 lbs., or 3.5 oz.
- LCD display scale.
- Metler-Toledo Hawk scale/sensor.
- UL approved scale operates on six D cell batteries or AC.
- Charge recharge-able type "D" size batteries without removing from display.
- Charging time, from 0 to full charge, 40 minutes
- Three position hand control.
- 205° turning radius.
- **2 year pump warranty.**
- 7" wide forks.
- 7" moldon polyurethane steering wheels.
- 3" moldon polyurethane load wheels.

Look

Part #	272936	272938
Model #	SPT27	SPT22
Fork width x length	27.5" x 47.5"	22" x 47.5"
Weight	307 lbs	300 lbs
Capacity	5,000 lbs	5,000 lbs
Lowered fork height	2.9"	2.9"
Raised fork height	8"	8"

NEW & IMPROVED
Wesco Exclusive

Charge rechargeable type "D" size batteries without removing from display.

Wesco® High Lifts Telescoping & Non-Telescoping

Electric High Lift

Features:

- Two models: Telescoping and Non-Telescoping.
- 12 volt battery - charger included.
- 10-12 second lift time unloaded.
- Overload bypass.
- Polyurethane wheels.
- 180° steering radius.
- Comfort coated handles.
- 1 year pump warranty.
- 6 1/2" wide forks.
- 6" moldon polyurethane steering wheels.
- 3" moldon polyurethane load wheels.

New!

272461

Non-Telescoping

272937

Telescoping

Part #	272939	272937	292460	272461
Model #	TEHL21	TEHL27	NTEHL21	NTEHL27
Fork width x length	21" x 45"	27" x 45"	21" x 45"	27" x 45"
Weight	315 lbs	322 lbs	367 lbs	372 lbs
Capacity	3,000 lbs	3,000 lbs	2,200 lbs	2,200 lbs
Lowered fork height	3.3"	3.3"	3.3"	3.3"
Raised fork height	31"	31"	31"	31"
Telescoping	Yes	Yes	No	No

Manual High Lift

Features:

- Two models: Telescoping and Non-Telescoping.
- Moldon polyurethane wheels.
- 180° steering arc.
- Loop handles with inside hand control.
- Closed pallets must be placed on top of forks.
- 1 year pump warranty.
- 6 1/2" wide forks.
- 6" moldon polyurethane steering wheels.
- 3" moldon polyurethane load wheels.

New!

272754

Telescoping

272463

Non-Telescoping

Part #	272755	272754	262462	272463
Model #	TSHL21	TSHL27	NTSHL21	NTSHL27
Fork width x length	21" X 44.5"	27" X 44.5"	21" x 44.5"	27" x 44.5"
Weight	219 lbs	228 lbs	275 lbs	300 lbs
Capacity	2,200 lbs	2,200 lbs	2,200 lbs	2,200 lbs
Lowered fork height	3.6"	3.6"	3.3"	3.3"
Raised fork height	31.5"	31.5"	31.5"	31.5"
Telescoping	Yes	Yes	No	No

Wesco® pallet trucks

Ergonomic pallet tilter

Features:

- Capacity: 2200lbs.
- 5" polyurethane swivel casters and 3" polyurethane load wheels.
- Handle height: 44 1/4".
- Load center: min. 7 1/2", max. 15 1/2".
- Lifting range with forks in horizontal position: 3 1/4 to 11".
- Forks tilt up to 90° for accurate load positioning.
- Lifting range with back rest in horizontal position (forks tilted. upwards to 90°): 29 to 37".
- 6 1/2" wide forks.
- 1 year pump warranty

New!

172950

Part #	Fork width x length	Weight	Capacity
272950	21.5" x 31"	393 lbs	2,200 lbs

Tandem wheel pallet truck

Features:

- Adjustable fork connecting rods.
- Overload bypass.
- Rubber coated handle.
- Raised height: 7.25" lowered height: 2.9"
- **2 year pump warranty.**
- 6 1/2" wide forks.
- 7" moldon polyurethane steering wheels.
- 3" moldon polyurethane load wheels.

New!

Part #	Fork width x length	Weight	Capacity
272668	21" x 48"	205 lbs	5,500 lbs
272669	27" x 48"	215 lbs	5,500 lbs

Look

Tandem Load Wheels



Tandem Load Wheels

Pallet Lifter

Features:

- Heavy duty steel construction.
- Pallets with bottom boards must be placed on top of forks.
- 1 year pump warranty.
- 6 1/2" wide forks.
- 6" polyurethane swivel casters.
- 2" polyurethane load wheels.

Part #	272153
Fork width x length	27" x 44"
Weight	172 lbs
Capacity	1,100 lbs
Lowered height	3.2"
Raised height	35"

Stainless Steel Pallet Truck

Features:

- All parts are made of stainless.
- For use in food industry and areas where corrosive solutions are used.
- 1 year pump warranty.
- 6 1/4" wide forks.
- 7" nylon steering wheels.
- 3" nylon load wheels.

Part #	272152
Fork width x length	27" x 48"
Weight	172 lbs
Capacity	4,400 lbs
Lowered fork height	3.35"
Raised fork height	8"

TransRoller Pallet Truck

Features:

- Lowered height 3.4". Raised height 8.5".
- Fork height in standard mode 3.4" lowered, 7" raised.
- Fork height for lateral movement 7.25" lowered, 8.5" raised.
- Adjustable fork connecting rods.
- Overload bypass.
- Ergonomic rubber-coated handle.
- Entry rollers.
- **3 year pump warranty.**
- 7" wide forks.
- 8" moldon polyurethane steering wheels.
- 3" moldon polyurethane load wheels.

Unique side rolling pallet truck with one year pump warranty

Part #	Fork width x length	Weight	Capacity Standard Mode	Capacity Lateral Mode
272740	27" x 48"	206 lbs	5,000 lbs	2,200 lbs

Travel Forward or Sideways



Wesco® steel frame pedalifts

Steel frame pedalifts features:

- *750 lb lift capacity.*
- *Wheel locks are standard on all models.*
- *Frame and lift heights vary among models.*

Two Wheeled Winch Models

Features:

- Auto-brake designed winch raises and lowers by turning handle, - no catches to lock or release required.
- Low maintenance design.
- Front of platform touches the ground on two wheeled model.
- Wheel lock standard.
- All 54" lifts are 60.5" O.A.H. All 40" lifts are 48.5" O.A.H.
- **750 lb capacity.**

WPL-54-2222

Specifications:
8"x2" wheels with .75" ball bearings

WPL-54-F

MADE IN USA

	Platform Models	Fork Models
Part #	260015	260018
Model #	WPL-40-1620	WPL-40-F
Lift Height	40"	40"
Platform/Fork size	16"D x 20"W	18"D x 3"W
Weight	106 lbs	125 lbs
Capacity	750 lbs	750 lbs
Part #	260016	260019
Model #	WPL-54-2222	WPL-54-F
Lift Height	54"	54"
Platform/Fork size	22"D x 22"W	18"D x 3"W
Weight	147 lbs	157 lbs
Capacity	750 lbs	750 lbs
Part #	260017	
Model #	WPL-54-2230	
Lift Height	54"	
Platform/Fork size	22"D x 30"W	
Weight	157 lbs	
Capacity	750 lbs	

Four Wheeled Winch Models

Features:

- Winch allows easy horizontal storage and transportation.
- Low maintenance design.
- Platform on four wheeled model sits 5.75" above the floor.
- Wheel lock standard.
- All 54" lifts are 60.5" O.A.H. All 40" lifts are 48.5" O.A.H.
- **750 lb capacity.**

WDPL-54-2222

8"x2" wheels with .75" ball bearings
3.5" diameter polyurethane ball bearing front swivel casters.

WDPL-54-F

MADE IN USA

	Platform Models	Fork Models
Part #	260020	260023
Model #	WDPL-40-1620	WDPL-40-F
Lift Height	40"	40"
Platform/Fork size	16"D x 20"W	18"D x 3"W
Weight	113 lbs	132 lbs
Capacity	750 lbs	750 lbs
Part #	260021	260024
Model #	WDPL-54-2222	WDPL-54-F
Lift Height	54"	54"
Platform/Fork size	22"D x 22"W	18"D x 3"W
Weight	153 lbs	163 lbs
Capacity	750 lbs	750 lbs
Part #	260022	
Model #	WDPL-54-2230	
Lift Height	54"	
Platform/Fork size	22"D x 30"W	
Weight	163 lbs	
Capacity	750 lbs	

Wesco® steel frame pedalifts

Two Wheeled Hydraulic Models

Features:

- Front tip of nose plate touches floor.
- Foot operated hydraulic pump raises platform, foot release lowers platform.
- Wheel lock standard.
- All 54" lifts are 60.5" O.A.H. All 40" lifts are 48.5" O.A.H.
- **750 lb capacity.**

PL-54-2222

Specifications:
8"x2" wheels with .75" ball bearings

PL-54-F

MADE IN USA

	Platform Models	Fork Models
Part #	260001	260006
Model #	PL-40-1620	PL-40-F
Lift Height	40"	40"
Platform/Fork size	16"D x 20"W	18"D x 3"W
Weight	112 lbs	131 lbs
Capacity	750 lbs	750 lbs
Part #	260002	260007
Model #	PL-54-2222	PL-54-F
Lift Height	54"	54"
Platform/Fork size	22"D x 22"W	18"D x 3"W
Weight	156 lbs	166 lbs
Capacity	750 lbs	750 lbs
Part #	260003	–
Model #	PL-54-2230	–
Lift Height	54"	–
Platform/Fork size	22"D x 30"W	–
Weight	166 lbs	–
Capacity	750 lbs	–

Four Wheeled Hydraulic Models

Features:

- Foot operated hydraulic pump raises platform, foot release lowers platform.
- Platform sits 5.75" above the floor.
- Wheel lock standard.
- All 54" lifts are 60.5" O.A.H. All 40" lifts are 48.5" O.A.H.
- **750 lb capacity.**

DPL-54-2222

Specifications:
8"x2" wheels with .75" ball bearings
3.5" diameter polyurethane ball bearing front swivel casters.

DPL-54-F

MADE IN USA

	Platform Models	Fork Models
Part #	260008	260011
Model #	DPL-40-1620	DPL-40-F
Lift Height	40"	40"
Platform/Fork size	16"D x 20"W	18"D x 3"W
Weight	119 lbs	138 lbs
Capacity	750 lbs	750 lbs
Part #	260009	260012
Model #	DPL-54-2222	DPL-54-F
Lift Height	54"	54"
Platform/Fork size	22"D x 22"W	18"D x 3"W
Weight	162 lbs	172 lbs
Capacity	750 lbs	750 lbs
Part #	260010	–
Model #	DPL-54-2230	–
Lift Height	54"	–
Platform/Fork size	22"D x 30"W	–
Weight	172 lbs	–
Capacity	750 lbs	–

Wesco® Universal, Cylinder & Lite-Lifts

Universal lift

Features:

- Two straps with buckles to help secure load, 9' wrap around & 5' front to back.
- Winch with auto brake.
- Two 8" wheels and two 3 1/2" polyurethane casters.
- Lowered platform sits 6" above ground.
- Ideal for placing rental equipment on to pickup truck or into van.

Part #	260130
Model #	ULP2630
Lift Height	54"
Overall Height	60.5"
Weight	224 lbs
Capacity	750 lbs
Platform	26"W x 30"L

Cylinder lift

Features:

- Easily lifts and transports gas cylinders.
- Capacity 300 lbs.
- Swivel casters make maneuvering in tight places easier.
- Foot operated hydraulic pump or manual winch with auto-brake available.

LLHPB shown

Part #	260161	260163
Model #	LLHPB	LLWPB
Lift Height	40"	40"
Overall Height	52"	58"
Weight	165 lbs	150 lbs
Capacity	300 lbs	300 lbs
Type	Hydraulic	Winch

Hydraulic lite-lift

Features:

- Foot operated hydraulic pump.
- Release foot pedal for controlled lowering.
- Small skid/engine lifter available.

Winch lite-lift

Features:

- Manual winch with auto-brake.
- No catches to release.
- Low maintenance.

HYDRAULIC UNITS

	Platform	Forks
Part #	260150	260151
Model #	LLHP	LLHF
Lift Height	54"	54"
Overall Height	70.5"	70.5"
Weight	139 lbs	157 lbs
Capacity	500 lbs	500 lbs

WINCH UNITS

	Platform	Forks
Part #	260152	260153
Model #	LLWP	LLWF
Lift Height	54"	54"
Overall Height	70.5"	70.5"
Weight	103 lbs	124 lbs
Capacity	500 lbs	500 lbs

Platform option

Features:

- Provides the utility of two units.
- Easy installation - no tools required.

Platform option for fork units

To order option add part # or model to Lite-Lift part # or model.

	Platform Option
Part #	260157
Model #	POK

Magnesium frame Pedalifts features:

- *Magnesium construction for lightweight ruggedness.*
- *20" deep x 22" wide platform size.*
- *Wheel locks are standard on all models.*
- *400 lb capacity.*
- *Front of platform touches the floor.*
- *Frame and lift heights vary among models.*

Two Wheeled Winch Models

Features:

- Auto-brake designed winch raises and lowers by turning handle, - no catches to lock or release.
- Light weight minimizes the effort required for moving and lifting.
- Wheel lock standard.
- All 54" lifts are 60.5" O.A.H. All 40" lifts are 48.5" O.A.H.

MADE IN USA

WMPL-54-2022
Winch/Platform
Specifications:
8"x2" wheels with .75" ball bearings

	Two Wheeled Model
Part #	260025
Model #	WMPL-40-2022
Lift Height	40"
Weight	53 lbs
Capacity	400 lbs
Part #	260026
Model #	WMPL-54-2022
Lift Height	54"
Weight	60 lbs
Capacity	400 lbs

Two Wheeled Hydraulic Models

Features:

- Foot operated hydraulic pump raises platform, foot release lowers platform.
- Wheel lock standard.
- All 54" lifts are 60.5" O.A.H. All 40" lifts are 48.5" O.A.H.

MADE IN USA

MPL-54-2022
Specifications:
8"x2" wheels with .75" ball bearings

	Two Wheeled Platform Model
Part #	260004
Model #	MPL-40-2022
Lift Height	40"
Weight	63 lbs
Capacity	400 lbs
Part #	260005
Model #	MPL-54-2022
Lift Height	54"
Weight	69 lbs
Capacity	400 lbs

Wesco® "S"tandard line and "E"conomy line platform model hydraulic stackers

Hydraulic stackers features:

- *1000 lb lift capacity.*
- *Floor locks, safety screen and foot guard are standard on all models.*
- *Forks touch the floor on all fork models.*
- *Front phenolic wheels are 5" diameter.*
- *Rear phenolic swivel casters are 4" diameter.*
- *Hydraulic jack manufactured by WESCO in U.S.A.*
- *Frame and lift heights vary among models.*
- *"S"tandard line features one piece platform guide rail.*
- *"E"conomy line offers an economical price value.*

Wesco Platform Models

Features:

- **24" x 24" heavy gauge platform** with 5.75" lowered height.
- 15" load center.
- 25.5" overall width, 40" depth.
- Base leg span - 15" inside, 21" outside.
- **1,000 lb capacity.**

SPL-68-2424

ESPL-60-2424

PLATFORM MODELS	Standard	Economy
Part #	260032	260044
Model #	SPL-60-2424	ESPL-60-2424
Lift Height	60"	60"
Overall Height	75"	72"
Weight	233 lbs	226 lbs
Capacity	1,000 lbs	1,000 lbs
Part #	260033	260045
Model #	SPL-68-2424	ESPL-68-2424
Lift Height	68"	68"
Overall Height	83"	80"
Weight	241 lbs	234 lbs
Capacity	1,000 lbs	1,000 lbs
Part #	260034	260046
Model #	SPL-80-2424	ESPL-80-2424
Lift Height	80"	80"
Overall Height	94"	92"
Weight	274 lbs	263 lbs
Capacity	1,000 lbs	1,000 lbs

Wesco Large Platform Models

Features:

- **30" deep x 32" wide heavy gauge platform** with 5.25" lowered height.
- 18" load center.
- 32" overall width, 44" depth.
- Base leg span - 25.5" inside, 32" outside.
- **1,000 lb capacity.**

SPL-68-3032

ESPL-60-3032

LARGE PLATFORM MODELS	Standard	Economy
Part #	260038	260050
Model #	SPL-60-3032	ESPL-60-3032
Lift Height	60"	60"
Overall Height	75"	72"
Weight	272 lbs	265 lbs
Capacity	1,000 lbs	1,000 lbs
Part #	260039	260051
Model #	SPL-68-3032	ESPL-68-3032
Lift Height	68"	68"
Overall Height	83"	80"
Weight	282 lbs	273 lbs
Capacity	1,000 lbs	1,000 lbs
Part #	260040	260052
Model #	SPL-80-3032	ESPL-80-3032
Lift Height	80"	80"
Overall Height	94"	92"
Weight	317 lbs	298 lbs
Capacity	1,000 lbs	1,000 lbs

Wesco® "S"tandard line and "E"conomy line fork model hydraulic stackers

Fork Model

Features:

- **1" thick x 3" wide x 25" long forks.**
- Adjustable span up to 25".
- 15" load center.
- 25.5" overall width; 40" depth.
- Base leg span - 15" inside, 21" outside.
- Forks lower to ground.
- **1,000 lb capacity.**

	FORK MODELS Standard	Economy
Part #	260035	260047
Model #	SFL-56-25	ESFL-56-25
Lift Height	56"	56"
Overall Height	75"	72"
Weight	265 lbs	258 lbs
Capacity	1,000 lbs	1,000 lbs
Part #	260036	260048
Model #	SFL-64-25	ESFL-64-25
Lift Height	64"	64"
Overall Height	83"	80"
Weight	273 lbs	266 lbs
Capacity	1,000 lbs	1,000 lbs
Part #	260037	260049
Model #	SFL-76-25	ESFL-76-25
Lift Height	76"	76"
Overall Height	94"	92"
Weight	306 lbs	295 lbs
Capacity	1,000 lbs	1,000 lbs

Straddle Fork Model

Features:

- **1" thick x 3" wide x 30" long forks.**
- Adjustable span up to 25".
- 18" load center.
- 32" overall width; 44" depth.
- Base leg span - 25.5" inside, 32" outside.
- Forks lower to ground.
- **1,000 lb capacity.**

Wide Straddle Fork Model

Features:

- Base leg span - 42" inside, 48.75" outside.
- 1" thick by 3" wide by 30" long forks adjustable span.
- Overall width 48.75", depth 48.25".
- Forks lower to the ground.
- **1,000 lb capacity.**

	STRADDLE FORK MODELS Standard	Economy	Wide
Part #	260041	260053	260075
Model #	SFL-56-30S	ESFL-56-30S	ESFL-56-30-42S
Lift Height	56"	56"	56"
Overall Height	75"	72"	72.5"
Weight	288 lbs	281 lbs	290 lbs
Capacity	1,000 lbs	1,000 lbs	1,000 lbs
Part #	260042	260054	–
Model #	SFL-64-30S	ESFL-64-30S	–
Lift Height	64"	64"	–
Overall Height	83"	80"	–
Weight	298 lbs	289 lbs	–
Capacity	1,000 lbs	1,000 lbs	–
Part #	260043	260055	–
Model #	SFL-76-30S	ESFL-76-30S	–
Lift Height	76"	76"	–
Overall Height	94"	92"	–
Weight	333 lbs	322 lbs	–
Capacity	1,000 lbs	1,000 lbs	–

Wesco® stackers

1,000 lb capacity winch stacker

Features:

- Heavy duty 1,000 lb capacity.
- Heavy duty winch with auto brake.

New!

MADE IN USA

Part #	270214
Model #	SWPL-68-2424
Lift Height	70"
Overall Height	83.25"
Weight	239 lbs
Capacity	1,000 lbs
Platform Size	24" x 24"

Value lift

Features:

- 880 lb capacity.
- Two styles - forks or platform.
- Adjustable width forks 24" long x 4 1/4" wide.
- Optional, removable chrome plated 23" wide x 24" deep platform.
- Foot operated hydraulic pump.
- Two 5" polyurethane swivel casters with brakes, and two 3" rigid polyurethane wheels.
- Two lifting height models: 47" and 59".
- Chrome plated rails and handle.

New!

Adjustable Fork Model

The chrome plated platform is an option.

With optional platform

	Value Lift	Value Lift	Optional Platform
Part #	272940	272941	272942
Model #	VL44	VL59	VLRP
Lift Height	3 1/2" - 47"	3 1/2" x 59"	-
Weight	178 lbs	187 lbs	10 lbs
Overall Dimensions	22 1/2"W x 36"D x 55"H	22 1/2"W x 37"D x 70"H	23"W x 24"D
Capacity	880 lbs	880 lbs	-
Lifting Forks	Standard	Standard	-

Manual and Electric Office Lifts

Features:

- Ideal for narrow aisles.
- Great for offices.
- Two models, manual and electric.
- Lightweight, but sturdy.
- Sealed battery and automatic charger built in.
- Remote up and down pendant for electric model.

New!

MOL

EOL

	Manual	Electric
Part #	272467	272468
Model #	MOL	EOL
Lowered Height	5"	5"
Raised Height	58.5"	66"
Weight	104 lbs	146 lbs
Platform Size	18" x 23"	18" x 23"
Capacity	220 lbs	220 lbs

Wesco® powered stackers 1,000 lb. capacity

Powered stacker features:

New!

- *Meets ASME B56.10 specifications.*
- *1,000 to 2,000 lb. lift capacity.*
- *Remote control, floor lock, and safety screen are standard on all models.*
- *With a minimally charged battery, unit can be used while recharging.*
- *Three light LED charge status indicator – no extra cost!*
- *Easy to read illuminated battery status voltmeter – no extra cost!*
- *12V DC battery or 110V AC units available.*

COUNTER-BALANCED FORK MODELS

Part #	261037	261038	261039
Model #	PCBFL-56-25	PCBFL-64-25	PCBFL-76-25
Lift Height	56"	64"	76"
Overall Height	72"	80"	92"
Weight	522 lbs	530 lbs	559 lbs
Capacity	1,000 lbs	1,000 lbs	1,000 lbs
Load Center	13"	13"	13"

Counterweights are not included and must be installed prior to use.
Order Required Counterweight Kit for your load.

Part #	261041	261042	261043
Counterweight	200 lbs	400 lbs	600 lbs
Stacker Load Capacity	334 lbs	668 lbs	1000 lbs

Counter-Balance Model

Features

- Loading and unloading trucks.
- Positioning dies.
- Feeding material to presses.
- 25" long forks.
- Order enough weight kits for your planned load. (See chart at right)

Note:
Counter-Balance Stackers require appropriate counter-weights. See chart at right.

- **AC models not available**

261039

MADE IN USA

Standard features include: voltmeter, remote control , 3 light charger and on/off switch

Platform Model

Features:

- 24" x 24" or 30" x 32" platform size L x W.
- 5" phenolic wheels on front, 4" phenolic swivel casters on rear.
- **110V AC models available. To order add AC to the end of the battery powered stacker part #.**
  Example:
  Battery Powered #261024
  110V AC Powered #261024AC

261024

MADE IN USA

PLATFORM MODELS

Part #	261022	261023	261024
Model #	PESPL-60-2424	PESPL-68-2424	PESPL-80-2424
Lift Height	60"	68"	80"
Overall Height	72"	80"	92"
Weight	418 lbs	428 lbs	457 lbs
Leg ID/OD	15"/21"	15"/21"	15"/21"
Capacity	1,000 lbs	1,000 lbs	1,000 lbs
Load Center	15"	15"	15"

Part #	261025	261026	261027
Model #	PESPL-60-3032	PESPL-68-3032	PESPL-80-3032
Lift Height	60"	68"	80"
Overall Height	72"	80"	92"
Weight	457 lbs	467 lbs	492 lbs
Leg ID/OD	25.5"/32"	25.5"/32"	25.5"/32"
Capacity	1,000 lbs	1,000 lbs	1,000 lbs
Load Center	18"	18"	18"

Wesco® powered stackers

Fork Model

Features:

- Forks lower to floor on all models.
- 5" phenolic wheels on front, 4" swivel on rear.
- **110V AC models available. To order add AC to the end of the battery powered stacker part #.**
  Example:
  Battery Powered #261033
  110V AC Powered #261033AC

261033

MADE IN USA

FORK MODELS

Part #	261028	261029	261030
Model #	PESFL-56-25	PESFL-64-25	PESFL-76-25
Lift Height	56"	64"	76"
Overall Height	72"	80"	92"
Weight	452 lbs	460 lbs	489 lbs
Leg ID/OD	15"/21"	15"/21"	15"/21"
Capacity	1,000 lbs	1,000 lbs	1,000 lbs
Load Center	15"	15"	15"

STRADDLE FORK MODELS

Part #	261031	261032	261033
Model #	PESFL-56-30S	PESFL-64-30S	PESFL-76-30S
Lift Height	56"	64"	76"
Overall Height	72"	80"	92"
Weight	475 lbs	483 lbs	519 lbs
Leg ID/OD	25.5"/32"	25.5"/32"	25.5"/32"
Capacity	1,000 lbs	1,000 lbs	1,000 lbs
Load Center	18"	18"	18"

New!

Adjustable Span Straddle Model

Features

- Extra deep (40") straddle legs and forks for lifting pallets.
- Versatile adjustable span straddle legs can be set from 34" to 50" inside dimension to handle most standard pallets.
- **110V AC models available. To order add AC to the end of the battery powered stacker part #.**
  Example:
  Battery Powered #261035
  110V AC Powered #261035AC

261035

MADE IN USA

ADJUSTABLE STRADDLE FORK MODELS

Part #	261034	261035	261036
Model #	PASFL-56-40S	PASFL-64-40S	PASFL-76-40S
Lift Height	56"	64"	76"
Overall Height	72"	80"	92"
Weight	510 lbs	518 lbs	554 lbs
Straddle legs I.D.	34" to 50"	34" to 50"	34" to 50"
Capacity	1,000 lbs	1,000 lbs	1,000 lbs
Load Center	20"	20"	20"

Wesco® 1,500 and 2,000 lb capacity powered telescoping fork stackers

- **Meets ASME B56.10 specifications.**
- Instant carriage stop for accuracy– no drifting.
- Adjustable forks.
- Heavy duty rigid frame and base.
- Double chain lift for better balance and load support.
- Heavy-duty pump.
- Ergonomic "D" handles.
- High strength mast for increased stability.
- Optional 5th wheel for easier overall mobility and turning in confined areas.
- **110V AC models available. To order add AC to the end of the battery powered stacker part #.**

Example:
Battery Powered #261118
110V AC Powered #261118AC

Easily adjustable legs

261118

TELESCOPING MODELS – FIXED WIDTH BASE – 2,000 LB CAPACITY

Part #	Model #	Lift Range	Overall Height	Weight Lbs.	Capacity Lbs.	Load Center	Fork Size D x W x L	Outside Fork Spread	Base Leg ID/OD
261120	PTSFL-96-42-42S-2K	1.5"-96"	70.5"	1,210	2,000	24"	1.5" x 3" x 42"	7.4"-30"	42"/48"
261119	PTSFL-130-42-42S-2K	1.5"-130"	87.5"	1,280	2,000	24"	1.5" x 3" x 42"	7.4"-30"	42"/48"
261124	PTSFL-96-42-50S-2K	1.5"-96"	70.5"	1,210	2,000	24"	1.5" x 3" x 42"	7.4"-30"	50"/56"
261123	PTSFL-130-42-50S-2K	1.5"-130"	87.5"	1,280	2,000	24"	1.5" x 3" x 42"	7.4"-30"	50"/56"

TELESCOPING MODELS – ADJUSTABLE WIDTH BASE - 1,500 AND 2,000 LB CAPACITY

Part #	Model #	Lift Range	Overall Height	Weight Lbs.	Capacity Lbs.	Load Center	Fork Size D x W x L	Outside Fork Spread	Base Leg ID/OD
261117	PTASFL-96-42-3550S-1.5K	1.5"-96"	70.5"	1,230	1,500	24"	1.5" x 3" x 42"	7.4"-30"	35"-50" ID Adj.
261118	PTASFL-130-42-3550S-1.5K	1.5"-130"	87.5"	1,300	1,500	24"	1.5" x 3" x 42"	7.4"-30"	35"-50" ID Adj.
261115	PTASFL-96-42-3550S-2K	1.5"-96"	70.5"	1,230	2,000	24"	1.5" x 3" x 42"	7.4"-30"	35"-50" ID Adj.
261116	PTASFL-130-42-3550S-2K	1.5"-130"	87.5"	1,300	2,000	24"	1.5" x 3" x 42"	7.4"-30"	35"-50" ID Adj.

5th Wheel Steering Option
For easier mobility and precision steering in confined areas



Available for all 1,500 and 2,000 lb models.
8" locking polyurethane wheels. Spring loaded handle.
Can be field installed.
Order as separate option under Part # 261099

Wesco® 1,500 & 2,000 lb. powered stacker

New!

MADE IN USA

1,500 & 2,000 lb Capacity Powered Stackers

- **Meets ASME B56.10 specifications.**
- Adjustable base legs available on fork models.
- Fixed platforms 24 x 24, 24 x 27, 30 x 32.
- Reinforced frame and base.
- Double chain, lift support.
- Heavy-duty pump.
- Ergonomic "D" handles.
- 5th wheel option see page 65
- **110V AC models available. To order add AC to the end of the battery powered stacker part #.**
  Example:
  Battery Powered #261055
  110V AC Powered #261055AC

Adjustable legs

261055

MADE IN USA

261087

ADJUSTABLE FORK MODELS

Part #	Model #	Lift Height	Overall Height	Weight lbs	Capacity lbs	Load Center	Fork Width/Length	Base Leg ID/OD
261079	PSFL-56-25-15S-1.5K	56"	72"	474	1,500	15"	3"/25"	15"/21"
261080	PSFL-64-25-15S-1.5K	64"	83"	488	1,500	15"	3"/25"	15"/21"
261081	PSFL-76-25-15S-1.5K	76"	94"	544	1,500	15"	3"/25"	15"/21"
261082	PSFL-86-25-15S-1.5K	86"	104"	585	1,500	15"	3"/25"	15"/21"
261083	PSFL-56-25-20S-1.5K	56"	72"	485	1,500	15"	3"/25"	20"/26"
261084	PSFL-64-25-20S-1.5K	64"	83"	499	1,500	15"	3"/25"	20"/26"
261085	PSFL-76-25-20S-1.5K	76"	94"	555	1,500	15"	3"/25"	20"/26"
261086	PSFL-86-25-20S-1.5K	86"	104"	596	1,500	15"	3"/25"	20"/26"
261092	PSFL-56-25-20S-2K	56"	72"	490	2,000	15"	3"/25"	20"/26"
261093	PSFL-64-25-20S-2K	64"	83"	514	2,000	15"	3"/25"	20"/26"
261094	PSFL-76-25-20S-2K	76"	94"	559	2,000	15"	3"/25"	20"/26"
261095	PSFL-86-25-20S-2K	86"	104"	601	2,000	15"	3"/25"	20"/26"
261059	PSFL-64-30-30S-1.5K	64"	83"	522	1,500	18"	3"/30"	30"/36"
261060	PSFL-76-30-30S-1.5K	76"	94"	578	1,500	18"	3"/30"	30"/36"
261061	PSFL-86-30-30S-1.5K	86"	104"	619	1,500	18"	3"/30"	30"/36"
261044	PSFL-64-30-30S-2K	64"	83"	527	2,000	18"	3"/30"	30"/36"
261045	PSFL-76-30-30S-2K	76"	94"	583	2,000	18"	3"/30"	30"/36"
261046	PSFL-86-30-30S-2K	86"	104"	624	2,000	18"	3"/30"	30"/36"
261062	PSFL-64-42-42S-1.5K	64"	83"	527	1,500	24"	3"/42"	42"/48"
261063	PSFL-76-42-42S-1.5K	76"	94"	585	1,500	24"	3"/42"	42"/48"
261064	PSFL-86-42-42S-1.5K	86"	104"	630	1,500	24"	3"/42"	42"/48"
261047	PSFL-64-42-42S-2K	64"	83"	533	2,000	24"	3"/42"	42"/48"
261048	PSFL-76-42-42S-2K	76"	94"	590	2,000	24"	3"/42"	42"/48"
261049	PSFL-86-42-42S-2K	86"	104"	635	2,000	24"	3"/42"	42"/48"
261065	PSFL-64-42-50S-1.5K	64"	83"	533	1,500	24"	3"/42"	50"/56"
261066	PSFL-76-42-50S-1.5K	76"	94"	590	1,500	24"	3"/42"	50"/56"
261067	PSFL-86-42-50S-1.5K	86"	104"	635	1,500	24"	3"/42"	50"/56"
261050	PSFL-64-42-50S-2K	64"	83"	538	2,000	24"	3"/42"	50"/56"
261051	PSFL-76-42-50S-2K	76"	94"	595	2,000	24"	3"/42"	50"/56"
261052	PSFL-86-42-50S-2K	86"	104"	640	2,000	24"	3"/42"	50"/56"
261068	PASFL-64-42-3550S-1.5K	64"	83"	543	1,500	24"	3"/42"	35"-50" ID ADJ.
261069	PASFL-76-42-3550S-1.5K	76"	94"	600	1,500	24"	3"/42"	35"-50" ID ADJ.
261070	PASFL-86-42-3550S-1.5K	86"	104"	645	1,500	24"	3"/42"	35"-50" ID ADJ.
261053	PASFL-64-42-3550S-2K	64"	83"	548	2,000	24"	3"/42"	35"-50" ID ADJ.
261054	PASFL-76-42-3550S-2K	76"	94"	605	2,000	24"	3"/42"	35"-50" ID ADJ.
261055	PASFL-86-42-3550S-2K	86"	104"	650	2,000	24"	3"/42"	35"-50" ID ADJ.

FIXED PLATFORM MODELS

Part #	Model #	Lift Height	Overall Height	Weight Lbs	Capacity Lbs	Load Center	Platform L x W	Base Leg ID/OD
261074	PSPL-60-2424-15S-1.5K	60"	72"	428	1,500	15"	24" x 24"	15"/21"
261075	PSPL-68-2424-15S-1.5K	68"	83"	436	1,500	15"	24" x 24"	15"/21"
261076	PSPL-80-2424-15S-1.5K	80"	94"	469	1,500	15"	24" x 24"	15"/21"
261077	PSPL-90-2424-15S-1.5K	90"	104"	502	1,500	15"	24" x 24"	15"/21"
261088	PSPL-60-2427-20S-2K	60"	72"	435	2,000	15"	24" x 27"	20"/26"
261089	PSPL-68-2427-20S-2K	68"	83"	441	2,000	15"	24" x 27"	20"/26"
261090	PSPL-80-2427-20S-2K	80"	94"	476	2,000	15"	24" x 27"	20"/26"
261091	PSPL-90-2427-20S-2K	90"	104"	508	2,000	15"	24" x 27"	20"/26"
261071	PSPL-60-3032-30S-1.5K	60"	72"	438	1,500	18"	30" x 32"	30"/36"
261072	PSPL-68-3032-30S-1.5K	68"	83"	446	1,500	18"	30" x 32"	30"/36"
261073	PSPL-80-3032-30S-1.5K	80"	94"	480	1,500	18"	30" x 32"	30"/36"
261078	PSPL-90-3032-30S-1.5K	90"	104"	512	1,500	18"	30" x 32"	30"/36"
261056	PSPL-60-3032-30S-2K	60"	72"	443	2,000	18"	30" x 32"	30"/36"
261057	PSPL-68-3032-30S-2K	68"	83"	451	2,000	18"	30" x 32"	30"/36"
261058	PSPL-80-3032-30S-2K	80"	94"	485	2,000	18"	30" x 32"	30"/36"
261087	PSPL-90-3032-30S-2K	90"	104"	517	2,000	18"	30" x 32"	30"/36"

Wesco® foot pump hydraulic lift tables

Wesco Standard Duty Tables
(200 - 1,000 lb Capacities)
Features:

- LT-02-1616 has four 3" polyolefin swivel casters.
- LT-02-1616 ships via UPS knocked down.
- LT-05 and LT-10 models feature 2 rigid and 2 swivel 4" phenolic resin roller bearing casters.
- 7 Gauge steel top and base.
- 3/8" lift per stroke.

Look

Features:

- *Capacity ranges from 200 to 6,000 lbs.*
- *Solid steel top and base construction.*
- *Floor locks are standard on all 500 lb.+ capacity tables.*
- *Casters provide easy mobility.*

MADE IN USA

LT-02-1616

LT-05-1818

	200 lb Capacity	500 lb Capacity	1,000 lb Capacity
Part #	260059	260060	260061
Model #	LT-02-1616	LT-05-1818	LT-10-1836
Weight	54 lbs	122 lbs	168 lbs
Table Size	16" x 16"	18" x 18"	18" x 36"
Lowered Height	28.5"	30.5"	30.5"
Raised Height	46"	47.5"	47.5"
Support Posts	None	Two	Two
Caster Size	3"	4"	4"

Wesco Medium & Heavy Duty Tables
(2,000-6,000 lb Capacities)
Features:

- 2 rigid and 2 swivel 6" phenolic resin roller bearing casters.
- LTL models feature 4" casters and 3/8" lift per stroke.
- LT models feature 6" casters.
- Four support posts and push handle.
- Foot operated floor lock.

	2,000 lb Capacity	
Part #	260062	260063
Model #	LTL-20-2436	LTL-20-3248
Weight	225 lbs	350 lbs
Table Size	24" x 36"	32" x 48"
Lowered Height	30.5"	30.5"
Raised Height	47.5"	47.5"
Support Posts	Four	Four
Caster Size	4"	4"

	4,000 lb Capacity	
Part #	260066	260067
Model #	LT-40-2436	LT-40-3248
Weight	325 lbs	475 lbs
Table Size	24" x 36"	32" x 48"
Lowered Height	37"	37"
Raised Height	59"	59"
Support Posts	Four	Four
Caster Size	6"	6"

MADE IN USA

LT-60-2436

	2,000 lb Capacity	
Part #	260064	260065
Model #	LT-20-2436	LT-20-3248
Weight	320 lbs	465 lbs
Table Size	24" x 36"	32" x 48"
Lowered Height	37"	37"
Raised Height	59"	59"
Support Posts	Four	Four
Caster Size	6"	6"

	6,000 lb Capacity	
Part #	260068	260069
Model #	LT-60-2436	LT-60-3248
Weight	330 lbs	495 lbs
Table Size	24" x 36"	32" x 48"
Lowered Height	37"	37"
Raised Height	59"	59"
Support Posts	Four	Four
Caster Size	6"	6"

Wesco® powered lift tables

New!

Powered Lift Tables

Features:

- Up to 6,000 lbs capacity.
- Standard floor lock holds table steady for loading and unloading.
- Easy to read illuminated battery status voltmeter.
- Three light LED battery charge status indicator.
- With a minimally charged battery, unit can be used while recharging.

Look

Remote control for raising/ lowering. Magnets on back of remote allow for storage anywhere on table.

Part #	261108	261100	261101	261102	261103	261104	261105	261106	261107
Model #	PLT-10-1836	PLTL-20-2436	PLTL-20-3248	PLT-20-2436	PLT-20-3248	PLT-40-2436	PLT-40-3248	PLT-60-2436	PLT-60-3248
Table Size	18" x 36"	24" x 36"	32" x 48"	24" x 36"	32" x 48"	24" x 36"	32" x 48"	24" x 36"	32" x 48"
Lowered Ht	30.5"	30.5"	30.5"	37"	37"	37"	37"	37"	37"
Raised Ht	47.5"	47.5"	47.5"	59"	59"	59"	59"	59"	59"
Caster Size	4"	4"	4"	6"	6"	6"	6"	6"	6"
Capacity	1,000 lbs	2,000 lbs	2,000 lbs	2,000 lbs	2,000 lbs	4,000 lbs	4,000 lbs	6,000 lbs	6,000 lbs
Weight	280 lbs	337 lbs	462 lbs	432 lbs	577 lbs	437 lbs	587 lbs	442 lbs	607 lbs

Wesco® value lift tables

New!

Features:

- Polyurethane casters, 2 rigid, 2 swivel.
- Foot operated pump and release.
- Ships KD.

272470

272469

Part #	272469	272470
Model #	VLT200	VLT500
Weight	76 lbs	153 lbs
Table Size	16" x 16"	18" x 18"
Lowered Height	29"	30"
Raised Height	46"	48"
Support Posts	None	Two
Caster Size	3"	4"
Floor Lock	No	Yes

Light Duty Scissor Lift Tables

Features:

- **Capacity 330 lbs.**
- Chrome plated handle and foot pedal.
- Lever release handle.
- 4" x 1" moldon polyurethane wheels with locking swivel casters.
- Folding handle lays flat on table top.
- Foot operated pump.

LT-330SL

Part #	260201
Model #	LT-330SL
Capacity	330 lbs
Raised Height	28.5"
Lowered Height	8.5"
Unit Weight	98 lbs
Table Top L x W	27.5 x 17.75"
Overall Height	37"
Length	36"
Width	17.75"

700, 1000 lb Capacity

- Foot operated pump.
- Easy to use spring loaded release lever.
- 5" x 1.5" polyurethane casters with locks.

Part #	260199	260200
Model #	LT-700SL	LT-1000SL
Weight	165 lbs	185 lbs
Table Size	19.5" x 32"	19.5" x 32"
Lowered Height	11"	11"
Raised Height	35"	35"
Capacity	700 lbs	1,000 lbs
Overall Height	37"	37"
Length	42"	42"
Width	19.5"	19.5"

Double Scissors High Lift Table

Features:

- **Capacity 770 lbs.**
- Chrome plated handle and foot pedal.
- Lever release handle.
- 5" x 1.5" moldon polyurethane wheels with locking swivel casters.
- Foot operated pump.
- Maximum raised height 55.5".

LT-770DSL

Part #	260204
Model #	LT-770DSL
Capacity	770 lbs
Raised Height	55.5"
Lowered Height	14"
Unit Weight	227 lbs
Table Top L x W	35.5 x 19.5"
Overall Height	55.5"
Length	45.5"
Width	19.5"

Wesco® scissor lift tables

660 lb Capacity

Features:

- Three position finger control–raising, neutral, lowering.
- Polyurethane load wheels with locking 5" x 1.5" swivel casters.
- 44.25" high handle for comfortable use.
- Foot guard standard.

LT-660SL

LT-660-FOSL

	Hand Operated	Foot Operated
Part #	272770	272769
Model #	LT-660SL	LT-660-FOSL
Weight	197 lbs	200 lbs
Table Size	19.5" x 32"	19.5" x 32"
Lowered Height	10.75"	10.75"
Raised Height	35"	35"
Capacity	660lbs.	660 lbs.
Overall Height	44.25"	44.25"
Length	38.75"	38.75"
Width	19.75"	19.75"

Ergonomic Scissors Tilt Table

Features:

- Allows operator to feed and unload parts from an ergonomic position.
- Foot activated hydraulic cylinder.
- As table is raised the top automatically tilts to a 45° angle at full elevation.
- Retaining lip keeps containers in place.
- Locking bars prevent accidental lowering of table.

Part #	Model #	Front Height Min.	Front Height Max.	Rear Height Min.	Rear Height Max.	Capacity	Table Size W x L	Weight	Height to Engage Locking Bar Front	Height to Engage Locking Bar Rear
272953	STT880	17"	40"	17"	63"	880 lbs	20" x 32"	271 lbs	31.5"	45.5"
272954	STT1760	17"	40"	17"	63"	1760 lbs	20" x 32"	320 lbs	31.5"	45.5"

Features:

- *Available in manual adjust, lever adjust and fixed height models.*
- *Posts are heavy gauge square tubing construction.*
- *I-Beams are American standard.*
- *4-position phenolic resin swivel lock casters for smooth straight line travel.*
- *Capacities up to 3 tons.*

Specifications:

- *Overall length is 12' 6".*
- *Clearance between uprights is 11'4" maximum (adjustable).*
- *6'6" overall depth.*
- *6" x 2" wheels on 1 ton models.*
- *8" x 2" wheels on 2 ton models.*
- *8" x 2 1/2" wheels on 3 ton models.*
- *Adjustable gantries adjust in 6" increments.*

Call or see price list for details on gantry without I-Beam.

Adjustable Beam Mounting System

LEVER ADJUSTED

MADE IN USA

LEVER ADJUSTED height gantry cranes WITH I-BEAMS included:

	1 Ton Gantries	2 Ton Gantries	3 Ton Gantries
Part #	360009	360011	360013
Model #	GC-121-LI	GC-122-LI	GC-123-LI
Height Range	9' - 12'	9' - 12'	9' - 12'
I-Beam Height x Lbs./Ft.	8" x 18.4 lbs/ft	8" x 4"	10" x 25.4 lbs/ft
Weight	722 lbs	767 lbs	874 lbs
Part #	360010	360012	360014
Model #	GC-151-LI	GC-152-LI	GC-153-LI
Height Range	12' - 15'	12' - 15'	12' - 15'
I-Beam Height x Lbs./Ft.	8" x 18.4 lbs/ft	8" x 4"	10" x 25.4 lbs/ft
Weight	776 lbs	821 lbs	929 lbs

MANUALLY ADJUSTED

MANUALLY ADJUSTED height gantry cranes WITH I-BEAMS included:

	1 Ton Gantries	2 Ton Gantries	3 Ton Gantries
Part #	360001	360003	360005
Model #	GC-121-MI	GC-122-MI	GC-123-MI
Height Range	9' - 12'	9' - 12'	9' - 12'
I-Beam Height x Lbs./Ft.	8" x 18.4 lbs/ft	8" x 4"	10" x 25.4 lbs/ft
Weight	709 lbs	754 lbs	862 lbs
Part #	360002	360004	360006
Model #	GC-151-MI	GC-152-MI	GC-153-MI
Height Range	12' - 15'	12' - 15'	12' - 15'
I-Beam Height x Lbs./Ft.	8" x 18.4 lbs/ft	8" x 23 lbs/ft	10" x 25.4 lbs/ft
Weight	764 lbs	809 lbs	915 lbs

FIXED HEIGHT

FIXED HEIGHT gantry cranes WITH I-BEAMS included:

	1 Ton Gantries	2 Ton Gantries
Part #	360007	360008
Model #	GC-101-FI	GC-102-FI
Height Range	10'	10'
I-Beam Height x Lbs./Ft.	8" x 18.4 lbs/ft	8" x 23 lbs/ft
Weight	620 lbs	665 lbs

Wesco® chain hoists & trolleys

Wesco Chain Hoists

Features:

- High quality, economical hoists in capacities to 5 tons.
- Available in 10 and 20 foot lifts.
- Hardened load chain for long life.
- Low headroom for easy installation in tight areas.
- Lubrication free load brake for positive load control.
- Swivel hooks with latches on all models.
- Portable for easy use in a wide range of applications.

Part #	Capacity	Lift Height	Approx. weight	Distance hook to hook	Chain pull to lift rated load	Hand chain overhaul for 1' lift
272163	1,000 lbs	10'	19.5 lbs	9.5"	50 lbs	30'
272164	2,000 lbs	10'	24 lbs	10.6"	70 lbs	38'
272165	3,000 lbs	10'	35.5 lbs	13.75"	80 lbs	59'
272166	4,000 lbs	10'	33 lbs	15"	70.6 lbs	80'
272167	6,000 lbs	10'	52 lbs	18.5"	82.5 lbs	135'
272168	10,000 lbs	10'	81.5 lbs	23.6"	90 lbs	160'
272169	1,000 lbs	20'	31.5 lbs	9.5"	50 lbs	30'
272170	2,000 lbs	20'	35.5 lbs	10.6"	70 lbs	38'
272171	3,000 lbs	20'	52.5 lbs	13.75"	80 lbs	59'
272172	4,000 lbs	20'	50 lbs	15"	70.6 lbs	80'
272173	6,000 lbs	20'	76.5 lbs	18.5"	82.5 lbs	135'
272174	10,000 lbs	20'	117.5 lbs	23.6"	90 lbs	160'

Wesco Trolleys

Features:

- Heavy duty trolleys designed for flexibility of installation.
- Usable on straight or curved track.
- Adjusts for wide variety of beam widths; simply remove end nut and adjust spacers.
- Can be installed or removed from any point in the track.

Part #	Capacity	Fits I-Beam flange width	A	B	C	Approx. weight
272158	1,000 lbs	3.5" to 5.5"	4"	10.25"	7.875"	18 lbs
272159	2,000 lbs	3.5" to 5.875"	5"	12.5"	9.5"	31 lbs
272160	4,000 lbs	4.125" to 7"	5.75"	13.25"	11.375"	48 lbs
272161	6,000 lbs	4" to 7"	6.75"	14"	13.25"	76 lbs
272162	10,000 lbs	5" to 7"	7.75"	14.625"	15.375"	104 lbs



Wesco® Rais-N-Rol™ machinery movers

Features:

- *Heavy duty capacities up to 5 tons - the most economical way to lift and move large bulky loads.*
- *Swivel casters allow movement in any direction.*
- *Hand operated hydraulic jack for easy lifting and controlled lowering of loads.*
- *All models supplied with hooks for recommended optional LB-1 or LB-2 load binders.*

2,000 lb capacity per pair

Features:

- 23" wide x 12.5" deep x 48.375" high (lowered height).
- ID fork span range 7.25" to 17.5".

As shown: RNR-2

Part #	260086	260091
Model #	RNR-2	RNR-2P
Lift	5"	5"
Casters	5" x 2" Phenolic	5" x 2" Urethane
Weight	160 lbs/PR	167 lbs/PR

4,000 lb capacity per pair

Features:

- 23" wide x 16.5" x 43.625" high (lowered height).
- ID fork span range 5" to 19.5".

As shown: RNR-4

Part #	260087	260092
Model #	RNR-4	RNR-4P
Lift	12"	12"
Casters	6" x 2" Steel	6" x 2" Urethane
Weight	315 lbs/PR	313 lbs/PR



Wesco® Rais-N-Rol™ machinery movers

6,000 lb capacity per pair

Features:

- 23" wide x 16.5" deep.
- RNR-6(P): 41.375" H RNR-64(P): 43.625" H.
- ID fork span range 6" to 19.5".

As shown: RNR-6P

Part #	260088	260093
Model #	RNR-6	RNR-6P
Lift	6"	6"
Casters	6" x 2.5" Steel	6" x 2.5" Urethane
Weight	325 lbs/PR	306 lbs/PR
Part #	260138	260139
Model #	RNR-64	RNR-64P
Lift	12"	12"
Casters	6" x 2.5" Steel	6" x 2.5" Urethane
Weight	359 lbs/PR	359 lbs/PR

MADE IN USA

8,000 lb capacity per pair

Features:

- 23" wide x 16.5" x 43.375" high (lowered height).
- ID fork span range 6" to 19.5".

As shown: RNR-8

Part #	260089	260094
Model #	RNR-8	RNR-8P
Lift	6"	6"
Casters	8" x 2.5" Steel	8" x 2.5" Urethane
Weight	390 lbs/PR	402 lbs/PR

MADE IN USA

10,000 lb capacity per pair

Features:

- 23" wide x 16.5" x 47.625" high (lowered height).
- ID fork span range 6" to 19.5".

As shown: RNR-10

Part #	260090	260095
Model #	RNR-10	RNR-10P
Lift	6"	6"
Casters	8" x 2.5" Steel	8" x 3" Urethane
Weight	480 lbs/PR	475 lbs/PR

MADE IN USA

Options:

Load Binder Accessory

- Two 12' long nylon belts with heavy duty ratchet tighteners.
- Highly recommended for stabilizing large loads.



LB-1

Part #	Model #	
260096	LB-1	Delta rings secure belt to Rais-N-Rol
260147	LB-2	"E" track hooks secure belt to Rais-N-Rol

Features:

- Sold in pairs only.
- Two models:
  -Manual Lift
  -Hydraulic Lift
- Economically priced.
- Great for moving furniture or odd shaped loads.
- Straps to secure load standard.
- Hydraulic unit with ratcheting strap tightener.

Hydraulic

New!

	MANUAL	HYDRAULIC
Part #	272951	272952
Model #	MFM	HFM
Lift Height	12"	10"
Casters	6" Moldon Polyurethane	6" Moldon Polyurethane
Weight	55 lbs	190 lbs
Lift Plate L x D	8 1/2"L x 4 1/2"D	23"L x 2.25"D
Capacity/Pair	1,320 lbs	3,950 lbs
Overall Length Width Height	23" 15" 32"	26 1/2" 16" 42"

Manual

Wesco® aluminum platform trucks

Features:

- *Aluminum is corrosion resistant and maintains clean appearance.*
- *Strong enough to handle up to 3,000 lbs (depending upon caster selection).*
- *Lightweight aluminum allows for easy maneuverability.*
- *Corner sockets at both ends allow handles to be used on either or both ends of truck.*
- *For truck platform height add 2.5" to caster height (see caster option chart).*
- *Handle included.*
- *Bolt on casters. (Casters Sold Separately)–choose from caster option chart.*

ATP-3048-MR6

ASD-3048-PN8

ATP Series - Aluminum Treadplate Model

Features:

- Slip-resistant diamond pattern surface.
- Solid one piece platform surface construction.

Platform	24" x 36"	24" x 48"	30" x 48"	30" x 60"	36" x 60"	36" x 72"
Part #	350036	350037	350039	350040	350042	350043
Model #	ATP-2436	ATP-2448	ATP-3048	ATP-3060	ATP-3660	ATP-3672
Weight	32 lbs	40 lbs	45 lbs	54 lbs	61 lbs	71 lbs

ASD Series - Aluminum Smooth Deck

Features:

- Smooth surface that is easy to keep clean.
- Solid one piece platform surface construction.

Platform	24" x 36"	24" x 48"	30" x 48"	30" x 60"	36" x 60"	36" x 72"
Part #	350027	350028	350030	350031	350033	350034
Model #	ASD-2436	ASD-2448	ASD-3048	ASD-3060	ASD-3660	ASD-3672
Weight	27 lbs	33 lbs	37 lbs	44 lbs	49 lbs	59 lbs

Truck Options:

Corner bumpers

Part # 250022
Model # CB

When ordering by model # add CB to truck model #.
For example: ASD-2436-CB

Perimeter bumpers

Part # 250023
Model # PB

When ordering by model # add PB to truck model #.
For example: ASD-2436-PB

Extra push handle

Part numbers are based on truck width and series.

	ATP & ASD series
Truck Width	Part #
24"	052574
30"	052575
36"	052576

When ordering by model # add PH2 to truck model #.
For example: ASD-2436-PH2

Caster Options:

- Two rigid, two swivel per set.

Part #	250046	250047	250049	250050	250051	250052	250053	250055	250056	250250
Model #	SR-5A	SR-5	SR-6	MR-6	MP-6	PR-6	MR-8	MP-8	PR-8	PN-8
Wheel Size	5" x 1.5"	5" x 2"	6" x 2"	6" x 2"	6" x 2"	6" x 2"	8" x 2"	8" x 2"	8" x 2"	8" x 2.5"
Wheel Type	Polyolefin	Polyolefin	Polyolefin	Moldon Rubber	Moldon Polyurethane	Phenolic	Moldon Rubber	Moldon Polyurethane	Phenolic	Pneumatic
Capacity	750 lbs	2,000 lbs	2,000 lbs	2,000 lbs	3,000 lbs	3,000 lbs	2,400 lbs	3,000 lbs	3,000 lbs	1,200 lbs
Caster Height	6.375"	6.75"	7.5"	7.5"	7.5"	7.5"	9.5"	9.5"	9.5"	10"
Weight Per Set	14 lbs	20 lbs	26 lbs	26 lbs	24 lbs	26 lbs	28 lbs	27 lbs	30 lbs	29 lbs

Wesco® steel platform trucks

Features:

- Heavy duty 12 gauge steel reinforced welded construction.
- Constructed for both standard corner or diamond caster mounting pattern.
- Removable two cross-brace handle can be inserted in either end.
- Eight platform sizes available.
- Choose your caster. Platforms and casters sold separately, except #272265.
- Each caster set contains 2 swivel and 2 rigid casters.
- All platforms include one handle. Additional handles available as an option. (except #272265)
- All listed capacities are based on evenly distributed loads.

Steel Platform Trucks (Casters sold separately)

Part #	Size L x W	Maximum Platform Capacity	Platform Weight Lbs	Caster
272266	36" x 24"	4,000 lbs.*	54	chart selection
272267	48" x 24"	4,000 lbs.*	65	chart selection
272268	54" x 27"	4,000 lbs.*	82	chart selection
272269	48" x 30"	4,000 lbs.*	115	chart selection
272270	60" x 30"	4,000 lbs.*	132	chart selection
272271	60" x 36"	4,000 lbs.*	111	chart selection
272272	72" x 36"	4,000 lbs.*	127	chart selection

* Capacity based on evenly distributed loads.



Standard Caster Pattern OR **Diamond Caster Pattern**

Caster Sets

Actual capacity of assembled truck is dependent upon caster capacity not platform capacity.

Part #	Caster Description	Set Capacity	Weight Lbs
272191	6" x 1.375" Polyolefin	1,600 lbs.	25
272192	8" x 2" Polyolefin	2,500 lbs.	31
272193	8" x 2" Moldon Polyurethane on cast iron hub	4,000 lbs.	38
272194	8" x 2.5" Full Pneumatic	1,600 lbs.	28
272195	10" x 3.5" Full Pneumatic	2,500 lbs.	37
272201	5" x 2" Moldon Rubber on cast iron hub	1,600 lbs.	32
272202	6" x 2" Moldon Rubber on cast iron hub	1,800 lbs.	35
272203	8" x 2" Moldon Rubber on cast iron hub	2,200 lbs.	40

Extra Handles for Trucks with

	24" Wide Platform	27" Wide Platform	30" Wide Platform	36" Wide Platform
Part #	272197	272198	272199	272200
Weight	15 lbs.	16 lbs.	17 lbs.	19 lbs.

#272265
Ships complete.
Platform,
one handle,
four 5" x 1.25" casters.

Economy Steel Platform Truck

Part #	Size L x W	Maximum Platform Capacity	Platform Weight lbs	Caster
272265	42" x 24"	750 lbs.*	74	5" x 1.25" Rubber

* Capacity based on evenly distributed loads.

Wesco® wood platform trucks

Wood Platform Trucks

Features:

- Two platform styles. Steel bound and wood only.
- Four platform sizes.
- Platform and caster sets sold separately.
- Platforms are dried and varnished hardwood.
- Each platform is shipped complete with one, three cross-brace handle.

Two Styles -
Four Sizes Per Style

New!

Wood Platform Trucks Part #	Size W x L	Platform Weight	Style Description
172236	24" x 48"	74 lbs.	Steel Bound
172237	27" x 54"	94 lbs.	Steel Bound
172238	30" x 60"	116 lbs.	Steel Bound
172239	36" x 72"	167 lbs.	Steel Bound
172240	24" x 48"	50 lbs.	Wood Only
172241	27" x 54"	64 lbs.	Wood Only
172242	30" x 60"	79 lbs.	Wood Only
172243	36" x 72"	113 lbs.	Wood Only

Caster Selection

Part #	Size	Description	Weight Lbs	Caster Set Capacity
272201	5" x 2"	Moldon Rubber on Cast Iron Hub	32	1,600 lbs.
272202	6" x 2"	Moldon Rubber on Cast Iron Hub	35	1,800 lbs.
272203	8" x 2"	Moldon Rubber on Cast Iron Hub	40	2,200 lbs.
172244	8" x 2.5"	Full Pneumatic	28	1,200 lbs.
172245	10" x 3.5"	Full Pneumatic	37	1,500 lbs.

Wood Only Style

Steel Bound Style

Capacity of an assembled truck is determined by the caster capacity.

Wesco® steel service carts

Service Carts

Features:

- 5" x 1.25" hard rubber casters.
- 20 gauge steel trays.
- 14 gauge corner posts.
- 3.5" tray depth.
- Baked enamel paint finish.
- 2 sizes, 16" x 30" and 24" x 36".
- Top tray can be inverted for flat work surface.
- Drawer with roller glides for easy operation.
- 500 lb. capacity

SC1630

Part #	270166	270168
Model #	SC1630	SC2436
No. of trays	2	2
Dimensions	16" x 30"	24" x 36"
Weight	34 lbs	44 lbs

500 lb capacity

Look

SC2436 with drawer and 3rd tray option.
3rd tray and drawers are options and sold separate.

Optional 3rd Tray

Part #	270167	270169
Model #	SCT1630	SCT2436
Dimensions	16" x 30"	24" x 36"
Weight	9 lbs	15 lbs

Optional Drawer (fits both carts)

Part #	270171
Model #	SCDRW
Dimensions	18.5 d. x 11.75 w. x 3 h.
Weight	8 lbs

Standard Greenline panel carts

Features:

- Removable plastic basket for carrying tools.
- Detachable center bar for moving bulky items like tables and partitions.
- Great for sheet products like dry wall and plywood.
- Rollers enable sheet goods to be loaded easily.
- 4" x 2" Phenolic casters 2 swivel/2 rigid with brakes.
- Ships KD.

Part #	272226	272227
Type	Standard	Heavy Duty
Platform Size L x W x H	27" x 32" x 43"	29" x 36" x 34"
Capacity	1,543 lbs	4,400 lbs
Weight	135 lbs	175 lbs

New!

Heavy Duty Greenline panel carts

Features:

- Heavy duty steel platform and supports.
- Great for handling heavy sheet products.
- 5" x 2" Moldon polyurethane casters 2 swivel/2 rigid with brakes.
- 12 1/8" spacing between removable vertical supports.
- Ships KD.

Wesco® folding handle platform trucks

All folding handle platform trucks are UPS shippable.

Steel Folding Handle Trucks

Features:

- Fold down handle for easy storage.
- Enameled finish with non-skid heavy vinyl deck surface.
- Protective vinyl perimeter bumpers.

	Deluxe Series	Economy Series
Part #	272019	272238
Platform Size (W x L)	19" x 29"	19" x 29"
Caster Size	4"	4"
Capacity	400 lbs	275 lbs
Weight	25 lbs	27 lbs
Part #	272035	272239
Platform Size (W x L)	23" x 35"	23" x 35"
Caster Size	5"	5"
Capacity	600 lbs	400 lbs
Weight	41 lbs	44 lbs

Telefolding Aluminum Trucks

Features:

- Full size platform truck that folds to briefcase size.
- Strong, lightweight aluminum frame.
- Easy rolling 4" dia. rubber casters (2 swivel, 2 rigid).
- Protective vinyl corner bumpers.
- Expandable platform 16" x 20" to 16" x 28".

Look *Pneumatic tires*

Part #	272235
Platform Size (W x L)	23" x 35"
Caster	8" pneumatic
Capacity	600 lbs
Weight	57.5 lbs

	Deluxe Series	Economy Series
Part #	272020	272250
Platform Retracted	16" x 20"	16" x 20"
Platform Extended	16" x 28"	16" x 28"
Capacity	350 lbs	300 lbs
Weight	19 lbs	19 lbs

Professional Series Telefolding Truck

Features:

- Push button, quick conversion.
- Anti-impact, non-skid polypropylene and aluminum deck.
- Non-marking 4" moldon rubber wheels.
- Sponge rubber coated handle.

Part #	272048
Open Height	37.25"
Platform Size Retracted	17.5" x 21"
Platform Size Extended	17.5" x 29.5"
Capacity	330 lbs
Weight	16 lbs

Aluminum Folding Handle Truck

Features:

- Casters: TPR gray rubber.
- Lightweight aluminum deck.
- Wrap around corner bumper.

Part #	272076	272112
Platform Size (W x L)	18.5" x 29"	24" x 35.5"
Caster Size	4"	5"
Capacity	330 lbs	330 lbs
Weight	22 lbs	28 lbs

Wesco® desk mover, office caddy & foldaway tabletop cart

Desk Mover & Pedestal Adapter

Features:

- Move a desk without emptying drawers or clearing the top.
- Easy operation, automatically locks in the raised position.
- Vinyl coated lift rack prevents damage and slipping.
- Adjustable pedestal adapter required to move desks with single pedestal.
- Capacity 600 lbs.
- UPS shippable.

272156

Desk mover with 272150 pedestal adapter

Part #	272155
Caster size	2.5"
Lowered height	4.25"
Raised height	9.75"
Handle height	39.5"
Weight	44 lbs
Part #	272156
Caster size	3"
Lowered height	4.75"
Raised height	10.25"
Handle height	40"
Weight	45 lbs
Part #	272157
Caster size	4"
Lowered height	6"
Raised height	11.25"
Handle height	41.25"
Weight	46 lbs

Office Caddy

Features:

- Multi-purpose service truck ideal for offices, and service vehicles.
- Fits in most car trunks.
- Easily converts for use as a four wheel rolling table or two or four wheel hand truck. 7 possible positions.
- 19" x 23.5" oak color top with vinyl edge.
- 8" x 1.75" easy roll semi-pneumatic wheels and 2.5" hard rubber swivel casters.
- UPS shippable.

272079

Part #	272079
Capacity as 2 wheel truck	200 lbs
Capacity as 4 wheel truck	400 lbs
Capacity as 4 wheel table	100 lbs
Weight	50 lbs

Foldaway Table Top Cart

Features:

- Folds for easy storage.
- Ideal for transporting instruments and office equipment.
- Laminate surface with vinyl edge.
- Four 4" swivel ball bearing casters.
- 1" diameter, 18 gauge plated tubular construction.
- UPS shippable.

272233

Part #	272233
Lower basket (L x W)	21" x 13"
Overall size (L x W x H)	28" x 19" x 28.75"
Table Top size (L x W)	28" x 19"
Capacity	200 lbs
Weight	35 lbs

Wesco® lightweight folding trucks

Mega Mover, Maxi Mover, Superlite & Mini Mover Folding Trucks

Features:

- U.S. patent no. 411,679.
- Space saving folding design. Fits into small storage spaces or car trunks.
- Elastic straps for securing load.
- Aluminum or steel construction.
- Non-marking, shock absorbing, rubber tread tires.
- Mini Mover fits into overhead airline compartments.

Size Comparison

Easy push buttom operation for quick set up.
Pull down the noseplate and the wheels move into working position.

Look

	Mini Mover	Superlite	Maxi Mover	Mega Mover
Part #	220646	220617	220649	220650
Wheel size	5" x 1.25"	7" x 1.5"	7" x 1.5"	8" x 2.5"
Extended Height	41"	42"	42"	47"
Extended Width	15.5"	19"	19"	26.5"
Extended Depth	17.5"	19"	19"	25.5"
Folded Height	24"	29.5"	29.5"	34"
Folded Width	15.25"	19"	19"	23.5"
Folded Depth	2"	2"	2"	4.75"
Noseplate dimensions	15" w x 12.5" d	19" w x 12" d	19" w x 12" d	23.5" w x 18" d
Capacity	110 lbs	175 lbs	250 lbs	550 lbs
Weight	7.25 lbs	8.4 lbs	12 lbs	28.5 lbs.
Construction	Aluminum	Aluminum	Steel	Aluminum

Wesco® wire office carts

Wire Office Carts

Features:

- Ideal for carrying hanging files (letter and legal) mail, packages and tools.
- Removable baskets.
- 1" diameter, 18 gauge tubular construction.
- All metal surfaces plated for long life.
- Shipped KD.
- UPS shippable.

272228

272230

272231

	Standard Compact Office Cart	Deluxe Compact Office Cart	Deluxe Large Office Cart
Part #	272228	272230	272231
Upper basket (L x W x D)	25" x 17.25" x 11"	25" x 17.25" x 11"	36" x 17.25" x 11"
Lower basket (L x W x D)	25" x 17.25" x 7.5"	25" x 17.25" x 7.5"	36" x 17.25" x 7.5"
Overall size (L x W x H)	33" x 20" x 37.5"	33.5" x 23.75" x 38.25"	43" x 23.75" x 38.5"
Front wheels	4" hard rubber casters	5" hard rubber casters	5" hard rubber casters
Rear wheels	4" hard rubber casters	10" semi-pneumatic	10" semi-pneumatic
Capacity	200 lbs	200 lbs	250 lbs
Weight	32 lbs	41 lbs	62 lbs

Wesco® steel deck machine dolly & HeviMover™

Steel Deck Machine Dolly

Features:

- 10,000 lb capacity.
- 11.75" l x 8.5" w x 2.5" high.
- .25" thick steel plate.
- 2" x .5" aircraft quality, heat treated steel wheels.
- Weight: 10 lbs.

MADE IN USA

480020

HeviMover™ Machine Rollers

Features:

- Swivel-top for maximum maneuverability, full 360° rotation.
- Spring-loaded locking mechanism at 45° intervals.
- Only periodic cleaning and light re-oiling of roller chain needed.

HMS-8

HeviMovers™ are made with precision ground and hardened steel rollers that form an endless chain which revolves around a central load-bearing plate in the frame. Weight of the load is transferred directly from load-bearing plate to rollers. This eliminates axle friction and requires less power to start and move the load. HeviMovers™ roll easily over cracks and pitted floor areas to reduce possible damage to goods.

Part #	480001	480002	480003	480004
Model #	HMS-2	HMS-8	HMS-15	HMS-30
Body (H x W x L)	3.1875" x 3.125" x 8"	4.4375" x 5.5" x 10"	4.875" x 5.75" x 10.5"	4.875" x 6.5" x 12.75"
Roll Width	1.875"	3.25"	3.25"	4"
Roll Diameter	.6875"	.9375"	1.1875"	1.1875"
Capacity (each)	2,000 lbs	8,000 lbs	15,000 lbs	30,000 lbs
Weight	10 lbs	31 lbs	39 lbs	52 lbs

HeviMover™ Kit

Features:

- Includes 4 HMS-2 HeviMovers and 2 29" knocked down steering handles in a rugged steel tool box.

HMS-2K
480019

HeviMover™ Options

- Steering handles.
- Turning bar.

	Model #	Part #	Weight
36" steering handle for HMS-2	HMH-36-1	480005	6 lbs
48" steering handle for HMS-2	HMH-48-1	480006	7 lbs
36" steering handle for HMS-8, 15, 30	HMH-36-2	480007	6 lbs
48" steering handle for HMS-8, 15, 30	HMH-48-2	480008	7 lbs
36" turning bar for HMS-8, 15, 30	HMH-TB-2	480009	14.5 lbs

Wesco® plastic box trucks

Features:

- Useful for storing, protecting and transporting bulky, heavy material.
- One-piece seamless molded construction assures long service life.
- Easy-to-clean molded polyethylene.
- Can ship knocked down and nested on quantity orders.



Plastic Box Trucks

Features:

- Five sizes and color choices (white, grey, blue, red, yellow).
- Casters mounted on 5-ply plywood base for extra rigidity (except 4 bushel models).
- Two swivel, two rigid 5" polyurethane casters.
- Heavy 0.125" wall thickness.
- Caster pattern Standard or Diamond

Capacity	32 gal. 4 bushels 350 lbs	64 gal. 8 bushels 450 lbs	96 gal. 12 bushels 550 lbs	128 gal. 16 bushels 600 lbs	160 gal. 20 bushels 600 lbs
Outside H x W x L Weight	21.5" x 21" x 32" 19 lbs	30" x 24" x 35.5" 32 lbs	35" x 28" x 38" 37 lbs	37" x 30" x 42" 41 lbs	40" x 34" x 46" 54 lbs
Grey Part #	272503	272508	272513	272518	272523
Blue Part #	272504	272509	272514	272519	272524
White Part #	272505	272510	272515	272520	272525
Red Part #	272506	272511	272516	272521	272526
Yellow Part #	272507	272512	272517	272522	272527

To order the diamond caster pattern, add DP to Part #. Example: 272513DP.

Wesco® wood dollies

Wood Dollies

Features:

- 4 swivel casters.
- Seasoned hardwood with flush top bolted construction.
- Optional tow handle and eye hook.
- Capacity: 3" hard rubber casters–900 lbs. 4" hard plastic casters–1200 lbs.
- Ships KD boxed.

Open Deck Carpet Ends

Open Deck Rubber Ends

Optional Tow Handle and Eye Hook

Part Number 272073

Description	Size	Part # 3" Casters (Weight)	Part # 4" Casters (Weight)
Solid platform	24" x 16" 27" x 18" 30" x 18" 36" x 24"	272053 (13 lbs) 272054 (14 lbs) 272055 (14 lbs) 272056 (16 lbs)	272063 (13 lbs) 272064 (14 lbs) 272065 (15 lbs) 272066 (16 lbs)
Flush open deck	24" x 16" 30" x 18" 36" x 24"	272057 (10 lbs) 272058 (11 lbs) 272059 (11 lbs)	272067 (10 lbs) 272068 (11 lbs) 272069 (12 lbs)
Open deck carpet ends	30" x 18" 36" x 24"	272060 (11 lbs) 272061 (12 lbs)	272070 (11 lbs) 272071 (12 lbs)
Open deck rubber ends	30" x 18"	272062 (13 lbs)	272072 (11 lbs)

Flush Open Deck

Solid Platform

Wesco® strapping trucks and tools

Universal Strapping Truck

Features:

- Automatic brake to reduce strap spillage.
- Tray for storing tools and seals.
- Handles steel and non-metallic strapping.
- Accepts 3", 6" and 8" face coils; 8" and 16" core sizes.
- Heavy duty tubular frame.
- UPS shippable.

272286

Hub:	Steel
Dimensions:	10" x 1.75"
Wheel Type:	Semi-Pneumatic
Part #	272286
Weight	54 lbs

Poly Strapping System

Features:

- Tools for tightening and sealing poly and plastic strap.
- High quality tensioner tightens and cuts .5" to .625" plastic strap.

272008

272009

Part #	Description	Size
272008	Tensioner	.5" to .625"
272009	Sealer	.5" only
272010	Sealer	.625" only

Steel Strapping System

Features:

- Tools for tightening and sealing steel banding.
- Cast steel tensioner for most sizes (.375" to .75").

272011

272024

Part #	Description	Size
272011	Tensioner	.375" to .75"
272023	Sealer	.375" only
272024	Sealer	.5" only
272025	Sealer	.75" only

Strap Cutters

Features:

- Spring loaded for one hand operation.

Part #	Description	Size
272015	Deluxe	Up to .75"

Tensioner/ Crimper

Features:

- Push/windless type for steel strapping.
- With cutter and hammer knob for seal closing.
- For use with wing seals.
- Use for on .375" – .75" wide and up to .030" thick steel strap.

Part #	Description	Size
272022	Tensioner/Crimper	.375" to .75"

Wesco® easy mount strip doors

Easy Mount Strip Doors

Features:

- **Molded plastic, high-strength, patented Easy-Mount Bracket. No bolts or screws, just hook it on.**
- Energy conserving.
- Reduces noise, dirt, dust and odors. Helps meet OSHA noise rules.
- Two-way visibility.
- No wasted space for swinging door.
- High quality flexible vinyl.
- Functional from -20° to 150° F as an effective thermal barrier. Special compound reduces bruising and lacerations and fading UV rays.
- Two styles: **Smooth** – concave/convex overlap for best seal in 12" and 8" widths. **Ribbed** – reduced scratching and improved sealing.
- Orange end panels on doors with 12" strips.
- 12" strips are .120 thick; 8" strips are .080" thick.
- Can be ordered as complete doors, individual strips, and bulk lengths.
- Custom sizes available.
- Note: The length of the strip is dependent on the type of mount used.

MADE IN USA

Inside Mount





Surface (wall) Mount

Ribbed Strip

Smooth Strip

Heavy Duty – 12" strip width
66% overlap

Opening W.x H.	Smooth Part #	Ribbed Part #
6' x 7'	272813	272863
6' x 8'	272814	272864
6' x 9'	272815	272865
6' x 10'	272816	272866
6' x 12'	272817	272867
7' x 7'	272818	272868
7' x 8'	272819	272869
7' x 9'	272820	272870
7' x 10'	272821	272871
7' x 12'	272822	272872
8' x 7'	272823	272873
8' x 8'	272824	272874
8' x 9'	272825	272875
8' x 10'	272826	272876
8' x 12'	272827	272877
9' x 7'	272828	272878
9' x 8'	272829	272879
9' x 9'	272830	272880
9' x 10'	272831	272881
9' x 12'	272832	272882
10' x 7'	272833	272883
10' x 8'	272834	272884
10' x 9'	272835	272885
10' x 10'	272836	272886
10' x 12'	272837	272887
12' x 7'	272838	272888
12' x 8'	272839	272889
12' x 9'	272840	272890
12' x 10'	272841	272891
12' x 12'	272842	272892
14' x 7'	272843	272893
14' x 8'	272844	272894
14' x 9'	272845	272895
14' x 10'	272846	272896
14' x 12'	272847	272897

Walk Through Doors – 8" strip width
50% overlap

Opening W.x H.	Smooth Part #	Ribbed Part #
3' x 7'	272801	N/A
3' x 8'	272802	N/A
4' x 7'	272803	N/A
4' x 8'	272804	N/A
5' x 7'	272805	N/A
5' x 8'	272806	N/A
6' x 7'	272807	N/A
6' x 8'	272808	N/A
7' x 7'	272809	N/A
7' x 8'	272810	N/A
8' x 7'	272811	N/A
8' x 8'	272812	N/A

Replacement Strips – Clear

Size	Smooth Part #	Ribbed Part #
8' x 7'	171001	N/A
8' x 8'	171002	N/A
12' x 7'	171003	171012
12' x 8'	171004	171013
12' x 9'	171005	171014
12' x 10'	171006	171015
12' x 12'	171007	171016

Replacement Strips – Orange

Size	Smooth Part #	Ribbed Part #
12' x 7'	171022	171032
12' x 8'	171023	171033
12' x 9'	171024	171034
12' x 10'	171025	171035
12' x 12'	171026	171036

Bulk Strip – Order by the foot

Color/ Width	Smooth Part #	Ribbed Part #
Clear 8'	172003	N/A
Clear 12'	172004	172006
Orange 12'	172005	172007

Replacement Hangers

Length	Part #
24"	172001

- **Note:** Models and sizes shown are for inside mount. For outside or surface mount select next highest width and height or select size as required.

Wesco® dock lights, pallet pullers & curb ramps

Dock Lights and Fan

Features:

- Heavy duty steel construction.
- Durable yellow enamel and brass-plated finish.
- Spring-loaded pushup socket for easy bulb changing.
- 7 gauge wall mount standard.
- 18" two speed UL approved fan accessory.
- Use with incandescent lamps only:
  PAR-38: up to 150W
  R40: up to 300W.



272240

Light with fan kit installed

Lights

Part #	Length	Weight
272224	24"	13.5 lbs
272240	40"	15.5 lbs
272260	60"	17.8 lbs
272290	90"	15.5 lbs

Fans

Part #	Description	Weight
272330	Fan only	19 lbs
272328	Fan with 40" arm	32 lbs
272329	Fan with 60" arm	37 lbs

Pallet Pullers

Features:

- Rugged cast iron construction.
- One-piece curved heads have integral spurs to bite into stringers up to 4.5" thick.
- Self-cleaning heads are unaffected by wood particles, paint or grease.
- Non-load rated. Recommended working load limit is 1,250 lbs. for .25" proof coil chain.
- **PUL-LP** & **PUL-M2** are low profile (1.75" high when grabbing stringer)
- **PUL-2** is a standard head (2.75" high when grabbing stringer).

PUL-LP



PUL-2

	4.5" Jaw Opening	5.5" Jaw Opening
Part #	272021	470008
Model #	PUL-LP	PUL-M2
Jaw Height	1.75"	1.75"
Chain Length/Proof	30"/.25"	12"/.25"
Weight	19 lbs	12.5 lbs
Part #	470007	
Model #	PUL-2	
Jaw Height	2.75"	
Chain Length/Proof	30"/.25"	
Weight	20 lbs	

Curb Ramp

Features:

- Lightweight, portable ramp allows for easy movement up and down curbs.

23.5" l. x 21.5" w. x 6" h.

	Yellow Generic	Red Coca Cola®	Blue Pepsi®
Part #	150800	150801	150802
Capacity	600 lbs	600 lbs	600 lbs
Weight	7 lbs	7 lbs	7 lbs

Wesco® chrome-plated wire shelving

Features:

- *Open wire design that provides maximum visibility and air circulation while minimizing dust accumulation.*
- *All units are NSF® Approved for use in the food industry.*
- *Sets up easily without tools.*
- *Shelves adjust at 1" increments on numbered posts.*
- *Adjustable floor levelers compensate for surface irregularities.*
- *Begin with "starter" units and then "add-on" additional units.*
- *Not suitable for refrigerated or freezer cold storage environments.*

Wire Shelving Starter Unit

Features:

- Kit consists of 4 posts, 4 shelves and 16 post sleeves that secure shelves to posts.
- Posts are numbered around diameter in 1" increments.
- 24 sizes to choose from: shelves available in 18" and 24" depth and 48", 60", and 72" length; posts are available in 63", 74", and 86" heights.

NSF® Approved

Add-On Kit

Features:

- Kit consists of 2 posts, 4 shelves, 8 "S" hooks and 8 post sleeves that secure shelves to posts.
- "S" hooks attach Add-on Kits to existing shelving units.
- 24 sizes to choose from: shelves available in 18" and 24" depth, and 48", 60", and 72" length; posts are available in 63", 74", and 86" heights.

STARTER UNITS

Part #	Size (D x W x H)	Total Unit Capacity*	Capacity Per Shelf*
272640	18" x 36" x 63"	2,400 lbs	600 lbs
272641	18" x 36" x 74"	2,400 lbs	600 lbs
272642	18" x 36" x 86"	2,400 lbs	600 lbs
272703	18" x 48" x 63"	2,400 lbs	600 lbs
272704	18" x 48" x 74"	2,400 lbs	600 lbs
272705	18" x 48" x 86"	2,400 lbs	600 lbs
272706	18" x 60" x 63"	2,400 lbs	600 lbs
272707	18" x 60" x 74"	2,400 lbs	600 lbs
272708	18" x 60" x 86"	2,400 lbs	600 lbs
272709	18" x 72" x 63"	2,000 lbs	500 lbs
272710	18" x 72" x 74"	2,000 lbs	500 lbs
272711	18" x 72" x 86"	2,000 lbs	500 lbs
272643	24" x 36" x 63"	2,400 lbs	600 lbs
272644	24" x 36" x 74"	2,400 lbs	600 lbs
272645	24" x 36" x 86"	2,400 lbs	600 lbs
272712	24" x 48" x 63"	2,400 lbs	600 lbs
272713	24" x 48" x 74"	2,400 lbs	600 lbs
272714	24" x 48" x 86"	2,400 lbs	600 lbs
272715	24" x 60" x 63"	2,400 lbs	600 lbs
272716	24" x 60" x 74"	2,400 lbs	600 lbs
272717	24" x 60" x 86"	2,400 lbs	600 lbs
272718	24" x 72" x 63"	2,000 lbs	500 lbs
272719	24" x 72" x 74"	2,000 lbs	500 lbs
272720	24" x 72" x 86"	2,000 lbs	500 lbs

*Capacity in pounds based on evenly distributed loads.

ADD-ON KITS

Part #	Size (D x W x H)	Total Unit Capacity*	Capacity Per Shelf*
272646	18" x 36" x 63"	2,400 lbs	600 lbs
272647	18" x 36" x 74"	2,400 lbs	600 lbs
272648	18" x 36" x 86"	2,400 lbs	600 lbs
272721	18" x 48" x 63"	2,400 lbs	600 lbs
272722	18" x 48" x 74"	2,400 lbs	600 lbs
272723	18" x 48" x 86"	2,400 lbs	600 lbs
272724	18" x 60" x 63"	2,400 lbs	600 lbs
272725	18" x 60" x 74"	2,400 lbs	600 lbs
272726	18" x 60" x 86"	2,400 lbs	600 lbs
272727	18" x 72" x 63"	2,000 lbs	500 lbs
272728	18" x 72" x 74"	2,000 lbs	500 lbs
272729	18" x 72" x 86"	2,000 lbs	500 lbs
272649	24" x 36" x 63"	2,400 lbs	600 lbs
272650	24" x 36" x 74"	2,400 lbs	600 lbs
272651	24" x 36" x 86"	2,400 lbs	600 lbs
272730	24" x 48" x 63"	2,400 lbs	600 lbs
272731	24" x 48" x 74"	2,400 lbs	600 lbs
272732	24" x 48" x 86"	2,400 lbs	600 lbs
272733	24" x 60" x 63"	2,400 lbs	600 lbs
272734	24" x 60" x 74"	2,400 lbs	600 lbs
272735	24" x 60" x 86"	2,400 lbs	600 lbs
272737	24" x 72" x 63"	2,000 lbs	500 lbs
272738	24" x 72" x 74"	2,000 lbs	500 lbs
272739	24" x 72" x 86"	2,000 lbs	500 lbs

*Capacity in pounds based on evenly distributed loads.

Accessories for Wire Shelving

Features:

- 5" x 1.25" stem casters. Choice of polyurethane or rubber wheels.
- Foot plates to bolt racks to the floor.
- Shelf edges to prevent items from falling.
- Extra shelves sold in pairs only.
- Leveling feet protect flooring and level racks on uneven surfaces.
- Post clamps join units together and "S" hooks are needed when adding shelves.
- Snap in 8" high shelf dividers keep shelves organized.
- Replacement posts sold in pairs only.

Shelf edges

Shelf dividers

Extra shelves



Posts

Caster sets

Part #	Description
Shelf Edges	
170247	18" shelf edge
170248	24" shelf edge
170273	36" shelf edge
170249	48" shelf edge
170251	60" shelf edge
170252	72" shelf edge
Shelf Dividers	
170253	18" shelf divider
170254	24" shelf divider
Shelf Sets	
170278	Two 18" x 36" shelves
170264	Two 18" x 48" shelves
170265	Two 18" x 60" shelves
170266	Two 18" x 72" shelves
170279	Two 24" x 36" shelves
170267	Two 24" x 48" shelves
170268	Two 24" x 60" shelves
170269	Two 24" x 72" shelves
Shelf Posts	
170261	Two 63" posts
170262	Two 74" posts
170263	Two 86" posts
Caster Sets	
170258	Rubber caster set (4 per set, 2 with brakes, 2 without)
170270	Polyurethane caster set (4 per set, 2 with brakes, 2 without)
Other Components	
170256	Leveling feet
170255	"S" hooks
170260	Post clamps
170257	Foot plates
170259	Replacement post sleeves

Leveling feet

"S" hooks & Clamps

Foot plates

Replacement sleeves

Wesco® trailer stabilizing jacks & cargo bars

Wesco recommends always using at least two jacks per trailer. Meets OSHA requirements.

Trailer stabilizing jacks

Features:

- High strength steel construction.
- Adjustable height for leveling of trailers parked on uneven ground.
- Broad base prevents trailer dollies from sinking into soft surfaces.
- Prevents up-ending of semi-trailers when not connected to a truck during loading/unloading.
- Meets OSHA requirements.
- Three models, economy, standard and heavy duty.

TSJHD TSJE TSJS

New!

	ECONOMY	STANDARD	HEAVY DUTY
Part #	272957	272955	272956
Model #	TSJE	TSJS	TSJHD
Static Capacity	50,000 lbs	100,000 lbs	100,000 lbs
Lifting Capacity	5,000 lbs	40,000 lbs	50,000 lbs
Service Range	44" - 51"	39 1/2" x 51"	39 1/2" x 51"
Weight	45 lbs	125 lbs	160 lbs

TSJE *Economy, manually turned ACME threaded screw raises and lowers jack. 14" dia. base, 5" x 5" top plate.*
TSJS *Standard, ratchet with ACME threaded screw raises and lowers jack. 14" diameter x 1/2" thick base plate, 8" semi-pneumatic wheels. 8" diameter top plate.*
TSJHD *Heavy duty, two way reversible hand ratchet, 6" x 24" long beam, 15" triangular base, 8" semi-pneumatic wheels, and 4" semi-steel wheels.*

Cargo bars and hoops

Features:

- Helps secure loads to prevent shifting.
- One or two piece construction.
- Materials of construction are lightweight aluminum and heavy duty steel.
- Four models.
- Optional hoops available.

CBA1000

New!

CBS2000

CBGS3000

CBS4000

CBHOOP

Part No.	Model No.	Weight	Length Adjustment	Articulating Foot Pads
272958	CBA1000	9 lbs	87" - 103"	4" x 2 1/2"
272959	CBS2000	18 lbs	87" - 115"	4" x 4"
272960	CBGS3000	26 lbs	64" - 130"	4" x 4"
272961	CBS4000	16 lbs	82 1/2" - 110"	4" x 4
272962	CBHOOP	15 lbs	NA	NA

CAREFREE WHEEL *Microcellular Polyurethane – will not go flat*

CF

PART NO.	MODEL	DIAMETER	HUB TYPE	TREAD WIDTH	HUB LENGTH	BORE ID	APPROX. WEIGHT	BEARING TYPE	CAPACITY LBS.
053446	CF	10"	Steel	3"	2.25"	.625"	5 LBS.	BALL	280
053490	CFB	10"	Steel	3"	2.25"	.75"	5 LBS.	BALL	280

SOLID RUBBER WHEELS

Z2

PART NO.	MODEL	DIAMETER	HUB TYPE	TREAD WIDTH	HUB LENGTH	BORE ID	APPROX. WEIGHT	BEARING TYPE	CAPACITY LBS.
150698	Z2	10"	Poly	2.75"	2.25"	.625"	5 LBS. 12 OZ.	BALL	550
150697	Z8	8"	Poly	2.0"	2.25"	.625"	3.5 LBS.	BALL	300
150699	Z6	6"	Rubber	2.0"	2.25"	.625"	3 LBS.	NONE	350
108479	SR	10"	Poly	2.5"	2.25"	.625"	9 LBS.	BALL	250

SEMI-PNEUMATIC WHEELS

Z

PART NO.	MODEL	DIAMETER	HUB TYPE	TREAD WIDTH	HUB LENGTH	BORE ID	APPROX. WEIGHT	BEARING TYPE	CAPACITY LBS.
150225	Q	8"	Poly	1.75"	2"	.625"	3 LBS.	PLAIN	150
050578	R1	8"	Zinc/Steel	2.5"	2"	.625"	4.25 LBS.	BALL	250
052859	R1B	8"	Zinc/Steel	2.5"	2"	.75"	4.25 LBS.	BALL	250
150589	Z	10"	Zinc/Steel	2.75"	2.25"	.625"	6.25 LBS.	BALL	350
052862	ZB	10"	Zinc/Steel	2.75"	2.25"	.75"	6.25 LBS.	BALL	350

PNEUMATIC WHEELS

P

PART NO.	MODEL	DIAMETER	HUB TYPE	TREAD WIDTH	HUB LENGTH	BORE ID	APPROX. WEIGHT	BEARING TYPE	CAPACITY LBS.
050602	P	10"	Zinc/Steel	3.50"	2.25"	.625"	4 LBS.	BALL	350
108478	PB	10"	Zinc/Steel	3.50"	2.25"	.75"	4 LBS.	BALL	350
108484	P-12	12"	Zinc/Steel	4"	3.25"	.75"	7 LBS.	BALL	350
151507**	PWT	10"	Zinc/Steel	3.50"	2.25"	.625"	4 LBS.	BALL	350
151505	PE	10"	Zinc/Steel	3.50"	2.25"	.625"	3 LBS.	BALL	350

** Actual tread face wider than indicated tread width.

ALUMINUM CENTER MOLDON RUBBER WHEELS

R

Typical aluminum center moldon wheel

R3

PART NO.	MODEL	DIAMETER	HUB TYPE	TREAD WIDTH	HUB LENGTH	BORE ID	APPROX. WEIGHT	BEARING TYPE	CAPACITY LBS.
050567	A	6"	Solid	2"	2.375"	.625"	2.5 LBS.	BALL	500
052776	AB	6"	Solid	2"	2.375"	.75"	2.5 LBS.	BALL	500
053706	–	6"	Solid	2"	2.1875"	.625"	2.5 LBS.	ROLLER	500
053707	–	6"	Solid	2"	2.1875"	.75"	2.5 LBS.	ROLLER	500
052870	RB	8"	Solid	1.625"	2"	.75"	3 LBS.	BALL	500
108545	R	8"	Solid	1.625"	2"	.625"	3 LBS.	BALL	500
052868	H-1B	8"	Solid	2"	2.25"	.75"	3.75 LBS.	BALL	550
053708	H-1R	8"	Solid	2"	2.1875"	.625"	3.75 LBS.	ROLLER	600
150131	H-1RB	8"	Solid	2"	2.1875"	.75"	3.75 LBS.	ROLLER	600
108546	RK-10	10"	Solid	2"	2.25"	.625"	4.5 LBS.	BALL	600
108561	R3	8"	Spoke	1.625"	1.625"	.625"	2.5 LBS.	BALL	300

BALLOON CUSHION WHEELS

PART NO.	MODEL	DIAMETER	TREAD WIDTH	HUB LENGTH	BORE ID	APPROX. WEIGHT	BEARING TYPE	CAPACITY LBS.
150228	BC-10	10"	2.165"	2.25"	.625"	4 LBS. 12 OZ.	BALL	300
150229	BC-8	8"	2.165"	2.25"	.625"	2 LBS. 12 OZ.	BALL	300
050566	RK8B	8"	2.25"	2.25"	.750"	3 LBS. 10 OZ.	BALL	450

CAST IRON CENTER MOLDON RUBBER WHEELS

PART NO.	MODEL	DIAMETER	TREAD WIDTH	HUB LENGTH	BORE ID	APPROX. WEIGHT	BEARING TYPE	CAPACITY LBS.
053722	–	5"	2"	2.1875"	.75"	3.25 LBS.	ROLLER	500
108838	–	6"	1.5"	2"	.75"	3.50 LBS.	BALL	400
108839	–	6"	1.5"	2"	.625"	3.50 LBS.	BALL	400
053723	–	6"	2"	2.1875"	.625"	4.25 LBS.	ROLLER	500
053724	–	6"	2"	2.1875"	.75"	4.25 LBS.	ROLLER	500
050579	H	8"	2"	2.1875"	.625"	6.25 LBS.	ROLLER	600
150120	HB	8"	2"	2.1875"	.75"	6.25 LBS.	ROLLER	600
150596	BT	10"	2.5"	2.75"	1.00"	13.75 LBS.	ROLLER	800

POLYOLEFIN CENTER MOLDON RUBBER WHEEL

PART NO.	MODEL	DIAMETER	TREAD WIDTH	HUB LENGTH	BORE ID	APPROX. WEIGHT	BEARING TYPE	CAPACITY LBS.
150692	R2	8"	1.625"	2.187"	.625"	1 LB.	PLAIN	375

SOLID POLYOLEFIN WHEELS

PART NO.	MODEL	DIAMETER	TREAD WIDTH	HUB LENGTH	BORE ID	APPROX. WEIGHT	BEARING TYPE	CAPACITY LBS.
150103	CWP-1	2.5"	1.125"	1.25"	.5"	2.5 OZ.	PLAIN	200
150197	–	3"	1.25"	1.56"	.375"	3 OZ.	PLAIN	300
101355	–	4"	1.25"	1.56"	.5"	5 OZ.	PLAIN	350
108300	CT-3	5"	1.5"	1.62"	.5"	8 OZ.	PLAIN	400
150693	E-2	6"	1.5"	1.625"	.625"	13 OZ.	PLAIN	500
150204	–	8"	2"	2.25"	.75"	2 LBS.	PLAIN	600
150691	BT-W	10"	2"	2.75"	1.00"	2.5 LBS.	PLAIN	750

PHENOLIC RESIN WHEELS

PART NO.	MODEL	DIAMETER	TREAD WIDTH	HUB LENGTH	BORE ID	APPROX. WEIGHT	BEARING TYPE	CAPACITY LBS.
053902	–	5"	2"	2.1875"	.625"	1.75 LBS.	ROLLER	1000
053769	–	5"	2"	2.1875"	.75"	1.75 LBS.	ROLLER	1000
053903	–	6"	2"	2.1875"	.625"	2.5 LBS.	ROLLER	1200
053770	–	6"	2"	2.1875"	.75"	2.5 LBS.	ROLLER	1200