

Single Patient Mode Training Manual


Updated: 12/27/2019



Table of Contents


Definitions	3
Overview	4
Logging In	5
Patient Info Screen.....	6
Practice Information	7
Patient Demographic Information	7
Encounter Information	7
Pharmacy Information.....	8
Prescription Benefit	8
Pharmacy Messages.....	9
Create New Prescription	9
Medications	9
Allergies	9
Diagnoses/Problems.....	10
Prescription Management	10
Allergy Management	10
Pharmacy Management.....	13
Adding a Pharmacy	13
Send to a Mail Order Pharmacy	15
Diagnoses/Problems Management	17
Medication Management	19
Obtaining Medication History.....	19
Add an Active Medication	21
Quick Add an Active Medication	23
Stop/Start a Medication.....	24
Stopping Multiple Medications.....	25
View Inactive Medications	26
Prescription/Medication Reconciliation	27
PDMP (Prescription Drug Monitoring Program).....	28

Account Setup for PDMP Checking.....	28
Accessing and Viewing PDMP Data.....	28
Create a New Prescription	30
Manual Prescription.....	30
Split a Prescription.....	32
Review Prescription	34
Prescribing Favorite Prescriptions	35
Creating Favorites	37
Prescribing Active Medications.....	40
Compound Drug Prescriptions	41
Titrations and Tapered Prescriptions	41
Sending a Prescription.....	42
Sending a Controlled Substance Prescription.....	43
From the Review Screen	43
From Prescription Management/Prescription Report.....	44
Prescription Report.....	45
Provider Options	46
Provider Agent Options.....	46
Staff Options.....	46
Pharmacy Messages.....	47
Medication Reports	49
Provider Clinical Report.....	50
Patient Clinical Report	50
Clinical Alerts.....	52
Formulary Alerts.....	54
Utilities.....	55
Accessing Rcopia User and Location Preferences	56
How to Set Preferences.....	56
User Preferences Defined	58
Application	58



Medication	58
Prescription	58
Prescription Management	59
Rcopia Location Preferences Defined	60
Alerts	60
Allergy	61
Application	61
Diagnosis	61
Medication	61
Patient	62
Patient Advisor	62
Prescription	63
Prescription Management	65
Report a Problem / Help	65

Definitions

- 
- o **Category Search:** Using therapeutic categories to find the drug you wish to prescribe
 - o **Co-pay:** The flat rate or dollar amount the patient will pay for his or her prescription
 - o **Coinsurance:** The percentage the patient will pay for his or her prescription
 - o **Electronic prescription:** A prescription sent directly from the provider to a pharmacy through SureScripts
 - o **Prescription Benefit:** This determines whether the patient has a prescription drug benefit
 - o **Enter details screen:** The screen where components of the prescription are entered, including the sig
 - o **Favorite Prescription:** A medication that you routinely prescribe for your patients
 - o **Fax prescription:** A prescription sent directly to the pharmacy fax machine
 - o **Formulary:** A list of drugs that provide information on coverage and copays from the patient's insurance or health plan
 - o **Formulary coverage codes:** Codes which determine prescription drug benefit coverage for a particular medication, such as step therapy (ST), or prior authorization (PA)
 - o **Formulary status:** The coverage status determined by a patient's health plan. A drug can have formulary or non-formulary status, or preferred status, such as P1, P2, etc.
 - o **Medication:** A drug that the patient is already taking
 - o **Medical History:** A list of medications that the patient has taken in the past; this information may be obtained from the health plan or PBM or pharmacy
 - o **Prescription:** An oral, written, faxed or electronic order of medication
 - o **Prescription status:** This status provides transmission information on the prescription you sent and whether it has been received by the pharmacy
 - o **Provider:** A health care professional such as a MD, DO, NP, PA
 - o **Refills:** The number of times a prescription can be refilled at the pharmacy without requiring a new prescription
 - o **Pharmacy Message:** A request from the pharmacy to obtain additional refills on a prescription or receive an updated prescription
 - o **Sig:** Instructions for the patient on how to use or take his or her prescription, including amount and frequency

Overview

The DrFirst Portal API allows partners to launch an Rcopia Web session from an

external system, such as a web portal or an EMR system. This is a single sign-on solution; logins are authenticated between the partner and Rcopia, so users only need to log on to the partner system and then navigate to Rcopia. DrFirst also offers a private label option that allows the partner to have their logo displayed in Rcopia. Portal API access is frequently implemented with one-way or two-way data interface calls. The partner can upload data to Rcopia, such as patient demographics, and then download records generated by Rcopia, such as medications and prescription orders.

By default, all features of Rcopia Web are fully available to partner users. Some partners, however, wish to strictly control access to patient records in Rcopia. This is often needed to support business rules within the partner system, such as a requirement that prescriptions be created within the context of an office encounter. The partner may also want to retain control over data that need not be changed in Rcopia, such as patient demographics, allergies, and problems.

In order to meet these needs, the partner may elect to use Single Patient Mode (SPM). In this mode, certain controls are disabled in Rcopia to restrict the user's ability to change patient data and to prevent the user from navigating to a different patient within Rcopia. In Single Patient Mode, patient selection is done entirely in the partner system, and then Rcopia is launched with that patient selected. To select a different patient, the Rcopia session is closed, and another patient is selected from the partner system.

Feature	Standard Rcopia	Single Patient Mode
Patient Selection	Any patient; may select within Rcopia	One patient per session; selected in partner system
Edit Patient Demographics	Yes	No
Edit Medications	Yes	Yes
Edit Allergies	Yes	Optional
Edit Problems	Yes	Optional
View Renewals	All pending	Pending for one patient only
View Pending Prescriptions	All pending	Pending for one patient only

Logging In

In a Single Sign On (SSO) mode, you will launch into Rcopia onto the **Patient Info** screen shown below when you select a patient in your partner system.

You can quickly enter a patient's pharmacy by clicking on the **Please set the default pharmacy link** at the top of the screen or by clicking on the search icon in the patient info section.

Depending on your integration, if users manage allergies on the DrFirst side, the user will need to add in the allergies for their patient. This can be accomplished through the **Please set the default pharmacy link** at the top of the screen or by clicking the magnifying glass icon below the **Pharmacy** section.

The screenshot displays the Rcopia Patient Info screen for a patient named Roger Testpatient. The interface is organized into several sections:

- Patient Information:** Displays the patient's name (Roger Testpatient), date of birth (01/30/2001), and gender (male). It includes a "Patient Consent" section with radio buttons for "Yes" and "No". Demographic details include sex (Male), DOB (01/30/2001), address (12 Eastmill road, Rochester, NY 14262), and home phone ((585) 227-8887). A "Pharmacy" section prompts the user to "Click icon at right to select a pharmacy" with a search icon. A "Prescription Benefit" section indicates "No Prescription Benefit Available".
- Medications:** Features a "PDMP Summary" and a "View PDMP Data" button. It shows "Active Medications" with a "Review Status: Unknown or Incomplete" and "Medications Not Entered". Buttons for "Add Medication" and "Show Medication History" are present.
- Allergies:** Shows "Allergies Not Entered" with a "Mark patient NKDA" button.
- Diagnoses / Problems:** Displays "Active Diagnoses" with a checked checkbox and "Diagnoses Not Entered" with an "Add Diagnosis" button and a "NKD" button.
- Prescription Management:** Shows "No prescriptions to display".

The top navigation bar includes the Rcopia logo, a user profile for Carlos Salbany, MD, and a "Primary Location" dropdown. A "Create New Prescription" button is visible in the patient header.

Patient Info Screen

The **Patient Info Screen** is an individual patient's "homepage," where an Rcopia 4 user can access the patient's basic information through Rcopia's widgets: demographics, medications, allergies, problems, and pending prescriptions.

The information and actions available for your users will depend on your integration.

Please Note: On any page in Rcopia 4, clicking the patient name within the context bar will bring you back to the **Patient Info Screen**.

The screenshot displays the Rcopia 4 Patient Info Screen for Roger Testpatient. At the top, a context bar shows the patient's name and a 'Create New Prescription' button. The main content is organized into several sections: 'Patient' (with fields for name, DOB, sex, address, and phone), 'Medications' (with 'PDMP Summary' and 'Active Medications' tabs), 'Allergies' (with a 'Mark patient NKDA' button), 'Diagnoses / Problems' (with 'Active Diagnoses' and 'Add Diagnosis' buttons), and 'Prescription Management' (with a 'Search' button and a 'No prescriptions found.' message). The interface is clean and professional, with a blue header and white content areas.

Practice Information

In the top right-hand corner, you will see the name of location you are prescribing from.

If you are connected to more than one location, you will have the option to click on the location name. In doing so, you will see a drop down of all locations you are connected to.

Be sure to always review this prior to prescribing for your patient to ensure the correct practice information displays on the prescription heading.

Patient Demographic Information

Within the patient section, you will see various demographic fields for the patient including First Name, Last Name, Sex, DOB, Home Phone, and Address. You will note other fields such as Height, Weight, and Preferred Language will display in this section.

Encounter Information

Within Rcopia 4, you can manage a patient's encounter, which marks in the system when you saw the patient. To accomplish this, simply click on the check box icon within the **Encounter** section of the context bar.



If you wish to input previous encounters or document a transition of care, simply click on the calendar icon. This will open the **Patient Encounter Management** widget.

You can select the Rendering Provider, document a Transition of Care, add encounters, and edit previous encounters.



Pharmacy Information

The **Pharmacy** drop-down box holds information for up to five pharmacies for the patient. Here you can easily search for new pharmacies and remove pharmacies that are no longer needed. You can also obtain pharmacy information such as NCPDP, address, phone, and fax.

Prescription Benefit

Prescription Benefit information is obtained from SureScripts and payer claims data. If a patient has multiple plans, select the correct benefit plan by clicking on the drop-down arrow within **Prescription Benefit**. A patient's prescription benefit information allows Rcopia 4 to alert users on medications that are on or off formulary and offer on-formulary alternatives when applicable.

Pharmacy Messages


The practice's renewal requests from pharmacies can be accessed on any screen in Rcopia 4 by clicking the **Pharmacy Message** icon on the top right of the screen or accessing the **Pharmacy Message** section within the patient record.













Create New Prescription

You can quickly search for a medication to write a prescription manually, or you can utilize your favorites list to select a previously favored medication.

Medications

Within the **Medications** section, any active medications for a patient will be displayed. You can quickly manage medications by adding in a new medication, starting or stopping a medication, or even renewing or prescribing a medication.



Name	Directions	Qty	Rfl	Start	Stop	Last Written	Actions
<input type="checkbox"/> amoxicillin 250 mg capsule	Take 1 capsule by mouth twice a day.	12 capsule	none	01/15/2019	-	01/15/2019	  
<input type="checkbox"/> ibuprofen 200 mg capsule	Take 1 capsule by mouth single dose as needed. OFFICE COMMENTS: test	14 capsule	none	12/21/2018	-	12/21/2018	  
<input type="checkbox"/> ibuprofen 100 mg tablet			none	-	-	-	  
<input type="checkbox"/> Lipitor 10 mg tablet			none	-	-	-	  

Allergies

Within the allergies section, you can document a patient's allergies or adverse reactions to medications.

Please reference the **Allergy Management** portion of this manual for more information.



Diagnoses/Problems

This section allows you to record a patient's list of conditions, diagnoses, and symptoms by conducting a search using name of the condition or ICD-9, ICD-10, or SNOMED CT code. Recording this information is particularly important for drug-diagnosis interaction checking.

In addition, by populating this information, you will be able select a diagnosis within the **Prescribe Medication** widget and the diagnosis will be placed on the prescription.

Please reference the **Diagnosis/Problem Management** portion of this manual for more information.

Prescription Management


The **Prescription Management** widget will display any pending prescriptions for a patient. This is where a provider or provider agent will send prescriptions.

Please reference the **Create Prescriptions** portion of this manual for more information.

Allergy Management


There are a few ways to add an allergy into a patient's record within Rcopia 4. If you have yet to add allergies for a patient, a notification will display at the top of the screen.

1. If the patient has no known allergies click on the **Mark patient NKDA** button.




The screenshot shows a blue header bar with the word "Allergies". Below it, the text "Allergies Not Entered" is displayed. A blue button with a white circular icon containing a slash and the text "Mark patient NKDA" is visible. At the bottom left, there is a plus sign icon, and at the bottom right, there is a blue checkmark icon.

2. To search for and record an allergy click on the **+** button. This will open an **Allergy Search** screen.
 - a. On the **Allergy Search** screen, use the search field to search for the patient's allergies and select allergies from the results in the matched allergy results
 - b. After selecting the patient's allergens, use the **Reaction(s)** search box to define the reactions and use the **Onset Date** field to input an onset date




The screenshot shows the "Allergy Search" screen. It has a blue header bar with the word "Allergies". Below the header, there are three main sections: "Allergen" with a search box labeled "Search for Allergen" and a blue "Search" button; "Reaction(S)" with a search box labeled "Search for Reaction" and a blue "Add" button; and "Onset Date" with an empty text box. At the bottom, there are two buttons: a red "Save" button and a blue "Cancel" button. To the right of the "Reaction(S)" section, the text "Selected Reaction(S)" is visible.

- c. **Non-Drug-Related Allergy:** For any non-medication allergies, search for the allergy, and click the **Enter free text** link to add the allergy
- d. Once complete, click the **Save** button
- e. Repeat the previous steps for each allergy



Please Note: If a yellow exclamation mark icon displays next to an allergy, this indicates that Rcopia 4 does not conduct a drug-allergy check because the allergy was entered as free text

- Once you have entered all allergies for the patient, you can mark the allergies as reviewed by clicking the check box in the lower right-hand corner of the **Allergy** widget
- By clicking anywhere within an allergy cell or by hovering over the vertical ellipses, the options to **Make Inactive**, **Modify**, or **Delete** an allergy will be made available



- If you make an allergy **Inactive**, it will be placed in the inactive allergies list, which can be accessed by hovering over filters and selecting **All** or **Inactive**.



6. To re-activate an inactive allergy, either hover over the three vertical ellipses or click on the allergy cell for the respective inactive allergy, and click the **Make Active** icon




Pharmacy Management

Adding a Pharmacy

Once you add a patient into Rcopia 4, you will be prompted to add a default pharmacy for the patient before you can begin prescribing. This can be achieved by clicking on the notification at the top of the patient record on the **Patient Info Screen**, or by clicking the **Change** icon within the **Patient Info** widget.

Once you launch the **Select Pharmacy** widget, follow the steps below to add in a pharmacy for a patient.

1. Select the pharmacy list from which you would like to search. There are three list options that you can search within (as seen below).




List

Practice List Favorites List All Lists

- a. **Practice List:** contains only those pharmacies located within the first three digits of the practice's ZIP code.
- b. **Favorites List:** contains only the pharmacies that the individual user has previously selected to be in his or her favorites list.
- c. **All Lists:** contains all available pharmacies in the Rcopia 4 database (default option).

2. Enter the search criteria for the pharmacy and click **Search**.



List

Practice List Favorites List All Lists

Pharmacy Type

Retail Mail Order Specialty Long Term Care

Pharmacy Options

24 hours EPCS enabled

Name

CVS

Address

City

Zip

21701

Phone

Search Cancel

3. You will then be presented with a listing of pharmacies within your search criteria (as seen below).

Retail Pharmacies Showing 1 - 10 of 11 Retail pharmacies found Click row to add pharmacy to the patient pharmacy list.

First Previous **1** 2 Next

Name	Address	Phone & Fax	Type
FREDERICK, MD			
CVS Pharmacy # 1484	402 SO. JEFFERSON STREET	Phone: (301) 663-9188 Fax: (301) 698-9877	R E
CVS Pharmacy # 1518	901 WEST 7TH STREET	Phone: (301) 694-3392 Fax: (301) 694-8671	R E
CVS Pharmacy # 2335	8032 C LIBERTY ROAD	Phone: (301) 846-4129 Fax: (301) 846-7761	R E
GIANT PHARMACY #335	1700 King Fisher Drive	Phone: (301) 815-2201 Fax: (844) 411-6310	C R E
GIANT PHARMACY #346	5316 New Design Road	Phone: (301) 698-9430 Fax: (844) 411-6320	C R E

- Click within the row to add the pharmacy to the patient's record. Please ensure the pharmacy type before making your selection. If you hover over the type, Rcopia 4 will display what it is.
 - (C) – Indicates the pharmacy accepts controlled substance prescriptions electronically.
 - (E) – Indicates the pharmacy accepts electronic prescriptions.
 - (R) – Indicates the pharmacy is a retail pharmacy.
- After adding the desired pharmacy, you will be routed back to the **Patient Info Screen**. You can store up to five pharmacies for a patient, which will be saved in the **Pharmacy** drop-down box within the **Patient Info** section.

Pharmacy


CVS Pharmacy # 1518 (R) (E) - 901 WEST 7TH STREET, FREDERICK MD 21701

CVS Pharmacy # 1518 (R) (E) - 901 WEST 7TH STREET, FREDERICK MD 21701

Browse Pharmacy...


Send to a Mail Order Pharmacy

1. If you would like to choose a mail order pharmacy for a patient, make sure to select the **Mail Order** box on the pharmacy search screen.



A screenshot of a pharmacy search filter interface. At the top, there are three radio buttons for 'List': 'Practice List', 'Favorites List', and 'All Lists' (which is selected). Below this is a section titled 'Pharmacy Type' enclosed in a red rectangular box. It contains four checkboxes: 'Retail', 'Mail Order' (which is checked), 'Specialty', and 'Long Term Care'. Underneath is a section titled 'Pharmacy Options' with two checkboxes: '24 hours' and 'EPCS enabled'.

2. To select a pharmacy, click on the row to add the pharmacy to the patient's record.



A screenshot of a search results page for 'Mail Order Pharmacies'. The page shows 'Showing 1 - 10 of 179 mail order pharmacies found' and a link to 'Click row to add pharmacy to the patient pharmacy list.' Below the header is a table with columns for Name, Address, Phone & Fax, and Type. The table lists two pharmacies: 'ALM MAIN' in Alameda, CA, and 'ALPHASCRIPPT SPECIALTY PHARMACY' in San Carlos, CA. Navigation buttons for 'First', 'Previous', '1', '2', '3', 'Next', and 'Last' are visible above the table.

Name	Address	Phone & Fax	Type
ALAMEDA, CA			
ALM MAIN	2417 Central Avenue	Phone: (510) 752-9250 Fax: (510) 752-9065	C MO E
SAN CARLOS, CA			
ALPHASCRIPPT SPECIALTY PHARMACY	1160 INDUSTRIAL RD #17	Phone: (800) 780-3584 Fax: (866) 936-8206	MO E

3. The mail order pharmacy will then display within the pharmacy drop-down list in the **Patient Info** widget.

Diagnoses/Problems Management


Within Rcopia 4, users have the ability to enter diagnoses/problems for a patient. This can be beneficial for a number of reasons including drug-diagnoses interaction checking and the ability to easily add a diagnosis to a prescription.

The **Diagnoses/Problems** widget can be found next to the **Allergies** widget on the **Patient Info** screen.

1. Click on the **Add Diagnosis** button to begin, or click the **NKD** button if your patient has no known diagnoses.



2. Input the specific diagnosis code or description of the diagnosis you are looking for. As you begin typing, results will start to display. Either select a diagnosis from the drop-down or click the **Search** icon to display all results.



- To select the diagnosis, click anywhere within the row. You can favor a diagnosis to add it to your favorites list by clicking on the star icon.

Diagnoses / Problems

Active Diagnoses

Diagnoses Not Entered

Hide Add Diagnosis NKD

Hypothyroidism, unspecified

Showing 1 - 0 of 0 results for : "Hypothyroidism, unspecified" - Select a diagnosis to add to list.

CODE-TYPE	DESCRIPTION	FAVORITE
E03.9 - ICD-10	Hypothyroidism, unspecified	<input type="checkbox"/>

- You will then be able to enter the onset date for the diagnosis if applicable, and click the **OK** button to add the diagnosis to the patient record.

Add Diagnosis

I10 - Essential (primary) hypertension

Onset Date

Year: 2017 | Month: 8 | Day: 17

Note: Dates valid only if between patient DOB and current date.

- Once added to the patient's record, any diagnoses will display within the **Diagnoses/Problems** widget. Users can manage diagnoses by clicking on one of the three action icons. These include making a diagnosis inactive, marking a diagnosis as resolved, and deleting a diagnosis.

Diagnoses / Problems

Active Diagnoses

Type	Code	Description	Onset Date	Date Changed	Actions
ICD-10	E03.9	Hypothyroidism, unspecified	09/05/2016	04/05/2019	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>

Medication Management

The **Medications** widget on the **Patient Info** screen lists the patient's current active medications, whether they are prescribed by you or another provider within the practice. Medications can be added to a patient's Medication list in one of two ways:

Obtaining Medication History

Rcopia 4 has the ability to obtain medication history for up to one year for patients from SureScripts. SureScripts receives medication information from two sources, Pharmacy Fill data and Payer Claims information.

To pull a patient's medication history, complete the following steps:

1. In order to use this feature, you must indicate that the patient has given consent to view his/her medication history by toggling the **Yes** option, shown below.



The screenshot shows a 'Patient' information card. At the top, it says 'Patient Demo' with a date of birth '01/01/1979' and gender 'male'. Below this, there is a 'PATIENT CONSENT' section with two radio buttons: 'YES' (which is selected) and 'NO'. A red box highlights the 'PATIENT CONSENT' section. Below the consent section, there are fields for 'SEX' (Male) and 'DOB' (01/01/1979). At the bottom of the card, there are three buttons: 'Modify', 'Patient Merge', and a trash icon.

2. Click on **Show Medication History** from within the **Medications** widget.



The screenshot shows a 'Medications' widget. At the top, it says 'Active Medications' and 'Review Status: Unknown or Incomplete'. Below this, there is a section for 'Medications Not Entered'. At the bottom of the widget, there are two buttons: 'Add Medication' and 'Show Medication History'. A red box highlights the 'Show Medication History' button.

3. Patient medication information is displayed according to his or her primary insurance company's records. If the patient has more than one insurance company, this information will be listed for selection in the Pharmacy Benefit drop-down list.

- Use the drop-down list to select the appropriate time period.

Medication History from Other Sources

Note: Certain information may not be available or accurate in this report, including items that the patient asked not be disclosed due to patient privacy concerns, over-the-counter medications, low cost prescriptions, prescriptions paid for by the patient or non-participating sources, or errors in insurance claims information. The provider should independently verify medication history with the patient.

1 year

Drug History from 04/16/2018 to 04/16/2019

Select All

Drug	Directions	Qty	First Fill	Last Fill	Actions
<input type="checkbox"/> Accu-Chek Softclix Lancets	Directions Not available	100	03/21/2019	04/05/2019	
<input type="checkbox"/> amoxicillin 500 mg capsule	Directions Not available	63 capsule	03/18/2019	04/02/2019	
<input type="checkbox"/> bupropion HCl SR 100 mg tablet, 12 hr sustained-release	Directions Not available	30 tablet	03/20/2019	03/20/2019	
<input type="checkbox"/> cyclobenzaprine 10 mg tablet	Directions Not available	14 tablet	02/27/2019	04/07/2019	
<input type="checkbox"/> diphenhydramine 25 mg capsule	Directions Not available	20 capsule	03/27/2019	03/27/2019	

- The results will display (as seen below). By clicking on the + signs, you can see a more detailed record of the patient's medication history, including sig, prescribing provider, pharmacy where it was filled, quantity, and refills (a clue to compliance).

Drug History from 01/08/2019 to 04/08/2019

Select All

Drug	Directions	Qty	First Fill	Last Fill	Actions		
<input type="checkbox"/> amoxicillin 500 mg capsule	Directions Not available	63 capsule	03/10/2019	03/25/2019			
Date Filled	Directions	Qty	Orig Refills	Provider	Pharmacy	Data Source	Actions
03/25/2019	Directions Not available	63 capsule	Not available	JOHN E SMITH MERCY CLINIC ST. PAUL MN		Surescripts-Payer	
03/10/2019	Directions Not available	63 capsule	Not available	JOHN E SMITH MERCY CLINIC ST. PAUL MN		Surescripts-Payer	

- Medications can be added by checking the box to the left of the medication's listing and clicking on the **Add to Active Medications** button. This will copy all of the medication's information to the patient's active medication list.

- If a medication on the patient's medication history is already added as an **Active Medication**, it will display as gray in color and with an italicized font (as seen below). Hovering over the medication will indicate to users that it is already marked as active.

Add Medication **Hide Medication History** **Show Inactive Medications**

Medication History from Other Sources

Note: Certain information may not be available or accurate in this report, including items that the patient asked not be disclosed due to patient privacy concerns, over-the-counter medications, low cost prescriptions, prescriptions paid for by the patient or non-participating sources, or errors in insurance claims information. The provider should independently verify medication history with the patient.

1 year

Drug History from 05/09/2018 to 05/09/2019

Select All **+ Add to Active Medications**

Drug	Directions	Qty	First Fill	Last Fill	Actions
<input type="checkbox"/> ALBUTEROL SULF HFA 90 MCG INH (Drug is Free Text)	Directions Not available	1	05/01/2019	05/01/2019	
<input checked="" type="checkbox"/> <i>Aleve 220 mg tablet</i>	<i>TAKE 1 TABLET TWICE DAILY</i>	60	07/21/2018	07/21/2018	
<input type="checkbox"/> AMBIEN 10 MG TABLET (Drug is Free Text)	Directions Not available	30 tablet	05/04/2019	05/04/2019	

Add an Active Medication

- Click the **Add Medication** button from the Medications widget.


Medications

Active Medications Review Status: Unknown or Incomplete

Medications Not Entered

Add Medication **Show Medication History**

- There are a few ways to add a new medication to the patient's active medication list:
 - Choose from the Favorites list by using the drop-down menu.
 - Type in part of and/or the drug's entire name in the Search box. Choose the appropriate medication from the resulting list.




3. After selecting the medication, click on the desired strength to launch the **Add Medication** widget.



4. From here you can input a number of fields including **Patient Directions, Duration, Quantity, Refills, Start Date, Last Written Date, Stop Date, Med Hx Source,** and **Internal Comments** pertaining to the medication.

These fields are not required when adding a medication, so if you wish to quickly add in the medication, click the **Add** button at the bottom of the screen.



Add Medication

lisinopril 10 mg tablet 10 mg tablet *

Provider
Select provider...

Recently Used
-- Select --

Patient Directions
-- Action -- -- Dose -- -- Dose Unit -- -- Route -- -- Frequency --
-- Other --

Additional Directions to Patient
+

Days Supply -- Select -- Quantity -- Unit -- Refills none Substitution permitted

Start Date -- Today Stop Date -- Today Last Written Date -- Today


Directions to Pharmacist Primary Diagnosis --Select --

Comments for Office Use Only
Enter comments

Add Close

Quick Add an Active Medication

1. Once the **Quick Add** feature is enabled within the Location settings by an administrator, users will be able to add medications to the active medication list without entering medication details.
2. To **Quick Add** a medication to the Active Medication list, click on the **Add Medication Button** and search for the desired medication.
3. Once the results display, click on the + icon on the right hand side of the desired medication.




4. This will quickly add the medication to the **Active Medications** list without any details and bypass the sig screen.

Stop/Start a Medication

Users can take a number of different actions on a medication by choosing the appropriate action from within the **Active Medications** list. These include **Renew**, **Prescribe**, **Stop**, and **Delete**.

1. To stop a medication, click the red **Stop** icon.



2. The **Date Stopped** will be defaulted to the current date and **Common Reasons** to 'Completion of Therapy'. If you wish to change these, select a new date by clicking on the calendar icon or selecting a new reason from the drop-down box.
3. Once complete, click the **Stop** button. This will stop the medication, taking it off the **Active Medications** list and making it inactive.

Stop Medication

Stopping
Lipitor 10 mg tablet - started on unknown date

Date Stopped *
04/08/2019

Common Reasons
Completion of Therapy

Notes
Completion of Therapy

Stop Cancel

Stopping Multiple Medications

1. To stop multiple active medications, select the medications to be stopped using the checkboxes.

Medications

Active Medications Review Status: Unknown or Incomplete

Deselect All Stop Medication(s)

Name	Directions	Qty	Rfl	Start	Stop	Last Written	Actions
<input checked="" type="checkbox"/> Adderall 10 mg tablet C - //			none	-	-	-	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
<input checked="" type="checkbox"/> Bactrim DS 800 mg-160 mg tablet			none	-	-	-	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
<input checked="" type="checkbox"/> lisinopril 10 mg tablet			none	-	-	-	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>

Deselect All

Add Medication Show Medication History

2. Click on the **Stop Medication(s)** button
3. Rcopia will display a list of the medications to be stopped. Users can take a number of actions including: Change the **Date Stopped**, select a **common reason**, and add custom notes. Additionally, any active medications that have previously been prescribed can be cancelled by clicking **Cancel Last Prescription for All**. Click the **Submit** button to confirm changes.

Stop Medication(s)

Note: For Unknown dates, please enter your best estimates

Date Stopped *

Common Reasons

Notes

Adderall 10 mg tablet

Bactrim DS 800 mg-160 mg tablet

lisinopril 10 mg tablet

ive Medications Review Status: Unknown or Incomplete

View Inactive Medications

Any medications that have been prescribed or added within Rcopia, and stopped for whatever reason, can be seen within the **Medications** widget.

1. Click on the **Show Inactive Medications** button.

Medications

Active Medications Review Status: Unknown or Incomplete

Select All

Name	Directions
<input type="checkbox"/> lisinopril 10 mg tablet	Take 1 tablet by mouth twice a day as
<input type="checkbox"/> Tylenol 325 mg capsule	Take 1 capsule by mouth single dose
<input type="checkbox"/> WelChol 3.75 gram oral powder packet	Take 1 ml by mouth as needed.

Select All

2. Rcopia will display a list of all **Inactive Medications** within the patient's record. You can take a number of actions which include **Renew**, **Prescribe**, **Restart**, and **Delete**.

Prescription/Medication Reconciliation

When prescribing in Rcopia, a prescription will be added to the **Medications** list of the patient profile as a prescription is sent to the pharmacy.

However, if the same medication is already listed in the active list, users will encounter the **Prescription/Medication Reconciliation** screen. This allows users to decide what should happen to the already listed version of the medication as well as the newer medication that was prescribed.

Prescription/Medication Reconciliation

Note
You have prescribed a drug or drugs that needs to be reconciled with the patient's active medication list. Please choose how the new prescription should be reconciled with the patient's list of active medications.

- ADD means you would like to add this new dosing to the medication list.
- IGNORE means that you would not like to add the new dosing after all.
- STOP means you would like to remove the existing dosing from the medication list, but keep it in the medication history.
- KEEP means you would like to retain the existing dosing on the medication list.

Please select an action and click continue

Patient Demo	
Existing Medication	New Medication
<input type="radio"/> Keep WelChol 3.75 gram oral powder packet Take 1 ml by mouth as needed. <input checked="" type="radio"/> Stop Quantity: 1 ml	<input checked="" type="radio"/> Add WelChol 3.75 gram oral powder packet Take 2 ml by mouth as needed. <input type="radio"/> Ignore Quantity: 15 ml

Continue

The available action options are:

- **Add:** Apply the new dosing to the medication list.
- **Ignore:** Do not apply the new dosing to the medication list.
- **Stop:** Remove existing dosing from medication list, but keep in medication history.
- **Keep:** Retain the existing dosing on the medication list.

PDMP (Prescription Drug Monitoring Program)

Rcopia 4 allows for PDMP checking to ensure that providers are able to prevent prescription drug abuse and adhere to any state requirements for PDMP checking.

Please Note: Some states do not allow for third party PDMP checking and require providers to check through their designated platforms. To check if we are able to support PDMP in your state and to see if your state currently mandates PDMP checking, please visit our website at www.drfirst.com/resources/pdmp-query-mandate-map.

Account Setup for PDMP Checking


To find out more information about PDMP checking and to have your account set up, please contact your Account Manager for further information.

You will need to already be set up with your state to check PDMP and may need to provide additional information for setup.

Accessing and Viewing PDMP Data

The option to view the PDMP report will only display within the Medications widget if a practice is enabled for PDMP. In order to view the PDMP Summary, follow the steps below.

1. Click the **View PDMP Data** button.



The screenshot shows the 'Medications' widget interface. At the top, there is a blue header with the title 'Medications'. Below this, a 'PDMP Summary' section is visible, including the text 'Last Viewed: 05/10/2018' and a blue button labeled 'View PDMP Data' which is highlighted with a red rectangular box. Underneath, the 'Active Medications' section shows a 'Review Status: Unknown or Incomplete' with a refresh icon and a calendar icon. There is a 'Select All' button and a refresh icon. The medication list has two columns: 'Name' and 'Directions'. One entry is shown: 'Advil 100 mg tablet' with the direction 'Take 2 tablet by mouth every hour.'

- The PDMP Summary Report will display as shown below.

Medications
PDMP Summary Last Viewed: 05/30/2018 [Hide PDMP Data](#)

TESTPATIENT, ALICE
 Age: 118 Data as of: 5/30/2018

+ Demographics

- Summary

Summary	Narcotics* (excluding buprenorphine):	Buprenorphine*
Total Prescriptions: 1	Current Qty: 72	Current Qty: 0
Total Prescribers: 1	Current MME/day: 18.00	Current mg/day: 0.00
Total Pharmacies: 1	30 Day Avg MME/day: 7.20	30 Day Avg mg/day: 0.00

- Prescriptions

Prescriptions Total Prescriptions: 1 Private Pay: 1

Fill Date	ID	Written	Drug	Qty	Days	Rx #	Prescriber	Pharmacy	Refill	Daily Dose	Pymt Type	PMP
05/19/2018	1	05/19/2018	ACETAMINOPHEN-COD #3 TABLET	120	30	A00001	AL TES	Alice'	0	18.00 MME	Private Pay	OH

*Per CDC guidance, the MME conversion factors prescribed or provided as part of the medication-assisted treatment for opioid use disorder should not be used to benchmark against dosage thresholds meant for opioids prescribed for pain. Buprenorphine products have no agreed upon morphine equivalency, and as partial opioid agonists, are not expected to be associated with overdose risk in the same dose-dependent manner as doses for full agonist opioids. MME = morphine milligram equivalents. mg = dose in milligrams.

- When the report is opened, the event is logged on the backend. This accounts for the provider checking the PDMP based on state regulations. Once closed, the button color will change to green and a last viewed date will display.

Medications
PDMP Summary Last Viewed: 05/30/2018 [View PDMP Data](#) ✓

Active Medications Review Status: Unknown or Incomplete

Select All [Refresh](#)

Name	Directions
<input type="checkbox"/> Lipitor 20 mg tablet	Take 1 tablet By Mouth once a day.


Create a New Prescription

There are a number of ways to create a prescription within Rcopia 4. Make sure you have the appropriate patient selected before creating a new prescription.


Manual Prescription

In order to manually create a prescription, follow the steps outlined below.

1. To begin, click on the **Create New Prescription** button within the context bar.



2. Enter the first several letters of the drug you wish to prescribe in the search field. The results will begin to auto-populate within a drop-down box. Less is more when searching for a medication.
3. Either select from the list or run the search to display full results.
4. Next, click on the desired strength to launch the **Prescribe Medication** widget.



5. Within the **Prescribe Medication** widget, fill in the required fields as noted by the red asterisks.

The screenshot shows the 'Prescribe Medication' widget interface. At the top, there is a header with 'Patient Demo' and patient information: '01/01/1979 | Male | 1 Apple St Rockville, MD 20850 | Home: (301) 231-9510'. Below this is a 'Patient Observation' section with fields for Height (in, cm) and Weight (lbs, kg), both marked with red asterisks and 'Never' in the 'Last verified' column. The main medication section shows 'lisinopril 10 mg tablet' with a dropdown for '10 mg tablet' and a red asterisk. The 'Provider' field is 'Williams, Eduardo'. The 'Pharmacy' field is 'Corner Market & Pharmacy- Silver Sp (C) (R) (E) - 8309 Grubb Rd, §'. There is a 'Split' button. The 'Recently Used' field is a dropdown with '-- Select --'. The 'Patient Directions' section has a 'Take' dropdown, a quantity of '1', 'tablet' as the unit, 'by mouth' as the route, 'every night' as the frequency, and 'as needed' as the instruction. Below this is an 'Additional Directions to Patient' field with a plus sign. The 'Days Supply' is '15 days', 'Quantity' is '15', 'Refills' is 'none', and 'Substitution permitted' is a dropdown. The 'Directions to Pharmacist' field is empty. The 'Primary Diagnosis' field is a dropdown with '--Select --'. At the bottom, there is a 'Comments for Office Use Only' field with the placeholder 'Enter comments'. At the very bottom, there are 'Review' and 'Cancel' buttons.

6. Below is a description of all fields within the widget.
- Patient Observation (Height and Weight)** shows the patient's height and weight if they were recently observed. These values may be entered or edited on the screen.
 - Verify that the **Provider** and **Pharmacy** fields are correct or use the corresponding drop-down menus to edit.
 - Verify that the **Drug** you have chosen is correct. Use the drop-down menu to change the drug strength.
 - Select the appropriate values from the drop-down menus for the **Sig** details. The last field (Other) is optional.
 - Choose a **Duration**, if desired. This will automatically populate the quantity field. If a duration is chosen, the medication will be automatically removed from the patient's Active Medications list once the duration has passed.
 - Enter the Patient Weight and select a desired dosage and frequency to use the **Dose Calculator**, if desired.

- g. Choose a numerical **Quantity** and number of prescription **Refills**. **Refills** are defaulted to 'none'.
- h. Enter a **Primary Dx** (Diagnosis) and/or **Secondary Dx**, if desired. These fields will only appear if the patient has Problem(s) listed in their Problem History.
- i. Enter **Directions to Pharmacist**, if desired. Directions are defaulted to 'Substitution permitted.'
- j. Enter **Directions to Patient**, if desired. There is no character limit so you can type in as much text as needed to complete the tapered sig. (Note: If you exceed 140 characters, the prescription will be automatically sent by fax and will not be transmitted electronically.)
- k. Enter **Comments** (for office use only), if desired.

7. Click the **Review** button to proceed.

Split a Prescription

When prescribing, you have the ability to split a prescription between two pharmacies. This will send a prescription for the same medication, with the same sig, to two different pharmacies.

1. To split, click the **+ Split** button to the right of the default pharmacy.

The screenshot shows the 'Prescribe Medication' interface. At the top, there is a blue header with the text 'Prescribe Medication'. Below this is a 'Patient Demo' section with the following information: 01/01/1979, Male, 1 Apple St Rockville, MD 20850, Home: (301) 231-9510. Below the patient info is a 'Patient Observation' section with fields for Height (in. and cm), Last verified (Never), Weight (lbs and kg), and Last verified (Never). The medication is 'fluvoxamine 25 mg tablet' with a dropdown menu showing '25 mg tablet' and an asterisk. Below the medication is a 'Provider' dropdown menu showing 'Williams, Eduardo'. At the bottom is a 'Pharmacy' dropdown menu showing 'Corner Market & Pharmacy- Silver Sp (C) (R) (E) - 8309 Grubb Rd,'. To the right of the pharmacy dropdown is a red-bordered button with a plus sign and the text '+ Split'.

- An additional section will appear to the right, allowing you to choose a secondary pharmacy.

Prescribe Medication

Patient Demo 01/01/1979 | Male | 1 Apple St Rockville, MD 20850 | Home: (301) 231-9510

Patient Observation	Height	Last verified	Weight	Last verified
	<input type="text"/> in. <input type="text"/> cm	Never	<input type="text"/> (lbs) <input type="text"/> (kg)	Never

fluvoxamine 25 mg tablet *

Provider
Williams, Eduardo

Pharmacy 1
Corner Market & Pharmacy- Silver Sp (C) (R) (E) - 8309 Grubb Rd.

Pharmacy 2
Careplus CVS/Pharmacy (C) (MO) (SP) (E) - 152

- In order to send two prescriptions, you must fill out all at least **Quantity** for both Pharmacy #1 and Pharmacy #2. You may also set a specific **Duration** and number of **Refills**.

Patient Directions *

Take by mouth -- Other --

Additional Directions to Patient

PATIENT

Weight (kg) Weight (lbs)

For Pharmacy #1

Duration: -- Select --

Quantity:

Refills:

Substitution permitted:

For Pharmacy #2

Duration: -- Select --

Quantity:

Refills:

Substitution permitted:

Note: Using both quantity fields will create two prescriptions.

Review Prescription

After entering prescription details, you will be brought the **Review Prescription** screen. It is very important to review the prescription to ensure you have created the highest quality prescription for your patient.

The screenshot shows the 'Review Prescription' screen for a patient named 'Patient Demo'. The patient's information includes a date of birth of 01/01/1979, gender of Male, address of 1 Apple St Rockville, MD 20850, and a home phone number of (301) 231-9510. There is a checkbox to send a text message to the patient at (301) 885-6123. The patient has allergies to Bactrim (Moderate) and Hazy vision. The prescription is for lisinopril 10 mg tablet. The directions are to take one tablet by mouth twice a day as needed. The quantity is 30 tablets. There are no refills, and substitution is permitted. The days supply is 15 days, and the order number is ST2-24350425432. The provider is Eduardo Williams, MD, located at 9420 Key West Ave, Rockville, MD 20850. The pharmacy is Corner Market & Pharmacy - Silver Sp, located at 8309 Grubb Rd, Silver Spring, MD 20910. The screen also shows a 'Stop Medication on' date of 04/23/2019 and a signature password field with buttons for 'Send', 'Send & Print', 'Print don't Send', and 'Sign don't Send'.

Directions	Take 1 (one) tablet by mouth twice a day as needed
Quantity	**30** (thirty) tablet
Refills	**none** Substitution Permitted
Days Supply	15 days
Order #	ST2-24350425432

Provider
Eduardo Williams, MD
9420 Key West Ave, Rockville, MD 20850
Phone: (888) 271-9898
Fax: (240) 331-9195

MD Lic #: 3DDC4
Pharmacy
Corner Market & Pharmacy- Silver Sp
8309 Grubb Rd
Silver Spring, MD 20910
Phone: (301) 200-8472
Fax: (301) 710-5319
NCPDPID: 2140527


Internal Use Only: Stop Medication on: 04/23/2019

[Save Pending Rx](#) [Save and Add Rx](#) [Back](#) [Cancel](#)


Signature Password: [Send](#) [Send & Print](#) [Print don't Send](#) [Sign don't Send](#)

1. Click one of the action buttons immediately below the prescription.
 - **Save Pending Rx:** adds the prescription to the Prescription Management section on the Patient Info Screen for review and signoff.
 - **Save and Add Rx:** creates a pending prescription and navigates the user back to medication search widget.
 - **Back:** allows you to edit the Sig details in the Prescribe Medication widget.
 - **Cancel:** cancels the prescription.

2. To take immediate action on the prescription, type in your **signature password** (if you are a provider), and click one of the four buttons on the bottom of the screen.



Signature Password

Send Send & Print Print don't Send Sign don't Send 

3. If you would like your patient to receive a copy of the prescription, make sure their mobile phone number is entered at the very bottom of the **Review** screen.
4. They will receive a text message providing access to their personal medication record where they can see any recent prescriptions, updates their active medications, view coupons and drug pricing information, as well as securely store health data.

Prescribing Favorite Prescriptions

Users will be able to choose from their Practice list (Org Favorites), Location list (if applicable), Individual Favorite list (My Favorites) or Recent. Favorites are now searchable by typing into the search box.

Recently used favorites will be displayed in the right column. This list will display the 10 most recent prescriptions from the last 10 days. The display of these lists will depend on the practice location's settings.

1. Click the **Favorites** drop-down located within the context bar.



Patient Demo | 01/01/1979 | Male | 40 years Create New Prescription ★ ENCOUNTER
LOV: 04/02/2019  

- Next, select the desired favorite prescription to use from the drop-down list. This will create a pending prescription.

The screenshot shows a user interface for a medical professional. At the top, a header bar displays the user's name 'Johnathan Swift', date of birth '10/24/1979', gender 'Male', and age '39 years'. There is a 'Create New Prescription' button and a star icon. The main content area is titled 'Favorites' and contains three columns: 'Org Favorites', 'My Favorites', and 'Recent'. Each column lists various medications with their respective dosages and instructions.

Org Favorites	My Favorites	Recent
Adderall 5 mg tablet <ul style="list-style-type: none">1 tablet by mouth single dose as needed (qty:30)	Actos (pioglitazone) 15 mg tablet <ul style="list-style-type: none">1 tablet oral once a day (qty:15 rff:undefined)	Actos 15 mg tablet <ul style="list-style-type: none">1 tablet by mouth once a day as needed (qty:5)
Advil 200 mg tablet <ul style="list-style-type: none">take 1 tablet every 6 hours for pain (qty:60 MDD:3 200 MG/DAY)take 1 tablet every 7 hours for pain (qty:60 MDD:3 200 MG/DAY)	Advil (ibuprofen) 100 mg tablet <ul style="list-style-type: none">1 tablet oral single dose (qty:30 rff:2)1 tablet oral twice a day as directed (qty:6 rff:undefined)	Adderall 5 mg tablet <ul style="list-style-type: none">1 tablet by mouth once a day as needed (qty:30 MD D:60 MG/DAY)
Excel Syringe 3 mL 23 x 1" <ul style="list-style-type: none">1 syringe into affected ear twice a day (qty:100)	Advil (ibuprofen) 200 mg tablet <ul style="list-style-type: none">1 tablet oral twice a day Take 5 pills on day 1, 4 pills on day 2..... (qty:20 rff:undefined)	Advil 200 mg tablet <ul style="list-style-type: none">take 1 tablet every 6 hours for pain (qty:60)
fluvastatin 20 mg capsule <ul style="list-style-type: none">1 capsule by mouth every evening as needed (qty:30)	amoxicillin 500 mg capsule <ul style="list-style-type: none">1 capsule oral once a day (qty:30 rff:undefined)	albuterol sulfate (bulk) powder <ul style="list-style-type: none">1 gram by mouth once a day as needed (qty:30)
		amoxicillin (bulk) 100 % powder <ul style="list-style-type: none">1 scoop by mouth twice a day as needed (qty:30)

- Once a favorite is selected, a pending prescription will be created and can be signed within the **Prescription Management** widget.

Creating Favorites

There are multiple ways to add a new favorite prescription.

1. Within the **Prescription Management** widget, click the star icon.
2. On the review prescription screen, click the star icon.
3. Click on the menu icon at the top left of the screen and choose **Utilities**. Then, select **Favorites**.


To create a favorite within the **Prescription Management** section, follow the steps below.

1. Click the star icon on the far right-hand side. A star icon that is already yellow, indicates that a prescription is already a favorite.



Status	Drug	Directions	Qty	Rfl	Notes	Dr/Staff	Last Modified	Serial #	Actions
<input checked="" type="checkbox"/>	Xanax 1 mg tablet C-IV	Take 1 tablet by mouth once a day as needed MDD: 1 tablet	30 tablet	none	▲	CS	04/11/2019	SB-24350428083	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	lisinopril 10 mg tablet	Take 1 tablet by mouth twice a day as needed	30 tablet	none	▲	EW/CS	04/11/2019	SB-24350428080	<input type="checkbox"/> <input type="checkbox"/>

2. You will then be taken to the **View Favorite Prescription Details** widget, and you will see an overview of the favorite prescription. You can edit the details or save the favorite as is.



View Favorite Prescription Details

Rx lisinopril 10 mg tablet <i>Directions:</i> Take 1 (one) tablet by mouth twice a day as needed <i>Quantity:</i> **30** (thirty) tablet <i>Duration:</i> 15 days <i>Refills:</i> **none** Substitution Permitted <i>Maximum Daily Dose:</i> <i>Directions to pharmacist:</i>	<i>Provider:</i> Eduardo Williams, MD 9420 Key West Ave, Rockville, MD 20850 <i>Phone:</i> (888) 271-9898 <i>MD Lic #:</i> 3DDC4 <i>Fax:</i> (240) 331-9195
--	---

3. Use the **Modify Details** button to make modifications before saving if needed.
4. When ready to save, click on the **Save** button. This will add the favorite to your personal favorite list.

To create a favorite from the **Review Prescription** pop-up, follow the steps below.

1. Click the star icon, and follow the same steps outlined above for adding favorites within the **Prescription Management** section.

Review Prescription

Patient Demo 01/01/1979 | Male | 1 Apple St Rockville, MD 20850 | Home: (301) 231-9510

To reduce prescription abandonment and provide supporting information, send text message to patient at: (301) 885-6123

Patient Allergies: Bactrim (Moderate: Hazy vision)

lisinopril 10 mg tablet

Directions	Take 1 (one) tablet by mouth twice a day as needed	Provider	
Quantity	**30** (thirty) tablet	Eduardo Williams, MD	
Refills	**none**	9420 Key West Ave, Rockville, MD 20850	
Days Supply	15 days	Phone: (888) 271-9898	
Order #	ST2-24350425432	Fax: (240) 331-9195	
		MD Lic #: 3DDC4	
		Pharmacy	
		Corner Market & Pharmacy- Silver Sp	
		8309 Grubb Rd	
		Silver Spring, MD 20910	
		Phone: (301) 200-8472	
		Fax: (301) 710-5319	
		NCPDPID: 2140527	

Internal Use Only: **Stop Medication on:** 04/23/2019

To create a favorite from the **Utilities** section, follow the steps below.

1. Click on **Manage My Favorite Prescriptions** link within the left menu.

Utilities

- Token Management** > EPCS Prescriber Dashboard >
- Manage My Agents** > List, authorize, or revoke privileges of my Provider Agents. >
- Signature Capture** > Add a signature to the system. >
- Favorites** > Manage your favorite prescriptions. >
- Merge Duplicate Patients** > Merge a patient's duplicate records. >

2. After clicking on **Favorites**, you will see a list of currently favored medications. You are able to add new favorites by clicking on the duplicate icon to create a slightly different favorite from an already existing one or by clicking on the **Add Favorite** button.

- a. Depending on location settings and account permissions, you will be able to manage the **Practice Favorites** and **Location Favorites** lists. All users can manage their own favorites through the **My Favorites** list.

Manage Favorites ← Back

Medications

Modify your favorites list(s) below.

Practice Favorites Location Favorites My Favorites

Practice Favorites will be accessible by all users under the practice.

Medication: Drug Type: All Therapeutic Class: All Custom Search Terms: Add Favorite

Showing 1 - 1 of 1 results

Medication	Directions	Duration	Quantity	Refills	Notes	Custom Search Terms	Actions
amoxicillin 250 mg capsule	Take 1 capsule by mouth twice a day.		12 capsule	none		amox	+ ✎ 🗑️

3. If you click on **Add Favorite** button, you can search for the medication you wish to favor and select it by clicking on the appropriate strength.

Manage Favorites

Medications

Practice Favorites My Favorites

Favorite prescription: Q Clear Cancel

Showing your selection - **Select a medication to add as a favorite**

- amoxicillin capsule (generic)
 - 250 mg
 - 500 mg

! Enter free text "amoxicillin capsule" as medication

4. When finished entering in or modifying the details for the new favorite, click the **Save** button.

5. Once a favorite is created, administrators can take a few different actions. These include:
 - a. **Duplicate:** Used to quickly duplicate the same medication favorite. Users can change the strength or details.
 - b. **Edit:** Used to edit the medication favorite.
 - c. **Delete:** Used to delete the medication favorite.

Prescribing Active Medications

This method can only be used if a patient has an active medication. Within the **Medications** widget, find the appropriate active medication and refer to the action icons on the far right-hand side.

Prescriber	Name	Directions	Qty	Rfl	Start	Stop	Last Written	History Source	Actions
<input type="checkbox"/> Kyle Hogan	Lipitor 10 mg tablet	Take 1 tablet by mouth twice a day as needed take with a meal, test.	28 tablet	none	07/10/2018	-	07/10/2018		   
<input type="checkbox"/> Kyle Hogan	lisinopril 20 mg tablet	Take 1 tablet by mouth once a day.	60 tablet	3	06/19/2018	-	07/02/2018		   

1. **Renew from Medication:** will allow you to create a prescription that has been previously inputted into the Rcopia 4 system. Once you click renew, the prescription will appear in your Prescription Management section. You will NOT be taken to the Prescribe Medication widget.
2. **Prescribe from Medication:** will allow you to change the details for the prescription (sig, duration, quantity, refills, pharmacy, etc) and then prescribe.
3. **Stop:** will allow you to stop a medication. You will be prompted to enter a reason for stopping this medication (optional, will be displayed in the patient's inactive medications).
4. **Delete:** will allow you to delete a medication. You will be prompted to confirm deleting the medication before the medication is deleted. You would only want to use this option if the medication was added in error onto the patient's medication list.



Compound Drug Prescriptions


To create a compound prescription, begin by selecting one of the drugs within the compound as the base. Then, within the “Directions to Pharmacist” field, fill in details for any of the additional drugs that are being compounded.

Titration and Tapered Prescriptions

For tapered prescriptions or titrations, you will begin by selecting the drug you intend to prescribe. To complete the directions to patient, first utilize the patient directions drop down boxes if at all possible, then use the “Additional Directions to Patient” field to fill in any details for tapers or titrations.

Sending a Prescription

1. Scroll down to the **Prescription Management** section on the **Patient Info** screen.
2. Select the desired prescription(s) you want to process by checking or unchecking the check boxes on the far left.



The screenshot displays a software interface for managing prescriptions. At the top left, there is a 'Deselect All' button and a trash icon. Below this is a table with the following columns: Status, Drug, Directions, Qty, Rfl, Notes, Dr/Staff, Date, Serial #, and Actions. Three prescriptions are listed, each with a checked checkbox in the Status column:

Status	Drug	Directions	Qty	Rfl	Notes	Dr/Staff	Date	Serial #	Actions
<input checked="" type="checkbox"/>	lisinopril 10 mg tablet	Take 1 tablet by mouth once a day	90 tablet	none		KH	10/03/2017	SB-22648762	[Edit] [Star] [Trash]
<input checked="" type="checkbox"/>	Xanax (alprazolam) C - IV 0.5 mg tablet	Take 1 tablet by mouth once a day as needed	30 tablet	2		KH	10/03/2017	SB-22648768	[Edit] [Star] [Trash]
<input checked="" type="checkbox"/>	morphine C - II 15 mg tablet	Take 1 tablet by mouth every four hours as needed for pain	360 tablet	none		KH	10/03/2017	SB-22648732	[Edit] [Star] [Trash]

Below the table, there is another 'Deselect All' button and a trash icon. A 'Signature Password' field is present, followed by four action buttons: 'Send' (with a count of 3), 'Send & Print', 'Print don't Send', and 'Sign don't Send'. An information icon is located to the right of these buttons.

3. If you are a provider, enter your **Signature Password**.
4. To complete your prescription, select one of the options provided:
 - o **Send:** transmits the prescription to the pharmacy electronically.
 - o **Send & Print:** transmits the prescription to the pharmacy electronically and prints out a watermarked (non-legal) copy of the prescription for your records.
 - o **Print don't Send:** prints the prescription without sending it to the pharmacy. This option may be used if the patient is unsure which pharmacy he or she would like to use. This is required for controlled substance prescriptions in some states.
 - o **Sign don't Send:** signs the medication and adds the medication to the patient's active medication list, but does not send a prescription to the pharmacy. This is useful if the patient was given a sample.

Sending a Controlled Substance Prescription

In order to prescribe controlled substances electronically, a provider must have successfully completed the EPCS onboarding process and be activated by an administrator through Logical Access Control (LAC). If you are an active EPCS prescriber, you will be able to sign and send controlled substance prescriptions electronically within Rcopia 4.

From the Review Screen

1. When creating a prescription manually, users have the ability to sign off on controlled substances within the **Review Screen**.
 - o Once you enter your signature password, the Two Factor Authentication (TFA) section will display.

Prescription Management

1 Controlled Substance Prescriptions for 1 Patient(s) still require Two-Factor Authentication

Pending CS Prescriptions - Patient 1 of 1 [Signing Protocol Help](#)

PATIENT
Patient Demo (01/01/1979) Male
1 Apple St
Rockville, MD 20850

PRESCRIBER
Carlos Salbany, MD
9420 Key West Ave.
Suite 230
Rockville, MD 20850
NPI: 9566889058
DEA: BR1364126
MD LIC #: 658976

Location Name
DrFirst Family Medicine
9420 Key West Ave
Rockville, MD 20850

• By completing the two-factor authentication protocol at this time, you are legally signing the prescription(s) and authorizing the transmission of the above information to the pharmacy for dispensing.
• The two-factor authentication protocol may only be completed by the practitioner whose name and DEA registration number appear above.

Medication	Qty	Rfl	Written	Effective	Notes	Pharmacy	Serial #
<input checked="" type="checkbox"/> Adderall 7.5 mg tablet C-// Take 1 tablet by mouth once a day as needed.	30 tablet	0	04/08/2019			Corner Market & Pharmacy- Silver Sp 8309 Grubb Rd Silver Spring, MD 20910 NCPDP ID: 2140527	SB-24350425437

Signing Passphrase * **Token Device** * **Token PIN** *


***** Hard token - AVT949071465 654321 **Sign** **Skip All**

- o Check any controlled substances you wish to process. Then, enter your signing passphrase, choose your EPCS token, and enter the OTP/security code.
- o When ready, click the **Sign and Send** button.

From Prescription Management/Prescription Report

Users have the ability to sign off on controlled substance prescriptions from with Prescription Report and Prescription Management.


1. Once you have identified which prescriptions you wish to send, enter your signature password and click the **Send** button. There will be a badge notification with the number of prescriptions you are transmitting.



Signature Password

Send 3 **Send & Print** **Print don't Send** **Sign don't Send** ⓘ

2. At the top of the screen, you will see how many legend prescriptions were sent and you can see how many pending controlled substance prescriptions are to be completed. You will need to check the box next to the medication name and enter your two-factor authentication to complete the prescription.
 - a. You can also choose **Skip Patient** or **Skip All** to move forward and process these at a later time.



Prescription Management

1 of 1 Legend Prescriptions Sent
2 Controlled Substance Prescriptions for 1 Patient(s) still require Two-Factor Authentication

Pending CS Prescriptions - Patient 1 of 1

PATIENT
JOHNATHAN R SWIFT (10/24/1979) Male
99238 VERTIGO LANE
MINNEAPOLIS, MN 55427

PRESCRIBER
Kyle Hogan, MD
12800 Middlebrook Road
Germantown, MD 20874
NPI: 2981110911
DEA: AA1238965
MD LIC #: 12345

Location Name
E-prescribing Demo
12800 Middlebrook Road
Germantown, MD 20874

By completing the two-factor authentication protocol at this time, you are legally signing the prescription(s) and authorizing the transmission of the above information to the pharmacy for dispensing.
The two-factor authentication protocol may only be completed by the practitioner whose name and DEA registration number appear above.

Medication	Qty	Rfl	Written	Effective	Notes	Pharmacy	Serial #
<input checked="" type="checkbox"/> Xanax (alprazolam) C-IV 0.5 mg tablet Take 1 tablet by mouth once a day as needed.	30 tablet	2	10/03/2017			CVS/pharmacy #0169 799 ROCKVILLE PIKE ROCKVILLE, MD 20852 NCPDP ID: 2133560	SB-22648768
<input checked="" type="checkbox"/> morphine C-II 15 mg tablet Take 1 tablet by mouth every four hours as needed for pain.	360 tablet	0	10/03/2017			CVS/pharmacy #0169 799 ROCKVILLE PIKE ROCKVILLE, MD 20852 NCPDP ID: 2133560	SB-22648732

Signing Passphrase * Token Device * Token PIN *

***** key fob - AVT964424490 123456 **Sign** 2 **Skip All**

Prescription Report

The **Prescription Report** allows users to manage all prescription activity within one convenient location. While in Single Patient mode, the Prescription Report will be accessed via a launch button in your EHR. Upon launching the Prescription Report, use the steps below to create your report:

1. Select the appropriate provider or select **All Providers** from the drop-down list.
2. Select either **All Patients** or the **Current (patient)**.
3. Select the appropriate Status:
 - a. **All**: displays pending and completed prescriptions.
 - b. **Pending**: displays only those prescriptions that have not had any action taken on them.
 - c. **Completed**: displays all completed prescriptions (signed and sent or signed and printed).
 - i. When **Completed** is selected, a date filter is displayed. Select the appropriate date range.
 - d. **Undeliverable**: displays prescriptions that have not been delivered to the pharmacy.
4. Click on the **Display Report** icon to show the report on screen. All prescriptions that match the criteria will be displayed below.
5. The report contains multiple columns and will show you the Status of the prescription and sig details, allowing you also to take Action on each prescription.
 - a. **Status**: shows whether or not a prescription was successfully sent to the prescription's final destination. Hover your mouse over the icon to display the meaning for each icon.
 - b. **Action**: depending on the status of the prescription, different Actions will display. Hover your mouse over an icon to display an explanation for each Action.
 - i. Favor: adds the prescription to your Favorites List.
 - ii. Modify: allows you to modify the prescription before completing it.
 - iii. Delete: allows you to delete any instance of the prescription.
 - iv. Cancel: cancels the prescription and sends a notice to the pharmacy.
 - v. Print: reprints a completed prescription.
 - vi. Resend: resends a completed prescription.
 - vii. Renew: renews a completed prescription.
6. Select the prescriptions to complete by checking the box to the left of the desired prescription. Pending prescriptions can be completed from the Prescription Report.

7. Enter your **Signature Password** at the bottom.
8. Click one of the action buttons, listed below, depending on healthcare provider.

Provider Options

- **Send:** transmits prescription(s) to the pharmacy.
- **Send & Print:** transmits prescription(s) to the pharmacy and prints the prescriptions to the local office printer.
- **Print don't Send:** sends the prescriptions to the local office printer, but does not send it to pharmacy.
- **Sign don't Send:** adds medication(s) to the patient's active medication list but does not send to pharmacy (often used when giving samples).

The screenshot shows a software interface for a patient named 'Patient Demo'. The patient's information includes a date of birth of 01/01/1979, gender Male, address 1 Apple St Rockville, MD 20850, and home phone (301) 231-9510. A checkbox is checked for sending a text message to the patient at (301) 885-6123. The medication listed is 'lisinopril 10 mg tablet' with directions 'Take 1 tablet by mouth twice a day as needed', quantity '30 tablet', and other details. At the bottom of the interface, there is a 'Signature Password' input field and four buttons: 'Send' (with a '1' icon), 'Send & Print', 'Print don't Send', and 'Sign don't Send'.


All options require a valid **Signature Password**.

Provider Agent Options

Provider Agent options are identical to the Provider options above with the exception of:

- **Send, signature to follow:** button will display instead of the Send button. This sends the prescription to the pharmacy electronically and also to the Prescriber's pending prescription queue to be acknowledged.
- **Send & Print:** transmits prescription(s) to the pharmacy and prints the prescriptions to the local office printer.
- **Print don't Send:** sends the prescriptions to the local office printer, but does not send it to pharmacy.

Staff Options

- 
- o **Print don't send:** prints the prescription(s) to the local office printer, but does not send to the prescriber's queue.
 - o **Archive:** adds medication(s) to the patient's active medication list, and does not send to a prescriber.

Pharmacy Messages

Pharmacy Messages are electronic requests generated by a pharmacy. These could be refill requests for the patient once his or her medication refills have been completed, change requests, or cancellation acknowledgments.

When your practice group has any pharmacy messages, a badge notification will display within the top toolbar.

1. Click the **Pharmacy Message** icon within the top toolbar.



2. You have the ability to filter by provider or message type by using drop-down menus.

Pharmacy Messages

View Messages For: All Providers Message Type: Renewal Request

Displaying 1 - 2 of 2 total pending notifications

Send First Previous 1 Next Last

Bruce Wayne 02/06/1946 | Male | 1174 BACON STREET BLVD MINNEAPOLIS, MN 55419 | Home: (763) 447-5544

Patient Observation	Height	Last verified	Weight	Last verified
	<input type="text"/> in. <input type="text"/> cm	Never	<input type="text"/> (lbs) <input type="text"/> (kg)	Never

citalopram 40 mg tablet Renewal Request

DISPENSED AS REQUESTING	[citalopram 40 mg tablet]
	Take 1 tablet by mouth twice a day DISPENSE 60 tablet FILLS 1 Substitution Permitted WRITTEN DATE 11/11/2018

Original: 01/11/2019 9:05 AM EST
From: Mail Order Pharmacy 10.6MU
To: Carlos Salbany, MD at DrFirst Family Medicine
Last Fill: 12/14/2018
Patient: Bruce Wayne
DOB: 02/06/1946 Gender: Male
LOV: 01/11/2019

RESPONSE ACTION: None PROVIDER: Salbany, Carlos Sr

RESPONSE NOTES TO PHARMACIST: Enter response notes to pharmacist

Office Comments: Enter comment

3. Select the desired action from the drop-down menu for each renewal request.
 - a. **Deny:** will deny the request and send a denial message to the pharmacy.
 - b. **Change:** allows you to change the prescription and/or pharmacy information. When the prescription is changed, the prescription becomes a pending prescription in the appropriate provider's prescription report. This will alert the pharmacy that the requested renewal has been denied, but a new prescription will follow.
 - c. **Renew:** renews the prescription with the desired number of additional refills. When you choose the appropriate refills, you are authorizing this fill plus X

refills of the medication.

- d. **Forward:** allows a staff member to forward the prescription request to another qualified prescriber in his or her practice.
 - e. **Remove:** should only be used if you have previously handled this request and it is a duplicate.
4. If desired, type any **Pharmacy Notes** in the **Response Notes To Pharmacist** field.
 5. If desired, enter any office notes in the **Office Comments** in the box. These comments are visible only to you and your office staff.
 6. After you have selected an action enter your signature password, and click the **Send** button.

The screenshot shows a software interface for a medication renewal request. At the top, there is a 'Signature password' field and a 'Send' button. Below this is a patient information header for 'Bruce Wayne', including date of birth (02/06/1946), gender (Male), and address (1174 BACON STREET BLVD MINNEAPOLIS, MN 55419). The patient's home phone number is (763) 447-5544. The main section is titled 'citalopram 40 mg tablet' and includes a 'Renewal Request' icon. It displays dispensing and request history, with the current request for '1' fill. The 'RESPONSE' section has an 'ACTION' dropdown set to 'Renew' and a 'PROVIDER' dropdown set to 'Williams, Eduardo'. There is a 'FILLS AUTHORIZED' field with the value '1'. A checkbox is checked for 'TO REDUCE PRESCRIPTION ABANDONMENT AND PROVIDE SUPPORTING INFORMATION, SEND TEXT MESSAGE TO PATIENT AT: (763) 447-5544'. Below this is a 'RESPONSE NOTES TO PHARMACIST' field with the placeholder text 'Enter response notes to pharmacist'. On the right side, there is an 'Office Comments' field with the placeholder text 'Enter comment'.

Please Note: You can take action on up to 20 renewal requests at a time.

7. All requests that have an action selected will be executed and delivered to the respective pharmacy.

Medication Reports

The medication reports consist of two reports that display within the **Patient Information** widget after you have selected a patient.

These two reports are the **Provider Clinical Report** and the **Patient Clinical Report**, which are available through two buttons in the **Patient** widget.

Provider Clinical Report

The **Provider Clinical Report** lists the patient's active and inactive medications. It also contains the patient's allergy, diagnoses, and pharmacy information, as well as the provider information. It is a very useful tool when transferring patient care to another provider.

1. After selecting a patient, click **Provider Clinical Report** within the **Patient Information** Section.

The screenshot shows the 'Patient' widget for Kara Whiteside, born 10/11/1952. It includes fields for Patient Consent (YES/NO), Pharmacy (Corner Market & Pharmacy - Silver Sp (C) (R) (E) - 8309 Grubb Rd, S), and Prescription Benefit (PLANABX (PBMF), retail & mail). Below these are fields for Sex (Female), DOB (10/11/1952), Pregnant (No), Breastfeeding (No), Address (23230 Seaport Akron, OH 44306), Home Phone ((330) 554-7754), and Mobile Phone ((330) 554-7754). At the bottom right, there are buttons for 'Provider' and 'Patient' clinical reports.

2. The **Provider Clinical Report** will then display.

The screenshot shows the 'Provider Clinical Report' for David Cross, born 09/10/1972. It includes Patient Details (DOB, Height, Weight, Gender) and Default Pharmacy (CVS/pharmacy #1880, 12619 E-J WISTERIA DRIVE, GERMANTOWN, MD 20874, Ph. (301) 540-1734, Fx. (301) 916-6509). The Medications section shows 'Medication not Reviewed' with a table for Ambien (zolpidem) 5 mg tablet. The Inactive Medications section shows a table for lisinopril 5 mg tablet.

Name	Directions	Qty	Rfl	Start	Stop	Last Written	History Source
Ambien (zolpidem) 5 mg tablet	Take 1 tablet by mouth once a day, TAKE 1 TABLET AT BEDTIME AS NEEDED FOR SLEEP.	30 tablet	0			01/26/2017	Pharmacy

Name	Directions	Qty	Rfl	Start	Stop	Reason Stopped	History Source
lisinopril 5 mg tablet	Take 1 tablet by mouth once a day.	30 tablet	3	10/24/2017	10/31/2017	Completion of Therapy	

3. In order to print this report, click on the **Print** icon on the top right of the report.

Patient Clinical Report

1. The **Patient Clinical Report** is a wallet-sized version of a patient's current medication, allergy and problem list. This is an ideal way for patients to keep track of the medications they are currently taking.
2. Click **Patient Clinical Report** within the Patient Information Section.
3. The **Patient Clinical Report** will then display.

Patient Clinical Report ← Back

David Cross 🖨️

PATIENT DETAILS

DOB: 09/10/1972
Height: Unknown
Weight: Unknown
Gender: male

DEFAULT PHARMACY

CVS/pharmacy #1880
12619 E-J WISTERIA DRIVE,
GERMANTOWN, MD 20874
Ph. (301) 540-1734
Fx. (301) 916-6509

Medications

Name	Directions
Ambien (zolpidem) 5 mg tablet	Take 1 tablet by mouth once a day. TAKE 1 TABLET AT BEDTIME AS NEEDED FOR SLEEP.

Allergies - Active Allergies

Allergy	Reaction
Keflex	swelling

4. In order to print this report, click on the **Print** icon on the top right of the report.

Please Note: If you have pop-up blockers enabled, the print window will not display for either of these reports. You will have to turn this feature off to view and print the browser.


Clinical Alerts


Rcopia 4 has a variety of clinical alerts within the system to ensure that you have information that may be pertinent in the prescribing process. All clinical alerts appear in red. Below is the list of all the clinical alerts within Rcopia 4:

- Drug-Drug Interactions
- Drug-Allergy Interactions
- Drug-Diagnoses Interactions
- Pregnancy
- Lactation
- Dose Check
- Duplicate Therapy
- Geriatric Precautions
- Pediatric Precautions

When a drug is chosen that prompts a clinical alert, Rcopia 4 will display the alert on the screen. Providers may choose **Prescribe Anyway** to continue prescribing or **Cancel** to cancel the prescription. If you choose **Prescribe Anyway**, you can provide a justification for prescribing the medication despite the warning (optional).

Clinical Alerts

 Rcopia has identified 1 clinical alert with the medication, **Plavix (clopidogrel) 300 mg tablet**, that you are prescribing for DAVID m CROSS (09/10/1972).

DRUG INTERACTION ALERT! 

DAVID m CROSS (09/10/1972) is being given **Nexium (esomeprazole magnesium) 20 mg capsule, delayed release(DR/EC)**, which has a **severe** incidence of adverse effects when combined with the drug you have just prescribed, **Plavix (clopidogrel) 300 mg tablet**. [\[See Reference\]](#). Proceed with extreme caution.

Do not show this alert for this medication and this patient for one (1) year.

You may provide a justification for prescribing this medication notwithstanding the warning.

Reminder:
The professional duty in providing care to the patient lies solely with the healthcare professional providing such service, and the Rcopia prescription tool is in no way intended to replace or substitute for professional judgement.

Prescribe Anyway Do Not Prescribe this Medication



Drug interaction alert

When prescribing medications, Rcopia 4 will check against the active medication list for drug-drug interactions. Alerts appear after you have chosen a drug and corresponding strength. These alerts will have a reference section that can be accessed by clicking the arrows to the right of the message.

Allergy interaction alert

When prescribing medications, Rcopia 4 will alert you if you are prescribing a medication that is associated with a drug on the list of allergies and adverse reactions. The alerts will appear after you have searched for the drug and chosen the strength.

Drug-Diagnosis interaction alert

When prescribing medications, Rcopia 4 will alert you if you are prescribing a medication that may interact with a diagnosis or Problem documented for your patient. The alerts will appear after you have searched for the drug and chosen the strength.

Pregnancy and Lactation interaction alert

You can input a patient's pregnancy or lactation status in the **Patient Info** widget. Once selected, you will receive any precautions associated with pregnancy or lactation. Clicking on the arrows to the right of the message will provide you with more information pertaining to the alert.

Duplicate check

A duplicate check alerts the user if he or she has prescribed two drugs in the same therapeutic class.

Dose check

A dose check alerts the user if he or she has prescribed a medication amount that is above or below the maximum or daily dose for that medication.

Geriatric Precautions

Geriatric precautions are based on the Beers list, which indicates that certain medications may not be appropriate in the elderly.

Pediatric Precautions

Pediatric precaution alerts pertain to medications prescribed for the pediatric population. In some cases, certain drugs are not recommended for this population.


Formulary Alerts

All Rcopia 4 users have formulary checking enabled. Formulary information in Rcopia 4 is obtained from SureScripts.

1. When you select a patient, Rcopia 4 will automatically search for his or her eligibility using the patient's first and last name, ZIP code, and DOB.

Please Note: SureScripts provides formulary information from health plans, Pharmacy Benefit Managers and Payers such as Blue Cross, Anthem, MAMSI, etc. SureScripts may not provide eligibility for all government-funded formularies such as Medicaid or some small regional payers.

2. If you try to prescribe a medication that is not covered, or has higher co-pay, you will receive a formulary alert in the system.



Formulary Alerts

Rcopia has identified a FORMULARY alert with the medication, **Plavix (clopidogrel) 300 mg tablet**, that you are prescribing for DAVID m CROSS (09/10/1972).

FORMULARY ALERT!
This drug is on-formulary/not preferred.

Drugs in the same category that have fewer limitations or a lower copay include:
On-Formulary, Preferred Level 1:

- clopidogrel tablet P1
- prasugrel tablet P1
- ticlopidine tablet P1

You may provide a justification for prescribing this medication notwithstanding the warning.

Reminder:
The professional duty in providing care to the patient lies solely with the healthcare professional providing such service, and the Rcopia prescription tool is in no way intended to replace or substitute for professional judgement.

Prescribe Anyway Do Not Prescribe this Medication

3. The user can override the alert, or select from the list of alternatives and prescribe a medication that may have lower co-pay.

Utilities

There are many additional options available in the Rcopia 4 application. To access them, click on the Utilities link within the list icon in the top left hand corner of the page. Several of these utility features are for reference, or have already been configured and performed for your practice upon purchasing the software. Briefly, these Utilities include:

- **Manage My Favorite Prescriptions:** allows users to add prescriptions to their Favorites list without being used in a patient's record previously. A current list of your favorite prescriptions is provided in the Favorites drop-down list.
- **Manage My Agents:** allows a provider to manage their provider agents. A provider agent is a clinical user that can take action on prescriptions on behalf of a provider.
- **Merge Duplicate Patients:** Merge a patient's duplicate records.
- **Pharmacy List Maintenance:** allows users the ability to add or modify the practice pharmacy list.
- **Members Area:** Update account information, add office locations, view user summary, register new users.
- **Supervisor Management:** Designate supervisors.

Utilities

Token Management EPCS Prescriber Dashboard >	Favorites Manage your favorite prescriptions. >
Manage My Agents List, authorize, or revoke privileges of my Provider Agents. >	Merge Duplicate Patients Merge a patient's duplicate records. >
Pharmacy List Maintenance Add or modify the pharmacy list. >	Signature Capture Add a signature to the system. >

Accessing Rcopia User and Location Preferences


User preferences will only apply to the account on which the preferences are set. Location preferences can only be set by an administrator and will apply to all users within a practice location.

How to Set Preferences

1. To access either user or location preferences, you will first need navigate to the **Settings** menu. This can be accessed by clicking on your name in the top right **corner**, or by hovering over the menu icon in the top left and clicking **Settings**.



2. Then, click the **Preferences** option.



3. Use the screens to set preferences as desired. Each user preference is explained in the **User Preferences Defined** section of this manual, and each location preference is explained in the **Location Preferences Defined** section of this manual.
4. Click the **Save** button on either screen to ensure changes are applied.



User Preferences Defined

Application


- **Default Login Location:** Allows users who are connected to more than one location to set their default location when starting Rcopia.
- **Default Login View:** Preference allows a user to determine what screen they will begin on when entering e-prescribing.
 - Patient Search (**default**)
 - Pharmacy Messages
 - Prescriptions Management
- **Default pharmacy list to search:** Allows users to determine which list will be defaulted when searching for a pharmacy.
 - Favorite List
 - Practice List
 - All Lists (**default**)

Medication

- **Ask to reconcile prescription vs. medication when only quantity has changed:** Allows users to control whether the reconciliation screen should appear when prescribing an already active medication and changing just the quantity.
 - No (**default**)
 - Yes
- **Hide inactive medications older than:** Allows users to set limitations for medication history results.
 - No Limit (**default**)
 - 3 Months
 - 6 Months
 - 1 Year
 - 2 Years

Prescription

- **Populate sig fields from previous prescriptions ("sticky" feature):** Allows the system to populate the sig fields with how the most recent providers at the practice




prescribed the selected medication. This will work with prescriptions written within the past 14 days.

- **Include patient allergies on printed/faxed prescription:** Allows users to determine whether or not they would like patient allergies to display on printed/faxed prescriptions.
- **Custom additional directions to patient (one per line):** A custom prescription note may be no more than 210 characters in length. If a prescription exceeds the limit, it will be sent via fax to the pharmacy. Users can find and use these notes through the + icon on the sig page next to the **Additional Directions to Patient** text field.
- **Custom pharmacist notes (one per line):** Users can find and use these notes through the + icon on the sig page next to the **Directions to Pharmacist** text field.
- **Custom prescription comments (one per line):** Users can find and use these notes through the + icon on the sig page next to the **Comments for Office Use Only** text field.

Prescription Management

- **Include cancelled prescriptions:** Allows user to determine whether or not they wish to view cancelled prescriptions when reporting.
- **Include prescriptions from other locations:** Allows users to determine if they wish to view all prescriptions from other offices they are connected to (user has to be connected to more than one location in order to set this user preference).
- **Default Display Range:** Allows user to set default time range for reporting.
 - Today (**default**)
 - Past 3 Days
 - Past 7 Days
 - Past 14 Days
 - Past 30 Days
- **Default provider selection:** Allows users to select a provider that the system will default to when creating prescriptions.
- **Default status view:** Allows a user to determine which prescription status they wish to set when reporting.
 - Pending Prescriptions (**default**)





- Completed Prescriptions
- All Prescriptions

Rcopia Location Preferences Defined

Alerts

- **Allow providers to suppress duplicate clinical alerts for 1 year:** If **Yes**, clinical alerts can be suppressed for one year after they are initially received by a provider. This allows providers to avoid receiving the same alert continually.
- **Duplicate therapy check against External Medication History (past 120 days):** If **Yes**, Rcopia utilizes a patient's PBM/Pharmacy history (if available) for duplicate therapy checks. Providers will want to confirm that the patient is taking the medication on the history before making a clinical decision.
- **Drug-drug interaction against External Medication History (past 120 days):** If **Yes**, Rcopia utilizes a patient's PBM/Pharmacy history (if available) for drug-drug interactions. **(default)**
- **When a user overrides prescription warnings:**
 - Require Users to Enter a Reason
 - Allow Users to Enter a Reason, But do not Require It **(default)**
 - Do not Permit Users to Enter a Reason
- **Drug-allergy interactions:**
 - All warnings **(default)**
 - Ingredient and Specific Group Allergies Only
- **Drug-diagnosis interactions:**
 - Contraindicated for Exact Diagnoses Only **(default)**
 - Contraindicated for Exact and Related Diagnoses
 - Contraindicated or Evaluation Needed for Exact Diagnoses Only
 - Contraindicated or Evaluation Needed for Exact diagnosis and Related Diagnosis
 - All Warnings for Exact Diagnoses Only
 - All Warnings for Exact and Related Diagnoses
- **Drug-drug interactions:**
 - All interactions **(default)**
 - Severe and Contraindicated Only



- 
- Contraindicated Only
 - **Geriatric warnings:** The system will alert the user for any geriatric alerts within the system. **All Warnings** is the recommended setting for this setting.
 - **Pediatric warnings:** The system will alert the user for any pediatric alerts within the system. **All Warnings** is the recommended setting for this setting.

Allergy

- **Enable “Allergy Severity”:** Allows an optional allergy severity dropdown to appear when recording allergies.

Application


- **Allow partial date for medication and allergy onset:** If **Yes**, users will be able to add use partial start dates when adding medications and allergies. For example, a user will be able to add a start date by indicating the year only, not a month or day. If **No**, a user will have to input the month, day, and year for a given start date.
- **Allow providers to manage their provider agents:** If **Yes**, providers can manage agents by clicking the left top menu icon, clicking **Utilities**, and clicking into **Manage My Agents**.
- **Include enterprise name with location name:** If **Yes**, the enterprise name will be displayed across the top of the screen.

Diagnosis

- **Supported diagnosis codes:** Allows diagnosis codes as options in the diagnosis widget. Options are **ICD-10 (Complete)**, **ICD-10 (Billable)**, **SNOMED CT**, **ICD-9**.

Medication


- **Allow incomplete drug definition:** If **Yes**, users will be able to add medications onto the active medication list without selecting a strength of the given medication.
- **Enable “Quick Add” without medication details:** If **Yes**, users will be able to quickly add medications onto active medication list with only the medication and strength.
- **Allow specifying medication history source:** If **Yes**, users will be able to view where a medication history result came from.

- 
- **Retain office comments and directions to Pharmacist when renewing/prescribing a medication:** Allows previous notes to the pharmacist and staff to be retained on renewals.
 - **Show prescriber name on medication reports:** If **Yes**, automatically displays prescriber name on medication report.
 - **Default external medication:**
 - No Automatic Search
 - Last 30 Days (**default**)
 - Last 90 Days
 - Last 180 Days
 - Last 365 Days

Patient

- **Enable Transition of Care logging:** If **Yes**, the link will appear within the patient chart, allowing the user to document the TOC date. If **No**, the transition of care link will not appear within the patient chart.
- **Include Transition of Care and encounter data in EMR/PMS interface data:** If **Yes**, transition of care and end encounter information will be sent back to the PMS or EMT. If **No**, the date will be retained in Rcopia only.
- **Label prefix for patient External ID:** Text box provided to provide an External ID label for aforementioned External ID name.
- **System name required to enter patient External ID:** This is the identifier used to link Rcopia to a Practice Management or EMR. This would be a required entry for all new patients added to Rcopia.
- **System name of patient External ID to display on prescriptions and reports:** Text box provided to automatically display patient/external ID on all prescriptions and reports. Not used by smaller practices



Patient Advisor


- **Enable adherence plans:** If **Yes**, users will be prompted of adherence plans (if available) while prescribing.
 - **Enable patient education material and/or support programs:** If **Yes**, users will be able to access educational material that can be provided for patients.
- 

- 
- **Enable electronic Prior Authorization (ePA):** If **Yes**, the ability to process prior authorizations will appear.

Prescription

- **Allows prescriptions to be saved as pending without sig and quantity:** If **Yes**, this allows prescriptions to be generated and saved without including sig or quantity data. This is good for the staff who do not know the sig but can still create and send to the physician's queue for completing. **(default)**
- **Allow a provider to approve a prescription without entering a signature password (Certain states require signature passwords to be used as part of the electronic prescribing process; please refer to your state rules prior to disabling this feature.):** If **Yes**, providers will be able to send prescriptions to the pharmacy for filling without having to enter a signature password.
- **Require Providers to retroactively sign prescriptions sent by an agent under the provider's name:** If **NO** providers will not be required to sign prescriptions sent by provider agents on their behalf.
- **Enable Patient Notification via SMS text:** If **Yes**, this checkbox that appears in the **Pending Prescription for the Patient** section of the patient summary screen and the prescription review screen will be checked by default. This will allow an SMS text message to be sent to the patient upon signing a prescription. Patients will be able to see the pharmacy to which the prescription was sent along with coupons and drug pricing.
- **Medication stop date auto-set based on prescription duration:** If **Yes**, automatically discontinues an active medication when the duration expires. Medication automatically moves to inactive medication list.
- **Populate sig fields from previous prescriptions ('sticky' feature):** Allows the system to populate the sig fields with how the most recent providers at the practice prescribed the selected medication. This will work with prescriptions written within the past 14 days.
- **Enable prescription controls on the Review Prescription screen:** If **Yes**, this allows practice to add the "Action" buttons to the Review Prescription screen.
- **Require provider to sign prescriptions printed by staff:** If **Yes**, provider signatures are needed on printed prescriptions.

- 
- **See pending and undeliverable prescriptions across all of your locations:** If **Yes**, users will be able to see pending and deliverable prescriptions from other locations.
 - **Include link to drug information reference site on prescribe screen (not affiliated with DrFirst):** If **Yes**, Rcopia will automatically provide a link on the 'Enter Details' screen to access a drug reference website (RxList).
 - **Show practice name on reports:** If **Yes**, automatically displays practice name on prescription and medication reports.
 - **Remember signature password for:** Allows system to remember signature password for selected amount of time.
 - Never (**default**)
 - 5 Minutes
 - 15 Minutes
 - 30 Minutes
 - 45 Minutes
 - 60 Minutes
 - **Enable Practices Favorites List:** If checked, the permitted users (determined by options below) will be able to use and modify favorites created at a practice level.
 - **Admin** (cannot be unchecked)
 - **Only Prescribers with Signing Permission**
 - **All Users**
 - **Enable Location Favorites List:** If checked, permitted users (determined by options below) will be able to use and modify favorites created at a practice location level.
 - **Admin** (cannot be unchecked)
 - **Only Prescribers with Signing Permission**
 - **All Users**
 - **Enable User Personal Favorites:** If checked, users will be able to save and access their own favorite list.
 - **Enable Recently Prescribed Display:** If checked, users will be able to access a list of recently prescribe favorites.
 - **Prescription security features note to include on printed prescriptions (max 100 chars):** Allows a printed message to appear on all prescriptions practice wide.
- 

- 
- o **Custom additional directions to patient (one per line):** A custom prescription note may be no more than 210 characters in length. If a prescription exceeds the limit, it will be sent via fax to the pharmacy. Users can find and use these notes through the + icon on the sig page next to the **Additional Directions to Patient** field.
 - o **Custom pharmacist notes (one per line):** Users can find and use these notes through the + icon on the sig page next to the **Directions to Pharmacist** field.
 - o **Custom prescription comments (one per line):** Users can find and use these notes through the + icon on the sig page next to the **Comments for Office Use Only** field.

Prescription Management

- o **Default pending prescription box to checked:** If **Yes**, ensures that all pending prescriptions on the pending prescription report are checked. **No** is recommended so that physicians have to choose the prescriptions they desire to approve and do not accidentally approve another physician's prescriptions.
- o **Show complete comments on reports:** If **Yes**, office comments are in reports.
- o **Show patient's responsible provider on reports:** If **Yes**, the patient's primary care provider (PCP) is displayed in the status bar.
- o **Show pharmacy name on reports:** If **Yes**, pharmacy name will display on reports

Report a Problem / Help

If you have any questions or require assistance with any usage or account issues, you can contact your support resource or DrFirst's 24/7 Support Team.

Please Note: If you are a partner user, please contact your EMR's support team instead.

If contacting DrFirst Support, please have your username / login name to help us expedite your service request. You can reach us through the below channels.

- o Call us 24/7 at (866) 263-6512.
- o Log in to your JIRA Service Desk account to submit an online support request.

If you do not yet have a JIRA Service Desk account, please work with your Account Manager, Implementation Specialist, or our Support Team.