

The logo for SPXX, featuring the letters 'SP' in a dark grey, bold, sans-serif font, followed by 'XX' in a bright green, bold, sans-serif font. A registered trademark symbol (®) is located to the right of the second 'X'.

**SPXX**®

A green chevron icon pointing to the right, positioned to the left of the tagline text.

**Where Ideas Meet Industry**



# Radiodetection

Dielectric Technologies

AN SPX BRAND

## Model 1802 Mini Duct Probe



The Model 1802 Mini Duct Probe is a versatile, portable tool that provides a quick and easy method for accurately locating a variety of problems in underground cables.

The strong, highly resilient rod winds onto a portable, lightweight reel assembly which includes wheels for easy transport.

When used with the Microphone Probe Tip and the Model 1805 Multisonic Detector, the Mini Duct Probe will quickly pinpoint hard to find air pressure leaks. Probe tips for hard fault locating and duct tracing are also available

154 Portland Road, Bridgton, Maine 04009

Phone: (207) 647-9495 Toll Free: 1-877-247-3797 Fax: (207) 647-9496 Email: [rd.sales.us@spx.com](mailto:rd.sales.us@spx.com)

# Model 1802

## Mini Duct Probe

### Features

- Lightweight, easy to handle reel assembly is easily transported to the job site by one person
- Small rod diameter allows this duct probe to be used in crowded ducts
- Continuous coax cable embedded in plastic-coated fiberglass rod makes this a rugged leak locating tool
- Small 3/8" diameter lets this duct probe

### Applications

- Locating air pressure leaks
- Pinpointing cable faults
- Identifying location of steam leaks
- Precise thermal measurement for resistance bridge fault plotting

### Specifications

Fiberglass Rod Dimensions: 330 ft. (100M) long, 3/8" (9mm) diameter.

Composition: Coax cable embedded in fiberglass rod coated with wear resistant, high density polyethylene.

Reel Assembly: 41" (1.1m) high, vertical, self-dispensing, steel reel with wheels and distance measuring equipment.

Weight: 59 lbs (27kg).

### Accessories

- Model 1805 Multisonic Detector - highly sensitive broadband leak detector that is used with the Model 1802 to pinpoint air pressure leaks. Required for 1802 operation.
- Model 1801-00198 Multisonic Probe Tip - used for air leak locating 100 Hz - 100 KHz frequency range.

### Ordering Information

Model 1802 Mini Duct Probe comes equipped with interconnect cable for Model 1805, distance measuring equipment (DME), accessory bag, and instruction manual. Probe Tips must be ordered separately.

Model 1802K Mini Duct Probe Kit comes equipped with all the above plus Multisonic Probe Tips.

Metric Distance Measuring Equipment may be substituted by adding "M" to part number (example: Model 1802KM)

Model 1805 Multisonic Detector is required for air leak locating.

Replacement parts and repair kits are available - contact the factory

### Warranty

Radiodetection warrants that this product shall be free from defects in workmanship and materials for one year. For details please see our warranty statement.

All specifications and descriptions are subject to change without notice.

# Specialists in Cable Pressurization

## World leaders



Radiodetection is a proud member of the SPX group of companies, which provide technical products and service solutions worldwide.

Radiodetection and its associated companies specialize in the design and manufacture of products for the location and maintenance of underground pipes and cables. Our aim is to be viewed as the supplier of choice of 'high performance' quality equipment using advanced product technologies. We are also committed to both design innovation and customer support.

## Technical support



Radiodetection equipment users have easy access to technical support. A call to your regional representative, or the Radiodetection head office, will put you in contact with our team of field-experienced technical experts.

## Servicing and repair



Radiodetection has a team of factory-trained service technicians and dedicated service facilities. Turnaround is fast, and costs are very competitive.

## Training



Product training for your operators and training personnel is available on your site, or at Radiodetection's headquarters. Training is with qualified instructors and each trainee receives a certificate to confirm they have received the training.

### America

#### Radiodetection

154 Portland Road  
Bridgton, ME 04009, USA  
Tel: +1 (207) 647 9495  
Toll Free: +1 (877) 247 3797  
Fax: +1 (207) 647 9496  
Email: rd.sales.us@spx.com  
Web: www.radiodetection.com

#### Pearpoint

72055 Corporate Way  
Thousand Palms CA 92276, USA  
Tel: +1 800 688 8094  
Tel: +1 760 343 7350  
Fax: +1 760 343 7351  
Email: pearpoint.sales.us@spx.com  
Web: www.radiodetection.com

#### Radiodetection (Canada)

344 Edgeley Boulevard, Unit 34  
Concord, Ontario L4K 4B7, Canada  
Tel: +1 (905) 660 9995  
Toll Free: +1 (800) 665 7953  
Fax: +1 (905) 660 9579  
Email: rd.sales.ca@spx.com  
Web: www.radiodetection.com

### Europe

#### Radiodetection Ltd (UK)

Western Drive  
Bristol BS14 0AF, UK  
Tel: +44 (0) 117 976 7776  
Fax: +44 (0) 117 976 7775  
Email: rd.sales.uk@spx.com  
Web: www.radiodetection.com

#### Radiodetection (France)

13 Grande Rue, 76220  
Neuf Marché, France  
Tel: +33 (0) 232 8993 60  
Fax: +33 (0) 235 9095 58  
Email: rd.sales.fr@spx.com  
Web: http://fr.radiodetection.com

#### Radiodetection (Benelux)

Industriestraat 11  
7041 GD 's-Heerenberg, Netherlands  
Tel: +31 (0) 314 66 47 00  
Fax: +31 (0) 314 66 41 30  
Email: rd.sales.nl@spx.com  
Web: http://nl.radiodetection.com

#### Radiodetection (Germany)

Groendahlscher Weg 118  
46446 Emmerich am Rhein, Germany  
Tel: +49 (0) 28 51 92 37 20  
Fax: +49 (0) 28 51 92 37 520  
Email: rd.sales.de@spx.com  
Web: http://de.radiodetection.com

### Asia-Pacific

#### Radiodetection (Asia-Pacific)

Room 708, CC Wu Building  
302-308 Hennessy Road, Wan Chai  
Hong Kong SAR, China  
Tel: +852 2110 8160  
Fax: +852 2110 9681  
Email: rd.sales.cn@spx.com  
Web: www.radiodetection.com

#### Radiodetection (China)

Hongfu Mansion, Room 61622  
Zheng Ge Zhuang, Bei Qi Jia Town  
Chang Ping District  
Beijing 102209, China  
Tel: +86 (0) 10 8975 5540  
Fax: +86 (0) 10 8975 5640  
Email: rd.service.cn@spx.com  
Web: http://cn.radiodetection.com

#### Radiodetection (Australia)

Unit 14, 5-7 Prosperity Parade  
Warriewood NSW 2102, Australia  
Tel: +61 (0) 2 9979 8555  
Fax: +61 (0) 2 9979 7733  
Email: rd.sales.au@spx.com  
Web: www.radiodetection.com

To see the full range of products and services provided by Radiodetection visit:

[www.radiodetection.com](http://www.radiodetection.com)

Radiodetection products are under continuous development and are subject to change, we reserve the right to alter or amend any published specification without notice.

Copyright 2008 Radiodetection Ltd. - SPX Corporation. All rights reserved. Radiodetection Ltd. is a subsidiary of SPX Corporation.



**Radiodetection**  
AN SPX COMPANY



Global Headquarters  
13515 Ballantyne Corporate Place  
Charlotte, North Carolina 28277  
United States

**Where Ideas Meet Industry**

**Where Ideas Meet Industry**

[www.spx.com](http://www.spx.com)