

Straight Line Diagram

(Including Drain Pipes)

Venango 60

January 2021

This document was produced by the Pennsylvania Department of Transportation (PENNDOT) as an internal management tool for State maintained highways and is not to be used for other purposes. The printed information was compiled from the Department's computerized Roadway Management System (RMS) and is subject to change without notice. Use of any or all of the printed information for purposes other than those intended by the Department may not satisfy other accuracy and completeness requirements and the Department does not warrant that such printed information is accurate or complete.

ROADWAY MANAGEMENT SYSTEM INDEX FOR SR'S LOCATED IN THE COUNTY OF VENANGO

SR	BGN	PAGE	END	PAGE	SR	BGN	PAGE	END	PAGE	SR	BGN	PAGE	END	PAGE
0008		1		25	3006		280		281	8014		420		420
0027		26		34	3007		282		286	9101		421		421
0036		35		38	3008		287		293	9102		422		422
0038		39		48	3009		294		296	9103		423		423
0062		49		80	3010		297		300	9105		424		424
0080		81		98	3011		301		304	9201		425		425
0157		99		105	3012		305		305	9202		426		426
0208	106			114	3013		306		311	9301		427		427
0227	115			124	3014		312		312					
0257	125			129	3015		313		314					
0268	130			130	3016		315		317					
0308	131			136	3017		318		324					
0322	137			154	3018		325		325					
0417	155			162	3019		326		327					
0427	163			169	3020		328		330					
0428	170			179	3021		331		333					
0478	180			180	3022		334		334					
0965	181			184	3023		335		336					
1001	185			188	3024		337		341					
1003	189			191	3025		342		347					
1004	192			197	3026		348		352					
1005	198			200	3027		353		353					
1006	201			204	3028		354		355					
1007	205			207	3029		356		356					
1008	208			208	3101		357		357					
1009	209			211	3102		358		358					
1011	212			212	4001		359		362					
1013	213			213	4002		363		364					
2001	214			215	4003		365		369					
2002	216			219	4004		370		371					
2003	220			221	4005		372		373					
2004	222			228	4006		374		376					
2005	229			232	4007		377		380					
2006	233			238	4008		381		381					
2008	239			239	4009		382		386					
2009	240			241	4010		387		389					
2011	242			243	4011		390		390					
2013	244			248	4012		391		392					
2015	249			251	4013		393		393					
2017	252			254	4016		394		396					
2019	255			255	4018		397		400					
2021	256			257	4020		401		404					
2023	258			261	4022		405		410					
2025	262			264	4024		411		411					
2027	265			266	4025		412		412					
3001	267			268	6008		413		415					
3002	269			270	8002		416		416					
3003	271			275	8008		417		417					
3004	276			277	8010		418		418					
3005	278			279	8012		419		419					



December 30, 2020

Pennsylvania State Roads - Straight Line Diagrams

Contained within this document are the 2021 Pennsylvania Straight Line Diagram's (SLD's) for State Routes by county within a particular PennDOT district. At the end of each year, PennDOT takes a snapshot of its current SLD database and creates PDF files from the SLD snapshot. The SLD's are a graphical representation of State Routes (SR's) that PennDOT maintains. The information shown on the SLD's is generated from data found in PennDOT's Roadway Management System (RMS) database. The data from RMS is constantly being updated to match actual roadway inventory data found on Pennsylvania's state highways. PennDOT's SR system is explained briefly in this document along with symbol definitions for each type of roadway feature or attribute found on the SLD. This PDF version of the SLD contains an individual county list of all state roads found in that county. The SR's found on the list are linked to the actual pages that show the individual SLD's. To find an SLD for a particular road that you want, simply point to that road on the SR index list and click on it to jump to the beginning page of that SLD.

If you have any questions or comments concerning information found in this document, please contact Colin McClenahan, [Roadway Inventory and Testing Unit](#), [Asset Management Division](#), [Bureau of Maintenance and Operations](#), by calling (717) 783-0172.

Additional information on state owned highways is available from your local PENNDOT Engineering District Office, RMS Unit, RMS Coordinator.

Straight Line Diagram Disclaimer: This document is for informational purposes only and may be viewed by anyone. No part of the information contained in this document may be altered or redistributed without prior written consent of PENNDOT. Straight Line Diagram information is provided "as is" without warranty of any kind, either expressed or implied. This information could include technical inaccuracies or errors of omission. Changes may be made periodically to the information herein.

Copyright © 2020 by the Commonwealth of Pennsylvania. All rights reserved.



Asset Management Division

Mission Statement

To protect and preserve Pennsylvania's infrastructure by providing meaningful, timely, and accurate pavement and roadway management, design, standards, strategies, inventory and condition, as well as fair, consistent and efficient application of Commonwealth laws and regulations.

CUSTOMER SERVICE RATING FORM

Straight Line Diagram (SLD) – Customer Service Rating

As means to improve customer service, we would like you to rate the product/ service you have received, by circling a “grade” from “A” (excellent) to “E” (fail).

A B C D E

If your rating is not an “A,” please let us know what we could do better.

Name and Organization (optional)

Thank You.

(Fold along line, and tape or staple together before mailing)

(Cut along dashed line)

Bureau of Maintenance and Operations
Asset Management Division – BOMO Annex
907 Elmerton Avenue
Harrisburg, PA 17110
ATTN: Colin McClenahan

PENNSYLVANIA DEPARTMENT OF TRANSPORTATION

Bureau of Maintenance and Operations, Asset Management Division

Location Referencing System (LRS) – Definitions, Uses & Testing

The Department's LRS, implemented in 1987, is the mechanism to designate the State highway network, to define roadway lengths, locations, and route connectivity, and to serve as the basis for the collection, storage, and integration of roadway information.

An LRS key is a unique series of numbers that identifies the location of each point or feature along a State route. The fourteen digit number is an integral part of the Roadway Management System (RMS) where roadway data is stored. 07/4016/0100/0857 is an example of an LRS key, which identifies County (CO) = 07, State Route (SR) = 4016, Segment (SEG) = 0100, and Offset = 0857.

County (CO)

Each of Pennsylvania's sixty-seven counties is identified by a number.

Name	#	Name	#	Name	#	Name	#
Adams	1	Clinton	18	Lackawanna	35	Potter	52
Allegheny	2	Columbia	19	Lancaster	36	Schuylkill	53
Armstrong	3	Crawford	20	Lawrence	37	Snyder	54
Beaver	4	Cumberland	21	Lebanon	38	Somerset	55
Bedford	5	Dauphin	22	Lehigh	39	Sullivan	56
Berks	6	Delaware	23	Luzerne	40	Susquehanna	57
Blair	7	Elk	24	Lycoming	41	Tioga	58
Bradford	8	Erie	25	McKean	42	Union	59
Bucks	9	Fayette	26	Mercer	43	Venango	60
Butler	10	Forest	27	Mifflin	44	Warren	61
Cambria	11	Franklin	28	Monroe	45	Washington	62
Cameron	12	Fulton	29	Montgomery	46	Wayne	63
Carbon	13	Greene	30	Montour	47	Westmoreland	64
Centre	14	Huntingdon	31	Northampton	48	Wyoming	65
Chester	15	Indiana	32	Northumberland	49	York	66
Clarion	16	Jefferson	33	Perry	50	Philadelphia	67
Clearfield	17	Juniata	34	Pike	51		

State Route (SR)

State Routes (SR's) are identified by four-digit numbers. SR numbers are assigned as follows:

1. Traffic Routes: Routes designated as Interstates, US or PA Routes	0001-0999
2. Quadrant Routes (Non-Traffic Routes)	1001-4999
3. Relocated Traffic Routes	6000-6999
4. Turned Back, Abandoned, or Null Routes	7000-7999
5. Interchanges	8001-8999
6. WYE's	9101-9199
7. Rest Areas	9201-9299
8. Truck Escape Ramps	9301-9399
9. Others	9401-9499

Even/Odd Convention: Even numbers are typically given to SR's in the East/West direction, and odd numbers to SR's that run North/South. This convention applies to Interstate Routes (except those that are Beltways or Spurs), and Quadrant Routes. This convention may or may not apply to PA or US Traffic Routes.

Hierarchy: If two or more traffic routes occupy the same section of roadway, the SR number is based on the "higher" type route, according to the following hierarchy. If the traffic routes are the same hierarchy class, then the SR number is assigned the lower numbered traffic route (Figure 1).

1. Interstates
2. U.S. Routes
3. PA Routes
4. Quadrant Routes




FIGURE 1

Other Numbering Conventions:

1. The first digit of a quadrant route is based on which quadrant of the county the route is located, as shown in the following diagram (Figure 2).
2. The last three digits of a Relocated Traffic Route are the same as the Traffic Route that was relocated.
3. Interchanges are numbered sequentially. Odd numbers are given to interchanges along SR's in the North/South direction; even numbers are given to interchanges along SR's in the East/West direction (Figure 3).
4. WYE's are given odd numbers if the connecting SR is odd numbered, and even numbers if the connecting SR is even numbered.
5. Rest Areas or Truck Escape Ramps are given odd numbers if they connect to the Southbound or Westbound side of an SR, and even numbers if they connect to the Northbound or Eastbound side.




FIGURE 2




FIGURE 3

Segment (SEG)

State routes are divided into segments, which are approximately one-half mile long, and are identified by a four-digit number. Segment begin and end points are placed at physical features where possible. Segment numbers increase in the North or East direction, and typically by 10's (Figure 4). Segments are even numbered on undivided roadways, and in the Northbound or Eastbound direction of divided roadways. Segments are odd numbered in the Southbound or Westbound direction of divided roadways (Figure 5). Interstate segments are associated with the mile posts (Figure 6).


Undivided Roadways

FIGURE 4


Divided Roadways

FIGURE 5


Interstate Roadways

FIGURE 6

Turned Back, Abandoned, and Null Segments are given numbers in the range of 7000-7999. For two coincident State routes, the route with "lower" hierarchy is "nulled."

Segment numbering restarts on Traffic Routes at County boundaries, except Interstates (Figure 7).




FIGURE 7

Offset

The offset, a subdivision of the segment, is the distance (in feet) from the beginning of the segment, expressed as a four-digit number. Offsets are measured in the increasing segment direction.

Segment Markers

Segment markers, which allow for easy identification of the LRS location on the State highway system, indicate the State route and segment number at the point that each segment is entered. If the beginning of a segment occurs at a physical feature, then the point of reference is at the physical feature and not the sign. At intersections, signs are used to identify beginning or ending State routes or segments.



Users of the LRS

Locations of all intersections, structures, and other points of interest are field verified and inventoried in the RMS. This information can be displayed on Straight Line Diagrams (SLD's) which can be viewed in the RMS, or hardcopy form. SLD books are refreshed and printed annually for distribution to the Department's District and County offices, as well as too many external entities.

A list of those within the Department that use the LRS to identify locations in the RMS and in the field includes personnel from the following organizations: Pavement Testing, County Maintenance, Traffic, Design, Surveys, Construction, Bridge, Permits, Crash Review, Planning and Programming, Posted & Bonded Roads, Tort Liability, and Emergency Management.

Users outside the Department include: County & Municipal governments, County 911, Planning Commissions, Federal Highway Administration, State & Local Police, Local Emergency Management, Delivery Services (UPS, Fed Ex, etc.), Fire Departments, Utility Companies, Contractors, and Consultants.

Without segment markers located in the field, all of these users would have to rely solely on the SLD, which would be extremely cumbersome at best and impossible for some.

Verification, QA & QC

In order to assure that LRS information is indicated properly in the RMS, on SLD's, and in the field, LRS Quality Assurance (QA) and Quality Commitment (QC) programs are performed each year. The Bureau of Maintenance and Operations, Asset Management Division, Roadway Inventory & Testing Unit (RITU) performs all Statewide QC testing. Field verification and QA is also performed by RITS, except in Engineering Districts 2-0, 11-0, and 12-0, where it is done "in-house." Each Engineering District is responsible for its own LRS completeness and maintenance with respect to the RMS.

Twenty percent of each county is field tested annually as part of the QA program, and five percent of each county is tested for the annual QC program. The goal of the QC program is to maintain at least 90% accuracy between the RMS and the actual field locations of highway features. Annual QC ratings are developed and reported to the Engineering Districts.

Field testing is performed by two-person teams (a permanent employee that operates the test, and a temporary employee that drives the device) with the use of vans equipped with an on-board computer and a Data Measurement Subsystem. Testing is typically performed during the months of April through November.

Vehicle location and roadway features are displayed on the van's computer screen in SLD format, and the software accepts operator inputs verifying or modifying roadway feature locations, as well as comments. Though the system can function at greater speed, test speeds are typically less than 25 mph to ensure accuracy.

There are five categories of information that is verified and/or modified:

1. State Route Length
2. Segment Length
3. Roadway Geometry (lane count, pavement & shoulder types & widths)
4. Intersecting Feature Location (intersections & bridges)
5. Segment Marker Location

STRAIGHT LINE DIAGRAM (SLD) ANNUAL REFRESH ATTRIBUTE KEY PAGE 1 OF 2

 SEGMENT MARKER	 AHEAD LEFT INTER STATE OWNED	 RAILROAD CROSSING	 INTERSTATE MILEPOST
 TURNBACK	 AHEAD LEFT INTER NON-STATE	 RAILROAD OVER-PASS	 MFC BEGIN
 NULL	 AHEAD RIGHT INTE STATE OWNED	 OVER-PASS	 MUNICIPAL BOUNDARY
 UNDIVIDED HIGHWAY	 AHEAD RIGHT INTE NON-STATE	 BRIDGE END	 VILLAGE BEGIN
 PHYSICALLY DIVIDED	 BACK LEFT INTER STATE OWNED	 BRIDGE BEGIN	AH - LENGTH FORWARD TO NEXT SEGMENT BEGIN BK - LENGTH BACK WARD TO PREVIOUS SEGMENT BEGIN
 PAINT DIVIDED	 BACK LEFT INTER NON-STATE	 TUNNEL	
 INTERSECTION AHEAD	 BACK RIGHT INTER STATE OWNED	 SIGN STRUCTURE	MFC - MAINTENANCE FUNCTIONAL CLASS A = INTERSTATE B = EXPRESSWAY AND/OR PRINCIPLE ARTERIAL C = MINOR ARTERIAL D = COLLECTOR E = LOCAL ACCESS F = INTERCHANGE RAMP
 INTERSECTION BACK	 BACK RIGHT INTER NON-STATE	 P3 BRIDGE	
 REFERENCE AHEAD/BACK	 T-LEFT INTERSEC STATE OWNED	 RETAINING WALL	
 DIVIDED CONNECTOR	 T-LEFT INTERSEC NON-STATE	 BRIDGE/CULVERT UNDER FILL	NULL AND TURNBACK SEGMENTS ARE DISPLAYED IN THE DEPARTMENT'S ROADWAY MANAGEMENT SYSTEM (RMS) AS 100 FEET IN LENGTH. ACTUAL SEGMENT AND SECTION LENGTHS MAY VARY SIGNIFICANTLY
 CROSS INTERSEC STATE OWNED	 T-RIGHT INTERSEC STATE OWNED	 PIPE (STAMPP)	
 CROSS INTERSEC NON-STATE	 T-RIGHT INTERSEC NON-STATE	 ROTARY INTERSEC	

STRAIGHT LINE DIAGRAM (SLD) ANNUAL REFRESH ATTRIBUTE KEY


PAGE 2 OF 2

[illegible]

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 427
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: N TOTAL LEN: .067 MI. DIST: 01-5 SR: 9301
 LEFT MUN: FRANKLIN C RIGHT MUN: FRANKLIN C

000355 FT

000000 FT



* 000355 FT
 REF-AHD END TRUCK ESCAPE RAMP R
 0010/0355 (GOVT)
 000000 FT 1 0 00208 2 00 0000+00
 NC TRUCK ESCAPE RAMP RD
 INTER-BK FIFTEENTH ST
 (SR0062 SEG 0250/0797)
 MFC BEGIN = F
 0010/0000 LENGTH(AH 0355 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 426
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO



DIR: N TOTAL LEN: .444 MI. DIST: 01-5 SR: 9202
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

002346 FT

001565 FT

FROM TRUCK PARKING AREA
(CONN) 0010/1397

000000 FT



002346 FT
INTER-AHD
0020/0781 REST AREA RD
(SR9202 SEG 0010/1246)
015 "DIA CIRC METAL
0020/0415 LEN=0115 INSTALLED UNKN
015 "DIA CIRC METAL
0020/0200 LEN=0060 INSTALLED UNKN
015 "DIA CIRC METAL
0020/0018 LEN=0030 INSTALLED UNKN
001565 FT 1 0 01009 2 14 0024+52
INTER-BK REST AREA RD
(SR9202 SEG 0010/0489)
5 0020/0000 LENGTH(AH 0781 BK 1565)

INTER-AHD SR 0080 WB
0010/1565 (SR0080 SEG 0301/2317)

0010/1246 REST AREA
(SR9202 SEG 0020/0781)

0010/0489 REST AREA RD
(SR9202 SEG 0020/0000)
000000 FT 1 0 01009 2 14 0034+62
018 "DIA CIRC METAL
LEN=0150 INSTALLED UNKN

NC RE ST AREA
INTER-BK Z H CONFAIR HW
(SR0080 SEG 0305/1298)
MFC BEGIN = F

5 0010/0000 LENGTH(AH 1565 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 425
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO



DIR: E TOTAL LEN: .474 MI. DIST: 01-5 SR: 9201
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

002504 FT

001654 FT

FROM TRUCK PARKING AREA
(CONN) 0010/1415

000000 FT



002504 FT
INTER-AHD REST AREA RD
0020/0850 (SR9201 SEG 0010/1225)
0020/0165 015 "DIA CIRC METAL
LEN=0020 INSTALLED UNKN
0020/0015 015 "DIA CIRC METAL
LEN=0120 INSTALLED UNKN
001654 FT 1 0 01009 2 12 0008+22
INTER-BK REST AREA RD
(SR9201 SEG 0010/0411)
0020/0000 LENGTH(AH 0850 BK 1654)

INTER-AHD Z H CONFAIR HW
0010/1654 (SR0080 SEG 0300/0822)

0010/1225 CAR PARKING AREA RD
(SR9201 SEG 0020/0850)


0010/0411 CAR PARKING AREA RD
(SR9201 SEG 0020/0000)
000000 FT 1 0 01009 2 12 0000+00

NC REST AREA RD
INTER-BK Z H CONFAIR HW
(SR0080 SEG 0294/1828)
MFC BEGIN = F

0010/0000 LENGTH(AH 1654 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 424
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: .053 MI. DIST: 01-5 SR: 9105
 LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

HALYDAY ST 000278 FT
 (SR0428 SEG 0010/0278) 0010/0278
 0 0 00000 0 00 0000+00 000000 FT
 MAIN ST
 (SR0008 SEG 0421/0320) 0010/0000




000278 FT
 INTER-AHD HALYDAY ST
 0010/0278 (SR0428 SEG 0010/0278)
 NC HA LYDAY ST
 000000 FT MAIN ST
 (SR0008 SEG 0421/0320)
 MFC BEGIN = C
 0010/0000 LENGTH(AH 0278 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 423
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: E TOTAL LEN: .074 MI. DIST: 01-5 SR: 9103
 LEFT MUN: CANAL T RIGHT MUN: CANAL T

000392 FT

000000 FT




000392 FT
 INTER-AHD OLD FRANKLIN PK
 (SR4012 SEG 0050/1358)
 OLD FRANKLIN PK
 0010/0392 (SR4012 SEG 0050/1358)
 000000 FT 0 0 00000 0 00 0000+00
 NC FRANKLIN PK
 INTER-BK TWENTYEIGHTH DIVISION H
 (SR0322 SEG 0070/0407)
 MFC BEGIN = F
 0010/0000 LENGTH(AH 0392 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 422
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: N TOTAL LEN: .061 MI. DIST: 01-5 SR: 9102
 LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

000322 FT

000000 FT




000322 FT
 INTER-AHD SR 0427 SH
 0010/0322 (SR0427 SEG 0010/0099)
 000000 FT 0 0 00000 0 00 0000+00
 NC SR 9102 SH
 INTER-BK TWENTYEIGHTH DIVISION H
 (SR0322 SEG 0150/0000)
 MFC BEGIN = F
 0010/0000 LENGTH(AH 0322 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 421
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: N TOTAL LEN: .036 MI. DIST: 01-5 SR: 9101
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

000189 FT

000000 FT



000189 FT
INTER-AHD SR 0417 SH
0010/0189 (SR0417 SEG 0261/0162)
000000 FT 0 0 00000 0 00 0000+00
NC SR 9101 SH
INTER-BK WILLIAM FLINN HW
(SR0008 SEG 0610/0254)
MFC BEGIN = F
0010/0000 LENGTH(AH 0189 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 420
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: N TOTAL LEN: .866 MI. DIST: 01-5 SR: 8014
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

004570 FT

004570 FT
INTER-AHD WM FLINN HW
0750/1640 (SR0008 SEG 0200/1618)

002930 FT

0750/0069 FROM 0308/0170 SH
(CONN)
002930 FT 1 0 01107 2 03 0000+00
NC RAMP B RD
INTER-BK SR 0308 SH
(SR0308 SEG 0170/0988)
5 0750/0000 LENGTH(AH 1640 BK 0869)

002061 FT

0500/0869 SR 0308 SH
(SR0308 SEG 0170/1583)
002061 FT 1 0 01107 2 04 0014+64
NC RAMP C RD
INTER-BK WM FLINN HW
(SR0008 SEG 0201/1039)
5 0500/0000 LENGTH(AH 0869 BK 1114)

000947 FT

INTER-AHD WM FLINN HW
0250/1114 (SR0008 SEG 0191/1687)
0250/0067 FROM 0308/0170 SH
(CONN)
000947 FT 1 0 01107 2 05 0023+99
NC RAMP D RD
INTER-BK SR 0308 SH
(SR0308 SEG 0170/1554)
5 0250/0000 LENGTH(AH 1114 BK 0947)

000000 FT

0010/0947 SR 0308 SH
(SR0308 SEG 0170/0988)
000000 FT 1 0 01107 2 02 0000+00
NC RAMP A RD
INTER-BK WM FLINN HW
(SR0008 SEG 0190/1613)
MFC BEGIN = F
5 0010/0000 LENGTH(AH 0947 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 419
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: S TOTAL LEN: .440 MI. DIST: 01-5 SR: 8012
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T



002322 FT

FROM 6008/0050 SH
(CONN)

0750/0063

1 0 01107 2 00 0000+00 000874 FT
SH 6008 SH
(SR6008 SEG 0050/1038) 0750/0000

000000 FT



002322 FT
INTER-AHD RICHARD C FRAME HW
0750/1448 (SR0008 SEG 0140/0467)

000874 FT MP B RD
INTER-BK GEORGETOWN RD
(SR3003 SEG 0100/0863)
S 0750/0000 LENGTH(AH 1448 BK 0874)

0500/0874 GEORGETOWN RD
(SR6008 SEG 0050/0430)
000000 FT 1 0 01107 2 01 0014+53
NC RAMP C RD
INTER-BK RICHARD C FRAME HW
(SR0008 SEG 0141/0172)
MFC BEGIN = F
S 0500/0000 LENGTH(AH 0874 BK 0000)


EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 418
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: E TOTAL LEN: .663 MI. DIST: 01-5 SR: 8010
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T

FROM 0038/0010 SH
(CONN)

003501 FT


0750/0100
002591 FT



003501 FT
INTER-AHD Z H CONFAIR HW
0750/0910 (SR0080 SEG 0420/0849)

002591 FT 1 0 01009 2 06 0000+00
NC RAMP C RD
INTER-BK SR 0038 SH
(SR0038 SEG 0010/0251)
5 0750/0000 LENGTH(AH 0910 BK 0665)


001926 FT



SR 0038 SH
0500/0665 (SR0038 SEG 0010/1145)
001926 FT 1 0 01009 2 05 0000+94
NC RAMP B RD
INTER-BK Z H CONFAIR HW
(SR0080 SEG 0421/1028)
5 0500/0000 LENGTH(AH 0665 BK 1305)

FROM 0038/0010 SH
(CONN)


0250/0100
000621 FT



INTER-AHD Z H CONFAIR HW
0250/1305 (SR0080 SEG 0415/1666)

000621 FT 1 0 01009 2 04 0000+00
NC RAMP A RD
INTER-BK SR 0038 SH
(SR0038 SEG 0010/1005)
5 0250/0000 LENGTH(AH 1305 BK 0621)




000000 FT



SR 0038 SH
0010/0621 (SR0038 SEG 0010/0040)
000000 FT 1 0 01009 2 07 0004+92
NC RAMP D RD
INTER-BK Z H CONFAIR HW
(SR0080 SEG 0414/1819)
MFC BEGIN = F
5 0010/0000 LENGTH(AH 0621 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 417
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: E TOTAL LEN: .615 MI. DIST: 01-5 SR: 8008
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

FROM 0308/0030 SH (CONN)	003249 FT		003249 FT Z H CONFAIR HW 0750/0755 (SR0080 SEG 0344/2410)
	0750/0070 002494 FT		002494 FT 1 0 01009 2 10 0000+00 NC RAMP C RD INTER-BK SR 0308 SH (SR0308 SEG 0030/0742) 5 0750/0000 LENGTH(AH 0755 BK 0836)
TO 0308/0030 SH (CONN)	0500/0800 001658 FT		INTER-AHD SR 0308 SH 0500/0836 (SR0308 SEG 0030/1341) 001658 FT 1 0 01009 2 11 0019+67 NC RAMP D RD INTER-BK Z H CONFAIR HW (SR0080 SEG 0345/2441) 5 0500/0000 LENGTH(AH 0836 BK 0847)
FROM 0308/0030 SH (CONN)	0250/0090 000811 FT		INTER-AHD Z H CONFAIR HW 0250/0847 (SR0080 SEG 0345/0698) 000811 FT 1 0 01009 2 08 0019+88 NC RAMP A RD INTER-BK SR 0308 SH (SR0308 SEG 0030/1413) 5 0250/0000 LENGTH(AH 0847 BK 0811)
TO 0308/0030 SH (CONN)	0010/0707 000000 FT		INTER-AHD SR 0308 SH 0010/0811 (SR0308 SEG 0030/0698) 000000 FT 1 0 01009 2 09 0000+00 NC RAMP B RD INTER-BK Z H CONFAIR HW (SR0080 SEG 0344/0913) MFC BEGIN = F 5 0010/0000 LENGTH(AH 0811 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 416
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: E TOTAL LEN: .742 MI. DIST: 01-5 SR: 8002
LEFT MUN: BARKEYVILLE B RIGHT MUN: BARKEYVILLE B





003919 FT

003117 FT

002043 FT

001140 FT

000000 FT



003919 FT
INTER-AHD Z H CONFAIR HW
0750/0802 (SR0080 SEG 0290/1094)
003117 FT 1 0 01009 2 01 0000+00
NC RAMP D RD
WM FLINN HW
(SR0080 SEG 0061/1071)
0750/0000 LENGTH(AH 0802 BK 1074)


WM FLINN HW
(SR0080 SEG 0071/0481)
(SR0080 SEG 0070/0481)
0500/1074
002043 FT 1 0 01009 2 02 0015+94
NC RAMP C RD
INTER-BK Z H CONFAIR HW
(SR0080 SEG 0291/1384)
0500/0000 LENGTH(AH 1074 BK 0903)

INTER-AHD Z H CONFAIR HW
0250/0903 (SR0080 SEG 0285/2116)
001140 FT 1 0 01009 2 03 0020+00
NC RAMP A RD
WM FLINN HW
(SR0080 SEG 0071/0383)
(SR0080 SEG 0070/0387)
0250/0000 LENGTH(AH 0903 BK 1140)

WM FLINN HW
(SR0080 SEG 0060/0984)
(SR0080 SEG 0061/0972)
0010/1140
000000 FT 1 0 01009 2 00 0002+30
NC RAMP B RD
INTER-BK Z H CONFAIR HW
(SR0080 SEG 0284/1738)
MFC BEGIN = F
0010/0000 LENGTH(AH 1140 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 415
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: 2.418 MI. DIST: 01-5 SR: 6008
 LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

WILLIAM FLINN HWY 012769 FT
 (SR0008 SEG 0460/0000) 0100/2505



010264 FT

011758 FT WILLIAM FLINN HWY
 0100/2505 (SR0008 SEG 0460/0000)
 0100/2461 BMSBN 60/6008/0100/2203
 1 0 00000 0 00 0000+00
 OIL CREEK
 0100/2203 BMSBG 60/6008/0100/2203
 0100/1760 MEMORIAL DR
 (CITY)

009253 FT 1 0 00205 0 01 0026+22

DIST: 01-5 SR: 6008
RIGHT MUN: OIL CITY C

```

NC SENECA ST
INTER-BK DUNCOMB ST
(CITY)
0100/0000 LTH AH 002505 BK 001011

009253 FT
7090/0000 LTH AH 001011 BK 000186
INTER-AHD ELM ST
(CITY)
CENTER ST
(SR1001 SEG 0010/0000)

0080/0186 ELM ST
009067 FT 2 0 60048 0 00 0000+00
SENECA ST
(CITY)

0080/0000 LENGTH(AH 0186 BK 0467)
0070/0258 BMS EN 60/6008/0070/0080
1 1 00205 0 00 0012+17
OIL CREEK
0070/0080 BMS BG 60/6008/0070/0080
NC CENTER ST
008600 FT
INTER-BK MAIN ST
(SR0008 SEG 0432/0000)
MFC BEGIN = C
0070/0000 LTH AH 000467 BK 000100
008600 FT
7060/0000 LTH AH 000100 BK 001038
INTER-AHD GEORGETOWN RD
(SR3003 SEG 0100/0863)
0050/1038 IRWIN T

SR 0008
0050/0645 OP ID 60/0008/0134/1525
RAMP C RD
0050/0430 (SR8012 SEG 0500/0874)

```

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 413
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.418 MI. DIST: 01-5 SR: 6008
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

2 0 60003 0 00 0268+76 007562 FT
SR 3013 SH
(SR3013 SEG 0010/0000)
GEORGETOWN RD
(SR3003 SEG 0110/0000) 0050/0000
SCRUBGRASS RD
(SR3002 SEG 0050/2864) 0040/2566

1 0 00233 0 00 0145+80 004415 FT
COULTER RD
(T316) 0040/0000

1 0 00233 0 00 0118+77 001733 FT
WESTON RD
(T333) 0030/0000

000748 FT

000000 FT

007562 FT

NC GEORGETOWN RD
5 0050/0000 LENGTH(AH 1038 BK 3147)

0040/1267 018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN
0040/0837 024 "DIA CIRC CONCR
LEN=0051 INSTALLED UNKN
IRWIN RD
0040/0335 (T322)
015 "DIA CIRC CONCR
0040/0043 LEN=0120 INSTALLED UNKN
004415 FT

5 0040/0000 LENGTH(AH 3147 BK 2682)

0030/1281 060"H 48"W CON BOX CUL
LEN=0035 INSTALLED UNKN
0030/0914 018 "DIA CIRC CONCR
LEN=0064 INSTALLED UNKN

001733 FT

5 0030/0000 LENGTH(AH 2682 BK 0985)

WOLF CK.TRB.
STRUCTURE LENGTH 10 FT
0020/0325 BMSID 60/6008/0020/0325
015 "DIA CIRC CONCR

0020/0118 LEN=0055 INSTALLED UNKN
000748 FT 1 0 00233 0 00 0105+30
5 0020/0000 LENGTH(AH 0985 BK 0748)

000000 FT 0 0 00000 0 00 0000+00
NC OLD ROUTE 8 RD

SR 0008 SH
INTER-BK (SR0008 SEG 0114/0000)
OLD ROUTE 8 RD
(T318)
MFC BEGIN = D

5 0010/0000 LENGTH(AH 0748 BK 0000)


EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 412
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: .441 MI. DIST: 01-5 SR: 4025
 LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

PRITCHARD RD
 (T581)

002326 FT

0010/1710

000000 FT



002326 FT HALYDAY RUN RD
 0010/2326 (SR0428 SEG 0110/2091)
 020 "DIA CIR PLASTIC
 0010/2224 LEN=0034 INSTALLED 2002

024 "DIA CIRC CONCR
 0010/1442 LEN=0045 INSTALLED 2002

000000 FT 0 0 00000 0 00 0000+00
 NC SR 4025 SH
 HALYDAY RUN RD
 (SR0428 SEG 0110/0000)
 MFC BEGIN = D
 0010/0000 LENGTH(AH 2326 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 411
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
DIR: B TOTAL LEN: .000 MI. DIST: 01-5 SR: 4024
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T


000000 FT



000000 FT
7010/0000 LENGTH(AH 0100 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 410
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: 9.783 MI. DIST: 01-5 SR: 4022
 LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

051655 FT




051655 FT WILLIAM FLINN HW
 0200/3079 (SR0008 SEG 0670/0531)
 048 "DIA CIRC CONCR
 0200/3055 LEN=0025 INSTALLED UNKN

 0200/2096 018 "DIA CIR PLASTIC
 LEN=0015 INSTALLED UNKN
 018 "DIA CIR PLASTIC
 0200/1765 LEN=0012 INSTALLED UNKN
 018 "DIA CIR PLASTIC
 0200/1375 LEN=0015 INSTALLED UNKN
 015 "DIA CIR PLASTIC
 0200/1152 LEN=0012 INSTALLED UNKN
 024 "DIA CIR PLASTIC
 0200/0762 LEN=0015 INSTALLED UNKN
 024 "DIA CIR PLASTIC
 0200/0730 LEN=0015 INSTALLED UNKN

048576 FT

048576 FT 2 0 60040 0 01 0498+76
 0200/0000 LENGTH(AH 3079 BK 1601)

046975 FT



0190/0040 018 "DIA CIR PLASTIC
 046975 FT 2 0 60040 0 01 0482+75
 CHERRYTREE RD
 (T540)
 0190/0000 LENGTH(AH 1601 BK 3154)
 018 "DIA CIRC METAL
 0180/3129 LEN=0012 INSTALLED 1997
 030 "DIA CIR PLASTIC
 0180/2929 LEN=0015 INSTALLED UNKN

 0180/1978 018 "DIA CIR PLASTIC
 LEN=0012 INSTALLED UNKN
 018 "DIA CIR PLASTIC
 0180/1825 LEN=0012 INSTALLED UNKN
 018 "DIA CIRC METAL
 0180/1620 LEN=0012 INSTALLED UNKN

 018 "DIA CIRC METAL
 0180/0929 LEN=0012 INSTALLED UNKN
 015 "DIA CIR PLASTIC
 0180/0614 LEN=0035 INSTALLED UNKN
 015 "DIA CIR PLASTIC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 409
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 9.783 MI. DIST: 01-5 SR: 4022
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

2 0 60040 0 01 0451+15 043821 FT
MILES RD
(T542) 0180/0000

2 0 60040 0 01 0426+57 041426 FT
BARKER RD
(T520) 0170/0000

038593 FT

0180/0414	LEN=0012	INSTALLED UNKN
0180/0202	018 "DIA	CIR PLASTIC
0180/0015	LEN=0012	INSTALLED 1999
043821 FT	015 "DIA	CIR PLASTIC
0180/0000	LEN=0012	INSTALLED UNKN
0170/2230	LENGTH(AH 3154 BK 2395)	018 "DIA CIR PLASTIC
0170/1230	LEN=0012	INSTALLED UNKN
0170/0930	018 "DIA	CIR PLASTIC
0170/0613	LEN=0012	INSTALLED UNKN
041426 FT	024 "DIA	CIR PLASTIC
0170/0000	LEN=0012	INSTALLED UNKN
0160/1070	036 "DIA	CIR PLASTIC
0160/0705	LEN=0012	INSTALLED 2008
0160/0537	018 "DIA	CIR PLASTIC
0160/0184	LEN=0012	INSTALLED 1999
038593 FT	015 "DIA	CIR PLASTIC
0160/0000	LEN=0010	INSTALLED UNKN
0150/2901	2 0 60040 0 01 0398+49	LENGTH(AH 2833 BK 3059)
0150/1863	018 "DIA	CIR PLASTIC
0150/1193	LEN=0010	INSTALLED UNKN
0150/0808	036 "DIA	CIR PLASTIC
0150/0683	LEN=0015	INSTALLED 1999
	015 "DIA	CIRC METAL
	LEN=0015	INSTALLED UNKN
	LAMEY RD	
	(T518)	
	024 "DIA	CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 408
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 9.783 MI. DIST: 01-5 SR: 4022
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

	035534 FT	0150/0525	LEN=0010	INSTALLED UNKN
		018 "DIA	CIR PLASTIC	
		0150/0135	LEN=0040	INSTALLED 1999
		015 "DIA	CIR PLASTIC	
		0150/0104	LEN=0040	INSTALLED 1999
		018 "DIA	CIR PLASTIC	
		0150/0020	LEN=0010	INSTALLED UNKN
		035534 FT	2 0 60040 0 01 0367+86	
			DEMPTOWN GRESHAM RD	
			(T302)	
		0150/0000	LENGTH(AH 3059 BK 2118)	
		018 "DIA	CIR PLASTIC	
		0140/2102	LEN=0010	INSTALLED UNKN
STONE SPRINGHOUSE RD (T508)	0140/0570			
	033416 FT	0140/0202	018 "DIA	CIR PLASTIC
		033416 FT	LEN=0010	INSTALLED UNKN
		0140/0000	2 0 60040 0 01 0346+66	
			LENGTH(AH 2118 BK 2186)	
		0130/1839	018 "DIA	CIR PLASTIC
			LEN=0014	INSTALLED UNKN
		0130/1471	015 "DIA	CIR PLASTIC
			LEN=0018	INSTALLED UNKN
		0130/0599	BMS EN 60/4022/0130/0550	
			2 0 60040 0 01 0330+51	
			PRATHER CK.	
		0130/0550	BMS BG 60/4022/0130/0550	
		031230 FT	2 0 60040 0 01 0325+01	
		0130/0000	LENGTH(AH 2186 BK 1917)	
			024 "DIA	CIR PLASTIC
		0120/1418	LEN=0010	INSTALLED UNKN
			018 "DIA	CIR PLASTIC
		0120/0988	LEN=0012	INSTALLED UNKN
	029313 FT	029313 FT	2 0 60040 0 01 0305+84	
		0120/0000	LENGTH(AH 1917 BK 2788)	
			CHERRYTREE	
		0110/2649	PLUM T	
			018 "DIA	CIR PLASTIC
		0110/2590	LEN=0014	INSTALLED UNKN
			018 "DIA	CIR PLASTIC
		0110/2004	LEN=0012	INSTALLED UNKN
			015 "DIA	CIR PLASTIC
		0110/1704	LEN=0010	INSTALLED 1999

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 407
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 9.783 MI. DIST: 01-5 SR: 4022
LEFT MUN: PLUM T RIGHT MUN: PLUM T

GOODWIN RD
(T476)

026525 FT

0110/0000

2 0 60040 0 00 0212+97 021257 FT
MCCURDY RD
(T458)

0090/0000

			PRATHER CK. STRUCTURE LENGTH 10 FT BMSID 60/4022/0110/0625
		0110/0625	
		0110/0008	018 "DIA CIRC METAL LEN=0018 INSTALLED UNKN
		0110/0004	018 "DIA CIRC PLASTIC LEN=0008 INSTALLED UNKN
		026525 FT	2 0 60040 0 00 0265+67 GIFFORD RD (T478)
		0110/0000	LENGTH(AH 2788 BK 2594) 018 "DIA CIRC PLASTIC
		0100/2565	LEN=0018 INSTALLED UNKN
		0100/0984	018 "DIA CIRC PLASTIC LEN=0042 INSTALLED UNKN
		0100/0975	036 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
		0100/0918	036 "DIA CIRC CONCR LEN=0025 INSTALLED UNKN
		023931 FT	2 0 60040 0 00 0239+71
		0100/0000	LENGTH(AH 2594 BK 2674) 015"H 00"W MULT PLSTIC
		0090/2408	LEN=0020 INSTALLED UNKN
		0090/1742	018 "DIA CIRC PLASTIC LEN=0015 INSTALLED UNKN
		021257 FT	
		0090/0000	LENGTH(AH 2674 BK 1789) 018 "DIA CIRC PLASTIC
		0080/1353	LEN=0018 INSTALLED 2015
		0080/0382	BMS EN 60/4022/0080/0339 2 0 60040 0 00 0198+42
		0080/0339	SUGAR CK. TR. BMS BG 60/4022/0080/0339

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 406
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 9.783 MI. DIST: 01-5 SR: 4022
LEFT MUN: PLUM T RIGHT MUN: PLUM T

019468 FT

019468 FT 2 0 60040 0 00 0195+01

NC BUXTON RD
SR 0428 SH
(SR0428 SEG 0250/0000)
LENGTH(AH 1789 BK 2823)
015 "DIA CIR METAL
LEN=0015 INSTALLED UNKN
018 "DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN
018 "DIA CIR PLASTIC
LEN=0080 INSTALLED UNKN

5 0080/0000

0070/2780

0070/2479

0070/1941

BILLY GROVE RD
(T440)

0070/0899

016645 FT

016645 FT 2 0 60040 0 00 0166+79
024"H 30"W CON BOX CUL
LEN=0015 INSTALLED UNKN
LENGTH(AH 2823 BK 3305)

5 0070/0000

GHERING RD
(T456)

0060/2440

013340 FT

013340 FT 2 0 60040 0 00 0133+78
LENGTH(AH 3305 BK 3042)
024 "DIA CIR PLASTIC
LEN=0015 INSTALLED UNKN

5 0060/0000

0050/2612

2 0 60040 0 00 0103+35 010298 FT
DAVISON RD
(T436) 0050/0000

010298 FT

5 0050/0000 LENGTH(AH 3042 BK 2809)

018 "DIA CIR PLASTIC
LEN=0012 INSTALLED UNKN
SUNVILLE RD
(SR4009 SEG 0120/1065)
015 "DIA CIR PLASTIC

0040/1948

0040/1363


EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 405
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 9.783 MI. DIST: 01-5 SR: 4022
LEFT MUN: PLUM T RIGHT MUN: PLUM T

	0040/1331	LEN=0018	INSTALLED	1999
		HIGH ST		
	0040/0966	(T660)		
007489 FT	007489 FT	2 0 60040 0 00	0074+63	
		018 "DIA CIR PLASTIC		
		LEN=0010	INSTALLED UNKN	
	0040/0000	LENGTH(AH 2809 BK 2996)		
	0030/1754	036 "DIA CIR PLASTIC		
		LEN=0018	INSTALLED UNKN	
	0030/1392	015 "DIA CIR PLASTIC		
		LEN=0045	INSTALLED UNKN	
	0030/0499	BMS EN 60/4022/0030/0477		
		2 0 60040 0 00	0049+68	
		PORTER RUN		
	0030/0477	BMS BG 60/4022/0030/0477		
		018 "DIA CIR PLASTIC		
004493 FT	0030/0099	LEN=0018	INSTALLED UNKN	
	004493 FT	2 0 60040 0 00	0044+91	
	0030/0000	LENGTH(AH 2996 BK 2308)		
		018 "DIA CIR PLASTIC		
	0020/1862	LEN=0070	INSTALLED UNKN	
		MINNIGH RD		
	0020/1607	(T613)		
2 0 60040 0 00 0021+77 002185 FT	002185 FT			
LESH RD				
(T386)	0020/0000			
	0010/1571	018 "DIA CIRC METAL		
		LEN=0010	INSTALLED UNKN	
	0010/0878	018 "DIA CIR PLASTIC		
		LEN=0012	INSTALLED 1999	
	0010/0055	WHITE RD		
		(T384)		
	NC RI	DGEVIEW RD		
2 0 60040 0 00 0000+00 000000 FT	000000 FT	SR 0427 SH		
SR 0427 SH		(SR0427 SEG 0190/0000)		
(SR0427 SEG 0190/0000)	0010/0000	MFC BEGIN = D		
	0010/0000	LENGTH(AH 2185 BK 0000)		

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 404
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: 5.159 MI. DIST: 01-5 SR: 4020
 LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

027240 FT



027240 FT	SR 0417	SH
0100/2374	(SR0417	SEG 0180/0000)
	024 " DIA	CIRC CONCR
0100/2340	LEN=0100	INSTALLED UNKN
	024 " DIA	CIR PLASTIC
0100/1909	LEN=0042	INSTALLED UNKN
	015 " DIA	CIR PLASTIC
0100/1203	LEN=0035	INSTALLED UNKN
	015 " DIA	CIRC METAL
0100/0783	LEN=0030	INSTALLED UNKN
	018 " DIA	CIR PLASTIC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 403
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.159 MI. DIST: 01-5 SR: 4020
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

024866 FT

022418 FT

019662 FT

0100/0689	LEN=0042	INSTALLED	2014
018 "DIA	CIR	PLASTIC	
0100/0424	LEN=0041	INSTALLED	UNKN
015 "DIA	CIR	PLASTIC	
0100/0218	LEN=0030	INSTALLED	UNKN
024866 FT	2 0 60039	0 00	0277+13
5 0100/0000	LENGTH(AH	2374	BK 2448)
027 "DIA	CIR	PLASTIC	
0090/1798	LEN=0041	INSTALLED	UNKN
036 "DIA	CIR	PLASTIC	
0090/1600	LEN=0040	INSTALLED	UNKN
018 "DIA	CIR	PLASTIC	
0090/1033	LEN=0040	INSTALLED	UNKN
018 "DIA	CIR	PLASTIC	
0090/0514	LEN=0040	INSTALLED	UNKN
022418 FT	2 0 60039	0 00	0252+45
	BILLINGS	SLY RD	
	(T452)		
5 0090/0000	LENGTH(AH	2448	BK 2756)
024 "DIA	CIR	PLASTIC	
0080/2494	LEN=0054	INSTALLED	UNKN
018 "DIA	CIR	PLASTIC	
0080/2196	LEN=0040	INSTALLED	1997
018 "DIA	CIR	METAL	
0080/1867	LEN=0052	INSTALLED	UNKN
024 "DIA	CIR	PLASTIC	
0080/1025	LEN=0042	INSTALLED	UNKN
0080/0415	BMS	SEN 60/4020/0080/0373	
	2 0 60039	0 00	0226+51
	KANE	RUN	
0080/0396	BMS	SBG 60/4020/0080/0373	
019662 FT	2 0 60039	0 00	0222+78
5 0080/0000	LENGTH(AH	2756	BK 2813)
012 "DIA	CIR	PLASTIC	
0070/2610	LEN=0042	INSTALLED	UNKN
018 "DIA	CIR	PLASTIC	
0070/2017	LEN=0032	INSTALLED	UNKN
018 "DIA	CIR	PLASTIC	
0070/1592	LEN=0038	INSTALLED	UNKN
018 "DIA	CIR	PLASTIC	
0070/0868	LEN=0048	INSTALLED	UNKN
024 "DIA	CIR	PLASTIC	
0070/0570	LEN=0052	INSTALLED	UNKN
024 "DIA	CIR	PLASTIC	
0070/0295	LEN=0056	INSTALLED	UNKN
0070/0023	BMS	SEN 60/4020/0070/0000	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 402
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.159 MI. DIST: 01-5 SR: 4020
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

016849 FT

2 0 60039 0 00 0161+25 013582 FT
SUNVILLE RD
(SR4009 SEG 0050/0000) 0060/0000
013582 FT

Station	Length	Material	Notes
016849 FT			2 0 60039 0 00 0194+48
0070/0000			TRIB. KANE RUN
0060/3067			BMSBG 60/4 020/0070/0000
0060/2643			LENGTH(AH 2813 BK 3267)
0060/2354			018 " DIA CIR PLASTIC
0060/1987			LEN=0061 INSTALLED UNKN
0060/1570			018 " DIA CIR PLASTIC
0060/1256			LEN=0045 INSTALLED UNKN
0060/1094			024 " DIA CIR METAL
0060/0595			LEN=0040 INSTALLED UNKN
INTER-BK			018 " DIA CIR PLASTIC
0060/0000			LEN=0052 INSTALLED UNKN
013582 FT			018 " DIA CIR PLASTIC
7054/0000			LEN=0055 INSTALLED 2002
INTER-AHD			018 " DIA CIR PLASTIC
0050/3580			LEN=0040 INSTALLED UNKN
0050/3501			027 " DIA CIR METAL
0050/1586			LEN=0040 INSTALLED UNKN
0050/1278			024 " DIA CIR PLASTIC
0050/0836			LEN=0047 INSTALLED UNKN
010002 FT			SUNVILLE RD
0050/0000			(SR4009 SEG 0050/0000)
0040/1485			LTH AH 003267 BK 000100
			(SR4009 SEG 0040/0000)
			SUNVILLE RD
			(SR4009 SEG 0040/0000)
			015 " DIA CIR PLASTIC
			LEN=0080 INSTALLED UNKN
			024 " DIA CIR PLASTIC
			LEN=0042 INSTALLED UNKN
			018 " DIA CIR PLASTIC
			LEN=0042 INSTALLED UNKN
			024 " DIA CIR PLASTIC
			LEN=0038 INSTALLED UNKN
			2 0 60039 0 00 0102+52
			LENGTH(AH 3580 BK 2520)
			036 " DIA CIR PLASTIC
			LEN=0045 INSTALLED 2004
			018 " DIA CIR PLASTIC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 401
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.159 MI. DIST: 01-5 SR: 4020
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

007482 FT

004495 FT

001143 FT

000000 FT

MAIN ST
(SR0427 SEG 0100/1618) 0010/0000

0040/1220	LEN=0050	INSTALLED 2012
0040/0473	018 "DIA CIR PLASTIC LEN=0042	INSTALLED 2012
0040/0189	024 "DIA CIR PLASTIC LEN=0042	INSTALLED UNKN
007482 FT	2 0 60039 0 00 0075+17	
	OAKLAND	
	JACKSON T	
0040/0000	LENGTH(AH 2520 BK 2987)	
0030/1190	027 "DIA CIR PLASTIC LEN=0046	INSTALLED UNKN
0030/0379	018 "DIA CIR PLASTIC LEN=0040	INSTALLED UNKN
0030/0066	018 "DIA CIR PLASTIC LEN=0040	INSTALLED 2016
004495 FT	2 0 60039 0 00 0045+30	
0030/0000	LENGTH(AH 2987 BK 3352)	
0020/2500	018 "DIA CIR PLASTIC LEN=0030	INSTALLED UNKN
0020/1220	018 "DIA CIR PLASTIC LEN=0050	INSTALLED UNKN
0020/0618	018 "DIA CIR PLASTIC LEN=0034	INSTALLED UNKN
0020/0320	027 "DIA CIR PLASTIC LEN=0044	INSTALLED UNKN
001143 FT	2 0 60039 0 00 0011+78	
	JACKSON	
	COOPERSTOWN B	
0020/0000	LENGTH(AH 3352 BK 1143)	
0010/1060	018 "DIA CIR PLASTIC LEN=0052	INSTALLED UNKN
000000 FT	2 0 60039 0 00 0000+00	
	MAIN ST	
	(SR0427 SEG 0100/1618)	
	NC COOPERSTOWN RD	
	MFC BEGIN = D	
0010/0000	LENGTH(AH 1143 BK 0000)	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 400
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
DIR: B TOTAL LEN: 5.428 MI. DIST: 01-5 SR: 4018
LEFT MUN: COOPERSTOWN B RIGHT MUN: COOPERSTOWN B

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 399
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.428 MI. DIST: 01-5 SR: 4018
LEFT MUN: COOPERSTOWN B RIGHT MUN: COOPERSTOWN B

MAIN ST
(SR4007 SEG 0010/0785) 0110/1298

026775 FT

024610 FT

021375 FT

0110/1887 (SR0427 SEG 0110/0000)
MAIN ST
0110/1298 (SR4007 SEG 0010/0785)
SECOND ST
0110/1102 (BORO)
018 "DIA CIR PLASTIC
LEN=0041 INSTALLED UNKN
0110/0939 BMSBN 60/4018/0110/0480
0110/0516 2 0 60081 0 00 0268+53
LAKE CREEK
0110/0447 BMSBG 60/4018/0110/0480
026775 FT 2 0 60081 0 00 0268+53
NC AC
0110/0000 LENGTH(AH 1887 BK 2165)
COOPERSTOWN
0100/2102 JACKSON T
MAPLE LANE DR
0100/1958 (BORO)
EDGEWOOD DR
0100/1543 (BORO)
HILLCREST AV
0100/1143 (BORO)
024 "DIA CIR PLASTIC
0100/0240 LEN=0060 INSTALLED 1996
024610 FT 2 0 60081 0 00 0246+84
HIGHLAND PARK DR
(T353)
NC MI LL ST
SAWMILL RD
(T575)
0100/0000 LENGTH(AH 2165 BK 3235)
0090/2565 018 "DIA CIR PLASTIC
LEN=0050 INSTALLED 1998
0090/1607 018 "DIA CIR PLASTIC
LEN=0060 INSTALLED 1996
0090/0920 018 "DIA CIR PLASTIC
LEN=0055 INSTALLED 2012
018 "DIA CIR PLASTIC
0090/0491 LEN=0055 INSTALLED 2012
021375 FT 2 0 60081 0 00 0214+27
0090/0000 LENGTH(AH 3235 BK 2594)
018 "DIA CIR PLASTIC
0080/2385 LEN=0055 INSTALLED 2012

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 398
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.428 MI. DIST: 01-5 SR: 4018
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

	0080/1387	024 "DIA CIR PLASTIC LEN=0048 INSTALLED 2011
	0080/0564	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 2012
018781 FT	0080/0045	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 2012
	018781 FT	2 0 60081 0 00 0188+27
	0080/0000	LENGTH(AH 2594 BK 2477)
	0070/1844	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 2012
	0070/0655	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2016
016304 FT	016304 FT	2 0 60081 0 00 0163+50
	0070/0000	LENGTH(AH 2477 BK 2421)
	013883 FT	2 0 60081 0 00 0139+29
	0060/0000	LENGTH(AH 2421 BK 2402)
	0050/0616	060 "DIA CIRC METAL LEN=0122 INSTALLED 1996
2 0 60081 0 00 0115+27 011481 FT WILSON MILLS RD (T362)	011481 FT	BEAGLE CLUB RD (T362)
	0050/0000	LENGTH(AH 2402 BK 2987)
	0040/0060	024 "DIA CIRC METAL LEN=0062 INSTALLED 1996
008494 FT	008494 FT	2 0 60081 0 00 0085+46

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 397
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.428 MI. DIST: 01-5 SR: 4018
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

2 0 60081 0 00 0048+90 004901 FT
FALLS RD
(T352) 0030/0000

002313 FT

000000 FT

Station	Description
0040/0000	JACKSON CANAL T
0030/3367	018 "DIA CIR PLASTIC LEN=0050 INSTALLED UNKN
0030/3043	024 "DIA CIR PLASTIC LEN=0060 INSTALLED 2002
0030/2495	BMSBN 60/4018/0030/2286
0030/2476	BEATTY RUN BMSBG 60/4018/0030/2286
0030/1680	015 "DIA CIR PLASTIC LEN=0045 INSTALLED 2002
0030/1052	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1998
0030/0646	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1998
0030/0400	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1998
004901 FT	
0030/0000	LENGTH(AH 3593 BK 2588)
0020/0828	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
002313 FT	2 0 60081 0 00 0023+02
0020/0000	LENGTH(AH 2588 BK 2313)
0010/1080	018 "DIA CIR PLASTIC LEN=0055 INSTALLED 2002
0010/0789	018 "DIA CIRC METAL LEN=0040 INSTALLED 1996
0010/0504	024 "DIA CIR PLASTIC LEN=0055 INSTALLED 2002
000000 FT	2 0 60081 0 00 0000+00
NC DO	NATION HILL RD
INTER-BK	DECKARDS RUN RD
	(SR4005 SEG 0070/1409)
	DONATION HILL RD
	(SR4005 SEG 0070/1409)
	MFC BEGIN = D
0010/0000	LENGTH(AH 2313 BK 0000)

DIR: B TOTAL LEN: 4.216 MI. DIST: 01-5 SR: 4016
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 395
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 4.216 MI. DIST: 01-5 SR: 4016
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

	0110/1960	018 "DIA CIRC METAL LEN=0060 INSTALLED 1997
	0110/1056	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 1997
	0110/0190	018 "DIA CIR PLASTIC LEN=0065 INSTALLED 1997
	0110/0179	WILSEY RD (T360)
013168 FT	013168 FT	2 0 60062 0 00 0257+30
	0110/0000	NC BAKER HILL RD LENGTH(AH 3045 BK 3064)
	0100/2867	JACKSON CANAL T
	0100/2811	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1997
	0100/1912	018 "DIA CIR PLASTIC LEN=0035 INSTALLED 1997
	0100/0946	024 "DIA CIR PLASTIC LEN=0045 INSTALLED 1997
2 0 60062 0 00 0225+42 010104 FT JACKSON CANAL T	010104 FT	
	0100/0000	LENGTH(AH 3064 BK 2087)
	0090/1085	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1997
	008017 FT	
2 0 60062 0 00 0205+00 008017 FT JUDSON RD (T590)	0090/0000	LENGTH(AH 2087 BK 3460)
	0080/2975	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 2016
	0080/2248	042 "DIA CIRC METAL LEN=0050 INSTALLED 1997
	0080/2015	018 "DIA CIR PLASTIC LEN=0055 INSTALLED 1997
	0080/1738	072 "DIA CIRC METAL LEN=0040 INSTALLED 1997
		015 "DIA CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 394
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 4.216 MI. DIST: 01-5 SR: 4016
LEFT MUN: CANAL T RIGHT MUN: CANAL T

	0080/1026	LEN=0040	INSTALLED 1997
		018 "DIA	CIR PLASTIC
	0080/0601	LEN=0055	INSTALLED UNKN
		018 "DIA	CIRC CONCR
	0080/0297	LEN=0038	INSTALLED 1997
		018 "DIA	CIR PLASTIC
004557 FT	0080/0058	LEN=0050	INSTALLED 1997
	004557 FT	2 0 60062	0 00 0170+00
		CHESTNUT	GROVE RD
		(T350)	
	0080/0000	LENGTH(AH	3460 BK 2044)
		018 "DIA	CIR PLASTIC
	0070/0984	LEN=0040	INSTALLED 2002
		015 "DIA	CIR PLASTIC
	0070/0570	LEN=0035	INSTALLED 1997
		015 "DIA	CIR PLASTIC
002513 FT	0070/0202	LEN=0040	INSTALLED 1997
	002513 FT	2 0 60062	0 00 0149+88
	0070/0000	LENGTH(AH	2044 BK 2513)
		018 "DIA	CIR PLASTIC
	0060/1505	LEN=0050	INSTALLED 1997
		018 "DIA	CIR PLASTIC
	0060/0900	LEN=0045	INSTALLED 2016
		018 "DIA	CIR PLASTIC
	0060/0763	LEN=0040	INSTALLED 1997
		018 "DIA	CIR PLASTIC
000000 FT	0060/0421	LEN=0035	INSTALLED 1997
	000000 FT	2 0 60062	0 00 0124+75
		NC BE	ATTY RUN RD
			DECKARDS RUN RD
		(SR4005	SEG 0040/0000)
	INTER-BK	BEATTY RUN RD	
		(T301)	
		MFC BEGIN	= E
000000 FT	0060/0000	LENGTH(AH	2513 BK 2620)
	000000 FT		
000000 FT	7050/0000	LENGTH(AH	2620 BK 2752)
	000000 FT		
000000 FT	7040/0000	LENGTH(AH	2752 BK 3035)
	000000 FT		
000000 FT	7030/0000	LENGTH(AH	3035 BK 2013)
	000000 FT		
000000 FT	7020/0000	LENGTH(AH	2013 BK 1965)
	000000 FT		
000000 FT	7010/0000	LENGTH(AH	1965 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 393
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
DIR: B TOTAL LEN: .000 MI. DIST: 01-5 SR: 4013
LEFT MUN: CANAL T RIGHT MUN: CANAL T


000000 FT



000000 FT
7010/0000 LENGTH(AH 1882 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 392
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.687 MI. DIST: 01-5 SR: 4012
LEFT MUN: CANAL T RIGHT MUN: CANAL T

SR 4014 SH (SR9103 SEG 0010/0392)	014188 FT 0050/1358		014188 FT TWENTYEIGHTH DIVISION H 0050/1482 (SR0322 SEG 0070/0000)
LONG RD (T338)	012706 FT 0050/0000		0050/0322 036 " DIA CIRC CONCR 012706 FT LEN=0046 INSTALLED 1996 2 0 60036 0 01 0039+50 LONG RD (T338) 0050/0000 LENGTH(AH 1482 BK 3085)
			0040/0904 060 " DIA CIRC METAL LEN=0048 INSTALLED 1996 018 " DIA CIRC CONCR 0040/0441 LEN=0056 INSTALLED 1996 009621 FT 2 0 60036 0 01 0070+35 0040/0000 LENGTH(AH 3085 BK 3080)
WHISPERING PINES RD	009621 FT		

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 391
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.687 MI. DIST: 01-5 SR: 4012
LEFT MUN: CANAL T RIGHT MUN: CANAL T

(T325)	0030/2839	==	
		==	
		==	
	006541 FT	==	0030/0620 018 "DIA CIRC CONCR LEN=0064 INSTALLED 1996
		==	0030/0277 018 "DIA CIRC CONCR LEN=0045 INSTALLED 1996
		==	006541 FT 2 0 60036 0 01 0101+56 BATTLES RD (T322)
		==	5 0030/0000 LENGTH(AH 3080 BK 2831)
		==	
BROWN HILL RD (T324)	0020/1820	==	0020/2127 COUNTY LINE RD (T573)
		==	
	003710 FT	==	003710 FT 2 0 60036 0 01 0130+41 NC FRANKLIN PK
		==	5 0020/0000 LENGTH(AH 2831 BK 3710)
		==	
		==	0010/2397 018 "DIA CIRC CONCR LEN=0060 INSTALLED 1996
		==	
		==	0010/0834 036 "DIA CIRC CONCR LEN=0060 INSTALLED 1996
		==	FISH RD (T308)
BEATTY RUN RD (T301)	0010/0053	==	
	000000 FT	==	000000 FT 2 0 60036 0 01 0166+91 NC OLD FRANKLIN PK
		==	INTER-BK SR 2010 SH (SR2010 SEG 0220/3404)
		==	MFC BEGIN = D
		==	5 0010/0000 LENGTH(AH 3710 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 390
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: .012 MI. DIST: 01-5 SR: 4011
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

000062 FT
000062 FT
000062 FT
000062 FT
000062 FT
000062 FT
000062 FT

000000 FT

000000 FT
000000 FT
000000 FT
000000 FT
000000 FT
000000 FT
000000 FT
000000 FT
000000 FT
000000 FT
000000 FT



000062 FT
7150/0000 LENGTH(AH 2631 BK 2160)
000062 FT
7140/0000 LENGTH(AH 2160 BK 3084)
000062 FT
7130/0000 LENGTH(AH 3084 BK 2884)
000062 FT
7120/0000 LENGTH(AH 2884 BK 0854)
000062 FT
7116/0000 LENGTH(AH 0854 BK 0019)
000062 FT
7114/0000 LENGTH(AH 0019 BK 2111)
000062 FT
7112/0000 LENGTH(AH 2111 BK 0062)
BMSBN 60/4011/0110/0000
DEMPSEYTOWN GRESHEM RD
* REF-AHD (T302)
0110/0062 2 0 60044 0 00 0267+77
000000 FT DE MPSEYTOWN GRESHEM RD
* REF-BK (T302)
PRATHER RUN
BMSBG 60/4011/0110/0000
MFC BEGIN = E
5 0110/0000 LENGTH(AH 0062 BK 2816)
000000 FT
7100/0000 LENGTH(AH 2816 BK 2735)
000000 FT
7090/0000 LENGTH(AH 2735 BK 3762)
000000 FT
7080/0000 LENGTH(AH 3762 BK 2858)
000000 FT
7070/0000 LENGTH(AH 2858 BK 2738)
000000 FT
7060/0000 LENGTH(AH 2738 BK 2487)
000000 FT
7050/0000 LENGTH(AH 2487 BK 1828)
000000 FT
7040/0000 LENGTH(AH 1828 BK 2446)
000000 FT
7030/0000 LENGTH(AH 2446 BK 2501)
000000 FT
7020/0000 LENGTH(AH 2501 BK 2538)
000000 FT
7010/0000 LENGTH(AH 2538 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 389
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.077 MI. DIST: 01-5 SR: 4010
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B


TWENTYEIGHTH DIVISION H026806 FT
(SR0322 SEG 0210/0000) 0110/2604

024202 FT

021765 FT

SUGAR CREEK DR
(BORO)

019857 FT
0090/0000



026806 FT TEWNTYEIGHTH DIVISION H
0110/2604 (SR0322 SEG 0210/0000)
015 "DIA CIRC CONCR
0110/2395 LEN=0042 INSTALLED 1997
036 "H 00 "W MULT PLSTIC
0110/2060 LEN=0060 INSTALLED 1999
018 "DIA CIR PLASTIC
0110/1736 LEN=0090 INSTALLED 2003
018 "DIA CIR PLASTIC
0110/1532 LEN=0040 INSTALLED 1999

015 "DIA CIR PLASTIC
0110/0686 LEN=0042 INSTALLED 1997
CANAL DR
0110/0663 (BORO)

024202 FT 2 0 60077 0 00 0026+25
S 0110/0000 LENGTH(AH 2604 BK 2437)
015 "DIA CIR PLASTIC
0100/2405 LEN=0036 INSTALLED 1997

015 "DIA CIR PLASTIC
0100/1689 LEN=0036 INSTALLED 1997
YOUNG LN
0100/1388 (BORO)
0100/1039 BMS EN 60/4010/0100/0934
2 0 60077 0 00 0050+87
SUGAR CREEK
0100/0913 BMS BG 60/4010/0100/0934

021765 FT 2 0 60077 0 00 0050+87
S 0100/0000 LENGTH(AH 2437 BK 1908)
015 "DIA CIR PLASTIC
0090/1388 LEN=0036 INSTALLED 1997
CAUSEWAY DR
0090/1048 (BORO)
WILSON ST
0090/0667 (BORO)

019857 FT 2 0 60077 0 00 0069+65
NC SUGAR CREEK DR
S 0090/0000 LENGTH(AH 1908 BK 3022)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 388
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.077 MI. DIST: 01-5 SR: 4010
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

	==	0080/2673	MCQUAID ST (BORO)
	==	0080/2332	MARSHALL ST (BORO)
	==	0080/2044	CAUSEWAY DR (BORO)
	---	0080/1913	036 " DIA CIR PLASTIC LEN=0068 INSTALLED 2004
	---	0080/1128	015 " DIA CIRC METAL LEN=0048 INSTALLED 1997
	---	0080/0777	018 " DIA CIRC METAL LEN=0040 INSTALLED 1997
	---	0080/0208	018 " DIA CIR PLASTIC LEN=0036 INSTALLED 1997
016835 FT		016835 FT	2 0 60077 0 00 0100+34
	---	0080/0000	LENGTH(AH 3022 BK 2459) 018 " DIA CIRC METAL
	---	0070/2330	LEN=0042 INSTALLED 1997
	---	0070/2092	018 " DIA CIRC METAL LEN=0046 INSTALLED 1997
	---	0070/1776	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 1997
	---	0070/0835	015 " DIA CIRC METAL LEN=0040 INSTALLED 1997
014376 FT		014376 FT	2 0 60077 0 00 0124+91
	---	0070/0000	LENGTH(AH 2459 BK 2660)
	---	0060/0127	024 " DIA CIR PLASTIC LEN=0040 INSTALLED 1997
2 0 60077 0 00 0151+13 011716 FT MCCLEERY RD (BORO)	==	011716 FT	
	---	0060/0000	LENGTH(AH 2660 BK 2524) YURKAMIN DR
	==	0050/2082	(PRDR)
	---	0050/1673	048 " DIA CIR PLASTIC LEN=0082 INSTALLED 2006
	---	0050/1182	018 " DIA CIR PLASTIC LEN=0060 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 387
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.077 MI. DIST: 01-5 SR: 4010
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

Station	Length	Notes
009192 FT		
0050/0000	0040/1968	2 0 60077 0 00 0176+14 SUGARCREEK CANAL T LENGTH(AH 2524 BK 2406) 018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2006
0040/1298		018 "DIA CIR PLASTIC LEN=0030 INSTALLED 1997
006786 FT		
0040/0000		2 0 60077 0 00 0200+20 LENGTH(AH 2406 BK 2299)
0030/0870		024 "DIA CIR PLASTIC LEN=0040 INSTALLED 1997
0030/0446		015 "DIA CIR PLASTIC LEN=0042 INSTALLED 1997
004487 FT		
0030/0000		2 0 60077 0 00 0223+19 HANCOCK RD (T347) LENGTH(AH 2299 BK 2704) 015 "DIA CIR PLASTIC LEN=0048 INSTALLED 1997
0020/2343		036 "DIA CIR PLASTIC LEN=0045 INSTALLED 2013
0020/1823		018 "DIA CIR PLASTIC LEN=0050 INSTALLED 1997
0020/0990		018 "DIA CIRC METAL LEN=0050 INSTALLED 1997
0020/0252		2 0 60077 0 00 0249+96 LENGTH(AH 2704 BK 1783)
001783 FT		018 "DIA CIR PLASTIC LEN=0060 INSTALLED 1997
0020/0000		018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1997
0010/1510		
0010/0967		
000000 FT		
000000 FT		2 0 60077 0 00 0268+21 NC BUTTERMILK HILL RD UTICA RD (SR3017 SEG 0200/0000) INTER-BK MCCURE RD (T300) MFC BEGIN = D
0010/0000		LENGTH(AH 1783 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 386
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 9.040 MI. DIST: 01-5 SR: 4009
LEFT MUN: PLUM T RIGHT MUN: PLUM T

047733 FT

* 047733 FT
REF-AHD CRAWFORD CO
0180/2578 (T300)

045155 FT

0180/0195 048 "DIA CIR PLASTIC
045155 FT LEN=0046 INSTALLED 2004
2 0 60041 0 00 0163+41
SR 0027 SH
(SR0027 SEG 0030/0000)
5 0180/0000 LENGTH(AH 2578 BK 2808)
030 "DIA CIRC CONCR
0170/2778 LEN=0030 INSTALLED 1996

042347 FT

042347 FT 2 0 60041 0 00 0135+71
5 0170/0000 LENGTH(AH 2808 BK 2769)

039578 FT

0160/1414 018 "DIA CIR PLASTIC
LEN=0038 INSTALLED 1996
039578 FT 2 0 60041 0 00 0107+72
PORTER RUN
STRUCTURE LENGTH 13 FT
BMSID 60/4009/0160/0000
5 0160/0000 LENGTH(AH 2769 BK 1908)
015 "DIA CIR PLASTIC
0150/1317 LEN=0030 INSTALLED 1996
018 "DIA CIR PLASTIC
0150/1059 LEN=0036 INSTALLED 1996
018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 9.040 MI. DIST: 01-5 SR: 4009
LEFT MUN: PLUM T RIGHT MUN: PLUM T

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 384
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 9.040 MI. DIST: 01-5 SR: 4009
LEFT MUN: PLUM T RIGHT MUN: PLUM T

	0110/3231	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
	0110/2911	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1999
	0110/2494	024 "DIA CIR PLASTIC LEN=0045 INSTALLED 1996
	0110/1630	018 "DIA CIR PLASTIC LEN=0038 INSTALLED 1996
025517 FT	025517 FT	2 0 60063 0 00 0229+65
	0110/0000	LENGTH(AH 3264 BK 2783) 018 "DIA CIR PLASTIC
	0100/2607	LEN=0045 INSTALLED 1996
	0100/1468	036 "DIA CIR PLASTIC LEN=0060 INSTALLED 2018
	0100/0910	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
022734 FT	0100/0067	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
	022734 FT	2 0 60063 0 00 0201+82
	0100/0000	PLUM JACKSON T LENGTH(AH 2783 BK 2665)
	0090/1378	MYERS HILL RD (T597)
	0090/0639	024 "DIA CIR PLASTIC LEN=0050 INSTALLED 1996
020069 FT	020069 FT	2 0 60063 0 00 0174+88
	0090/0000	LENGTH(AH 2665 BK 2621) 018 "DIA CIR PLASTIC
	0080/2559	LEN=0054 INSTALLED 1996
	0080/2074	018 "DIA CIR PLASTIC LEN=0060 INSTALLED 1996
	0080/1506	018 "DIA CIR PLASTIC LEN=0046 INSTALLED 1996
CREEK RD (T593)	0080/0935	CREEK RD (T593)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 383
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 9.040 MI. DIST: 01-5 SR: 4009
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

017448 FT		017448 FT	2 0 60063 0 00 0148+68 JACKSON OAKLAND T
		5 0080/0000	LENGTH(AH 2621 BK 2428)
		0070/1690	BMS EN 60/4009/0070/1678 2 0 60063 0 00 0124+38 E. BR. SUGAR
		0070/1604	BMS BG 60/4009/0070/1678
		0070/0526	018 " DIA CIR PLASTIC LEN=0045 INSTALLED 1996
		0070/0289	018 " DIA CIR PLASTIC LEN=0050 INSTALLED 1996
		0070/0035	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 1996
2 0 60063 0 00 0124+38 015020 FT BOALS RD (T593)		015020 FT	
0070/0000		5 0070/0000	LENGTH(AH 2428 BK 2573)
		0060/2260	018 " DIA CIR PLASTIC LEN=0045 INSTALLED 1996
		0060/1784	018 " DIA CIR PLASTIC LEN=0050 INSTALLED 1996
		0060/1493	015 " DIA CIR PLASTIC LEN=0034 INSTALLED 1996
		0060/1053	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 1996
		0060/0855	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 1996
		0060/0285	018 " DIA CIR PLASTIC LEN=0045 INSTALLED 1996
012447 FT		012447 FT	2 0 60063 0 00 0098+41
		5 0060/0000	LENGTH(AH 2573 BK 1506)
		0050/1185	018 " DIA CIR PLASTIC LEN=0050 INSTALLED 1996
		0050/0086	015 " DIA CIR PLASTIC LEN=0036 INSTALLED 1996
010941 FT		010941 FT	2 0 60063 0 00 0083+35 COOPERSTOWN RD (SR4020 SEG 0060/0000)
		5 0050/0000	LENGTH(AH 1506 BK 2665)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 382
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 9.040 MI. DIST: 01-5 SR: 4009
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T


2 0 60039 0 00 0135+69 008276 FT	---	0040/0445	018 "DIA CIR PLASTIC
COOPERSTOWN RD	---	008276 FT	LEN=0035 INSTALLED 1996
(SR4020 SEG 0050/3580) 0040/0000	==	5 0040/0000	LENGTH(AH 2665 BK 3140)
	---	0030/2360	018 "DIA CIR PLASTIC
	---		LEN=0040 INSTALLED UNKN
	---	0030/1308	024 "DIA CIR PLASTIC
	---		LEN=0045 INSTALLED 1996
		005136 FT	
2 0 60063 0 00 0051+55 005136 FT	==	5 0030/0000	LENGTH(AH 3140 BK 2119)
BAKER RD	---	0020/1275	015 "DIA CIR PLASTIC
(T565)	---		LEN=0040 INSTALLED 1996
BAKER RD		0020/0052	030"H 00"W MULT PLSTIC
(T565) 0030/0000	---	003017 FT	LEN=0030 INSTALLED 1996
	==	5 0020/0000	LENGTH(AH 2119 BK 3017)
	---	0010/2433	024 "DIA CIR PLASTIC
	---		LEN=0040 INSTALLED UNKN
		0010/0249	FOR SR 0417 AND 4009
BOWMAN RD	==	(CONN)	
(T561) 0010/0138	---	000000 FT	2 0 60063 0 00 0000+00
000000 FT	---		SR 0417 SH
			(SR0417 SEG 0130/0000)
			NC SUNVILE RD
SR 0417 SH			MFC BEGIN = D
(SR0417 SEG 0130/0000) 0010/0000	---	5 0010/0000	LENGTH(AH 3017 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 381
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: .000 MI. DIST: 01-5 SR: 4008
 LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

000000 FT		000000 FT	
000000 FT		7060/0000	LENGTH(AH 2507 BK 2166)
000000 FT		000000 FT	
000000 FT		7050/0000	LENGTH(AH 2166 BK 2106)
000000 FT		000000 FT	
000000 FT		7040/0000	LENGTH(AH 2106 BK 2828)
000000 FT		000000 FT	
000000 FT		7030/0000	LENGTH(AH 2828 BK 3102)
000000 FT		000000 FT	
000000 FT		7020/0000	LENGTH(AH 3102 BK 2174)
000000 FT		000000 FT	
000000 FT		7014/0000	LENGTH(AH 2174 BK 0068)
000000 FT		000000 FT	
000000 FT		7012/0000	LENGTH(AH 0068 BK 0354)
000000 FT		000000 FT	
		7010/0000	LENGTH(AH 0354 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 380
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: 4.720 MI. DIST: 01-5 SR: 4007
 LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

024919 FT



* 024919 FT AH-CRAWFORD (20)
 REF-AHD SR 2014 SH
 0100/2478 (SR2014 SEG 0190/1691)
 0100/2272 018 " DIA CIR PLASTIC
 LEN=0038 INSTALLED UNKN
 024 " DIA CIR PLASTIC
 0100/2167 LEN=0060 INSTALLED 2006
 018 " DIA CIR PLASTIC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 379
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 4.720 MI. DIST: 01-5 SR: 4007
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

WILSON MILLS RD
(T362)

	0100/1973	LEN=0040	INSTALLED UNKN
		018 "DIA	CIR PLASTIC
	0100/1560	LEN=0030	INSTALLED 2006
		018 "DIA	CIR PLASTIC
	0100/1381	LEN=0055	INSTALLED 2006
		018 "DIA	CIR PLASTIC
	0100/1238	LEN=0070	INSTALLED 2006
		024 "DIA	CIR PLASTIC
	0100/0090	LEN=0040	INSTALLED 2006
022441 FT	022441 FT	2 0 60038 0 00 0226+04	
	5 0100/0000	LENGTH(AH 2478 BK 2238)	
		018 "DIA	CIRC METAL
	0090/2053	LEN=0040	INSTALLED 2006
		024 "DIA	CIR PLASTIC
	0090/1542	LEN=0040	INSTALLED 2006
		WAYNE RD	
	0090/1306	(T364)	
020203 FT	020203 FT	2 0 60038 0 00 0201+45	
		JACKSON PLUM RD	
		(T611)	
	5 0090/0000	LENGTH(AH 2238 BK 2787)	
		018 "DIA	CIR PLASTIC
	0080/2506	LEN=0050	INSTALLED UNKN
		018 "DIA	CIR PLASTIC
	0080/1590	LEN=0050	INSTALLED 2006
		018 "DIA	CIR PLASTIC
	0080/1060	LEN=0040	INSTALLED UNKN
		018 "DIA	CIR PLASTIC
	0080/0224	LEN=0030	INSTALLED 2006
017416 FT	017416 FT	2 0 60038 0 00 0174+41	
	5 0080/0000	LENGTH(AH 2787 BK 2226)	
		024 "DIA	CIR PLASTIC
	0070/1754	LEN=0040	INSTALLED UNKN
		024 "DIA	CIR PLASTIC
	0070/0750	LEN=0048	INSTALLED UNKN
		018 "DIA	CIR PLASTIC
	0070/0345	LEN=0040	INSTALLED 2006
		018 "DIA	CIR PLASTIC

DIST: 01-5 SR: 4007
RIGHT MUN: JACKSON T

DIR: B TOTAL LEN: 4.720 MI. DIST: 01-5 SR: 4007
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 376
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 3.986 MI. DIST: 01-5 SR: 4006
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

	021044 FT		021044 FT	
SECOND AV (BORO)			INTER-AHD	THIRTEENTH ST
ROCKY GROVE AV (SR0417 SEG 0010/0000)	0080/3542	==	0080/3542	(SR0322 SEG 0261/0000)
FROM 0417/0010 SH (CONN)	0080/3393	==		GRANT ST (SR0322 SEG 0260/0000)
		==		(SR0322 SEG 0261/0000)
BELL AV (BORO)	0080/2443	==		
		==	0080/2145	RUSH ST (BORO)
		==	0080/1632	HIGHLAND AV (BORO)
		==	0080/1300	018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
UNKNOWN AL (BORO)	0080/1186	==	0080/1123	018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
		==		
1 0 00844 0 00 0035+52	017502 FT		017502 FT	
KISTLER ST (BORO)	0080/0000	==	5 0080/0000	LENGTH(AH 3542 BK 2126)
		==	0070/2087	018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN
		==	0070/1954	018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
		==	0070/1600	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
		==	0070/1095	018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
		==		
	015376 FT		015376 FT	1 0 00844 0 00 0056+92
				WASHINGTON ST (CITY)
ALLENBAUGH RD (BORO)	0060/2631	==	5 0070/0000	LENGTH(AH 2126 BK 2808)
		==	0060/2595	018 "DIA CIR PLASTIC LEN=0072 INSTALLED 2002
		==	0060/2459	ROOSEVELT ST (CITY)
				018 "DIA CIR PLASTIC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 375
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 3.986 MI. DIST: 01-5 SR: 4006
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

012568 FT

010619 FT

008129 FT

LAMBERTON RD
(BORO)

0030/1732

0060/1845	LEN=0050	INSTALLED UNKN
0060/1556	018 "DIA CIR PLASTIC	LEN=0040 INSTALLED 2013
0060/1241	018 "DIA CIR PLASTIC	LEN=0060 INSTALLED 2015
0060/0718	015 "DIA CIR PLASTIC	LEN=0040 INSTALLED UNKN
0060/0386	015 "DIA CIR PLASTIC	LEN=0052 INSTALLED 2006
0060/0061	036 "DIA CIR PLASTIC	LEN=0060 INSTALLED UNKN
012568 FT	1 0 00844 0 00 0085+01	
5 0060/0000	LENGTH(AH 2808 BK 1949)	
0050/1756	018 "DIA CIR PLASTIC	LEN=0050 INSTALLED UNKN
0050/1208	018 "DIA CIR PLASTIC	LEN=0050 INSTALLED UNKN
0050/0815	018 "DIA CIR PLASTIC	LEN=0042 INSTALLED UNKN
0050/0490	018 "DIA CIR PLASTIC	LEN=0040 INSTALLED UNKN
0050/0309	BMSSEN 60/4006/0050/0286	1 0 00844 0 00 0101+64
0050/0286	PATCHELL RUN	BMSBG 60/4006/0050/0286
0050/0169	VINCENT RD	(BORO)
010619 FT	1 0 00844 0 00 0104+46	
5 0050/0000	PATCHELL RUN RD	(SR4003 SEG 0020/0000)
0040/2173	LENGTH(AH 1949 BK 2490)	036 "DIA CIR PLASTIC
0040/0666	LEN=0060 INSTALLED 2013	015 "DIA CIR PLASTIC
0040/0350	LEN=0040 INSTALLED UNKN	018 "DIA CIR PLASTIC
008129 FT	LEN=0045 INSTALLED UNKN	1 0 00844 0 00 0129+33
5 0040/0000	LENGTH(AH 2490 BK 2538)	015 "DIA CIR PLASTIC
0030/2515	LEN=0040 INSTALLED UNKN	018 "DIA CIR PLASTIC
0030/1762	LEN=0055 INSTALLED UNKN	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 374
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 3.986 MI. DIST: 01-5 SR: 4006
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

						036 "DIA CIR PLASTIC
				0030/0411	LEN=0060	INSTALLED 2015
				0030/0230	015 "DIA CIR PLASTIC	
005591 FT				005591 FT	LEN=0040	INSTALLED UNKN
				5 0030/0000	1 0 00844 0 00 0154+71	
					LENGTH(AH 2538 BK 3196)	
				0020/2600	036 "DIA CIR PLASTIC	
					LEN=0045	INSTALLED 2015
				0020/2384	018 "DIA CIRC METAL	
					LEN=0055	INSTALLED UNKN
				0020/2325	015 "DIA CIR PLASTIC	
					LEN=0045	INSTALLED UNKN
				0020/1930	024 "DIA CIR PLASTIC	
					LEN=0055	INSTALLED UNKN
				0020/1707	018 "DIA CIR PLASTIC	
					LEN=0030	INSTALLED UNKN
				0020/1161	015 "DIA CIR PLASTIC	
					LEN=0050	INSTALLED UNKN
				0020/0724	018 "DIA CIR PLASTIC	
					LEN=0045	INSTALLED UNKN
				0020/0538	015 "DIA CIR PLASTIC	
					LEN=0050	INSTALLED UNKN
				0020/0365	015 "DIA CIR PLASTIC	
002395 FT				002395 FT	LEN=0042	INSTALLED UNKN
					1 0 00844 0 00 0186+69	
					SUGARCREEK RD	
					(T685)	
				5 0020/0000	LENGTH(AH 3196 BK 2395)	
				0010/2306	BMSBN 60/4006/0010/2270	
					0 0 00000 0 00 0000+00	
					LICK RUN	
				0010/2292	BMSBG 60/4006/0010/2270	
				0010/1372	018 "DIA CIR PLASTIC	
					LEN=0038	INSTALLED UNKN
				0010/1037	024 "DIA CIR PLASTIC	
					LEN=0042	INSTALLED UNKN
				0010/0190	018 "DIA CIR PLASTIC	
000000 FT				000000 FT	LEN=0045	INSTALLED UNKN
					1 0 00844 0 00 0210+70	
					TWENTYEIGHTH DIVISION H	
					(SR0322 SEG 0170/0000)	
					NC MEADVILLE PK	
					MFC BEGIN = D	
TWENTYEIGHTH DIVISION H				5 0010/0000	LENGTH(AH 2395 BK 0000)	
(SR0322 SEG 0170/0000)						

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 373
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO


DIR: B TOTAL LEN: 3.391 MI. DIST: 01-5 SR: 4005
LEFT MUN: CANAL T RIGHT MUN: CANAL T

017906 FT

017906 FT AH-CRAWFORD (20)
* REF-AHD SR 2018 SH
0070/1981 (SR2018 SEG 0070/2973)
NC DO DONATION HILL RD
0070/1409 (SR4018 SEG 0010/0000)


015925 FT

015925 FT 2 0 60037 0 00 0159+10
5 0070/0000 LENGTH(AH 1981 BK 2616)



0060/1969 018 " DIA CIR PLASTIC
LEN=0030 INSTALLED 1996
0060/1811 018 " DIA CIRC METAL
LEN=0055 INSTALLED UNKN
0060/1301 018 " DIA CIR PLASTIC
LEN=0045 INSTALLED 1996
0060/0710 018 " DIA CIR PLASTIC
LEN=0055 INSTALLED 1996

2 0 60037 0 00 0132+96 013309 FT
WHEELING HILL RD
(T589) 0060/0000



013309 FT JUDSON RD
(T590)
5 0060/0000 LENGTH(AH 2616 BK 2413)

010896 FT

010896 FT 2 0 60037 0 00 0109+07
5 0050/0000 LENGTH(AH 2413 BK 2125)
018 " DIA CIR PLASTIC
0040/1746 LEN=0036 INSTALLED 1996



EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 372
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 3.391 MI. DIST: 01-5 SR: 4005
LEFT MUN: CANAL T RIGHT MUN: CANAL T

2 0 60037 0 00 0087+57 008771 FT
BEATTY RUN RD
(T301) 0040/0000

0040/1130 015 "DIA CIR PLASTIC
LEN=0060 INSTALLED 1996

008771 FT BEATTY RUN RD
(SR4016 SEG 0060/0000)
0040/0000 LENGTH(AH 2125 BK 3740)

0030/2771 024 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2005
0030/2263 015 "DIA CIR PLASTIC
LEN=0026 INSTALLED 1996

005031 FT

0030/0030 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2002
005031 FT 2 0 60037 0 00 0050+08
0030/0000 LENGTH(AH 3740 BK 2674)

002357 FT

0020/0952 015 "DIA CIR PLASTIC
LEN=0030 INSTALLED 1996
0020/0494 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2018
0020/0030 018 "DIA CIR PLASTIC
LEN=0030 INSTALLED 1996
002357 FT 2 0 60037 0 00 0023+34
0020/0000 LENGTH(AH 2674 BK 2357)

0010/1473 018 "DIA CIR PLASTIC
LEN=0054 INSTALLED 1996

000000 FT

WARDENS RUN
STRUCTURE LENGTH 14 FT
0010/0220 BMSID 60/4005/0010/0220
000000 FT 2 0 60037 0 00 0000+00
NC DECKARDS RUN RD
TWENTYEIGHTH DIVISION H
(SR0322 SEG 0070/0976)
MFC BEGIN = D
0010/0000 LENGTH(AH 2357 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 371
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
DIR: E TOTAL LEN: 1.373 MI. DIST: 01-5 SR: 4004
LEFT MUN: FRANKLIN C RIGHT MUN: FRANKLIN C

006981 FT

THIRTEENTH ST
(SR0322 SEG 0260/0584)



007250 FT
INTER-AHD

EAST ATLANTIC AV
(CITY)
THIRTEENTH ST
(SR0322 SEG 0261/0584)
(SR0322 SEG 0260/0584)


EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 370
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: E TOTAL LEN: 1.373 MI. DIST: 01-5 SR: 4004
LEFT MUN: FRANKLIN C RIGHT MUN: FRANKLIN C

(SR0322 SEG 0261/0584)	0040/2737		0040/2737
ORCHARD ST (CITY)	0040/1665	==	
CENTER ST (CITY)	0040/0821	==	
2 0 60084 0 00 0044+08	004244 FT		004513 FT
PINE ST (CITY)	0040/0000	==	5 0040/0000 LENGTH(AH 2737 BK 2343)
NORMAN ST (CITY)	0030/1857	==	
MISSOURI ST (CITY)	0030/1222	==	0030/1259 012 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
2 0 60084 0 00 0020+62	001901 FT		002170 FT
REISENMAN ST (CITY)	0030/0000	==	5 0030/0000 LENGTH(AH 2343 BK 1808)
		==	BROWN AV (CITY)
		==	0020/1168 018 "DIA CIR PLASTIC
		==	LEN=0100 INSTALLED UNKN
		==	0020/0732 018 "DIA CIRC CONCR
		==	LEN=0040 INSTALLED UNKN
000093 FT		==	2 0 60084 0 00 0000+00 MFC BEGIN = D FRANKLIN SUGARCREEK B
		==	5 0020/0000 LENGTH(AH 1808 BK 0362)
		==	0010/0182 012 "DIA CIRC CONCR LEN=0025 INSTALLED UNKN
		==	0010/0076 015 "DIA CIRC CONCR LEN=0025 INSTALLED UNKN
		==	000000 FT 2 0 60083 0 00 0000+00 TWENTYEIGHTH DIVISION H (SR0322 SEG 0230/0488)
0 0 00000 0 00 0000+00	000000 FT		NC AT ATLANTIC AV TWENTYEIGHTH DIVISION H (SR0322 SEG 0230/0488)
MFC BEGIN = D			MFC BEGIN = D
LENGTH(AH 0093 BK 0000)	0011/0000	5	5 0010/0000 LENGTH(AH 0362 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 369
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
DIR: B TOTAL LEN: 6.097 MI. DIST: 01-5 SR: 4003
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

032194 FT



032194 FT SR 0427 SH
0110/2810 (SR0427 SEG 0090/0000)
013"H 21"W ELLIP METAL
0110/2782 LEN=0050 INSTALLED 1996

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 368
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 6.097 MI. DIST: 01-5 SR: 4003
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

029384 FT

026842 FT

023611 FT

	0110/1029	BAKER RD (T565)
	0110/0614	015 " DIA CIRC METAL LEN=0060 INSTALLED 1996
	0110/0146	030 " DIA CIRC CONCR LEN=0050 INSTALLED 1998
	029384 FT	2 0 60031 0 02 0299+78
	0110/0000	LENGTH(AH 2810 BK 2542) 015 " DIA CIRC METAL
	0100/2515	LEN=0050 INSTALLED 1998
	0100/1920	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 1996
	0100/0946	030 " DIA CIRC METAL LEN=0050 INSTALLED 1996
	026842 FT	2 0 60031 0 02 0274+36
	0100/0000	LENGTH(AH 2542 BK 3231) 040 " DIA CIRC CONCR
	0090/3032	LEN=0040 INSTALLED 1996
	0090/2107	018 " DIA CIRC METAL LEN=0060 INSTALLED 1996
	0090/1617	018 " DIA CIRC METAL LEN=0055 INSTALLED 1996
	0090/1357	018 " DIA CIR PLASTIC LEN=0075 INSTALLED 1996
	0090/1133	SHAY RD (T563)
	0090/0876	024 " DIA CIR PLASTIC LEN=0060 INSTALLED 2001
	0090/0714	018 " DIA CIRC METAL LEN=0060 INSTALLED 1996
	0090/0260	024 " DIA CIRC CONCR LEN=0042 INSTALLED 1996
	0090/0180	BMS EN 60/4003/0090/0153 2 0 60031 0 01 0243+89
	0090/0153	WOLF RUN
	023611 FT	BMS BG 60/4003/0090/0153 2 0 60031 0 01 0242+20
	0090/0000	BOWMAN RD (T561)
	0080/3278	LENGTH(AH 3231 BK 3680) 018 " DIA CIR PLASTIC LEN=0050 INSTALLED 1998

DIR: B TOTAL LEN: 6.097 MI. DIST: 01-5 SR: 4003
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 366
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 6.097 MI. DIST: 01-5 SR: 4003
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

2 0 60031 0 00 0085+82 008581 FT
WHITMAN RD
(BORO)

005909 FT

5	0050/0000	LENGTH(AH 2490 BK 3344)
	018 "DIA	CIRC PLASTIC
-- --	0040/3240	LEN=0070 INSTALLED 1999
	015 "DIA	CIRC METAL
-- --	0040/2918	LEN=0040 INSTALLED 1996
	018 "DIA	CIRC METAL
-- --	0040/2555	LEN=0040 INSTALLED 1996
	015 "DIA	CIRC METAL
-- --	0040/2336	LEN=0046 INSTALLED 1996
	018 "DIA	CIRC CONCR
-- --	0040/1784	LEN=0038 INSTALLED 1996
	015 "DIA	CIRC METAL
-- --	0040/1440	LEN=0060 INSTALLED 1996
	018 "DIA	CIRC METAL
-- --	0040/0431	LEN=0055 INSTALLED 1996
	015 "DIA	CIRC METAL
-- --	0040/0017	LEN=0050 INSTALLED 1996
	008581 FT	
==	5	0040/0000 LENGTH(AH 3344 BK 2672)
	030 "DIA	CIRC PLASTIC
-- --	0030/2311	LEN=0050 INSTALLED 1996
	0030/1364	ALLENBAUGH RD
	(BORO)	
-- --	0030/1252	018 "DIA CIRC CONCR
	LEN=0060	INSTALLED 1996
-- --	0030/1019	018 "DIA CIRC CONCR
	LEN=0040	INSTALLED 1996
-- --	0030/0688	015 "DIA CIRC METAL
	LEN=0040	INSTALLED 1996
-- --	0030/0534	015 "DIA CIRC METAL
	LEN=0040	INSTALLED 1996
-- --	0030/0124	015 "DIA CIRC METAL
	LEN=0042	INSTALLED 1996
-- --	0030/0018	015 "DIA CIRC METAL
	LEN=0064	INSTALLED 1996
	005909 FT	2 0 60031 0 00 0058+51
		ALLENBAUGH RD
	(BORO)	
==	5	0030/0000 LENGTH(AH 2672 BK 2370)
	018 "DIA	CIRC METAL
-- --	0020/2331	LEN=0060 INSTALLED 1996
	018 "DIA	CIRC METAL
-- --	0020/2155	LEN=0050 INSTALLED 1996
	015 "DIA	CIRC METAL
-- --	0020/2091	LEN=0050 INSTALLED 1996

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 365
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 6.097 MI. DIST: 01-5 SR: 4003
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

003539 FT


000000 FT

0020/1375	018 "DIA CIRC METAL LEN=0046 INSTALLED 1996
0020/1246	015 "DIA CIRC METAL LEN=0054 INSTALLED 1996
0020/0545	018 "DIA CIRC METAL LEN=0040 INSTALLED 1996
0020/0034	018 "DIA CIR PLASTIC LEN=0060 INSTALLED 2016
003539 FT	2 0 60031 0 00 0035+31 MEADVILLE PK (SR4006 SEG 0050/0000)
0020/0000	LENGTH(AH 2370 BK 3539) 048 "DIA CIR PLASTIC
0010/3340	LEN=0054 INSTALLED 2006
0010/3101	018 "DIA CIRC METAL LEN=0060 INSTALLED 1996
0010/2687	018 "DIA CIRC METAL LEN=0052 INSTALLED 1996
0010/2528	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 1996
0010/2323	VINCENT RD (BORO)
0010/2208	BMS EN 60/4003/0010/2160 2 0 60031 0 00 0021+79 PATCHEL RUN
0010/2185	BMS BG 60/4003/0010/2160
0010/1837	018 "DIA CIRC METAL LEN=0046 INSTALLED 1996
0010/1380	024 "DIA CIRC METAL LEN=0080 INSTALLED 1996
0010/1179	018 "DIA CIRC METAL LEN=0050 INSTALLED 1996
0010/1039	PINE RD (BORO)
0010/1025	015 "DIA CIRC METAL LEN=0058 INSTALLED 1996
0010/0812	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 2019
0010/0397	018 "DIA CIR PLASTIC LEN=0080 INSTALLED 2019
0010/0042	018 "DIA CIR PLASTIC LEN=0080 INSTALLED 2019
000000 FT	2 0 60031 0 00 0000+00 NC PATCHEL RUN RD TWENTYEIGHTH DIVISION H (SR0322 SEG 0210/2646)
0010/0000	MFC BEGIN = D LENGTH(AH 3539 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 364
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 1.179 MI. DIST: 01-5 SR: 4002
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

006226 FT



ROCCA WY
(BORO)

0020/1373

006226 FT ALLEGHENY BL
(SR0062 SEG 0330/1270)
0020/3651 (SR0062 SEG 0331/1267)
018 "DIA CIRC METAL
0020/3580 LEN=0070 INSTALLED UNKN
024 "DIA CIRC METAL
0020/3020 LEN=0055 INSTALLED UNKN
015 "DIA CIRC CONCR
0020/2676 LEN=0045 INSTALLED UNKN
012 "DIA CIRC METAL
0020/2553 LEN=0045 INSTALLED UNKN
018 "DIA CIRC METAL
0020/2547 LEN=0046 INSTALLED UNKN
SUGARCREEK TOWN CENTER
0020/2445 (PRDR)
024 "DIA CIRC CONCR
0020/2080 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/1756 LEN=0050 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/1623 LEN=0070 INSTALLED UNKN
032 "DIA CIRC CONCR
0020/1394 LEN=0050 INSTALLED UNKN

WILEY AV
0020/1310 (BORO)
015 "DIA CIRC CONCR
0020/1196 LEN=0060 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/0949 LEN=0040 INSTALLED 2015
LOWRY COURT DR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 363
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 1.179 MI. DIST: 01-5 SR: 4002
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

2 0 60058 0 00 0025+75 002575 FT
MANOR DR
(BORO) 0020/0000


000000 FT

Station	Length	Material	Notes
0020/0926		(PRDR)	
0020/0700	018"	DIA CIRC CONCR	INSTALLED UNKN
0020/0508	018"	DIA CIRC METAL	INSTALLED UNKN
0020/0323	018"	DIA CIRC CONCR	INSTALLED UNKN
0020/0046	015"	DIA CIRC METAL	INSTALLED UNKN
002575 FT			
0020/0000	3651	LENGTH (AH)	BK 2575)
0010/2554	60/4002	BMS EN	0010/2538
	2 0 60058 0 00		0025+41
		GALLOWAY RUN	
0010/2538	60/4002	BMS BG	0010/2538
0010/2118	015"	DIA CIRC METAL	INSTALLED UNKN
0010/1837		EGBERT ST	(BORO)
0010/0635	018"	DIA CIRC CONCR	INSTALLED UNKN
0010/0605		FOX ST	(BORO)
0010/0594	018"	DIA CIRC METAL	INSTALLED 2011
0010/0584	015"	DIA CIRC CONCR	INSTALLED UNKN
0010/0461	015"	DIA CIRC METAL	INSTALLED UNKN
0010/0428	018"	DIA CIRC CONCR	INSTALLED UNKN
0010/0427	018"	DIA CIRC CONCR	INSTALLED UNKN
0010/0174	018"	DIA CIRC CONCR	INSTALLED UNKN
0010/0017	018"	DIA CIRC CONCR	INSTALLED UNKN
000000 FT			
	2 0 60058 0 00		0000+00
		NC FRONT ST	
		ROCKY GROVE AV	(SR0417 SEG 0030/0000)
INTER-BK		FRONT ST	(BORO)
		MFC BEGIN	= B
0010/0000	2575	LENGTH (AH)	BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 362
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 4.370 MI. DIST: 01-5 SR: 4001
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

023074 FT



KEELY RD
(BORO)

0090/0141

WARREN RD
(BORO)

0090/0005
020149 FT

* 023074 FT
REF-AHD
0090/2925 WARREN RD
(BORO)
018 " DIA CIRC CONCR
LEN=0050 INSTALLED UNKN
018 " DIA CIRC CONCR
LEN=0040 INSTALLED 1997
018 " DIA CIRC CONCR
LEN=0040 INSTALLED UNKN
0090/1935 BMSSEN 60/4001/0090/1900
2 0 60087 0 00 0220+86
UPPER TWO MILE RUN
0090/1900 BMSBG 60/4001/0090/1900

0090/0114 018 " DIA CIR PLASTIC
LEN=0040 INSTALLED 1997
0090/0055 BMSSEN 60/4001/0090/0059
2 0 60087 0 00 0201+60
2 MI. RUN W.B
0090/0035 BMSBG 60/4001/0090/0059

020149 FT 2 0 60087 0 00 0201+60
MFC BEGIN = E

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 361
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 4.370 MI. DIST: 01-5 SR: 4001
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

017404 FT

015099 FT

012755 FT

0090/0000 LENGTH(AH 2925 BK 2745)
024 "DIA CIRC CONCR
0080/2676 LEN=0030 INSTALLED 1997

0080/0306 018 "DIA CIR PLASTIC
LEN=0050 INSTALLED 1997
017404 FT 2 0 60087 0 00 0173+71
0080/0000 LENGTH(AH 2745 BK 2305)
018 "DIA CIR PLASTIC
0070/2285 LEN=0040 INSTALLED 1997
036 "DIA CIRC CONCR
0070/2211 LEN=0055 INSTALLED 1997
015 "DIA CIR PLASTIC
0070/1854 LEN=0045 INSTALLED 1997
015 "DIA CIR PLASTIC
0070/1731 LEN=0032 INSTALLED 2015
015 "DIA CIR PLASTIC
0070/1481 LEN=0030 INSTALLED 1997
018 "DIA CIR PLASTIC
0070/0953 LEN=0040 INSTALLED 1997

0070/0078 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 1997
015099 FT 2 0 60087 0 00 0150+77
0070/0000 LENGTH(AH 2305 BK 2344)
018 "DIA CIRC METAL
0060/2074 LEN=0030 INSTALLED 1997
018 "DIA CIR PLASTIC
0060/1929 LEN=0030 INSTALLED 1997
MARTIN HILL RD
(BORO)
0060/1524 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN
018 "DIA CIR PLASTIC
0060/1095 LEN=0040 INSTALLED 1997
018 "DIA CIR PLASTIC
0060/0890 LEN=0040 INSTALLED 1997
018 "DIA CIR PLASTIC
0060/0734 LEN=0030 INSTALLED 1997
018 "DIA CIR PLASTIC
0060/0245 LEN=0042 INSTALLED 2015
012755 FT 2 0 60087 0 00 0127+45
060 "DIA CIRC CONCR
LEN=0050 INSTALLED 1997
0060/0000 LENGTH(AH 2344 BK 2814)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 360
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 4.370 MI. DIST: 01-5 SR: 4001
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

009941 FT

007497 FT

UNKNOWN RD
(TWP)

0030/1643

-- --	0050/2408	018 "DIA LEN=0030	CIR PLASTIC INSTALLED UNKN
-- --	0050/1635	018 "DIA LEN=0042	CIR PLASTIC INSTALLED 1997
-- --	0050/1514	018 "DIA LEN=0030	CIR PLASTIC INSTALLED 1997
-- --	0050/1214	015 "DIA LEN=0030	CIR PLASTIC INSTALLED 1997
-- --	0050/0687	015 "DIA LEN=0040	CIR PLASTIC INSTALLED 1997
-- --	0050/0438	018 "DIA LEN=0035	CIR PLASTIC INSTALLED 1997
-- --	0050/0000	2 0 60087 LENGTH(AH 2814 BK 2444)	0 00 0099+77
-- --	0040/2255	015 "DIA LEN=0030	CIR PLASTIC INSTALLED 1997
-- --	0040/2050	018 "DIA LEN=0040	CIR PLASTIC INSTALLED UNKN
-- --	0040/1825	036 "DIA LEN=0045	CIRC CONCR INSTALLED 1997
-- --	0040/1083	018 "DIA LEN=0030	CIR PLASTIC INSTALLED 1997
-- --	0040/0546	018 "DIA LEN=0045	CIR PLASTIC INSTALLED UNKN
-- --	0040/0349	015 "DIA LEN=0030	CIRC METAL INSTALLED 1997
-- --	0040/0109	015 "DIA LEN=0045	CIR PLASTIC INSTALLED 1997
-- --	0040/0000	2 0 60087 LENGTH(AH 2444 BK 2466)	0 00 0074+91
-- --	0030/1500	024 "DIA LEN=0050	CIR PLASTIC INSTALLED 1997
-- --	0030/1190	015 "DIA LEN=0035	CIR PLASTIC INSTALLED 1997
-- --	0030/1055	018 "DIA LEN=0040	CIR PLASTIC INSTALLED 1997
-- --	0030/0877	018 "DIA LEN=0040	CIR PLASTIC INSTALLED 1997
-- --	0030/0550	018 "DIA LEN=0040	CIR PLASTIC INSTALLED UNKN
-- --	0030/0427	015 "DIA LEN=0040	CIR PLASTIC INSTALLED 1997
-- --	0030/0273	015 "DIA LEN=0030	CIR PLASTIC INSTALLED 1997
-- --		018 "DIA	CIR PLASTIC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 359
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 4.370 MI. DIST: 01-5 SR: 4001
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

005031 FT

0030/0098 LEN=0030 INSTALLED 1997
005031 FT 2 0 60087 0 00 0050+25
5 0030/0000 LENGTH(AH 2466 BK 2865)
015 "DIA CIR PLASTIC
0020/2735 LEN=0030 INSTALLED 1997
015 "DIA CIR PLASTIC
0020/2627 LEN=0030 INSTALLED 1997
015 "DIA CIR PLASTIC
0020/2425 LEN=0030 INSTALLED 1997
015 "DIA CIR PLASTIC
0020/2320 LEN=0030 INSTALLED 1997
018 "DIA CIR PLASTIC
0020/2128 LEN=0055 INSTALLED 1997
018 "DIA CIR PLASTIC
0020/2000 LEN=0036 INSTALLED UNKN
048 "DIA CIR PLASTIC
0020/1540 LEN=0045 INSTALLED 1997

018 "DIA CIR PLASTIC
0020/0897 LEN=0040 INSTALLED 1997
018 "DIA CIR PLASTIC
0020/0650 LEN=0040 INSTALLED 1997
0020/0365 BMSB 60/4001/0020/0355
1 0 00000 0 00 0000+00
048 "H 84 "W CON BOX CUL
LEN=0035 INSTALLED 1997
2 MI. RUN W.B

002166 FT

0020/0355 BMSB 60/4001/0020/0355
002166 FT 2 0 60087 0 00 0021+60
5 0020/0000 LENGTH(AH 2865 BK 2166)
018 "DIA CIR PLASTIC
0010/1927 LEN=0030 INSTALLED 1997
018 "DIA CIR CONCR
0010/1684 LEN=0030 INSTALLED 1997
018 "DIA CIR PLASTIC
0010/1347 LEN=0040 INSTALLED 1997
018 "DIA CIR METAL
0010/1223 LEN=0030 INSTALLED 1997
015 "DIA CIR PLASTIC
0010/0938 LEN=0035 INSTALLED 1997

000000 FT

015 "DIA CIR PLASTIC
0010/0259 LEN=0046 INSTALLED UNKN
000000 FT 2 0 60087 0 00 0000+00

ALLEGHENY BL
(SR0062 SEG 0341/2371)
(SR0062 SEG 0340/2591)


0010/0000

NC TWO MILE RUN RD
MFC BEGIN = D
5 0010/0000 LENGTH(AH 2166 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 358
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: .045 MI. DIST: 01-5 SR: 3102
 LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

000236 FT

000000 FT




000236 FT BMS EN 60/3102/0010/0000
 * REF-AHD BLAIR RD
 0010/0236 (T347)
 000000 FT 0 0 00000 0 00 0000+00
 NC BLAIR RD
 * REF-BK BLAIR RD
 (T347)
 SR 0008 N&S
 BMSBG 60/3102/0010/0000
 MFC BEGIN = E
 0010/0000 LENGTH(AH 0236 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 357
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: .050 MI. DIST: 01-5 SR: 3101
 LEFT MUN: CLINTONVILLE B RIGHT MUN: CLINTONVILLE B

000262 FT

000000 FT



000262 FT BMS EN 60/3101/0010/0000
 * REF-AHD PORTER RD
 0010/0262 (BORO)
 000000 FT 0 0 00000 0 00 0000+00
 NC PORTER RD
 * REF-BK PORTER RD
 (BORO)
 SR 0080 E/W
 BMSBG 60/3101/0010/0000
 MFC BEGIN = E
 0010/0000 LENGTH(AH 0262 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 356
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 1.330 MI. DIST: 01-5 SR: 3029
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

007025 FT

POI

* 007025 FT (APRA) SCRUBGRASS POWER
REF-AHD SCRUBGRASS POWER PLANT
0020/3850 (PRDR)

003175 FT

0020/0006 024"H 38"W ELLIP CONC
003175 FT LEN=0050 INSTALLED UNKN
5 0020/0000 0 0 00000 0 00 0000+00
LENGTH(AH 3850 BK 3175)

000000 FT

==


OLD LISBON RD
(SR3007 SEG 0120/0000) 0010/0000

000000 FT 0 0 00000 0 00 0000+00
NC LISBON RD
INTER-BK LISBON RD
(SR3007 SEG 0120/0000)
MFC BEGIN = E
5 0010/0000 LENGTH(AH 3175 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 355
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: 2.174 MI. DIST: 01-5 SR: 3028
 LEFT MUN: UTICA B RIGHT MUN: UTICA B

ACADEMY ST 011477 FT
 (SR3017 SEG 0160/2406) 0040/2435

009042 FT



011477 FT ACADEMY ST
 0040/2435 (SR3017 SEG 0160/2406)

0040/1790	018 " DIA CIR PLASTIC
	LEN=0025 INSTALLED 2000
0040/1459	018 " DIA CIR PLASTIC
	LEN=0017 INSTALLED 2000
0040/0824	024 " DIA CIR PLASTIC
	LEN=0020 INSTALLED 2004
0040/0554	024 " DIA CIR PLASTIC
	LEN=0020 INSTALLED 2004
0040/0105	024 " DIA CIRC CONCR
	LEN=0017 INSTALLED 2004
009042 FT	2 0 60061 0 00 0090+89
5 0040/0000	LENGTH(AH 2435 BK 2565)
	024 " DIA CIR PLASTIC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 354
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.174 MI. DIST: 01-5 SR: 3028
LEFT MUN: UTICA B RIGHT MUN: UTICA B

KRAFT HILL RD
(T519)

0030/1012

006477 FT

2 0 60061 0 00 0034+47 003447 FT
GUIASUTA TR
(T306)

0020/0000

000000 FT


0030/2479	LEN=0025	INSTALLED	2004
024 "DIA	CIR	PLASTIC	
0030/2074	LEN=0020	INSTALLED	UNKN
018 "DIA	CIR	PLASTIC	
0030/1750	LEN=0015	INSTALLED	UNKN
036 "DIA	CIR	PLASTIC	
0030/1550	LEN=0025	INSTALLED	UNKN
NC KRAFT HILL RD			
018 "DIA	CIR	PLASTIC	
0030/0890	LEN=0012	INSTALLED	2000
006477 FT	2 0 60061 0 00 0064+88		
0030/0000	LENGTH(AH 2565 BK 3030)		
018 "DIA	CIR	PLASTIC	
0020/2242	LEN=0014	INSTALLED	2000
UTICA			
0020/2193	FRENCH CREEK T		
018 "DIA	CIR	PLASTIC	
0020/1596	LEN=0012	INSTALLED	2000
018 "DIA	CIR	PLASTIC	
0020/0644	LEN=0040	INSTALLED	2020
024 "DIA	CIR	PLASTIC	
0020/0024	LEN=0012	INSTALLED	2000
003447 FT			
0020/0000	LENGTH(AH 3030 BK 3447)		
018 "DIA	CIR	PLASTIC	
0010/2875	LEN=0012	INSTALLED	2016
018 "DIA	CIR	PLASTIC	
0010/2576	LEN=0011	INSTALLED	2016
018 "DIA	CIR	PLASTIC	
0010/2254	LEN=0010	INSTALLED	2000
015 "DIA	CIRC	METAL	
0010/0489	LEN=0012	INSTALLED	UNKN
000000 FT	2 0 60061 0 00 0000+00		
NC SR	3028 SH		
* REF-BK	SR 1016 SH		
(SR1016	SEG 0070/3582)		
MFC BEGIN = D			
BK-MERCER	(43)		
0010/0000	LENGTH(AH 3447 BK 0000)		

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 353
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: .064 MI. DIST: 01-5 SR: 3027
 LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

OLD ROUTE 8 RD 000336 FT
 (SR3013 SEG 0060/2321) 0010/0336

 000000 FT

 SR 0308 SH
 (SR0308 SEG 0170/2032) 0010/0000



000336 FT OLD ROUTE 8 RD
 0010/0336 (SR3013 SEG 0060/2321)
 015 "DIA CIRC CONCR
 0010/0266 LEN=0044 INSTALLED UNKN
 000000 FT 1 0 00428 7 00 0000+00
 SR 0308 SH
 (SR0308 SEG 0170/2032)
 NC SR 3027 SH
 MFC BEGIN = E
 0010/0000 LENGTH(AH 0336 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 352
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.521 MI. DIST: 01-5 SR: 3026
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

039712 FT		039712 FT	MERCER RD
		0160/2205	(SR0062 SEG 0210/0000)
		0160/2170	018 "DIA CIRC METAL
			LEN=0017 INSTALLED 2003
		0160/0635	015 "DIA CIR PLASTIC
			LEN=0036 INSTALLED 2003
		0160/0294	015 "DIA CIRC METAL
			LEN=0012 INSTALLED 2003
037507 FT		037507 FT	2 0 60020 0 00 0375+71
		0160/0000	LENGTH(AH 2205 BK 2516)
		0150/1045	018 "DIA CIR PLASTIC
			LEN=0012 INSTALLED 2003
034991 FT		034991 FT	2 0 60020 0 00 0350+55
		0150/0000	LENGTH(AH 2516 BK 2274)
			018 "DIA CIR PLASTIC
		0140/1717	LEN=0038 INSTALLED 2003
			018 "DIA CIR PLASTIC
		0140/1318	LEN=0012 INSTALLED 2003
			018 "DIA CIR PLASTIC
		0140/0976	LEN=0012 INSTALLED 2003
		0140/0320	018 "DIA CIR PLASTIC
		032717 FT	LEN=0012 INSTALLED 2003
			BLACKHILL RD
			(T451)
2 0 60020 0 00 0327+81 032717 FT		0140/0000	LENGTH(AH 2274 BK 2610)
WATER WORKS RD			036 "DIA CIR PLASTIC
(T455)			

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 351
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.521 MI. DIST: 01-5 SR: 3026
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

PORTER RD
(T370)

0130/2140

030107 FT

027380 FT

--	0130/2385	LEN=0020	INSTALLED	2003
==	0130/2009	WATSON ST (T600)		
--	0130/1798	015 "DIA CIRC METAL LEN=0018	INSTALLED	2003
==	0130/1722	AARON ST (T602)		
--	0130/1429	018 "DIA CIRC CONCR LEN=0012	INSTALLED	2003
==	0130/0977	BLAUSER ST (T603)		
==	0130/0351	SNYDER ST (T604)		
--	0130/0106	018 "DIA CIRC METAL LEN=0042	INSTALLED	2003
	030107 FT	2 0 60020 0 00 0301+81		
5	0130/0000	LENGTH(AH 2610 BK 2727)		
--	0120/2480	018 "DIA CIRC METAL LEN=0010	INSTALLED	2003
--	0120/2179	018 "DIA CIRC METAL LEN=0016	INSTALLED	2003
--	0120/1900	018 "DIA CIR PLASTIC LEN=0018	INSTALLED	2003
--	0120/1732	018 "DIA CIRC METAL LEN=0018	INSTALLED	2003
--	0120/1532	018 "DIA CIRC METAL LEN=0016	INSTALLED	2003
--	0120/1221	018 "DIA CIR PLASTIC LEN=0018	INSTALLED	2003
--	0120/0948	018 "DIA CIR PLASTIC LEN=0016	INSTALLED	2003
--	0120/0733	018 "DIA CIR PLASTIC LEN=0012	INSTALLED	2003
--	0120/0524	015 "DIA CIRC METAL LEN=0012	INSTALLED	2003
--	0120/0289	018 "DIA CIRC METAL LEN=0038	INSTALLED	2003
	027380 FT	2 0 60020 0 00 0274+54		
5	0120/0000	LENGTH(AH 2727 BK 3393)		
--	0110/3113	018 "DIA CIR PLASTIC LEN=0012	INSTALLED	2003
--	0110/2233	018 "DIA CIR PLASTIC LEN=0017	INSTALLED	2003
--	0110/1886	015 "DIA CIR PLASTIC LEN=0012	INSTALLED	2003
--		018 "DIA CIRC METAL		

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 350
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.521 MI. DIST: 01-5 SR: 3026
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

		0110/1478	LEN=0012	INSTALLED	2003
			FR. CK. TR.		
		0110/0918	STRUCTURE	LENGTH	13 FT
			BMSID	60/3026/0110/0918	
		0110/0433	018 "DIA	CIRC METAL	
023987 FT		0110/0433	LEN=0012	INSTALLED	2003
		023987 FT	2 0 60020 0 00 0240+61		
			018 "DIA	CIRC CONCR	
			LEN=0012	INSTALLED	2003
			NILES VALLEY RD		
FRENCH CREEK RD			(T358)		
(T356)	0110/0000	0110/0000	LENGTH(AH	3393 BK	2956)
			018 "DIA	CIRC METAL	
		0100/2905	LEN=0012	INSTALLED	2003
			018 "DIA	CIR PLASTIC	
		0100/2623	LEN=0020	INSTALLED	2016
			018 "DIA	CIR PLASTIC	
		0100/2382	LEN=0015	INSTALLED	2016
			018 "DIA	CIR PLASTIC	
		0100/2196	LEN=0015	INSTALLED	2016
			015 "DIA	CIRC METAL	
		0100/1990	LEN=0017	INSTALLED	2003
			018 "DIA	CIRC METAL	
		0100/1818	LEN=0017	INSTALLED	2003
			018 "DIA	CIR PLASTIC	
		0100/1566	LEN=0017	INSTALLED	2016
			018 "DIA	CIR PLASTIC	
		0100/1396	LEN=0017	INSTALLED	2016
			018 "DIA	CIR PLASTIC	
		0100/1160	LEN=0017	INSTALLED	2003
			018 "DIA	CIR PLASTIC	
		0100/0867	LEN=0017	INSTALLED	2003
			018 "DIA	CIR PLASTIC	
		0100/0700	LEN=0017	INSTALLED	2003
			018 "DIA	CIR PLASTIC	
		0100/0295	LEN=0015	INSTALLED	2016
021031 FT		021031 FT	2 0 60020 0 00 0210+90		
		0100/0000	LENGTH(AH	2956 BK	2612)
		0090/1649	RAINBOW RD		
			(T346)		
			018 "DIA	CIR PLASTIC	
		0090/0858	LEN=0012	INSTALLED	2003
018419 FT					
		018419 FT	2 0 60020 0 00 0184+78		
		0090/0000	LENGTH(AH	2612 BK	2281)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 349
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.521 MI. DIST: 01-5 SR: 3026
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

		0080/1376	018 "DIA CIRC METAL LEN=0012 INSTALLED 2003
016138 FT		016138 FT	2 0 60020 0 00 0161+97
		0080/0000	LENGTH(AH 2281 BK 2633) 018 "DIA CIR PLASTIC
		0070/2088	LEN=0020 INSTALLED 2003
013505 FT		013505 FT	2 0 60020 0 00 0135+59
		0070/0000	LENGTH(AH 2633 BK 2480) 018 "DIA CIRC CONCR
		0060/2461	LEN=0015 INSTALLED 2003
		0060/1460	015 "DIA CIR PLASTIC LEN=0015 INSTALLED 2003
		0060/0402	015 "DIA CIR PLASTIC LEN=0015 INSTALLED 2003
		0060/0018	018 "DIA CIR PLASTIC LEN=0017 INSTALLED 2003
011025 FT		011025 FT	2 0 60020 0 00 0111+10
WATERLOO RD (SR3023 SEG 0010/0000)		0060/0000	WHIPPERWILL RD (T334) LENGTH(AH 2480 BK 2477)
		0050/1853	018 "DIA CIR PLASTIC LEN=0012 INSTALLED 2003
		0050/1383	018 "DIA CIR PLASTIC LEN=0015 INSTALLED 2003
		0050/1145	018 "DIA CIR PLASTIC LEN=0012 INSTALLED 2018
		0050/0852	018 "DIA CIR PLASTIC LEN=0055 INSTALLED 2020
008548 FT		008548 FT	2 0 60020 0 00 0085+95
		0050/0000	LENGTH(AH 2477 BK 3150) 024 "DIA CIR PLASTIC
		0040/2678	LEN=0015 INSTALLED 2003
		0040/1910	015"H 21"W ELLIP METAL LEN=0015 INSTALLED 2003

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 348
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.521 MI. DIST: 01-5 SR: 3026
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

2 0 60020 0 00 0054+95 005398 FT
CONWAY RD
(T318) 0040/0000

003201 FT

2 0 60020 0 00 0004+00 000348 FT
RAYMILTON RD
(SR3017 SEG 0092/0089) 0020/0000
000348 FT

000000 FT

Station	Length	Material	Installed
0040/0215	018"	DIA CIR PLASTIC	2003
0040/0037	015"	DIA CIR PLASTIC	2003
005398 FT	013"	DIA CIR PLASTIC	2003
0040/0000	NOGLE RD	(T316)	
0030/2155	LENGTH(AH 3150 BK 2197)	018" DIA CIRC METAL	2003
0030/1700	LEN=0012	INSTALLED	2003
0030/1383	030" DIA CIR PLASTIC	LEN=0050	INSTALLED UNKN
0030/0696	018" DIA CIR PLASTIC	LEN=0015	INSTALLED 2003
003201 FT	024" DIA CIR PLASTIC	LEN=0015	INSTALLED 2003
0030/0000	2 0 60020 0 00 0032+79	BOMBISHI RD	(T304)
0020/1195	LENGTH(AH 2197 BK 2853)	018" DIA CIR PLASTIC	2003
0020/0148	LEN=0015	INSTALLED	2003
000348 FT	018" DIA CIR PLASTIC	LEN=0012	INSTALLED 2003
0020/0000	LTH AH 002853 BK 000067	RAYMILTON RD	(SR3017 SEG 0092/0000)
0010/0348	015" DIA CIRC METAL	LEN=0010	INSTALLED 2003
0010/0160	0 0 00000 0 00 0000+00	NC GEORGETOWN RD	(SR1014 SEG 0240/2194)
000000 FT	MFC BEGIN = D	BK-MERCER	(43)
0010/0000	LENGTH(AH 0348 BK 0000)		

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 347
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.272 MI. DIST: 01-5 SR: 3025
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

038398 FT		038398 FT	
PETROLEUM ST		INTER-AHD	FIRST ST
(SR0062 SEG 0470/1583)	0160/1971		(SR0062 SEG 0470/1583)
			PETROLEUM ST
			(CITY)
		0160/1971	REED ST
		0160/1455	(CITY)
		0160/1038	LINCOLN ST
		0160/0651	(CITY)
		0160/0331	DIVISION ST
		036427 FT	(CITY)
2 0 60024 0 00 0144+02 036427 FT			ORANGE ST
INNIS ST			(CITY)
(CITY)	0160/0000	0160/0000	INNIS ST
			(SR2027 SEG 0050/1303)
			LENGTH(AH 1971 BK 1605)
		0150/1158	MORAN ST
		0150/0705	(CITY)
		0150/0341	WYLLIS ST
034822 FT		034822 FT	(CITY)
			SMEDLEY ST
			(CITY)
			2 0 60024 0 00 0128+03
			COWELL AV
			(CITY)
		0150/0000	LENGTH(AH 1605 BK 1927)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 346
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.272 MI. DIST: 01-5 SR: 3025
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

HICKORY ST
(CITY)

0140/1042

2 0 60024 0 00 0108+73 032895 FT
ABBOTT ST
(CITY)

0140/0000

DARR ST
(CITY)

0130/1017

2 0 60024 0 00 0093+59 031376 FT
MINERAL ST
(CITY)

0130/0000

POE

0140/1299 MAYER ST
(CITY)

0140/0383 MITCHELL AV
(CITY)

5 0140/0000 LENGTH(AH 1927 BK 1519)
RESERVOIR ST
(CITY)

031376 FT

5 0130/0000 LENGTH(AH 1519 BK 3520)
(APRA) VENANGO CATHOLIC
PHILLIPS DR
(PRDR)
FILSON AV
(CITY)

HAYS RUN
STRUCTURE LENGTH 8 FT
0120/2182 BMSID 60/3025/0120/2198
018 "DIA CIRC CONCR
0120/2162 LEN=0035 INSTALLED UNKN

027856 FT

NC FIRST ST
MFC BEGIN = C

0120/0150 OIL CITY
CRANBERRY T
018 "DIA CIRC CONCR
0120/0060 LEN=0048 INSTALLED 1998
027856 FT 2 0 60024 0 00 0058+62
5 0120/0000 LENGTH(AH 3520 BK 3274)
018 "DIA CIRC CONCR
0110/3096 LEN=0048 INSTALLED UNKN
0110/3011 BMSID 60/3025/0110/2994
2 0 60024 0 00 0055+16
DEEP HOLLOW
0110/2994 BMSBG 60/3025/0110/2994

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 345
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.272 MI. DIST: 01-5 SR: 3025
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

024582 FT

022071 FT

0110/2681	015 "DIA	CIRC CONCR	LEN=0048	INSTALLED	UNKN
0110/2454	015 "DIA	CIRC CONCR	LEN=0048	INSTALLED	UNKN
0110/1704	015 "DIA	CIRC CONCR	LEN=0048	INSTALLED	UNKN
0110/1433	DEEP HOLLOW RUN	STRUCTURE LENGTH	9 FT		
0110/1398	BMSID 60/3025/0110/1398	048"H 84"W	ELLIP CONC		
0110/0727	036 "DIA	CIR PLASTIC	LEN=0052	INSTALLED	UNKN
0110/0373	024 "DIA	CIRC CONCR	LEN=0054	INSTALLED	UNKN
0110/0117	015 "DIA	CIRC CONCR	LEN=0040	INSTALLED	UNKN
0110/0068	015 "DIA	CIRC CONCR	LEN=0040	INSTALLED	UNKN
024582 FT	2 0 60024	0 00 0025+34			
0110/0000	LENGTH(AH	3274 BK 2511)			
0100/2355	015 "DIA	CIRC CONCR	LEN=0050	INSTALLED	UNKN
0100/2124	018 "DIA	CIRC CONCR	LEN=0050	INSTALLED	UNKN
0100/1902	018 "DIA	CIRC CONCR	LEN=0050	INSTALLED	UNKN
0100/1577	018 "DIA	CIRC CONCR	LEN=0051	INSTALLED	UNKN
0100/1294	018 "DIA	CIRC CONCR	LEN=0054	INSTALLED	UNKN
0100/0957	018 "DIA	CIRC CONCR	LEN=0052	INSTALLED	UNKN
0100/0799	024 "DIA	CIRC CONCR	LEN=0048	INSTALLED	UNKN
0100/0336	018 "DIA	CIRC CONCR	LEN=0065	INSTALLED	UNKN
022071 FT	2 0 60024	0 00 0000+00			
0100/0000	BREDINSBURG RD	(SR2006 SEG 0100/0000)			
0090/1782	LENGTH(AH	2511 BK 2156)			
0090/0906	015 "DIA	CIRC CONCR	LEN=0045	INSTALLED	UNKN
0090/0580	015 "DIA	CIRC CONCR	LEN=0046	INSTALLED	UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 344
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.272 MI. DIST: 01-5 SR: 3025
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

019915 FT	-- --	0090/0204	015 "DIA CIRC CONCR
		019915 FT	LEN=0050 INSTALLED UNKN
		5 0090/0000	2 0 60078 0 00 0199+48
			LENGTH(AH 2156 BK 2346)
		0080/2130	015 "DIA CIRC CONCR
			LEN=0050 INSTALLED UNKN
		0080/1990	015 "DIA CIRC CONCR
			LEN=0048 INSTALLED UNKN
		0080/1650	015 "DIA CIRC CONCR
			LEN=0050 INSTALLED UNKN
		0080/1139	018 "DIA CIRC CONCR
			LEN=0110 INSTALLED UNKN
		0080/0816	015 "DIA CIRC CONCR
			LEN=0044 INSTALLED UNKN
017569 FT	-- --	0080/0008	015 "DIA CIRC CONCR
		017569 FT	LEN=0048 INSTALLED UNKN
			2 0 60078 0 00 0175+94
			MONARCH PARK RD
		5 0080/0000	(T678)
			LENGTH(AH 2346 BK 2612)
		0070/2482	048 "DIA CIRC CONCR
			LEN=0066 INSTALLED UNKN
		0070/2162	015 "DIA CIRC CONCR
			LEN=0046 INSTALLED UNKN
		0070/1879	015 "DIA CIRC CONCR
			LEN=0044 INSTALLED UNKN
		0070/1423	015 "DIA CIRC CONCR
			LEN=0048 INSTALLED UNKN
014957 FT	-- --	0070/0712	018 "DIA CIRC CONCR
			LEN=0040 INSTALLED UNKN
		0070/0210	015 "DIA CIRC CONCR
			LEN=0044 INSTALLED UNKN
		014957 FT	2 0 60078 0 00 0149+82
		5 0070/0000	LENGTH(AH 2612 BK 2061)
			015 "DIA CIRC CONCR
		0060/1867	LEN=0048 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0060/1532	LEN=0044 INSTALLED UNKN
			060 "DIA CIRC CONCR
		0060/1104	LEN=0080 INSTALLED UNKN
012896 FT	-- --	0060/0226	048 "DIA CIRC CONCR
			LEN=0060 INSTALLED UNKN
		012896 FT	2 0 60078 0 00 0129+53
			AIRES HILL RD
			(T484)
		5 0060/0000	LENGTH(AH 2061 BK 3430)
			015 "DIA CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 343
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.272 MI. DIST: 01-5 SR: 3025
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

009466 FT

007484 FT

0050/3428	LEN=0044	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0050/3210	LEN=0045	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0050/2855	LEN=0038	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0050/2557	LEN=0046	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0050/2325	LEN=0044	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0050/1927	LEN=0050	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0050/1700	LEN=0044	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0050/1607	LEN=0044	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0050/1397	LEN=0046	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0050/1002	LEN=0044	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0050/0756	LEN=0042	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0050/0463	LEN=0044	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0050/0233	LEN=0048	INSTALLED	UNKN
009466 FT	2 0 60078	0 00 0094+75	
0050/0000	LENGTH(AH	3430 BK 1982)	
060 "DIA	CIRC	CONCR	
0040/1965	LEN=0100	INSTALLED	UNKN
018 "DIA	CIRC	CONCR	
0040/0970	LEN=0048	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0040/0879	LEN=0070	INSTALLED	UNKN
018 "DIA	CIRC	CONCR	
0040/0746	LEN=0067	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0040/0606	LEN=0044	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0040/0160	LEN=0042	INSTALLED	UNKN
007484 FT	2 0 60078	0 00 0074+93	
0040/0000	LENGTH(AH	1982 BK 2503)	
030 "DIA	CIRC	CONCR	
0030/1966	LEN=0080	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0030/1426	LEN=0040	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0030/1098	LEN=0044	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 342
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.272 MI. DIST: 01-5 SR: 3025
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

004981 FT

002556 FT

000000 FT

0030/0916	LEN=0048	INSTALLED	UNKN
0030/0393	015 "DIA	CIRC CONCR	UNKN
0030/0144	LEN=0048	INSTALLED	UNKN
004981 FT	015 "DIA	CIRC CONCR	UNKN
5 0030/0000	LEN=0045	INSTALLED	UNKN
0020/2370	2 0 60078	0 00 0050+00	
0020/2033	LENGTH(AH	2503 BK 2425)	
0020/1549	015 "DIA	CIRC CONCR	UNKN
0020/1519	LEN=0044	INSTALLED	UNKN
0020/1275	015 "DIA	CIRC CONCR	UNKN
0020/1040	LEN=0048	INSTALLED	UNKN
0020/0678	015 "DIA	CIRC CONCR	UNKN
0020/0548	LEN=0046	INSTALLED	UNKN
0020/0332	015 "DIA	CIRC CONCR	UNKN
0020/0144	LEN=0040	INSTALLED	UNKN
002556 FT	015 "DIA	CIRC CONCR	UNKN
5 0020/0000	LEN=0046	INSTALLED	UNKN
0010/1986	2 0 60078	0 00 0025+45	
0010/1597	LENGTH(AH	2425 BK 2556)	
0010/1237	015 "DIA	CIR PLASTIC	UNKN
0010/1183	LEN=0114	INSTALLED	UNKN
0010/0330	015 "DIA	CIRC CONCR	UNKN
0010/0136	LEN=0048	INSTALLED	UNKN
0010/0038	BMSSEN	60/3025/0010/1183	
000000 FT	2 0 60078	0 00 0011+72	
NC DE	LO. 2MI. RUN		
5 0010/0000	BMSBG	60/3025/0010/1183	
	015 "DIA	CIRC CONCR	UNKN
	LEN=0110	INSTALLED	UNKN
	OLD 322 RD		
	(T540)		
	048 "DIA	CIRC CONCR	UNKN
	LEN=0100	INSTALLED	UNKN
	2 0 60078	0 00 0000+00	
	EP HOLLOW RD		
	TWENTYEIGHTH DIVISION H		
	(SRO322 SEG 0350/0000)		
	MFC BEGIN = D		
	5 0010/0000	LENGTH(AH	2556 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 341
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.330 MI. DIST: 01-5 SR: 3024
LEFT MUN: SANDY CREEK T RIGHT MUN: SANDY CREEK T

	038704 FT		038704 FT	INTER-AHD	DEBENCE DR (TWP) PITTSBURGH RD (SR0008 SEG 0361/0000) (SR0008 SEG 0360/0000) KAY GLEN DR (PRDR)
			0160/3420		
			0160/3290		
SYLVAN RD (T678)	0160/2016				
			0160/1538		024 " DIA CIR PLASTIC LEN=0060 INSTALLED 1997
			0160/1172		018 " DIA CIR PLASTIC LEN=0060 INSTALLED UNKN
			0160/0904		018 " DIA CIR PLASTIC LEN=0045 INSTALLED UNKN
			0160/0280		024 " DIA CIR PLASTIC LEN=0060 INSTALLED UNKN
	035284 FT		035284 FT		2 0 60073 0 01 0354+47
			0160/0000		LENGTH(AH 3420 BK 2418) 018 " DIA CIRC CONCR
			0150/2050		LEN=0050 INSTALLED UNKN
			0150/1760		015 " DIA CIR PLASTIC LEN=0045 INSTALLED UNKN
			0150/1380		015 " DIA CIRC CONCR LEN=0040 INSTALLED UNKN
			0150/1060		015 " DIA CIRC CONCR LEN=0038 INSTALLED UNKN
			0150/0988		018 " DIA CIRC CONCR LEN=0038 INSTALLED UNKN
			0150/0712		024 " DIA CIRC CONCR LEN=0035 INSTALLED UNKN
			0150/0257		018 " DIA CIRC CONCR LEN=0035 INSTALLED UNKN
	032866 FT		032866 FT		2 0 60073 0 01 0330+29
			0150/0000		LENGTH(AH 2418 BK 2320) 024 " DIA CIR PLASTIC LEN=0042 INSTALLED UNKN
			0140/1458		

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 340
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.330 MI. DIST: 01-5 SR: 3024
 LEFT MUN: SANDY CREEK T RIGHT MUN: SANDY CREEK T

			DOYLE RUN
		0140/1042	STRUCTURE LENGTH 17 FT
			BMSID 60/3024/0140/1042
030546 FT	---	0140/0410	024 "DIA CIRC CONCR
	---	030546 FT	LEN=0060 INSTALLED UNKN
	5	0140/0000	2 0 60073 0 01 0307+47
	---		LENGTH(AH 2320 BK 2234)
	---	0130/2129	024 "DIA CIRC CONCR
	---		LEN=0050 INSTALLED UNKN
	---	0130/1808	072 "DIA CIRC CONCR
	---		LEN=0050 INSTALLED UNKN
	---	0130/1082	024 "DIA CIRC CONCR
	---		LEN=0036 INSTALLED UNKN
028312 FT	---	0130/0120	015 "DIA CIRC CONCR
	---	028312 FT	LEN=0048 INSTALLED UNKN
	5	0130/0000	2 0 60073 0 01 0284+66
	---		LENGTH(AH 2234 BK 2995)
	---	0120/2353	018 "DIA CIRC CONCR
	---		LEN=0042 INSTALLED UNKN
	---	0120/2158	018 "DIA CIRC CONCR
	---		LEN=0038 INSTALLED UNKN
	---	0120/1510	018 "DIA CIRC CONCR
	---		LEN=0034 INSTALLED UNKN
025317 FT	---	0120/0885	024 "DIA CIRC CONCR
	---		LEN=0048 INSTALLED UNKN
	5	025317 FT	2 0 60073 0 01 0254+71
	---	0120/0000	LENGTH(AH 2995 BK 2468)
	---		SANDY CREEK
	---	0110/2397	POLK BOROUGH B
		0110/0380	BMS EN 60/3024/0110/0314
			2 0 60073 0 00 0231+93
			LT SANDY CK.
		0110/0314	BMSBG 60/3024/0110/0314
			MAIN ST ET
		0110/0255	(BORO)
022849 FT	==	022849 FT	2 0 60073 0 00 0228+78
			NC POLK CUT OFF RD

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 339
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.330 MI. DIST: 01-5 SR: 3024
LEFT MUN: POLK BOROUGH B RIGHT MUN: POLK BOROUGH B

PINE SCHOOL RD
(PRDR)

0100/1126

020917 FT

018952 FT

2 0 60073 0 00 0172+23 017336 FT
RAINBOW RD
(T346) 0080/0000

Station	Length	Description
0110/0000	0110/0000	MAIN ST (SR0062 SEG 0130/0000) LENGTH(AH 2468 BK 1932)
020917 FT	020917 FT	2 0 60073 0 00 0209+39 LAKEWOOD CR (GOVT)
0100/0000	0100/0000	LENGTH(AH 1932 BK 1965) 018 "DIA CIR PLASTIC
0090/1875	0090/1875	LEN=0050 INSTALLED UNKN
0090/0964	0090/0964	PUMP STATION RD (GOVT)
0090/0342	0090/0342	018 "DIA CIR PLASTIC LEN=0050 INSTALLED UNKN
018952 FT	018952 FT	2 0 60073 0 00 0189+75 POLK BOROUGH FRENCH CREEK T
0090/0000	0090/0000	LENGTH(AH 1965 BK 1616) WOOD ST
0080/1500	0080/1500	(BORO)
0080/0064	0080/0064	018 "DIA CIR PLASTIC LEN=0060 INSTALLED UNKN
017336 FT	017336 FT	
0080/0000	0080/0000	LENGTH(AH 1616 BK 2393) 018 "DIA CIR PLASTIC
0070/2082	0070/2082	LEN=0038 INSTALLED UNKN
0070/1915	0070/1915	018 "DIA CIR PLASTIC LEN=0042 INSTALLED UNKN
0070/1203	0070/1203	018 "DIA CIR PLASTIC LEN=0044 INSTALLED UNKN
0070/1058	0070/1058	018 "DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
0070/0693	0070/0693	015 "DIA CIR PLASTIC LEN=0034 INSTALLED UNKN
0070/0414	0070/0414	015 "DIA CIR PLASTIC LEN=0038 INSTALLED UNKN
0070/0273	0070/0273	015 "DIA CIR PLASTIC LEN=0036 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 338
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.330 MI. DIST: 01-5 SR: 3024
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

2 0 60073 0 00 0149+43 014943 FT
WHIPPERWILL RD
(T334) 0070/0000

012451 FT

009339 FT

014943 FT

5	0070/0000	LENGTH(AH	2393	BK	2492)
		018 "DIA	CIR	PLASTIC	
	0060/2321	LEN=0040	INSTALLED	2018	
		018 "DIA	CIR	PLASTIC	
	0060/2141	LEN=0038	INSTALLED	2018	
		018 "DIA	CIR	PLASTIC	
	0060/2014	LEN=0044	INSTALLED	2000	
		018 "DIA	CIR	PLASTIC	
	0060/1524	LEN=0040	INSTALLED	2018	
		018 "DIA	CIRC	METAL	
	0060/1508	LEN=0032	INSTALLED	UNKN	
		015 "DIA	CIRC	METAL	
	0060/1175	LEN=0048	INSTALLED	UNKN	
		018 "DIA	CIR	PLASTIC	
	0060/1018	LEN=0040	INSTALLED	2000	
		018 "DIA	CIR	PLASTIC	
	0060/0255	LEN=0036	INSTALLED	2009	
	012451 FT	2 0 60073	0 00	0124+71	
5	0060/0000	LENGTH(AH	2492	BK	3112)
		018 "DIA	CIR	PLASTIC	
	0050/3094	LEN=0040	INSTALLED	2009	
		018 "DIA	CIR	PLASTIC	
	0050/1862	LEN=0040	INSTALLED	UNKN	
		018 "DIA	CIR	PLASTIC	
	0050/1700	LEN=0040	INSTALLED	2018	
		015 "DIA	CIRC	METAL	
	0050/1695	LEN=0045	INSTALLED	UNKN	
		018 "DIA	CIR	PLASTIC	
	0050/1378	LEN=0040	INSTALLED	UNKN	
		018 "DIA	CIR	PLASTIC	
	0050/1168	LEN=0044	INSTALLED	2006	
		018 "DIA	CIR	PLASTIC	
	0050/0842	LEN=0045	INSTALLED	UNKN	
		018 "DIA	CIR	PLASTIC	
	0050/0681	LEN=0035	INSTALLED	UNKN	
		018 "DIA	CIR	PLASTIC	
	009339 FT	2 0 60073	0 00	0098+88	
5	0050/0000	LENGTH(AH	3112	BK	1983)
		036 "DIA	CIRC	METAL	
	0040/1858	LEN=0042	INSTALLED	UNKN	
		018 "DIA	CIR	PLASTIC	
	0040/1372	LEN=0035	INSTALLED	2006	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 337
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.330 MI. DIST: 01-5 SR: 3024
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

2 0 60073 0 00 0074+88 007356 FT
NOGGLE RD
(T316) 0040/0000

005021 FT

2 0 60073 0 00 0031+05 003064 FT
DEAN RD
(T439) 0020/0000


000000 FT

RAYMILTON RD
(SR3017 SEG 0040/0000) 0010/0000

0040/0380	015 "DIA CIR UNKNOWN LEN=0030 INSTALLED UNKN
0040/0040 007356 FT	015 "DIA CIR PLASTIC LEN=0038 INSTALLED UNKN
0040/0000	LENGTH(AH 1983 BK 2335) 024 "DIA CIR PLASTIC LEN=0035 INSTALLED UNKN
0030/2200	015 "DIA CIR METAL LEN=0040 INSTALLED UNKN
0030/1402	015 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
0030/1282	015 "DIA CIR PLASTIC LEN=0062 INSTALLED UNKN
0030/0592 005021 FT	2 0 60073 0 00 0050+62 LENGTH(AH 2335 BK 1957)
0030/0000	024 "H 00 "W MULT PLSTIC LEN=0030 INSTALLED UNKN
0020/1340	018 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
0020/0696	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2005
0020/0221 003064 FT	LENGTH(AH 1957 BK 3064) 018 "DIA CIR PLASTIC LEN=0050 INSTALLED 2020
0020/0000	018 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
0010/2598	015 "DIA CIR PLASTIC LEN=0045 INSTALLED UNKN
0010/2444	BMS EN 60/3024/0010/1538 2 0 60073 0 00 0015+53 LT SANDY CK.
0010/1975 0010/1558	BMS BG 60/3024/0010/1538
0010/1538	
000000 FT	2 0 60073 0 00 0000+00 RAYMILTON RD (SR3017 SEG 0040/0000)
0010/0000	NC VA LLEY RD MFC BEGIN = D LENGTH(AH 3064 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 336
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: 1.989 MI. DIST: 01-5 SR: 3023
 LEFT MUN: UTICA B RIGHT MUN: UTICA B

010501 FT



008915 FT

010501 FT ACADEMY ST
 0040/1586 (SR3017 SEG 0160/1026)
 0040/1448 BMSSEN 60/3023/0040/1386
 2 0 60067 0 00 0103+54
 MILL CREEK
 0040/1386 BMSBG 60/3023/0040/1386
 024"H 00"W MULT PLSTIC
 0040/1002 LEN=0042 INSTALLED 1996
 015 "DIA CIR PLASTIC
 0040/0742 LEN=0059 INSTALLED UNKN
 018 "DIA CIR PLASTIC
 0040/0290 LEN=0050 INSTALLED 2015
 008915 FT 2 0 60067 0 00 0089+68
 UTICA
 FRENCH CREEK T

DIR: B TOTAL LEN: 1.989 MI.
LEFT MUN: UTICA B

DIST: 01-5 SR: 3023
RIGHT MUN: UTICA B

2 0 60067 0 00 0033+59 003370 FT
PHELPS RD
(T505) 0020/0000


005993 FT

000000 FT

LINE	DESCRIPTION	DATE	TIME	STATUS	REMARKS
0040	0000	1586	2922		
0030	2739	0060	2015		
0030	2236	0036	1996		
0030	1807	0050	1996		
0030	0369	0030	1996		
0059	93 FT	2 0 60067	0 00 0059+54		
0030	0000	2922	2623		
0020	2370	0036	1996		
0020	2076	0040	1996		
0020	1067	0032	1996		
0033	70 FT				
0020	0000	2623	3370		
0010	3217	0040	1996		
0010	2860	0040	1996		
0010	2652	0040	1996		
0010	2500	0030	1996		
0010	1929	0055	1996		
0010	1030	0048	1996		
0000	00 FT	2 0 60067	0 00 0000+00		
NC WA	TERLOO RD				
	GEORGETOWN RD				
	(SR3026 SEG 0060/0000)				
INTER-BK	WIPPER WILL RD				
	(T334)				
	MFC BEGIN = D				
0010	0000	3370	0000		

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 334
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: .031 MI. DIST: 01-5 SR: 3022
 LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T


000166 FT
 000000 FT



000166 FT SR 3017 SH
 0010/0166 (SR3017 SEG 0060/0000)
 000000 FT 2 0 60071 0 00 0000+00
 * REF-BK NC GL EN SCHOOL RD
 (SR1012 SH
 (SR1012 SEG 0080/2297)
 MFC BEGIN = E
 BK-MERCER (43)
 0010/0000 LENGTH(AH 0166 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 333
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 3.790 MI. DIST: 01-5 SR: 3021
LEFT MUN: FRANKLIN C RIGHT MUN: FRANKLIN C

EIGHTH ST (CITY)	020011 FT		020011 FT INTER-AHD	LIBERTY ST (SR0322 SEG 0310/0000)
	0090/1993		0090/1993	EIGHTH ST (SR0322 SEG 0310/0000)
			0090/1330	SEVENTH ST (CITY)
			0090/0670	SIXTH ST (CITY)
	018018 FT		018018 FT	2 0 60022 0 01 0276+23 FIFTH ST (CITY)
			5 0090/0000	LENGTH(AH 1993 BK 2199)
			0080/1535	FOURTH ST (CITY)
				THIRD ST (CITY)
THIRD ST (CITY)			0080/0871	LIBERTY ST (CITY)
			NC LI	LIBERTY ST BUFFALO ST
			0080/0486	(CITY)
			0080/0152	EGBERT AVE (CITY)
	015819 FT		015819 FT	2 0 60022 0 00 0254+50 NC TH
	0080/0000		5 0080/0000	LENGTH(AH 2199 BK 2974)
			0070/2880	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
			0070/2432	018 "DIA CIR PLASTIC LEN=0118 INSTALLED UNKN
			0070/2104	018 "DIA CIR PLASTIC LEN=0042 INSTALLED UNKN
			0070/1750	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2016
			0070/1203	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2016
			0070/0875	018 "DIA CIRC METAL LEN=0043 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 332
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 3.790 MI. DIST: 01-5 SR: 3021
LEFT MUN: FRANKLIN C RIGHT MUN: FRANKLIN C

012845 FT

011262 FT

009110 FT


007131 FT

0070/0866	018 "DIA CIR PLASTIC
	LEN=0060 INSTALLED 2016
0070/0625	018 "DIA CIR PLASTIC
	LEN=0048 INSTALLED UNKN
0070/0595	018 "DIA CIR PLASTIC
	LEN=0040 INSTALLED UNKN
0070/0398	018 "DIA CIR PLASTIC
012845 FT	LEN=0040 INSTALLED 2016
	2 0 60022 0 00 0224+22
	FRANKLIN
	SANDY CREEK T
0070/0000	LENGTH(AH 2974 BK 1583)
	018 "DIA CIR PLASTIC
0060/1161	LEN=0044 INSTALLED 1998
	018 "DIA CIR PLASTIC
0060/0595	LEN=0042 INSTALLED 1998
	018 "DIA CIRC METAL
0060/0225	LEN=0046 INSTALLED 1998
	072 "DIA CIRC CONCR
0060/0011	LEN=0060 INSTALLED 1998
011262 FT	2 0 60022 0 00 0208+39
	NC BU LLY HILL RD
	BELMAR RD
	(SR3019 SEG 0040/2309)
0060/0000	LENGTH(AH 1583 BK 2152)
	018 "DIA CIR PLASTIC
0050/1673	LEN=0049 INSTALLED 1998
	024"H 00"W MULT PLSTIC
0050/1050	LEN=0050 INSTALLED 1998
009110 FT	2 0 60021 1 00 0020+00
0050/0000	LENGTH(AH 2152 BK 1979)
	015 "DIA CIRC METAL
0040/1700	LEN=0045 INSTALLED 1998
	015 "DIA CIR PLASTIC
0040/1295	LEN=0048 INSTALLED 1998
	015 "DIA CIRC METAL
0040/0953	LEN=0036 INSTALLED 1998
0040/0043	018 "DIA CIR PLASTIC
007131 FT	LEN=0070 INSTALLED 1998
	2 0 60021 1 00 0000+00
	PONE LN
	(SR3019 SEG 0010/0000)
	NC CO NGRESS HILL RD
	CONGRESS HILL RD
	(T368)

DIST: 01-5 SR: 3021
RIGHT MUN: SANDY CREEK T

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 330
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: 4.060 MI. DIST: 01-5 SR: 3020
 LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

021436 FT



021436 FT	ROCKLAND	CRANBERRY RD
0080/2988	(SR2013	SEG 0060/0942)
0080/2935	018 "DIA	CIR PLASTIC
	LEN=0060	INSTALLED 2007
0080/2230	018 "DIA	CIR PLASTIC
	LEN=0045	INSTALLED 2007
0080/2025	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED 2007
	024 "DIA	CIR PLASTIC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 329
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 4.060 MI. DIST: 01-5 SR: 3020
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

MAYS MILL RD
(T512)

0080/1386

--+--
==

0080/1595 LEN=0036 INSTALLED UNKN

018448 FT

018448 FT 2 0 60076 0 00 0184+86
S 0080/0000 LENGTH(AH 2988 BK 3415)

0070/2695 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2007

0070/1866 018 "DIA CIR PLASTIC
LEN=0075 INSTALLED UNKN

0070/1512 015 "DIA CIRC CONCR
LEN=0038 INSTALLED UNKN

0070/1148 018 "DIA CIR PLASTIC
LEN=0050 INSTALLED 1998

015033 FT

015033 FT 2 0 60076 0 00 0150+71
S 0070/0000 LENGTH(AH 3415 BK 2613)

0060/1866 018 "DIA CIR PLASTIC
LEN=0030 INSTALLED 2007

0060/1057 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN

2 0 60076 0 00 0124+62 012420 FT
EAST SANDY RD
(T471)

0060/0000

--+--
==

0060/0033 JORDAN HILL RD
012420 FT (T470)

S 0060/0000 LENGTH(AH 2613 BK 2494)

0050/1254 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN

0050/0823 015 "DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN

0050/0371 018 "DIA CIR PLASTIC
LEN=0050 INSTALLED 2007

009926 FT

009926 FT 2 0 60076 0 00 0099+38
S 0050/0000 LENGTH(AH 2494 BK 2502)

0040/1971 015 "DIA CIR PLASTIC
LEN=0040 INSTALLED 1998

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 328
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 4.060 MI. DIST: 01-5 SR: 3020
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

	007424 FT	0040/0773	015 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
		007424 FT	2 0 60076 0 00 0074+36
		0040/0000	LENGTH(AH 2502 BK 2365) 015 "DIA CIR PLASTIC
		0030/1982	LEN=0040 INSTALLED UNKN
		0030/1724	PINE HILL CEMETERY RD (T562)
		0030/1387	015 "DIA CIR PLASTIC LEN=0050 INSTALLED 1998
		0030/0767	015 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
	005059 FT	005059 FT	2 0 60076 0 00 0051+00
		0030/0000	060 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN
		0020/2120	LENGTH(AH 2365 BK 2592) 015 "DIA CIR PLASTIC
PINE HILL CHURCH RD (T387)	0020/1843	0020/2120	LEN=0047 INSTALLED UNKN
		0020/1744	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
		0020/1680	SENECA HEMLOCK RD (T406)
		0020/1195	024 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
		0020/1107	036"H 00"W MULT PLSTIC LEN=0050 INSTALLED 2002
	002467 FT	002467 FT	2 0 60076 0 00 0026+98
		0020/0000	LENGTH(AH 2592 BK 2467) 018 "DIA CIR PLASTIC
		0010/2263	LEN=0040 INSTALLED 1998
		0010/1928	024 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
		0010/1346	015 "DIA CIR PLASTIC LEN=0050 INSTALLED UNKN
		0010/0817	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
	000000 FT	000000 FT	2 0 60076 0 00 0000+00
		NC CO	AL CITY RD
		INTER-BK	BRANDON RD (T385)
TITUS RD (T408)	0010/0000	0010/0000	MFC BEGIN = E LENGTH(AH 2467 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 327
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.029 MI. DIST: 01-5 SR: 3019
LEFT MUN: SANDY CREEK T RIGHT MUN: SANDY CREEK T

CONGRESS HILL RD 010712 FT
(SR3021 SEG 0060/0000) 0040/2309

CRISSWELL RD
(T408) 0040/1147

008403 FT



010712 FT
INTER-AHD BULLY HILL RD
0040/2309 (SR3021 SEG 0060/0000)
030 "DIA CIRC METAL
0040/2260 LEN=0056 INSTALLED 1996
018 "DIA CIR PLASTIC
0040/1983 LEN=0032 INSTALLED 1996

018 "DIA CIR PLASTIC
0040/1110 LEN=0060 INSTALLED 1996
018 "DIA CIR PLASTIC
0040/0844 LEN=0040 INSTALLED 1996
018 "DIA CIRC METAL
0040/0334 LEN=0042 INSTALLED 1996
008403 FT 2 0 60022 0 00 0185+13
5 0040/0000 LENGTH(AH 2309 BK 2709)

DIST: 01-5 SR: 3019
RIGHT MUN: SANDY CREEK T

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 325
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: .061 MI. DIST: 01-5 SR: 3018
 LEFT MUN: VICTORY T RIGHT MUN: VICTORY T

000320 FT

000320 FT

000320 FT

000320 FT


000160 FT

000160 FT

000000 FT

000000 FT

000000 FT



000320 FT

7050/0000

000320 FT

7040/0000

000320 FT

7030/0000

000320 FT

7028/0000

* REF-AHD

0026/0160

* REF-BK

000160 FT

* REF-AHD

0022/0160

* REF-BK

000000 FT

* REF-AHD

0022/0160

* REF-BK

000000 FT

* REF-AHD

0022/0000

* REF-BK

000000 FT

7020/0000

000000 FT

7010/0000

LENGTH(AH 1860 BK 2617)

LENGTH(AH 2617 BK 2534)

LENGTH(AH 2534 BK 0338)

LENGTH(AH 0338 BK 0160)

BMSBN 60/3018/0026/0000

TWIN OAKES RD

(T301)

2 0 60015 0 00 0015+32

TWIN OAKES RD

(T301)

SR 0008 NB

BMSBG 60/3018/0026/0000

LENGTH(AH 0160 BK 0064)

LENGTH(AH 0064 BK 0160)

BMSBN 60/3018/0022/0000

TWIN OAKES RD

(T301)

2 0 60015 0 00 0013+08

TWIN OAKES RD

(T301)

SR 0008 SB

BMSBG 60/3018/0022/0000

MFC BEGIN = E

LENGTH(AH 0160 BK 0411)

LENGTH(AH 0411 BK 0898)

LENGTH(AH 0898 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 324
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 9.866 MI. DIST: 01-5 SR: 3017
LEFT MUN: CANAL T RIGHT MUN: CANAL T

052093 FT

052093 FT
INTER-AHD FOSTER RD
(T549)
TWENTYEIGHTH DIVISION H
(SR0322 SEG 0110/0000)

0210/3643 015 "DIA CIRC CONCR
LEN=0012 INSTALLED UNKN
0210/2748 022 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN
0210/2483 042 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN
0210/2166

0210/1318 BMS EN 60/3017/0210/1232
1 0 00582 0 00 0077+91
WARDEN RUN
0210/1285 BMS BG 60/3017/0210/1232

048450 FT

0210/0234 018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN
048450 FT 1 0 00582 0 00 0065+59
0210/0000 LENGTH(AH 3643 BK 3117)
018 "DIA CIRC CONCR
0200/2779 LEN=0038 INSTALLED UNKN
022 "DIA CIRC CONCR
0200/2394 LEN=0012 INSTALLED UNKN

0200/1338 018 "DIA CIRC CONCR
LEN=0012 INSTALLED UNKN
0200/0920 015 "DIA CIRC CONCR
LEN=0044 INSTALLED UNKN
060"H 90"W CONCR ARCH
0200/0706 LEN=0038 INSTALLED UNKN
WARDEN RUN BRANCH
STRUCTURE LENGTH 9 FT
0200/0699 BMS ID 60/3017/0200/0699

1 0 00582 0 00 0033+92 045333 FT
MCCUNE RD
(T300) 0200/0000

0200/0028 018 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN
045333 FT BUTTERMILK HILL RD
(SR4010 SEG 0010/0000)
0200/0000 LENGTH(AH 3117 BK 3411)
015 "DIA CIRC CONCR
0190/3411 LEN=0040 INSTALLED UNKN
015 "DIA CIRC CONCR
0190/3410 LEN=0040 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 323
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 9.866 MI. DIST: 01-5 SR: 3017
LEFT MUN: CANAL T RIGHT MUN: CANAL T

STEVENS RD
(T320)

041922 FT

0180/1347

039763 FT

Station	Length	Material	Notes
0190/3167	030	"DIA CIRC CONCR	LEN=0050 INSTALLED UNKN
0190/2232	018	"DIA CIR PLASTIC	LEN=0015 INSTALLED UNKN
0190/0629	018	"DIA CIRC CONCR	LEN=0015 INSTALLED UNKN
0190/0471	015	"DIA CIRC CONCR	LEN=0012 INSTALLED UNKN
0190/0080	015	"DIA CIRC CONCR	LEN=0015 INSTALLED UNKN
041922 FT	1 0	00582	0 00 0000+00
0190/0000	015	"DIA CIRC CONCR	LENGTH(AH 3411 BK 2159)
0180/1987	015	"DIA CIR PLASTIC	LEN=0015 INSTALLED UNKN
0180/1748	015	"DIA CIR PLASTIC	LEN=0015 INSTALLED UNKN
0180/1215	018	"DIA CIR PLASTIC	LEN=0015 INSTALLED 2013
0180/0889	018	"DIA CIR PLASTIC	LEN=0015 INSTALLED 2013
0180/0025	048	"DIA CIR PLASTIC	LEN=0080 INSTALLED 2016
039763 FT	2 0	60019	0 00 0398+94
0180/0000	018	"DIA CIR PLASTIC	LENGTH(AH 2159 BK 2942)
0170/2321	(AAR 262825E)	#TRKS 01	
0170/2261	(AAR 262825E)	#TRKS 01	
0170/2214	BMSBN 60/3017/0170/1956		
0170/2211	018	"DIA CIRC CONCR	LEN=0012 INSTALLED UNKN
0170/1926	2 0	60019	0 00 0368+64
0170/1862	FRENCH CK.		
0170/1755	BMSBG 60/3017/0170/1956		
	018	"DIA CIRC CONCR	LEN=0035 INSTALLED UNKN
	WATER ST		
	(BORO)		
	015	"DIA CIRC CONCR	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 322
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 9.866 MI. DIST: 01-5 SR: 3017
LEFT MUN: UTICA B RIGHT MUN: UTICA B

GRANT ST
(BORO)

0170/1145

KRAFT HILL ST
(SR3028 SEG 0040/2435) 0160/2406

036821 FT

034389 FT

031852 FT

0170/1745 LEN=0020 INSTALLED UNKN

NC THIRD ST
015 "DIA CIRC METAL
0170/1128 LEN=0035 INSTALLED UNKN
NC GRANT ST

SECOND ST
(BORO)
GRANT ST
(BORO)
0170/0793 015 "DIA CIRC CONCR
0170/0725 LEN=0015 INSTALLED UNKN

036821 FT 2 0 60019 0 00 0368+64
5 0170/0000 LENGTH(AH 2942 BK 2432)

0160/2155 018 "DIA CIR PLASTIC
LEN=0020 INSTALLED UNKN
0160/1725 018 "DIA CIR PLASTIC
LEN=0015 INSTALLED UNKN

WATERLOO RD
(SR3023 SEG 0040/1586)
0160/0697 018 "DIA CIR PLASTIC
LEN=0012 INSTALLED UNKN
0160/0254 018 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN
034389 FT 2 0 60019 0 00 0344+30
NC ACADEMY ST

UTICA
FRENCH CREEK T
5 0160/0000 LENGTH(AH 2432 BK 2537)
030 "DIA CIRC METAL
0150/2500 LEN=0015 INSTALLED UNKN
018 "DIA CIR PLASTIC
0150/2092 LEN=0012 INSTALLED UNKN
018 "DIA CIR PLASTIC
0150/1838 LEN=0012 INSTALLED UNKN
018 "DIA CIR PLASTIC
0150/1593 LEN=0012 INSTALLED UNKN
018 "DIA CIR PLASTIC
0150/1486 LEN=0012 INSTALLED UNKN
018 "DIA CIR PLASTIC
0150/1255 LEN=0010 INSTALLED UNKN

015 "DIA CIR PLASTIC
0150/0406 LEN=0012 INSTALLED UNKN
031852 FT 2 0 60019 0 00 0318+72

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 321
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 9.866 MI. DIST: 01-5 SR: 3017
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

2 0 60019 0 00 0276+95 027713 FT
MILL CREEK RD
(T503)

029758 FT

025975 FT

5	0150/0000	LENGTH(AH 2537 BK 2094)
	024 "DIA	CIRC CONCR
	0140/1785	LEN=0016 INSTALLED UNKN
	024 "DIA	CIRC CONCR
	0140/1732	LEN=0016 INSTALLED UNKN
	024 "DIA	CIRC CONCR
	0140/1684	LEN=0016 INSTALLED UNKN
	024 "DIA	CIRC CONCR
	0140/1405	LEN=0016 INSTALLED UNKN
	0140/0584	BMS EN 60/3017/0140/0542
		2 0 60019 0 00 0303+20
		MILL CREEK
	0140/0542	BMS BG 60/3017/0140/0542
	029758 FT	2 0 60019 0 00 0299+68
		CONWAY RD
		(T318)
5	0140/0000	LENGTH(AH 2094 BK 2045)
	040 "DIA	CIRC CONCR
	0130/1841	LEN=0080 INSTALLED UNKN
	0130/0905	027 "DIA CIR PLASTIC
		LEN=0012 INSTALLED UNKN
	0130/0060	024 "DIA CIR PLASTIC
	027713 FT	LEN=0012 INSTALLED UNKN
5	0130/0000	LENGTH(AH 2045 BK 1738)
	018 "DIA	CIR PLASTIC
	0120/1683	LEN=0055 INSTALLED UNKN
	0120/1068	018 "DIA CIR PLASTIC
		LEN=0012 INSTALLED UNKN
	0120/0784	018 "DIA CIR PLASTIC
		LEN=0015 INSTALLED UNKN
	0120/0391	018 "DIA CIR PLASTIC
		LEN=0015 INSTALLED UNKN
	0120/0050	024 "DIA CIR PLASTIC
	025975 FT	LEN=0014 INSTALLED UNKN
		2 0 60019 0 00 0259+22
5	0120/0000	LENGTH(AH 1738 BK 2118)
	018 "DIA	CIR PLASTIC
	0110/1849	LEN=0015 INSTALLED UNKN
	0110/0797	036 "DIA CIRC CONCR
		LEN=0015 INSTALLED UNKN
		018 "DIA CIR PLASTIC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 320
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 9.866 MI. DIST: 01-5 SR: 3017
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

MILLER RD
(T501)

023857 FT

0110/0000

022089 FT

GEORGETOWN RD
(SR3026 SEG 0010/0348)

019773 FT

0092/0000

017522 FT

015721 FT

0110/0288 LEN=0010 INSTALLED UNKN
023857 FT 2 0 60019 0 00 0238+21

0110/0000 LENGTH(AH 2118 BK 1768)
0100/1173 LEN=0010 INSTALLED UNKN

0100/0303 LEN=0012 INSTALLED 2004
022089 FT 2 0 60019 0 00 0219+99
0100/0000 LENGTH(AH 1768 BK 2316)

0092/1140 018 "DIA CIR PLASTIC
LEN=0032 INSTALLED UNKN

GEORGETOWN RD
(SR3026 SEG 0020/0000)
NC RAYMILTON RD
019773 FT 2 0 60019 0 00 0198+21
NC GEORGETOWN RD
0092/0000 LENGTH(AH 2316 BK 2251)

0080/0945 015 "DIA CIRC METAL
LEN=0036 INSTALLED UNKN
0080/0489 018 "DIA CIR PLASTIC
LEN=0015 INSTALLED UNKN
0080/0137 018 "DIA CIR PLASTIC
LEN=0015 INSTALLED UNKN
017522 FT 2 0 60019 0 00 0175+34
0080/0000 LENGTH(AH 2251 BK 1801)
0070/1573 018 "DIA CIR PLASTIC
LEN=0015 INSTALLED UNKN
0070/1177 018 "DIA CIR PLASTIC
LEN=0012 INSTALLED UNKN

0070/0521 018 "DIA CIR PLASTIC
LEN=0015 INSTALLED UNKN
0070/0013 BMSBN 60/3017/0070/0000
015721 FT 2 0 60019 0 00 0157+35
LT. SANDY CK.
BMSBG 60/3017/0070/0000
0070/0000 LENGTH(AH 1801 BK 1495)

0060/0784 018 "DIA CIR PLASTIC
LEN=0015 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 319
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 9.866 MI. DIST: 01-5 SR: 3017
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

SR 3022 SH
(SR3022 SEG 0010/0166) 0060/0000

014226 FT

011986 FT

009531 FT

0060/0188	015 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN LC FOR DEAN RD
0060/0112	(CONN)
0060/0056	018 "DIA CIR PLASTIC LEN=0020 INSTALLED UNKN
014226 FT	2 0 60019 0 00 0142+52 DEAN RD
0060/0000	(T439)
0050/1994	LENGTH(AH 1495 BK 2240) BMSSEN 60/3017/0050/1963
0050/1963	2 0 60019 0 00 0139+48 LT. SANDY CK.
0050/1433	BMSBG 60/3017/0050/1963 018 "DIA CIR PLASTIC
0050/1205	LEN=0014 INSTALLED UNKN 024 "DIA CIR PLASTIC
	LEN=0017 INSTALLED UNKN
011986 FT	2 0 60019 0 00 0119+85
0050/0000	LENGTH(AH 2240 BK 2455)
0040/1491	034 "DIA CIR PLASTIC LEN=0022 INSTALLED UNKN
0040/1057	018 "DIA CIR PLASTIC LEN=0012 INSTALLED UNKN
0040/0830	015 "DIA CIR PLASTIC LEN=0012 INSTALLED UNKN
0040/0201	018 "DIA CIR PLASTIC LEN=0014 INSTALLED UNKN
009531 FT	2 0 60019 0 00 0095+33 VALLEY RD
0040/0000	(SR3024 SEG 0010/0000) LENGTH(AH 2455 BK 3199)
0030/2363	018 "DIA CIR PLASTIC LEN=0015 INSTALLED UNKN
0030/2220	018 "DIA CIR PLASTIC LEN=0015 INSTALLED UNKN
0030/1875	015 "DIA CIR PLASTIC LEN=0012 INSTALLED UNKN
0030/1501	BMSSEN 60/3017/0030/1467 2 0 60019 0 00 0077+93
0030/1467	SANDY CREEK BMSBG 60/3017/0030/1467

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 318
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 9.866 MI. DIST: 01-5 SR: 3017
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

2 0 60019 0 00 0063+00 006332 FT
GREENLEE RD
(T425) 0030/0000

2 0 60019 0 00 0033+86 003378 FT
BEGGS RD
(T422) 0020/0000

MERCER RD
(SR0062 SEG 0030/0000) 0010/0000

0030/0706	027 "DIA CIR PLASTIC LEN=0013 INSTALLED UNKN
0030/0283	018 "DIA CIR PLASTIC LEN=0012 INSTALLED UNKN
006332 FT	FRENCH CREEK MINERAL T
0030/0000	LENGTH(AH 3199 BK 2954) GREENLEE RD (T425)
0020/2909	018 "DIA CIR PLASTIC LEN=0017 INSTALLED UNKN
0020/2879	018 "DIA CIR PLASTIC LEN=0017 INSTALLED UNKN
0020/2844	018 "DIA CIR PLASTIC LEN=0013 INSTALLED UNKN
0020/2678	030 "DIA CIR PLASTIC LEN=0017 INSTALLED UNKN
0020/2076	018 "DIA CIR PLASTIC LEN=0018 INSTALLED UNKN
0020/0703	018 "DIA CIR PLASTIC LEN=0018 INSTALLED UNKN
003378 FT	PALM HILL RD (T423)
0020/0000	LENGTH(AH 2954 BK 3378)
0010/2249	018 "DIA CIR PLASTIC LEN=0012 INSTALLED UNKN
0010/2007	018 "DIA CIR PLASTIC LEN=0016 INSTALLED UNKN
0010/1248	036 "DIA CIR PLASTIC LEN=0019 INSTALLED UNKN
0010/1207	036 "DIA CIR PLASTIC LEN=0019 INSTALLED UNKN
0010/0242	018 "DIA CIR PLASTIC LEN=0015 INSTALLED UNKN
000000 FT	2 0 60019 0 00 0000+00 MERCER RD (SR0062 SEG 0030/0000)
0010/0000	NC RA YMILTON RD INTER-BK RAYMILTON RD (SR3015 SEG 0050/2763) MFC BEGIN = D
0010/0000	LENGTH(AH 3378 BK 0000)


EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 317
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.118 MI. DIST: 01-5 SR: 3016
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

SR 0038 SH 027024 FT
(SR0038 SEG 0040/0448) 0100/3342

023682 FT

020537 FT



SR	SH	SEG	LEN	DESCRIPTION	DATE
027024	FT				
0100	/	3342		(SR0038 SEG 0040/0448)	
0100	/	3290		024 "DIA CIRC METAL	
			LEN=0088	INSTALLED UNKN	
0100	/	2536		018 "DIA CIR PLASTIC	
			LEN=0085	INSTALLED 1996	
0100	/	1462		024 "DIA CIR PLASTIC	
			LEN=0040	INSTALLED 1996	
0100	/	1267		018 "DIA CIR PLASTIC	
			LEN=0034	INSTALLED 1996	
0100	/	0895		036 "DIA CIRC METAL	
			LEN=0050	INSTALLED 1996	
0100	/	0317		018 "DIA CIR PLASTIC	
			LEN=0040	INSTALLED 1996	
023682	FT			2 0 60009 0 00 0299+93	
				018 "DIA CIR PLASTIC	
			LEN=0040	INSTALLED UNKN	
0100	/	0000		LENGTH(AH 3342 BK 3145)	
				018 "DIA CIR PLASTIC	
			LEN=0065	INSTALLED 2007	
0090	/	2754		018 "DIA CIR PLASTIC	
			LEN=0040	INSTALLED 2007	
0090	/	2510		018 "DIA CIR PLASTIC	
			LEN=0040	INSTALLED 2007	
0090	/	2320		018 "DIA CIR PLASTIC	
			LEN=0040	INSTALLED 2007	
0090	/	1962		024 "DIA CIR PLASTIC	
			LEN=0036	INSTALLED 1996	
0090	/	1846		030 "DIA CIRC METAL	
			LEN=0040	INSTALLED 1996	
0090	/	1790			
0090	/	0051		042 "H 00 "W MULT PLSTIC	
			LEN=0050	INSTALLED 1996	
020537	FT			2 0 60009 0 00 0269+89	
0090	/	0000		LENGTH(AH 3145 BK 3012)	
				018 "DIA CIR PLASTIC	
			LEN=0040	INSTALLED 2005	
0080	/	2754		018 "DIA CIR PLASTIC	
			LEN=0040	INSTALLED 1996	
0080	/	2162			

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 316
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.118 MI. DIST: 01-5 SR: 3016
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

MCNANY RD
(T711)

0080/0220
017525 FT

-- -- 0080/1637 018 "DIA CIRC OTHER
-- -- LEN=0030 INSTALLED 1996
-- -- 0080/1212 018 "DIA CIR PLASTIC
-- -- LEN=0040 INSTALLED 1996
-- -- 0080/0771 018 "DIA CIRC METAL
-- -- LEN=0036 INSTALLED 1996

==
017525 FT 2 0 60009 0 00 0239+77
S 0080/0000 LENGTH(AH 3012 BK 2489)

-- -- 0070/1843 018 "DIA CIR PLASTIC
-- -- LEN=0050 INSTALLED 1996

-- -- 0070/0783 036 "DIA CIRC METAL
-- -- LEN=0040 INSTALLED 1996
-- -- 0070/0777 036 "DIA CIRC METAL
-- -- LEN=0036 INSTALLED 1996

015036 FT

015036 FT 2 0 60009 0 00 0214+88
S 0070/0000 LENGTH(AH 2489 BK 2373)
018 "DIA CIR PLASTIC
-- -- LEN=0048 INSTALLED 1996

-- -- 0060/1290 018 "DIA CIR PLASTIC
-- -- LEN=0048 INSTALLED 1996

GOSHEN RD
(T510)

0060/0283
012663 FT

==
012663 FT 2 0 60009 0 00 0191+15
HIGHLANDS RD
S 0060/0000 (SR3009 SEG 0070/2593)
LENGTH(AH 2373 BK 3104)

-- -- 0050/2250 018 "DIA CIR PLASTIC
-- -- LEN=0040 INSTALLED 1996

-- -- 0050/0752 030 "DIA CIR PLASTIC
-- -- LEN=0050 INSTALLED 1996

009559 FT

009559 FT 2 0 60065 0 00 0100+00
036 "DIA CIRC CONCR
-- -- LEN=0036 INSTALLED 1996
S 0050/0000 LENGTH(AH 3104 BK 2775)
018 "DIA CIR PLASTIC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 315
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.118 MI. DIST: 01-5 SR: 3016
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

RIVIERA RD
(T662)

006784 FT

004717 FT

0020/1913

002065 FT

000000 FT

0040/2282	LEN=0040	INSTALLED 1996
018 "DIA	CIR PLASTIC	
0040/1897	LEN=0050	INSTALLED 1996
018 "DIA	CIRC METAL	
0040/1336	LEN=0050	INSTALLED 1996
015 "DIA	CIR PLASTIC	
0040/0662	LEN=0060	INSTALLED 1996
006784 FT	2 0 60065	0 00 0075+00
5 0040/0000	LENGTH(AH	2775 BK 2067)
018 "DIA	CIR PLASTIC	
0030/1651	LEN=0050	INSTALLED 1996
015 "DIA	CIR PLASTIC	
0030/1301	LEN=0050	INSTALLED 1996
015 "DIA	CIRC METAL	
0030/0515	LEN=0045	INSTALLED 1996
004717 FT	2 0 60065	0 00 0050+00
5 0030/0000	LENGTH(AH	2067 BK 2652)
015 "DIA	CIR PLASTIC	
0020/2481	LEN=0038	INSTALLED 1996
018 "DIA	CIRC CONCR	
0020/2008	LEN=0122	INSTALLED 1996
018 "DIA	CIR PLASTIC	
0020/1502	LEN=0040	INSTALLED 2000
002065 FT	2 0 60065	0 00 0025+00
5 0020/0000	LENGTH(AH	2652 BK 2065)
048 "DIA	CIRC CONCR	
0010/2038	LEN=0090	INSTALLED 1996
018 "DIA	CIRC CONCR	
0010/0268	LEN=0054	INSTALLED 1996
000000 FT	2 0 60065	0 00 0000+00
NC B I	G BEND RD	
HIGHLANDS RD		
(SR3009	SEG 0040/0000)	
INTER-BK	BIG BEND RD	
(SR3009	SEG 0040/0000)	
MFC BEGIN	= E	
5 0010/0000	LENGTH(AH	2065 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 314
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.307 MI. DIST: 01-5 SR: 3015
LEFT MUN: MINERAL T RIGHT MUN: MINERAL T

012179 FT		012179 FT	
MERCER RD		INTER-AHD	UTICA RD
(SR0062 SEG 0030/0000)	0050/2763		(SR3017 SEG 0010/0000)
		0050/2763	MERCER RD
		0050/2717	(SR0062 SEG 0030/0000)
			018 "DIA CIRC CONCR
			LEN=0048 INSTALLED 1998
		0050/1265	018 "DIA CIR PLASTIC
			LEN=0042 INSTALLED 1998
009416 FT		009416 FT	1 0 00208 7 00 0049+61
		5 0050/0000	LENGTH(AH 2763 BK 2547)
		0040/1908	018 "DIA CIR PLASTIC
			LEN=0040 INSTALLED 1998
		0040/1295	036 "DIA CIR PLASTIC
			LEN=0040 INSTALLED 2003
		0040/1213	024 "DIA CIR PLASTIC
			LEN=0052 INSTALLED 2017
		0040/0659	018 "DIA CIR PLASTIC
			LEN=0035 INSTALLED 2011
		0040/0439	018 "DIA CIR PLASTIC
			LEN=0040 INSTALLED 1998
006869 FT		5 006869 FT	1 0 00208 7 00 0024+14
		5 0040/0000	LENGTH(AH 2547 BK 2412)
			018 "DIA CIRC METAL
		0030/2017	LEN=0040 INSTALLED 1998
		0030/0894	BMS EN 60/3015/0030/0866
			1 0 00208 7 00 0008+50
		0030/0877	SANDY CK. TR.
			BMS BG 60/3015/0030/0866

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 313
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.307 MI. DIST: 01-5 SR: 3015
LEFT MUN: MINERAL T RIGHT MUN: MINERAL T

KRIZON RD
(T397)

0030/0448

1 0 00208 7 00 0000+00 004457 FT
REEDS FURNANCE RD
(T395)

0030/0000


002681 FT

000000 FT

Station	Description	Material	Length	Notes
0030/0481	015 "DIA CIR PLASTIC	LEN=0045	INSTALLED 1998	
0030/0300	018 "DIA CIRC CONCR	LEN=0025	INSTALLED UNKN	
0030/0279	BMSBN 60/3015/0030/0194	1 0 00208 7 00 0001+72		
0030/0194	SANDY CREEK	BMSBG 60/3015/0030/0194		
0030/0192	018 "DIA CIRC CONCR	LEN=0025	INSTALLED UNKN	
004457 FT	KIMBLE HILL RD	(T395)		
0030/0000	LENGTH(AH 2412 BK 1776)	BMSBN 60/3015/0020/1454		
0020/1467	2 0 60018 0 00 0040+52	SANDY CK. TR.		
0020/1454	BMSBG 60/3015/0020/1454			
0020/0650	018 "DIA CIR PLASTIC	LEN=0042	INSTALLED 1998	
002681 FT	2 0 60018 0 00 0026+81	LENGTH(AH 1776 BK 2681)		
0020/0000	018 "DIA CIR PLASTIC	LEN=0040	INSTALLED 1998	
0010/2635	018 "DIA CIR PLASTIC	LEN=0042	INSTALLED 1998	
0010/2380	018 "DIA CIR PLASTIC	LEN=0035	INSTALLED 1998	
0010/2009	015 "DIA CIRC METAL	LEN=0030	INSTALLED 1998	
0010/1680	018 "DIA CIR PLASTIC	LEN=0035	INSTALLED 1998	
0010/1454	015 "DIA CIR PLASTIC	LEN=0035	INSTALLED 1998	
0010/0832	018 "DIA CIR PLASTIC	LEN=0038	INSTALLED 1998	
0010/0338	CENTER CHURCH RD	(T303)		
0010/0094	018 "DIA CIRC CONCR	LEN=0050	INSTALLED 1998	
0010/0066	2 0 60018 0 00 0000+00	NC RA		
000000 FT	YMLTON RD	JACKSON CTR POLK RD		
	(SR0965 SEG 0030/1737)	MFC BEGIN = D		
0010/0000	LENGTH(AH 2681 BK 0000)			

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 312
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: .084 MI. DIST: 01-5 SR: 3014
 LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

000442 FT
 000000 FT




000442 FT EMLENTON CLINTONVILLE R
 0010/0442 (SR0208 SEG 0290/0156)
 000000 FT 2 0 60066 0 00 0083+05
 NC SR 3014 SH
 INTER-BK DOG PATCH LN
 (PRDR)
 MFC BEGIN = E
 0010/0000 LENGTH(AH 0442 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 311
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 9.832 MI. DIST: 01-5 SR: 3013
LEFT MUN: SANDY CREEK T RIGHT MUN: SANDY CREEK T


051915 FT

051915 FT WILLIAM FLINN HW
(SR0008 SEG 0350/0000)
0200/3177 (SR0008 SEG 0351/0000)



0200/2310 024 "DIA CIR PLASTIC
LEN=0068 INSTALLED 2015
018 "DIA CIRC CONCR
0200/1823 LEN=0048 INSTALLED UNKN
015 "DIA CIRC CONCR
0200/1612 LEN=0055 INSTALLED UNKN
015 "DIA CIRC CONCR
0200/1476 LEN=0060 INSTALLED UNKN
015 "DIA CIRC METAL
0200/1371 LEN=0043 INSTALLED UNKN
015 "DIA CIRC CONCR
0200/1134 LEN=0045 INSTALLED UNKN

048738 FT



0200/0264 015 "DIA CIRC CONCR
LEN=0042 INSTALLED UNKN
048738 FT 1 0 00233 0 00 0665+26
5 0200/0000 LENGTH(AH 3177 BK 2551)
015 "DIA CIRC CONCR
0190/2237 LEN=0046 INSTALLED UNKN
015 "DIA CIRC CONCR
0190/2077 LEN=0045 INSTALLED UNKN
018 "DIA CIRC CONCR
0190/1736 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR
0190/1261 LEN=0060 INSTALLED UNKN

046187 FT



0190/0568 018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN
030 "DIA CIRC CONCR
0190/0129 LEN=0049 INSTALLED UNKN
046187 FT 1 0 00233 0 00 0639+75
5 0190/0000 LENGTH(AH 2551 BK 2982)
018 "DIA CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 310
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 9.832 MI. DIST: 01-5 SR: 3013
LEFT MUN: SANDY CREEK T RIGHT MUN: SANDY CREEK T

		0180/2700	LEN=0042	INSTALLED	UNKN
			015 "DIA	CIR PLASTIC	
		0180/2376	LEN=0045	INSTALLED	UNKN
			015 "DIA	CIRC CONCR	
		0180/1365	LEN=0040	INSTALLED	UNKN
			018 "DIA	CIRC CONCR	
		0180/0975	LEN=0042	INSTALLED	UNKN
			PECAN VALLEY RD		
		0180/0808	(PRDR)		
			018 "DIA	CIRC METAL	
		0180/0462	LEN=0030	INSTALLED	UNKN
		0180/0441	BMSSEN 60/3013/0180/0000		
043205 FT		043205 FT	1 0 00233 0 00 0610+03		
			T-308		
			BMSBG 60/3013/0180/0000		
			SANDY CREEK		
			VICTORY T		
		0180/0000	LENGTH(AH 2982 BK 2389)		
			018 "DIA	CIRC METAL	
		0170/2320	LEN=0040	INSTALLED	UNKN
			024 "DIA	CIR PLASTIC	
		0170/2131	LEN=0050	INSTALLED	UNKN
			018 "DIA	CIR PLASTIC	
		0170/1734	LEN=0050	INSTALLED	UNKN
			015 "DIA	CIR PLASTIC	
		0170/1481	LEN=0050	INSTALLED	UNKN
			015 "DIA	CIR PLASTIC	
		0170/1211	LEN=0050	INSTALLED	UNKN
			015 "DIA	CIR PLASTIC	
		0170/0614	LEN=0050	INSTALLED	UNKN
			018 "DIA	CIRC METAL	
		0170/0227	LEN=0048	INSTALLED	UNKN
			015 "DIA	CIR PLASTIC	
		0170/0035	LEN=0042	INSTALLED	UNKN
040816 FT		040816 FT	1 0 00233 0 00 0585+74		
		0170/0000	LENGTH(AH 2389 BK 2860)		
			018 "DIA	CIR PLASTIC	
		0160/2560	LEN=0045	INSTALLED	1999
			018 "DIA	CIRC METAL	
		0160/2273	LEN=0050	INSTALLED	UNKN
			018 "DIA	CIR PLASTIC	
		0160/1859	LEN=0056	INSTALLED	1999
			018 "DIA	CIRC METAL	
		0160/1405	LEN=0042	INSTALLED	UNKN
			018 "DIA	CIRC METAL	
		0160/1042	LEN=0045	INSTALLED	UNKN

FISHERMANS COVE RD
(T370)

0170/2135

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 309
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 9.832 MI. DIST: 01-5 SR: 3013
LEFT MUN: VICTORY T RIGHT MUN: VICTORY T

STATE GAME LAND RD
(GOVT)

0160/0227
037956 FT

0160/0586 024 "DIA CIRC METAL
LEN=0049 INSTALLED UNKN

037956 FT 1 0 00233 0 00 0557+00
5 0160/0000 LENGTH(AH 2860 BK 3145)
018"H 30"W ELLIP METAL
0150/2985 LEN=0052 INSTALLED UNKN

034811 FT

0150/0759 018 "DIA CIR PLASTIC
LEN=0035 INSTALLED UNKN
0150/0497 018 "DIA CIRC CONCR
LEN=0043 INSTALLED UNKN
0150/0015 024 "DIA CIRC CONCR
LEN=0047 INSTALLED UNKN
034811 FT 1 0 00233 0 00 0525+55
VICTORY RD
(T356)
5 0150/0000 LENGTH(AH 3145 BK 2618)
015 "DIA CIRC CONCR
0140/2511 LEN=0040 INSTALLED 1999

032193 FT

0140/1351 015 "DIA CIRC CONCR
LEN=0038 INSTALLED UNKN
0140/1138 024 "DIA CIR PLASTIC
LEN=0043 INSTALLED UNKN
0140/0505 024 "DIA CIR PLASTIC
LEN=0040 INSTALLED 1999
015 "DIA CIRC CONCR
0140/0142 LEN=0043 INSTALLED 1998
032193 FT 1 0 00233 0 00 0499+37
5 0140/0000 LENGTH(AH 2618 BK 2442)

029751 FT

029751 FT 1 0 00233 0 00 0475+01
5 0130/0000 LENGTH(AH 2442 BK 1948)
018 "DIA CIRC CONCR
0120/1832 LEN=0040 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 308
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 9.832 MI. DIST: 01-5 SR: 3013
LEFT MUN: VICTORY T RIGHT MUN: VICTORY T

	0120/1503	015 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
	0120/0962	018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
027803 FT	0120/0010 027803 FT	018 "DIA CIR PLASTIC LEN=0047 INSTALLED UNKN 1 0 00233 0 00 0455+53 TWIN OAKES RD (TBK) (T301)
	0120/0000	LENGTH(AH 1948 BK 1957)
025846 FT	025846 FT 0110/0000	1 0 00233 0 00 0435+96 LENGTH(AH 1957 BK 2239)
	0100/2102	032 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
	0100/1736	024 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
023607 FT	0100/0603 0100/0008 023607 FT	018 "DIA CIRC CONCR LEN=0034 INSTALLED UNKN BMSBN 60/3013/0090/2828 1 0 00233 0 00 0413+40 LYONS RUN
	0100/0000	BMSBG 60/3013/0090/2828 LENGTH(AH 2239 BK 2828)
	0090/2475	024 "DIA CIRC CONCR LEN=0044 INSTALLED UNKN
	0090/1965	LYONS RUN RD (T373)
	0090/1450	018 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
	0090/1157	018 "DIA CIRC CONCR LEN=0034 INSTALLED UNKN
020779 FT	020779 FT 0090/0000	1 0 00233 0 00 0384+95 LENGTH(AH 2828 BK 2755)
	0080/2682	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN

SLATERTOWN RD

DIR: B	TOTAL LEN:	9.832 MI.	DIST: 01-5	SR: 3013
LEFT MUN: VICTORY T			RIGHT MUN: VICTORY T	
(T330)	0080/1212	==		
OVIS RD	0080/0316	==	0080/0316	DENNISON RUN RD
(T371)	018024 FT	==	018024 FT	(T373)
				1 0 00233 0 00 0357+95
				DESKO RD
				(T341)
				VICTORY
				IRWIN T
			0080/0000	LENGTH(AH 2755 BK 1856)
			0070/1663	024 "DIA CIR PLASTIC
				LEN=0040 INSTALLED 2015
				015 "DIA CIR PLASTIC
			0070/0865	LEN=0051 INSTALLED UNKN
016168 FT			016168 FT	1 0 00233 0 00 0339+46
				SR 0308 SH
				(SR0308 SEG 0170/2580)
			0070/0000	LENGTH(AH 1856 BK 2901)
				SR 3027 SH
			0060/2321	(SR3027 SEG 0010/0336)
			0060/2004	018 "DIA CIRC CONCR
				LEN=0049 INSTALLED UNKN
013267 FT			013267 FT	1 0 00233 0 00 0310+06
			0060/0000	LENGTH(AH 2901 BK 2441)
				018 "DIA CIRC CONCR
			0050/2085	LEN=0045 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0050/0403	LEN=0048 INSTALLED UNKN
010826 FT			010826 FT	1 0 00233 0 00 0285+65
			0050/0000	LENGTH(AH 2441 BK 2406)
			0040/1309	015 "DIA CIRC CONCR
				LEN=0047 INSTALLED UNKN
			0040/0680	018 "DIA CIRC CONCR
				LEN=0045 INSTALLED UNKN
008420 FT			008420 FT	1 0 00233 0 00 0261+00

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 306
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 9.832 MI. DIST: 01-5 SR: 3013
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

			0040/0000	LENGTH(AH 2406 BK 2651)
			0030/2155	015 "DIA CIRC CONCR LEN=0044 INSTALLED UNKN
			0030/2004	BLAIR RD (T347)
			0030/0402	015 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
	005769 FT		005769 FT	1 0 00233 0 00 0235+10
			0030/0000	LENGTH(AH 2651 BK 2430)
			0020/1265	018 "DIA CIRC METAL LEN=0080 INSTALLED UNKN
ALLEN RD (T345)			0020/1250	
	003339 FT		0020/0013	BMS EN 60/3013/0020/0000 1 0 00233 0 00 0210+29
			003339 FT	SCRUBGRASS
			0020/0000	BMSBG 60/3013/0020/0000 LENGTH(AH 2430 BK 3339)
			0010/2558	018 "DIA CIRC CONCR LEN=0047 INSTALLED UNKN
DENNIS TRAILERS RD (PRDR)			0010/1895	(APRA) DENNIS TRAILERS
	0010/0684			
GAMELAND RD (T328)			0010/0464	BMS EN 60/3013/0010/0451 1 0 00233 0 00 0181+97
				SCRUBGRASS
	000000 FT		0010/0453	BMSBG 60/3013/0010/0451 1 0 00233 0 00 0177+39
			000000 FT	NC OLD ROUTE 8 RD
				SR 6008 SH
			INTER-BK	(SR6008 SEG 0050/0000)
				OLD ROUTE 8 RD
				(SR6008 SEG 0050/0000)
GEORGETOWN RD (SR3003 SEG 0110/0000)			0010/0000	MFC BEGIN = D
			0010/0000	LENGTH(AH 3339 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 305
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: .000 MI. DIST: 01-5 SR: 3012
 LEFT MUN: MINERAL T RIGHT MUN: MINERAL T

000000 FT
 000000 FT
 000000 FT



000000 FT
 7030/0000 LENGTH(AH 3427 BK 1897)
 000000 FT
 7020/0000 LENGTH(AH 1897 BK 2531)
 000000 FT
 7010/0000 LENGTH(AH 2531 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 304
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
DIR: B TOTAL LEN: 5.627 MI. DIST: 01-5 SR: 3011
LEFT MUN: MINERAL T RIGHT MUN: MINERAL T

029710 FT



029710 FT
INTER-AHD MOUNT PLEASANT CHURCH R
(T301)
SR 0965 SH
0120/2150 (SR0965 SEG 0030/0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 303
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.627 MI. DIST: 01-5 SR: 3011
LEFT MUN: MINERAL T RIGHT MUN: MINERAL T

	0120/1690	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1999
027560 FT	0120/0503 027560 FT 5 0120/0000	018 "DIA CIR PLASTIC LEN=0060 INSTALLED 2007 2 0 60016 0 00 0275+28 LENGTH(AH 2150 BK 2704) 054 "DIA CIRC CONCR
	0110/2660	LEN=0080 INSTALLED 1998
	0110/2495	024 "DIA CIR PLASTIC LEN=0080 INSTALLED 1998
	0110/2105	018 "DIA CIR PLASTIC LEN=0060 INSTALLED UNKN
	0110/1693	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1999
	0110/1160	018 "DIA CIR PLASTIC LEN=0042 INSTALLED UNKN
024856 FT	024856 FT 5 0110/0000	2 0 60016 0 00 0247+92 LENGTH(AH 2704 BK 2478)
	0100/1910	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
022378 FT	0100/0798 0100/0257 022378 FT 5 0100/0000	018 "DIA CIR PLASTIC LEN=0030 INSTALLED 1999 018 "DIA CIR PLASTIC LEN=0030 INSTALLED 1999 2 0 60016 0 00 0223+76 LENGTH(AH 2478 BK 2511)
	0090/2190	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
	0090/1328	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2007
	0090/1120	018 "DIA CIR PLASTIC LEN=0055 INSTALLED 2007
	0090/0677	018 "DIA CIR PLASTIC LEN=0035 INSTALLED 2007
019867 FT	0090/0224 019867 FT 5 0090/0000	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 1998 2 0 60016 0 00 0198+65 LENGTH(AH 2511 BK 2473)
	0080/2447	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1998
	0080/2226	024 "DIA CIR PLASTIC LEN=0052 INSTALLED 1998 018 "DIA CIR PLASTIC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 302
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.627 MI. DIST: 01-5 SR: 3011
LEFT MUN: MINERAL T RIGHT MUN: MINERAL T

2 0 60016 0 00 0173+92 017394 FT
GADSBY RD
(T383) 0080/0000

0080/1960 LEN=0047 INSTALLED UNKN
018 "DIA CIR PLASTIC
0080/1900 LEN=0040 INSTALLED 1998
024 "DIA CIR PLASTIC
0080/1470 LEN=0050 INSTALLED 1998
018 "DIA CIR PLASTIC
0080/1170 LEN=0045 INSTALLED UNKN
018 "DIA CIR PLASTIC
0080/0630 LEN=0042 INSTALLED UNKN

017394 FT

0080/0000 LENGTH(AH 2473 BK 2397)
0070/2120 BMSSEN 60/3011/0070/2058
2 0 60016 0 00 0170+64
S. SANDY CK.
0070/2058 BMSBG 60/3011/0070/2058

014997 FT

0070/1017 018 "DIA CIR PLASTIC
LEN=0050 INSTALLED 2007
0070/0190 018 "DIA CIR PLASTIC
LEN=0050 INSTALLED 1999
014997 FT 2 0 60016 0 00 0150+06
0070/0000 LENGTH(AH 2397 BK 2560)

012437 FT

0060/1860 018 "DIA CIR PLASTIC
LEN=0045 INSTALLED UNKN
0060/1246 018 "DIA CIR PLASTIC
LEN=0045 INSTALLED 1998
018 "DIA CIR PLASTIC
0060/0795 LEN=0050 INSTALLED 1999
012437 FT 2 0 60016 0 00 0124+46
0060/0000 LENGTH(AH 2560 BK 2294)
018 "DIA CIR PLASTIC
0050/1997 LEN=0040 INSTALLED 2007
MINERAL
0050/1403 IRWIN T
018 "DIA CIR PLASTIC
0050/1205 LEN=0035 INSTALLED 1999

2 0 60016 0 00 0101+37 010143 FT
KERR RD
(T365) 0050/0000

010143 FT
0050/0000 LENGTH(AH 2294 BK 2708)
015 "DIA CIR PLASTIC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 301
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.627 MI. DIST: 01-5 SR: 3011
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

WOODS RD
(T363)

0040/1071

--+--
--+--

0040/2584 LEN=0033 INSTALLED 1999
018 "DIA CIR PLASTIC
0040/2300 LEN=0045 INSTALLED UNKN

007435 FT

==
--+--
--+--

0040/0730 015 "DIA CIR PLASTIC
LEN=0055 INSTALLED 2009
018 "DIA CIR PLASTIC
0040/0179 LEN=0034 INSTALLED 2002
007435 FT 2 0 60016 0 00 0074+29
5 0040/0000 LENGTH(AH 2708 BK 2497)

004938 FT

--+--

0030/0646 024 "DIA CIR PLASTIC
LEN=0040 INSTALLED 1998
004938 FT 2 0 60016 0 00 0049+40
5 0030/0000 LENGTH(AH 2497 BK 1530)

2 0 60016 0 00 0034+10 003408 FT
MILLBROOK RD
(T343)

0020/0000

--+--
==
--+--

0020/0797 018 "DIA CIR PLASTIC
LEN=0045 INSTALLED 1999
003408 FT
5 0020/0000 LENGTH(AH 1530 BK 3408)

2 0 60016 0 00 0000+00 000000 FT
GEORGETOWN RD
(SR3003 SEG 0130/0000) 0010/0000

--+--
--+--

0010/2699 042 "DIA CIR PLASTIC
LEN=0042 INSTALLED UNKN
048 "H 00 "W MULT PLSTIC
0010/2664 LEN=0043 INSTALLED 1998

--+--
==

0010/1822 024 "DIA CIR PLASTIC
LEN=0040 INSTALLED 1999
ALLEN RD
(T345)

==


NC HELLS KITCHEN RD
GEORGETOWN RD
000000 FT (SR3003 SEG 0130/0000)
MFC BEGIN = D
5 0010/0000 LENGTH(AH 3408 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 300
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.294 MI. DIST: 01-5 SR: 3010
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

027950 FT

025432 FT



027950 FT STONE CHURCH RD
0110/2518 (SR3009 SEG 0010/1729)
0110/1672 024 "DIA CIR PLASTIC
LEN=0060 INSTALLED UNKN
0110/0520 018 "DIA CIR PLASTIC
LEN=0045 INSTALLED 1997
0110/0043 BMSBN 60/3010/0110/0000
025432 FT 2 0 60008 0 00 0059+72
LT.SCRUB.CK.
BMSBG 60/3010/0110/0000
5 0110/0000 LENGTH(AH 2518 BK 2503)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 299
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.294 MI. DIST: 01-5 SR: 3010
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

SCOTT RD
(T462)

0100/1838

==

022929 FT

0100/0543 018 "DIA CIR PLASTIC
LEN=0050 INSTALLED UNKN
0100/0300 015 "DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN
0100/0030 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2014
022929 FT 2 0 60008 0 00 0034+81
5 0100/0000 LENGTH(AH 2503 BK 3460)
018 "DIA CIR PLASTIC
0090/3145 LEN=0035 INSTALLED UNKN
024 "DIA CIR PLASTIC
0090/2850 LEN=0035 INSTALLED UNKN
018 "DIA CIRC METAL
0090/2481 LEN=0048 INSTALLED UNKN

0090/1520 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2014
0090/0806 015 "DIA CIR PLASTIC
LEN=0033 INSTALLED 2015

019469 FT

019469 FT 2 0 60008 0 00 0000+00
ROCKDALE RD
(SR3007 SEG 0010/0196)
INTER-BK ROCKDALE RD
(SR3007 SEG 0010/0196)
5 0090/0000 LTH AH 003460 BK 000100
019469 FT

019469 FT

ROCKDALE RD
(SR3007 SEG 0010/0594) 0080/2510

7084/0000 LTH AH 000100 BK 002510
INTER-AHD ROCKDALE RD
0080/2510 (SR3007 SEG 0010/0594)
024 "DIA CIR PLASTIC
0080/2465 LEN=0040 INSTALLED UNKN
024 "DIA CIRC CONCR
0080/2048 LEN=0035 INSTALLED UNKN

0080/0779 018 "DIA CIR PLASTIC
LEN=0036 INSTALLED UNKN

WILLIAMS RD
(T400)

0080/0158
016959 FT

==

016959 FT 2 0 60006 0 00 0169+85

DIR: B TOTAL LEN: 5.294 MI.
LEFT MUN: SCRUBGRASS T

DIST: 01-5 SR: 3010
RIGHT MUN: SCRUBGRASS T

014193 FT

012622 FT

009968 FT

Station	Length	Material	Notes
0080/0000	036	"DIA CIRC CONCR	INSTALLED UNKN
0070/2019	018	"DIA CIRC PLASTIC	INSTALLED UNKN
0070/1715	018	"DIA CIRC PLASTIC	INSTALLED UNKN
0070/1335	052	"DIA CIRC PLASTIC	INSTALLED 2015
NC IN		DIAN ROCKS RD	
0070/1288	036	"DIA CIRC PLASTIC	INSTALLED 2006
0070/1140	040	"DIA CIRC PLASTIC	INSTALLED 2006
0070/0024	60	BMS EN 60/3010	0070/0000
014193 FT	20	60006 0 00	0142+04
		BR. LT. SCRUB.	
0070/0000	60	BMS BG 60/3010	0070/0000
		LENGTH(AH 2766 BK 1571)	
0060/0611	024	"DIA CIRC CONCR	INSTALLED UNKN
0060/0032	018	"DIA CIRC CONCR	INSTALLED UNKN
012622 FT	20	60006 0 00	0126+54
		SCRUB GRASS	
0060/0000		CLINTON T	
		LENGTH(AH 1571 BK 2654)	
0050/2217	015	"DIA CIRC PLASTIC	INSTALLED UNKN
0050/2107	015	"DIA CIRC PLASTIC	INSTALLED UNKN
0050/1645	015	"DIA CIRC CONCR	INSTALLED UNKN
0050/1050	015	"DIA CIRC CONCR	INSTALLED UNKN
0050/0795	015	"DIA CIRC CONCR	INSTALLED UNKN
009968 FT	20	60006 0 00	0099+70
		MOORE RD	
0050/0000		(T390)	
		LENGTH(AH 2654 BK 2522)	
0040/2076	024	"DIA CIRC PLASTIC	INSTALLED UNKN
	024	"DIA CIRC PLASTIC	INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 297
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO


DIR: B TOTAL LEN: 5.294 MI. DIST: 01-5 SR: 3010
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

	007446 FT	0040/2050	LEN=0040	INSTALLED	1998
		0040/1147	018 "DIA	CIRC CONCR	
			LEN=0030	INSTALLED	UNKN
		0040/1010	018 "DIA	CIR PLASTIC	
			LEN=0030	INSTALLED	UNKN
		0040/0926	018 "DIA	CIRC CONCR	
			LEN=0040	INSTALLED	1997
		0040/0562	018 "DIA	CIR PLASTIC	
			LEN=0052	INSTALLED	2010
		007446 FT	2 0 60006	0 00	0074+34
		0040/0000	LENGTH(AH	2522	BK 2870)
		0030/2192	015 "DIA	CIRC CONCR	
			LEN=0030	INSTALLED	UNKN
		0030/1478	018 "DIA	CIR PLASTIC	
			LEN=0040	INSTALLED	UNKN
		0030/0265	018 "DIA	CIR PLASTIC	
		004576 FT	LEN=0032	INSTALLED	UNKN
2 0 60006 0 00 0045+64 004576 FT		0030/0000	LENGTH(AH	2870	BK 2093)
BAILEY RD			015 "DIA	CIR PLASTIC	
(T386)		0020/2048	LEN=0038	INSTALLED	UNKN
		0020/1198	015 "DIA	CIR PLASTIC	
			LEN=0050	INSTALLED	UNKN
	002483 FT	002483 FT	2 0 60006	0 00	0024+95
		0020/0000	LENGTH(AH	2093	BK 2483)
		0010/1675	018 "DIA	CIR PLASTIC	
			LEN=0040	INSTALLED	UNKN
		0010/1386	018 "DIA	CIR PLASTIC	
			LEN=0040	INSTALLED	1998
	000000 FT	000000 FT	2 0 60006	0 00	0000+00
		NC EA	U CLAIRE RD		
			SR 0308 SH		
			(SR0308 SEG	0020/0000)	
			MFC BEGIN = E		
		0010/0000	LENGTH(AH	2483	BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 296
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: 3.617 MI. DIST: 01-5 SR: 3009
 LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

BIG BEND RD 019096 FT
 (SR3016 SEG 0060/0000) 0070/2593

016503 FT



019096 FT	BIG BEND RD
0070/2593	(SR3016 SEG 0060/0000)
0070/2288	018 "DIA CIRC METAL
	LEN=0016 INSTALLED UNKN
0070/1382	015 "DIA CIRC METAL
	LEN=0014 INSTALLED UNKN
0070/0975	018 "DIA CIR PLASTIC
	LEN=0020 INSTALLED 2000
0070/0790	018 "DIA CIR PLASTIC
	LEN=0040 INSTALLED 2005
0070/0285	018 "DIA CIR PLASTIC
	LEN=0015 INSTALLED UNKN
0070/0249	018 "DIA CIRC METAL
	LEN=0015 INSTALLED UNKN
016503 FT	2 0 60009 0 00 0164+87
5 0070/0000	LENGTH(AH 2593 BK 2320)
	018 "DIA CIR PLASTIC
0060/2000	LEN=0016 INSTALLED UNKN
	018 "DIA CIR PLASTIC
0060/1992	LEN=0016 INSTALLED UNKN
	018 "DIA CIR PLASTIC
0060/1250	LEN=0012 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 295
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 3.617 MI. DIST: 01-5 SR: 3009
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

014183 FT	==	0060/0535	018 "DIA CIR PLASTIC
		014183 FT	LEN=0035 INSTALLED 1997
			2 0 60009 0 00 0141+67
			BELL RD
			(T478)
	==	0060/0000	LENGTH(AH 2320 BK 3328)
		0050/3090	015 "DIA CIR PLASTIC
			LEN=0040 INSTALLED UNKN
		0050/3003	018 "DIA CIRC METAL
			LEN=0018 INSTALLED UNKN
		0050/1854	018 "DIA CIR PLASTIC
			LEN=0012 INSTALLED 2000
		0050/0864	018 "DIA CIR PLASTIC
			LEN=0016 INSTALLED 1997
010855 FT		0050/0038	018 "DIA CIR PLASTIC
		010855 FT	LEN=0013 INSTALLED 1997
			2 0 60009 0 00 0108+39
		0050/0000	LENGTH(AH 3328 BK 3186)
			024 "DIA CIR PLASTIC
		0040/2869	LEN=0016 INSTALLED UNKN
			024 "DIA CIRC METAL
		0040/2851	LEN=0016 INSTALLED UNKN
		0040/1906	018 "DIA CIR PLASTIC
			LEN=0016 INSTALLED UNKN
		0040/1271	018 "DIA CIRC METAL
			LEN=0016 INSTALLED UNKN
		0040/1242	018 "DIA CIR PLASTIC
			LEN=0016 INSTALLED UNKN
		007669 FT	
2 0 60009 0 00 0076+85 007669 FT			
BIG BEND RD			
(SR3016 SEG 0010/0000) 0040/0000			
		0040/0000	NC HIGHLANDS RD
			LENGTH(AH 3186 BK 1355)
			015 "DIA CIR PLASTIC
		0030/1339	LEN=0016 INSTALLED UNKN
			SCRUBGRASS
			STRUCTURE LENGTH 16 FT
006314 FT		0030/0293	BMSID 60/3009/0030/0293
		006314 FT	2 0 60009 0 00 0063+25

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 294
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 3.617 MI. DIST: 01-5 SR: 3009
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

		NC BIG BEND RD	
			EMLENTON CLINTONVILLE R
			(SR0208 SEG 0270/0000)
			EMLENTON CLINTONVILLE R
			(SR0208 SEG 0270/0000)
			LENGTH(AH 1355 BK 3071)
			018 "DIA CIR PLASTIC
			LEN=0018 INSTALLED 2005
			036 "DIA CIRC METAL
			LEN=0014 INSTALLED UNKN
			0020/1759
			BMS EN 60/3009/0020/0927
			2 0 60009 0 00 0041+00
			SR 0080 E/W
			0020/0927
			BMSBG 60/3009/0020/0927
			018 "DIA CIR PLASTIC
			LEN=0027 INSTALLED 2019
			018 "DIA CIR PLASTIC
			LEN=0014 INSTALLED 2005
			018 "DIA CIR PLASTIC
			LEN=0015 INSTALLED 2005
			2 0 60009 0 00 0031+66
			CRAWFORD CORNERS RD
			(T300)
			0020/0000
			LENGTH(AH 3071 BK 3243)
			030 "DIA CIR PLASTIC
			LEN=0014 INSTALLED UNKN
			024 "DIA CIR PLASTIC
			LEN=0016 INSTALLED 2005
			0010/2079
			SAY RD
			(T302)
			2 0 60009 0 00 0000+00
			NC ST ONE CHURCH RD
			* REF-BK STONE CHURCH RD
			(SR1001 SEG 0010/1807)
			MFC BEGIN = E
			BK-BUTLER (10)
			0010/0000
			LENGTH(AH 3243 BK 0000)

003243 FT

INDIAN ROCKS RD
(SR3010 SEG 0110/2518) 0010/1729

000000 FT

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 293
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 10.696 MI. DIST: 01-5 SR: 3008
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

056473 FT		056473 FT	
ROCKLAND CRANBERRY RD (SR2013 SEG 0040/0000)	0230/2403	INTER-AHD 0230/2403	ROCKLAND NICKLEVILLE RD (SR2002 SEG 0010/0000) PITTSVILLE RD (SR2013 SEG 0040/0000)
		0230/1172	036 "DIA CIR PLASTIC LEN=0040 INSTALLED 2001
054070 FT		0230/0223	018 "DIA CIR PLASTIC LEN=0030 INSTALLED 1996
		054070 FT	2 0 60011 0 02 0550+00
		0230/0000	LENGTH(AH 2403 BK 2569)
		0220/2008	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
		0220/1486	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
		0220/1226	015 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
		0220/0706	024 "DIA CIR PLASTIC LEN=0050 INSTALLED 1998
051501 FT		0220/0136	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
		051501 FT	2 0 60011 0 02 0525+00
		0220/0000	LENGTH(AH 2569 BK 2098)
		0210/1754	018 "DIA CIR PLASTIC LEN=0060 INSTALLED 1996
		0210/1445	015 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
		0210/1104	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2001
		0210/0394	024 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
049403 FT		0210/0066	015 "DIA CIR PLASTIC LEN=0035 INSTALLED 1996
		049403 FT	2 0 60011 0 02 0503+86
		0210/0000	LENGTH(AH 2098 BK 1758)
		0200/1504	015 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 292
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: 10.696 MI. DIST: 01-5 SR: 3008
 LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

JORDAN HILL RD
 (T470)

0200/0672

047645 FT

044101 FT

043077 FT

	0200/1362	POTTERS FALLS RD (T469)
	0200/1114	ROBERTS RUN STRUCTURE LENGTH 32 FT
	0200/0771	BMSID 60/3008/0200/1145 024 "DIA CIR PLASTIC
	0200/0700	LEN=0045 INSTALLED 1996 018 "DIA CIR PLASTIC
		LEN=0048 INSTALLED 1996
	0200/0650	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
	0200/0578	018 "DIA CIR PLASTIC LEN=0060 INSTALLED 1996
	0200/0452	024 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
	047645 FT	2 0 60011 0 01 0484+90
	0200/0000	LENGTH(AH 1758 BK 3544)
	0190/3502	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
	0190/2992	015 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
	0190/2412	018 "DIA CIR PLASTIC LEN=0030 INSTALLED 1996
	0190/1585	018 "DIA CIR PLASTIC LEN=0035 INSTALLED 1996
	0190/1322	018 "DIA CIR PLASTIC LEN=0035 INSTALLED 1996
	044101 FT	2 0 60011 0 01 0449+04
	0190/0000	LENGTH(AH 3544 BK 1024)
		ALLEG.R.TR.
	0180/0593	STRUCTURE LENGTH 10 FT
	043077 FT	BMSID 60/3008/0180/0620
	0180/0000	2 0 60011 0 01 0438+91
		LENGTH(AH 1024 BK 2256)
	0170/2074	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
	0170/1039	018 "DIA CIR PLASTIC LEN=0030 INSTALLED 1996
	0170/0123	024 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 291
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 10.696 MI. DIST: 01-5 SR: 3008
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

040821 FT		040821 FT	2 0 60011 0 01 0415+03
		5 0170/0000	LENGTH(AH 2256 BK 2642)
		0160/2041	018 "DIA CIR PLASTIC LEN=0035 INSTALLED 2005
		0160/1062	015 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
		0160/0750	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2012
		0160/0015	015 "DIA CIR PLASTIC LEN=0045 INSTALLED 1996
2 0 60011 0 01 0388+61 038179 FT		038179 FT	
SENECA HEMLOCK RD		5 0160/0000	LENGTH(AH 2642 BK 2352)
(T406)		0150/2320	018 "DIA CIRC METAL LEN=0050 INSTALLED 1996
		0150/1705	018 "DIA CIRC METAL LEN=0050 INSTALLED 1996
		0150/1542	036 "DIA CIR PLASTIC LEN=0040 INSTALLED 2010
		0150/1438	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2005
		0150/0872	018 "DIA CIR PLASTIC LEN=0035 INSTALLED 1996
		0150/0332	015 "DIA CIR PLASTIC LEN=0030 INSTALLED 1996
035827 FT		035827 FT	2 0 60011 0 01 0364+80
		5 0150/0000	LENGTH(AH 2352 BK 2486)
		0140/0927	018 "DIA CIR PLASTIC LEN=0035 INSTALLED 1996
033341 FT		033341 FT	2 0 60011 0 01 0339+73
		5 0140/0000	LENGTH(AH 2486 BK 2627)
		0130/2528	018 "DIA CIR PLASTIC LEN=0036 INSTALLED 1996
		0130/1854	018 "DIA CIR PLASTIC LEN=0036 INSTALLED 1996
		0130/1268	018 "DIA CIR PLASTIC LEN=0035 INSTALLED 1996
			018 "DIA CIR PLASTIC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 290
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 10.696 MI. DIST: 01-5 SR: 3008
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

	0130/0877	LEN=0030	INSTALLED	1996
	018 "DIA	CIR PLASTIC		
	0130/0675	LEN=0030	INSTALLED	1996
030714 FT	030714 FT	2 0 60011 0 01 0313+42		
	0130/0000	LENGTH(AH 2627 BK 2469)		
	018 "DIA	CIR PLASTIC		
	0120/2429	LEN=0050	INSTALLED	1996
	018 "DIA	CIR PLASTIC		
	0120/1865	LEN=0050	INSTALLED	1996
	0120/1260	WILSON PARK RD (PRDR)		
	018 "DIA	CIR PLASTIC		
	0120/0983	LEN=0060	INSTALLED	1996
	018 "DIA	CIR PLASTIC		
028245 FT	0120/0174	LEN=0050	INSTALLED	1996
	028245 FT	2 0 60011 0 01 0288+73		
	0120/0000	LENGTH(AH 2469 BK 2392)		
	018 "DIA	CIR PLASTIC		
	0110/2017	LEN=0050	INSTALLED	1996
	018 "DIA	CIR PLASTIC		
	0110/1353	LEN=0045	INSTALLED	1996
	018 "DIA	CIR PLASTIC		
	0110/0872	LEN=0050	INSTALLED	1996
WATSON ST (T402)	0110/0447			
025853 FT	025853 FT	2 0 60011 0 01 0265+85		
	MAIN ST (T400)			
	0110/0000	LENGTH(AH 2392 BK 2920)		
	0100/2850	ROCKLAND		
	0100/2798	CLINTON T		
		BMSSEN 60/3008/0100/2094		
		2 0 60011 0 00 0230+19		
	0100/2058	ALLEGHENY R.		
		BMSBG 60/3008/0100/2094		
	0100/1580	018 "DIA	CIR PLASTIC	
		LEN=0038	INSTALLED	2013
	0100/1286	018 "DIA	CIR PLASTIC	
		LEN=0036	INSTALLED	2013
		018 "DIA	CIR PLASTIC	
	0100/0914	LEN=0040	INSTALLED	2013
		018 "DIA	CIR PLASTIC	
	0100/0757	LEN=0040	INSTALLED	1996
		018 "DIA	CIR PLASTIC	
	0100/0566	LEN=0040	INSTALLED	2013

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 289
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 10.696 MI. DIST: 01-5 SR: 3008
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

022933 FT

0100/0225 018 "DIA CIR PLASTIC
LEN=0038 INSTALLED 2013
022933 FT 2 0 60011 0 00 0230+19
5 0100/0000 LENGTH(AH 2920 BK 1933)
015 "DIA CIR PLASTIC
0090/1575 LEN=0050 INSTALLED 1996
024 "DIA CIR PLASTIC
0090/1250 LEN=0050 INSTALLED 1996

021000 FT

0090/0446 024 "DIA CIR PLASTIC
LEN=0035 INSTALLED 1996
0090/0067 BMSSEN 60/3008/0090/0034
2 0 60011 0 00 0211+24
BULLION RUN
0090/0034 BMSBG 60/3008/0090/0034
021000 FT 2 0 60011 0 00 0210+82
OLD LISBON RD
5 0090/0000 (SR3007 SEG 0150/2475)
LENGTH(AH 1933 BK 3056)
024 "DIA CIR PLASTIC
0080/2820 LEN=0040 INSTALLED 1996
018 "DIA CIR PLASTIC
0080/2574 LEN=0050 INSTALLED 1996
015 "DIA CIR PLASTIC
0080/1727 LEN=0040 INSTALLED 1996

017944 FT

0080/0648 015 "DIA CIRC METAL
LEN=0045 INSTALLED 1996
018 "DIA CIR PLASTIC
0080/0178 LEN=0040 INSTALLED 1996
017944 FT 2 0 60011 0 00 0180+14
5 0080/0000 LENGTH(AH 3056 BK 2485)

015459 FT

0070/1373 024 "DIA CIR PLASTIC
LEN=0040 INSTALLED 1996
018 "DIA CIR PLASTIC
0070/0978 LEN=0040 INSTALLED 1996
018 "DIA CIR PLASTIC
0070/0700 LEN=0040 INSTALLED 1996
018 "DIA CIR PLASTIC
0070/0239 LEN=0040 INSTALLED 1996
018 "DIA CIR PLASTIC
0070/0142 LEN=0040 INSTALLED 1996
015459 FT 2 0 60011 0 00 0154+93
5 0070/0000 LENGTH(AH 2485 BK 2745)
018 "DIA CIR PLASTIC
0060/2654 LEN=0040 INSTALLED 1996

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 288
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 10.696 MI. DIST: 01-5 SR: 3008
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

SUMMIT CITY RD
(T349)

012714 FT

0050/2437

009998 FT

0060/2491	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1996
0060/2015	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1996
0060/1675	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1996
0060/1541	015 "DIA	CAST IRON
	LEN=0040	INSTALLED 1996
0060/1385	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED 2001
0060/1253	015 "DIA	CIR PLASTIC
	LEN=0050	INSTALLED 1996
0060/0986	024 "DIA	CIR PLASTIC
	LEN=0044	INSTALLED 1996
0060/0248	024 "DIA	CIRC CONCR
	LEN=0036	INSTALLED 1996
0060/0129	024 "DIA	CIRC CONCR
	LEN=0036	INSTALLED 1996
012714 FT	2 0 60011	0 00 0128+45
	SR 3005 SH	
	(SR3005 SEG 0050/2949)	
0060/0000	LENGTH(AH 2745 BK 2716)	
0050/2350	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1996
0050/2035	TROUT RUN	
	STRUCTURE LENGTH 10 FT	
	BMSID 60/3008/0050/2024	
0050/1653	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED UNKN
0050/1151	018 "DIA	CIR PLASTIC
	LEN=0050	INSTALLED 1996
0050/0885	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1996
0050/0567	018 "DIA	CIR PLASTIC
	LEN=0050	INSTALLED 1996
0050/0378	018 "DIA	CIR PLASTIC
	LEN=0050	INSTALLED 1996
009998 FT	2 0 60011	0 00 0100+33
0050/0000	LENGTH(AH 2716 BK 2970)	
0040/2813	018 "DIA	CIR PLASTIC
	LEN=0045	INSTALLED 1996
0040/2540	018 "DIA	CIR PLASTIC
	LEN=0045	INSTALLED 1996
0040/2227	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1996
0040/1870	015 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED 1996

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 287
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 10.696 MI. DIST: 01-5 SR: 3008
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

WITHERUP CORP RD
(PRDR)

007028 FT

0030/0150
004439 FT


002394 FT

000000 FT

0040/1574	015 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
0040/1142	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 1996
0040/0900	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 1996
0040/0040	015 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
007028 FT	2 0 60011 0 00 0070+63
0040/0000	LENGTH(AH 2970 BK 2589) 018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
0030/2191	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 1996
0030/1225	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 1996
0030/0150	(APRA) WITHERUP CORP 2 0 60011 0 00 0044+74
004439 FT	018 "DIA CIRC METAL LEN=0040 INSTALLED UNKN
0030/0000	LENGTH(AH 2589 BK 2045)
0020/0624	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
0020/0279	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
0020/0053	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
002394 FT	2 0 60011 0 00 0024+29
0020/0000	LENGTH(AH 2045 BK 2394) 015 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
0010/1880	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
0010/0712	015 "DIA CIR PLASTIC LEN=0040 INSTALLED 2013
0010/0142	2 0 60011 0 00 0000+00
000000 FT	NC KE NNERDELL RD SR 0308 SH (SR0308 SEG 0120/2018) MFC BEGIN = D
0010/0000	LENGTH(AH 2394 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 286
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: 7.955 MI. DIST: 01-5 SR: 3007
 LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

042001 FT




042001 FT KENNERDELL RD
 0150/2475 (SR3008 SEG 0090/0000)
 0150/2433 BMS EN 60/3007/0150/2344
 2 0 60007 0 01 0424+93
 SCRUBGRASS
 0150/2344 BMSBG 60/3007/0150/2344

0150/1568 018 "DIA CIR PLASTIC
 LEN=0048 INSTALLED UNKN

0150/0824 024 "DIA CIR PLASTIC
 LEN=0050 INSTALLED UNKN

039526 FT



0150/0398 024 "DIA CIR PLASTIC
 LEN=0045 INSTALLED UNKN

039526 FT 2 0 60007 0 01 0399+70
 0150/0000 LENGTH(AH 2475 BK 3402)

0140/3292 024 "DIA CIR PLASTIC
 LEN=0038 INSTALLED UNKN

0140/3223 018 "DIA CIR PLASTIC
 LEN=0030 INSTALLED UNKN

0140/2781 024 "DIA CIR PLASTIC
 LEN=0040 INSTALLED UNKN

0140/2647 024 "DIA CIR PLASTIC
 LEN=0036 INSTALLED UNKN

0140/1654 024 "DIA CIR PLASTIC
 LEN=0040 INSTALLED UNKN

0140/1353 024 "DIA CIR PLASTIC
 LEN=0040 INSTALLED UNKN

0140/1248 024 "DIA CIR PLASTIC
 LEN=0035 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 285
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.955 MI. DIST: 01-5 SR: 3007
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

2 0 60007 0 01 0366+79 036124 FT
SAND WORKS RD
(T402) 0140/0000

033455 FT

030981 FT

0140/0824	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN CLINTON
0140/0461	SCRUBGRASS T 024 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
0140/0426	036124 FT
0140/0000	LENGTH(AH 3402 BK 2669) 018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
0130/2605	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
0130/2250	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
0130/2090	018 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
0130/1760	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
0130/1058	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
0130/0834	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
0130/0110	042 "DIA CIR PLASTIC LEN=0060 INSTALLED UNKN
033455 FT	2 0 60007 0 01 0339+94
0130/0000	LENGTH(AH 2669 BK 2474)
0120/1403	036 "DIA CIR PLASTIC LEN=0042 INSTALLED UNKN
030981 FT	2 0 60007 0 01 0315+00 LISBON RD (SR3029 SEG 0010/0000)
0120/0000	NC OL D LISBON RD LENGTH(AH 2474 BK 2491) 013 "H 22 "W ELLIP CONC LEN=0052 INSTALLED UNKN
0110/2047	015 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
0110/1683	018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
0110/0614	013 "H 22 "W ELLIP CONC LEN=0050 INSTALLED UNKN
0110/0200	013 "H 22 "W ELLIP CONC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 284
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.955 MI. DIST: 01-5 SR: 3007
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

2 0 60007 0 01 0290+28 028490 FT
OLIPHANT RD
(T351) 0110/0000

0110/0028 LEN=0040 INSTALLED UNKN
028490 FT HICKMAN RD
(T353)
S 0110/0000 LENGTH(AH 2491 BK 3780)
036"H 72"W CON BOX CUL
0100/3732 LEN=0045 INSTALLED UNKN

024710 FT

0100/1130 018 "DIA CIRC CONCR
LEN=0045 INSTALLED UNKN
0100/0420 018 "DIA CIRC CONCR
024710 FT LEN=0045 INSTALLED UNKN
2 0 60007 0 01 0252+43
PARKER RD
(TWP)
S 0100/0000 LENGTH(AH 3780 BK 2538)
013"H 22"W ELLIP CONC
0090/2184 LEN=0040 INSTALLED UNKN

022172 FT

0090/0016 BMS EN 60/3007/0090/0000
022172 FT 2 0 60007 0 01 0227+07
WHANN RUN
BMSBG 60/3007/0090/0000
S 0090/0000 LENGTH(AH 2538 BK 1805)

2 0 60007 0 01 0209+00 020367 FT
RANKIN CHAPEL RD
(SR3006 SEG 0050/2665) 0080/0000

0080/0690 018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN
0080/0198 013"H 22"W ELLIP CONC
020367 FT LEN=0042 INSTALLED 1997
S 0080/0000 LENGTH(AH 1805 BK 3030)

0070/1420 015 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 283
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.955 MI. DIST: 01-5 SR: 3007
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

017337 FT

0070/0014 BMS EN 60/3007/0070/0000
017337 FT 2 0 60007 0 01 0178+53
LOCKARD RUN
BMSBG 60/3007/0070/0000
5 0070/0000 LENGTH(AH 3030 BK 2846)

014491 FT

014491 FT 2 0 60007 0 01 0150+01
5 0060/0000 LENGTH(AH 2846 BK 3565)

0050/2502 018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN
0050/2165 018 "DIA CIRC CONCR
LEN=0045 INSTALLED UNKN

NC L I SBON RD
E MLENTON CLINTONVILLE R
(SR0208 SEG 0250/0000)

0050/1272

010926 FT

0050/0016 BMS EN 60/3007/0050/0000
010926 FT 2 0 60007 0 00 0113+09
N FORK TO SCRUBGRASS CK
BMSBG 60/3007/0050/0000
5 0050/0000 LENGTH(AH 3565 BK 3198)

MCMARLAND RD
(T460)
0040/2360 018 "DIA CIRC CONCR
LEN=0030 INSTALLED 2001
0040/1790 BMS EN 60/3007/0040/1483
0040/1750 2 0 60007 0 00 0078+58
SR 0080 E/W
0040/1454 BMSBG 60/3007/0040/1483
018 "DIA CIRC CONCR
0040/1432 LEN=0035 INSTALLED 2001

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 282
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.955 MI. DIST: 01-5 SR: 3007
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

ELDER RD
(T319)

007728 FT

0030/1888

HONEYCOMB ROCK RD
(T317)

0030/0308
005519 FT

INDIAN ROCKS RD
(SR3010 SEG 0080/2510) 0010/0594

000000 FT

0040/0060 018 "DIA CIRC METAL
007728 FT LEN=0035 INSTALLED UNKN
5 0040/0000 2 0 60007 0 00 0078+58
LENGTH(AH 3198 BK 2209)

0030/1155 024 "DIA CIR PLASTIC
LEN=0045 INSTALLED 2000

005519 FT 2 0 60007 0 00 0055+78
LT.SCRUB.CK.
STRUCTURE LENGTH 28 FT
BMSID 60/3007/0030/0000
5 0030/0000 LENGTH(AH 2209 BK 2964)

0020/0511 018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN
0020/0325 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2000
002555 FT 2 0 60007 0 00 0025+88
5 0020/0000 LENGTH(AH 2964 BK 2555)
0010/2490 018 "DIA CIR PLASTIC
LEN=0055 INSTALLED UNKN

0010/1712 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2005
0010/1215 024 "DIA CIRC CONCR
LEN=0055 INSTALLED UNKN


0010/0196 INDIAN ROCKS RD
000000 FT (SR3010 SEG 0090/0000)
2 0 60007 0 00 0000+00
NC RD
* REF-BK EAST UNITY RD
(SR1027 SEG 0010/3815)
MFC BEGIN = D
BK-BUTLER (10)
5 0010/0000 LENGTH(AH 2555 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 281
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.499 MI. DIST: 01-5 SR: 3006
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

013197 FT

010532 FT



013197 FT LISBON RD
0050/2665 (SR3007 SEG 0080/0000)
018 "DIA CIR PLASTIC
0050/2142 LEN=0035 INSTALLED 1997
018 "DIA CIR PLASTIC
0050/1618 LEN=0035 INSTALLED 1997

018 "DIA CIRC CONCR
0050/0509 LEN=0036 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/0212 LEN=0042 INSTALLED UNKN
010532 FT 2 0 60055 0 00 0105+52
5 0050/0000 LENGTH(AH 2665 BK 2526)
030 "DIA CIR PLASTIC
0040/2490 LEN=0030 INSTALLED 2005

ROMANKO RD
0040/1824 (T664)

018 "DIA CIR PLASTIC
0040/1105 LEN=0036 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 280
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.499 MI. DIST: 01-5 SR: 3006
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

008006 FT		008006 FT 2 0 60055 0 00 0080+26
		5 0040/0000 LENGTH(AH 2526 BK 2807)
		WHANN RUN
		STRUCTURE LENGTH 9 FT
		BMSID 60/3006/0030/1554
		018 "DIA CIR PLASTIC
		LEN=0040 INSTALLED UNKN
		RIDDLE RD
		(T400)
		SCRUBGRASS
		CLINTON T
		5 0030/0000 LENGTH(AH 2807 BK 2664)
		018 "DIA CIRC CONCR
		LEN=0036 INSTALLED UNKN
		024 "DIA CIR PLASTIC
		LEN=0040 INSTALLED 2005
		0020/0051
		002535 FT 2 0 60055 0 00 0025+38
		5 0020/0000 LENGTH(AH 2664 BK 2535)
		024 "DIA CIR PLASTIC
		LEN=0040 INSTALLED UNKN
		015 "DIA CIRC CONCR
		LEN=0055 INSTALLED UNKN
		0010/0019
		000000 FT 2 0 60055 0 00 0000+00
		NC RA NKIN CHAPEL RD
		SR 3005 SH
		(SR3005 SEG 0040/0000)
		INTER-BK SR 3005 SH
		(SR3005 SEG 0040/0000)
		MFC BEGIN = D
		5 0010/0000 LENGTH(AH 2535 BK 0000)

2 0 60055 0 00 0052+02 005199 FT
CRAMER RD
(T400)
0030/0000

002535 FT

000000 FT

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 279
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 3.018 MI. DIST: 01-5 SR: 3005
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T


PHIPPS RD
(T380)

015936 FT

0050/1840

012987 FT

010314 FT



015936 FT SR 3005 SH
0050/2949 (SR3008 SEG 0060/0000)
0050/2735 BMS EN 60/3005/0050/2642
2 0 60010 0 00 0156+25
SCRUBGRASS CREEK
0050/2642 BMSBG 60/3005/0050/2642
018 "DIA CIR PLASTIC
0050/2121 LEN=0040 INSTALLED 2002
018 "DIA CIR PLASTIC
0050/1884 LEN=0080 INSTALLED 2008

018 "DIA CIR PLASTIC
0050/1736 LEN=0080 INSTALLED UNKN
018 "DIA CIR PLASTIC
0050/1470 LEN=0060 INSTALLED UNKN
018 "DIA CIR PLASTIC
0050/1283 LEN=0060 INSTALLED UNKN
018 "DIA CIRC METAL
0050/1048 LEN=0040 INSTALLED UNKN
018 "DIA CIRC METAL
0050/0644 LEN=0040 INSTALLED UNKN
018 "DIA CIRC METAL
0050/0502 LEN=0040 INSTALLED UNKN
018 "DIA CIRC METAL
0050/0277 LEN=0040 INSTALLED UNKN
018 "DIA CIR PLASTIC
0050/0029 LEN=0045 INSTALLED 2002
012987 FT 2 0 60010 0 00 0130+18
5 0050/0000 LENGTH(AH 2949 BK 2673)
024"H 00"W MULT PLSTIC
0040/2522 LEN=0040 INSTALLED UNKN


018 "DIA CIR PLASTIC
0040/1303 LEN=0018 INSTALLED 1998

010314 FT 2 0 60010 0 00 0102+97

DIR: B MUN: CLINTON T TOTAL LEN: 3.018 MI. DIST: 01-5 SR: 3005
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 277
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
DIR: B TOTAL LEN: 1.699 MI. DIST: 01-5 SR: 3004
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

008971 FT



008971 FT GEORGETOWN RD
0030/2917 (SR3003 SEG 0070/0000)
018 "DIA CIR PLASTIC
0030/2916 LEN=0042 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 276
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 1.699 MI. DIST: 01-5 SR: 3004
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

		0030/1792	015 "DIA CIR PLASTIC LEN=0035 INSTALLED 2004
		0030/1670	018 "DIA CIR PLASTIC LEN=0030 INSTALLED 1998
		0030/1472	018 "DIA CIR PLASTIC LEN=0050 INSTALLED UNKN
		0030/0436	018 "DIA CIR PLASTIC LEN=0050 INSTALLED UNKN
006054 FT		0030/0105	015 "DIA CIR PLASTIC LEN=0040 INSTALLED 1998
		006054 FT	2 0 60072 0 00 0059+63
		0030/0000	LENGTH(AH 2917 BK 2895)
		0020/1727	018 "DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
2 0 60072 0 00 0030+93 003159 FT EAKIN RD (T320)		003159 FT	
		0020/0000	LENGTH(AH 2895 BK 3159)
		0010/2959	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
		0010/2645	015 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
		0010/1663	030 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
OLD ROUTE 8 RD (T318)		0010/0150 000000 FT	
		000000 FT	2 0 60072 0 00 0000+00
			NC MELVIN RD
			WILLIAM FLINN HW
			(SR0008 SEG 0107/0000)
			(SR0008 SEG 0106/0000)
			GILMORE RD
			(T323)
WILLIAM FLINN HW (SR0008 SEG 0106/0000) (SR0008 SEG 0107/0000)		0010/0000	MFC BEGIN = E
		0010/0000	LENGTH(AH 3159 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 275
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: 7.976 MI. DIST: 01-5 SR: 3003
 LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

KILGORE RD 042115 FT
 (SR2024 SEG 0120/3381) 0160/2594

COOK RD
 (T304)

039521 FT
 0160/0000

042115 FT
 INTER-AHD HENDERSONVILLE RD
 0160/2594 (SR2021 SEG 0010/0000)
 0160/2577 015 "DIA CIRC METAL
 0160/2566 LEN=0012 INSTALLED UNKN
 015 "DIA CIRC METAL
 LEN=0012 INSTALLED UNKN
 015 "DIA CIR PLASTIC
 0160/1395 LEN=0015 INSTALLED UNKN
 048 "DIA CIR PLASTIC
 0160/0765 LEN=0015 INSTALLED UNKN
 015 "DIA CIR PLASTIC
 0160/0007 LEN=0017 INSTALLED UNKN
 039521 FT 2 0 60003 0 00 0406+14
 GADSBY RD
 (T306)
 5 0160/0000 LENGTH(AH 2594 BK 2610)
 0150/1782 018 "DIA CIR PLASTIC
 LEN=0015 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 274
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.976 MI. DIST: 01-5 SR: 3003
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

036911 FT		036911 FT	2 0 60003 0 00 0380+28
		5 0150/0000	LENGTH(AH 2610 BK 2066)
		0140/1227	018 "DIA CIR PLASTIC LEN=0020 INSTALLED UNKN
2 0 60003 0 00 0359+48 034845 FT		034845 FT	MILLBROOK RD
MILLBROOK RD		(T343)	
(T343)		5 0140/0000	LENGTH(AH 2066 BK 3505)
0140/0000		0130/2470	060 "DIA CIRC METAL LEN=0015 INSTALLED UNKN
		0130/1149	018 "DIA CIR PLASTIC LEN=0015 INSTALLED UNKN
031340 FT		031340 FT	2 0 60003 0 00 0324+22
			HELLS KITCHEN RD
		5 0130/0000	(SR3011 SEG 0010/0000) LENGTH(AH 3505 BK 2460)
		0120/1796	018 "DIA CIR PLASTIC LEN=0012 INSTALLED UNKN
		0120/0531	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
		0120/0530	018 "DIA CIR PLASTIC LEN=0012 INSTALLED UNKN
028880 FT		028880 FT	2 0 60003 0 00 0299+62
		5 0120/0000	LENGTH(AH 2460 BK 3107)
		0110/2753	018 "DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
		0110/2633	018 "DIA CIR PLASTIC LEN=0015 INSTALLED UNKN
		0110/2520	018 "DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
		0110/1880	018 "DIA CIR PLASTIC LEN=0015 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 273
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.976 MI. DIST: 01-5 SR: 3003
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

2 0 60003 0 00 0268+76 025773 FT
OLD ROUTE 8 RD
(SR6008 SEG 0050/0000) 0110/0000
025773 FT

EAKIN RD
(T320)

0100/0647
024910 FT

022462 FT

020242 FT

Station	Length	Description
0110/0195	042	"DIA CIR PLASTIC
025773 FT	LEN=0014	INSTALLED UNKN
INTER-BK	OLD ROUTE 8 RD	
0110/0000	(SR3013 SEG 0010/0000)	
025773 FT	SR 6008 SH	
7104/0000	(SR6008 SEG 0050/0000)	
REF-AHD	LTH AH 003107 BK 000100	
0100/0863	LTH AH 000100 BK 000863	
0100/0647	SR 6008 SH	
0100/0227	(SR6008 SEG 0050/1038)	
024910 FT	RAMP B RD	
0100/0000	(SR8012 SEG 0750/0000)	
	BURNS RD	
	(T335)	
	048"H 48"W BOX CULVERT	
	LEN=0015	INSTALLED UNKN
	2 0 60003 0 00 0249+76	
	LENGTH(AH 0863 BK 2448)	
022462 FT	2 0 60003 0 00 0224+85	
0090/0000	048 "DIA CIR PLASTIC	
0080/1959	LEN=0015	INSTALLED UNKN
	LENGTH(AH 2448 BK 2220)	
	018 "DIA CIR PLASTIC	
	LEN=0017	INSTALLED 1998
0080/0834	018 "DIA CIR PLASTIC	
0080/0751	LEN=0012	INSTALLED UNKN
	024 "DIA CIR PLASTIC	
	LEN=0015	INSTALLED 2000
020242 FT	2 0 60003 0 00 0203+27	
	DOG HOLLOW RD	
	(T325)	
0080/0000	LENGTH(AH 2220 BK 2573)	
0070/2496	018 "DIA CIR PLASTIC	
	LEN=0012	INSTALLED 1998

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 272
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.976 MI. DIST: 01-5 SR: 3003
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

2 0 60003 0 00 0177+35 017669 FT
MELVIN RD
(SR3004 SEG 0030/2917) 0070/0000

2 0 60003 0 00 0150+30 014971 FT
GIBB RD
(T315) 0060/0000

011688 FT

017669 FT

5 0070/0000 LENGTH(AH 2573 BK 2698)

0060/1780 036 "DIA CIR PLASTIC
LEN=0015 INSTALLED 1999

014971 FT

5 0060/0000 LENGTH(AH 2698 BK 3283)
0050/2932 BMSID 60/3003/0050/2805

2 0 60003 0 00 0145+55

SR 0080 WB

0050/2805 BMSBG 60/3003/0050/2805

SCRUB.CK.TR.

STRUCTURE LENGTH 14 FT

0050/2707 BMSID 60/3003/0050/2707

0050/2622 BMSID 60/3003/0050/2498

2 0 60003 0 00 0142+41

SR 0080 EB

0050/2498 BMSBG 60/3003/0050/2498

0050/0029 024 "DIA CIR PLASTIC

011688 FT LEN=0015 INSTALLED 2000

2 0 60003 0 00 0117+49

CLINTONVILLE RD

(SR0208 SEG 0090/0000)

5 0050/0000 LENGTH(AH 3283 BK 3266)

0040/2313 048 "DIA CIR PLASTIC

LEN=0015 INSTALLED UNKN

0040/1522 018 "DIA CIRC METAL

LEN=0040 INSTALLED 2002


EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 271
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.976 MI. DIST: 01-5 SR: 3003
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

		0040/0434	018 "DIA CIR PLASTIC LEN=0012 INSTALLED 2002
		0040/0225	018 "DIA CIR PLASTIC LEN=0012 INSTALLED 2002
008422 FT		008422 FT	2 0 60003 0 00 0084+75
		0040/0000	LENGTH(AH 3266 BK 3095)
		0030/2495	018 "DIA CIR PLASTIC LEN=0012 INSTALLED UNKN
		0030/2104	018 "DIA CIR PLASTIC LEN=0015 INSTALLED 2002
		0030/0046	024 "DIA CIR PLASTIC LEN=0015 INSTALLED 2002
2 0 60003 0 00 0053+85 005327 FT		005327 FT	MCBRIDE RD
JACOBS RD			(T309)
(T305)		0030/0000	LENGTH(AH 3095 BK 2894)
0030/0000		0020/2836	024 "DIA CIR PLASTIC LEN=0015 INSTALLED 2002
		0020/2456	015 "DIA CIR PLASTIC LEN=0015 INSTALLED 2002
		0020/1222	015 "DIA CIR PLASTIC LEN=0012 INSTALLED 2002
002433 FT		002433 FT	2 0 60003 0 00 0024+66
		0020/0000	LENGTH(AH 2894 BK 2433)
		0010/0570	015 "DIA CIR PLASTIC LEN=0012 INSTALLED UNKN
000000 FT		000000 FT	2 0 60003 0 00 0000+00
		NC GEORGETOWN RD	
		* REF-BK	WINDY POINT RD
			(SR1005 SEG 0040/2501)
			MFC BEGIN = D
			BK-BUTLER (10)
		0010/0000	LENGTH(AH 2433 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 270
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: 2.316 MI. DIST: 01-5 SR: 3002
 LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

012230 FT



009366 FT

012230 FT OLD ROUTE 8 RD
 0050/2864 (SR6008 SEG 0040/2566)
 018 "DIA CIR PLASTIC
 0050/2823 LEN=0030 INSTALLED 1996
 018 "DIA CIRC CONCR
 0050/2187 LEN=0036 INSTALLED 1996
 015 "DIA CIRC CONCR
 0050/1477 LEN=0038 INSTALLED 1996
 015 "DIA CIRC CONCR
 0050/0889 LEN=0034 INSTALLED 1996
 009366 FT 2 0 60004 0 00 0093+45
 COULTER RD
 (T316)
 5 0050/0000 LENGTH(AH 2864 BK 2332)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 269
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.316 MI. DIST: 01-5 SR: 3002
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

	0040/1187	018 "DIA CIRC CONCR LEN=0036 INSTALLED 1996
	0040/1010	030 "DIA CIRC CONCR LEN=0046 INSTALLED 1996
007034 FT	007034 FT	2 0 60004 0 00 0070+13
	5 0040/0000	LENGTH(AH 2332 BK 2238)
	0030/1462	030 "DIA CIRC CONCR LEN=0040 INSTALLED 1996
004796 FT	004796 FT	2 0 60004 0 00 0047+90
	5 0030/0000	MILL RD (T302) LENGTH(AH 2238 BK 2230)
	0020/1527	015 "DIA CIRC CONCR LEN=0032 INSTALLED 1996
	0020/0905	024 "DIA CIRC CONCR LEN=0044 INSTALLED 1996
002566 FT	0020/0251	015 "DIA CIRC CONCR LEN=0034 INSTALLED 1996
	002566 FT	2 0 60004 0 00 0025+57
	5 0020/0000	STERRETT RD (T300) LENGTH(AH 2230 BK 2566)
	0010/2425	024 "DIA CIRC CONCR LEN=0050 INSTALLED 1996
	0010/2143	015 "DIA CIRC CONCR LEN=0040 INSTALLED 1996
	0010/1110	024 "DIA CIRC CONCR LEN=0040 INSTALLED 1996
ALL ABOUT GROUNDCOVER (PRDR)	0010/0961	
000000 FT	000000 FT	2 0 60004 0 00 0000+00
	NC SC	SCRUBGRASS RD
	* REF-BK	SCRUBGRASS RD
		(SR2014 SEG 0260/2215)
		MFC BEGIN = D
		BK-MERCER (43)
	5 0010/0000	LENGTH(AH 2566 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 268
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
DIR: B TOTAL LEN: 1.409 MI. DIST: 01-5 SR: 3001
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 267
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 1.409 MI. DIST: 01-5 SR: 3001
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

(SR0208 SEG 0080/0000) 0020/3771

0020/3771 (SR0208 SEG 0080/0000)

0020/3139 024 "DIA CIR PLASTIC
LEN=0045 INSTALLED 2005

0020/1820 024 "DIA CIR PLASTIC
LEN=0040 INSTALLED 1997

0020/1692 018 "DIA CIR PLASTIC
LEN=0035 INSTALLED 2004

0020/1139 024 "DIA CIR PLASTIC
LEN=0045 INSTALLED 1997

0020/0656 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 1997

0020/0475 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 1997

0020/0288 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 1997

0020/0102 015 "DIA CIR PLASTIC
LEN=0042 INSTALLED 1997

003671 FT

003671 FT 2 0 60002 0 00 0036+87
JACOBS RD
(T305)

0020/0000 LENGTH(AH 3771 BK 3671)

0010/2374 024 "DIA CIR PLASTIC
LEN=0045 INSTALLED 1997

0010/2370 024 "DIA CIR PLASTIC
LEN=0045 INSTALLED 2004

0010/1390 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 1997

0010/1220 024 "DIA CIR PLASTIC
LEN=0040 INSTALLED 1997

0010/0189 018 "DIA CIR PLASTIC
LEN=0036 INSTALLED 1997

000000 FT

000000 FT 2 0 60002 0 00 0000+00
NC SR 3001 SH

COUNTY LINE RD
(T477)

INTER-BK ROCKY SPRINGS RD
(T850)

MFC BEGIN = E
0010/0000 LENGTH(AH 3671 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 266
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 1.555 MI. DIST: 01-5 SR: 2027
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

SECOND AL
(CITY)
SECOND AL
(CITY)

008210 FT

0050/1108

0050/1043

006907 FT

005793 FT

008210 FT
INTER-AHD

0050/1303

0050/0906

0050/0711

0050/0515

0050/0255

006907 FT

5 0050/0000

0040/0932

0040/0742

0040/0558

0040/0370

0040/0184

005793 FT

5 0040/0000

0030/1220

INNIS ST
(CITY)
FIRST ST
(SR3025 SEG 0160/0000)

SECOND ST
(CITY)
THIRD AL
(CITY)
THIRD ST
(CITY)
LEES LN
(CITY)

2 0 60025 0 00 0057+57
FOURTH ST
(CITY)

LENGTH(AH 1303 BK 1114)
FIFTH AL
(CITY)

FIFTH ST
(CITY)
SIXTH AL
(CITY)

SIXTH ST
(CITY)

SEVENTH AL
(CITY)

2 0 60025 0 00 0046+44
SEVENTH ST
(CITY)

LENGTH(AH 1114 BK 1249)
015 " DIA CIRC METAL
LEN=0022 INSTALLED 1998
EIGHTH AL

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 265
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 1.555 MI. DIST: 01-5 SR: 2027
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

	==	==	0030/1063 (CITY)
			018 "DIA CIRC METAL
004544 FT	---	---	0030/0021 LEN=0040 INSTALLED 1998
			004544 FT 2 0 60025 0 00 0033+95
			NC IN NIS ST
			5 0030/0000 LENGTH(AH 1249 BK 3294)
			OIL CITY
			0020/2612 CRANBERRY T
FORMAN ST (PRDR)	==		
			015 "DIA CIR PLASTIC
	---	---	0020/1860 LEN=0044 INSTALLED 1998
ORANGE ST EX (TWP)			ORANGE ST
			0020/1859 (T528)
	==	==	024 "DIA CIR PLASTIC
	---	---	0020/1800 LEN=0033 INSTALLED 1998
			RICH ST
			0020/1495 (T530)
001250 FT			001250 FT 2 0 60025 0 00 0000+00
			ALLEGHENY AV
			(T666)
			5 0020/0000 LENGTH(AH 3294 BK 1250)
			015 "DIA CIR PLASTIC
	---	---	0010/1250 LEN=0100 INSTALLED 1998
KIRKWOOD AV (T707)	==		
			012 "DIA CIRC METAL
	---	---	0010/0872 LEN=0046 INSTALLED 1998
PINOAK CR (T705)	==		
			024 "DIA CIR PLASTIC
PINOAK CR (T705)			0010/0400 LEN=0046 INSTALLED UNKN
	---	---	018 "DIA CIRC METAL
			0010/0124 LEN=0141 INSTALLED UNKN
WEST AV (T441)	==		
			000000 FT 2 0 60082 0 00 0000+00
			SALINA RD
			(SR0257 SEG 0100/0000)
			NC IN NIS ST EXT
			MFC BEGIN = C
SALINA RD (SR0257 SEG 0100/0000)			5 0010/0000 LENGTH(AH 1250 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 264
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
DIR: B TOTAL LEN: 2.646 MI. DIST: 01-5 SR: 2025
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

013973 FT

013973 FT
INTER-AHD NAGEL RD

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 263
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.646 MI. DIST: 01-5 SR: 2025
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

HICKORY ST
(PRDR)

0060/0462

2 0 60060 0 00 0124+01 012364 FT
OAK ST
(PRDR)

0060/0000

009943 FT

==	==	0060/1609	(T538)	
==	==	0060/1384	OAK ST (PRDR)	
---	---	0060/1230	015 "DIA LEN=0045 NAGEL ST (PRDR)	CIRC METAL INSTALLED 1996
---	---	0060/1210	KINCH ST (PRDR)	
---	---	0060/1191	015 "DIA LEN=0048	CIR PLASTIC INSTALLED 1996
==	==			
---	---	0060/0429	015 "DIA LEN=0036	CIR PLASTIC INSTALLED 1996
---	---	0060/0260	018 "DIA LEN=0045	CIR PLASTIC INSTALLED UNKN
---	---	012364 FT	018 "DIA LEN=0050	CIR PLASTIC INSTALLED 1996
---	---	5 0060/0000	LENGTH(AH 1609 BK 2421)	
---	---	0050/2195	015 "DIA LEN=0030	CIR PLASTIC INSTALLED 1996
---	---	0050/2073	018 "DIA LEN=0040	CIR PLASTIC INSTALLED 1996
---	---			
---	---	0050/1332	018 "DIA LEN=0050	CIR PLASTIC INSTALLED 1996
---	---	0050/1206	048 "DIA LEN=0070	CIRC METAL INSTALLED 1996
---	---	0050/0983	015 "DIA LEN=0050	CIR PLASTIC INSTALLED 1996
---	---	0050/0700	018 "DIA LEN=0050	CIR PLASTIC INSTALLED UNKN
---	---	0050/0348	015 "DIA LEN=0045	CIR PLASTIC INSTALLED 1996
---	---	009943 FT	2 0 60060 0 00 0100+04	
---	---	5 0050/0000	LENGTH(AH 2421 BK 2387)	
---	---	0040/2308	018 "DIA LEN=0036	CIR PLASTIC INSTALLED 1996
---	---	0040/1998	018 "DIA LEN=0040	CIR PLASTIC INSTALLED 1996
---	---	0040/1738	018 "DIA LEN=0060	CIR PLASTIC INSTALLED 2012
---	---	0040/1480	018 "DIA LEN=0055	CIR PLASTIC INSTALLED 2012
---	---	0040/1213	015 "DIA LEN=0045	CIR PLASTIC INSTALLED 1996
---	---	0040/0908	015 "DIA LEN=0050	CIR PLASTIC INSTALLED 1996

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 262
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.646 MI. DIST: 01-5 SR: 2025
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

	0040/0658	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 1996
	0040/0463	018 "DIA CIR PLASTIC LEN=0048 INSTALLED 1996
007556 FT	0040/0206	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 1996
	007556 FT	2 0 60060 0 00 0075+77
	0040/0000	LENGTH(AH 2387 BK 2568)
	0030/1465	024 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
004988 FT	0030/0503	015 "DIA CIR PLASTIC LEN=0030 INSTALLED 1996
	004988 FT	2 0 60060 0 00 0050+09
	0030/0000	LENGTH(AH 2568 BK 2446)
	0020/2157	015 "DIA CIRC METAL LEN=0036 INSTALLED 1996
	0020/1828	015 "DIA CIR PLASTIC LEN=0036 INSTALLED 1996
	0020/1483	018 "DIA CIR PLASTIC LEN=0030 INSTALLED 1996
	0020/0900	015 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
002542 FT	002542 FT	2 0 60060 0 00 0025+63
	0020/0000	LENGTH(AH 2446 BK 2542)
	0010/2456	015 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
	0010/2100	015 "DIA CIR PLASTIC LEN=0030 INSTALLED 1996
WALNUT BEND RD (T539)	0010/1209	
	0010/1187	015 "DIA CIR PLASTIC LEN=0040 INSTALLED 2012
	0010/0682	015 "DIA CIR PLASTIC LEN=0044 INSTALLED 1996
000000 FT	000000 FT	2 0 60060 0 00 0000+00
		SR 0062 SH (SR0062 SEG 0660/0000)
	NC HE	NRYS BEND RD
	INTER-BK	MCPHERSON RD
		(T612)
SR 0062 SH (SR0062 SEG 0660/0000)	0010/0000	MFC BEGIN = D
	0010/0000	LENGTH(AH 2542 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 261
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.293 MI. DIST: 01-5 SR: 2023
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

027948 FT

026007 FT

026007 FT

SR 0062 SH
(SR0062 SEG 0720/0000) 0100/2383

027948 FT
* REF-AHD PRESIDENT VILLAGE RD
0110/1941 (T547)
0110/1744 018 "DIA CIR PLASTIC
LEN=0070 INSTALLED UNKN
0110/1082 018 "DIA CIR PLASTIC
LEN=0048 INSTALLED UNKN
0110/0790 015 "DIA CIRC METAL
LEN=0040 INSTALLED UNKN
0110/0275 036 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2020
0110/0247 018 "DIA CIR PLASTIC
LEN=0042 INSTALLED UNKN
026007 FT 2 0 60030 0 00 0261+08
SR 0062 SH
(SR0062 SEG 0720/1134)
NC PR PRESIDENT VILLAGE RD
MCCALMONT RD
(T543)
INTER-BK SR 0062 SH
(SR0062 SEG 0720/1134)
MFC BEGIN = E
S 0110/0000 LTH AH 000100 BK 000100
026007 FT 026007 FT
7104/0000 LTH AH 000100 BK 002383
INTER-AHD SR 0062 SH
0100/2383 (SR0062 SEG 0720/0000)
044"H 48"W CON BOX CUL
0100/2205 LEN=0110 INSTALLED UNKN
018 "DIA CIR PLASTIC
0100/2058 LEN=0014 INSTALLED UNKN
003 "DIA CIR PLASTIC
0100/1916 LEN=0042 INSTALLED 1996
015 "DIA CIR PLASTIC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 260
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.293 MI. DIST: 01-5 SR: 2023
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

2 0 60030 0 00 0237+37 023624 FT
BODAMER RD
(T511) 0100/0000

020699 FT

-- --	0100/1717	LEN=0014	INSTALLED	UNKN
-- --	0100/1349	018 "DIA	CIR PLASTIC	
-- --	0100/1054	LEN=0014	INSTALLED	1996
-- --	0100/0907	018 "DIA	CIR PLASTIC	
-- --	0100/0643	LEN=0016	INSTALLED	1996
-- --	0100/0434	018 "DIA	CIR PLASTIC	
-- --	0100/0051	LEN=0012	INSTALLED	UNKN
-- --	023624 FT	018 "DIA	CIR PLASTIC	
-- --	0100/0000	LEN=0012	INSTALLED	1996
-- --	0090/2690	018 "DIA	CIR PLASTIC	
-- --	0090/2480	LEN=0014	INSTALLED	1997
-- --	0090/2298	018 "DIA	CIR PLASTIC	
-- --	0090/1937	LEN=0014	INSTALLED	1997
-- --	0090/1729	018 "DIA	CIR PLASTIC	
-- --	0090/1402	LEN=0014	INSTALLED	1997
-- --	0090/1038	018 "DIA	CIR PLASTIC	
-- --	0090/0880	LEN=0014	INSTALLED	1997
-- --	0090/0250	BMS EN 60/2023/0090/0226		
-- --	0090/0205	2 0 60030 0 00 0207+58		
-- --	020699 FT	PORCUPINE CK		
-- --	0090/0000	BMS BG 60/2023/0090/0226		
-- --	0080/2476	2 0 60030 0 00 0207+58		
-- --	0080/2175	LENGTH(AH 2925 BK 3110)		
-- --	0080/1641	018 "DIA	CIR PLASTIC	
-- --	0080/1367	LEN=0040	INSTALLED	UNKN
-- --	0080/1054	018 "DIA	CIR PLASTIC	
-- --		LEN=0042	INSTALLED	UNKN
-- --		018 "DIA	CIR PLASTIC	
-- --		LEN=0045	INSTALLED	UNKN
-- --		018 "DIA	CIR PLASTIC	
-- --		LEN=0014	INSTALLED	UNKN
-- --		018 "DIA	CIR PLASTIC	
-- --		LEN=0014	INSTALLED	UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 259
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.293 MI. DIST: 01-5 SR: 2023
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

017589 FT

0080/0894	018 "DIA CIR PLASTIC
	LEN=0014 INSTALLED UNKN
0080/0577	018 "DIA CIR PLASTIC
	LEN=0046 INSTALLED UNKN
0080/0294	018 "DIA CIR PLASTIC
	LEN=0014 INSTALLED UNKN
0080/0065	018 "DIA CIR PLASTIC
	LEN=0014 INSTALLED UNKN
017589 FT	2 0 60030 0 00 0176+48
0080/0000	LENGTH(AH 3110 BK 2555)
	018 "DIA CIR PLASTIC
0070/2423	LEN=0014 INSTALLED UNKN

015034 FT

0070/1597	015 "DIA CIRC METAL
	LEN=0014 INSTALLED UNKN
0070/1387	024 "DIA CIR PLASTIC
	LEN=0014 INSTALLED 2011
0070/1042	015 "DIA CIR PLASTIC
	LEN=0014 INSTALLED UNKN
0070/0925	018 "DIA CIR PLASTIC
	LEN=0014 INSTALLED UNKN
0070/0796	018 "DIA CIR PLASTIC
	LEN=0014 INSTALLED 2011
0070/0454	018 "DIA CIR PLASTIC
	LEN=0014 INSTALLED UNKN
0070/0042	018 "DIA CIR PLASTIC
	LEN=0012 INSTALLED 2015
015034 FT	2 0 60030 0 00 0150+93
0070/0000	LENGTH(AH 2555 BK 2505)
	018 "DIA CIR PLASTIC
0060/2136	LEN=0014 INSTALLED 2015

012529 FT

0060/0895	018 "DIA CIR PLASTIC
	LEN=0015 INSTALLED 2012
012529 FT	2 0 60030 0 00 0125+88
0060/0000	LENGTH(AH 2505 BK 2503)

010026 FT

0050/0935	018 "DIA CIR PLASTIC
	LEN=0014 INSTALLED 2015
010026 FT	2 0 60030 0 00 0100+85
0050/0000	LENGTH(AH 2503 BK 2286)
	018 "DIA CIR PLASTIC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 258
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.293 MI. DIST: 01-5 SR: 2023
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

007740 FT

004924 FT

002477 FT

000000 FT

0040/1833	LEN=0014	INSTALLED UNKN
036 "DIA	CIR PLASTIC	
0040/1280	LEN=0014	INSTALLED 1997
0040/0672	018 "DIA	CIR PLASTIC
LEN=0012	INSTALLED 1999	
007740 FT	2 0 60030	0 00 0077+99
	PRESIDENT	
	PINE GROVE T	
5 0040/0000	LENGTH(AH	2286 BK 2816)
0030/1872	018 "DIA	CIRC METAL
LEN=0040	INSTALLED UNKN	
0030/1513	018 "DIA	CIRC METAL
LEN=0014	INSTALLED UNKN	
0030/0628	018 "DIA	CIR PLASTIC
LEN=0014	INSTALLED 2012	
0030/0194	018 "DIA	CIR PLASTIC
LEN=0014	INSTALLED 2012	
004924 FT	2 0 60030	0 00 0049+83
5 0030/0000	LENGTH(AH	2816 BK 2447)
0020/0404	027 "DIA	CIRC METAL
LEN=0012	INSTALLED UNKN	
002477 FT	2 0 60030	0 00 0025+36
5 0020/0000	LENGTH(AH	2447 BK 2477)
036 "DIA	CIR PLASTIC	
0010/1981	LEN=0017	INSTALLED 1998
0010/1354	018 "DIA	CIR PLASTIC
LEN=0010	INSTALLED 1997	
0010/0920	038 "H 60 "W	ELLIP CONC
LEN=0015	INSTALLED 2012	
000000 FT	2 0 60030	0 00 0000+00
NC PR	PRESIDENT RD	
	FRYBURG RD	
	(SR0157	SEG 0150/0000)
INTER-BK	POWELL RD	
	(T633)	
	MFC BEGIN = D	
5 0010/0000	LENGTH(AH	2477 BK 0000)


EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 257
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.194 MI. DIST: 01-5 SR: 2021
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

011583 FT
SR 0157 SH
(SR0157 SEG 0200/3366) 0040/3247

OLD STATE RD
(SR2004 SEG 0250/2672) 0040/1048

008336 FT



011583 FT
INTER-AHD COUNTY LINE RD
(T646)
SR 0157 SH
0040/3247 (SR0157 SEG 0010/0000)
015 "DIA CIRC CONCR
0040/3220 LEN=0050 INSTALLED UNKN
024 "DIA CIR PLASTIC
0040/2600 LEN=0040 INSTALLED UNKN
024 "DIA CIR PLASTIC
0040/1440 LEN=0035 INSTALLED UNKN
024 "DIA CIR PLASTIC
0040/1053 LEN=0045 INSTALLED 2005
SANDROCK RD
0040/1017 (T588)
008336 FT 2 0 60029 0 00 0084+12
048"H 00"W MULT PLSTIC
LEN=0083 INSTALLED UNKN
5 0040/0000 LENGTH(AH 3247 BK 2941)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 256
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.194 MI. DIST: 01-5 SR: 2021
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

2 0 60029 0 00 0054+64 005395 FT
T421 BURNS RD
(T421) 0030/0000

T419 AARON RD
(T419) 003097 FT
0020/0000

000000 FT

--	0030/2166	018 "DIA	CIR PLASTIC
--	0030/1811	LEN=0035	INSTALLED UNKN
--		015 "DIA	CIR PLASTIC
--		LEN=0036	INSTALLED UNKN
--	0030/0930	018 "DIA	CIR PLASTIC
--		LEN=0034	INSTALLED UNKN
--	0030/0750	018 "DIA	CIR PLASTIC
--		LEN=0040	INSTALLED UNKN
--	0030/0233	018 "DIA	CIR PLASTIC
--	005395 FT	LEN=0030	INSTALLED UNKN
==	5 0030/0000	LENGTH(AH	2941 BK 2298)
--	0020/1752	015 "DIA	CIR PLASTIC
--		LEN=0040	INSTALLED 2012
--	0020/1163	015 "DIA	CIR PLASTIC
--		LEN=0040	INSTALLED 2012
--	0020/0837	018 "DIA	CIR PLASTIC
--		LEN=0034	INSTALLED UNKN
--	0020/0263	018 "DIA	CIR PLASTIC
--		LEN=0036	INSTALLED UNKN
--	0020/0033	018 "DIA	CIR PLASTIC
--	003097 FT	LEN=0040	INSTALLED 2015
==	5 0020/0000	2 0 60029 0 00 0031+68	NC SR 2021 SH
--	0010/2659	LENGTH(AH	2298 BK 3097)
--		018 "DIA	CIR PLASTIC
--	0010/2212	LEN=0030	INSTALLED UNKN
--		018 "DIA	CIR PLASTIC
--	0010/1803	LEN=0030	INSTALLED UNKN
--		030 "DIA	CIR PLASTIC
--	0010/1698	LEN=0050	INSTALLED 1997
--		PINE CITY RD	
--	0010/1660	(SR4013	SEG 0140/0000)
--		018 "DIA	CIR PLASTIC
--	0010/1475	LEN=0040	INSTALLED 1997
--		018 "DIA	CIR PLASTIC
--	0010/0936	LEN=0040	INSTALLED UNKN
--		036 "DIA	CIR PLASTIC
--		LEN=0054	INSTALLED 2012
	000000 FT	2 0 60029 0 00 0000+00	NC CO
	* REF-BK	PINE CITY RD (TBK)	
		(T890)	
		MFC BEGIN = D	
	5 0010/0000	LENGTH(AH	3097 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 255
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 1.545 MI. DIST: 01-5 SR: 2019
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

008159 FT

008159 FT FRYBURG RD
0030/2833 (SR0157 SEG 0140/0000)
024 "DIA CIR PLASTIC
0030/2265 LEN=0050 INSTALLED 1997
018 "DIA CIR PLASTIC
0030/1567 LEN=0040 INSTALLED 1997
018 "DIA CIR PLASTIC
0030/1015 LEN=0045 INSTALLED 1997

005326 FT

005326 FT 2 0 60054 0 00 0065+00
5 0030/0000 LENGTH(AH 2833 BK 2420)
024 "DIA CIR PLASTIC
0020/1796 LEN=0051 INSTALLED 1997
018 "DIA CIR PLASTIC
0020/1497 LEN=0048 INSTALLED UNKN

002906 FT

0020/0439 015 "DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN
002906 FT 2 0 60054 0 00 0040+00
5 0020/0000 LENGTH(AH 2420 BK 2906)
018 "DIA CIR PLASTIC
0010/2817 LEN=0042 INSTALLED 1997

000000 FT

0010/1736 018 "DIA CIR PLASTIC
LEN=0052 INSTALLED 1997
0010/1313 015 "DIA CIR PLASTIC
LEN=0050 INSTALLED 1997
0010/0763 060 "DIA CIR PLASTIC
LEN=0060 INSTALLED 1997
0010/0438 018 "DIA CIR PLASTIC
LEN=0036 INSTALLED 1997
0010/0106 018 "DIA CIR PLASTIC
LEN=0032 INSTALLED 1997
0010/0027 018 "DIA CIR PLASTIC
LEN=0053 INSTALLED 1997
000000 FT 2 0 60054 0 00 0011+54
NC P I NEGROVE SCHOOL RD
OLD STATE RD
INTER-BK (SR2004 SEG 0190/0000)
HALE RD
(T628)
MFC BEGIN = E
5 0010/0000 LENGTH(AH 2906 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 254
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 4.966 MI. DIST: 01-5 SR: 2017
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

FLOCKERZI RD
(T610)

026220 FT

0100/1791

023876 FT

020846 FT

017950 FT

026220 FT
INTER-AHD

0100/2344

0100/0069
023876 FT
S 0100/0000

0090/2248

0090/1519

020846 FT
S 0090/0000

0080/2125

0080/1761

0080/1067

0080/0020
017950 FT

MCPHERSON RD
(T612)
FRYBURG RD
(SR0157 SEG 0100/0000)

018 "DIA CIR PLASTIC
LEN=0020 INSTALLED 2005
2 0 60028 0 00 0239+66
LENGTH(AH 2344 BK 3030)

015 "DIA CIRC CONCR
LEN=0016 INSTALLED 2011

018 "DIA CIR PLASTIC
LEN=0012 INSTALLED 1998

2 0 60028 0 00 0209+13
LENGTH(AH 3030 BK 2896)

018 "DIA CIR PLASTIC
LEN=0016 INSTALLED 2011

018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2011

030 "DIA CIR PLASTIC
LEN=0015 INSTALLED 2011

018 "DIA CIR PLASTIC
LEN=0050 INSTALLED 1998
2 0 60028 0 00 0180+17
NC SAWTOWN RD
OLD STATE RD
(T443)

DIR: B TOTAL LEN: 4.966 MI.
LEFT MUN: PINE GROVE T

DIST: 01-5 SR: 2017
RIGHT MUN: PINE GROVE T

AUSEL RD
(T413)

FERTIGS RD
(SR2004 SEG 0140/0000) 0050/0000

015315 FT

012774 FT

0050/0318

0 1 0 8 3 2 F T

0050/0000

```

0080/0000 LENGTH(AH 2896 BK 2635)
018 "DIA CIR PLASTIC
0070/2619 LEN=0018 INSTALLED 2011
024 "DIA CIR PLASTIC
0070/2241 LEN=0018 INSTALLED 2011
018 "DIA CIRC METAL
0070/1904 LEN=0020 INSTALLED UNKN

018 "DIA CIR PLASTIC
0070/1248 LEN=0015 INSTALLED 2011
018 "DIA CIR PLASTIC
0070/0653 LEN=0014 INSTALLED 2005
024 "DIA CIR PLASTIC
0070/0090 LEN=0014 INSTALLED UNKN
015315 FT 2 0 60028 0 00 0153+95
0070/0000 LENGTH(AH 2635 BK 2541)
018 "DIA CIR PLASTIC
0060/2108 LEN=0018 INSTALLED 2011
024 "DIA CIR PLASTIC
0060/1696 LEN=0022 INSTALLED 2000
024 "DIA CIR PLASTIC
0060/1446 LEN=0026 INSTALLED UNKN

012774 FT 2 0 60028 0 00 0128+54
0060/0000 LENGTH(AH 2541 BK 1942)

018 "DIA CIR PLASTIC
0050/0992 LEN=0016 INSTALLED 2005

018 "DIA CIRC METAL
0050/0020 LEN=0020 INSTALLED 2007
010832 FT 2 0 60028 0 00 0108+80
DAVIS RD
(SR2004 SEG 0140/0000)
0050/0000 LENGTH(AH 1942 BK 3430)
018 "DIA CIR PLASTIC
0040/3400 LEN=0070 INSTALLED 2007

015 "DIA CIR PLASTIC
0040/2570 LEN=0016 INSTALLED 2007

038 "DIA CIRC METAL
0040/1578 LEN=0016 INSTALLED 2007

```

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 252
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 4.966 MI. DIST: 01-5 SR: 2017
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

WEST SHARRAR RD
(T412)

0040/0166

007402 FT

004953 FT

002373 FT

000000 FT

0040/0730	018 "DIA CIR PLASTIC LEN=0016 INSTALLED UNKN
0040/0396	015 "DIA CIR PLASTIC LEN=0015 INSTALLED 1998
0040/0141	015 "DIA CIR PLASTIC LEN=0015 INSTALLED 2009
007402 FT	2 0 60028 0 00 0074+36 SHARRAR RD (T411)
0040/0000	LENGTH(AH 3430 BK 2449)
0030/1572	018 "DIA CIR PLASTIC LEN=0015 INSTALLED UNKN
0030/1300	018 "DIA CIR PLASTIC LEN=0016 INSTALLED 2000
0030/0270	015 "DIA CIR PLASTIC LEN=0018 INSTALLED 2015
004953 FT	2 0 60028 0 00 0049+87
0030/0000	LENGTH(AH 2449 BK 2580)
0020/2123	050 "DIA CIR PLASTIC LEN=0016 INSTALLED 2007
0020/0140	018 "DIA CIR PLASTIC LEN=0016 INSTALLED 2007
002373 FT	2 0 60028 0 00 0024+07
0020/0000	018 "DIA CIR PLASTIC LEN=0018 INSTALLED UNKN
0010/1866	LENGTH(AH 2580 BK 2373)
0010/1594	018 "DIA CIR PLASTIC LEN=0015 INSTALLED 2007
0010/1594	018 "DIA CIR PLASTIC LEN=0012 INSTALLED UNKN
000000 FT	2 0 60028 0 00 0000+00
NC CAMP COFFMAN RD	
* REF-BK	ASHLAND RD (T398)
0010/0000	MFC BEGIN = D LENGTH(AH 2373 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 251
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.463 MI. DIST: 01-5 SR: 2015
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

028845 FT		028845 FT	INTER-AHD	STANLEY RD
				(T599)
		0120/1807		FRYBURG RD
				(SR0157 SEG 0050/0000)
		0120/1787		015 "DIA CIRC METAL
				LEN=0056 INSTALLED 1996
				015 "DIA CIR PLASTIC
		0120/0755		LEN=0035 INSTALLED 1996
027038 FT		027038 FT	2 0 60026 0 00 0271+73	
		0120/0000	LENGTH(AH 1807 BK 2007)	
025031 FT		025031 FT	2 0 60026 0 00 0251+66	
		0110/0000	LENGTH(AH 2007 BK 2530)	
			018 "DIA CIR PLASTIC	
		0100/2440	LEN=0035 INSTALLED 1996	
		0100/0687	024 "DIA CIRC METAL	
			LEN=0040 INSTALLED 1996	
		0100/0274	018 "DIA CIR PLASTIC	
			LEN=0040 INSTALLED 1997	
		0100/0016	018 "DIA CIR PLASTIC	
			LEN=0080 INSTALLED 1997	
022501 FT		022501 FT	2 0 60026 0 00 0225+93	
			TIPPERY RD	
			(T443)	
STATE RD		0100/0000	LENGTH(AH 2530 BK 2631)	
(SR2006 SEG 0190/3325)			015 "DIA CIR PLASTIC	
		0090/2134	LEN=0060 INSTALLED 1996	
		0090/1331	015 "DIA CIR PLASTIC	
			LEN=0060 INSTALLED 1996	
019870 FT		019870 FT	2 0 60026 0 00 0198+25	
		0090/0000	LENGTH(AH 2631 BK 1645)	
		0080/1586	BMSSEN 60/2015/0080/1565	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 250
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.463 MI. DIST: 01-5 SR: 2015
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

						2 0 60026 0 00 0198+09 HALLS RUN 0080/1565 BMSBG 60/2015/0080/1565
	018225 FT					018225 FT 2 0 60026 0 00 0182+44 0080/0000 LENGTH(AH 1645 BK 2262)
2 0 60026 0 00 0159+65 015963 FT MEADOW CHURCH RD (T433)						0070/0042 018 "DIA CIR PLASTIC 015963 FT LEN=0060 INSTALLED 1997
	0070/0000					0070/0000 LENGTH(AH 2262 BK 2745)
						0060/1350 018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
2 0 60026 0 00 0132+18 013218 FT MAPLESHADE RD (SR2004 SEG 0060/0000)						013218 FT TARKILN RD (SR2004 SEG 0060/0000) 0060/0000 LENGTH(AH 2745 BK 2156)
						0050/1500 042 "DIA CIR PLASTIC LEN=0060 INSTALLED 1996
	011062 FT					011062 FT 2 0 60026 0 00 0110+52 0050/0000 LENGTH(AH 2156 BK 2106)
						0040/1762 018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2008
						0040/0852 015 "DIA CIR PLASTIC LEN=0035 INSTALLED UNKN
	008956 FT					008956 FT 2 0 60026 0 00 0089+46 GEORGE HILL RD (T409)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 249
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.463 MI.
LEFT MUN: CRANBERRY T

DIST: 01-5 SR: 2015
RIGHT MUN: CRANBERRY T

006582 FT

002998 FT

000000 FT

5 0040/0000 LENGTH(AH 2106 BK 2374)
015 "DIA CIR PLASTIC
0030/1646 LEN=0040 INSTALLED 1996
018 "DIA CIR PLASTIC
0030/0490 LEN=0040 INSTALLED 1997
060 "DIA CIRC CONCR
0030/0007 LEN=0030 INSTALLED 1996
006582 FT 2 0 60026 0 00 0065+85
5 0030/0000 LENGTH(AH 2374 BK 3584)
018 "DIA CIR PLASTIC
0020/2786 LEN=0045 INSTALLED 1996
024 "DIA CIR PLASTIC
0020/2408 LEN=0050 INSTALLED 1996
018 "DIA CIR PLASTIC
0020/2197 LEN=0070 INSTALLED 1996
024 "DIA CIR PLASTIC
0020/1684 LEN=0048 INSTALLED 1996
024 "DIA CIR PLASTIC
0020/1225 LEN=0045 INSTALLED 1997
018 "DIA CIR PLASTIC
0020/1094 LEN=0050 INSTALLED 1996
018 "DIA CIR PLASTIC
0020/0809 LEN=0056 INSTALLED 1996
002998 FT 2 0 60026 0 00 0030+01
5 0020/0000 LENGTH(AH 3584 BK 2998)
024 "DIA CIR PLASTIC
0010/2869 LEN=0040 INSTALLED 1997
018 "DIA CIR PLASTIC
0010/2497 LEN=0040 INSTALLED 1996
018 "DIA CIR PLASTIC
0010/2325 LEN=0050 INSTALLED 1997
018 "DIA CIR PLASTIC
0010/1373 LEN=0050 INSTALLED 1996
018 "DIA CIR PLASTIC
0010/0770 LEN=0045 INSTALLED 1996
000000 FT 2 0 60026 0 00 0000+00
NC HI LL CITY RD
TWENTYEIGHTH DIVISION H
(SRO322 SEG 0510/0000)
MFC BEGIN = D
5 0010/0000 LENGTH(AH 2998 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 248
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.312 MI. DIST: 01-5 SR: 2013
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

038607 FT

038607 FT
INTER-AHD

SALINA RD
(SR0257 SEG 0010/0000)
TWENTYEIGHTH DIVISION H
(SR0322 SEG 0450/0000)

0140/3249

015 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN

0140/3080

015 "DIA CIRC CONCR
LEN=0036 INSTALLED UNKN

0140/2322

0140/0615

015 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN
015 "DIA CIRC CONCR
LEN=0036 INSTALLED UNKN
1 0 00581 0 00 0266+35
LENGTH(AH 3249 BK 3104)

0140/0228

035358 FT

0140/0000

015 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN
015 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN
015 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN

0130/2762

0130/2466

0130/2163

0130/1522

0130/1079

0130/1061

0130/0664

0130/0296

0130/0176

032254 FT

0130/0000

0120/2324

0120/2090

015 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN
015 "DIA CIR PLASTIC
LEN=0042 INSTALLED UNKN
HENDERSHOT RD
(T654)
015 "DIA CIRC CONCR
LEN=0038 INSTALLED UNKN
015 "DIA CIRC CONCR
LEN=0036 INSTALLED UNKN
015 "DIA CIRC CONCR
LEN=0036 INSTALLED UNKN
1 0 00581 0 00 0235+31
LENGTH(AH 3104 BK 2612)
048 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN
024 "DIA CIRC CONCR
LEN=0058 INSTALLED UNKN
015 "DIA CIRC CONCR

035358 FT

032254 FT

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 247
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.312 MI. DIST: 01-5 SR: 2013
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

	0120/1648	LEN=0042	INSTALLED	UNKN
		015 "DIA	CIRC	CONCR
029642 FT	0120/0296	LEN=0040	INSTALLED	UNKN
	029642 FT	1 0 00581 0 00 0209+19		
	0120/0000	LENGTH(AH 2612 BK 2413)		
		015 "DIA	CIRC	CONCR
	0110/2367	LEN=0040	INSTALLED	UNKN
		048"H 60"W	CON	BOX CUL
	0110/2048	LEN=0040	INSTALLED	UNKN
027229 FT	027229 FT	1 0 00581 0 00 0184+79		
	0110/0000	LENGTH(AH 2413 BK 2481)		
		015 "DIA	CIRC	CONCR
	0100/2322	LEN=0045	INSTALLED	UNKN
		015 "DIA	CIRC	CONCR
	0100/1866	LEN=0035	INSTALLED	UNKN
	0100/1172	HENDERSHOT RD		
	0100/1065	(T654)		
		BMSSEN 60/2013/0100/0979		
		1 0 00581 0 00 0169+93		
		INACTIVE	PRIVATE	PRO RR
	0100/0979	BMSBG 60/2013/0100/0979		
		018 "DIA	CIRC	CONCR
	0100/0946	LEN=0038	INSTALLED	UNKN
	0100/0147	BMSSEN 60/2013/0100/0000		
024748 FT	024748 FT	1 0 00581 0 00 0160+12		
		P3		
		EAST SANDY CREEK		
		BMSBG 60/2013/0100/0000		
		CRANBERRY		
		ROCKLAND T		
	0100/0000	LENGTH(AH 2481 BK 2628)		
		015 "DIA	CIRC	CONCR
	0090/2358	LEN=0038	INSTALLED	UNKN
		015 "DIA	CIRC	CONCR
	0090/2054	LEN=0038	INSTALLED	UNKN
		BROWN RUN		
		STRUCTURE LENGTH 16 FT		
	0090/1730	BMSID 60/2013/0090/1753		
		015 "DIA	CIRC	CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 246
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: 7.312 MI. DIST: 01-5 SR: 2013
 LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

022120 FT

019727 FT

016742 FT

0090/1624	LEN=0042	INSTALLED	UNKN
0090/1283	LEN=0040	INSTALLED	2018
0090/0704	LEN=0048	INSTALLED	UNKN
0090/0336	LEN=0050	INSTALLED	UNKN
0090/0064	LEN=0040	INSTALLED	2018
022120 FT	1 0 00581	0 00 0133+59	
	HORNBURG RD		
	(T524)		
0090/0000	LENGTH(AH	2628 BK	2393)
0080/2326	LEN=0050	INSTALLED	UNKN
0080/2239	LEN=0040	INSTALLED	2018
0080/2021	LEN=0040	INSTALLED	2018
0080/1683	LEN=0040	INSTALLED	UNKN
0080/1398	LEN=0036	INSTALLED	UNKN
0080/0916	LEN=0045	INSTALLED	UNKN
0080/0500	LEN=0040	INSTALLED	UNKN
019727 FT	1 0 00581	0 00 0109+84	
	072"H 78"W CONCR ARCH		
0080/0000	LENGTH(AH	2393 BK	2985)
0070/2183	LEN=0040	INSTALLED	2018
0070/1723	LEN=0036	INSTALLED	UNKN
0070/0668	LEN=0046	INSTALLED	UNKN
0070/0550	LEN=0048	INSTALLED	UNKN
0070/0159	LEN=0045	INSTALLED	UNKN
016742 FT	1 0 00581	0 00 0080+07	
0070/0000	LENGTH(AH	2985 BK	2391)
0060/2184	LEN=0060	INSTALLED	UNKN
0060/1889	LEN=0052	INSTALLED	UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 245
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.312 MI. DIST: 01-5 SR: 2013
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

COAL CITY RD
(SR3020 SEG 0080/2988) 0060/0942

014351 FT

011339 FT

008739 FT

KENNERDELL RD
(SR3008 SEG 0230/2403) 0040/0000

0060/1274	024 " DIA CIRC CONCR LEN=0048 INSTALLED UNKN
0060/1020	048"H 60"W CON BOX CUL LEN=0040 INSTALLED UNKN
0060/0607	015 " DIA CIRC CONCR LEN=0035 INSTALLED UNKN
014351 FT	1 0 00581 0 00 0056+00 048"H 72"W CON BOX CUL LEN=0045 INSTALLED UNKN
0060/0000	LENGTH(AH 2391 BK 3012) 024 " DIA CIRC METAL LEN=0050 INSTALLED UNKN
0050/2480	EXLEY RD
0050/2154	(T513)
0050/0861	015 " DIA CIRC CONCR LEN=0036 INSTALLED UNKN
011339 FT	1 0 00581 0 00 0025+88 LENGTH(AH 3012 BK 2600)
0050/0000	015 " DIA CIRC CONCR LEN=0036 INSTALLED UNKN
0040/2460	015 " DIA CIRC CONCR LEN=0036 INSTALLED UNKN
0040/2083	EXLEY RD (T513)
0040/1477	018 " DIA CIRC CONCR LEN=0045 INSTALLED UNKN
0040/1440	018 " DIA CIRC CONCR LEN=0045 INSTALLED UNKN
0040/0900	015 " DIA CIRC CONCR LEN=0045 INSTALLED UNKN
0040/0680	015 " DIA CIRC CONCR LEN=0045 INSTALLED UNKN
008739 FT	1 0 00581 0 00 0000+00 NC ROCKLAND CRANBERRY RD ROCKLAND NICKLEVILLE RD (SR2002 SEG 0010/0000)
0040/0000	MFC BEGIN = D LENGTH(AH 2600 BK 2059)
0030/1464	024 " DIA CIR PLASTIC LEN=0042 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 244
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.312 MI. DIST: 01-5 SR: 2013
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

2 0 60012 0 00 0066+90 006680 FT
REDLINE RD
(T353) 0030/0000

003006 FT

000000 FT

ROCKLAND STATION RD
(T480) 0010/0000

Station	Length	Material	Notes
0030/0551	024"	DIA CIR PLASTIC	LEN=0040 INSTALLED 2000
006680 FT		ROCKLAND CEMETARY RD	(T353)
0030/0000		LENGTH(AH 2059 BK 3674)	
0020/2979		FLAGSTONE DR	(TWP)
0020/2338	018"	DIA CIR PLASTIC	LEN=0045 INSTALLED 2000
0020/0994	042"	DIA CIR PLASTIC	LEN=0040 INSTALLED 2000
003006 FT			
0020/0000		LENGTH(AH 3674 BK 3006)	
0010/2615	024"	DIA CIR PLASTIC	LEN=0035 INSTALLED 2000
0010/2327	024"	DIA CIR PLASTIC	LEN=0040 INSTALLED 2000
0010/1921	018"	DIA CIR PLASTIC	LEN=0040 INSTALLED UNKN
0010/1551	018"	DIA CIR PLASTIC	LEN=0040 INSTALLED 2007
0010/1396	014"	DIA CIRC CONCR	LEN=0040 INSTALLED 2007
0010/0988	018"	DIA CIR PLASTIC	LEN=0040 INSTALLED 2007
0010/0773	BMS	SEN 60/2013/0010/0751	2 0 60012 0 00 0007+44
0010/0751	SHULLS	RUN	BMSBG 60/2013/0010/0751
0010/0587	018"	DIA CIRC METAL	LEN=0050 INSTALLED UNKN
0010/0562	018"	DIA CIR PLASTIC	LEN=0042 INSTALLED UNKN
0010/0051	018"	DIA CIR PLASTIC	LEN=0032 INSTALLED 2000
000000 FT			
000000 FT			
INTER-BK			
0010/0000			


EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 243
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.014 MI. DIST: 01-5 SR: 2011
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

NICKLEVILLE KAHLE LAKE
(SR2009 SEG 0050/3380) 0040/1985

010635 FT

008317 FT



010635 FT SR 0038 SH
0040/2318 (SR0038 SEG 0210/0000)
018 "DIA CIR PLASTIC
0040/2262 LEN=0034 INSTALLED UNKN

015 "DIA CIR PLASTIC
0040/1981 LEN=0015 INSTALLED UNKN
0040/1485 VALLEY CHURCH RD
(T377)

018 "DIA CIR PLASTIC
0040/0657 LEN=0012 INSTALLED 2014

008317 FT 2 0 60014 0 00 0050+04

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 242
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.014 MI. DIST: 01-5 SR: 2011
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

Station	Length	Description
0040/0000	0030/2135	018" DIA CIR PLASTIC LEN=0012 INSTALLED 2014
0030/1210	0030/1210	018" DIA CIR PLASTIC LEN=0012 INSTALLED 1999
005774 FT	005774 FT	2 0 60014 0 00 0024+32 0030/0000 LENGTH(AH 2543 BK 2498)
0020/1250	0020/1250	036"H 00"W MULT PLSTIC LEN=0014 INSTALLED UNKN
003276 FT	0020/0320	024" DIA CIR PLASTIC LEN=0020 INSTALLED 1999
	003276 FT	2 0 60014 0 00 0000+00 GRACE CHURCH RD (TWP) NC NICKLEVILLE RD NICKLEVILLE RD (TWP)
0020/0000	0020/0000	024" DIA CIR PLASTIC LEN=0014 INSTALLED UNKN
0010/3270	0010/3270	018" DIA CIR PLASTIC LEN=0014 INSTALLED UNKN
0010/2683	0010/2683	018" DIA CIR PLASTIC LEN=0014 INSTALLED UNKN
0010/2560	0010/2560	018" DIA CIR PLASTIC LEN=0014 INSTALLED 1999
0010/2125	0010/2125	018" DIA CIR PLASTIC LEN=0001 INSTALLED UNKN
0010/1583	0010/1583	024" DIA CIR PLASTIC LEN=0015 INSTALLED 1999
0010/1272	0010/1272	018" DIA CIR PLASTIC LEN=0014 INSTALLED 1999
0010/0915	0010/0915	018" DIA CIR PLASTIC LEN=0012 INSTALLED 1999
000000 FT	000000 FT	2 0 60086 0 00 0000+00 NC COMMUNITY RD INTER-BK COMMUNITY RD (TWP) MFC BEGIN = D
0010/0000	0010/0000	0010/0000 LENGTH(AH 3276 BK 0000)

CURRAN RD
(T365)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 241
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.532 MI. DIST: 01-5 SR: 2009
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

013367 FT

013367 FT
INTER-AHD NICKLEVILLE RD
(SR2011 SEG 0040/1985)
NICKLEVILLE RD
0050/3380 (SR2011 SEG 0040/1985)



0050/1608 024 " DIA CIR PLASTIC
LEN=0045 INSTALLED UNKN
0050/1334 024 " DIA CIR PLASTIC
LEN=0045 INSTALLED UNKN

009987 FT

009987 FT 2 0 60057 0 00 0200+00
5 0050/0000 LENGTH(AH 3380 BK 2682)

0040/1458 018 " DIA CIR PLASTIC
LEN=0045 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 240
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.532 MI. DIST: 01-5 SR: 2009
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

GORHAM LN
(PRDR)

0040/0941

==

007305 FT

0040/0775 024 "DIA CIR PLASTIC
LEN=0050 INSTALLED 1998

007305 FT 2 0 60057 0 00 0173+18
5 0040/0000 LENGTH(AH 2682 BK 2152)
018 "DIA CIR PLASTIC
LEN=0050 INSTALLED 1998

005153 FT

0030/1863 CURRAN RD
(T365)
018 "DIA CIR PLASTIC
LEN=0050 INSTALLED 1998

0030/1103 BEELS HILL RD
(TWP)
005153 FT 2 0 60057 0 00 0151+77
5 0030/0000 LENGTH(AH 2152 BK 2707)
018 "DIA CIR PLASTIC
LEN=0045 INSTALLED 1998

BELL RD
(T363)

0020/1939

==

0020/2580 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 1998

0020/1941 018 "DIA CIR PLASTIC
LEN=0048 INSTALLED UNKN
036 "DIA CIR PLASTIC
LEN=0030 INSTALLED UNKN

002446 FT

0020/1419 018 "DIA CIR PLASTIC
LEN=0048 INSTALLED UNKN
036 "DIA CIR PLASTIC
LEN=0030 INSTALLED UNKN

002446 FT 2 0 60057 0 00 0124+80
5 0020/0000 LENGTH(AH 2707 BK 2446)

0010/1300 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 1998

0010/0405 018 "DIA CIR PLASTIC
LEN=0034 INSTALLED UNKN
NEELY RD
(TWP)

000000 FT

0010/0384 018 "DIA CIR PLASTIC
LEN=0034 INSTALLED UNKN

NORTH KAHLE LAKE RD
(T359)

0010/0000

==

0010/0306 018 "DIA CIR PLASTIC
LEN=0034 INSTALLED UNKN
000000 FT 2 0 60057 0 00 0100+03
NC N CKLEVILLE KAHLE LAKE RD
INTER-BK NORTH KAHLE LAKE RD
(T359)
MFC BEGIN = E
5 0010/0000 LENGTH(AH 2446 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 239
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: .490 MI. DIST: 01-5 SR: 2008
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

002588 FT

000000 FT

002588 FT E FRONT ST
0010/2588 (SR0062 SEG 0500/0000)
TO 0062/0500 SH
0010/2471 (CONN)
ALLEGHENY AV
0010/2390 (CITY)
PENNSYLVANIA AV
0010/2087 (CITY)
GRANT ST
0010/1855 (CITY)
LIBERTY ST
0010/1552 (CITY)
IMPERIAL ST
0010/1249 (CITY)
CHURCH ST
0010/1017 (CITY)
WALNUT ST
0010/0809 (CITY)
PINE ST
0010/0572 (CITY)
WILSON AV
0010/0277 (CITY)
LC TO WILSON AV
(CONN)
NC SE COND ST
SECOND AL
0010/0183 (CITY)
000000 FT 1 0 00091 0 01 0429+26
NC WILSON AV
FIRST ST
(SR0062 SEG 0480/1121)
MFC BEGIN = B
0010/0000 LENGTH(AH 2588 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 238
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 10.145 MI. DIST: 01-5 SR: 2006
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

053566 FT

053566 FT
INTER-AHD TIPPERY RD
(T443)
HILL CITY RD
0190/3325 (SR2015 SEG 0100/0000)

0190/1581 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN

050241 FT

050241 FT 2 0 60080 0 00 0155+47
5 0190/0000 LENGTH(AH 3325 BK 2465)

0180/1451 018 "DIA CIR PLASTIC
LEN=0060 INSTALLED UNKN
0180/1303 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2007
0180/0930 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN

047776 FT

047776 FT 2 0 60080 0 00 0130+61
5 0180/0000 LENGTH(AH 2465 BK 2558)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 237
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 10.145 MI. DIST: 01-5 SR: 2006
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

		0170/1431	015 "DIA CIR PLASTIC LEN=0045 INSTALLED 2006
045218 FT		045218 FT	2 0 60080 0 00 0105+03
		5 0170/0000	LENGTH(AH 2558 BK 2222)
		0160/2081	018 "DIA CIR PLASTIC LEN=0075 INSTALLED UNKN
		0160/1283	036"H 90"W ELLIP METAL LEN=0058 INSTALLED UNKN
		0160/1107	036 "DIA CIR PLASTIC LEN=0040 INSTALLED 2007
042996 FT		0160/0093	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 2007
		042996 FT	2 0 60080 0 00 0082+81
			HORSECREEK RD
		5 0160/0000	(T558) LENGTH(AH 2222 BK 3471)
		0150/1718	018 "DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
2 0 60080 0 00 0048+14 039525 FT		039525 FT	
ALLISON RD		5 0150/0000	LENGTH(AH 3471 BK 2841)
(T679)		0140/2506	048 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
		0140/1498	018 "DIA CIRC METAL LEN=0050 INSTALLED UNKN
		0140/1126	018 "DIA CIR PLASTIC LEN=0052 INSTALLED UNKN
TOP VIEW RD			
(T304)		0140/0708	
STEFFEE BL		0140/0669	IROQUOIS DR (T302)

DIST: 01-5 SR: 2006
RIGHT MUN: CRANBERRY T

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 235
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 10.145 MI. DIST: 01-5 SR: 2006
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

LAUREL TE
(T659)
LAUREL TE
(T659)

028151 FT

0100/2033

0100/1495

025179 FT

023199 FT

019886 FT

028151 FT 2 0 60023 0 00 0274+78
S 0110/0000 LENGTH(AH 3310 BK 2972)

0100/2166 015 "DIA CIR PLASTIC
LEN=0035 INSTALLED 2005

0100/1470 018 "DIA CIRC METAL
LEN=0065 INSTALLED UNKN
0100/1091 018 "DIA CIR PLASTIC
LEN=0050 INSTALLED UNKN
0100/0708 015 "DIA CIRC METAL
LEN=0054 INSTALLED UNKN

0100/0031 018 "DIA CIR PLASTIC
LEN=0072 INSTALLED UNKN
025179 FT 2 0 60023 0 00 0245+06
DEEP HOLLOW RD
(SR3025 SEG 0100/0000)
S 0100/0000 LENGTH(AH 2972 BK 1980)
024 "DIA CIRC METAL
LEN=0070 INSTALLED UNKN
0090/1931 018 "DIA CIR PLASTIC
LEN=0050 INSTALLED UNKN
0090/1481 018 "DIA CIR PLASTIC
LEN=0050 INSTALLED UNKN
0090/0966 015 "DIA CIR PLASTIC
LEN=0060 INSTALLED UNKN
0090/0677

023199 FT 2 0 60023 0 00 0225+28
S 0090/0000 LENGTH(AH 1980 BK 3313)
018 "DIA CIRC METAL
LEN=0040 INSTALLED UNKN
0080/2955 018 "DIA CIR PLASTIC
LEN=0046 INSTALLED UNKN
0080/2803

0080/0306 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2015
019886 FT 2 0 60023 0 00 0192+15
MANNOR RD
(T486)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 234
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 10.145 MI. DIST: 01-5 SR: 2006
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

05ENIDER RD
(T656)

0070/2063

016648 FT

013652 FT

011075 FT

0080/0000 LENGTH(AH 3313 BK 3238)

0070/2120 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN

0070/1874 018 "DIA CIR PLASTIC
LEN=0036 INSTALLED UNKN

016648 FT 2 0 60023 0 00 0166+45
0070/0000 LENGTH(AH 3238 BK 2996)
018 "DIA CIR PLASTIC
0060/2696 LEN=0040 INSTALLED UNKN
015 "DIA CIR PLASTIC
0060/2291 LEN=0045 INSTALLED UNKN
018 "DIA CIR PLASTIC
0060/2275 LEN=0036 INSTALLED UNKN
BLACK BEARY LN
0060/2240 (PRDR)
024 "DIA CIR PLASTIC
0060/1642 LEN=0040 INSTALLED 2012

0060/0005 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2012
013652 FT 2 0 60023 0 00 0136+52
0060/0000 LENGTH(AH 2996 BK 2577)

0050/0850 015 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2012
011075 FT 2 0 60023 0 00 0110+75
0050/0000 LENGTH(AH 2577 BK 2405)

0040/1082 036 "DIA CIR PLASTIC
LEN=0042 INSTALLED 2004

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 233
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 10.145 MI. DIST: 01-5 SR: 2006
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

008670 FT

008670 FT 2 0 60023 0 00 0086+70
S 0040/0000 LENGTH(AH 2405 BK 2556)

0030/1201 015 "DIA CIR PLASTIC
LEN=0035 INSTALLED 2012

006114 FT

006114 FT 2 0 60023 0 00 0061+14
S 0030/0000 LENGTH(AH 2556 BK 2965)
ORCHARD DR

0020/2553 (PRDR)
018 "DIA CIR PLASTIC
LEN=0050 INSTALLED UNKN
018 "DIA CIR PLASTIC
LEN=0052 INSTALLED UNKN

0020/1238 015 "DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN
015 "DIA CIR PLASTIC
LEN=0042 INSTALLED UNKN

003149 FT

003149 FT 2 0 60023 0 00 0031+49
S 0020/0000 LENGTH(AH 2965 BK 3149)

0010/3074 024 "DIA CIR PLASTIC
LEN=0045 INSTALLED UNKN
024 "DIA CIR PLASTIC
LEN=0060 INSTALLED UNKN
018 "DIA CIR PLASTIC
LEN=0045 INSTALLED UNKN
018 "DIA CIRC METAL
LEN=0044 INSTALLED UNKN
018 "DIA CIRC METAL
LEN=0041 INSTALLED UNKN
018 "DIA CIRC METAL
LEN=0036 INSTALLED UNKN


0010/0577 015 "DIA CIRC CONCR
LEN=0036 INSTALLED UNKN
015 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN

000000 FT

000000 FT 2 0 60023 0 00 0000+00
NC BR EDINBURG RD
TWENTYEIGHTH DIVISION H
(SRO322 SEG 0310/1971)
MFC BEGIN = D
S 0010/0000 LENGTH(AH 3149 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 232
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
DIR: B TOTAL LEN: 4.815 MI. DIST: 01-5 SR: 2005
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

025423 FT



025423 FT AIRPORT RD
0110/3007 (SR2001 SEG 0080/2049)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 231
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 4.815 MI. DIST: 01-5 SR: 2005
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

	0110/2762	036 "DIA CIRC METAL LEN=0040 INSTALLED 1996
	0110/1557	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 2000
	0110/1221	018 "DIA CIR PLASTIC LEN=0030 INSTALLED 1996
022416 FT	022416 FT	2 0 60056 0 00 0203+60 ONUFFER RD (T548)
	0110/0000	LENGTH(AH 3007 BK 1893) 018 "DIA CIR PLASTIC
	0100/1843	LEN=0040 INSTALLED 1996
020523 FT	020523 FT	2 0 60056 0 00 0184+13
	0100/0000	LENGTH(AH 1893 BK 1955)
	0090/1320	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
2 0 60056 0 00 0164+50 018568 FT GEIRING RD (T552)	018568 FT	
	0090/0000	LENGTH(AH 1955 BK 1954) 018 "DIA CIR PLASTIC
	0080/1945	LEN=0035 INSTALLED UNKN
	0080/1890	018 "DIA CIR PLASTIC LEN=0034 INSTALLED 1996
	0080/1324	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1999
	0080/1048	015 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
	0080/0945	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 1999
	0080/0664	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 1999
016614 FT	016614 FT	2 0 60056 0 00 0144+94
	0080/0000	LENGTH(AH 1954 BK 2538) 018 "DIA CIR PLASTIC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 230
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 4.815 MI. DIST: 01-5 SR: 2005
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

Station	Length	Material	Installed
0070/2072	LEN=0040	018 " DIA CIR PLASTIC	2000
0070/0744	LEN=0035	018 " DIA CIR PLASTIC	1996
0070/0292	LEN=0035	018 " DIA CIR PLASTIC	1996
014076 FT	2 0 60056 0 00 0119+56	015 " DIA CIR PLASTIC	1996
0070/0000	LENGTH(AH 2538 BK 2489)	015 " DIA CIR PLASTIC	1996
0060/2394	LEN=0040	018 " DIA CIR PLASTIC	1996
0060/0315	LEN=0050	018 " DIA CIR PLASTIC	1996
0060/0184	LEN=0040	018 " DIA CIR PLASTIC	1996
011587 FT	2 0 60056 0 00 0094+71	018 " DIA CIR PLASTIC	1996
0060/0000	LENGTH(AH 2489 BK 2613)	018 " DIA CIR PLASTIC	1996
0050/2408	LEN=0036	018 " DIA CIR PLASTIC	1996
0050/2116	LEN=0030	018 " DIA CIR PLASTIC	1996
0050/1808	LEN=0036	018 " DIA CIR PLASTIC	1996
WEST HOME CHURCH RD (T331)	0050/1402	018 " DIA CIR PLASTIC	1997
0050/0996	LEN=0037	018 " DIA CIR PLASTIC	1997
008974 FT	2 0 60056 0 00 0068+58	018 " DIA CIR PLASTIC	1996
0050/0000	LENGTH(AH 2613 BK 2832)	018 " DIA CIR PLASTIC	1996
0040/2549	LEN=0080	018 " DIA CIR PLASTIC	1996
0040/1956	LEN=0040	018 " DIA CIR PLASTIC	2004
0040/1417	LEN=0040	018 " DIA CIR PLASTIC	1996
0040/0947	LEN=0045	018 " DIA CIR PLASTIC	1996
0040/0588	LEN=0050	018 " DIA CIR PLASTIC	1996
2 0 60056 0 00 0040+33 006142 FT	006142 FT	018 " DIA CIR PLASTIC	1996
RUSSELL RD (T329)	0040/0000	018 " DIA CIR PLASTIC	1996
0040/0000	LENGTH(AH 2832 BK 1848)	018 " DIA CIR PLASTIC	1996

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 229
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 4.815 MI. DIST: 01-5 SR: 2005
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

004294 FT		004294 FT	2 0 60056 0 00 0021+93
			ONUFFER RD
	==	5 0030/0000	(T548)
			LENGTH(AH 1848 BK 2182)
	---	0020/2088	042"H 42"W CON BOX CUL
	---		LEN=0030 INSTALLED 1996
	---	0020/1902	018"DIA CIR PLASTIC
	---		LEN=0030 INSTALLED 1996
		0020/1790	036"H 00"W MULT PLSTIC
			LEN=0050 INSTALLED 2000

	---	0020/0378	018"DIA CIR PLASTIC
			LEN=0036 INSTALLED 1996
	---	0020/0016	015"DIA CIR PLASTIC
			LEN=0072 INSTALLED 1996
2 0 60056 0 00 0000+00 002112 FT		002112 FT	ST HOME RD
AIRPORT RD		INTER-BK	AIRPORT RD
(SR2001 SEG 0070/0000)			(SR2001 SEG 0070/0000)
0020/0000		5 0020/0000	LTH AH 002182 BK 000100
002112 FT			
		002112 FT	LTH AH 000100 BK 002112
		7014/0000	AIRPORT RD
		INTER-AHD	(SR2001 SEG 0070/0087)
			AIRPORT RD
		0010/2112	(SR2001 SEG 0070/0087)
			018"DIA CIR PLASTIC
	---	0010/2070	LEN=0050 INSTALLED 1996

	---	0010/0450	018"DIA CIR PLASTIC
			LEN=0040 INSTALLED 1996
	---	0010/0202	018"DIA CIR PLASTIC
			LEN=0040 INSTALLED 2000
	---		015"DIA CIR PLASTIC
		0010/0012	LEN=0075 INSTALLED 1996
000000 FT		000000 FT	2 0 60056 1 00 0000+00
		NC OL	D AIRPORT RD
			WHITEHALL RD
			(SR2003 SEG 0070/0000)
			MFC BEGIN = E
		5 0010/0000	LENGTH(AH 2112 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 228
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 12.441 MI. DIST: 01-5 SR: 2004
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

065688 FT

* 065688 FT
REF-AHD SANDROCK RD
(TWP)
COUNTY LINE RD
(SR2021 SEG 0040/1048)
0250/2672
0250/2037 018 "DIA CIR PLASTIC
LEN=0016 INSTALLED 2000
0250/1086 024 "DIA CIR PLASTIC
LEN=0015 INSTALLED 2000
063016 FT 2 0 60027 0 00 0480+42
5 0250/0000 LENGTH(AH 2672 BK 2478)
0240/1857 018 "DIA CIRC METAL
LEN=0012 INSTALLED UNKN

063016 FT

060538 FT

0240/0027 040"H 72"W ELLIP METAL
LEN=0018 INSTALLED UNKN
5 060538 FT 2 0 60027 0 00 0455+87
0240/0000 LENGTH(AH 2478 BK 3040)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 227
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 12.441 MI. DIST: 01-5 SR: 2004
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

2 0 60027 0 00 0425+24 057498 FT
SCHWAB RD
(T642) 0230/0000

-- -- 0230/1276 024 "DIA CIR PLASTIC
LEN=0020 INSTALLED 2005

== 057498 FT
5 0230/0000 LENGTH(AH 3040 BK 2556)

-- -- 0220/1348 024 "DIA CIR PLASTIC
LEN=0015 INSTALLED UNKN
BURNS RD
== 0220/1151 (T421)

054942 FT

5 054942 FT 2 0 60027 0 00 0399+86
0220/0000 LENGTH(AH 2556 BK 3070)

-- -- 0210/1972 018 "DIA CIR PLASTIC
LEN=0015 INSTALLED 1999
-- -- 0210/1525 018 "DIA CIR PLASTIC
LEN=0015 INSTALLED UNKN
-- -- 0210/1053 018 "DIA CIR PLASTIC
LEN=0015 INSTALLED 2005

-- -- 0210/0168 018 "DIA CIR PLASTIC
LEN=0016 INSTALLED 2005
051872 FT

== 5 0210/0000 LENGTH(AH 3070 BK 2814)

-- -- 0200/2098 024 "DIA CIR PLASTIC
LEN=0048 INSTALLED 2005

-- -- 0200/1485 018 "DIA CIR PLASTIC
LEN=0016 INSTALLED 2005
-- -- 0200/1190 018 "DIA CIR PLASTIC
LEN=0018 INSTALLED 2005

-- -- 0200/0198 048 "DIA CIRC METAL
LEN=0018 INSTALLED UNKN
049058 FT 2 0 60027 0 00 0341+23
5 0200/0000 LENGTH(AH 2814 BK 1115)

049058 FT

030"H 00"W MULT PLSTIC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 226
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 12.441 MI. DIST: 01-5 SR: 2004
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

PINEGROVE SCHOOL RD
(SR2019 SEG 0010/0000)
OLD STATE RD
(T443)

047943 FT

0190/0000

0180/2922

044816 FT

042318 FT

039786 FT

037342 FT

0190/0294 LEN=0014 INSTALLED UNKN
047943 FT 2 0 60054 0 00 0011+54
HALE RD
(T628)

5 0190/0000 LENGTH(AH 1115 BK 3127)

NC OLD STATE RD

0180/1590 018 "DIA CIR PLASTIC
LEN=0015 INSTALLED 2005

0180/0342 024"H 00"W MULT PLSTIC
044816 FT LEN=0020 INSTALLED 1999
2 0 60027 0 00 0309+98
5 0180/0000 LENGTH(AH 3127 BK 2498)

0170/0975 015 "DIA CIR PLASTIC
LEN=0015 INSTALLED 2014
0170/0497 018 "DIA CIR PLASTIC
042318 FT LEN=0016 INSTALLED UNKN
2 0 60027 0 00 0284+71
5 0170/0000 LENGTH(AH 2498 BK 2532)

0160/1420 018 "DIA CIR PLASTIC
LEN=0016 INSTALLED 2005
0160/1165 018 "DIA CIR PLASTIC
LEN=0015 INSTALLED 2005

039786 FT 2 0 60027 0 00 0259+39
5 0160/0000 LENGTH(AH 2532 BK 2444)
036 "DIA CIR PLASTIC
0150/2346 LEN=0016 INSTALLED 1999
018 "DIA CIR PLASTIC
0150/1859 LEN=0015 INSTALLED 2005
036 "DIA CIRC METAL
0150/1438 LEN=0016 INSTALLED UNKN
018 "DIA CIR PLASTIC
0150/0868 LEN=0018 INSTALLED 1997

037342 FT 2 0 60027 0 00 0235+17
5 0150/0000 LENGTH(AH 2444 BK 2578)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 225
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 12.441 MI. DIST: 01-5 SR: 2004
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

	0140/1691	015 "DIA CIR PLASTIC LEN=0020 INSTALLED 1999
	0140/1075	024 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
	0140/0908	KEISTER RD (T415)
034764 FT	034764 FT	2 0 60027 0 00 0209+35 NC DAVIS RD CAMP COFFMAN RD (SR2017 SEG 0050/0000)
	0140/0000	LENGTH(AH 2578 BK 2412)
	0130/1224	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
	0130/0780	024 "DIA CIR PLASTIC LEN=0015 INSTALLED 2005
032352 FT	0130/0113	018 "DIA CIR PLASTIC LEN=0012 INSTALLED 1997
	032352 FT	2 0 60027 0 00 0185+12
	0130/0000	LENGTH(AH 2412 BK 2455)
	0120/1641	015 "DIA CIR PLASTIC LEN=0015 INSTALLED 2007
	0120/0173	018 "DIA CIR PLASTIC LEN=0015 INSTALLED 1997
2 0 60027 0 00 0161+95 029897 FT STEWART RD (T609)	029897 FT	
	0120/0000	LENGTH(AH 2455 BK 2483)
	0110/1661	015 "DIA CIR PLASTIC LEN=0015 INSTALLED UNKN
	0110/1595	SHARRAR RD (T412)
	0110/1053	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
027414 FT	027414 FT	2 0 60027 0 00 0136+24 NC FERTIGS RD PINE GROVE CRANBERRY T

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 224
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 12.441 MI. DIST: 01-5 SR: 2004
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

CARNES SCHOOL RD
(T604)

0100/2122

023838 FT

020984 FT

0110/0000	LENGTH(AH 2483 BK 3576)
027 "DIA CIR PLASTIC	
0100/2994	LEN=0018 INSTALLED 1997
0100/1977	036 "DIA CIR PLASTIC
LEN=0022	INSTALLED 1997
0100/1901	VAN RD
(T391)	
018 "DIA CIR PLASTIC	
0100/1316	LEN=0015 INSTALLED 1997
018 "DIA CIR PLASTIC	
0100/0596	LEN=0015 INSTALLED 2007
023838 FT	2 0 60027 0 00 0100+39
0100/0000	LENGTH(AH 3576 BK 2854)
0090/2090	015 "DIA CIR PLASTIC
LEN=0015	INSTALLED UNKN
048 "DIA CIR PLASTIC	
0090/1603	LEN=0020 INSTALLED UNKN
0090/0778	018 "DIA CIR PLASTIC
LEN=0018	INSTALLED 1997
015 "DIA CIR PLASTIC	
0090/0323	LEN=0016 INSTALLED UNKN
0090/0031	BMSSEN 60/2004/0090/0000
020984 FT	2 0 60027 0 00 0071+93
0090/0000	TARKILN RUN
0080/3249	BMSBG 60/2004/0090/0000
0080/3144	LENGTH(AH 2854 BK 3376)
0080/2924	018 "DIA CIRC CONCR
LEN=0012	INSTALLED UNKN
018 "DIA CIR PLASTIC	
0080/2815	LEN=0016 INSTALLED UNKN
018 "DIA CIR PLASTIC	
0080/2360	LEN=0022 INSTALLED UNKN
018 "DIA CIR PLASTIC	
0080/2212	LEN=0015 INSTALLED UNKN
015 "DIA CIR PLASTIC	
0080/2046	LEN=0040 INSTALLED UNKN
015 "DIA CIR PLASTIC	
0080/1635	LEN=0016 INSTALLED UNKN
015 "DIA CIRC METAL	
0080/1620	LEN=0026 INSTALLED UNKN
BMSSEN 60/2004/0080/1594	
2 0 60027 0 00 0054+43	
TARKLIN BR.	
BMSBG 60/2004/0080/1594	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 223
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 12.441 MI. DIST: 01-5 SR: 2004
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

	017608 FT	0080/1314	015 "DIA CIR PLASTIC LEN=0012 INSTALLED UNKN
		0080/1030	015 "DIA CIR PLASTIC LEN=0015 INSTALLED UNKN
		0080/0540	015 "DIA CIR PLASTIC LEN=0022 INSTALLED UNKN
		017608 FT	2 0 60027 0 00 0038+15 GEORGE HILL RD (T596)
		0080/0000	LENGTH(AH 3376 BK 1899)
	015709 FT	015709 FT	2 0 60027 0 00 0019+15 036 "DIA CIR PLASTIC LEN=0020 INSTALLED UNKN
		0070/0000	LENGTH(AH 1899 BK 1915)
	013794 FT	0060/0023	018 "DIA CIR PLASTIC LEN=0028 INSTALLED 1997
		013794 FT	2 0 60027 0 00 0000+00 NC TARKILN RD HILL CITY RD (SR2015 SEG 0060/0000)
		0060/0000	LENGTH(AH 1915 BK 3127)
		0050/3119	018 "DIA CIRC METAL LEN=0025 INSTALLED UNKN
		0050/2547	036 "DIA CIR PLASTIC LEN=0020 INSTALLED UNKN
		0050/1349	015 "DIA CIRC CONCR LEN=0016 INSTALLED 1997
		0050/0032	018 "DIA CIR PLASTIC LEN=0016 INSTALLED UNKN
		010667 FT	
2 0 60069 0 00 0106+67 010667 FT ZACHERL RD (T584)		0050/0000	LENGTH(AH 3127 BK 3174) 012 "DIA CIR PLASTIC LEN=0015 INSTALLED UNKN
		0040/3094	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 222
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 12.441 MI. DIST: 01-5 SR: 2004
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

	0040/2197	018 "DIA CIR PLASTIC LEN=0016 INSTALLED UNKN
	0040/1100	018 "DIA CIR PLASTIC LEN=0018 INSTALLED UNKN
007493 FT	0040/0528	018 "DIA CIRC CONCR LEN=0015 INSTALLED UNKN
	007493 FT	2 0 60069 0 00 0075+17
	0040/0000	LENGTH(AH 3174 BK 2495) 018 "DIA CIR PLASTIC
	0030/2339	LEN=0100 INSTALLED 1998
004998 FT	004998 FT	2 0 60069 0 00 0050+22
	0030/0000	LENGTH(AH 2495 BK 2332) 015 "DIA CIR PLASTIC
	0020/2021	LEN=0016 INSTALLED 1997
	0020/0899	018 "DIA CIR PLASTIC LEN=0015 INSTALLED UNKN
002666 FT	0020/0063	015 "DIA CIRC METAL LEN=0015 INSTALLED UNKN
	002666 FT	2 0 60069 0 00 0026+90 SHADYWOOD CR (T583)
	0020/0000	LENGTH(AH 2332 BK 2666)
PENNDOT STOCKPILE YD #6 (GOVT)	0010/1619	
	0010/1590	015 "DIA CIR PLASTIC LEN=0020 INSTALLED UNKN
	0010/1360	024 "DIA CIR PLASTIC LEN=0020 INSTALLED 1998
000000 FT	000000 FT	2 0 60069 0 00 0000+00
	NC MA	PLESHADE RD TWENTYEIGHTH DIVISION H (SRO322 SEG 0480/1029) MFC BEGIN = D
	0010/0000	LENGTH(AH 2666 BK 0000)


EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 221
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.800 MI. DIST: 01-5 SR: 2003
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

014782 FT

012341 FT

2 0 60064 0 01 0159+03 010174 FT
OLD AIRPORT RD
(SR2005 SEG 0010/0000) 0070/0000



014782 FT
INTER-AHD SHREFFLER RD
(T321)
SR 0038 SH
(SR0038 SEG 0100/0580)
0080/2441
0080/1706 036"H 60"W ELLIP METAL
LEN=0040 INSTALLED 1997
0080/1029 024 "DIA CIR PLASTIC
LEN=0033 INSTALLED 1997
0080/0673 024 "DIA CIR PLASTIC
LEN=0050 INSTALLED 1997
012341 FT 2 0 60064 0 01 0180+76
S 0080/0000 LENGTH(AH 2441 BK 2167)
0070/1185 024 "DIA CIR PLASTIC
LEN=0040 INSTALLED 1997
0070/0885 030 "DIA CIR PLASTIC
LEN=0050 INSTALLED 1997
010174 FT
S 0070/0000 LENGTH(AH 2167 BK 2820)
0060/1700 030 "DIA CIR PLASTIC
LEN=0040 INSTALLED 1997


EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 220
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.800 MI. DIST: 01-5 SR: 2003
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

Station	Length	Notes
007354 FT	0060/0000	2 0 60064 0 01 0130+77 FERREE RD (T550) LENGTH(AH 2820 BK 2035) 018 "DIA CIR PLASTIC LEN=0060 INSTALLED 1997
005319 FT	0040/1836	2 0 60064 0 01 0110+42 LENGTH(AH 2035 BK 2358) 018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1997
0040/1493	0040/1493	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1999
002961 FT	0040/0000	042 "DIA CIR PLASTIC LEN=0048 INSTALLED 2005 PANTHER SPRING RD (T544) LENGTH(AH 2358 BK 2961)
0040/0000	0030/2199	024 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
000000 FT	0030/1012	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1997 044"H 84"W ELLIP CONC LEN=0026 INSTALLED 1997
000000 FT	0030/0547	NC WH INTER-BK WHITEHALL RD COLLEGE ST (T301)
0030/0000	0030/0000	LENGTH(AH 2961 BK 0263)
000000 FT	7026/0000	LENGTH(AH 0263 BK 2276)
000000 FT	7024/0000	LENGTH(AH 2276 BK 0375)
000000 FT	7020/0000	LENGTH(AH 0375 BK 0048)
000000 FT	7012/0000	LENGTH(AH 0048 BK 2480)
000000 FT	7010/0000	LENGTH(AH 2480 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 219
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
DIR: B TOTAL LEN: 5.516 MI. DIST: 01-5 SR: 2002
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

SR 0038 SH 029125 FT
(SR0038 SEG 0190/0000) 0120/1807



029125 FT SR 0038 SH
0120/1807 (SR0038 SEG 0190/0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 218
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.516 MI. DIST: 01-5 SR: 2002
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

027318 FT		027318 FT	2 0 60011 0 02 0848+81
			024 "DIA CIR PLASTIC
			LEN=0040 INSTALLED UNKN
		5 0120/0000	LENGTH(AH 1807 BK 2460)
			015 "DIA CIR PLASTIC
		0110/1940	LEN=0055 INSTALLED 1999
			018 "DIA CIR PLASTIC
		0110/1160	LEN=0050 INSTALLED UNKN
			GEIRING RD
		0110/0298	(T552)
			048 "DIA CIR PLASTIC
		0110/0090	LEN=0084 INSTALLED UNKN
024858 FT		024858 FT	2 0 60011 0 02 0824+00
			LC FOR GEIRING RD
			(CONN)
		5 0110/0000	LENGTH(AH 2460 BK 2500)
			018 "DIA CIR PLASTIC
		0100/1900	LEN=0040 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0100/0335	LEN=0040 INSTALLED UNKN
022358 FT		022358 FT	2 0 60011 0 02 0797+88
		5 0100/0000	LENGTH(AH 2500 BK 2448)
			018 "DIA CIR PLASTIC
		0090/2422	LEN=0041 INSTALLED 2005
			018 "DIA CIR PLASTIC
		0090/2305	LEN=0050 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0090/1075	LEN=0040 INSTALLED 1999
			018 "DIA CIR PLASTIC
		0090/0290	LEN=0040 INSTALLED UNKN
		019910 FT	
2 0 60011 0 02 0773+40 019910 FT		5 0090/0000	LENGTH(AH 2448 BK 1993)
RICHLAND			018 "DIA CIR PLASTIC
ROCKLAND T			LEN=0040 INSTALLED UNKN
		0090/0000	
BEAR RUN RD		0080/1930	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 217
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.516 MI. DIST: 01-5 SR: 2002
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

(T375)

0080/1513

017917 FT

015193 FT

012544 FT

010022 FT

0080/0740	024 "DIA CIR PLASTIC LEN=0055 INSTALLED 1998
017917 FT	2 0 60011 0 02 0753+47
0080/0000	LENGTH(AH 1993 BK 2724)
0070/2665	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
0070/2460	024 "H 00 "W MULT PLSTIC LEN=0040 INSTALLED 1999
0070/2150	024 "DIA CIR PLASTIC LEN=0050 INSTALLED 1999
0070/1525	015 "DIA CIR PLASTIC LEN=0050 INSTALLED UNKN
0070/0925	015 "DIA CIRC METAL LEN=0036 INSTALLED UNKN
0070/0370	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
015193 FT	2 0 60011 0 02 0726+23
0070/0000	RICHLAND ROCKLAND T LENGTH(AH 2724 BK 2649)
0060/2025	018 "DIA CIRC METAL LEN=0040 INSTALLED UNKN
0060/0653	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 1998
012544 FT	2 0 60011 0 02 0699+74
0060/0000	LENGTH(AH 2649 BK 2522)
0050/2522	018 "DIA CIR PLASTIC LEN=0050 INSTALLED UNKN
0050/1754	030 "DIA CIR PLASTIC LEN=0044 INSTALLED 2011
0050/1359	018 "DIA CIR PLASTIC LEN=0042 INSTALLED UNKN
0050/0515	018 "DIA CIR PLASTIC LEN=0042 INSTALLED 1998
010022 FT	2 0 60011 0 02 0674+55
0050/0000	LENGTH(AH 2522 BK 1959)
0040/1865	024 "DIA CIR PLASTIC LEN=0050 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 216
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.516 MI. DIST: 01-5 SR: 2002
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

HORNBERG RD
(T524)

008063 FT

0040/0000

004502 FT

002128 FT

000000 FT

ROCKLAND CRANBERRY RD
(SR2013 SEG 0040/0000) 0010/0000

0040/1645	024 "DIA CIR PLASTIC LEN=0042 INSTALLED 1999
0040/1281	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 1999
008063 FT	2 0 60011 0 02 0654+96 ROCKLAND TOWNSHIP RD (T524)
0040/0000	5 LENGTH(AH 1959 BK 3561) 018 "DIA CIR PLASTIC
0030/3033	LEN=0040 INSTALLED UNKN
0030/1685	018 "DIA CIR PLASTIC LEN=0035 INSTALLED UNKN
0030/1174	018 "DIA CIR PLASTIC LEN=0030 INSTALLED 1999
004502 FT	2 0 60011 0 02 0619+23 5 LENGTH(AH 3561 BK 2374) 048 "DIA CIR PLASTIC
0020/2326	LEN=0050 INSTALLED UNKN
002128 FT	2 0 60011 0 02 0595+49 048 "DIA CIRC METAL LEN=0040 INSTALLED UNKN
0020/0000	5 LENGTH(AH 2374 BK 2128)
000000 FT	2 0 60011 0 02 0574+21 NC ROCKLAND NICKLEVILLE RD PITTSVILLE RD (SR2013 SEG 0040/0000)
INTER-BK	KENNERDELL RD (SR3008 SEG 0230/2403) MFC BEGIN = D
0010/0000	5 LENGTH(AH 2128 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 215
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO


DIR: B TOTAL LEN: 2.770 MI. DIST: 01-5 SR: 2001
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

SR 0038 SH 014626 FT
(SR0038 SEG 0120/0000) 0080/2821

WEST HOME RD
(SR2005 SEG 0110/3007) 0080/2049

011805 FT

2 0 60013 0 00 0161+15 009388 FT
WEST HOME RD
(SR2005 SEG 0020/0000) 0070/0000



014626 FT 018 "DIA CIR PLASTIC
0080/2821 LEN=0060 INSTALLED 2019
SR 0038 SH
(SR0038 SEG 0120/0000)
0080/2484 024 "DIA CIR PLASTIC
LEN=0014 INSTALLED UNKN
0080/2110 018 "DIA CIR PLASTIC
LEN=0018 INSTALLED UNKN

0080/1826 018 "DIA CIR PLASTIC
LEN=0018 INSTALLED 1997

0080/1166 018 "DIA CIR PLASTIC
LEN=0012 INSTALLED UNKN

011805 FT 2 0 60013 0 00 0185+18
5 0080/0000 LENGTH(AH 2821 BK 2417)
030 "DIA CIR PLASTIC
0070/2154 LEN=0014 INSTALLED UNKN

0070/0193 027 "DIA CIR PLASTIC
LEN=0017 INSTALLED UNKN
0070/0087 OLD AIRPORT RD
009388 FT (SR2005 SEG 0010/2112)

5 0070/0000 LENGTH(AH 2417 BK 3110)
PENNDOT STOCKPILE YD #2
0060/2592 (GOVT)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 214
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.770 MI. DIST: 01-5 SR: 2001
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

006278 FT		006278 FT	2 0 60013 0 00 0129+92
		0060/0000	LENGTH(AH 3110 BK 2821)
		0050/2378	018 "DIA CIRC METAL
			LEN=0014 INSTALLED UNKN
		0050/0800	018 "DIA CIRC METAL
			LEN=0014 INSTALLED UNKN
2 0 60013 0 00 0101+71 003457 FT		0050/0050	018 "DIA CIR PLASTIC
RUPERT RD		003457 FT	LEN=0012 INSTALLED UNKN
(T546)			SLOAN RD
0050/0000		0050/0000	(T545)
			LENGTH(AH 2821 BK 3457)
		0040/1964	036 "DIA CIR PLASTIC
			LEN=0014 INSTALLED 2014
		0040/1294	018 "DIA CIRC METAL
			LEN=0014 INSTALLED UNKN
000000 FT		0040/0440	030 "DIA CIR PLASTIC
		000000 FT	LEN=0014 INSTALLED 2009
			2 0 60013 0 00 0067+61
			WHITEHALL RD
			(SR2003 SEG 0030/0000)
			015 "DIA CIRC METAL
			LEN=0035 INSTALLED UNKN
			NC AIRPORT RD
			COLLEGE AV
			(T301)
		INTER-BK	KERR AV
			(T300)
000000 FT		0040/0000	LENGTH(AH 3457 BK 1933)
000000 FT		000000 FT	
000000 FT		7034/0000	LENGTH(AH 1933 BK 0680)
000000 FT		000000 FT	
000000 FT		7030/0000	LENGTH(AH 0680 BK 2597)
000000 FT		000000 FT	
000000 FT		7020/0000	LENGTH(AH 2597 BK 1540)
		000000 FT	
		7010/0000	LENGTH(AH 1540 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 213
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: .839 MI. DIST: 01-5 SR: 1013
LEFT MUN: OIL CREEK T RIGHT MUN: OIL CREEK T


SR 0027 SH 004432 FT
(SR0027 SEG 0190/2395) 0020/2442

001990 FT

000000 FT

BRYNER RD
(T653)

0010/0000



004432 FT SR 0027 SH
0020/2442 (SR0027 SEG 0190/2395)
KUNZ RD
0020/1887 (T671)

024 "DIA CIR PLASTIC
0020/1250 LEN=0045 INSTALLED 2015

001990 FT 2 0 60053 0 00 0020+00
5 0020/0000 LENGTH(AH 2442 BK 1990)

0010/0020 018 "DIA CIR PLASTIC
000000 FT LEN=0036 INSTALLED 1996
2 0 60053 0 00 0000+00
NC SR 1013 SH


INTER-BK ROUSEVILLE RD
(SR0227 SEG 0230/0000)
ROUSEVILLE RD
(SR0227 SEG 0230/0000)
MFC BEGIN = D

5 0010/0000 LENGTH(AH 1990 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 212
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: .396 MI. DIST: 01-5 SR: 1011
 LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

002093 FT



000000 FT

002093 FT AH-CRAWFORD (20)
 * REF-AHD BLOSS ST
 0010/2093 (SR2024 SEG 0050/0493)
 0010/1811 012 "DIA CIRC METAL UNKN
 0010/1536 018 "DIA CIR PLASTIC UNKN
 0010/1265 018 "DIA CIR PLASTIC UNKN
 0010/1262 LEN=0055 INSTALLED UNKN
 BMSBN 60/1011/0010/1480
 2 0 60052 0 00 0000+00
 OIL CREEK
 0010/1122 BMSBG 60/1011/0010/1480
 DRAKE WELL RD
 0010/1047 (T588)
 000000 FT 2 0 60052 0 00 0000+00
 (APRA) DRAKE WELL STATE
 NC MU SEUM LN
 * REF-BK DRAKE WELL STATE PARK R
 (PARK)
 MFC BEGIN = D
 0010/0000 LENGTH(AH 2093 BK 0000)


EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 211
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 3.720 MI. DIST: 01-5 SR: 1009
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

WILLIAM FLINN HW 019643 FT
(SR0008 SEG 0630/1992) 0070/2453

017190 FT

2 0 60045 0 00 0316+67 015820 FT
CARTER RD
(T566) 0060/0000



019643 FT WILLIAM FLINN HW
0070/2453 (SR0008 SEG 0630/1992)
018 "DIA CIR PLASTIC
0070/2322 LEN=0030 INSTALLED UNKN

0070/1320 024 "DIA CIR PLASTIC
LEN=0042 INSTALLED UNKN

017190 FT 2 0 60045 0 00 0330+37
S 0070/0000 LENGTH(AH 2453 BK 1370)

0060/0556 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 1998
0060/0345 018 "DIA CIR PLASTIC
015820 FT LEN=0040 INSTALLED UNKN

S 0060/0000 LENGTH(AH 1370 BK 2675)
018 "DIA CIR PLASTIC
0050/2665 LEN=0050 INSTALLED UNKN

0050/1642 018 "DIA CIR PLASTIC
LEN=0050 INSTALLED 1998
018 "DIA CIR PLASTIC
0050/1307 LEN=0050 INSTALLED UNKN
015 "DIA CIRC METAL

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 210
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 3.720 MI. DIST: 01-5 SR: 1009
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

013145 FT

009255 FT

0050/1094	LEN=0050	INSTALLED	UNKN
0050/0480	BMSSEN 60/1009/0050/0471	2 0 60045 0 00 0294+50	
	BENNEHOFF		
0050/0471	BMSBG 60/1009/0050/0471	048"H 72"W CON BOX CUL	
0050/0465	LEN=0024	INSTALLED	UNKN
0050/0392	BMSSEN 60/1009/0050/0380	072"H 95"W CON BOX CUL	
0050/0384	LEN=0024	INSTALLED	UNKN
	2 0 60045 0 00 0294+51		
	BENNEHOFF		
0050/0380	BMSBG 60/1009/0050/0380	2 0 60045 0 00 0285+60	
013145 FT	PIONEER RD		
	(T621)		
5 0050/0000	LENGTH(AH 2675 BK 3890)		
	024"DIA CIR PLASTIC		
0040/3838	LEN=0055	INSTALLED	UNKN
	018"DIA CIR PLASTIC		
0040/3645	LEN=0036	INSTALLED	UNKN
	018"DIA CIR PLASTIC		
0040/3372	LEN=0036	INSTALLED	UNKN
	018"DIA CIR PLASTIC		
0040/3073	LEN=0040	INSTALLED	UNKN
	018"DIA CIR PLASTIC		
0040/2531	LEN=0036	INSTALLED	UNKN
	015"DIA CIR PLASTIC		
0040/2146	LEN=0040	INSTALLED	UNKN
	018"DIA CIR PLASTIC		
0040/1758	LEN=0040	INSTALLED	UNKN
	018"DIA CIR PLASTIC		
0040/1246	LEN=0045	INSTALLED	UNKN
	018"DIA CIR PLASTIC		
0040/0832	LEN=0045	INSTALLED	1998
	024"DIA CIR PLASTIC		
0040/0590	LEN=0055	INSTALLED	1998
	015"DIA CIR PLASTIC		
0040/0422	LEN=0040	INSTALLED	UNKN
009255 FT	2 0 60045 0 00 0246+70		
5 0040/0000	LENGTH(AH 3890 BK 2543)		
	018"DIA CIR PLASTIC		
0030/2521	LEN=0036	INSTALLED	1998
	018"DIA CIR PLASTIC		
0030/2225	LEN=0040	INSTALLED	1998
	018"DIA CIRC CONCR		
0030/2150	LEN=0048	INSTALLED	UNKN
	018"DIA CIR PLASTIC		
0030/1890	LEN=0042	INSTALLED	2002

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 209
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 3.720 MI. DIST: 01-5 SR: 1009
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

006712 FT

002828 FT

000000 FT

STATE PARK RD
(SR1007 SEG 0060/2585) 0010/0000

0030/1256	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 2002
0030/0824	018 "DIA CIR PLASTIC LEN=0052 INSTALLED 2002
0030/0327	019 "DIA CIR PLASTIC LEN=0055 INSTALLED 2002
006712 FT	2 0 60045 0 00 0225+44
0030/0000	LENGTH(AH 2543 BK 3884)
0020/3848	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
0020/3562	015 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
0020/2900	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 2002
0020/2387	024 "DIA CIR PLASTIC LEN=0040 INSTALLED 2002
0020/1987	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 2002
0020/1022	018 "DIA CIR PLASTIC LEN=0055 INSTALLED UNKN
0020/0610	BMSSEN 60/1009/0020/0579 2 0 60045 0 00 0192+44
0020/0579	BENNINGHOFF RUN BMSBG 60/1009/0020/0579
0020/0292	030 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
002828 FT	2 0 60045 0 00 0186+59
0020/0000	CHERRYTREE CORNPLANTER T LENGTH(AH 3884 BK 2828)
0010/2115	(AAR 528361S)#TRKS 01
0010/1410	018 "DIA CIR PLASTIC LEN=0050 INSTALLED UNKN
0010/1166	015 "DIA CIR PLASTIC LEN=0040 INSTALLED 2001
0010/0390	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
000000 FT	2 0 60045 0 00 0158+34
NC PE	PETROLEUM CENTER RD (SR1004 SEG 0010/0000)
0010/0000	MFC BEGIN = D LENGTH(AH 2828 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 208
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
DIR: B TOTAL LEN: .645 MI. DIST: 01-5 SR: 1008
LEFT MUN: PLEASANTVILLE B RIGHT MUN: PLEASANTVILLE B

ENTERPRISE RD 003407 FT
(SR0027 SEG 0260/0000) 0010/3407

STATE ST
(SR0027 SEG 0220/0000) 0010/0000

```

003407 FT      MAIN ST
0010/3407      (SR0027 SEG 0260/0000)
0010/3305      MAIN ST
                   (BORO)

0010/2669      024 " DIA CIRC CONCR
                   LEN=0036 INSTALLED UNKN
                   CHESTNUT ST
0010/2406      (BORO)
0010/2385      018 " DIA CIRC CONCR
                   LEN=0035 INSTALLED UNKN
                   018 " DIA CIRC CONCR
0010/2336      LEN=0034 INSTALLED UNKN
                   018 " DIA CIRC CONCR
0010/2025      LEN=0036 INSTALLED UNKN
                   018 " DIA CIRC CONCR
0010/1821      LEN=0036 INSTALLED UNKN


0010/0917      018 " DIA CIRC CONCR
                   LEN=0030 INSTALLED UNKN
                   018 " DIA CIRC CONCR
0010/0408      LEN=0034 INSTALLED UNKN
                   PLEASANTVILLE
0010/0167      OIL CREEK T
                   FOR SR 0027 AND 1008
0010/0094      (CONN)
000000 FT      1 0 00089 0 00 0452+64
                   STATE ST
                   (SR0027 SEG 0220/0000)
NC ME RRICK ST
INTER-BK ROUSEVILLE RD
                   (SR0227 SEG 0240/2489)
                   MFC BEGIN = C
0010/0000      LENGTH(AH 3407 BK 0000)

```

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 207
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: 3.015 MI. DIST: 01-5 SR: 1007
 LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

PETROLEUM CENTER RD 015917 FT
 (SR1009 SEG 0010/0000) 0060/2585
 OLD PETROLEUM CENTER RD 0060/2501
 (T617)

2 0 60045 0 00 0132+29 013332 FT
 NUMBER FIVE POWER RD
 (T591) 0060/0000



015917 FT
 INTER-AHD STATE PARK RD
 0060/2585 (SR1004 SEG 0010/0000)

0060/2471	012 "DIA CIRC CONCR	LEN=0040	INSTALLED	1996
0060/2465	018 "DIA CIR PLASTIC	LEN=0040	INSTALLED	2018
0060/2193	(AAR 528364M) #TRKS			01
0060/1590	036 "DIA CIR PLASTIC	LEN=0040	INSTALLED	2001
0060/1035	015 "DIA CIR PLASTIC	LEN=0040	INSTALLED	2018
0060/0966	018 "DIA CIR PLASTIC	LEN=0050	INSTALLED	1996
0060/0625	015 "DIA CIR PLASTIC	LEN=0040	INSTALLED	1996
0060/0415	018 "DIA CIR PLASTIC	LEN=0040	INSTALLED	1996
0060/0230	018 "DIA CIR PLASTIC	LEN=0040	INSTALLED	1996
0060/0040	018 "DIA CIR PLASTIC	LEN=0040	INSTALLED	1996
013332 FT				
0060/0000	LENGTH(AH 2585 BK 3273)			
0050/3060	018 "DIA CIR PLASTIC	LEN=0040	INSTALLED	2018

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 206
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 3.015 MI. DIST: 01-5 SR: 1007
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

010059 FT

007557 FT

0050/3040	015 "DIA	CIRC CONCR
0050/2775	LEN=0040	INSTALLED 1996
0050/2561	018 "DIA	CIR PLASTIC
0050/2320	LEN=0040	INSTALLED 1996
0050/2020	015 "DIA	CIR PLASTIC
0050/1745	LEN=0040	INSTALLED 1996
0050/1400	015 "DIA	CIR PLASTIC
0050/1250	LEN=0040	INSTALLED 2012
0050/1055	018 "DIA	CIRC METAL
0050/0800	LEN=0030	INSTALLED 1996
0050/0723	018 "DIA	CIR PLASTIC
0050/0523	LEN=0032	INSTALLED 1996
0050/0330	018 "DIA	CIR PLASTIC
0050/0122	LEN=0040	INSTALLED UNKN
010059 FT	018 "DIA	CIR PLASTIC
0050/0000	LEN=0040	INSTALLED 1996
0040/2097	018 "DIA	CIR PLASTIC
0040/1800	LEN=0040	INSTALLED 2011
0040/1433	018 "DIA	CIR PLASTIC
0040/1311	LEN=0040	INSTALLED 2011
0040/0913	018 "DIA	CIR PLASTIC
0040/0695	LEN=0030	INSTALLED 2011
0040/0545	018 "DIA	CIR PLASTIC
007557 FT	LEN=0040	INSTALLED 2011
0040/0000	024 "DIA	CIR PLASTIC
0030/2276	018 "DIA	CIR PLASTIC
0030/1704	LEN=0040	INSTALLED 2011
	018 "DIA	CIR PLASTIC
	LEN=0045	INSTALLED 1996
	048 "H 48 "W	CON BOX CUL
	LEN=0036	INSTALLED 1996

DIST: 01-5 SR: 1007
RIGHT MUN: CORNPLANTER T

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 204
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.983 MI. DIST: 01-5 SR: 1006
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T

	031590 FT		031590 FT	INTER-AHD	BAILEY RD (T634)
TEMPERANCE HOUSE RD (T603)	0130/2469	==	0130/2683		COL DRAKE HW (SR0036 SEG 0050/0000)
		==	0130/2469		TEMPERANCE HOUSE RD (T603)
		---	0130/1291		015 "DIA CIRC CONCR LEN=0012 INSTALLED 2003
		---	0130/0919		018 "DIA CIR PLASTIC LEN=0012 INSTALLED 2003
		---	0130/0105		018 "DIA CIR PLASTIC LEN=0010 INSTALLED 2003
028907 FT		---	028907 FT		2 0 60049 0 00 0288+23
		---	0130/0000		LENGTH(AH 2683 BK 2555)
		---	0120/2543		027 "DIA CIR PLASTIC LEN=0015 INSTALLED UNKN
		---	0120/1755		018 "DIA CIR PLASTIC LEN=0012 INSTALLED 2003
		---	0120/1244		018 "DIA CIR PLASTIC LEN=0012 INSTALLED 2003
		---	0120/0991		BMSSEN 60/1006/0120/0973 2 0 60049 0 00 0272+44
		---	0120/0973		PITHOLE TRIB BMSBG 60/1006/0120/0973
		---	0120/0874		018 "DIA CIR PLASTIC LEN=0017 INSTALLED 2003
PLEASANT VALLEY DR (T632)	0120/0834	==			
		---	0120/0064		BMSSEN 60/1006/0120/0000
026352 FT		---	026352 FT		2 0 60049 0 00 0264+15
		---	0120/0000		PITHOLE CREEK BMSBG 60/1006/0120/0000
		---	0110/2751		LENGTH(AH 2555 BK 2913)
		---	0110/2389		018 "DIA CIR PLASTIC LEN=0012 INSTALLED UNKN
		---			024"H 00"W MULT PLSTIC LEN=0015 INSTALLED 2003

DIR: B TOTAL LEN: 5.983 MI. DIST: 01-5 SR: 1006
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 202
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.983 MI. DIST: 01-5 SR: 1006
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T

					ALLEGHENY CORNPLANTER T
		5 0080/0000			LENGTH(AH 2377 BK 2027)
					018 "DIA CIR PLASTIC
		0070/1529			LEN=0015 INSTALLED 2003
					018 "DIA CIR PLASTIC
		0070/1285			LEN=0015 INSTALLED 2003
					015 "DIA CIR PLASTIC
		0070/0674			LEN=0010 INSTALLED 2003
					018 "DIA CIR PLASTIC
		0070/0457			LEN=0020 INSTALLED 2003
014877 FT		014877 FT			2 0 60049 0 00 0149+37
		5 0070/0000			LENGTH(AH 2027 BK 2359)
					048 "DIA CIR PLASTIC
		0060/1166			LEN=0030 INSTALLED UNKN
					018 "DIA CIR PLASTIC
		0060/0450			LEN=0015 INSTALLED UNKN
					018 "DIA CIR PLASTIC
		0060/0119			LEN=0015 INSTALLED 2003
012518 FT		012518 FT			2 0 60049 0 00 0125+78
		5 0060/0000			LENGTH(AH 2359 BK 2333)
					018 "DIA CIR PLASTIC
		0050/1268			LEN=0015 INSTALLED 2003
					018 "DIA CIR PLASTIC
		0050/0733			LEN=0017 INSTALLED 2003
010185 FT		010185 FT			2 0 60049 0 00 0102+45
					LESHER RD
					(T612)
		5 0050/0000			LENGTH(AH 2333 BK 2662)
		0040/2522			BMSBN 60/1006/0040/2495
					2 0 60049 0 00 0100+68
					PITHOLE CK.
		0040/2495			BMSBG 60/1006/0040/2495
PLANK RD (T614)					
		0040/2286			
					018 "DIA CIR PLASTIC
		0040/1602			LEN=0015 INSTALLED 2003
					018 "DIA CIR PLASTIC
		0040/0785			LEN=0020 INSTALLED 2003
					018 "DIA CIR PLASTIC
		0040/0365			LEN=0018 INSTALLED 2003

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 201
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.983 MI. DIST: 01-5 SR: 1006
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

007523 FT

007523 FT 2 0 60049 0 00 0075+42
S 0040/0000 LENGTH(AH 2662 BK 2539)
018 "DIA CIR PLASTIC
0030/2090 LEN=0015 INSTALLED 2003
027 "DIA CIR PLASTIC
0030/1844 LEN=0015 INSTALLED 2003
018 "DIA CIR PLASTIC
0030/1622 LEN=0015 INSTALLED 2003
018 "DIA CIR PLASTIC
0030/1379 LEN=0016 INSTALLED 2003
018 "DIA CIR PLASTIC
0030/0993 LEN=0017 INSTALLED UNKN
018 "DIA CIR PLASTIC
0030/0427 LEN=0017 INSTALLED 2003
004984 FT 2 0 60049 0 00 0050+03
S 0030/0000 LENGTH(AH 2539 BK 2472)
018 "DIA CIR PLASTIC
0020/2405 LEN=0017 INSTALLED 2003

004984 FT

0020/1631 BMS EN 60/1006/0020/1614
2 0 60049 0 00 0041+46
ALLENDER RUN
0020/1614 BMS BG 60/1006/0020/1614
018 "DIA CIR PLASTIC
0020/1014 LEN=0017 INSTALLED 2003
018 "DIA CIRC CONCR
0020/0736 LEN=0017 INSTALLED 2003

002512 FT

0020/0126 024 "DIA CIR PLASTIC
LEN=0017 INSTALLED 2003
002512 FT 2 0 60049 0 00 0025+32
S 0020/0000 LENGTH(AH 2472 BK 2512)
024 "DIA CIR PLASTIC
0010/2398 LEN=0017 INSTALLED 2003
018 "DIA CIR PLASTIC
0010/1806 LEN=0017 INSTALLED 2003
018 "DIA CIR PLASTIC
0010/1492 LEN=0019 INSTALLED 2003
018 "DIA CIR PLASTIC
0010/0698 LEN=0017 INSTALLED 2003
018 "DIA CIR PLASTIC
0010/0106 LEN=0017 INSTALLED UNKN
000000 FT 2 0 60049 0 00 0000+00
NC P I THOLE RD


000000 FT

ROUSEVILLE RD
(SR0227 SEG 0120/0000)
MFC BEGIN = D
S 0010/0000 LENGTH(AH 2512 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 200
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 3.603 MI. DIST: 01-5 SR: 1005
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

019023 FT




019023 FT ROUSEVILLE RD
0080/2045 (SR0227 SEG 0080/0000)
018 "DIA CIR PLASTIC
0080/1447 LEN=0042 INSTALLED 1998
024 "DIA CIR PLASTIC
0080/1121 LEN=0042 INSTALLED 2013

016978 FT



018 "DIA CIR PLASTIC
0080/0446 LEN=0040 INSTALLED 1998
016978 FT 2 0 60070 0 00 0169+61
5 0080/0000 LENGTH(AH 2045 BK 2525)

014453 FT



015 "DIA CIR PLASTIC
0070/0275 LEN=0052 INSTALLED 1998
014453 FT 2 0 60070 0 00 0144+36
5 0070/0000 LENGTH(AH 2525 BK 2507)
018 "DIA CIR PLASTIC
0060/2292 LEN=0032 INSTALLED 1998

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 199
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 3.603 MI. DIST: 01-5 SR: 1005
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

	011946 FT	0060/1742	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 1998
		0060/1299	012 " DIA CIRC CONCR LEN=0040 INSTALLED 1998
		0060/0850	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 1998
		0060/0670	018 " DIA CIR PLASTIC LEN=0042 INSTALLED 1998
		0060/0234	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 1998
		011946 FT	2 0 60070 0 00 0119+29
		0060/0000	LENGTH(AH 2507 BK 2535)
		0050/1875	018 " DIA CIR PLASTIC LEN=0045 INSTALLED 1998
		0050/1427	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 1998
		0050/0955	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 1998
		0050/0568	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 1998
MCFATE RD (T574)	0050/0222		
	009411 FT	0050/0062	018 " DIA CIR PLASTIC LEN=0045 INSTALLED 1998
		009411 FT	2 0 60070 0 00 0094+00
			BARRY RD (T571)
		0050/0000	LENGTH(AH 2535 BK 1975)
		0040/1880	018 " DIA CIR PLASTIC LEN=0044 INSTALLED 1998
		0040/1127	024 " DIA CIR PLASTIC LEN=0040 INSTALLED 1998
		0040/0873	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 1998
		0040/0120	015 " DIA CIR PLASTIC LEN=0050 INSTALLED 1998
	007436 FT	007436 FT	2 0 60070 0 00 0075+23
		0040/0000	LENGTH(AH 1975 BK 2444)
		0030/2397	015 " DIA CIR PLASTIC LEN=0034 INSTALLED 1998
		0030/2213	015 " DIA CIRC CONCR LEN=0034 INSTALLED 1998
		0030/1916	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 1998
		0030/1806	018 " DIA CIRC CONCR LEN=0030 INSTALLED 1998
			018 " DIA CIR PLASTIC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 198
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 3.603 MI. DIST: 01-5 SR: 1005
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

Station	Length	Material	Notes
0030/1636	LEN=0040	INSTALLED UNKN	
0030/1261	LEN=0036	INSTALLED 1998	
0030/0516	LEN=0040	INSTALLED 1998	
0030/0043	LEN=0036	INSTALLED 1998	
004992 FT	2 0 60070	0 00 0049+82	
0030/0000	LENGTH(AH	2444 BK 2545)	
0020/2125	LEN=0036	INSTALLED UNKN	
0020/1670	LEN=0042	INSTALLED 1998	
0020/1519	LEN=0036	INSTALLED 1998	
0020/1295	LEN=0036	INSTALLED 1998	
0020/1138	LEN=0040	INSTALLED 1998	
0020/0931	LEN=0045	INSTALLED 1998	
0020/0380	LEN=0040	INSTALLED 1998	
002447 FT	2 0 60070	0 00 0024+37	
0020/0000	LENGTH(AH	2545 BK 2447)	
0010/2437	LEN=0045	INSTALLED 1998	
0010/2020	LEN=0040	INSTALLED 1998	
0010/1492	LEN=0045	INSTALLED 1998	
0010/0935	LEN=0040	INSTALLED 1998	
0010/0926	LEN=0035	INSTALLED 1998	
0010/0814	BRIDGE RD	(PRDR)	
0010/0422	LEN=0026	INSTALLED UNKN	
000000 FT	2 0 60070	0 00 0000+00	
000000 FT	NC OL	LEOPOLIS RD	
000000 FT	LC FOR	RIVERVIEW RD	
000000 FT	(CONN)	LEOPOLIS RD	
000000 FT	(PRDR)	MFC BEGIN = E	
000000 FT	LENGTH(AH	2447 BK 0000)	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 197
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO


DIR: B TOTAL LEN: 8.531 MI. DIST: 01-5 SR: 1004
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

GRANDIN RD
(T626)

045044 FT
0170/2770

042274 FT

040396 FT



045044 FT
INTER-AHD OLD FERRY RD
0170/2770 (T541)
0170/2574 018" DIA CIR PLASTIC
LEN=0036 INSTALLED 1996
0170/2195 015" DIA CIRC CONCR
LEN=0034 INSTALLED 1996
0170/1546 036" DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN
0170/0265 015" DIA CIR PLASTIC
LEN=0041 INSTALLED 1996
0170/0004 018" DIA CIR PLASTIC
LEN=0035 INSTALLED 2007
042274 FT 2 0 60046 0 00 0423+92
S 0170/0000 LENGTH(AH 2770 BK 1878)
060"H 60"W BOX CULVERT
0160/1285 LEN=0060 INSTALLED 1996
0160/1174 012" DIA CAST IRON
LEN=0028 INSTALLED 1996
0160/0349 018" DIA CIR PLASTIC
LEN=0035 INSTALLED 1997
0160/0020 BMSBN 60/1004/0160/0000
040396 FT 2 0 60046 0 00 0405+05
MUSKRAT RUN
BMSBG 60/1004/0160/0000
S 0160/0000 LENGTH(AH 1878 BK 3310)
0150/2921 018" DIA CIR PLASTIC
LEN=0050 INSTALLED 1996
0150/2649 018" DIA CIR PLASTIC
LEN=0038 INSTALLED 1996

DIR: B TOTAL LEN: 8.531 MI. DIST: 01-5 SR: 1004
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 195
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 8.531 MI. DIST: 01-5 SR: 1004
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

030186 FT

027100 FT

0120/0264	LEN=0043	INSTALLED	UNKN
0120/0037	BMSBN 60/1004/0120/0000		
030186 FT	2 0 60046 0 00 0302+42		
	PITHOLE CK.		
	BMSBG 60/1004/0120/0000		
	PRESIDENT		
	CORNPLANTER T		
5 0120/0000	LENGTH(AH 2229 BK 3086)		
	018 "DIA CIR PLASTIC		
0110/2462	LEN=0040 INSTALLED 2007		
	018 "DIA CIR PLASTIC		
0110/2291	LEN=0040 INSTALLED 1996		
	018 "DIA CIR PLASTIC		
0110/2147	LEN=0040 INSTALLED 1996		
	015 "DIA CIR PLASTIC		
0110/1820	LEN=0030 INSTALLED 1996		
	018 "DIA CIR PLASTIC		
0110/1546	LEN=0036 INSTALLED 1996		
	018 "DIA CIR PLASTIC		
0110/1121	LEN=0040 INSTALLED 1996		
	060 "DIA CIRC CONCR		
0110/0845	LEN=0098 INSTALLED 1996		
	018 "DIA CIR PLASTIC		
0110/0495	LEN=0045 INSTALLED 1996		
	018 "DIA CIR PLASTIC		
0110/0143	LEN=0040 INSTALLED 2012		
027100 FT	2 0 60046 0 00 0270+85		
	015 "DIA CIR PLASTIC		
	LEN=0036 INSTALLED 1996		
5 0110/0000	LENGTH(AH 3086 BK 3062)		
	018 "DIA CIR PLASTIC		
0100/2975	LEN=0035 INSTALLED 2018		
	015 "DIA CIR PLASTIC		
0100/2788	LEN=0036 INSTALLED 1996		
	015 "DIA CIR PLASTIC		
0100/2633	LEN=0030 INSTALLED UNKN		
	015 "DIA CIR PLASTIC		
0100/2616	LEN=0030 INSTALLED 1996		
	015 "DIA CIR PLASTIC		
0100/2464	LEN=0040 INSTALLED 1996		
	015 "DIA CIR PLASTIC		
0100/2267	LEN=0040 INSTALLED 1996		
	018 "DIA CIR PLASTIC		
0100/1843	LEN=0050 INSTALLED 1996		
	018 "DIA CIR PLASTIC		
0100/1643	LEN=0058 INSTALLED 1996		
	015 "DIA CIR PLASTIC		
0100/1085	LEN=0050 INSTALLED 1996		
	018 "DIA CIR PLASTIC		

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 194
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 8.531 MI. DIST: 01-5 SR: 1004
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

024038 FT

021340 FT

017894 FT

0100/0735	LEN=0040	INSTALLED	UNKN
018 "DIA	CIR	PLASTIC	
0100/0537	LEN=0040	INSTALLED	1996
018 "DIA	CIR	PLASTIC	
0100/0380	LEN=0040	INSTALLED	1997
024038 FT	2 0 60046	0 00	0240+40
5 0100/0000	LENGTH(AH	3062	BK 2698)
018 "DIA	CIR	PLASTIC	
0090/2538	LEN=0040	INSTALLED	1996
018 "DIA	CIR	PLASTIC	
0090/2379	LEN=0042	INSTALLED	1996
018 "DIA	CIR	PLASTIC	
0090/2263	LEN=0040	INSTALLED	1996
030 "DIA	CIR	PLASTIC	
0090/1862	LEN=0050	INSTALLED	2005
018 "DIA	CIR	PLASTIC	
0090/1432	LEN=0050	INSTALLED	1997
018 "DIA	CIR	PLASTIC	
0090/1124	LEN=0040	INSTALLED	1996
018 "DIA	CIR	PLASTIC	
0090/0554	LEN=0040	INSTALLED	1996
021340 FT	2 0 60046	0 00	0213+42
	BERRY RD		
	(T571)		
5 0090/0000	LENGTH(AH	2698	BK 3446)
018 "DIA	CIR	PLASTIC	
0080/3387	LEN=0045	INSTALLED	1996
0080/1853	018 "DIA	CIR	PLASTIC
	LEN=0060	INSTALLED	1996
0080/1368	018 "DIA	CIR	PLASTIC
	LEN=0050	INSTALLED	UNKN
017894 FT	2 0 60046	0 00	0178+90
5 0080/0000	LENGTH(AH	3446	BK 2807)
024 "DIA	CIR	PLASTIC	
0070/2615	LEN=0050	INSTALLED	2007
0070/0667	BMS EN 60/1004/0070/0628		
	2 0 60046	0 00	0157+11
	CHERRY RUN		

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 193
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO


DIR: B TOTAL LEN: 8.531 MI.
LEFT MUN: CORNPLANTER T

DIST: 01-5 SR: 1004
RIGHT MUN: CORNPLANTER T

015087 FT
2 0 60046 0 00 0130+45 013030 FT
CHRISTIE HILL RD
(T600)
0060/0000

2 0 60046 0 00 0094+36 009431 FT
BURNS LN
(T586)
0050/0000

007399 FT



0070/0628 BMSBG 60/1004/0070/0628
015087 FT 2 0 60046 0 00 0150+81
NC EA GLE ROCK RD
ROUSEVILLE RD
(SR0227 SEG 0080/3250)
MFC BEGIN = E
[S] 0070/0000 LENGTH(AH 2807 BK 2057)
018 "DIA CIRC CONCR
0060/2042 LEN=0046 INSTALLED 1996
015 "DIA CIRC CONCR
0060/1925 LEN=0025 INSTALLED 1996
012 "DIA CIRC CONCR
0060/1192 LEN=0054 INSTALLED 1996
SCHOOL HOUSE HILL RD
(T602)
024 "DIA CIR PLASTIC
0060/0594 LEN=0032 INSTALLED 2008
013030 FT
[S] 0060/0000 LENGTH(AH 2057 BK 3599)
018 "DIA CIR PLASTIC
0050/3078 LEN=0040 INSTALLED 1996
030 "DIA CIR PLASTIC
0050/1479 LEN=0035 INSTALLED 1996
024 "DIA CIR PLASTIC
0050/1014 LEN=0050 INSTALLED 2015
018 "DIA CIR PLASTIC
0050/0650 LEN=0050 INSTALLED 2012
018 "DIA CIR PLASTIC
0050/0288 LEN=0050 INSTALLED 1997
009431 FT
[S] 0050/0000 LENGTH(AH 3599 BK 2032)
024 "DIA CIR PLASTIC
0040/1583 LEN=0040 INSTALLED 1996
030 "DIA CIR PLASTIC
0040/1155 LEN=0035 INSTALLED 1996
015 "DIA CIR PLASTIC
0040/0554 LEN=0050 INSTALLED 1996
007399 FT 2 0 60046 0 00 0074+04
[S] 0040/0000 LENGTH(AH 2032 BK 2457)
018 "DIA CIR PLASTIC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 192
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 8.531 MI. DIST: 01-5 SR: 1004
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

Stationing	Distance (FT)	Notes
0030/1570		LEN=0036 INSTALLED 1996
0030/1305		024 "DIA CIR PLASTIC
0030/0940		LEN=0050 INSTALLED 2012
0030/0618		018 "DIA CIR PLASTIC
0030/0410		LEN=0030 INSTALLED 1996
004942 FT		018 "DIA CIR PLASTIC
004942 FT		LEN=0045 INSTALLED 2012
0030/0000		018 "DIA CIR PLASTIC
0020/2014		LEN=0045 INSTALLED 1996
0020/1874		024 "DIA CIR PLASTIC
0020/1720		LEN=0050 INSTALLED 1997
0020/1463		018 "DIA CIR PLASTIC
0020/0661		LEN=0050 INSTALLED 1996
002447 FT		018 "DIA CIR PLASTIC
0020/0000		LEN=0040 INSTALLED 1996
0010/2420		018 "DIA CIR PLASTIC
0010/2228		LEN=0040 INSTALLED 2012
0010/1905		018 "DIA CIR PLASTIC
0010/1412		LEN=0045 INSTALLED 2015
0010/0750		024 "DIA CIR PLASTIC
0010/0489		LEN=0050 INSTALLED 1996
0010/0435		018 "DIA CIR PLASTIC
0010/0196		LEN=0070 INSTALLED 1996
000000 FT		018 "DIA CIR PLASTIC
000000 FT		LEN=0040 INSTALLED 2000
0010/0000		BMSBG 60/1004/0010/0196
		BRIDGE POSTED (TONS)
		2 0 60046 0 00 0001+97
		SGL 05 COMB
		OIL CREEK
		BMSBG 60/1004/0010/0196
		2 0 60046 0 00 0000+00
		NC PE
		INTER-BK
		STATE PARK RD
		(SR1007 SEG 0060/2585)
		MFC BEGIN = D
		0010/0000 LENGTH(AH 2447 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 191
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.743 MI. DIST: 01-5 SR: 1003
 LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

	014483 FT		014483 FT	GRANDVIEW RD
			0070/3782	(SR1001 SEG 0060/0000)
			0070/3598	ROCKWOOD AV
				(T537)
			0070/2976	034 " DIA CIR PLASTIC
				LEN=0025 INSTALLED 2015
			0070/2966	SPRING RD
				(TWP)
			0070/2435	WOODSIDE AV
				(T675)
FAIRVIEW AV				
(T672)	0070/2435			
HILLCREST AV				
(T535)	0070/1388			
			0070/0766	PARK AV
				(T533)
			0070/0085	CORNPLANTER
				OIL CITY C
			0070/0052	GREENWOOD DR
				(CITY)
010701 FT			010701 FT	2 0 60035 0 00 0106+92

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 190
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.743 MI. DIST: 01-5 SR: 1003
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

FISHER AV
(CITY)

0060/0775

CRESTVIEW DR
(CITY)

0060/0192

2 0 60035 0 00 0094+85 009482 FT
LC FOR CRESTVIEW DR
(CONN)

0060/0000

PARK RD
(CITY)

0050/1100

005951 FT

5 0070/0000 LENGTH(AH 3782 BK 1219)
018 "DIA CIRC METAL
0060/0895 LEN=0012 INSTALLED UNKN

0060/0655 LC FOR EDGEWOOD DR
(CONN)
024 "DIA CIRC CONCR
0060/0627 LEN=0035 INSTALLED UNKN
EDGEWOOD DR
(CITY)

NC OAK RD
LYNCH BL
0060/0538 (CITY)
LC FOR LYNCH BL
0060/0441 (CONN)

020 "DIA CIRC CONCR
0060/0100 LEN=0010 INSTALLED UNKN
009482 FT

5 0060/0000 LENGTH(AH 1219 BK 3531)
020 "DIA CIRC CONCR
0050/3352 LEN=0012 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/2836 LEN=0010 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/2556 LEN=0010 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/2017 LEN=0020 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/1772 LEN=0010 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/1582 LEN=0010 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/1212 LEN=0010 INSTALLED UNKN

VO TECH DR
(CITY)
018 "DIA CIRC CONCR
0050/0400 LEN=0010 INSTALLED UNKN
2 0 60035 0 00 0059+59
005951 FT
GLENVIEW AV
(CITY)

5 0050/0000 LENGTH(AH 3531 BK 3498)
FOREST PL
(CITY)
0040/2897

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 189
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 2.743 MI. DIST: 01-5 SR: 1003
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

CARROLL AV (CITY)	0040/2326	==	
HONE AV (CITY)	0040/1701	==	
HOFFMAN AV (CITY)	0040/1251	==	
BISHOP AV (CITY)	0040/0560	==	
2 0 60035 0 00 0024+58 002453 FT			002453 FT
HARRIOTT AV (CITY)			
BISSELL AV (CITY)	0040/0000	==	NC BISSELL AV
		==	5 0040/0000 LENGTH(AH 3498 BK 1469)
		==	MYLAN ST
		==	0030/1262 (CITY)
		==	WASHINGTON AV
		==	0030/1070 (CITY)
OAK ST (CITY)	0030/0925	==	
HARRIOTT AV (CITY)	0030/0877	==	NC HARRIOTT ST
UNKNOWN AL (CITY)	0030/0709	==	
		==	
		==	GRAFF ST
		==	(CITY)
		==	NC ST
		==	OUT ST
		==	DIAMOND ST
	000984 FT	==	0030/0367 (CITY)
		==	000984 FT 2 0 60035 0 00 0007+49
		==	5 0030/0000 LENGTH(AH 1469 BK 0411)
		==	COLBERT AV
		==	(CITY)
		==	NC GRAFF ST
UNKNOWN AL (CITY)	0020/0186	==	
2 0 60035 0 00 0005+70 000573 FT			000573 FT
HARRIOTT AV (CITY)	0020/0000	==	5 0020/0000 LENGTH(AH 0411 BK 0573)
		==	SYCAMORE ST
		==	0010/0151 (CITY)
	000000 FT	==	000000 FT 2 0 60035 0 00 0000+00
		==	NC SPRING ST
		==	CENTER ST
		==	(SR1001 SEG 0010/0328)
		==	INTER-BK PLUMMER ST
		==	(SR1001 SEG 0010/0328)
		==	MFC BEGIN = D
		==	5 0010/0000 LENGTH(AH 0573 BK 0000)


EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 188
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: 5.216 MI. DIST: 01-5 SR: 1001
 LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

ROUSVILLE RD 027539 FT
 (SR0227 SEG 0070/0000) 0120/2109

025430 FT

022956 FT

021346 FT



027539 FT ROUSVILLE RD
 0120/2109 (SR0227 SEG 0070/0000)
 0120/1989 015 "DIA CIR PLASTIC
 0120/1485 LEN=0075 INSTALLED UNKN
 018 "DIA CIRC METAL
 LEN=0042 INSTALLED UNKN
 0120/0479 012 "DIA CIRC CONCR
 LEN=0034 INSTALLED UNKN
 015 "DIA CIR PLASTIC
 0120/0172 LEN=0036 INSTALLED UNKN
 025430 FT 2 0 60048 0 01 0140+41
 0120/0000 LENGTH(AH 2109 BK 2474)
 015 "DIA CIR PLASTIC
 0110/1990 LEN=0040 INSTALLED UNKN
 015 "DIA CIR PLASTIC
 0110/1900 LEN=0048 INSTALLED UNKN
 0110/1207 018 "DIA CIR PLASTIC
 LEN=0040 INSTALLED UNKN
 018 "DIA CIR PLASTIC
 0110/0778 LEN=0048 INSTALLED UNKN
 024 "DIA CIR PLASTIC
 0110/0376 LEN=0050 INSTALLED UNKN
 018 "DIA CIR PLASTIC
 0110/0020 LEN=0060 INSTALLED 1997
 022956 FT 2 0 60048 0 01 0115+67
 WALNUT BEND RD
 (T539)
 0110/0000 LENGTH(AH 2474 BK 1610)
 015 "DIA CIR PLASTIC
 0100/1550 LEN=0036 INSTALLED UNKN
 0100/0673 018 "DIA CIR PLASTIC
 LEN=0034 INSTALLED UNKN
 021346 FT 2 0 60048 0 01 0099+55
 0100/0000 LENGTH(AH 1610 BK 2494)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 187
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.216 MI. DIST: 01-5 SR: 1001
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

MOODY RUN RD
(T555)

0090/0915

==

---|---

0090/0730 015 "DIA CIR PLASTIC
LEN=0034 INSTALLED UNKN

018852 FT

018852 FT 2 0 60048 0 01 0074+17

5 0090/0000 LENGTH(AH 2494 BK 2700)
GABRESKI CT
(PRDR)

==

0080/2647

---|---

0080/1380 015 "DIA CIR PLASTIC
LEN=0100 INSTALLED UNKN

---|---

0080/1147 018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN

016152 FT

==

0080/0079 EVERGREEN LN
(PRDR)

016152 FT 1 1 05392 0 00 0093+75

5 0080/0000 LENGTH(AH 2700 BK 2909)

---|---

0070/2652 015 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN

==

0070/2138 BRIAR LN
(PRDR)

==

0070/1182 JEFF CUBBON LN
(PRDR)

---|---

0070/1098 015 "DIA CIRC CONCR
LEN=0044 INSTALLED UNKN

==

0070/0883 STARLIGHT DR
(PRDR)

013243 FT

013243 FT 1 1 05392 0 00 0064+66

==

5 0070/0000 HORNE LN
(T570)
LENGTH(AH 2909 BK 2282)

---|---

0060/1200 018 "DIA CIRC CONCR
LEN=0048 INSTALLED UNKN

010961 FT

010961 FT 1 1 05392 0 00 0041+69

OAK RD

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 186
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.216 MI. DIST: 01-5 SR: 1001
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

STEWART RD
(T660)

0050/1581

CONCORD RD
(T664)

0050/0725

008608 FT

006765 FT

2 0 60048 0 00 0051+57 004969 FT
MERRITT ST
(CITY)

0030/0000

MANNING AL
(CITY)

0020/1495

(SR1003 SEG 0070/3782)
S 0060/0000 LENGTH(AH 2282 BK 2353)
015 "DIA CIRC CONCR
0050/2343 LEN=0034 INSTALLED UNKN
015 "DIA CIRC METAL
0050/1834 LEN=0032 INSTALLED UNKN
018 "DIA CIRC METAL
0050/1493 LEN=0036 INSTALLED UNKN
015 "DIA CIR PLASTIC
0050/0989 LEN=0038 INSTALLED UNKN
015 "DIA CIR PLASTIC
0050/0502 LEN=0038 INSTALLED UNKN
HILLCREST AV
(T535)
0050/0421 1 1 05392 0 00 0018+18
008608 FT CORNPLANTER
OIL CITY C
S 0050/0000 LENGTH(AH 2353 BK 1843)
018 "DIA CIRC METAL
0040/1744 LEN=0035 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/1340 LEN=0035 INSTALLED UNKN
SUMMIT ST
(CITY)
0040/1153 015 "DIA CIRC CONCR
0040/0817 LEN=0037 INSTALLED UNKN
012 "DIA CIRC CONCR
0040/0432 LEN=0035 INSTALLED UNKN
GREENFIELD CT
(CITY)
0040/0420 1 1 05392 0 00 0000+00
006765 FT NC GRANDVIEW RD
S 0040/0000 LENGTH(AH 1843 BK 1796)
MAPLE AV
(CITY)
0030/1505 018 "DIA CIRC CONCR
0030/0458 LEN=0035 INSTALLED UNKN
004969 FT
S 0030/0000 LENGTH(AH 1796 BK 2146)
PARK RD
(CITY)
0020/1803

DIR: B TOTAL LEN: 5.216 MI. DIST: 01-5 SR: 1001
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 184
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
DIR: B TOTAL LEN: 4.502 MI. DIST: 01-5 SR: 965
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

MERCER RD 023772 FT
(SR0062 SEG 0090/0000) 0080/3264



023772 FT MERCER RD
0080/3264 (SR0062 SEG 0090/0000)
0080/3055 BMS EN 60/0965/0080/2964
2 0 60017 0 00 0204+96

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 183
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 4.502 MI. DIST: 01-5 SR: 965
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

020508 FT

017502 FT

0080/2957 BIG SANDY CREEK
BMSBG 60/0965/0080/2964
0080/2823 FRENCH CREEK
MINERAL T

0080/1001 024 " DIA CIR PLASTIC
LEN=0050 INSTALLED 1996
0080/0732 018 " DIA CIRC CONCR
LEN=0050 INSTALLED 1996
0080/0454 018 " DIA CIRC CONCR
LEN=0048 INSTALLED 1996
0080/0149 024 " DIA CIRC CONCR
LEN=0060 INSTALLED 1996
020508 FT 2 0 60017 0 00 0204+96
0080/0000 LENGTH(AH 3264 BK 3006)
018 " DIA CIRC CONCR
0070/2783 LEN=0044 INSTALLED 1996
018 " DIA CIRC CONCR
0070/2598 LEN=0046 INSTALLED 1996
048 " DIA CIRC METAL
0070/2331 LEN=0042 INSTALLED 1996
018 " DIA CIRC CONCR
0070/2137 LEN=0032 INSTALLED 1996
018 " DIA CIRC CONCR
0070/1847 LEN=0033 INSTALLED 1996
018 " DIA CIRC CONCR
0070/1509 LEN=0030 INSTALLED 1996
018 " DIA CIRC CONCR
0070/1201 LEN=0030 INSTALLED 1996
018 " DIA CIRC CONCR
0070/0900 LEN=0036 INSTALLED 1996

017502 FT 2 0 60017 0 00 0174+97
0070/0000 LENGTH(AH 3006 BK 2651)
018 " DIA CIRC CONCR
0060/2385 LEN=0050 INSTALLED UNKN

0060/1471 033"H 49"W ELLIP METAL
LEN=0040 INSTALLED 1996
ADAMS RD
0060/1387 (T399)

018 " DIA CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 182
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 4.502 MI. DIST: 01-5 SR: 965
LEFT MUN: MINERAL T RIGHT MUN: MINERAL T

2 0 60017 0 00 0148+34 014851 FT
KIMBLE HILL RD
(T395) 0060/0000

0060/0472 LEN=0046 INSTALLED 1996
014851 FT

5 0060/0000 LENGTH(AH 2651 BK 2944)
0050/2895 SLATERTOWN SPUR RD
(T332)

011907 FT

0050/1308 024 "DIA CIRC CONCR
LEN=0058 INSTALLED 1996
0050/0939 018 "DIA CIRC CONCR
LEN=0050 INSTALLED 1996
0050/0550 037 "H 59 "W ELLIP METAL
LEN=0048 INSTALLED 1996
011907 FT 2 0 60017 0 00 0119+22
5 0050/0000 LENGTH(AH 2944 BK 2345)

CENTER CHURCH RD
(T303) 0040/0419
009562 FT

0040/1143 024 "DIA CIRC CONCR
LEN=0046 INSTALLED 1996
0040/0494 018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1996

0040/0004 024 "DIA CIRC CONCR
LEN=0070 INSTALLED UNKN
009562 FT 2 0 60017 0 00 0095+69
5 0040/0000 LENGTH(AH 2345 BK 2797)

RAYMILTON RD
(SR3015 SEG 0010/0000) 0030/1737

0030/1869 WHEELER RD
(T393)
0030/1832 036 "DIA CIRC METAL
LEN=0090 INSTALLED 1996

0030/1609 SLATERTOWN RD
(T330)
0030/1357 018 "DIA CIRC CONCR
LEN=0076 INSTALLED 1996

2 0 60017 0 00 0067+60 006765 FT
MT PLEASANT CHURCH RD
(T301) 0030/0000

0030/0519 024 "DIA CIRC CONCR
LEN=0042 INSTALLED 1996
006765 FT HELLS KITCHEN RD
(SR3011 SEG 0120/2150)
5 0030/0000 LENGTH(AH 2797 BK 3127)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 181
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 4.502 MI. DIST: 01-5 SR: 965
LEFT MUN: MINERAL T RIGHT MUN: MINERAL T

MT PLEASANT CHURCH RD
(T301)

0020/1922

003638 FT


000000 FT

0020/2944	036 "DIA	CIRC OTHER	1996
	LEN=0150	INSTALLED	
0020/2067	036 "DIA	CIRC CONCR	1996
	LEN=0055	INSTALLED	
0020/1527	018 "DIA	CIRC CONCR	1996
	LEN=0054	INSTALLED	
0020/1452	036 "H 58" W	ELLIP METAL	1996
	LEN=0050	INSTALLED	
0020/0987	018 "DIA	CIRC CONCR	1996
	LEN=0044	INSTALLED	
0020/0689	018 "DIA	CIRC CONCR	1996
	LEN=0044	INSTALLED	
0020/0382	015 "DIA	CIRC CONCR	1996
	LEN=0040	INSTALLED	
003638 FT	2 0 60017	0 00 0036+25	
	HENDERSON	STATION RD	
	(T300)		
0020/0000	LENGTH(AH	3127 BK 3638)	
0010/3303	018 "DIA	CIRC CONCR	UNKN
	LEN=0035	INSTALLED	
0010/3009	018 "DIA	CIRC CONCR	1996
	LEN=0040	INSTALLED	
0010/2780	036 "DIA	CIRC CONCR	1996
	LEN=0060	INSTALLED	
0010/2610	018 "DIA	CIRC CONCR	1996
	LEN=0048	INSTALLED	
0010/2315	036 "DIA	CIRC CONCR	1996
	LEN=0050	INSTALLED	
0010/2090	018 "DIA	CIRC CONCR	1996
	LEN=0050	INSTALLED	
0010/1804	018 "DIA	CIRC CONCR	1996
	LEN=0042	INSTALLED	
0010/1500	018 "DIA	CIRC CONCR	1996
	LEN=0044	INSTALLED	
0010/1123	018 "DIA	CIRC CONCR	1996
	LEN=0046	INSTALLED	
0010/0008	018 "DIA	CIRC CONCR	1996
	LEN=0040	INSTALLED	
000000 FT	2 0 60017	0 00 0000+00	
	NC JACKSON	CTR POLK RD	
* REF-BK	JACKSON	CTR POLK RD	
	(SR0965	SEG 0130/2339)	
	MFC BEGIN = D		
	BK-MERCER		(43)
0010/0000	LENGTH(AH	3638 BK 0000)	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 180
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
DIR: B TOTAL LEN: .041 MI. DIST: 01-5 SR: 478
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

000214 FT

000000 FT



000214 FT AH-CLARION (16)
* REF-AHD SR 0478 SH
0012/0214 (SR0478 SEG 0012/0000)
000000 FT 1 0 00251 0 00 0004+01
NC SR 0478 SH
SR 0038 SH
(SR0038 SEG 0080/1763)
MFC BEGIN = E
0012/0000 LENGTH(AH 0214 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 179
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO


DIR: B TOTAL LEN: 15.754 MI. DIST: 01-5 SR: 428
LEFT MUN: PLUM T RIGHT MUN: PLUM T

083179 FT

083179 FT AH-CRAWFORD (20)
* REF-AHD TROY CENTER RD
0340/3270 (SR0428 SEG 0010/0000)

2 0 60043 0 00 0025+56 079909 FT
NOEL RD
(T661) 0340/0000

2 0 60043 0 00 0000+00 077348 FT
SR 0027 SH



079909 FT
0340/0000 LENGTH(AH 3270 BK 2561)
036 "DIA CIR PLASTIC
LEN=0045 INSTALLED UNKN
018 "DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN
018 "DIA CIR PLASTIC
LEN=0035 INSTALLED UNKN
018 "DIA CIRC METAL
LEN=0050 INSTALLED UNKN
077348 FT OY CENTER RD
INTER-BK SR 0027 SH
(SR0027 SEG 0080/0000)

DIR: B TOTAL LEN: 15.754 MI. DIST: 01-5 SR: 428
LEFT MUN: PLUM T RIGHT MUN: PLUM T

(SR0027 SEG 0080/0000) 0330/0000
077348 FT

0330/0000 LTH AH 002561 BK 000100
077348 FT
7324/0000 LTH AH 000100 BK 002644
INTER-AHD SR 0027 SH
(SR0027 SEG 0090/0000)
SR 0027 SH
(SR0027 SEG 0090/0000)
0320/2644 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2015
0320/2379 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2015
0320/1508 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2015
0320/1322 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2015

074704 FT

074704 FT 2 0 60042 0 00 0360+14
0320/0000 LENGTH(AH 2644 BK 2462)
070"H 60"W PIPE ARCH
0310/1916 LEN=0025 INSTALLED UNKN
0310/1188 024 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2015
0310/0848 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2013

072242 FT

0310/0064 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2015
072242 FT 2 0 60042 0 00 0335+14
NC DEMPSEYTOWN RD
0310/0000 LENGTH(AH 2462 BK 2584)

BRENNER RD
(T643)

0300/1599

0300/0787 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2013
ACEL RD
0300/0199 (T645)
069658 FT 2 0 60042 0 00 0309+56
0300/0000 LENGTH(AH 2584 BK 1969)
048 "DIA CIRC CONCR
0290/1885 LEN=0040 INSTALLED UNKN
0290/1060 024 "DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN

069658 FT

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 177
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 15.754 MI. DIST: 01-5 SR: 428
LEFT MUN: PLUM T RIGHT MUN: PLUM T

067689 FT		067689 FT	2 0 60042 0 00 0289+67
		5 0290/0000	LENGTH(AH 1969 BK 2057)
		0280/0895	048 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
2 0 60042 0 00 0269+32 065632 FT		065632 FT	
KNAPP RD			
(T432)			
DAVISON RD			
(T436)			
0280/0000		5 0280/0000	LENGTH(AH 2057 BK 1919)
		0270/1251	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2015
063713 FT		0270/0238	018 "DIA CIR PLASTIC LEN=0055 INSTALLED UNKN
		063713 FT	2 0 60042 0 00 0249+91
		5 0270/0000	LENGTH(AH 1919 BK 2523)
		0260/1251	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 2016
061190 FT		0260/0583	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2015
		061190 FT	2 0 60042 0 00 0224+68
		5 0260/0000	LENGTH(AH 2523 BK 2623)
			048 "DIA CIR PLASTIC
		0250/2471	LEN=0050 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0250/2041	LEN=0040 INSTALLED 2003
			015 "DIA CIR PLASTIC
		0250/1509	LEN=0040 INSTALLED UNKN
		0250/0855	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2015
			024 "DIA CIR PLASTIC
		0250/0578	LEN=0040 INSTALLED 2015
			018 "DIA CIR PLASTIC
		0250/0047	LEN=0045 INSTALLED 1997
			BUXTON RD
			(SR4022 SEG 0080/0000)
2 0 60042 0 00 0197+58 058567 FT		058567 FT	PLUM
RIDGEVIEW RD			OAKLAND T
(SR4022 SEG 0080/0000)		5 0250/0000	LENGTH(AH 2623 BK 2917)
			018 "DIA CIR PLASTIC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 176
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 15.754 MI. DIST: 01-5 SR: 428
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

2 0 60042 0 00 0170+94 055650 FT
RICE RD
(T454)
LC TO RICE RD
(CONN) 0240/0000
0230/2930

052532 FT

050699 FT

0240/2858	LEN=0060	INSTALLED 1999
0240/2146	018 "DIA	CIR PLASTIC
0240/1760	LEN=0040	INSTALLED 1999
0240/1292	015 "DIA	CIR PLASTIC
0240/1160	LEN=0040	INSTALLED UNKN
0240/0259	048 "DIA	CIR PLASTIC
0240/0070	LEN=0050	INSTALLED 1998
055650 FT	018 "DIA	CIR PLASTIC
0240/0000	LEN=0040	INSTALLED UNKN
0240/0000	024 "DIA	CIR PLASTIC
0240/0000	LEN=0045	INSTALLED 1998
0240/0000	024 "DIA	CIR PLASTIC
0240/0000	LEN=0045	INSTALLED UNKN
0230/2740	024 "DIA	CIR PLASTIC
0230/2390	LEN=0045	INSTALLED UNKN
0230/1342	036 "DIA	CIRC METAL
0230/0800	LEN=0040	INSTALLED UNKN
0230/0077	018 "DIA	CIR PLASTIC
052532 FT	LEN=0060	INSTALLED 1999
0230/0000	018 "DIA	CIR PLASTIC
0220/1439	LEN=0050	INSTALLED UNKN
0220/1362	BMSBG 60/0428/0230/0000	
0220/0340	2 0 60042 0 00 0138+48	
050699 FT	SUGAR CREEK	
0220/0000	BMSBG 60/0428/0230/0000	
0210/2486	LENGTH(AH 3118 BK 1833)	
	BMSBG 60/0428/0220/1362	
	2 0 60042 0 00 0133+69	
	PRATHER RUN	
	BMSBG 60/0428/0220/1362	
	018 "DIA	CIR PLASTIC
	LEN=0050	INSTALLED UNKN
	2 0 60042 0 00 0120+07	
	LENGTH(AH 1833 BK 2544)	
	024 "DIA	CIR PLASTIC
	LEN=0050	INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 175
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: 15.754 MI. DIST: 01-5 SR: 428
 LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

	0210/1327	018 "DIA CIR PLASTIC LEN=0045 INSTALLED UNKN
048155 FT	048155 FT	2 0 60042 0 00 0094+64 018 "DIA CIR PLASTIC LEN=0045 INSTALLED UNKN DEETS SCHOOL RD (T615)
	0210/0000	LENGTH(AH 2544 BK 2664)
	0200/2010	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 2017
	0200/1360	024 "H 00 "W MULT PLSTIC LEN=0050 INSTALLED UNKN
	0200/0910	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
045491 FT	0200/0265 045491 FT	015 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN 2 0 60042 0 00 0068+00 PUMP STATION RD (T595)
	0200/0000	LENGTH(AH 2664 BK 2167)
	0190/1924	024 "DIA CIR PLASTIC LEN=0050 INSTALLED UNKN
	0190/1427	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
	0190/0678	018 "DIA CIR PLASTIC LEN=0045 INSTALLED UNKN
043324 FT	0190/0024 043324 FT	BMS EN 60/0428/0190/0000 2 0 60042 0 00 0046+38 SUGAR CK. TR. BMSBG 60/0428/0190/0000
	0190/0000	LENGTH(AH 2167 BK 2104)
	0180/1700	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 2017
	0180/0422	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2017
	0180/0219	018 "DIA CIR PLASTIC LEN=0035 INSTALLED UNKN 018 "DIA CIR PLASTIC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 174
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 15.754 MI. DIST: 01-5 SR: 428
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

	041220 FT	0180/0141	LEN=0040	INSTALLED	2009
		041220 FT	2 0 60042	0 00	0025+10
		0180/0000	LENGTH(AH	2104	BK 2523)
			024 "DIA	CIR	PLASTIC
		0170/2484	LEN=0050	INSTALLED	UNKN
		0170/1442	018 "DIA	CIR	PLASTIC
			LEN=0033	INSTALLED	UNKN
	038697 FT	0170/0017	024 "DIA	CIR	PLASTIC
		038697 FT	LEN=0060	INSTALLED	UNKN
			2 0 60042	0 00	0000+00
			SR 0417	SH	
			(SR0417	SEG	0190/0890)
		NC WA	LLACEVILLE	RD	
		INTER-BK	SR 0417	SH	
			(SR0417	SEG	0190/0890)
	038697 FT	0170/0000	LTH AH	002523	BK 000100
		038697 FT			
		7164/0000	LTH AH	000100	BK 002160
		INTER-AHD	SR 0417	SH	
		0160/2160	(SR0417	SEG	0190/0000)
		0160/1442	030 "DIA	CIRC	CONCR
			LEN=0050	INSTALLED	UNKN
		0160/0492	018 "DIA	CIRC	CONCR
			LEN=0035	INSTALLED	UNKN
		0160/0077	018 "DIA	CIRC	CONCR
	036537 FT		LEN=0035	INSTALLED	UNKN
		036537 FT	1 1 04214	0 00	0101+75
		0160/0000	LENGTH(AH	2160	BK 2128)
OAKLAND VILLAGE DR (T500)	0150/0929	034409 FT	1 1 04214	0 00	0084+07
			LENGTH(AH	2128	BK 2645)
		0140/2373	018 "DIA	CIRC	CONCR
			LEN=0045	INSTALLED	1998
		0140/2081	018 "DIA	CIRC	CONCR
			LEN=0045	INSTALLED	UNKN
DITTMAN RD					

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 173
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 15.754 MI. DIST: 01-5 SR: 428
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

(PRDR)

0140/1976

0140/1899 015 "DIA CIRC CONCR
LEN=0045 INSTALLED UNKN

0140/0943 018 "DIA CIRC CONCR
LEN=0050 INSTALLED 1998

031764 FT

031764 FT 1 1 04214 0 00 0054+02
060"H 60"W CON BOX CUL
LEN=0045 INSTALLED UNKN
LENGTH(AH 2645 BK 1611)

0140/0000 015 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN

0130/1264 015 "DIA CIRC CONCR
LEN=0046 INSTALLED UNKN

0130/0812 015 "DIA CIRC CONCR
LEN=0045 INSTALLED UNKN

0130/0251 012"H 12"W **UNKNOWN**
LEN=0041 INSTALLED UNKN

030153 FT

030153 FT 1 1 04214 0 00 0037+91
CHERRY TREE RD
(T450)

0130/0000 LENGTH(AH 1611 BK 3781)
015 "DIA CIRC CONCR

0120/3390 048 "DIA CIRC METAL
LEN=0040 INSTALLED UNKN

0120/3102 MITCHELL RD
(T583)

0120/3010 015 "DIA CIRC CONCR
LEN=0045 INSTALLED UNKN

0120/2474 015 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN

0120/2188 015 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN

0120/1987 018 "DIA CIRC CONCR
LEN=0043 INSTALLED UNKN

0120/1162 015 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN

0120/0813 018 "DIA CIRC CONCR
LEN=0055 INSTALLED UNKN

026372 FT

026372 FT 1 1 04214 0 00 0000+00
0120/0000 LENGTH(AH 3781 BK 2793)
018 "DIA CIRC CONCR

0110/2640 024 "DIA CIRC CONCR
LEN=0070 INSTALLED UNKN

0110/2320 015 "DIA CIRC CONCR
LEN=0045 INSTALLED UNKN

SR 4025 SH

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 172
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 15.754 MI. DIST: 01-5 SR: 428
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

(SR4025 SEG 0010/2326) 0110/2091

2 0 60034 0 01 0235+20 023579 FT
SR 4025 SH
(SR4025 SEG 0010/0000) 0110/0000

OLD SPLANE AIRPORT RD
(PRDR) 0100/1534

020778 FT

2 0 60034 0 01 0186+06 018678 FT
WARREN RD
(T553) 0090/0000

016850 FT

0110/1067 018 "DIA CIRC CONCR
LEN=0036 INSTALLED UNKN
0110/0760 024 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN

0110/0004 018 "DIA CIRC CONCR
023579 FT LEN=0070 INSTALLED UNKN

5 0110/0000 LENGTH(AH 2793 BK 2801)

020778 FT 2 0 60034 0 01 0207+90
HORN RD
(T516)
5 0100/0000 LENGTH(AH 2801 BK 2100)
0090/2087 018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN

0090/0704 015 "DIA CIRC CONCR
LEN=0038 INSTALLED UNKN

018678 FT RYND FARM RD
(T685)
5 0090/0000 LENGTH(AH 2100 BK 1828)

0080/1105 015 "DIA CIRC CONCR
LEN=0065 INSTALLED UNKN

016850 FT 2 0 60034 0 01 0167+78
OAKLAND
SUGARCREEK B
5 0080/0000 LENGTH(AH 1828 BK 2270)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 171
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 15.754 MI. DIST: 01-5 SR: 428
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

		014580 FT	0070/0528	015 "DIA CIRC CONCR
			014580 FT	LEN=0040 INSTALLED UNKN
			0070/0000	2 0 60034 0 01 0144+58
				LENGTH(AH 2270 BK 2258)
			0060/1825	018 "DIA CIRC METAL
				LEN=0050 INSTALLED UNKN
			0060/0370	018 "DIA CIRC CONCR
			012322 FT	LEN=0175 INSTALLED UNKN
2 0 60034 0 01 0122+00	012322 FT	0060/0000	0060/0000	LENGTH(AH 2258 BK 2206)
SHAFFER RUN RD				
(BORO)				
			0050/0712	015 "DIA CIRC CONCR
				LEN=0045 INSTALLED UNKN
		010116 FT	010116 FT	2 0 60034 0 01 0099+30
				SUGARCREEK
			0050/0000	CORNPLANTER T
				LENGTH(AH 2206 BK 2549)
			0040/1688	015 "DIA CIRC CONCR
				LEN=0040 INSTALLED 1998
			007567 FT	2 0 60034 0 01 0073+81
			0040/0000	LENGTH(AH 2549 BK 2495)
			0030/1972	018 "DIA CIRC CONCR
				LEN=0045 INSTALLED UNKN
			0030/0958	015 "DIA CIRC CONCR
				LEN=0040 INSTALLED UNKN
			0030/0663	015 "DIA CIRC CONCR
				LEN=0050 INSTALLED UNKN
			005072 FT	2 0 60034 0 01 0048+86
			0030/0000	LENGTH(AH 2495 BK 2328)
			0020/2299	018 "DIA CIR PLASTIC
				LEN=0055 INSTALLED UNKN
			0020/2060	018 "DIA CIRC CONCR
				LEN=0070 INSTALLED UNKN
				018 "DIA CIRC CONCR
LAWRENCE DR				
(T529)				

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 170
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 15.754 MI. DIST: 01-5 SR: 428
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

Station	Length	Material	Status
0020/1765	LEN=0040	INSTALLED	UNKN
0020/1418	LEN=0040	INSTALLED	UNKN
0020/1336	LEN=0040	INSTALLED	UNKN
0020/1051	LEN=0040	INSTALLED	UNKN
0020/0727	LEN=0040	INSTALLED	2015
0020/0497	LEN=0040	INSTALLED	UNKN
0020/0314	LEN=0040	INSTALLED	UNKN
0020/0233	LEN=0040	INSTALLED	UNKN
0020/0055	LEN=0040	INSTALLED	UNKN
002744 FT	2 0 60034 0 01 0025+55		
0020/0000	LENGTH(AH 2328 BK 2744)		
0010/2597	OIL CITY C		
0010/2409	LEN=0060	INSTALLED	UNKN
0010/2362	LEN=0075	INSTALLED	UNKN
0010/2165	LEN=0045	INSTALLED	UNKN
0010/1720	012 "DIA CIR PLASTIC		
0010/1514	LEN=0025	INSTALLED	UNKN
0010/1170	LEN=0030	INSTALLED	UNKN
0010/0673	LEN=0025	INSTALLED	UNKN
0010/0278	HALYDAY ST		
0010/0122	LEN=0070	INSTALLED	UNKN
000000 FT	2 0 60034 0 00 0000+00		
000000 FT	NC HA LYDAY ST		
0010/0000	MAIN ST		
0010/0000	(SR0008 SEG 0420/0000)		
0010/0000	(SR0008 SEG 0421/0000)		
0010/0000	INTER-BK PETROLEUM ST		
0010/0000	(SR0062 SEG 0470/0000)		
0010/0000	MFC BEGIN = D		
0010/0000	LENGTH(AH 2744 BK 0000)		

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 169
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 10.608 MI. DIST: 01-5 SR: 427
LEFT MUN: PLUM T RIGHT MUN: PLUM T

DEETER RD
(T641)

056011 FT

0220/2994

056011 FT AH-CRAWFORD (20)
INTER-AHD SR 0427 SH
(SR0427 SEG 0010/0000)
PARADISE LN
(T425)

053017 FT

0220/0055 BMS EN 60/0427/0220/0000
053017 FT 1 0 00090 0 02 0879+88
P3
SUGAR CREEK
BMSBG 60/0427/0220/0000
5 0220/0000 LENGTH(AH 2994 BK 2478)

050539 FT

0210/0819 WILLIAMS RD
(T627)
050539 FT 1 0 00090 0 02 0855+25
5 0210/0000 LENGTH(AH 2478 BK 2497)
0200/1840 BMS EN 60/0427/0200/1755
1 0 00090 0 02 0830+00
SUGAR CREEK
0200/1749 BMSBG 60/0427/0200/1755
036 "DIA CIRC CONCR
0200/1504 LEN=0050 INSTALLED 1996

048042 FT

048042 FT 1 0 00090 0 02 0830+00
5 0200/0000 LENGTH(AH 2497 BK 2092)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 168
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 10.608 MI. DIST: 01-5 SR: 427
LEFT MUN: PLUM T RIGHT MUN: PLUM T

			0190/1521	024 " DIA CIR PLASTIC LEN=0038 INSTALLED 1996
			0190/0370	018 " DIA CIR PLASTIC LEN=0030 INSTALLED 1996
			0190/0026	018 " DIA CIR PLASTIC LEN=0075 INSTALLED 1996
045950 FT			045950 FT	1 0 00090 0 02 0809+29 RIDGEVIEW RD (SR4022 SEG 0010/0000) WHITE RD (T384)
			0190/0000	LENGTH(AH 2092 BK 2946) 015 " DIA CIR PLASTIC
			0180/2773	LEN=0040 INSTALLED 1996
			0180/2445	048 " DIA CIR PLASTIC LEN=0054 INSTALLED 2018
			0180/2429	048 " DIA CIR PLASTIC LEN=0060 INSTALLED UNKN
			0180/2339	BMSSEN 60/0427/0180/2239 1 0 00090 0 02 0802+27 SUGAR CREEK
			0180/2239	BMSBG 60/0427/0180/2239
			0180/1631	018 " DIA CIR PLASTIC LEN=0030 INSTALLED 1996
			0180/1468	018 " DIA CIR PLASTIC LEN=0040 INSTALLED 1996
KREPP RD (T625)			0180/1231	
			0180/1105	024 " DIA CIR PLASTIC LEN=0050 INSTALLED 1996
			0180/0795	012 " DIA CIRC METAL LEN=0034 INSTALLED 1996
			0180/0350	018 " DIA CIR PLASTIC LEN=0036 INSTALLED 1996
043004 FT			043004 FT	1 0 00090 0 02 0779+58
			0180/0000	LENGTH(AH 2946 BK 2933)
			0170/2269	024 " DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
			0170/2030	018 " DIA CIR PLASTIC LEN=0030 INSTALLED 1996
			0170/1844	018 " DIA CIR PLASTIC LEN=0035 INSTALLED 1996
			0170/1306	BMSSEN 60/0427/0170/1294 1 0 00090 0 02 0763+44 SUG. CK. BR.
			0170/1294	BMSBG 60/0427/0170/1294

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 167
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 10.608 MI. DIST: 01-5 SR: 427
LEFT MUN: PLUM T RIGHT MUN: PLUM T

JACKSON PLUM RD
(T611)

0170/0973

040071 FT

1 0 00090 0 02 0713+21 036367 FT
SMALLS RD
(T605)

0160/0000

033504 FT

Station	Length	Material	Notes
0170/0986		PLUM JACKSON T	
0170/0873		018 "DIA CIRC METAL	
0170/0557		LEN=0040 INSTALLED UNKN	
040071 FT		018 "DIA CIR PLASTIC	
0170/0000		LEN=0035 INSTALLED 1996	
0160/3263		1 0 00090 0 02 0750+25	
0160/2943		LENGTH(AH 2933 BK 3704)	
0160/2783		018 "DIA CIR PLASTIC	
0160/2646		LEN=0050 INSTALLED 1996	
0160/2481		018 "DIA CIR PLASTIC	
0160/2305		LEN=0040 INSTALLED UNKN	
0160/1900		018 "DIA CIR PLASTIC	
0160/1411		LEN=0045 INSTALLED 2003	
0160/1298		018 "DIA CIR PLASTIC	
0160/0884		LEN=0040 INSTALLED 1996	
0160/0359		018 "DIA CIR PLASTIC	
0160/0163		LEN=0045 INSTALLED 1996	
036367 FT		018 "DIA CIR PLASTIC	
0160/0000		015 "DIA CIR PLASTIC	
0150/2461		LEN=0045 INSTALLED 1996	
0150/2176		018 "DIA CIR PLASTIC	
0150/1582		LEN=0042 INSTALLED 1996	
0150/0618		018 "DIA CIR PLASTIC	
033504 FT		LEN=0046 INSTALLED 1996	
0150/0000		015 "DIA CIR PLASTIC	
		LEN=0038 INSTALLED 1996	
		024 "DIA CIR PLASTIC	
		LEN=0060 INSTALLED 2003	
		LENGTH(AH 3704 BK 2863)	
		WRIGHT RD	
		(T607)	
		024 "DIA CIR PLASTIC	
		LEN=0040 INSTALLED UNKN	
		018 "DIA CIR PLASTIC	
		LEN=0040 INSTALLED UNKN	
		018 "DIA CIR PLASTIC	
		LEN=0040 INSTALLED 1996	
		1 0 00090 0 02 0684+67	
		LENGTH(AH 2863 BK 2536)	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 166
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 10.608 MI. DIST: 01-5 SR: 427
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

	0140/2465	015 "DIA CIR PLASTIC LEN=0030 INSTALLED 1996
	0140/2125	015 "DIA CIR PLASTIC LEN=0034 INSTALLED 1996
	0140/1308	015 "DIA CIR PLASTIC LEN=0036 INSTALLED 1996
030968 FT	0140/0110	024 "DIA CIR PLASTIC LEN=0035 INSTALLED 1996
	030968 FT	1 0 00090 0 02 0659+31
	0140/0000	LENGTH(AH 2536 BK 1787)
	0130/0721	024 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
029181 FT	0130/0434	018 "DIA CIR PLASTIC LEN=0030 INSTALLED 1996
	029181 FT	1 0 00090 0 02 0641+44
		CREEK RD (T595)
	0130/0000	LENGTH(AH 1787 BK 3063)
	0120/2610	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
	0120/2149	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
	0120/1305	015 "DIA CIR PLASTIC LEN=0030 INSTALLED 2012
026118 FT	026118 FT	1 0 00090 0 02 0610+81
	0120/0000	LENGTH(AH 3063 BK 2056)
		JACKSON
	0110/2048	COOPERSTOWN B
		NC SR 0427 SH
	0110/0740	024 "DIA CIR PLASTIC LEN=0050 INSTALLED 2012
024062 FT	024062 FT	
1 0 00090 0 02 0590+28 024062 FT	0110/0000	LENGTH(AH 2056 BK 2935)
ACADEMY ST		
(SR4018 SEG 0110/1887)		
MAIN ST		
(SR4007 SEG 0010/0000)		
BRINK ST		

DIST: 01-5 SR: 427
RIGHT MUN: COOPERSTOWN B

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 164
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 10.608 MI. DIST: 01-5 SR: 427
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

	016516 FT	0080/0940	015 "DIA CIRC CONCR LEN=0030 INSTALLED 1996
		0080/0577	015 "DIA CIRC CONCR LEN=0028 INSTALLED 1996
		016516 FT	1 0 00090 0 02 0514+08
		0080/0000	LENGTH(AH 1694 BK 1424)
		0070/1242	015 "DIA CIRC CONCR LEN=0028 INSTALLED 1996
		0070/0901	ROGERS RD (T559)
	015092 FT	015092 FT	1 0 00090 0 02 0500+71
		0070/0000	LENGTH(AH 1424 BK 2219)
		0060/1586	BMS EN 60/0427/0060/1212 1 0 00090 0 01 0488+22
		0060/1212	SUGAR CREEK BMS BG 60/0427/0060/1212
FOSTER RD (T549)	0060/0995	0060/0673	024 "DIA CIRC METAL LEN=0064 INSTALLED UNKN
	012873 FT	012873 FT	1 0 00090 0 01 0475+87
		0060/0000	LENGTH(AH 2219 BK 1620)
		0050/1078	036 "DIA CIR PLASTIC LEN=0042 INSTALLED UNKN
		0050/0583	JACKSON SUGARCREEK B
INDEPENDENT RD (T557)	0050/0564	011253 FT	1 0 00090 0 01 0459+72
	011253 FT	0050/0000	LENGTH(AH 1620 BK 2309)
	008944 FT	0040/0110	018 "DIA CIR PLASTIC LEN=0048 INSTALLED 1996
		008944 FT	1 0 00090 0 01 0436+63
		0040/0000	LENGTH(AH 2309 BK 3032)
		0030/1604	015 "DIA CIR PLASTIC LEN=0045 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 163
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 10.608 MI. DIST: 01-5 SR: 427
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

BEATTY RUN RD
(BORO)

0030/0502

005912 FT

002876 FT

FROM 0322/0140 SH
(CONN)

0010/0058
000000 FT

0030/0831 BMS EN 60/0427/0030/0811
1 0 00090 0 01 0409+70
BEATTY RUN
0030/0805 BMSBG 60/0427/0030/0811
0030/0453 BMS EN 60/0427/0030/0323
1 0 00090 0 01 0409+70
SUGARCREEK
0030/0347 BMSBG 60/0427/0030/0323
005912 FT 1 0 00090 0 01 0406+42
SLEEPY HOLLOW RD
(BORO)
0030/0000 LENGTH(AH 3032 BK 3036)
015 " DIA CIR PLASTIC
0020/2993 LEN=0040 INSTALLED 1996
015 " DIA CIR PLASTIC
0020/2843 LEN=0042 INSTALLED 1996
015 " DIA CIR PLASTIC
0020/2451 LEN=0042 INSTALLED 1996
015 " DIA CIR PLASTIC
0020/1846 LEN=0038 INSTALLED 1996
018 " DIA CIR PLASTIC
0020/1583 LEN=0050 INSTALLED 1996
024 " DIA CIR PLASTIC
0020/1163 LEN=0045 INSTALLED 1996
KEELY RD
(BORO)
0020/0888
002876 FT 1 0 00090 0 01 0375+67
0020/0000 LENGTH(AH 3036 BK 2876)
0010/0980 ENGLISH DR
(PRDR)
0010/0099 SR 9102 SH
(SR9102 SEG 0010/0322)
000000 FT 1 0 00090 0 00 0318+00
NC SR 0427 SH
TWENTYEIGHTH DIVISION H
(SR0322 SEG 0140/2116)
MFC BEGIN = D
0010/0000 LENGTH(AH 2876 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 162
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 12.115 MI. DIST: 01-5 SR: 417
LEFT MUN: CANAL T RIGHT MUN: CANAL T

WILLIAM FLINN HW
(SR0008 SEG 0610/0010)
WILLIAM FLINN HW 063965 FT
(SR0008 SEG 0610/0010) 0261/0286

SR 9101 SH
(SR9101 SEG 0010/0189) 0261/0162
0 0 00000 0 00 0000+00 063679 FT
MFC BEGIN = C
CANAL
CHERRYTREE T
LENGTH(AH 0286 BK 2775) 0261/0000

TARR RD
(T595)

0250/1963

060904 FT

063892 FT WILLIAM FLINN HW
0260/0213 (SR0008 SEG 0610/0000)
0260/0166 018 "DIA CIRC CONCR
LEN=0065 INSTALLED UNKN

063679 FT 0 0 00000 0 00 0000+00
MFC BEGIN = C
0260/0000 LENGTH(AH 0213 BK 2775)
0250/2508 018 "DIA CIRC CONCR
LEN=0045 INSTALLED UNKN
0250/2264 018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN

0250/1898 024 "DIA CIRC CONCR
LEN=0065 INSTALLED UNKN
0250/1762 024 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN
0250/1534 024 "DIA CIRC CONCR
LEN=0032 INSTALLED UNKN
0250/1279 018 "DIA CIRC CONCR
LEN=0065 INSTALLED UNKN
0250/0909 018 "DIA CIRC CONCR
LEN=0045 INSTALLED UNKN
0250/0463 018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN
060904 FT 2 0 60032 0 02 0610+30
0250/0000 LENGTH(AH 2775 BK 3453)
CHERRYTREE
OAKLAND T
0240/3391 018 "DIA CIRC CONCR
0240/3342 LEN=0045 INSTALLED UNKN
0240/2953 060 "DIA CIRC CONCR
LEN=0070 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 161
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: 12.115 MI. DIST: 01-5 SR: 417
 LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

	==	0240/2035	CHERRY TREE RD (T450)
	---	0240/1632	018 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN
	---	0240/0444	030 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
	---	0240/0140	018 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
057451 FT		057451 FT	2 0 60032 0 02 0575+43
		0240/0000	LENGTH(AH 3453 BK 2570)
	---	0230/0980	024 "DIA CIRC CONCR LEN=0044 INSTALLED UNKN
054881 FT		054881 FT	2 0 60032 0 02 0549+73
		0230/0000	LENGTH(AH 2570 BK 2445)
	---	0220/1944	024 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
	---	0220/1368	024 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
	---	0220/0856	018 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
	---	0220/0258	030 "DIA CIRC CONCR LEN=0044 INSTALLED UNKN
052436 FT		052436 FT	2 0 60032 0 02 0525+28
		0220/0000	LENGTH(AH 2445 BK 2532)
	---	0210/1232	018 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN
	---	0210/0524	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
	---	0210/0283	018 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN
049904 FT		049904 FT	2 0 60032 0 02 0499+96
		0210/0000	LENGTH(AH 2532 BK 2798)
	---	0200/2048	018 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
	---	0200/1534	018 "DIA CIRC CONCR LEN=0034 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 160
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 12.115 MI. DIST: 01-5 SR: 417
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

2 0 60032 0 02 0471+98 047106 FT
GRESHAM RD
(T302) 0200/0000

WALLACEVILLE RD
(SR0428 SEG 0170/0000) 0190/0890
044844 FT

CREEK RD
(T597) 0180/0848

2 0 60032 0 01 0432+30 043183 FT
COOPERSTOWN RD
(SR4020 SEG 0100/2374) 0180/0000

039929 FT

0200/0464	036 "DIA CIRC CONCR LEN=0039 INSTALLED UNKN
0200/0013 047106 FT	018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN
5 0200/0000	LENGTH(AH 2798 BK 2262) 018 "DIA CIRC CONCR
0190/2034	LEN=0050 INSTALLED UNKN
0190/1272	018 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
044844 FT	2 0 60032 0 01 0449+16 HALYDAY RUN RD (SR0428 SEG 0160/2160)
5 0190/0000	LENGTH(AH 2262 BK 1661)
0180/0866	024 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
0180/0848	SPEER RD (T300)
0180/0029 043183 FT	018 "DIA CIRC CONCR LEN=0028 INSTALLED UNKN
5 0180/0000	LENGTH(AH 1661 BK 3254) 036"H 36"W UNKN STRUCT
0170/2964	LEN=0042 INSTALLED UNKN
0170/0319 039929 FT	024 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN
5 0170/0000	2 0 60032 0 01 0399+55 LENGTH(AH 3254 BK 3226)
0160/3039	018 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
0160/2788	024 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN
0160/2622	018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 159
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 12.115 MI. DIST: 01-5 SR: 417
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

BILLINGSLEY RD
(T452)

0160/1352

2 0 60032 0 01 0367+60 036703 FT
CAMP WILBEA RD
(T683)

0160/0000

BAKER RD
(T565)

033251 FT

0150/0000

029916 FT

0160/2336	018 "DIA	CIRC CONCR	LEN=0037	INSTALLED UNKN
0160/2095	015 "DIA	CIRC CONCR	LEN=0043	INSTALLED UNKN
0160/1340	036 "DIA	CIR PLASTIC	LEN=0055	INSTALLED UNKN
0160/0602	018 "DIA	CIRC CONCR	LEN=0040	INSTALLED UNKN
036703 FT				
0160/0000	LENGTH(AH 3226 BK 3452)			
0150/3412	018 "DIA	CIRC CONCR	LEN=0050	INSTALLED UNKN
0150/3092	018 "DIA	CIRC CONCR	LEN=0045	INSTALLED UNKN
0150/2146	018 "DIA	CIRC CONCR	LEN=0040	INSTALLED UNKN
0150/0116	024 "DIA	CIRC CONCR	LEN=0055	INSTALLED UNKN
033251 FT	2 0 60032 0 01 0332+98			
0150/0000	BAKER RD (T565)			
0140/2741	LENGTH(AH 3452 BK 3335)			
0140/2244	018 "DIA	CIRC CONCR	LEN=0045	INSTALLED UNKN
	018 "DIA	CIRC CONCR	LEN=0035	INSTALLED UNKN
0140/0025	018 "DIA	CIRC CONCR	LEN=0036	INSTALLED UNKN
029916 FT	2 0 60032 0 01 0299+63			
0140/0000	LENGTH(AH 3335 BK 2371)			

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 158
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 12.115 MI. DIST: 01-5 SR: 417
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

FOR SR 0417 AND 4009
(CONN)
2 0 60032 0 01 0277+25 0130/0259
SUNVILLE RD 027545 FT
(SR4009 SEG 0010/0000) 0130/0000

025777 FT

023904 FT

021442 FT

0130/1436	036 "DIA CIRC CONCR LEN=0040	INSTALLED UNKN
0130/0761	018 "DIA CIRC CONCR LEN=0040	INSTALLED UNKN
027545 FT		
0130/0000	LENGTH(AH 2371 BK 1768)	
0120/0900	024 "DIA CIRC CONCR LEN=0040	INSTALLED UNKN
0120/0479	018 "DIA CIRC CONCR LEN=0036	INSTALLED UNKN
025777 FT	2 0 60032 0 01 0260+14	
0120/0000	LENGTH(AH 1768 BK 1873)	
NC SR	0417 SH	
0110/1776	OAKLAND SUGARCREEK B	
0110/1744	036 "DIA CIRC CONCR LEN=0040	INSTALLED UNKN
0110/1363	018 "DIA CIRC CONCR LEN=0038	INSTALLED UNKN
023904 FT	2 0 60032 0 01 0240+03	
0110/0000	LENGTH(AH 1873 BK 2462)	
0100/1188	018 "DIA CIRC CONCR LEN=0040	INSTALLED UNKN
0100/0876	SHADE TREE LN (TWP)	
0100/0555	018 "DIA CIRC CONCR LEN=0050	INSTALLED UNKN
021442 FT	2 0 60032 0 01 0215+41	
0100/0000	KEELY RD (BORO)	
0090/2975	LENGTH(AH 2462 BK 2999) 018 "DIA CIR PLASTIC LEN=0040	INSTALLED UNKN
0090/2400	024 "DIA CIRC CONCR LEN=0038	INSTALLED UNKN
0090/2036	048 "DIA CIRC CONCR LEN=0054	INSTALLED UNKN
	018 "DIA CIRC CONCR	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 157
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 12.115 MI. DIST: 01-5 SR: 417
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

	018443 FT	0090/1885	LEN=0050	INSTALLED	UNKN
			024"H 36"W	CON BOX	CUL
		0090/1300	LEN=0060	INSTALLED	UNKN
		018443 FT	2 0 60032 0 01	0185+42	
			018 "DIA	CIRC CONCR	
		0090/0000	LEN=0045	INSTALLED	UNKN
			LENGTH(AH 2999	BK 3032)	
		0080/2128	018 "DIA	CIRC CONCR	
			LEN=0045	INSTALLED	1998
PHILLIPS DR (BORO)	0080/0881				
	015411 FT	015411 FT	2 0 60032 0 01	0155+10	
			SEYSLER RD		
		0080/0000	(BORO)		
			LENGTH(AH 3032	BK 2057)	
		0070/1300	018 "DIA	CIRC CONCR	
			LEN=0045	INSTALLED	UNKN
		0070/0796	015 "DIA	CIRC CONCR	
			LEN=0060	INSTALLED	UNKN
		0070/0487	018 "DIA	CIRC CONCR	
			LEN=0044	INSTALLED	UNKN
		0070/0365	036 "DIA	CIRC CONCR	
			LEN=0044	INSTALLED	UNKN
	013354 FT	013354 FT	2 0 60032 0 01	0132+80	
			CHERRYTREE RD		
		0070/0000	(BORO)		
			LENGTH(AH 2057	BK 2938)	
		0060/2767	018 "DIA	CIRC CONCR	
			LEN=0045	INSTALLED	UNKN
		0060/1710	018 "DIA	CIRC CONCR	
			LEN=0060	INSTALLED	UNKN
		0060/1022	024 "DIA	CIRC CONCR	
			LEN=0050	INSTALLED	UNKN
		0060/0400	018 "DIA	CIRC CONCR	
			LEN=0045	INSTALLED	UNKN
			015 "DIA	CIRC CONCR	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 156
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 12.115 MI. DIST: 01-5 SR: 417
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

	010416 FT	0060/0086	LEN=0050	INSTALLED UNKN
		010416 FT	2 0 60032 0 01 0105+63	
			WARREN RD	
			(BORO)	
			060 "DIA	CIRC CONCR
			LEN=0056	INSTALLED UNKN
		0060/0000	LENGTH(AH 2938 BK 2913)	
			015 "DIA	CIRC CONCR
		0050/2669	LEN=0044	INSTALLED UNKN
			018 "DIA	CIRC CONCR
		0050/2003	LEN=0060	INSTALLED UNKN
			018 "DIA	CIRC CONCR
		0050/0743	LEN=0060	INSTALLED UNKN
SHINGLEDECKER DR	0050/0569		015 "DIA	CIRC CONCR
(BORO)			LEN=0050	INSTALLED UNKN
	007503 FT	0050/0533	2 0 60032 0 00 0075+69	
		007503 FT	LENGTH(AH 2913 BK 2252)	
		0050/0000	024 "DIA	CIR PLASTIC
			LEN=0060	INSTALLED UNKN
		0040/1820	015 "DIA	CIRC CONCR
			LEN=0045	INSTALLED UNKN
		0040/1250	015 "DIA	CIRC CONCR
			LEN=0035	INSTALLED UNKN
		0040/0686	015 "DIA	CIRC CONCR
			LEN=0065	INSTALLED UNKN
	005251 FT	0040/0380	2 0 60032 0 00 0053+17	
		005251 FT	LENGTH(AH 2252 BK 1476)	
		0040/0000	018 "DIA	CIRC CONCR
			LEN=0050	INSTALLED UNKN
		0030/1476	015 "DIA	CIRC CONCR
			LEN=0045	INSTALLED UNKN
		0030/1353		
GRIMM ST	0030/1264		015 "DIA	CIRC CONCR
(BORO)			LEN=0380	INSTALLED UNKN
		0030/0985	018 "DIA	CIRC CONCR
			LEN=0035	INSTALLED UNKN
		0030/0608		
JAMES ST	0030/0598		SHUFFSTALL ST	
(BORO)			(BORO)	
		0030/0295	018 "DIA	CIRC CONCR
			LEN=0030	INSTALLED UNKN
		0030/0030	FRONT ST	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 155
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 12.115 MI.
LEFT MUN: SUGARCREEK B

DIST: 01-5 SR: 417
RIGHT MUN: SUGARCREEK B

2 0 60032 0 00 0038+18 003775 FT
FRONT ST
(BORO) 0030/0000

ROCKY GROVE HIGH SCHOOL
(PRDR) 0020/0516

ROCKY GROVE HIGH SCHOOL
(PRDR) 0020/0237
002571 FT

PALMER AV
(BORO) 0010/1827

000000 FT


MEADVILLE PK
(SR4006 SEG 0080/3542) 0010/0000

003775 FT (SR4002 SEG 0010/0000)
MFC BEGIN = C
0030/0000 LENGTH(AH 1476 BK 1204)
LAMBERTON ST
0020/0895 (BORO)
GILFILLAN ST
0020/0588 (BORO)
PARKER AV
(BORO)
0020/0295 015 " DIA CIRC CONCR
0020/0286 LEN=0035 INSTALLED UNKN
002571 FT 2 0 60032 0 00 0026+19
PHIPPS ST
(BORO)
0020/0000 LENGTH(AH 1204 BK 2571)
024 " DIA CIRC CONCR
0010/2347 LEN=0035 INSTALLED UNKN
PENNEL ST
(BORO)
0010/2266 036 " DIA CIRC CONCR
0010/1454 LEN=0192 INSTALLED UNKN
CEDAR ST
(BORO)
0010/1258 015 " DIA CIRC CONCR
0010/0378 LEN=0065 INSTALLED UNKN
SIGN: 3 CHORD TRUSS
0010/0289 BMSID 60/0417/0010/0289
018 " DIA CIRC CONCR
0010/0191 LEN=0060 INSTALLED UNKN
TO 4006/0080 SH
0010/0121 (CONN)
000000 FT 2 0 60032 0 00 0000+00
SECOND AV
(BORO)
NC ROCKY GROVE AV
THIRTEENTH ST
(SR0322 SEG 0261/0000)
(SR0322 SEG 0260/0000)
INTER-BK GRANT ST
(SR0322 SEG 0260/0000)
MFC BEGIN = B
0010/0000 LENGTH(AH 2571 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 154
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

139995 FT



* 139993 FT AH-CLARION (16)
REF-AHD TWENTYEIGHTH DIVISION H
0580/3026 (SR0322 SEG 0010/0000)
018 "DIA CIRC CONCR
0580/2762 LEN=0042 INSTALLED 1997

0580/0971 018 "DIA CIRC CONCR
LEN=0050 INSTALLED 1997

136969 FT

136967 FT 1 0 00065 0 01 0759+67

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 153
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

	==	5 0580/0000	PEG-A-NAL RD (T381) LENGTH(AH 3026 BK 1450)
135519 FT	--	0570/0200 135517 FT 5 0570/0000	024 "DIA CIRC CONCR LEN=0050 INSTALLED 2001 1 0 00065 0 01 0739+42 LENGTH(AH 1450 BK 2488)
	==	0560/1608	PHILLIPPI RD (T593)
133031 FT		133029 FT 5 0560/0000	1 0 00065 0 01 0714+54 LENGTH(AH 2488 BK 2293)
	==	0550/1629	BASHER RD (T594)
130738 FT	--	0550/0104 130736 FT	066 "DIA CIRC CONCR LEN=0080 INSTALLED 1997 1 0 00065 0 01 0691+78 EMLENTON RD (SR0038 SEG 0240/3594)
	--	5 0550/0000	066 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN LENGTH(AH 2293 BK 3182)
	==	0540/1202	HEPLER RD (T587)
127556 FT	--	0540/0175 127554 FT	018 "DIA CIRC CONCR LEN=0060 INSTALLED 1997 1 0 00065 0 01 0659+56
	--	5 0540/0000	015 "DIA CIRC CONCR LEN=0045 INSTALLED 1997 LENGTH(AH 3182 BK 3035)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 152
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

124521 FT

1 0 00065 0 01 0614+28 123055 FT
VAN RD
(T391) 0520/0000

0530/2264	018 "DIA CIRC CONCR LEN=0048 INSTALLED 1997
0530/1487	024 "DIA CIRC CONCR LEN=0060 INSTALLED 1997
0530/0570	048 "DIA CIRC CONCR LEN=0094 INSTALLED 1997
0530/0311	024 "DIA CIRC CONCR LEN=0120 INSTALLED 1997
124519 FT	1 0 00065 0 01 0629+41
5 0530/0000	LENGTH(AH 3035 BK 1466) 024 "DIA CIRC CONCR
0520/1200	LEN=0075 INSTALLED UNKN
0520/0582	TARKLIN HILL RD (T582)
0520/0397	LC FOR TARKLIN HILL RD (CONN)
0520/0244	018 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
0520/0229	BMS EN 60/0322/0520/0129 ROCKLAND
0520/0192	CRANBERRY T 0 0 00000 0 00 0000+00
0520/0135	E SANDY CK BMSBG 60/0322/0520/0129
0520/0127	018 "DIA CIRC CONCR LEN=0032 INSTALLED 1997
123053 FT	
5 0520/0000	LENGTH(AH 1466 BK 2931) 015 "DIA CIRC CONCR
0510/2919	LEN=0050 INSTALLED 1997
0510/2717	018 "DIA CIRC CONCR LEN=0050 INSTALLED 1997
0510/2352	015 "DIA CIRC CONCR LEN=0060 INSTALLED 1997
0510/1849	WHIPPERWILL RD (T389)
0510/1650	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1997
0510/1125	018 "DIA CIR PLASTIC LEN=0046 INSTALLED 1997
0510/0825	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 1997
0510/0525	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1997
	015 "DIA CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 151
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

1 0 00065 0 01 0585+18 120124 FT
HILL CITY RD
(SR2015 SEG 0010/0000) 0510/0000

117623 FT

114253 FT

MAPLE SHADE RD
(SR2004 SEG 0010/0000) 0480/1029

110832 FT

0510/0157 LEN=0060 INSTALLED 1997
120122 FT
0510/0000 LENGTH(AH 2931 BK 2501)
018 "DIA CIRC CONCR
0500/2170 LEN=0054 INSTALLED 1997
054 "DIA CIRC CONCR
0500/0440 LEN=0152 INSTALLED 1997
117621 FT 1 0 00065 0 01 0559+66
0500/0000 LENGTH(AH 2501 BK 3370)
015 "DIA CIRC CONCR
0490/0330 LEN=0040 INSTALLED 1997
LC TO/FROM CAREY LN
0490/0103 (CONN)
114251 FT 1 0 00065 0 01 0526+10
CAREY LN
(T652)
0490/0000 LENGTH(AH 3370 BK 3421)
024 "DIA CIRC CONCR
0480/3195 LEN=0034 INSTALLED 1997
018 "DIA CIRC CONCR
0480/2660 LEN=0042 INSTALLED 1997
018 "DIA CIR PLASTIC
0480/0037 LEN=0052 INSTALLED 1997
110830 FT 1 0 00065 0 01 0491+93
WHIPPERWILL RD
(T389)
0480/0000 LENGTH(AH 3421 BK 3496)

DIST: 01-5 SR: 322
RIGHT MUN: CRANBERRY T


EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 149
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 26.514 MI.
LEFT MUN: CRANBERRY T

DIST: 01-5 SR: 322
RIGHT MUN: CRANBERRY T

(PRDR)

0440/1427



CRANBERRY MALL
(PRDR)

0440/0497

100365 FT

1 0 00065 0 01 0357+75 097690 FT
BIG EGYPT RD
(T514)

0430/0000

095348 FT

0440/1427

0440/1330

0440/1130

0440/0595

0440/0497

0440/0383

0440/0350

100363 FT

5 0440/0000

0430/2458

0430/2384

0430/2289

0430/2250

0430/2135

0430/0430

0430/0010

097688 FT

5 0430/0000

0420/2320

0420/0831

095346 FT

5 0420/0000

0410/1950

LC TO REGINA DR

(CONN)

018 "DIA CIRC CONCR UNKN

LEN=0050 INSTALLED

LC FROM ROSS DR

(CONN)

ROSS DR

(TWP)

LC TO ROSS DR

(CONN)

024 "DIA CIRC CONCR

LEN=0060 INSTALLED 1997

1 0 00065 0 01 0384+46

LENGTH(AH 2672 BK 2675)

LC FROM HOME DEPOT DR

(CONN)

HOME DEPOT DR

(PRDR)

LC TO HOME DEPOT DR

(CONN)

015 "DIA CIRC CONCR

LEN=0050 INSTALLED UNKN

018 "DIA CIRC METAL

LEN=0115 INSTALLED UNKN

012 "DIA CIRC CONCR

LEN=0055 INSTALLED 1997

015 "DIA CIRC CONCR

LEN=0200 INSTALLED 1997

BUCKTAIL RD

(T511)

LENGTH(AH 2675 BK 2342)

015 "DIA CIRC CONCR

LEN=0200 INSTALLED 1997

018 "DIA CIRC CONCR

LEN=0052 INSTALLED 1997

1 0 00065 0 01 0334+33

LENGTH(AH 2342 BK 2276)

018 "DIA CIRC CONCR

LEN=0052 INSTALLED 1997

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 148
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

ROAD NAME	STATION	TYPE	DESCRIPTION
TANGLEWOOD DR (T510)	093072 FT	--- ---	0410/0305 015 "DIA CIRC CONCR LEN=0054 INSTALLED 1997
		--- ---	093070 FT 1 0 00065 0 01 0310+98
		5 ---	0410/0000 LENGTH(AH 2276 BK 2323)
	0400/1616	=	
		--- ---	0400/1610 018 "DIA CIRC CONCR LEN=0055 INSTALLED 1997
		--- ---	0400/1249 024 "DIA CIRC CONCR LEN=0052 INSTALLED 1997
	090749 FT		090747 FT 1 0 00065 0 01 0287+75
		5 ---	0400/0000 018 "DIA CIRC CONCR LEN=0060 INSTALLED 1997 LENGTH(AH 2323 BK 2568)
AIRES HILL RD (T484)	0390/0203	=	
	088181 FT	--- ---	0390/0089 018 "DIA CIRC CONCR LEN=0058 INSTALLED 1997
			088179 FT 1 0 00065 0 01 0262+00
		=	VICTORY CHURCH RD
		5 ---	(T512) 0390/0000 LENGTH(AH 2568 BK 3330)
		--- ---	0380/3082 018 "DIA CIRC CONCR LEN=0060 INSTALLED 1997
		--- ---	0380/2607 015 "DIA CIRC CONCR LEN=0060 INSTALLED 1997
		--- ---	0380/2188 018 "DIA CIRC CONCR LEN=0050 INSTALLED 1997
		--- ---	0380/0876 018 "DIA CIRC CONCR LEN=0060 INSTALLED 1997
	084851 FT	--- ---	0380/0384 018 "DIA CIRC CONCR LEN=0068 INSTALLED 1997
			084849 FT 1 0 00065 0 01 0228+78

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 147
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

						ASTRAL RD (T474)
					0380/0000	LENGTH(AH 3330 BK 3106)
					0370/3100	018 "DIA CIRC CONCR LEN=0055 INSTALLED 2001
					0370/0629	024 "DIA CIRC CONCR LEN=0052 INSTALLED 1997
					0370/0280	018 "DIA CIRC CONCR
081745 FT					081743 FT	LEN=0064 INSTALLED 1997 1 0 00065 0 01 0198+07
						018 "DIA CIRC CONCR
					0370/0000	LEN=0060 INSTALLED 1997
						LENGTH(AH 3106 BK 3304)
					0360/2860	018 "DIA CIRC CONCR
						LEN=0050 INSTALLED 1997
					0360/2608	024 "DIA CIRC CONCR
						LEN=0070 INSTALLED 1997
					0360/2310	018 "DIA CIRC CONCR
						LEN=0072 INSTALLED 1997
					0360/2015	018 "DIA CIR PLASTIC
						LEN=0074 INSTALLED 1997
					0360/1688	018 "DIA CIRC CONCR
						LEN=0078 INSTALLED 1997
					0360/1240	018 "DIA CIR PLASTIC
						LEN=0075 INSTALLED 1997
					0360/0865	018 "DIA CIRC CONCR
						LEN=0110 INSTALLED 1997
					0360/0466	018 "DIA CIRC CONCR
						LEN=0076 INSTALLED 1997
					0360/0086	018 "DIA CIRC CONCR
078441 FT					078439 FT	LEN=0085 INSTALLED 1997 1 0 00065 0 01 0165+03
					0360/0000	LENGTH(AH 3304 BK 1716)
						018 "DIA CIRC CONCR
					0350/1458	LEN=0070 INSTALLED 1997
						018 "DIA CIRC CONCR
					0350/1038	LEN=0170 INSTALLED 1997
OLD 322 RD (T450)					0350/0111	BMS EN 60/0322/0350/0108 1 0 00065 0 00 0147+62
						LO. 2 MI.
					0350/0088	BMS BG 60/0322/0350/0108

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 146
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

1 0 00065 0 00 0147+62 076725 FT
DEEP HOLLOW RD
(SR3025 SEG 0010/0000) 0350/0000

076723 FT

5	0350/0000	LENGTH(AH 1716 BK 3030)
	018 "DIA	CIRC CONCR
	LEN=0042	INSTALLED 1997
	015 "DIA	CIRC CONCR
	LEN=0045	INSTALLED 1997
	018 "DIA	CIRC CONCR
	LEN=0040	INSTALLED 1997
	018 "DIA	CIRC CONCR
	LEN=0050	INSTALLED 1997
	015 "DIA	CIRC CONCR
	LEN=0042	INSTALLED 1997
	024 "DIA	CIRC CONCR
	LEN=0050	INSTALLED 1997
	036 "DIA	CIR PLASTIC
	LEN=0060	INSTALLED 1997

073695 FT

5	0340/0000	1 0 00065 0 00 0117+32
	LENGTH(AH 3030 BK 2249)	
	018 "DIA	CIRC CONCR
	LEN=0263	INSTALLED UNKN
	024 "DIA	CIRC CONCR
	LEN=0058	INSTALLED 1997

071446 FT

	0330/0400	018 "DIA	CIRC METAL
		LEN=0266	INSTALLED UNKN
	071444 FT	1 0 00065 0 00 0094+61	
5	0330/0000	LENGTH(AH 2249 BK 2621)	
	024 "DIA	CIRC CONCR	
	LEN=0050	INSTALLED UNKN	
	018 "DIA	CIRC CONCR	
	LEN=0050	INSTALLED 1997	
	024 "DIA	CIRC CONCR	
	LEN=0045	INSTALLED 1997	
	018 "DIA	CIRC METAL	
	LEN=0108	INSTALLED UNKN	
	018 "DIA	CIRC CONCR	
	LEN=0050	INSTALLED UNKN	
	018 "DIA	CIRC METAL	
	LEN=0240	INSTALLED UNKN	
	018 "DIA	CIRC METAL	
	LEN=0230	INSTALLED UNKN	
	018 "DIA	CIRC CONCR	
	LEN=0050	INSTALLED 1997	
	018 "DIA	CIRC METAL	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 145
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T


BREDINSBURG RD
(SR2006 SEG 0010/0000) 0310/1971

068825 FT

066648 FT

064804 FT

WASHINGTON CROSSING
(SR0062 SEG 0301/0000)
(SR0062 SEG 0300/0000) 0300/0000
LTH AH 000100 BK 002713 064804 FT
THIRTEENTH ST 7285/0000
(SR0062 SEG 0281/0000) INTER-AHD
THIRTEENTH ST
(CITY)
LIBERTY ST
(SR0062 SEG 0281/0000)
(SR0062 SEG 0280/0000) 0261/2713
ELK ST
(CITY)




0320/0474 LEN=0189 INSTALLED UNKN
018 "DIA CIRC CONCR
0320/0285 LEN=0040 INSTALLED UNKN
068823 FT 1 0 00065 0 00 0068+40
S 0320/0000 LENGTH(AH 2621 BK 2177)
0310/1750 BMS EN 60/0322/0310/0828
NC TWENTYEIGHTH DIVISION HW
CRANBERRY
0310/0896 FRANKLIN C
1 0 00065 0 00 0050+49
ALLEGHENY R
0310/0828 BMSBG 60/0322/0310/0828
ELK ST
(CITY)
0310/0387
066646 FT 1 0 00065 0 00 0042+42
LIBERTY ST
(SR3021 SEG 0090/1993)
NC EIGHTH ST
EIGHTH ST
(CITY)
S 0310/0000 LENGTH(AH 2177 BK 1844)
NINTH ST
(CITY)
0300/1109
TENTH ST
(CITY)
0300/0324
064802 FT 1 0 00065 0 00 0023+71
NC LIBERTY ST
INTER-BK LIBERTY ST
(SR0062 SEG 0300/0000)
MFC BEGIN = B
S 0300/0000 LTH AH 001844 BK 000100
064802 FT
7282/0000 LTH AH 000100 BK 002711
INTER-AHD LIBERTY ST
(SR0062 SEG 0281/0000)
THIRTEENTH ST
(CITY)
LIBERTY ST
(SR0062 SEG 0281/0000)
(SR0062 SEG 0280/0000) 0260/2711
ELK ST
(CITY)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 144
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: FRANKLIN C RIGHT MUN: FRANKLIN C

0261/2335
OTTER ST
(CITY)
FRANKLIN ST
(CITY)
BMSID 60/0322/0260/1141
1 0 00090 0 00 0026+34
FRENCH CK.
BMSBG 60/0322/0260/1141 0261/1139
SIGN: 3 CHORD TRUSS
BMSID 60/0322/0270/0525 0261/1114
HOWARD ST
(CITY)
LC TO INTEGRA ST
(CONN)
INTEGRA ST
(CITY)
(AAR 262836S)#TRKS 01
EAST ATLANTIC AV
(CITY)
ATLANTIC AV
(SR4004 SEG 0040/2737) 0261/0584
1 0 00090 0 00 0026+34 062091 FT
SECOND AV
(BORO)
NC THIRTEENTH ST
ROCKY GROVE AV
(SR0417 SEG 0010/0000)
MEADVILLE PK
(SR4006 SEG 0080/3542)
MFC BEGIN = B
LENGTH(AH 2713 BK 2629) 0261/0000



0260/2332
OTTER ST
(CITY)
FRANKLIN ST
(CITY)
BMSID 60/0322/0260/1141
1 0 00090 0 00 0026+34
FRENCH CK.
BMSBG 60/0322/0260/1141
SIGN: 3 CHORD TRUSS
BMSID 60/0322/0270/0525
HOWARD ST
(CITY)
INTEGRA ST
(CITY)
(AAR 262836S)#TRKS 01
EAST ATLANTIC AV
(CITY)
ATLANTIC AV
(SR4004 SEG 0040/2737)
015 "DIA CIRC CONCR
LEN=0025 INSTALLED UNKN
FROM 0322/0250 SH
(CONN)
1 0 00090 0 00 0026+34
SECOND AV
(BORO)
NC THIRTEENTH ST
MONKEY RUN
STRUCTURE LENGTH 8 FT
BMSID 60/0322/0260/0000
ROCKY GROVE AV
(SR0417 SEG 0010/0000)
MEADVILLE PK
(SR4006 SEG 0080/3542)
MFC BEGIN = B
LENGTH(AH 2711 BK 2629)
TO 0322/0260 SH
(CONN)
015 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN
ORCHARD ST
(CITY)
015 "DIA CIR PLASTIC
LEN=0030 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 143
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: FRANKLIN C RIGHT MUN: FRANKLIN C

MCKENZIE AL
(CITY)

059462 FT

0240/3286

056107 FT

054842 FT

052230 FT

PINE RD

==	==	0250/0967	CENTER ST (CITY)
		059462 FT	1 0 00090 0 00 0052+79
			PINE ST (CITY)
	==	5 0250/0000	LENGTH(AH 2629 BK 3355)
	==	0240/2879	NORMAN ST (CITY)
	==	0240/2147	MISSOURI ST (CITY)
	==	0240/1107	RIESENMAN AV (CITY)
	==	0240/0450	BROWN AV (CITY)
		056107 FT	1 0 00090 0 00 0086+04
			NC GRANT ST FRANKLIN SUGARCREEK B
	--	5 0240/0000	LENGTH(AH 3355 BK 1265)
	--	0230/0590	015 "DIA CIRC CONCR LEN=0050 INSTALLED 1997
	==	0230/0488	ATLANTIC AV (SR4004 SEG 0010/0000)
	--	0230/0246	018 "DIA CIRC CONCR LEN=0040 INSTALLED 1997
	--	0230/0143	024 "DIA CIRC CONCR LEN=0060 INSTALLED 1997
		054842 FT	1 0 00090 0 00 0098+24
	5	0230/0000	LENGTH(AH 1265 BK 2612)
	--	0220/2178	018 "DIA CIRC PLASTIC LEN=0040 INSTALLED UNKN
	--	0220/1330	018 "DIA CIRC CONCR LEN=0070 INSTALLED 1997
		052230 FT	1 0 00090 0 00 0124+36
	5	0220/0000	LENGTH(AH 2612 BK 3517)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 142
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

(BORO) 0210/3160

PATCHEL RUN RD
(SR4003 SEG 0010/0000) 0210/2646

048713 FT

046147 FT

043710 FT

0210/3087 018 "DIA CIRC CONCR
LEN=0066 INSTALLED 1997

0210/2272 BMS EN 60/0322/0210/2211
1 0 00090 0 00 0137+69

0210/2222 BMSBG 60/0322/0210/2211
018 "DIA CIRC CONCR

0210/1701 LEN=0054 INSTALLED 1997

015 "DIA CAST IRON

0210/1228 LEN=0052 INSTALLED UNKN

015 "DIA CIRC CONCR

0210/0778 LEN=0045 INSTALLED UNKN

015 "DIA CIRC CONCR

0210/0283 LEN=0052 INSTALLED 2001

018 "DIA CIRC CONCR

0210/0031 LEN=0055 INSTALLED 1997

048713 FT 1 0 00090 0 00 0159+59

SUGAR CREEK DR

(SR4010 SEG 0110/2604)

0210/0000 LENGTH(AH 3517 BK 2566)

048 "H 72" W CON BOX CUL

0200/2074 LEN=0054 INSTALLED 1997

060 "DIA CIRC CONCR

0200/1800 LEN=0056 INSTALLED 1997

018 "DIA CIRC CONCR

0200/1367 LEN=0050 INSTALLED 1997

015 "DIA CIRC CONCR

0200/0270 LEN=0075 INSTALLED 1997

046147 FT 1 0 00090 0 00 0185+64

0200/0000 LENGTH(AH 2566 BK 2437)

072 "DIA CIRC CONCR

0190/1851 LEN=0052 INSTALLED 1997

015 "DIA CIRC CONCR

0190/1150 LEN=0054 INSTALLED UNKN

048 "DIA CIRC CONCR

0190/0751 LEN=0070 INSTALLED 1997

043710 FT 1 0 00090 0 00 0210+01

0190/0000 LENGTH(AH 2437 BK 3333)

036 "DIA CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 141
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

SUGARCREEK DR
(BORO)

040377 FT

0180/0000

1 0 00090 0 00 0268+46 037866 FT
MEADVILLE PK
(SR4006 SEG 0010/0000) 0170/0000

035084 FT

0180/1720	LEN=0065	INSTALLED	1997
0180/1100	048"H 95"W CON BOX CUL	LEN=0068	INSTALLED 1997
0180/1092	TRIB. SUGAR CREEK	STRUCTURE LENGTH	9 FT
	BMSID	60/0322/0180/1106	
040377 FT	1 0 00090 0 00 0243+12	SUGARCREEK DR	
	(BORO)		
0180/0000	LENGTH(AH 3333 BK 2511)		
0170/2434	BMSID 60/0322/0170/2348		
	1 0 00090 0 00 0244+04	LICK RUN	
0170/2415	BMSID 60/0322/0170/2348		
0170/1854	015 "DIA CIRC CONCR		
0170/1467	LEN=0070	INSTALLED	1997
	036 "DIA CIRC CONCR		
	LEN=0056	INSTALLED	1997
0170/0300	015 "DIA CIRC CONCR		
037866 FT	LEN=0048	INSTALLED	1997
0170/0000	LENGTH(AH 2511 BK 2782)		
0160/2622	018 "DIA CIRC CONCR		
	LEN=0058	INSTALLED	2001
0160/1730	024 "DIA CIRC CONCR		
	LEN=0062	INSTALLED	2001
0160/0999	018 "DIA CIRC METAL		
	LEN=0050	INSTALLED	2001
0160/0768	015 "DIA CIRC METAL		
	LEN=0042	INSTALLED	2001
035084 FT	1 0 00090 0 00 0295+29		
0160/0000	LENGTH(AH 2782 BK 2311)		
0150/2040	024 "DIA CIRC CONCR		
	LEN=0068	INSTALLED	1997
0150/0760	036"H 72"W CON BOX CUL		
	LEN=0050	INSTALLED	1997
0150/0295	036 "DIA CIRC CONCR		
	LEN=0072	INSTALLED	1997

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 140
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

1 0 00090 0 00 0318+00 032773 FT
SR 9102 SH
(SR9102 SEG 0010/0000) 0150/0000

COOPERSTOWN RD
(SR0427 SEG 0010/0000) 0140/2116
TO 0427/0010 SH
(CONN) 0140/1948

030373 FT

BAKER RD
(T346)

0130/0663

027873 FT

032773 FT

5 0150/0000 LENGTH(AH 2311 BK 2400)
018 "DIA CIRC CONCR
0140/2350 LEN=0055 INSTALLED 2001
0140/2116 LOG CABIN DR
(PRDR)

0140/1405 BMS EN 60/0322/0140/0809
018 "DIA CIRC PLASTIC
0140/1142 LEN=0024 INSTALLED 2016
1 0 00207 0 00 0016+73
SUGAR CREEK

0140/0809 BMS BG 60/0322/0140/0809
018 "DIA CIRC CONCR
0140/0742 LEN=0040 INSTALLED 1997
MCCLEERY RD

0140/0715 (BORO)
018 "DIA CIRC CONCR
0140/0397 LEN=0040 INSTALLED 1997
018 "DIA CIRC CONCR

0140/0047 LEN=0044 INSTALLED 1997
030373 FT 1 0 00207 0 00 0024+82
5 0140/0000 LENGTH(AH 2400 BK 2500)

018 "DIA CIRC CONCR
0130/2177 LEN=0042 INSTALLED 1997
024 "DIA CIRC CONCR

0130/1833 LEN=0042 INSTALLED 1997
024 "DIA CIRC CONCR
0130/1497 LEN=0035 INSTALLED 1997

018 "DIA CIRC CONCR
0130/0397 LEN=0110 INSTALLED 1997
018 "DIA CIRC CONCR

0130/0207 LEN=0076 INSTALLED 1997
027873 FT 1 0 00207 0 00 0049+57
SUGAR CREEK
CANAL T

5 0130/0000 LENGTH(AH 2500 BK 2511)
BR. WARDEN
STRUCTURE LENGTH 11 FT
0120/2234 BMS ID 60/0322/0120/2209

018 "DIA CIRC CONCR
0120/1135 LEN=0130 INSTALLED 1997
018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 26.514 MI.
LEFT MUN: CANAL T

DIST: 01-5 SR: 322
RIGHT MUN: CANAL T

1 0 00207 0 00 0102+32 022631 FT
FOSTER RD
(T549) 0110/0000

OLD ROUTE 322 RD
(T354)

025362 FT

020355 FT

017848 FT

0080/0385

```

0120/0670  LEN=0116  INSTALLED 1997
018 "DIA CIRC CONCR
0120/0300  LEN=0060  INSTALLED 1997
025362 FT  1 0 00207  0 00 0075+00
0120/0000  LENGTH(AH 2511 BK 2731)

```

```

0110/1554 WOOD RD
              (T348)
0110/1282 018 "DIA CIRC CONCR
              LEN=0064 INSTALLED 1997

```

BR. WARDEN
STRUCTURE LENGTH 10 FT
0110/0645 BMSID 60/0322/0110/0643

```

0110/0037 018 "DIA CIRC CONCR
022631 FT LEN=0090 INSTALLED 2001
          UTICA RD
          (SR3017 SEG 0210/3643)
0110/0000 LENGTH(AH 2731 BK 2276)

```

0100/0363	018 "DIA	CIN	C	C	C	C	2017
	LEN=052	I	R	S	T	A	
0100/0025	018 "DIA	C	I	N	S	T	2017
	LEN=058	I	R	S	T	A	
020355 FT	100207	I	R	S	T	A	2017
0100/0000	LENGTH(AH	0	0	0	0	0	24064
		2	2	7	6	1	2507)

```

      WARDEN RUN
      STRUCTURE LENGTH 23 FT
      BMSID 60/0 322/0090/0252
      1 0 00207 0 00 0150+14
      LENGTH(AH 2507 BK 2295)

```

0080/0385 BOUGHNER HILL RD
(T336)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 138
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: CANAL T RIGHT MUN: CANAL T

DECKARDS RUN RD
(SR4005 SEG 0010/0000) 0070/0976
OLD FRANKLIN PK
(SR9103 SEG 0010/0000) 0070/0407
1 0 00207 0 00 0195+80 013273 FT
FRANKLIN PK
(SR4012 SEG 0050/1482) 0070/0000

LONG RD
(T339) 0060/1322

010840 FT

008340 FT

006184 FT

0080/0173

0080/0166

015553 FT

0080/0000

0070/1734

013273 FT

0070/0000

0060/1322

0060/1260

0060/1124

010840 FT

0060/0000

0050/0890

0050/0498

0050/0347

008340 FT

0050/0000

0040/2153

018 "DIA CIRC CONCR
LEN=0084 INSTALLED 2017
OLD ROUTE 322 RD

(T354)
1 0 00207 0 00 0173+00
LENGTH(AH 2295 BK 2280)
024 "DIA CIRC CONCR
LEN=0066 INSTALLED 2017

GROVE RD
(T338)
018 "DIA CIRC CONCR
LEN=0064 INSTALLED 2017
CANAL RUN
STRUCTURE LENGTH 10 FT
BMSID 60/0322/0060/1098

1 0 00207 0 00 0220+26
LENGTH(AH 2433 BK 2500)

018 "DIA CIRC METAL
LEN=0070 INSTALLED 2017
018 "DIA CIRC CONCR
LEN=0066 INSTALLED 2017
018 "DIA CIRC CONCR
LEN=0065 INSTALLED 2017
1 0 00207 0 00 0245+26
LENGTH(AH 2500 BK 2156)
018 "DIA CIRC CONCR
LEN=0007 INSTALLED 2017

006184 FT 1 0 00207 0 00 0266+68

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 137
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: CANAL T RIGHT MUN: CANAL T

BATTLES RD
(T322)

0040/0000

== ==

5 0040/0000

BATTLES RD
(T322)
LENGTH(AH 2156 BK 1875)

004309 FT

-- --

0030/0800

048 "DIA CIRC CONCR
LEN=0076 INSTALLED 1997

-- --

0030/0530

024 "DIA CIRC CONCR
LEN=0076 INSTALLED 1997

004309 FT

1 0 00207 0 00 0285+46

096"H 84"W **UNKNOWN**

LEN=0200 INSTALLED 1997

MC CUNE RUN

STRUCTURE LENGTH 7 FT

BMSID 60/0322/0020/2224

== ==

5 0030/0000

LENGTH(AH 1875 BK 2243)

-- --

0020/1471

018 "DIA CIRC CONCR
LEN=0057 INSTALLED 1997

-- --

0020/1168

018 "DIA CIRC CONCR
LEN=0055 INSTALLED 2017

-- --

0020/0521

024 "DIA CIRC CONCR
LEN=0095 INSTALLED 1997

== ==

0020/0371

RICE RD
(T310)

002066 FT

-- --

0020/0131

048 "DIA CIRC CONCR
LEN=0066 INSTALLED 1997

002066 FT

1 0 00207 0 00 0307+71

== ==

5 0020/0000

LENGTH(AH 2243 BK 2066)

-- --

0010/1555

FISH RD
(T308)

-- --

0010/1547

018 "DIA CIRC CONCR
LEN=0035 INSTALLED 1997

-- --

0010/1522

018 "DIA CIRC CONCR
LEN=0058 INSTALLED 2017

W 0010/1501

RWIS SITE/

-- --

0010/0753

018 "DIA CIRC CONCR
LEN=0055 INSTALLED 2017

-- --

0010/0097

018 "DIA CIRC CONCR
LEN=0060 INSTALLED 1997

000000 FT

000000 FT

1 0 00207 0 00 0328+47

* REF-BK

NC TWENTYEIGHTH DIVISION HW

TWENTYEIGHT DIVISION HW

(SRO322 SEG 0060/1985)

MFC BEGIN = B

BK-MERCER (43)

== ==


5 0010/0000

LENGTH(AH 2066 BK 0000)

DIR: B TOTAL LEN: 7.911 MI. DIST: 01-5 SR: 308
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

RAMP D RD
(SR8014 SEG 0250/0000) 0170/1554

039191 FT



0160/0818 BUILLION RUN
STRUCTURE LENGTH 11 FT
BMSID 60/0308/0160/0847

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 135
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.911 MI. DIST: 01-5 SR: 308
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

1 0 00428 0 01 0275+67 037597 FT
WHIELDON RD
(T367) 0160/0000

1 0 00428 0 01 0243+44 034385 FT
BLAIR RD
(T347) 0150/0000

030978 FT

0160/0522	018 "DIA CIRC CONCR LEN=0018 INSTALLED UNKN
0160/0020 037597 FT	024 "DIA CIRC CONCR LEN=0020 INSTALLED UNKN
5 0160/0000	LENGTH(AH 1594 BK 3212)
0150/2534	015 "DIA CIRC CONCR LEN=0014 INSTALLED UNKN
0150/1467	015 "DIA CIRC CONCR LEN=0018 INSTALLED UNKN
0150/0754	024 "DIA CIRC CONCR LEN=0018 INSTALLED UNKN
0150/0526	015 "DIA CIRC CONCR LEN=0018 INSTALLED UNKN
0150/0417 034385 FT	048"H 48"W CON BOX CUL LEN=0018 INSTALLED UNKN
5 0150/0000	LENGTH(AH 3212 BK 3407)
0140/3360	024 "DIA CIRC CONCR LEN=0018 INSTALLED UNKN
0140/2789	IRWIN CLINTON T
0140/1536	015 "DIA CIRC CONCR LEN=0014 INSTALLED UNKN
0140/1270	036"H 60"W CON BOX CUL LEN=0018 INSTALLED UNKN
0140/1035	024 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
0140/0355 030978 FT	015 "DIA CIRC CONCR LEN=0016 INSTALLED UNKN
5 0140/0000	1 0 00428 0 01 0209+80 LENGTH(AH 3407 BK 2591)
0130/2410	015 "DIA CIRC CONCR LEN=0014 INSTALLED UNKN
0130/0975	024"H 48"W CON BOX CUL LEN=0016 INSTALLED UNKN BULLION RD

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 134
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.911 MI. DIST: 01-5 SR: 308
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

1 0 00428 0 01 0183+90 028387 FT
BURNS RD
(T335) 0130/0000

024894 FT

022276 FT

Station	Length	Material	Notes
0130/0966		(T354) SUMMIT CITY RD	
0130/0915		(T349) 036" DIA CIRC CONCR	LEN=0016 INSTALLED UNKN
0130/0202		018" DIA CIRC CONCR	LEN=0014 INSTALLED UNKN
028387 FT			
0130/0000		LENGTH(AH 2591 BK 3493)	
0120/3025		015" DIA CIRC CONCR	LEN=0014 INSTALLED UNKN
0120/2625		TIFFANY LANE (PRDR)	
0120/2050		015" DIA CIRC CONCR	LEN=0014 INSTALLED UNKN
0120/2018		KENNERDELL RD (SR3008 SEG 0010/0000)	
0120/1689		015" DIA CIRC CONCR	LEN=0014 INSTALLED UNKN
0120/0968		015" DIA CIRC CONCR	LEN=0014 INSTALLED UNKN
0120/0410		015" DIA CIRC CONCR	LEN=0018 INSTALLED UNKN
0120/0094		015" DIA CIRC CONCR	LEN=0018 INSTALLED UNKN
024894 FT			
0120/0000		LENGTH(AH 3493 BK 2618)	
0110/2460		015" DIA CIRC CONCR	LEN=0016 INSTALLED UNKN
0110/1915		015" DIA CIRC CONCR	LEN=0012 INSTALLED UNKN
0110/1396		015" DIA CIRC CONCR	LEN=0016 INSTALLED UNKN
0110/0876		018" DIA CIRC CONCR	LEN=0018 INSTALLED UNKN
0110/0541		060"H 72"W ELLIP METAL	LEN=0014 INSTALLED UNKN
022276 FT			
0110/0000		LENGTH(AH 2618 BK 3405)	
0100/3007		018" DIA CIR PLASTIC	LEN=0015 INSTALLED UNKN
0100/2669		015" DIA CIRC CONCR	LEN=0034 INSTALLED UNKN
0100/2217		015" DIA CIR PLASTIC	LEN=0030 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 133
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.911 MI. DIST: 01-5 SR: 308
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

DOG HOLLOW RD
(T325)

0100/1317

018871 FT

016388 FT

012830 FT

VILLAGE ACRES RD

0100/1830	018 "DIA CIR PLASTIC LEN=0015 INSTALLED 2007
0100/1516	018 "DIA CIR PLASTIC LEN=0020 INSTALLED 2007
0100/1329	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 2007
0100/0000	018871 FT 1 0 00428 0 01 0089+14 LENGTH(AH 3405 BK 2483) 018 "DIA CIR PLASTIC LEN=0014 INSTALLED UNKN
0090/2182	018 "DIA CIR PLASTIC LEN=0045 INSTALLED UNKN
0090/1239	018 "DIA CIR PLASTIC LEN=0016 INSTALLED UNKN
0090/0600	018 "DIA CIR PLASTIC LEN=0016 INSTALLED UNKN
0090/0000	016388 FT 1 0 00428 0 01 0064+35 NC SR 0308 SH LENGTH(AH 2483 BK 3558)
0080/2201	SCRUBGRASS STRUCTURE LENGTH 46 FT BMSID 60/0308/0080/2216
0080/1156	CLINTON CLINTONVILLE B DONALDSON RD (T327)
0080/1081	036 "DIA CIRC CONCR LEN=0014 INSTALLED UNKN
0080/0689	015 "DIA CIRC CONCR LEN=0020 INSTALLED UNKN
0080/0061	012830 FT 1 0 00428 0 00 0027+64 LENGTH(AH 3558 BK 1895)

DIST: 01-5 SR: 308
RIGHT MUN: CLINTONVILLE B

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 131
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 7.911 MI. DIST: 01-5 SR: 308
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

FROM 8008/0010 SH
(CONN)

0030/0843

RAMP B RD
(SR8008 SEG 0010/0811) 0030/0698


2 0 60005 0 00 0053+08 005301 FT

HOVIS RD
(T305)

0030/0000

003099 FT

000000 FT



0030/0914 SR 0080 E/W
BMSBG 60/0308/0030/0914

0030/0833 TO 8008/0750 SH
(CONN)
0030/0742 RAMP C RD
(SR8008 SEG 0750/0000)

005301 FT

0030/0000 LENGTH(AH 1654 BK 2202)
018 "DIA CIR PLASTIC
0020/2125 LEN=0015 INSTALLED UNKN

0020/1322 018 "DIA CIR PLASTIC
LEN=0014 INSTALLED UNKN
0020/1284 018 "DIA CIR PLASTIC
LEN=0016 INSTALLED UNKN

0020/0370 018 "DIA CIR PLASTIC
LEN=0014 INSTALLED 2008
003099 FT 2 0 60005 0 00 0031+07

0020/0000 EAU CLAIRE RD
(SR3010 SEG 0010/0000)
0010/3099 LENGTH(AH 2202 BK 3099)
015 "DIA CIR PLASTIC
LEN=0050 INSTALLED 2014
0010/2601 015 "DIA CIR PLASTIC
LEN=0014 INSTALLED UNKN

0010/1232 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN

0010/0392 018 "DIA CIR PLASTIC
LEN=0012 INSTALLED UNKN
0010/0390 018 "DIA CIR PLASTIC
LEN=0012 INSTALLED UNKN
000000 FT 2 0 60005 0 00 0000+00


* REF-BK SR 0308 SH
(SR0308 SEG 0410/2257)
MFC BEGIN = D
BK-BUTLER (10)
0010/0000 LENGTH(AH 3099 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 130
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: .623 MI. DIST: 01-5 SR: 268
 LEFT MUN: EMLENTON B RIGHT MUN: EMLENTON B

003292 FT

002015 FT

000000 FT



003292 FT
INTER-AHD

0020/1277

0020/1225

0020/0987

0020/0644

0020/0370

0020/0050

002015 FT

5

0020/0000

0010/1782

0010/1582

0010/1546

0010/1250

0010/0933

0010/0641

0010/0410

0010/0342

000000 FT

0010/0000

*


REF-BK

SR 0038 SH
 (SR0038 SEG 0056/0000)
 SR 0038 SH
 (SR0038 SEG 0056/0000)
 024 "DIA CIRC CONCR
 LEN=0060 INSTALLED 2017
 024 "DIA CIRC CONCR
 LEN=0031 INSTALLED 2017
 024 "DIA CIRC CONCR
 LEN=0041 INSTALLED 2017
 018 "DIA CIRC CONCR
 LEN=0040 INSTALLED 1996
 012 "DIA CIRC CONCR
 LEN=0065 INSTALLED 1996
 1 0 00704 0 00 0021+09
 LENGTH(AH 1277 BK 2015)
 018 "DIA CIRC METAL
 LEN=0036 INSTALLED 1996
 EMLENTON
 018 "DIA CIRC METAL
 LEN=0040 INSTALLED 1996
 018 "DIA CIRC METAL
 LEN=0034 INSTALLED 1996
 018 "DIA CIRC METAL
 LEN=0045 INSTALLED 1996
 018 "DIA CIRC METAL
 LEN=0042 INSTALLED 1996
 SR0080 EB
 OP ID 16/0080/0442/0000
 018 "DIA CIRC METAL
 LEN=0040 INSTALLED 1996
 1 0 00704 0 00 0000+00
 NC SR 0268 SH
 (SR0268 SEG 0300/2392)
 MFC BEGIN = C
 BK-BUTLER (10)
 LENGTH(AH 2015 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 129
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: 5.100 MI. DIST: 01-5 SR: 257
 LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

026929 FT

025879 FT



026929 FT
 INTER-AHD

0120/1050

0120/0968

0120/0484

0120/0318

025879 FT



0120/0000

SECOND ST
 (SR0062 SEG 0520/0000)
 RIVERSIDE DR
 (SR0062 SEG 0520/0000)

OIL CITY
 CRANBERRY T
 018 "DIA CIRC CONCR
 LEN=0060 INSTALLED 1997
 015 "DIA CIR PLASTIC
 LEN=0060 INSTALLED 1997
 1 1 00056 0 00 0052+94
 LENGTH(AH 1050 BK 2109)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 128
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.100 MI. DIST: 01-5 SR: 257
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

Station	Length	Material	Notes
023770 FT	0110/0830	018 "DIA CIRC PLASTIC	LEN=0060 INSTALLED 1997
023770 FT	0110/0000	1 1 00056 0 00 0009+13 021501 FT	LENGTH(AH 2109 BK 2269)
0100/1961	018 "DIA CIRC CONCR	LEN=0055 INSTALLED UNKN	
0100/1747	024 "DIA CIRC CONCR	LEN=0060 INSTALLED UNKN	
0100/1307	015 "DIA CIRC CONCR	LEN=0060 INSTALLED UNKN	
0100/0985	024 "DIA CIRC CONCR	LEN=0060 INSTALLED UNKN	
0100/0750	036 "DIA CIRC CONCR	LEN=0060 INSTALLED UNKN	
0100/0240	EAST AV	(PRDR)	
021501 FT	0100/0000	LENGTH(AH 2269 BK 1237)	
0090/0794	018 "DIA CIRC CONCR	LEN=0050 INSTALLED UNKN	
0090/0505	ACORN DR	(PRDR)	
0090/0463	018 "DIA CIRC CONCR	LEN=0040 INSTALLED UNKN	
0090/0236	018 "DIA CIRC CONCR	LEN=0050 INSTALLED UNKN	
020264 FT	1 1 00056 0 00 0000+00	LENGTH(AH 1237 BK 1759)	
0090/0000	018 "DIA CIRC CONCR	LEN=0042 INSTALLED UNKN	
0080/1573	024 "DIA CIRC CONCR	LEN=0040 INSTALLED UNKN	
0080/1108	SHORT ST	(PRDR)	
0080/0915	018 "DIA CIRC CONCR	LEN=0050 INSTALLED UNKN	
0080/0815	018 "DIA CIRC CONCR	LEN=0040 INSTALLED UNKN	
0080/0574	018 "DIA CIRC CONCR	LEN=0040 INSTALLED UNKN	
0080/0149	018 "DIA CIRC CONCR	LEN=0040 INSTALLED UNKN	
018505 FT	1 1 00190 0 00 0185+20	JOHNSTONE RD	(T665)

1 1 00056 0 00 0009+13 021501 FT
INNIS ST ET
(SR2027 SEG 0010/0000) 0100/0000

LITTLE EGYPT RD
(T664) 0080/1529

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 127
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.100 MI. DIST: 01-5 SR: 257
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

FLETCHER LN
(TWP)

0070/1798

016477 FT

GATEFIELD RD
(TWP)

0060/1273

1 1 00190 0 00 0135+20 013523 FT
BREDINSBURG RD
(SR2006 SEG 0130/0000) 0060/0000

5	0080/0000	LENGTH(AH 1759 BK 2028)
	018 "DIA	CIRC CONCR
	0070/1968	LEN=0052 INSTALLED UNKN
	015 "DIA	CIRC CONCR
	0070/1809	LEN=0040 INSTALLED UNKN
	018 "DIA	CIRC CONCR
	0070/1462	LEN=0040 INSTALLED UNKN
	018 "DIA	CIRC CONCR
	0070/1114	LEN=0045 INSTALLED UNKN
	015 "DIA	CIRC CONCR
	0070/0798	LEN=0040 INSTALLED UNKN
	MAIN ST	
	0070/0622	(T668)
	015 "DIA	CIRC CONCR
	0070/0495	LEN=0070 INSTALLED UNKN
	018 "DIA	CIRC CONCR
	0070/0284	LEN=0042 INSTALLED UNKN
	024 "DIA	CIRC CONCR
	0070/0113	LEN=0040 INSTALLED UNKN
	016477 FT	1 1 00190 0 00 0164+74
5	0070/0000	LENGTH(AH 2028 BK 2954)
	018 "DIA	CIRC CONCR
	0060/2778	LEN=0042 INSTALLED UNKN
	018 "DIA	CIRC CONCR
	0060/2472	LEN=0042 INSTALLED UNKN
	015 "DIA	CIRC CONCR
	0060/2219	LEN=0045 INSTALLED UNKN
	SUGARBUSH DR	
	0060/1549	(PRDR)
	018 "DIA	CIRC CONCR
	0060/0868	LEN=0050 INSTALLED UNKN
	018 "DIA	CIRC CONCR
	0060/0442	LEN=0042 INSTALLED UNKN
	018 "H 30" W	ELLIP METAL
	0060/0255	LEN=0040 INSTALLED UNKN
	STATE RD	
	013523 FT	(SR2006 SEG 0130/0000)
5	0060/0000	LENGTH(AH 2954 BK 1983)
	018 "DIA	CIRC CONCR
	0050/1465	LEN=0048 INSTALLED 1997
	018 "DIA	CIRC CONCR
	0050/1230	LEN=0040 INSTALLED 1997
	018 "DIA	CIRC CONCR
	0050/0802	LEN=0040 INSTALLED 1997

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 126
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.100 MI. DIST: 01-5 SR: 257
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

1 1 00190 0 00 0115+40 011540 FT	0050/0339	018 "DIA CIRC CONCR
RANCH ST	011540 FT	LEN=0040 INSTALLED 1997
(T658)	0050/0000	LENGTH(AH 1983 BK 2532)
	0040/2146	015 "DIA CIRC CONCR
	0040/1732	LEN=0045 INSTALLED UNKN
QUAKER DR		MEADOW RD
(T675)	0040/1530	(T435)
	0040/1500	018 "DIA CIRC CONCR
	0040/1168	LEN=0040 INSTALLED UNKN
	0040/0730	024 "DIA CIRC CONCR
AIRPORT RD	0040/0317	LEN=0045 INSTALLED UNKN
(T669)	0040/0186	024 "DIA CIRC CONCR
	0040/0060	LEN=0042 INSTALLED UNKN
	009008 FT	MAIN ST
	0040/0000	(T668)
	0030/3479	036"H 72"W CON BOX CUL
		LEN=0070 INSTALLED UNKN
		018 "DIA CIRC CONCR
		LEN=0050 INSTALLED UNKN
		1 1 00190 0 00 0087+58
		LENGTH(AH 2532 BK 3616)
		HOVIS LN
		(PRDR)
	0030/2803	018 "DIA CIRC CONCR
	0030/2304	LEN=0040 INSTALLED UNKN
	0030/2000	018 "DIA CIRC CONCR
CHAMOR LN	0030/1703	LEN=0040 INSTALLED UNKN
(PRDR)	0030/1694	018 "DIA CIRC CONCR
	0030/1671	LEN=0042 INSTALLED UNKN
	0030/1581	ALLAMAN LN
	0030/1413	(PRDR)
	0030/1277	BMSSEN 60/0257/0030/1604
	0030/1024	0 0 00000 0 00 0000+00
EDUCATION DR		LOWER 2 MI.
(GOVT)		BMSBG 60/0257/0030/1604
		015 "DIA CIRC CONCR
		LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
		LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
		LEN=0040 INSTALLED UNKN
		015 "DIA CIRC CONCR


EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 125
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.100 MI. DIST: 01-5 SR: 257
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

		0030/0680	LEN=0040	INSTALLED UNKN
			015 "DIA	CIRC CONCR
	005392 FT	0030/0010	LEN=0040	INSTALLED UNKN
		005392 FT	1 1 00190	0 00 0054+68
			SALINA RD	
			(T670)	
		0030/0000	LENGTH(AH	3616 BK 2932)
			024 "DIA	CIRC CONCR
		0020/2377	LEN=0045	INSTALLED 1997
CLARK DR (PRDR)	0020/2318			
			018 "DIA	CIRC METAL
		0020/1972	LEN=0040	INSTALLED UNKN
			FAIRFIELD DR	
			(T687)	
PARKER DR (PRDR)	0020/1420			
		0020/1420		
		0020/1343		LC TO FAIRFIELD DR (CONN)
			018 "DIA	CIRC CONCR
	002460 FT	0020/0515	LEN=0045	INSTALLED UNKN
		002460 FT	1 1 00190	0 00 0024+81
		0020/0000	LENGTH(AH	2932 BK 2460)
			030 "DIA	CIRC CONCR
		0010/2459	LEN=0045	INSTALLED UNKN
			FELMLEE LN	
			(T685)	
		0010/2432		
		0010/2265	036 "DIA	CIRC CONCR
			LEN=0040	INSTALLED 1997
		0010/1982	018 "DIA	CIRC CONCR
			LEN=0044	INSTALLED 1997
SINGH DR (T663)	0010/1621			
		0010/1457	015 "DIA	CIRC CONCR
			LEN=0050	INSTALLED UNKN
			HOSS DR	
			(T667)	
CRANBERRY MALL (PRDR)	0010/0518			
	000000 FT	0010/0518	1 1 00190	0 00 0000+00
		000000 FT	NC SA	LINA RD
				TWENTY DIVISION HW
			(SR0322	SEG 0450/0000)
		INTER-BK	ROCKLAND	CRANBERRY RD
			(SR2013	SEG 0140/3249)
			MFC BEGIN	= B
		0010/0000	LENGTH(AH	2460 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 124
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: 15.554 MI. DIST: 01-5 SR: 227
 LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T

082127 FT



* 082127 FT AH-FOREST (27)
 REF-AHD NEILLTOWN RD
 0330/2446 (SR0227 SEG 0010/0000)
 0330/1888 BMSBN 60/0227/0330/1869
 1 0 00511 0 00 0005+72
 NEILLTOWN CK
 0330/1869 BMSBG 60/0227/0330/1869

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 123
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 15.554 MI. DIST: 01-5 SR: 227
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T

TANNER RD
(T650)

0330/0449

==

079681 FT

0330/0200 018 "DIA CIR PLASTIC
079681 FT LEN=0055 INSTALLED 2015
5 0330/0000 1 0 00511 0 00 0024+74
LENGTH(AH 2446 BK 2875)

1 0 00511 0 00 0053+24 076806 FT
DEAN RD
(T649)

0320/0000

==

0320/1564 018 "DIA CIR PLASTIC
LEN=0060 INSTALLED 1999

0320/0884 024 "DIA CIR PLASTIC
LEN=0050 INSTALLED UNKN

0320/0175 048 "DIA CIR PLASTIC
LEN=0050 INSTALLED UNKN

0320/0168 048 "DIA CIR PLASTIC
076806 FT LEN=0050 INSTALLED UNKN

5 0320/0000 LENGTH(AH 2875 BK 2187)
OTTO RD
(T648)

0310/1950 018 "DIA CIR PLASTIC
LEN=0050 INSTALLED UNKN

0310/1413 018 "DIA CIR PLASTIC
LEN=0045 INSTALLED UNKN

0310/0985 018 "DIA CIR PLASTIC
LEN=0045 INSTALLED UNKN

0310/0514 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN

074619 FT

5 0310/0068 018 "DIA CIR PLASTIC
074619 FT LEN=0040 INSTALLED UNKN
1 0 00511 0 00 0075+26
5 0310/0000 LENGTH(AH 2187 BK 2066)

1 0 00511 0 00 0095+64 072553 FT
BURROWS RD
(T636)

0300/0000

==

0300/0416 018 "DIA CIR PLASTIC
072553 FT LEN=0038 INSTALLED 1999

5 0300/0000 LENGTH(AH 2066 BK 2905)

0290/2110 018 "DIA CIR PLASTIC
LEN=0035 INSTALLED 2018

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 122
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 15.554 MI. DIST: 01-5 SR: 227
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T

069648 FT	0290/0550	018 "DIA CIR PLASTIC
	069648 FT	LEN=0034 INSTALLED 1999
	5 0290/0000	1 0 00511 0 00 0124+90
		LENGTH(AH 2905 BK 2466)
	0280/1435	015 "DIA CIR PLASTIC
		LEN=0035 INSTALLED UNKN
	0280/1114	018 "DIA CIR PLASTIC
		LEN=0035 INSTALLED UNKN
067182 FT	067182 FT	1 0 00511 0 00 0151+83
		ALLEGHENY
	5 0280/0000	PLEASANTVILLE B
		LENGTH(AH 2466 BK 2292)
	0270/1934	018 "DIA CIR PLASTIC
		LEN=0040 INSTALLED UNKN
064890 FT	0270/0568	024 "DIA CIR PLASTIC
	064890 FT	LEN=0034 INSTALLED UNKN
	5 0270/0000	1 0 00511 0 00 0175+31
		LENGTH(AH 2292 BK 1856)
063034 FT	0260/0251	MAPLE ST
	063034 FT	(BORO)
		1 0 00511 0 00 0193+23
		CEMETARY RD
		(BORO)
	NC NE	ILLTOWN RD
		PLEASANTVILLE
		OIL CREEK T
	5 0260/0000	LENGTH(AH 1856 BK 1280)
	0250/0801	018 "DIA CIRC METAL
		LEN=0030 INSTALLED UNKN
	0250/0783	SCHOOL ST
		(BORO)
BANK ST (BORO)	0250/0392	
	0250/0360	018 "DIA CIRC CONCR
		LEN=0030 INSTALLED UNKN
		018 "DIA CIRC METAL

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 121
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 15.554 MI. DIST: 01-5 SR: 227
LEFT MUN: OIL CREEK T RIGHT MUN: OIL CREEK T

1 0 00511 0 00 0204+16 061754 FT
MAIN ST
(SR0027 SEG 0250/0000) 0250/0000
061754 FT
MERRICK ST
(SR1008 SEG 0010/0000)
STATE ST
(SR0027 SEG 0220/0000) 0240/2489
PENNDOT STOCKPILE YD #1
(GOVT) 0240/1821

059265 FT

2 0 60050 0 00 0198+91 056741 FT
SR 1013 SH
(SR1013 SEG 0010/0000)
BRYNER RD
(T653) 0230/0000

053919 FT

0250/0029 LEN=0028 INSTALLED UNKN
061754 FT IRD ST
INTER-BK MAIN ST
(SR0027 SEG 0250/0000)
5 0250/0000 LTH AH 001280 BK 000100
061754 FT
7244/0000 LTH AH 000100 BK 002489
INTER-AHD STATE ST
0240/2489 (SR0027 SEG 0220/0000)

0240/1006 018 "DIA CIR PLASTIC
LEN=0035 INSTALLED UNKN

5 059265 FT 2 0 60050 0 00 0233+62
0240/0000 LENGTH(AH 2489 BK 2524)

0230/1469 024 "DIA CIR PLASTIC
LEN=0035 INSTALLED UNKN

056741 FT

5 0230/0000 LENGTH(AH 2524 BK 2822)

0220/1214 024 "DIA CIR PLASTIC
LEN=0045 INSTALLED 2015
0220/0827 018 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN

5 053919 FT 2 0 60050 0 00 0170+41
0220/0000 LENGTH(AH 2822 BK 2627)

0210/2430 018 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN

0210/1345 018 "DIA CIR PLASTIC
LEN=0035 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 120
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 15.554 MI. DIST: 01-5 SR: 227
LEFT MUN: OIL CREEK T RIGHT MUN: OIL CREEK T

051292 FT	--	0210/0065	012 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
	==	051292 FT	2 0 60050 0 00 0144+35 SHAMBURG RD (T655)
		5 0210/0000	LENGTH(AH 2627 BK 2719)
2 0 60050 0 00 0117+36 048573 FT	--	0200/0010	024 "DIA CIR PLASTIC LEN=0034 INSTALLED UNKN
FLEMING RD (T637)	==	048573 FT	
0200/0000		5 0200/0000	LENGTH(AH 2719 BK 2284)
046289 FT	--	0190/0911	018 "DIA CIR PLASTIC LEN=0037 INSTALLED UNKN
	==	046289 FT	2 0 60050 0 00 0094+57 COE RD (T639)
		5 0190/0000	LENGTH(AH 2284 BK 1522)
2 0 60050 0 00 0079+32 044767 FT	--	0180/0668	015 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
MILLER FARM RD (T635)	==	0180/0333	015 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN
0180/0000		044767 FT	
		5 0180/0000	LENGTH(AH 1522 BK 2905)
	--	0170/2851	018 "DIA CIR PLASTIC LEN=0035 INSTALLED UNKN
	--	0170/1460	018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN
	--	0170/1088	018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 119
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 15.554 MI. DIST: 01-5 SR: 227
LEFT MUN: OIL CREEK T RIGHT MUN: OIL CREEK T

041862 FT		041862 FT	2 0 60050 0 00 0049+85
		5 0170/0000	LENGTH(AH 2905 BK 2547)
	---	0160/1272	018 "DIA CIRC CONCR LEN=0035 INSTALLED 1998
	---	0160/0470	018 "DIA CIRC CONCR LEN=0034 INSTALLED UNKN
039315 FT		5 039315 FT	2 0 60050 0 00 0024+38
		5 0160/0000	LENGTH(AH 2547 BK 2438)
	---	0150/1908	018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN
	---	0150/0710	018 "DIA CIRC CONCR LEN=0035 INSTALLED 1998
036877 FT		036877 FT	2 0 60050 0 00 0000+00
	---	5 0150/0000	OIL CREEK CORNPLANTER T LENGTH(AH 2438 BK 2108)
	---	0140/2108	015 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
	---	0140/1682	036 "DIA CIRC CONCR LEN=0035 INSTALLED 1998
	---	0140/0714	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2018
1 1 02092 0 00 0148+98 034769 FT		034769 FT	
RUSSELL CORNERS RD	==	5 0140/0000	LENGTH(AH 2108 BK 2557)
(T601)		0130/2338	OLD WARREN PIKE (T604)
0140/0000	==	0130/1569	OLD WARREN PIKE (T604)
	---	0130/1140	015 "DIA CIR PLASTIC LEN=0038 INSTALLED 1998
032212 FT		032212 FT	1 1 02092 0 00 0125+47
	---	5 0130/0000	LENGTH(AH 2557 BK 3181)
		0120/2647	015 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
			018 "DIA CIR PLASTIC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 118
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 15.554 MI. DIST: 01-5 SR: 227
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

029031 FT

0120/2257 LEN=0041 INSTALLED UNKN

0120/0637 018 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN

029031 FT 1 1 02092 0 00 0093+58

PITHOLE RD
(SR1006 SEG 0010/0000)
5 0120/0000 LENGTH(AH 3181 BK 3405)
015 "DIA CIRC CONCR

0110/3335 LEN=0040 INSTALLED UNKN

0110/1764 018 "DIA CIRC CONCR
LEN=0045 INSTALLED UNKN

0110/1139 015 "DIA CIRC CONCR
LEN=0038 INSTALLED UNKN

0110/0877 015 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN

025626 FT

025626 FT 1 1 02092 0 00 0059+53
5 0110/0000 LENGTH(AH 3405 BK 2983)

0100/2957 024 "DIA CIR PLASTIC
LEN=0043 INSTALLED 1997

0100/2236 012 "DIA CIR PLASTIC
LEN=0035 INSTALLED UNKN

0100/1941 018 "DIA CIR PLASTIC
LEN=0047 INSTALLED UNKN

0100/1602 015 "DIA CIRC CONCR
LEN=0047 INSTALLED UNKN

0100/1303 015 "DIA CIRC CONCR
LEN=0045 INSTALLED UNKN

022643 FT

0100/0585 015 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN

0100/0048 BMSSEN 60/0227/0100/0000
022643 FT 1 1 02092 0 00 0029+74

CHERRY RUN
BMSBG 60/0227/0100/0000
5 0100/0000 LENGTH(AH 2983 BK 2912)

015 "DIA CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 117
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 15.554 MI. DIST: 01-5 SR: 227
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

		0090/1898	LEN=0030	INSTALLED UNKN
		0090/1561	015 "DIA CIRC CONCR	LEN=0100 INSTALLED UNKN
			015 "DIA CIR PLASTIC	
	019731 FT	0090/0273	LEN=0030	INSTALLED UNKN
		019731 FT	1 1 02092 0 00 0000+00	
PETROLEUM CENTER RD		0090/0000	LENGTH(AH 2912 BK 3344)	
(SR1004 SEG 0070/0000)	0080/3250		EAGLE ROCK RD	
		0080/3250	(SR1004 SEG 0070/0000)	
SCHOOL HOUSE HILL RD		0080/3064	018 "DIA CIRC CONCR	
(T602)	0080/2555		LEN=0035	INSTALLED UNKN
		0080/2524	BMS EN 60/0227/0080/2496	
			2 0 60047 0 00 0188+86	
		0080/2496	CHERRY RUN	
			BMS BG 60/0227/0080/2496	
OLD ROUSEVILLE RD				
(T674)	0080/1743			
		0080/1705	015 "DIA CIRC CONCR	
			LEN=0125	INSTALLED UNKN
		0080/0412	018 "DIA CIR PLASTIC	
			LEN=0042	INSTALLED UNKN
		0080/0030	024 "DIA CIR PLASTIC	
	016387 FT	016387 FT	LEN=0043	INSTALLED UNKN
			2 0 60047 0 00 0163+90	
			OLEOPOLIS RD	
		0080/0000	(SR1005 SEG 0080/2045)	
			LENGTH(AH 3344 BK 2484)	
		0070/2453	015 "DIA CIRC CONCR	
			LEN=0040	INSTALLED UNKN
BANKSON RD				
(T572)	0070/2361			
		0070/1964	015 "DIA CIRC CONCR	
			LEN=0035	INSTALLED UNKN
		0070/1140	018 "DIA CIR PLASTIC	
			LEN=0055	INSTALLED 2001
		0070/0887	018 "DIA CIR PLASTIC	
			LEN=0055	INSTALLED UNKN
		0070/0253	018 "DIA CIRC CONCR	
			LEN=0030	INSTALLED 1998

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 116
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: 15.554 MI. DIST: 01-5 SR: 227
 LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

	==	0070/0181	MCFATE RD (T574)
013903 FT	---	0070/0030	072 " DIA CIRC CONCR LEN=0070 INSTALLED UNKN
		013903 FT	2 0 60047 0 00 0139+08 GRANDVIEW RD (SR1001 SEG 0120/2109)
	==	5 0070/0000	LENGTH(AH 2484 BK 2456)
	---	0060/1687	018 " DIA CIRC CONCR LEN=0045 INSTALLED UNKN
	---	0060/1293	024 " DIA CIR PLASTIC LEN=0045 INSTALLED UNKN
	---	0060/1070	015 " DIA CIRC CONCR LEN=0040 INSTALLED 1998
	---	0060/0740	018 " DIA CIR PLASTIC LEN=0052 INSTALLED 1998
	---	0060/0607	018 " DIA CIRC CONCR LEN=0050 INSTALLED UNKN
011447 FT		011447 FT	2 0 60047 0 00 0114+29
		5 0060/0000	LENGTH(AH 2456 BK 2401)
009046 FT		009046 FT	2 0 60047 0 00 0090+28
		5 0050/0000	LENGTH(AH 2401 BK 2678) 024"H 36"W ELLIP CONC
	---	0040/2370	LEN=0035 INSTALLED 1998
	---	0040/1429	018 " DIA CIR PLASTIC LEN=0045 INSTALLED 1998
	---	0040/0713	030 " DIA CIR PLASTIC LEN=0045 INSTALLED 1998
006368 FT	⌒	0040/0044	BMS EN 60/0227/0040/0000
		006368 FT	2 0 60047 0 00 0063+50 CHERRY RUN
	⌒	5 0040/0000	BMS BG 60/0227/0040/0000 LENGTH(AH 2678 BK 2232)
	---	0030/1281	030 " DIA CIR PLASTIC LEN=0045 INSTALLED 1998

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 115
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 15.554 MI.
LEFT MUN: CORNPLANTER T

DIST: 01-5 SR: 227
RIGHT MUN: CORNPLANTER T

Station	Direction	Length	Material	Notes
0030/1139	BMS	60	0227	0030/1095
2 0 60047	0	00	0052+33	
CHERRY RUN				
0030/1095	BMS	60	0227	0030/1095
015 " DIA	CIRC	CONCR		
0030/0626	LEN=0045	INSTALLED	UNKN	
015 " DIA	CIRC	CONCR		
0030/0446	LEN=0050	INSTALLED	UNKN	
018 " DIA	CIRC	CONCR		
0030/0232	LEN=0055	INSTALLED	UNKN	
MOODY RUN RD				
0030/0197	(T555)			
004136 FT	2 0 60047	0	00	0041+32
CORNPLANTER				
ROUSEVILLE B				
0030/0000	LENGTH(AH	2232	BK 1275)	
018 " DIA	CIRC	PLASTIC		
0020/0955	LEN=0045	INSTALLED	UNKN	
018 " DIA	CIRC	CONCR		
0020/0735	LEN=0040	INSTALLED	1998	
0020/0044	BMS	60	0227	0020/0000
002861 FT	2 0 60047	0	00	0028+56
CHERRY RUN				
0020/0000	BMS	60	0227	0020/0000
LENGTH(AH	1275	BK 2861)		
018 " DIA	CIRC	CONCR		
0010/2480	LEN=0030	INSTALLED	UNKN	
018 " DIA	CIRC	CONCR		
0010/2287	LEN=0030	INSTALLED	UNKN	
0010/1622	018 " DIA	CIRC	CONCR	
LEN=0030	INSTALLED	UNKN		
0010/1470	018 " DIA	CIRC	CONCR	
LEN=0030	INSTALLED	UNKN		
018 " DIA	CIRC	PLASTIC		
0010/1018	LEN=0032	INSTALLED	UNKN	
018 " DIA	CIRC	CONCR		
0010/0943	LEN=0032	INSTALLED	UNKN	
000000 FT	2 0 60047	0	00	0000+00
NC RO	USEVILLE RD			
MAIN ST				
(SR0008	SEG 0510/0000)			
0010/0000	MFC BEGIN = D			
LENGTH(AH	2861	BK 0000)		

DIST: 01-5 SR: 208
RIGHT MUN: SCRUBGRASS T

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 113
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 14.443 MI. DIST: 01-5 SR: 208
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

1 0 00218 0 03 0664+64 065062 FT
BIG BEND RD
(SR3009 SEG 0030/0000) 0270/0000

061477 FT

1 0 00218 0 02 0589+44 058087 FT

0270/3270	LEN=0050	INSTALLED UNKN
0270/2751	LEN=0018	INSTALLED UNKN
0270/2091	LEN=0044	INSTALLED UNKN
0270/1831	LEN=0016	INSTALLED UNKN
0270/0198	BMS EN 60/0208/0270/0181	
	1 0 00218 0 03 0666+34	
	LT.SCRUB.CK.	
0270/0181	BMS BG 60/0208/0270/0181	
065062 FT	STONE CHURCH RD	
	(SR3009 SEG 0030/0000)	
0270/0000	LENGTH(AH 3518 BK 3585)	
0260/1023	LEN=0020	INSTALLED UNKN
	N.FK.LT.SCRU	
	STRUCTURE LENGTH 63 FT	
0260/0576	BMS ID 60/0208/0260/0529	
061477 FT	1 0 00218 0 02 0623+40	
	OLD MILL RD	
	(T463)	
0260/0000	LENGTH(AH 3585 BK 3390)	
0250/2731	LEN=0034	INSTALLED UNKN
0250/0002	LEN=0025	INSTALLED UNKN
058087 FT	ROCKDALE RD	
	(SR3007 SEG 0050/1272)	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 112
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 14.443 MI. DIST: 01-5 SR: 208
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

LISBON RD
(SR3007 SEG 0050/1272) 0250/0000

0250/0000 LENGTH(AH 3390 BK 2943)

055144 FT

0240/1703 024 "DIA CIR PLASTIC
LEN=0046 INSTALLED 2009
0240/1420 030 "DIA CIRC METAL
LEN=0016 INSTALLED 1997
0240/0758 018 "DIA CIR PLASTIC
LEN=0016 INSTALLED 1997
0240/0097 016 "DIA CIR PLASTIC
LEN=0014 INSTALLED 1997
055144 FT 1 0 00218 0 02 0560+13
0240/0000 LENGTH(AH 2943 BK 3001)

052143 FT

0230/1713 016 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN
0230/0815 015 "DIA CIRC METAL
LEN=0014 INSTALLED UNKN
0230/0281 016 "DIA CIRC CONCR
LEN=0042 INSTALLED UNKN
0230/0203 018 "DIA CIR PLASTIC
LEN=0015 INSTALLED UNKN
052143 FT 1 0 00218 0 02 0530+12
0230/0000 LENGTH(AH 3001 BK 2704)
0220/2526 018 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN
0220/2155 016 "DIA CIRC CONCR
LEN=0048 INSTALLED UNKN
0220/1696 024 "DIA CIRC CONCR
LEN=0016 INSTALLED UNKN
0220/1443 BMSSEN 60/0208/0220/1429
1 0 00218 0 02 0517+19
N FORK OF LT SCRUBGRASS
0220/1429 BMSBG 60/0208/0220/1429
CP EAKIN RD
0220/0894 (T403)

RIDDLE RD
(T400)

0220/0892

0220/0880 015 "DIA CIRC CONCR
LEN=0018 INSTALLED UNKN

049439 FT

0220/0200 015 "DIA CIRC CONCR
LEN=0017 INSTALLED UNKN
049439 FT 1 0 00218 0 02 0503+08

DIR: B TOTAL LEN: 14.443 MI.
LEFT MUN: SCRUBGRASS T

DIST: 01-5 SR: 208
RIGHT MUN: SCRUBGRASS T

SR 3005 SH
(SR3005 SEG 0010/0000) 0200/0000

046644 FT

044033 FT

041670 FT

Station	Offset	Depth	Material	Notes
0220	0000	016	"DIA CIRC CONCR	CLINTON T
0210	2567	016	"DIA CIRC CONCR	LENGTH(AH 2704 BK 2795)
0210	2282	016	"DIA CIRC CONCR	LEN=0020 INSTALLED UNKN
0210	1785	016	"DIA CIRC CONCR	LEN=0020 INSTALLED UNKN
0210	1004	036	"H 20"W CONC STRUCT	LEN=0060 INSTALLED UNKN
0210	0376	016	"DIA CIRC CONCR	LEN=0016 INSTALLED UNKN
0466	44 FT	1 0	00218 0 02 0474+97	018 "DIA CIRC CONCR
0210	0000	017	"DIA CIRC CONCR	LEN=0017 INSTALLED UNKN
0210	0000	017	"DIA CIRC CONCR	LENGTH(AH 2795 BK 2611)
0200	0085	017	"DIA CIRC PLASTIC	LEN=0017 INSTALLED UNKN
0440	33 FT	1 0	00218 0 02 0448+86	015 "DIA CIRC PLASTIC
0200	0000	030	"DIA CIRC PLASTIC	LEN=0030 INSTALLED UNKN
0190	2323	015	"DIA CIRC CONCR	LENGTH(AH 2611 BK 2363)
0190	2244	014	"DIA CIRC CONCR	LEN=0014 INSTALLED UNKN
0190	2244	014	"DIA CIRC CONCR	COAL VALLEY RD (T388)
0190	0240	014	"DIA CIRC CONCR	LEN=0014 INSTALLED UNKN
0416	70 FT	1 0	00218 0 02 0425+22	015 "DIA CIRC CONCR
0190	0000	015	"DIA CIRC CONCR	LENGTH(AH 2363 BK 3217)
0180	2822	018	"DIA CIRC CONCR	LEN=0018 INSTALLED UNKN
0180	2606	027	"DIA CIRC CONCR	LEN=0016 INSTALLED UNKN

DIST: 01-5 SR: 208
RIGHT MUN: CLINTON T

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 109
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 14.443 MI.
LEFT MUN: CLINTONVILLE B

DIST: 01-5 SR: 208
RIGHT MUN: CLINTONVILLE B

032802 FT

030122 FT

WALTER RD
(T309)

0120/1979

026685 FT

5 0150/0000 LENGTH(AH 2292 BK 1065)
018 "DIA CIRC CONCR
0140/0983 LEN=0018 INSTALLED UNKN
PENNDOT STOCKPILE YD #8
0140/0951 (GOVT)
0140/0519 BMSSEN 60/0208/0140/0430
1 0 00218 0 02 0340+57
LT.SCRUB.CK.
0140/0430 BMSBG 60/0208/0140/0430
032802 FT 1 0 00218 0 02 0336+27
NC ME
CLINTONVILLE
CLINTON T
5 0140/0000 LENGTH(AH 1065 BK 2680)
018 "DIA CIRC CONCR
0130/2624 LEN=0014 INSTALLED UNKN
018 "DIA CIRC CONCR
0130/2098 LEN=0016 INSTALLED UNKN
018 "DIA CIRC CONCR
0130/0868 LEN=0015 INSTALLED UNKN
015 "DIA CIRC CONCR
0130/0579 LEN=0014 INSTALLED UNKN
018 "DIA CIRC CONCR
0130/0376 LEN=0018 INSTALLED UNKN
018 "DIA CIRC CONCR
0130/0036 LEN=0038 INSTALLED UNKN
030122 FT 1 0 00218 0 02 0309+09
5 0130/0000 LENGTH(AH 2680 BK 3437)
016 "DIA CIRC CONCR
0120/3138 LEN=0014 INSTALLED UNKN
0120/1809 BMSSEN 60/0208/0120/1424
1 0 00218 0 02 0288+95
SR 0080 E/W
0120/1424 BMSBG 60/0208/0120/1424
RAPP RD
0120/1182 (T307)
018 "DIA CIRC CONCR
0120/0508 LEN=0016 INSTALLED UNKN
026685 FT 1 0 00218 0 02 0275+18
CLINTON
IRWIN T
5 0120/0000 LENGTH(AH 3437 BK 2527)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 108
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 14.443 MI. DIST: 01-5 SR: 208
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

024158 FT

0110/2004 018 "DIA CIR PLASTIC
LEN=0015 INSTALLED UNKN
0110/1128 018 "DIA CIRC CONCR
LEN=0016 INSTALLED UNKN
0110/0835 018 "DIA CIR PLASTIC
LEN=0018 INSTALLED UNKN
024158 FT 1 0 00218 0 01 0250+05
0110/0000 LENGTH(AH 2527 BK 2748)

0100/1647 024 "DIA CIRC CONCR
LEN=0094 INSTALLED UNKN
0100/1293 016 "DIA CIRC CONCR
LEN=0018 INSTALLED UNKN

021410 FT

0100/0144 048"H 00"W MULT PLSTIC
LEN=0022 INSTALLED 2000
0100/0064 018 "DIA CIR PLASTIC
LEN=0022 INSTALLED UNKN
021410 FT 1 0 00218 0 01 0223+27
0100/0000 LENGTH(AH 2748 BK 1707)
0090/1122 BMSSEN 60/0208/0090/1105
1 0 00218 0 01 0216+64
MARSHALL RUN
0090/1105 BMSBG 60/0208/0090/1105
018 "DIA CIRC METAL
0090/0889 LEN=0040 INSTALLED UNKN

019703 FT

019703 FT 1 0 00218 0 00 0205+45
GEORGETOWN RD
(SR3003 SEG 0050/0000)
0090/0000 LENGTH(AH 1707 BK 2038)
018 "DIA CIRC CONCR
0080/1955 LEN=0018 INSTALLED UNKN

0080/1202 018 "DIA CIRC CONCR
LEN=0020 INSTALLED UNKN

017665 FT

0080/0365 015 "DIA CIRC CONCR
LEN=0018 INSTALLED UNKN
017665 FT 1 0 00218 0 00 0184+56
SR 3001 SH
(SR3001 SEG 0020/3771)
0080/0000 LENGTH(AH 2038 BK 1886)
018 "DIA CIRC CONCR
0070/1757 LEN=0016 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 107
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 14.443 MI. DIST: 01-5 SR: 208
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

	015779 FT	0070/1136	016 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
		0070/0855	016 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
		0070/0611	016 "DIA CIRC CONCR LEN=0044 INSTALLED UNKN
		015779 FT	1 0 00218 0 00 0165+96
		0070/0000	LENGTH(AH 1886 BK 2742) 012 "DIA CIRC CONCR
		0060/2458	LEN=0043 INSTALLED UNKN
WALTER LN (TWP)	0060/1775	==	
		0060/1739	016 "DIA CIRC CONCR LEN=0020 INSTALLED UNKN
		0060/1177	018 "DIA CIR PLASTIC LEN=0075 INSTALLED UNKN
	013037 FT	0060/0425	016 "DIA CIRC CONCR LEN=0014 INSTALLED UNKN
		013037 FT	1 0 00218 0 00 0138+38 JONES RD (T326)
		0060/0000	LENGTH(AH 2742 BK 3161) 030 "DIA CIRC CONCR
		0050/2953	LEN=0022 INSTALLED UNKN
BARKEY-HOFFMAN RD (T314)	0050/1326	==	
		0050/0830	027 "DIA CIRC CONCR LEN=0002 INSTALLED UNKN
	009876 FT	009876 FT	1 0 00218 0 00 0106+77 COKAIN RD (T312)
		0050/0000	LENGTH(AH 3161 BK 3579) IRWIN
		0040/3350	BARKEYVILLE B 016 "DIA CIRC CONCR
		0040/2892	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 106
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 14.443 MI. DIST: 01-5 SR: 208
LEFT MUN: BARKEYVILLE B RIGHT MUN: BARKEYVILLE B

	0040/0977	LEN=0018	INSTALLED	UNKN
		024 "DIA	CIRC	CONCR
	0040/0275	LEN=0060	INSTALLED	UNKN
		015 "DIA	CIR	PLASTIC
006297 FT	0040/0056	LEN=0016	INSTALLED	2003
	006297 FT	1 0 00218	0 00	0070+94
		NC CL	INTONVILLE RD	
			WILLIAM FLINN HW	
			(SR0008 SEG 0050/0000)	
			BARKEYVILLE	
			IRWIN T	
	0040/0000	LENGTH(AH 3579	BK 1917)	
		036 "DIA	CIRC	CONCR
	0030/1792	LEN=0012	INSTALLED	UNKN
004380 FT	004380 FT	2 0 60001	0 00	0043+88
			SLIP. ROCK BR	
			STRUCTURE LENGTH	12 FT
			BMSID 60/0208/0030/0000	
	0030/0000	LENGTH(AH 1917	BK 2422)	
EVERGREEN DR (TWP)	0020/1285			
		024 "DIA	CIRC	CONCR
	0020/1064	LEN=0080	INSTALLED	UNKN
		018 "DIA	CIRC	CONCR
	0020/0622	LEN=0050	INSTALLED	UNKN
001958 FT	001958 FT	2 0 60001	0 00	0019+66
		018 "DIA	CIRC	CONCR
		LEN=0050	INSTALLED	UNKN
	0020/0000	LENGTH(AH 2422	BK 1958)	
		018 "DIA	CIRC	CONCR
	0010/1620	LEN=0017	INSTALLED	UNKN
000000 FT	000000 FT	2 0 60001	0 00	0000+00
		NC BA	ARKEYVILLE RD	
	* REF-BK		GROVE CITY RD	
			(SR0208 SEG 0280/1736)	
			MFC BEGIN = D	
			BK-MERCER	(43)
	0010/0000	LENGTH(AH 1958	BK 0000)	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 105
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 11.227 MI. DIST: 01-5 SR: 157
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

COUNTY LINE RD (T646)	059278 FT	0200/3366	059278 FT INTER-AHD	AH-CLARION (16) SR 0157 SH (SR0157 SEG 0010/0000) COUNTY LINE RD (SR2021 SEG 0040/3247)
			0200/1041	015 "DIA CIRC CONCR LEN=0060 INSTALLED 1997
			0200/0542	015 "DIA CIRC CONCR LEN=0050 INSTALLED 1997
			0200/0015	015 "DIA CIRC CONCR LEN=0062 INSTALLED UNKN
	055912 FT		055912 FT	1 0 00091 0 02 1140+00
			0200/0000	LENGTH(AH 3366 BK 2472) 015 "DIA CIRC CONCR
			0190/2054	LEN=0065 INSTALLED 1997
			0190/1799	SPORER RD (T447)
			0190/1754	015 "DIA CIRC CONCR LEN=0095 INSTALLED 1997
			0190/1371	015 "DIA CIRC CONCR LEN=0050 INSTALLED 1997
			053440 FT	1 0 00091 0 02 1115+28
			0190/0000	LENGTH(AH 2472 BK 2412) 024 "DIA CIRC CONCR
			0180/1900	LEN=0145 INSTALLED 1997
			0180/1510	015 "DIA CIRC CONCR LEN=0050 INSTALLED 1997

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 104
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 11.227 MI. DIST: 01-5 SR: 157
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

Station	Length	Material	Notes
051028 FT	0180/0350	042" DIA CIRC CONCR	LEN=0100 INSTALLED 1997
	051028 FT	1 0 00091 0 02 1089+66	
	0180/0000	LENGTH(AH 2412 BK 2518)	
	0170/1690	015" DIA CIRC CONCR	LEN=0050 INSTALLED 1997
	0170/1277	024" DIA CIRC CONCR	LEN=0080 INSTALLED 1997
	0170/0982	015" DIA CIRC CONCR	LEN=0056 INSTALLED 1997
	0170/0501	015" DIA CIRC CONCR	LEN=0050 INSTALLED 1997
048510 FT	048510 FT	1 0 00091 0 02 1064+48	
	0170/0000	LENGTH(AH 2518 BK 2464)	
	0160/2272	018" DIA CIRC CONCR	LEN=0055 INSTALLED 1997
	0160/1947	036" DIA CIRC CONCR	LEN=0068 INSTALLED 1997
	0160/1513	024" DIA CIRC CONCR	LEN=0064 INSTALLED UNKN
	0160/1257	048" H 95" W CON BOX CUL	LEN=0064 INSTALLED 1997
	0160/0953	HOCKMAN RD (T640)	
	0160/0898	018" DIA CIRC CONCR	LEN=0050 INSTALLED 1997
	0160/0536	015" DIA CIRC CONCR	LEN=0052 INSTALLED 1997
	0160/0043	015" DIA CIRC CONCR	LEN=0085 INSTALLED 1997
046046 FT	046046 FT		
	0160/0000	LENGTH(AH 2464 BK 2820)	
	0150/2535	015" DIA CIR PLASTIC	LEN=0095 INSTALLED 1997
	0150/2256	018" DIA CIRC CONCR	LEN=0054 INSTALLED 1997
	0150/1824	018" DIA CIRC CONCR	LEN=0058 INSTALLED 1997
	0150/1235	018" DIA CIRC CONCR	LEN=0054 INSTALLED 1997
	0150/0535	018" DIA CIRC CONCR	LEN=0055 INSTALLED 1997
	0150/0030	018" DIA CIRC CONCR	LEN=0060 INSTALLED 1997
043226 FT	043226 FT	1 0 00091 0 02 1011+65	
		POWELL RD (T638)	

1 0 00091 0 02 1040+30 046046 FT
OLD ROUTE 157 RD
(T689)

PRESIDENT RD

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 103
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 11.227 MI. DIST: 01-5 SR: 157
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

(SR2023 SEG 0010/0000) 0150/0000

0150/0000 LENGTH(AH 2820 BK 3419)
018 "DIA CIRC CONCR
0140/3016 LEN=0062 INSTALLED UNKN
018 "DIA CIRC CONCR
0140/2864 LEN=0075 INSTALLED 1997
024 "DIA CIRC CONCR
0140/2606 LEN=0070 INSTALLED 1997
015 "DIA CIRC CONCR
0140/2156 LEN=0056 INSTALLED 1997

0140/1085 024 "DIA CIRC CONCR
LEN=0070 INSTALLED 1997

039807 FT

039807 FT 1 0 00091 0 02 0977+44
PINEGROVE SCHOOL RD

(SR2019 SEG 0030/2833)
0140/0000 LENGTH(AH 3419 BK 3225)
015 "DIA CIR PLASTIC
0130/3200 LEN=0075 INSTALLED 1997
015 "DIA CIRC CONCR
0130/2650 LEN=0050 INSTALLED 1997
015 "DIA CIRC CONCR
0130/1761 LEN=0072 INSTALLED 1997

0130/0601 024 "DIA CIRC CONCR
LEN=0080 INSTALLED 1997

036582 FT

036582 FT 1 0 00091 0 02 0945+19
0130/0000 LENGTH(AH 3225 BK 2873)

GRANDVIEW ESTATES RD
(PRDR)

0120/2593

0120/2593 (APRA) GRANDVIEW ESTATE
015 "DIA CIRC CONCR
0120/1961 LEN=0050 INSTALLED 1997

0120/0958 015 "DIA CIRC CONCR
LEN=0050 INSTALLED 1997

0120/0550 024 "DIA CIRC CONCR
LEN=0060 INSTALLED 1997

0120/0356 018 "DIA CIRC CONCR
LEN=0068 INSTALLED 1997

0120/0293 DUTCH RD
033709 FT (T624)

1 0 00091 0 02 0916+14 033709 FT
HAMPTON RD

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 102
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 11.227 MI. DIST: 01-5 SR: 157
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

(T687)	0120/0000	==	5 0120/0000	LENGTH(AH 2873 BK 3554)
				PORCUPINE CK
				STRUCTURE LENGTH 12 FT
			0110/3276	BMSID 60/0157/0110/3296
			0110/2724	018 "DIA CIRC CONCR
			0110/2575	LEN=0054 INSTALLED 1997
			0110/2222	024 "DIA CIRC CONCR
			0110/1556	LEN=0054 INSTALLED 1997
				024 "DIA CIRC CONCR
				LEN=0060 INSTALLED UNKN
				015 "DIA CIRC CONCR
				LEN=0055 INSTALLED 1997
	030155 FT		030155 FT	1 0 00091 0 02 0879+28
HAMPTON RD	0100/2252	==	5 0110/0000	LENGTH(AH 3554 BK 2339)
(T687)				
			0100/1771	015 "DIA CIRC CONCR
				LEN=0055 INSTALLED 1997
			0100/0703	024 "DIA CIRC CONCR
				LEN=0065 INSTALLED 1997
			0100/0028	015 "DIA CIRC CONCR
			027816 FT	LEN=0215 INSTALLED 1997
1 0 00091 0 02 0857+57 027816 FT				SAWTOWN RD
MCPHERSON RD	0100/0000	==	5 0100/0000	(SR2017 SEG 0100/2344)
(T612)				LENGTH(AH 2339 BK 2806)
			0090/2800	018 "DIA CIRC CONCR
				LEN=0080 INSTALLED UNKN
			0090/2179	015 "DIA CIRC CONCR
				LEN=0058 INSTALLED 1997
			0090/1945	015 "DIA CIRC CONCR
				LEN=0060 INSTALLED 1997
			0090/0993	015 "DIA CIRC CONCR
				LEN=0060 INSTALLED 1997
			0090/0503	024 "DIA CIRC CONCR
				LEN=0056 INSTALLED 1997
			0090/0300	024 "DIA CIRC CONCR
				LEN=0060 INSTALLED 1997
025010 FT			025010 FT	1 0 00091 0 02 0829+46
			5 0090/0000	LENGTH(AH 2806 BK 2793)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 101
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 11.227 MI. DIST: 01-5 SR: 157
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

022217 FT

022217 FT 1 0 00091 0 02 0801+21
0080/0000 LENGTH(AH 2793 BK 2755)
0070/2704 BMSBN 60/0157/0070/2623
1 0 00091 0 02 0800+70
WOLF CREEK
0070/2689 BMSBG 60/0157/0070/2623
PINE GROVE
0070/2643 CRANBERRY T

0070/1965 018 "DIA CIRC CONCR
LEN=0056 INSTALLED 1997

0070/0849 018 "DIA CIR PLASTIC
LEN=0056 INSTALLED 1997

019462 FT

0070/0273 015 "DIA CIRC CONCR
LEN=0060 INSTALLED 1997
019462 FT 1 0 00091 0 02 0777+47
0070/0000 LENGTH(AH 2755 BK 3146)

0060/2137 BMSBN 60/0157/0060/2178
1 0 00091 0 01 0741+94
BR. HORSE CK.

0060/2127 BMSBG 60/0157/0060/2178
048"H 95"W CON BOX CUL

0060/2110 LEN=0060 INSTALLED 1997
015 "DIA CIRC CONCR

0060/1719 LEN=0050 INSTALLED UNKN
015 "DIA CIRC CONCR

0060/1257 LEN=0054 INSTALLED 1997
015 "DIA CIRC CONCR

0060/0960 LEN=0055 INSTALLED 1997

0060/0260 015 "DIA CIRC CONCR
LEN=0060 INSTALLED 1997

CALDWELL RD
(T451)

0060/0237
016316 FT

016316 FT 1 0 00091 0 01 0741+94
HECKATHORNE CHURCH RD
(T598)
0060/0000 LENGTH(AH 3146 BK 3658)

DIR: B TOTAL LEN: 11.227 MI.
LEFT MUN: CRANBERRY T

DIST: 01-5 SR: 157
RIGHT MUN: CRANBERRY T

1 0 00091 0 01 0705+35 012658 FT
STANLEY RD
(T599) 0050/0000

1 0 00091 0 01 0669+52 009069 FT
KINGS HW
(T695) 0040/0000

	==	0050/3625	TOY RD (T505)
-- -- --		0050/2930	018 " DIA CIRC CONCR LEN=0055 INSTALLED UNKN
	==	0050/2897	LC FOR TOY RD (CONN)
-- -- --		0050/2655	042 " DIA CIRC CONCR LEN=0140 INSTALLED 1997
	==	0050/2321	TOY RD (T505)
-- -- --		0050/2265	015 " DIA CIRC CONCR LEN=0040 INSTALLED 1997
	==	0050/1360	HAHN LN (TWP)
-- -- --		0050/1315	036 " DIA CIRC CONCR LEN=0094 INSTALLED 1997
-- -- --		0050/0860	015 " DIA CIRC CONCR LEN=0064 INSTALLED 1997
-- -- --		0050/0360	015 " DIA CIRC CONCR LEN=0065 INSTALLED 1997
		012658 FT	HILL CITY RD
== ==	==	S 0050/0000	(SR2015 SEG 0120/1807) LENGTH(AH 3658 BK 3589)
-- -- --		0040/2530	015 " DIA CIRC CONCR LEN=0060 INSTALLED 1997
-- -- --		0040/2005	015 " DIA CIRC CONCR LEN=0070 INSTALLED 1997
-- -- --		0040/1590	060"H 72"W CON BOX CUL LEN=0055 INSTALLED 1997
-- -- --		0040/0768	015 " DIA CIRC CONCR LEN=0065 INSTALLED 1997
-- -- --		0040/0038	015 " DIA CIRC CONCR LEN=0050 INSTALLED 1997
		009069 FT	
==	==	S 0040/0000	LENGTH(AH 3589 BK 3531)
-- -- --		0030/2633	015 " DIA CIRC CONCR LEN=0070 INSTALLED 1997
-- -- --		0030/2435	024 " DIA CIRC CONCR LEN=0060 INSTALLED 1997

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 99
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 11.227 MI. DIST: 01-5 SR: 157
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

005538 FT

001893 FT


000000 FT

0030/0605 018 "DIA CIRC CONCR
LEN=0070 INSTALLED 1997
0030/0283 015 "DIA CIRC CONCR
005538 FT LEN=0055 INSTALLED 1997
1 0 00091 0 01 0634+17
HORSECREEK RD
(T558)
S 0030/0000 LENGTH(AH 3531 BK 3645)
015 "DIA CIRC CONCR
0020/3300 LEN=0054 INSTALLED 1997
0020/2102 015 "DIA CIRC CONCR
LEN=0052 INSTALLED 1997
0020/1073 018 "DIA CIRC CONCR
LEN=0046 INSTALLED 1997
0020/0826 015 "DIA CIRC CONCR
LEN=0062 INSTALLED 1997
SAGE RUN
STRUCTURE LENGTH 14 FT
0020/0330 BMSID 60/0157/0020/0281
001893 FT 1 0 00091 0 01 0597+77
OLD KAHLE RD
(T693)
015 "DIA CIRC CONCR
LEN=0050 INSTALLED 1997
S 0020/0000 LENGTH(AH 3645 BK 1893)
015 "DIA CIRC CONCR
0010/1512 LEN=0040 INSTALLED 1997
015 "DIA CIRC CONCR
0010/1081 LEN=0045 INSTALLED 1997
015 "DIA CIRC CONCR
0010/0750 LEN=0070 INSTALLED 1997
FOR SR 0062 AND 0157
0010/0106 (CONN)
TO 0062/0560 SH
0010/0090 (CONN)
000000 FT 1 0 00091 0 01 0577+30
NC FR YBURG RD
SR 0062 SH
(SR0062 SEG 0560/0000)
MFC BEGIN = C
S 0010/0000 LENGTH(AH 1893 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 98
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

AH-CLARION (16) 078084 FT
Z H CONFAIR HW REF-AHD *
(SR0080 SEG 0465/0000) 0463/0574
KARNS RUN
STRUCTURE LENGTH 13 FT
BMSID 60/0080/0462/0052 0463/0154
1 0 01009 0 00 0779+58 077510 FT
Z H CONFAIR HW REF-BK *
(SR0080 SEG 0461/1031)
LTH AH 000574 BK 000100 0463/0000
AH-BUTLER (10) 077510 FT



077872 FT
* REF-AHD
0462/0599
0462/0117
077273 FT
* REF-BK
0462/0000
077273 FT

Z H CONFAIR HW
(SR0080 SEG 0464/0000)
KARNS RUN
STRUCTURE LENGTH 13 FT
BMSID 60/0080/0462/0052
1 0 01009 0 00 0779+58
Z H CONFAIR HW
(SR0080 SEG 0460/0998)
BK-CLARION (16)
LTH AH 000599 BK 000100

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 97
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

LTH AH 000100 BK 002206 7423/0000 (SR0080 SEG 0425/0000) 0421/2206	* [N] [N]	7422/0000 LTH AH 000100 BK 002038
042 "DIA CIRC CONCR LEN=0103 INSTALLED UNKN 0421/2015	---	* REF-AHD KEYSTONE SHORTWAY RD 0420/2038 (SR0080 SEG 0424/0000)
	---	0420/1951 048 "DIA CIRC METAL LEN=0100 INSTALLED UNKN
	---	0420/1890 018 "DIA CIRC CONCR LEN=0024 INSTALLED UNKN
	---	0420/1879 018 "DIA CIRC CONCR LEN=0056 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN 0421/1835	---	0420/1587 018 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN 0421/1569	---	0420/1296 018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN
RAMP B RD (SR8010 SEG 0500/0000) 0421/1028	==	0420/0992 018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0076 INSTALLED UNKN 0421/0883	---	0420/0849 RAMP C RD (SR8010 SEG 0750/0910)
018 "DIA CIRC CONCR LEN=0106 INSTALLED UNKN 0421/0529	---	0420/0395 018 "DIA CIRC CONCR LEN=0095 INSTALLED UNKN
036 "DIA CIRC CONCR LEN=0104 INSTALLED UNKN 0421/0280	---	0420/0148 BMS EN 60/0080/0420/0000
BMS EN 60/0080/0421/0062 0421/0148	---	075235 FT 1 0 01009 0 00 0752+22
1 0 01009 0 00 0753+08 075304 FT	---	SR 0038
048 "DIA CIRC CONCR LEN=0206 INSTALLED UNKN	---	BMSBG 60/0080/0420/0000
SR 0038	---	LENGTH(AH 2038 BK 2580)
BMSBG 60/0080/0421/0062	---	RAMP D RD
LENGTH(AH 2206 BK 2603) 0421/0000	---	(SR8010 SEG 0010/0000)
	---	0414/1819
RAMP A RD (SR8010 SEG 0250/1305) 0415/1666	==	0414/1305 018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN
018 "DIA CIRC METAL LEN=0085 INSTALLED UNKN 0415/1050	---	

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 95
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
 LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

048 "DIA CIRC CONCR LEN=0120 INSTALLED UNKN 0405/2381	0404/2462	048 "DIA CIRC CONCR LEN=0090 INSTALLED UNKN
	0404/2395	018 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN 0405/1870	0404/2165	018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN 0405/1570	0404/1862	018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN 0405/1275	0404/1569	018 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN
	0404/1270	018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN
060 "DIA CIRC CONCR LEN=0105 INSTALLED UNKN 0405/0950	0404/0970	048 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN
	0404/0772	018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN 0405/0445	0404/0472	018 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN
1 0 01009 0 00 0674+08 067434 FT LENGTH(AH 2641 BK 2591) 0405/0000	0404/0170	018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN
	067368 FT	1 0 01009 0 00 0675+32
LT.SCRUB.CK. STRUCTURE LENGTH 17 FT BMSID 60/0080/0400/1988 0401/2222	0404/0000	LENGTH(AH 2698 BK 2579)
	0400/2443	018 "DIA CIRC CONCR LEN=0085 INSTALLED UNKN
	0400/2251	LT.SCRUB.CK. STRUCTURE LENGTH 17 FT BMSID 60/0080/0400/1988
018 "DIA CIRC CONCR LEN=0095 INSTALLED UNKN 0401/1848	0400/2146	018 "DIA CIRC CONCR LEN=0085 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0090 INSTALLED UNKN 0401/1554		
	0400/1264	024 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0095 INSTALLED UNKN 0401/1139	0400/1139	018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN 0401/0866		

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 94
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

Station	Direction	Material	Length (ft)	Notes
0400/0792	018 "DIA	CIRC CONCR	LEN=0065	INSTALLED UNKN
0401/0533	018 "DIA	CIRC CONCR	LEN=0060	INSTALLED UNKN
0401/0100	018 "DIA	CIRC CONCR	LEN=0075	INSTALLED UNKN
0400/0012	055 "DIA	CIRC CONCR	LEN=0085	INSTALLED UNKN
0400/0000	030 "DIA	CIRC CONCR	LEN=0080	INSTALLED UNKN
0395/2264	018 "DIA	CIRC CONCR	LEN=0055	INSTALLED UNKN
0395/1917	018 "DIA	CIRC CONCR	LEN=0055	INSTALLED UNKN
0394/2208	030 "DIA	CIRC CONCR	LEN=0075	INSTALLED UNKN
0394/1861	018 "DIA	CIRC CONCR	LEN=0062	INSTALLED UNKN
0394/1807	018 "DIA	CIRC CONCR	LEN=0063	INSTALLED UNKN
0395/1786	018 "DIA	CIRC CONCR	LEN=0060	INSTALLED UNKN
0395/1760	018 "DIA	CIRC CONCR	LEN=0055	INSTALLED UNKN
0395/1570	018 "DIA	CIRC CONCR	LEN=0065	INSTALLED UNKN
0395/1223	018 "DIA	CIRC CONCR	LEN=0065	INSTALLED UNKN
0395/0873	018 "DIA	CIRC CONCR	LEN=0060	INSTALLED UNKN
0395/0573	018 "DIA	CIRC CONCR	LEN=0060	INSTALLED UNKN
0395/0264	018 "DIA	CIRC CONCR	LEN=0065	INSTALLED UNKN
0394/0248	018 "DIA	CIRC CONCR	LEN=0060	INSTALLED UNKN
0394/0000	018 "DIA	CIRC CONCR	LEN=0065	INSTALLED UNKN
0390/2616	018 "DIA	CIRC CONCR	LEN=0065	INSTALLED UNKN

DIST: 01-5 SR: 80
RIGHT MUN: SCRUBGRASS T

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 92
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN 0385/1311	---	---	---	---	0384/1114	018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN 0385/1013	---	---	---	---	0384/0815	018 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN 0385/0708	---	---	---	---	0384/0515	018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN 0385/0393	---	---	---	---		
018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN 0385/0140	---	---	---	---		
1 0 01009 0 00 0568+33 056849 FT LENGTH(AH 2732 BK 2615) 0385/0000	---	---	---	---	056868 FT 1 0 01009 0 00 0568+87 0384/0000 LENGTH(AH 2660 BK 2622)	
	---	---	---	---	0380/2469	018 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN
SR 3007 OP ID 60/3007/0040/1483 0381/2548	---	---	---	---		
	---	---	---	---	0380/2414	SR 3007 OP ID 60/3007/0040/1483
	---	---	---	---	0380/2244	018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0092 INSTALLED UNKN 0381/1782	---	---	---	---	0380/1597	036 "DIA CIRC CONCR LEN=0115 INSTALLED UNKN
036 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN 0381/1587	---	---	---	---		
018 "DIA CIRC CONCR LEN=0112 INSTALLED UNKN 0381/1333	---	---	---	---		
048 "DIA CIRC CONCR LEN=0088 INSTALLED UNKN 0381/1031	---	---	---	---		
018 "DIA CIRC CONCR LEN=0090 INSTALLED UNKN 0381/0887	---	---	---	---		
018 "DIA CIRC CONCR LEN=0098 INSTALLED UNKN 0381/0587	---	---	---	---		
018 "DIA CIRC CONCR LEN=0102 INSTALLED UNKN 0381/0098	---	---	---	---		
048 "DIA CIRC CONCR LEN=0098 INSTALLED UNKN 0381/0081	---	---	---	---		
	---	---	---	---	0380/0056	048 "DIA CIRC CONCR LEN=0095 INSTALLED UNKN
1 0 01009 0 00 0542+35 054234 FT LENGTH(AH 2615 BK 2672) 0381/0000	---	---	---	---	054246 FT 1 0 01009 0 00 0542+63 0380/0000 LENGTH(AH 2622 BK 2555)	
018 "DIA CIRC CONCR LEN=0124 INSTALLED UNKN 0375/2270	---	---	---	---		

[illegible]

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 90
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

Station	Length	Material	Notes	Station	Length	Material	Notes
1 0 01009 0 00 0489+26 048904 FT	0371/0000	5		0370/0539	LEN=0060	INSTALLED UNKN	
LENGTH(AH 2658 BK 2534)				048975 FT	1 0 01009 0 00 0489+26		
				5 0370/0000	LENGTH(AH 2716 BK 2600)		
					018 "DIA CIRC CONCR		
048 "DIA CIRC CONCR				0364/2278	LEN=0080	INSTALLED UNKN	
LEN=0116 INSTALLED UNKN 0365/1999							
				0364/1913	018 "DIA CIRC CONCR		
					LEN=0075 INSTALLED UNKN		
				0364/1649	018 "DIA CIRC CONCR		
030 "DIA CIRC CONCR					LEN=0080 INSTALLED UNKN		
LEN=0118 INSTALLED UNKN 0365/1402							
024 "DIA CIRC CONCR							
LEN=0096 INSTALLED UNKN 0365/1027							
				0364/0988	018 "DIA CIRC CONCR		
018 "DIA CIRC CONCR					LEN=0080 INSTALLED UNKN		
LEN=0060 INSTALLED UNKN 0365/0615							
				0364/0546	018 "DIA CIRC CONCR		
018 "DIA CIRC CONCR					LEN=0065 INSTALLED UNKN		
LEN=0060 INSTALLED UNKN 0365/0323							
				0364/0247	018 "DIA CIRC CONCR		
1 0 01009 0 00 0462+05 046370 FT	0365/0000	5		046375 FT	LEN=0065 INSTALLED UNKN		
LENGTH(AH 2534 BK 2680)				5 0364/0000	1 0 01009 0 00 0463+70		
					LENGTH(AH 2600 BK 2580)		
					018 "DIA CIRC CONCR		
				0360/2508	LEN=0060 INSTALLED UNKN		
				0360/1849	018 "DIA CIRC CONCR		
036 "DIA CIRC CONCR					LEN=0075 INSTALLED UNKN		
LEN=0098 INSTALLED UNKN 0361/1834							
				0360/1482	018 "DIA CIRC CONCR		
					LEN=0075 INSTALLED UNKN		
036 "DIA CIRC CONCR							
LEN=0100 INSTALLED UNKN 0361/1486				0360/1047	018 "DIA CIRC CONCR		
					LEN=0075 INSTALLED UNKN		
072"H 72"W CON BOX CUL							
LEN=0116 INSTALLED UNKN 0361/1050				0360/0854	018 "DIA CIRC CONCR		
					LEN=0075 INSTALLED UNKN		
				0360/0741	018 "DIA CIRC CONCR		
BMS EN 60/0080/0361/0654 0361/0740					LEN=0035 INSTALLED UNKN		
1 0 01009 0 00 0443+50				0360/0668	BMS EN 60/0080/0360/0574		
T388, COAL VY					1 0 01009 0 00 0443+21		
BMS BG 60/0080/0361/0654 0361/0638					T388, COAL VY		
				0360/0574	BMS BG 60/0080/0360/0574		

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 89
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

036 "DIA CIRC CONCR LEN=0098 INSTALLED UNKN 0361/0584	043795 FT 1 0 01009 0 00 0436+82
1 0 01009 0 00 0436+82 043690 FT	0360/0000 LENGTH(AH 2580 BK 2683)
LENGTH(AH 2680 BK 2688) 0361/0000	
018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN 0355/2656	
	0354/2602 018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN 0355/2331	
	0354/2302 018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN 0355/1992	
	0354/1917 018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
	0354/1340 018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
	0354/0992 030 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0102 INSTALLED UNKN 0355/0960	
030 "DIA CIRC CONCR LEN=0120 INSTALLED UNKN 0355/0836	
	0354/0825 036 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0110 INSTALLED UNKN 0355/0616	
030 "DIA CIRC CONCR LEN=0102 INSTALLED UNKN 0355/0348	
	0354/0230 036 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0104 INSTALLED UNKN 0355/0185	
1 0 01009 0 00 0410+11 041002 FT	041112 FT 1 0 01009 0 00 0410+04
LENGTH(AH 2688 BK 2656) 0355/0000	0354/0000 LENGTH(AH 2683 BK 2714)
048 "DIA CIRC CONCR LEN=0098 INSTALLED UNKN 0351/2432	
018 "DIA CIRC CONCR LEN=0082 INSTALLED UNKN 0351/1825	
018 "DIA CIRC CONCR LEN=0116 INSTALLED UNKN 0351/1401	
072 "H 72 "W CON BOX CUL LEN=0118 INSTALLED UNKN 0351/1239	
	0350/1218 072 "H 84 "W CON BOX CUL LEN=0075 INSTALLED UNKN
	0350/1153 024 "DIA CIRC CONCR LEN=0085 INSTALLED UNKN
	018 "DIA CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 88
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

1 0 01009 0 00 0383+55 038346 FT		0350/0963	LEN=0110	INSTALLED UNKN
LENGTH(AH 2656 BK 2629) 0351/0000				
048 "DIA CIRC CONCR		0350/0313	018 "DIA CIRC CONCR	
LEN=0050 INSTALLED UNKN 0345/2582		038398 FT	LEN=0075 INSTALLED UNKN	
RAMP D RD		0350/0000	1 0 01009 0 00 0383+55	
(SR8008 SEG 0500/0000) 0345/2441			LENGTH(AH 2714 BK 2599)	
018 "DIA CIRC CONCR		0344/2424	018 "DIA CIRC METAL	
LEN=0020 INSTALLED UNKN 0345/2278			LEN=0006 INSTALLED UNKN	
018 "DIA CIRC CONCR		0344/2410	RAMP C RD	
LEN=0060 INSTALLED UNKN 0345/2270			(SR8008 SEG 0750/0755)	
018 "DIA CIRC CONCR				
LEN=0060 INSTALLED UNKN 0345/1960				
SR 0308		0344/1882	018 "DIA CIRC CONCR	
OP ID 60/0308/0030/0914 0345/1631			LEN=0065 INSTALLED UNKN	
018 "DIA CIRC CONCR		0344/1616	SR 0308	
LEN=0060 INSTALLED UNKN 0345/1604			OP ID 60/0308/0030/0914	
018 "DIA CIRC CONCR		0344/1530	018 "DIA CIRC CONCR	
LEN=0060 INSTALLED UNKN 0345/1449			LEN=0055 INSTALLED UNKN	
018 "DIA CIRC CONCR				
LEN=0060 INSTALLED UNKN 0345/1192				
RAMP A RD		0344/0913	RAMP B RD	
(SR8008 SEG 0250/0847) 0345/0698			(SR8008 SEG 0010/0000)	
		0344/0456	018 "DIA CIRC CONCR	
			LEN=0080 INSTALLED UNKN	
1 0 01009 0 00 0356+04 035717 FT		0344/0110	018 "DIA CIRC CONCR	
LENGTH(AH 2629 BK 2503) 0345/0000		035799 FT	LEN=0080 INSTALLED UNKN	
018 "DIA CIRC CONCR		0344/0000	1 0 01009 0 00 0357+15	
LEN=0072 INSTALLED UNKN 0341/2354			LENGTH(AH 2599 BK 2725)	
		0340/1745	018 "DIA CIRC CONCR	
018 "DIA CIRC CONCR			LEN=0075 INSTALLED UNKN	
LEN=0020 INSTALLED UNKN 0341/1693				

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 87
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

CLINTON CLINTONVILLE B	0341/1279	---	---	---	0340/1238	CLINTON CLINTONVILLE B
		---	---	---	0340/0860	050"H 60"W CON BOX CUL LEN=0085 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0108 INSTALLED UNKN	0341/0940	---	---	---		
048"H 60"W CON BOX CUL LEN=0102 INSTALLED UNKN	0341/0789	---	---	---		
024 "DIA CIRC CONCR LEN=0098 INSTALLED UNKN	0341/0540	---	---	---		
		---	---	---	0340/0340	015 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN SR 3101
		---	---	---	0340/0336	OP ID 60/3101/0010/0000
018 "DIA CIRC METAL LEN=0146 INSTALLED UNKN	0341/0334	---	---	---		
SR 3101 OP ID 60/3101/0010/0000	0341/0276	---	---	---		
1 0 01009 0 00 0330+28	033214 FT	---	---	---	033074 FT	1 0 01009 0 00 0330+28
LENGTH(AH 2503 BK 2713)	0341/0000	---	---	---	0340/0000	LENGTH(AH 2725 BK 2585)
018 "DIA CIRC CONCR LEN=0056 INSTALLED UNKN	0335/2692	---	---	---		
		---	---	---	0334/2582	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN	0335/2555	---	---	---		
		---	---	---	0334/2282	018 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN
SCRUB.CK.TR. STRUCTURE LENGTH 31 FT		---	---	---		
BMSID 60/0080/0334/1839	0335/1908	---	---	---	0334/1890	SCRUB.CK.TR. STRUCTURE LENGTH 31 FT BMSID 60/0080/0334/1839
CLINTONVILLE CLINTON T	0335/1899	---	---	---		
		---	---	---	0334/1640	018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
		---	---	---	0334/1298	018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN
		---	---	---	0334/1206	MAINTENANCE CROSSOVER R (CONN)
MAINTENANCE CROSSOVER R (CONN)	0335/1153	---	---	---		
018 "DIA CIRC CONCR LEN=0092 INSTALLED UNKN	0335/0663	---	---	---		
012 "DIA CIRC CONCR LEN=0016 INSTALLED UNKN	0335/0617	---	---	---		
		---	---	---	0334/0573	018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0085 INSTALLED UNKN	0335/0536	---	---	---		
		---	---	---		036 "DIA CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 86
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

042 "DIA CIRC METAL LEN=0100 INSTALLED UNKN 0335/0147	0334/0184 LEN=0075 INSTALLED UNKN
1 0 01009 0 00 0302+97 030501 FT LENGTH(AH 2713 BK 2741) 0335/0000	030489 FT 1 0 01009 0 00 0305+22 CLINTONVILLE CLINTON T
018 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN 0331/2542	0334/0000 LENGTH(AH 2585 BK 2638)
024 "DIA CIRC CONCR LEN=0102 INSTALLED UNKN 0331/2242	
024 "DIA CIRC CONCR LEN=0098 INSTALLED UNKN 0331/1702	
018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN 0331/1362	0330/1614 024 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN 0331/0989	0330/1259 018 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN
024 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN 0331/0638	
018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN 0331/0301	0330/0557 024 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN
SR 0208 OP ID 60/0208/0120/1424 0331/0021	
1 0 01009 0 00 0278+00 027760 FT LENGTH(AH 2741 BK 2657) 0331/0000	027851 FT 1 0 01009 0 00 0278+00 0330/0000 LENGTH(AH 2638 BK 2626)
018 "DIA CIRC CONCR LEN=0096 INSTALLED UNKN 0325/2435	
060 "H 60 "W CON BOX CUL LEN=0110 INSTALLED UNKN 0325/2257	0324/2418 SR 0208 OP ID 60/0208/0120/1424
018 "DIA CIRC CONCR LEN=0092 INSTALLED UNKN 0325/1987	
048 "DIA CIRC CONCR LEN=0112 INSTALLED UNKN 0325/1713	
018 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN 0325/1564	
018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN 0325/1150	
CLINTON IRWIN T 0325/0864	
	0324/0638 018 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN 018 "DIA CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 85
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN 0325/0458	---	---	---	0324/0635 LEN=0055 INSTALLED UNKN
	---	---	---	024 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
1 0 01009 0 00 0251+07 025103 FT LENGTH(AH 2657 BK 2778) 0325/0000	---	---	---	025225 FT 1 0 01009 0 00 0251+94 CLINTON IRWIN T
018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN 0321/2458	---	---	---	0324/0000 LENGTH(AH 2626 BK 2700) 018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN 0321/2106	---	---	---	0320/2691
018 "DIA CIRC CONCR LEN=0108 INSTALLED UNKN 0321/1695	---	---	---	0320/2409 018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0160 INSTALLED UNKN 0321/1300	---	---	---	0320/2097 018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0156 INSTALLED UNKN 0321/0998	---	---	---	
060"H 60"W CON BOX CUL LEN=0174 INSTALLED UNKN 0321/0950	---	---	---	
018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN 0321/0188	---	---	---	
1 0 01009 0 00 0224+94 022325 FT LENGTH(AH 2778 BK 2571) 0321/0000	---	---	---	0320/0110 018 "DIA CIRC METAL LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0082 INSTALLED UNKN 0315/2513	---	---	---	022525 FT 1 0 01009 0 00 0224+94 LENGTH(AH 2700 BK 2621)
	---	---	---	0320/0000
018 "DIA CIRC CONCR LEN=0066 INSTALLED UNKN 0315/2116	---	---	---	0314/2400 018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN 0315/1793	---	---	---	0314/2045 018 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN
024 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN 0315/1428	---	---	---	0314/1683 018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN

SCRUB. TR.

SCRUB. TR.

DIR: E		TOTAL LEN: 14.789 MI.		DIST: 01-5		SR: 80	
LEFT MUN: IRWIN T				RIGHT MUN: IRWIN T			
STRUCTURE LENGTH 14 FT				STRUCTURE LENGTH 14 FT			
BMSID 60/0080/0315/0717	0315/0696	[Diagram: Bridge structure with a single span]		0314/0596	BMSID 60/0080/0314/0562		
30 "DIA CIRC CONCR				019904 FT 1 0 01009 0 00 0198+46			
LEN=0084 INSTALLED UNKN 0315/0311				[Diagram: Bridge structure with a single span]			
0 01009 0 00 0198+46 019754 FT				0314/0000			
LENGTH(AH 2571 BK 2642) 0315/0000				LENGTH(AH 2621 BK 2644)			
24 "DIA CIRC CONCR							
LEN=0030 INSTALLED UNKN 0311/2605							
24 "DIA CIRC CONCR							
LEN=0346 INSTALLED UNKN 0311/2254							
[Diagram: Bridge structure with a single span]				0310/1713 036 "DIA CIRC CONCR			
36 "DIA CIRC CONCR				LEN=0075 INSTALLED UNKN			
LEN=0070 INSTALLED UNKN 0311/1621							
12 "DIA CIRC METAL							
LEN=0052 INSTALLED UNKN 0311/1383							
[Diagram: Bridge structure with a single span]				0310/1088 018 "DIA CIRC CONCR			
SCRUB. TR.				LEN=0075 INSTALLED UNKN			
STRUCTURE LENGTH 14 FT							
BMSID 60/0080/0311/1063 0311/1063				[Diagram: Bridge structure with a single span]			
[Diagram: Bridge structure with a single span]				0310/0606 018 "DIA CIRC CONCR			
[Diagram: Bridge structure with a single span]				LEN=0070 INSTALLED UNKN			
[Diagram: Bridge structure with a single span]				SR 3003			
SR 3003				0310/0536 OP ID 60/3003/0050/2498			
P ID 60/3003/0050/2805 0311/0454				[Diagram: Bridge structure with a single span]			
[Diagram: Bridge structure with a single span]				0310/0464 024 "DIA CIRC CONCR			
[Diagram: Bridge structure with a single span]				LEN=0080 INSTALLED UNKN			
[Diagram: Bridge structure with a single span]				0310/0010 030 "DIA CIRC CONCR			
0 01009 0 00 0170+70 017112 FT				LEN=0100 INSTALLED UNKN			
LENGTH(AH 2642 BK 2580) 0311/0000				017260 FT 1 0 01009 0 00 0173+25			
30 "DIA CIRC CONCR				0310/0000 LENGTH(AH 2644 BK 2642)			
LEN=0064 INSTALLED UNKN 0305/2376							
[Diagram: Bridge structure with a single span]				0304/2344 024 "DIA CIRC CONCR			
[Diagram: Bridge structure with a single span]				LEN=0065 INSTALLED UNKN			
[Diagram: Bridge structure with a single span]				0304/2002 036 "DIA CIRC CONCR			
[Diagram: Bridge structure with a single span]				LEN=0060 INSTALLED UNKN			
30 "DIA CIRC CONCR							
LEN=0092 INSTALLED UNKN 0305/1880							
[Diagram: Bridge structure with a single span]				0304/1663 048 "H 48" W CON BOX CUL			
[Diagram: Bridge structure with a single span]				LEN=0060 INSTALLED UNKN			
[Diagram: Bridge structure with a single span]							
SR 9202 SH							
SR9202 SEG 0010/0000) 0305/1298							
24 "DIA CIRC CONCR							
LEN=0092 INSTALLED UNKN 0305/0938							
[Diagram: Bridge structure with a single span]				0304/0566 036 "H 24" W CON BOX CUL			
[Diagram: Bridge structure with a single span]				LEN=0060 INSTALLED UNKN			
[Diagram: Bridge structure with a single span]				SCRUB. TR.			

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 82
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

018 "DIA CIRC CONCR LEN=0020 INSTALLED UNKN 0295/0596	0294/0919 LEN=0065 INSTALLED UNKN
IRWIN BARKEYVILLE B 0295/0292	0294/0569 018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0088 INSTALLED UNKN 0295/0101	009318 FT 1 0 01009 0 00 0092+93 IRWIN BARKEYVILLE B LENGTH(AH 2503 BK 2806) 0295/0000
1 0 01009 0 00 0091+92 009463 FT LENGTH(AH 2503 BK 2806) 0295/0000	0294/0000
WOLF CREEK STRUCTURE LENGTH 12 FT BMSID 60/0080/0290/2151 0291/2397	0290/2071
018 "DIA CIRC CONCR LEN=0126 INSTALLED UNKN 0291/2174	
036 "DIA CIRC METAL LEN=0056 INSTALLED UNKN 0291/1856	
	0290/1621 018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0024 INSTALLED UNKN 0291/1549	
RAMP C RD (SR8002 SEG 0500/0000) 0291/1384	
	0290/1094 RAMP D RD (SR8002 SEG 0750/0802) 024 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN
	0290/1047 018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN
	0290/0720 SR 0008 OP ID 60/0008/0070/0000 0291/0245
SR 0008 OP ID 60/0008/0070/0000 0291/0245	0290/0236
1 0 01009 0 00 0066+44 006657 FT LENGTH(AH 2806 BK 2734) 0291/0000	006671 FT 1 0 01009 0 00 0066+44 LENGTH(AH 2647 BK 2667)
024 "DIA CIRC CONCR LEN=0056 INSTALLED UNKN 0285/2206	0290/0000
RAMP A RD (SR8002 SEG 0250/0903) 0285/2116	
	0284/2030 030 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN 0285/1862	
	0284/1738 RAMP B RD (SR8002 SEG 0010/0000) 018 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN 0285/1542	0284/1728

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 81
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: BARKEYVILLE B RIGHT MUN: BARKEYVILLE B


		SIGN: 3 CHORD TRUSS	
		0284/1492	BMSID 60/0080/0284/1470
		0284/1406	018 "DIA CIRC CONCR
042 "DIA CIRC CONCR			LEN=0065 INSTALLED UNKN
LEN=0062	INSTALLED UNKN 0285/1250		
024 "DIA CIRC CONCR			
LEN=0120	INSTALLED UNKN 0285/0824		
		0284/0639	018 "DIA CIRC CONCR
			LEN=0075 INSTALLED UNKN
		0284/0259	018 "DIA CIRC CONCR
			LEN=0070 INSTALLED 1998
060 "H 01 "W CON BOX CUL			
LEN=0104	INSTALLED UNKN 0285/0027		
1 0 01009 0 00 0039+10	003923 FT	004004 FT	1 0 01009 0 00 0039+90
LENGTH(AH 2734 BK 2575)	0285/0000	0284/0000	LENGTH(AH 2667 BK 2689)
		0280/2584	054 "H 64 "W CON BOX CUL
018 "DIA CIRC CONCR			LEN=0085 INSTALLED UNKN
LEN=0094	INSTALLED UNKN 0281/2131		
028 "DIA CIRC CONCR			
LEN=0120	INSTALLED UNKN 0281/1685		
		0280/0877	018 "DIA CIRC CONCR
018 "DIA CIRC CONCR			LEN=0055 INSTALLED UNKN
LEN=0034	INSTALLED UNKN 0281/0764		
		0280/0509	018 "DIA CIRC CONCR
018 "DIA CIRC CONCR			LEN=0055 INSTALLED UNKN
LEN=0062	INSTALLED UNKN 0281/0447		
1 0 01009 0 00 0013+47	001348 FT	001315 FT	1 0 01009 0 00 0013+47
LENGTH(AH 2575 BK 1348)	0281/0000	0280/0000	LENGTH(AH 2689 BK 1315)
		0276/1170	024 "DIA CIRC CONCR
024 "DIA CIRC CONCR			LEN=0075 INSTALLED UNKN
LEN=0130	INSTALLED UNKN 0277/1140		
018 "DIA CIRC CONCR			
LEN=0088	INSTALLED UNKN 0277/0036		
1 0 01009 0 00 0000+00	000000 FT	000000 FT	1 0 01009 0 00 0000+00
MAINTENANCE CROSSOVER R			MAINTENANCE CROSSOVER R
(CONN)			(CONN)
NC Z H CONFAIR HW		NC Z	H CONFAIR HW
Z H CONFAIR HW	INTER-BK	INTER-BK	Z H CONFAIR HW
(SR0080 SEG 0271/3928)			(SR0080 SEG 0270/3927)
MFC BEGIN = A			MFC BEGIN = A
LENGTH(AH 1348 BK 0000)	0277/0000	0276/0000	BK-MERCER (43)
			LENGTH(AH 1315 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 80
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
 LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

176115 FT

* 176087 FT AH-FOREST (27)
 REF-AHD SR 0062 SH
 0790/2108 (SR0062 SEG 0010/0000)
 018 "DIA CAST IRON
 LEN=0016 INSTALLED UNKN
 014 "DIA CAST IRON
 LEN=0016 INSTALLED UNKN
 015 "DIA CIRC CONCR
 LEN=0015 INSTALLED UNKN
 015 "DIA CIRC CONCR
 LEN=0015 INSTALLED UNKN
 015 "DIA CIRC CONCR
 LEN=0015 INSTALLED UNKN
 0790/0187 LEN=0015 INSTALLED UNKN
 173979 FT 1 0 00750 0 01 0555+11
 S 0790/0000 LENGTH(AH 2108 BK 1966)
 015 "DIA CIRC CONCR
 LEN=0015 INSTALLED UNKN
 015 "DIA CIRC CONCR
 LEN=0014 INSTALLED UNKN
 015 "DIA CIRC CONCR
 LEN=0015 INSTALLED UNKN
 0780/1798 LEN=0015 INSTALLED UNKN
 0780/1450 LEN=0014 INSTALLED UNKN
 0780/0899 LEN=0015 INSTALLED UNKN

174007 FT



EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 79
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

172041 FT

0780/0296 LEN=0015 DIA CIRC CONCR UNKN
172013 FT 1 0 00750 0 01 0555+11
S 0780/0000 LENGTH(AH 1966 BK 2024)

0770/2011 LEN=0015 DIA CIRC CONCR UNKN
036 DIA CIRC CONCR

0770/1710 LEN=0016 DIA CIRC CONCR UNKN

0770/1277 LEN=0016 DIA CIRC CONCR UNKN

0770/0970 LEN=0016 DIA CIRC CONCR UNKN

0770/0485 LEN=0014 DIA CIRC CONCR UNKN

0770/0264 LEN=0014 DIA CIRC CONCR UNKN

0770/0116 LEN=0015 DIA CIRC CONCR UNKN

169989 FT 1 0 00750 0 01 0534+87

S 0770/0000 LENGTH(AH 2024 BK 2417)
015 DIA CIRC CONCR UNKN

0760/2156 LEN=0015 DIA CIRC CONCR UNKN

0760/1906 LEN=0015 DIA CIRC CONCR UNKN

0760/1780 LEN=0015 DIA CIRC CONCR UNKN

0760/1588 LEN=0015 DIA CIRC CONCR UNKN

0760/1322 LEN=0015 DIA CIRC CONCR UNKN

0760/0987 LEN=0015 DIA CIRC CONCR UNKN

GEISEH RUN STRUCTURE LENGTH 8 FT

0760/0594 BMSID 60/0062/0760/0567

167572 FT 1 0 00750 0 01 0510+70

MCCALMONT RD (T543)

S 0760/0000 LENGTH(AH 2417 BK 3159)
060 DIA CIRC CONCR UNKN

0750/3008 LEN=0016 DIA CIRC CONCR UNKN

0750/2729 LEN=0016 DIA CIRC CONCR UNKN

0750/2550 LEN=0015 DIA CIRC CONCR UNKN

0750/2446 LEN=0016 DIA CIRC CONCR UNKN

0750/2246 LEN=0016 DIA CIRC CONCR UNKN

015 DIA CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 78
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

PRESIDENT VILLAGE RD
(T547)

164441 FT

0740/0666

161929 FT

159441 FT

0750/2063	LEN=0015	INSTALLED	UNKN
0750/1721	LEN=0016	INSTALLED	UNKN
0750/1403	LEN=0016	INSTALLED	UNKN
0750/1105	LEN=0040	INSTALLED	UNKN
0750/0651	LEN=0016	INSTALLED	UNKN
0750/0309	LEN=0016	INSTALLED	UNKN
164413 FT	1 0 00750	0 01 0479+54	
5 0750/0000	LENGTH(AH	3159 BK 2512)	
0740/1775	LEN=0016	INSTALLED	UNKN
0740/1368	LEN=0016	INSTALLED	UNKN
0740/1137	LEN=0016	INSTALLED	UNKN
0740/0422	LEN=0015	INSTALLED	UNKN
161901 FT	1 0 00750	0 01 0454+42	
5 0740/0000	LENGTH(AH	2512 BK 2488)	
0730/2196	LEN=0015	INSTALLED	UNKN
0730/1988	LEN=0043	INSTALLED	UNKN
0730/1427	LEN=0015	INSTALLED	UNKN
0730/1212	LEN=0015	INSTALLED	UNKN
0730/1044	LEN=0016	INSTALLED	UNKN
0730/0885	LEN=0016	INSTALLED	UNKN
0730/0632	LEN=0015	INSTALLED	UNKN
0730/0309	LEN=0015	INSTALLED	UNKN
0730/0082	LEN=0016	INSTALLED	UNKN
159413 FT	1 0 00750	0 01 0429+54	
5 0730/0000	LENGTH(AH	2488 BK 2518)	
0720/2518	LEN=0016	INSTALLED	UNKN
0720/2439	LEN=0016	INSTALLED	UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 77
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

PRESIDENT VILLAGE RD
(SR2023 SEG 0110/0000) 0720/1134

156923 FT

153393 FT

0720/2332	015 "DIA CIRC CONCR
0720/2065	LEN=0016 INSTALLED UNKN
0720/1558	015 "DIA CIRC CONCR
0720/1403	LEN=0016 INSTALLED UNKN
0720/1134	015 "DIA CIRC CONCR
0720/0983	LEN=0016 INSTALLED UNKN
0720/0938	018 "DIA CIR PLASTIC
0720/0765	LEN=0017 INSTALLED UNKN
0720/0765	MCCALMONT RD
0720/0765	(T543)
0720/0765	BMSSEN 60/0062/0720/0938
0720/0765	1 0 00750 0 00 0413+33
0720/0765	HEMLOCK CK.
0720/0765	BMSBG 60/0062/0720/0938
0720/0765	018 "DIA CIRC CONCR
0720/0765	LEN=0016 INSTALLED UNKN
0720/0765	1 0 00750 0 01 0403+97
0720/0765	PRESIDENT RD
0720/0765	(SR2023 SEG 0100/2383)
0720/0765	LENGTH(AH 2518 BK 3530)
0720/0765	030 "DIA CIRC CONCR
0720/0765	LEN=0015 INSTALLED UNKN
0720/0765	024 "DIA CIRC CONCR
0720/0765	LEN=0015 INSTALLED UNKN
0720/0765	018 "DIA CIRC CONCR
0720/0765	LEN=0018 INSTALLED UNKN
0720/0765	036 "DIA CIRC CONCR
0720/0765	LEN=0056 INSTALLED UNKN
0720/0765	015 "DIA CIRC CONCR
0720/0765	LEN=0015 INSTALLED UNKN
0720/0765	018 "DIA CIRC CONCR
0720/0765	LEN=0014 INSTALLED UNKN
0720/0765	015 "DIA CIRC CONCR
0720/0765	LEN=0016 INSTALLED UNKN
0720/0765	015 "DIA CIRC CONCR
0720/0765	LEN=0016 INSTALLED UNKN
0720/0765	015 "DIA CIRC CONCR
0720/0765	LEN=0016 INSTALLED UNKN
0720/0765	015 "DIA CIRC CONCR
0720/0765	LEN=0016 INSTALLED UNKN
0720/0765	1 0 00750 0 01 0368+67
0720/0765	LENGTH(AH 3530 BK 2652)
0720/0765	015 "DIA CIRC CONCR
0720/0765	LEN=0016 INSTALLED UNKN
0720/0765	018 "DIA CIRC CONCR
0720/0765	LEN=0016 INSTALLED UNKN
0720/0765	015 "DIA CIRC CONCR
0720/0765	LEN=0016 INSTALLED UNKN
0720/0765	015 "DIA CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 76
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

	0700/0765	LEN=0016	INSTALLED	UNKN
W	0700/0462	RWIS SITE/AT	PRESIDENT	
	150713 FT	1 0 00750	0 01 0342+15	
S	0700/0000	LENGTH(AH 2652 BK 1836)		
		MCCRED RUN		
		STRUCTURE LENGTH 10 FT		
	0690/1805	BMSID 60/0062/0690/1765		
		015 "DIA CIRC CONCR		
	0690/1735	LEN=0016	INSTALLED	UNKN
		015 "DIA CIRC CONCR		
	0690/1607	LEN=0016	INSTALLED	UNKN
		015 "DIA CIRC CONCR		
	0690/1408	LEN=0016	INSTALLED	UNKN
		015 "DIA CIRC CONCR		
	0690/0958	LEN=0016	INSTALLED	UNKN
		015 "DIA CIRC CONCR		
	0690/0197	LEN=0016	INSTALLED	UNKN
	148877 FT	1 0 00750	0 01 0323+79	
S	0690/0000	LENGTH(AH 1836 BK 2026)		
		015 "DIA CIRC CONCR		
	0680/1926	LEN=0016	INSTALLED	UNKN
		015 "DIA CIRC CONCR		
	0680/1802	LEN=0016	INSTALLED	UNKN
		015 "DIA CIRC CONCR		
	0680/1593	LEN=0016	INSTALLED	UNKN
		015 "DIA CIRC CONCR		
	0680/1241	LEN=0016	INSTALLED	UNKN
		015 "DIA CIRC CONCR		
	0680/1124	LEN=0016	INSTALLED	UNKN
		018 "DIA CIRC CONCR		
	0680/0905	LEN=0016	INSTALLED	UNKN
		015 "DIA CIRC CONCR		
	0680/0800	LEN=0016	INSTALLED	UNKN
		015 "DIA CIRC CONCR		
	0680/0440	LEN=0016	INSTALLED	UNKN
	146851 FT	1 0 00750	0 01 0303+84	
S	0680/0000	LENGTH(AH 2026 BK 2451)		
		036 "DIA CIRC CONCR		
	0670/2412	LEN=0016	INSTALLED	UNKN
		015 "DIA CIRC CONCR		
	0670/2112	LEN=0016	INSTALLED	UNKN
		018 "DIA CIRC CONCR		
	0670/1964	LEN=0016	INSTALLED	UNKN
		015 "DIA CIRC CONCR		
	0670/1834	LEN=0016	INSTALLED	UNKN
		015 "DIA CIRC CONCR		
	0670/1711	LEN=0016	INSTALLED	UNKN
		015 "DIA CIRC CONCR		
	0670/1517	LEN=0016	INSTALLED	UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 75
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

144428 FT

1 0 00750 0 01 0254+53 141980 FT
HENRYS BEND RD
(SR2025 SEG 0010/0000) 0660/0000

138778 FT

0670/1430	015 "DIA	CIRC CONCR
LEN=0016	INSTALLED	UNKN
0670/1138	015 "DIA	CIRC CONCR
LEN=0016	INSTALLED	UNKN
0670/0737	015 "DIA	CIRC CONCR
LEN=0016	INSTALLED	UNKN
0670/0515	015 "DIA	CIRC CONCR
LEN=0016	INSTALLED	UNKN
0670/0303	015 "DIA	CIRC CONCR
LEN=0016	INSTALLED	UNKN
0670/0237	015 "DIA	CIRC CONCR
LEN=0016	INSTALLED	UNKN
0670/0025	015 "DIA	CIRC CONCR
LEN=0016	INSTALLED	UNKN
144400 FT	1 0 00750	0 01 0279+01
0670/0000	LENGTH(AH	2451 BK 2448)
0660/1721	015 "DIA	CIRC CONCR
LEN=0016	INSTALLED	UNKN
0660/1147	015 "DIA	CIRC CONCR
LEN=0016	INSTALLED	UNKN
0660/0542	015 "DIA	CIRC CONCR
LEN=0016	INSTALLED	UNKN
0660/0053	018 "DIA	CIR PLASTIC
LEN=0016	INSTALLED	UNKN
0660/0053	015 "DIA	CIRC CONCR
LEN=0016	INSTALLED	UNKN
141952 FT	MCPHERSON RD	(T612)
0660/0000	LENGTH(AH	2448 BK 3202)
0650/3190	018 "DIA	CIRC CONCR
LEN=0016	INSTALLED	UNKN
0650/1407	015 "DIA	CIRC CONCR
LEN=0015	INSTALLED	UNKN
0650/1309	018 "DIA	CIRC CONCR
LEN=0015	INSTALLED	UNKN
0650/1021	015 "DIA	CIRC CONCR
LEN=0015	INSTALLED	UNKN
0650/0700	015 "DIA	CIRC CONCR
LEN=0015	INSTALLED	UNKN
0650/0507	015 "DIA	CIRC CONCR
LEN=0015	INSTALLED	UNKN
0650/0132	015 "DIA	CIRC CONCR
LEN=0015	INSTALLED	UNKN
138750 FT	1 0 00750	0 01 0222+51

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 74
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

136393 FT

133659 FT

			PRESIDENT	
			CRANBERRY T	
			LENGTH(AH	3202 BK 2385)
			015 "DIA	CIRC CONC
			LEN=0015	INSTALLED UNKN
			015 "DIA	CIRC CONC
			LEN=0015	INSTALLED UNKN
			015 "DIA	CIRC CONC
			LEN=0015	INSTALLED 2003
			015 "DIA	CIRC CONC
			LEN=0015	INSTALLED UNKN
			018 "DIA	CIRC CONC
			LEN=0015	INSTALLED UNKN
			015 "DIA	CIRC CONC
			LEN=0016	INSTALLED UNKN
			015 "DIA	CIRC CONC
			LEN=0016	INSTALLED UNKN
			018 "DIA	CIRC CONC
			LEN=0016	INSTALLED UNKN
			1 0 00750	0 01 0198+66
			LENGTH(AH	2385 BK 2734)
			018 "DIA	CIRC CONC
			LEN=0015	INSTALLED UNKN
			048 "DIA	CIRC CONC
			LEN=0015	INSTALLED UNKN
			015 "DIA	CIRC CONC
			LEN=0015	INSTALLED UNKN
			015 "DIA	CIRC CONC
			LEN=0015	INSTALLED UNKN
			018 "DIA	CIRC CONC
			LEN=0015	INSTALLED UNKN
			015 "DIA	CIRC CONC
			LEN=0015	INSTALLED UNKN
			072 "DIA	CIRC CONC
			LEN=0012	INSTALLED UNKN
			1 0 00750	0 01 0171+10
			LENGTH(AH	2734 BK 2698)
			015 "DIA	CIR PLASTIC
			LEN=0040	INSTALLED UNKN
			024 "DIA	CIRC CONC
			LEN=0014	INSTALLED UNKN
			024 "DIA	CIRC CONC
			LEN=0014	INSTALLED UNKN
			015 "DIA	CIRC CONC
			LEN=0014	INSTALLED UNKN
			015 "DIA	CIRC CONC
			LEN=0014	INSTALLED UNKN
			015 "DIA	CIRC CONC
			LEN=0014	INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 73
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

130961 FT

128474 FT

125897 FT

0620/1162	048 " DIA	CIRC CONCR	
0620/1100	LEN=0014	INSTALLED UNKN	
0620/1043	015 " DIA	CIRC CONCR	
0620/0808	LEN=0014	INSTALLED UNKN	
0620/0490	015 " DIA	CIRC CONCR	
0620/0204	LEN=0014	INSTALLED UNKN	
130933 FT	018 " DIA	CIRC CONCR	
0620/0000	LEN=0014	INSTALLED UNKN	
0610/2223	036 " DIA	CIRC CONCR	
0610/2004	LEN=0014	INSTALLED UNKN	
0610/1803	1 0 00750	0 01 0145+42	
0610/1689	LENGTH(AH	2698 BK 2487)	
0610/1620	015 " DIA	CIRC CONCR	
0610/1075	LEN=0014	INSTALLED UNKN	
0610/0935	024 " DIA	CIRC CONCR	
0610/0716	LEN=0014	INSTALLED UNKN	
0610/0445	018 " DIA	CIRC CONCR	
0610/0160	LEN=0014	INSTALLED UNKN	
128446 FT	024 " DIA	CIRC METAL	
0610/0000	LEN=0016	INSTALLED UNKN	
0600/2401	018 " DIA	CIR PLASTIC	
0600/1984	LEN=0010	INSTALLED 2003	
0600/1939	015 " DIA	CIRC CONCR	
0600/1408	LEN=0014	INSTALLED UNKN	
0600/0831	015 " DIA	CIRC CONCR	
0600/0441	LEN=0014	INSTALLED UNKN	
125869 FT	015 " DIA	CIRC CONCR	
	LEN=0015	INSTALLED 2006	
	015 " DIA	CIRC CONCR	
	LEN=0014	INSTALLED UNKN	
	015 " DIA	CIR PLASTIC	
	LEN=0014	INSTALLED UNKN	
	015 " DIA	CIRC CONCR	
	LEN=0014	INSTALLED UNKN	
	1 0 00750	0 01 0120+35	
	LENGTH(AH	2487 BK 2577)	
	015 " DIA	CIRC CONCR	
	LEN=0014	INSTALLED UNKN	
	BMSSEN 60/0062/0600/1939	1 0 00750 0 01 0114+00	
	HORSE CREEK		
	BMSBG 60/0062/0600/1939		
	SLATE RUN		
	STRUCTURE LENGTH 8 FT		
	BMSID 60/0062/0600/1408		
	015 " DIA	CIRC CONCR	
	LEN=0014	INSTALLED UNKN	
	018 " DIA	CIRC CONCR	
	LEN=0078	INSTALLED UNKN	
	1 0 00750	0 01 0094+69	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 72
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

123533 FT

121036 FT

5	0600/0000	LENGTH(AH 2577 BK 2364)
	030 "DIA	CIRC CONCR
-- --	0590/2177	LEN=0012 INSTALLED UNKN
	015 "DIA	CIRC CONCR
-- --	0590/1866	LEN=0012 INSTALLED UNKN
	018 "DIA	CIRC CONCR
-- --	0590/1490	LEN=0012 INSTALLED UNKN
	015 "DIA	CIRC CONCR
-- --	0590/1317	LEN=0012 INSTALLED UNKN
	015 "DIA	CIRC CONCR
-- --	0590/1107	LEN=0012 INSTALLED UNKN
	018 "DIA	CIRC CONCR
-- --	0590/0779	LEN=0012 INSTALLED UNKN
	015 "DIA	CIRC CONCR
-- --	0590/0535	LEN=0012 INSTALLED UNKN
	123505 FT	1 0 00750 0 01 0071+05
	5	0590/0000 LENGTH(AH 2364 BK 2497)
	015 "DIA	CIRC CONCR
-- --	0580/2376	LEN=0012 INSTALLED UNKN
	024 "DIA	CIRC CONCR
-- --	0580/2105	LEN=0014 INSTALLED UNKN
	015 "DIA	CIRC CONCR
-- --	0580/1757	LEN=0014 INSTALLED UNKN
	018 "DIA	CIRC CONCR
-- --	0580/1582	LEN=0014 INSTALLED UNKN
	024 "DIA	CIRC CONCR
-- --	0580/1353	LEN=0014 INSTALLED UNKN
	018 "DIA	CIRC CONCR
-- --	0580/1070	LEN=0014 INSTALLED UNKN
	015 "DIA	CIRC CONCR
-- --	0580/0632	LEN=0014 INSTALLED UNKN
	018 "DIA	CIRC CONCR
-- --	0580/0487	LEN=0038 INSTALLED UNKN
	121008 FT	1 0 00750 0 01 0045+93
		018 "DIA CIR PLASTIC
		LEN=0018 INSTALLED UNKN
		HORSE CREEK RD
		(T558)
-- --	5	0580/0000 LENGTH(AH 2497 BK 3100)
		018 "DIA CIRC CONCR
-- --	0570/1391	LEN=0012 INSTALLED UNKN
		018 "DIA CIRC CONCR
-- --	0570/1074	LEN=0012 INSTALLED UNKN
		018 "DIA CIRC CONCR
-- --	0570/0751	LEN=0012 INSTALLED UNKN
		015 "DIA CIR PLASTIC

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 71
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO


DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

OAKWOOD RD (T709)	117936 FT	---	0570/0313	LEN=0012	INSTALLED	UNKN
		---	117908 FT	1 0 00750	0 01 0014+93	
		---	5 0570/0000	LENGTH(AH 3100	BK 1664)	
		---		015 "DIA	CIRC CONCR	
		---	0560/1574	LEN=0012	INSTALLED	UNKN
		---		015 "DIA	CIRC CONCR	
		---	0560/1165	LEN=0012	INSTALLED	UNKN
		---		018 "DIA	CIRC CONCR	
		---	0560/0756	LEN=0012	INSTALLED	UNKN

	0560/0716	==		SAGE RUN		
			0560/0434	STRUCTURE LENGTH 18 FT		
				BMSID 60/0062/0560/0420		
				FOR SR 0062 AND 0157		
		==	0560/0373	(CONN)		
		==		FROM 0157/0010 SH		
			0560/0238	(CONN)		
				018 "DIA	CIRC METAL	
			0560/0218	LEN=0024	INSTALLED	UNKN
	116272 FT		116244 FT	1 0 00750	0 00 0000+00	
				FRYBURG RD		
				(SR0157 SEG 0010/0000)		
				0062 SH		
			5 0560/0000	LENGTH(AH 1664	BK 3580)	
				015 "DIA	CIRC CONCR	
			0550/3250	LEN=0014	INSTALLED	UNKN
			0550/2768	BMSEN 60/0062/0550/2789		
				1 0 00091	0 01 0562+94	
				SAGE RUN		
			0550/2751	BMSBG 60/0062/0550/2789		
			0550/2293	BMSEN 60/0062/0550/2324		
				1 0 00091	0 01 0559+19	
				SAGE RUN		
			0550/2272	BMSBG 60/0062/0550/2324		
			0550/1925	BMSEN 60/0062/0550/1915		
				1 0 00091	0 01 0539+89	
				SAGE RUN		
			0550/1899	BMSBG 60/0062/0550/1915		
				018 "DIA	CIRC CONCR	
			0550/1350	LEN=0014	INSTALLED	UNKN
UPPER SAGE RUN RD (T532)	0550/1325	==				
				018 "DIA	CIRC CONCR	
			0550/1267	LEN=0014	INSTALLED	UNKN
				018 "DIA	CIRC CONCR	
			0550/0585	LEN=0014	INSTALLED	UNKN
			112664 FT	1 0 00091	0 01 0539+89	
			5 0550/0000	LENGTH(AH 3580	BK 2136)	
	112692 FT					

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 70
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

		0540/1660	024 "DIA CIRC CONCR LEN=0014 INSTALLED UNKN
		0540/1456	015 "DIA CIRC CONCR LEN=0014 INSTALLED UNKN
		0540/0762	BMSSEN 60/0062/0540/0762 1 0 00091 0 01 0518+91 SAGE RUN
		0540/0726	BMSBG 60/0062/0540/0762 015 "DIA CIRC CONCR
		0540/0248	LEN=0014 INSTALLED UNKN
110556 FT		0540/0050	BMSSEN 60/0062/0540/0000 1 0 00091 0 01 0518+91 SAGE RUN
		110528 FT	BMSBG 60/0062/0540/0000 LENGTH(AH 2136 BK 2782)
		5 0540/0000	024 "DIA CIRC CONCR
		0530/2389	LEN=0014 INSTALLED UNKN
		0530/2101	015 "DIA CIRC CONCR
		0530/1601	LEN=0014 INSTALLED UNKN BMSSEN 60/0062/0530/1591 1 0 00091 0 01 0491+11 SAGE RUN
		0530/1563	BMSBG 60/0062/0530/1591
		0530/0790	018 "DIA CIRC CONCR LEN=0014 INSTALLED UNKN
		0530/0317	018 "DIA CIRC CONCR
107774 FT		0530/0038	LEN=0015 INSTALLED UNKN BMSSEN 60/0062/0530/0000 1 0 00091 0 01 0491+11 SAGE RUN
		107746 FT	BMSBG 60/0062/0530/0000 LENGTH(AH 2782 BK 2035)
		5 0530/0000	018 "DIA CIRC CONCR
		0520/1883	LEN=0130 INSTALLED UNKN
		0520/1030	018 "DIA CIRC CONCR LEN=0105 INSTALLED UNKN
		0520/0783	030 "DIA CIRC CONCR
UPPER SAGE RUN RD (T532)		0520/0690	LEN=0034 INSTALLED UNKN
		0520/0543	018 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
		0520/0109	BMSSEN 60/0062/0520/0066 1 0 00091 0 01 0470+36 SAGE RUN
		0520/0076	BMSBG 60/0062/0520/0066 1 0 00091 0 01 0469+35
105739 FT		105711 FT	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 69
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

1 0 00091 0 01 0461+57 104774 FT
PUMPHOUSE RD
(CITY)

0510/0000

104056 FT

101673 FT

018 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN 0481/1146

WILSON AV

SALINA RD
(SR0257 SEG 0120/1050)
NC RIVERSIDE DR

5 0520/0000 LENGTH(AH 2035 BK 0965)
018 "DIA CAST IRON
LEN=0040 INSTALLED UNKN
0510/0905 CRANBERRY
0510/0846 OIL CITY C
018 "DIA CAST IRON
LEN=0040 INSTALLED UNKN
0510/0580 018 "DIA CAST IRON
LEN=0040 INSTALLED UNKN
0510/0200 104746 FT

5 0510/0000 LENGTH(AH 0965 BK 0718)
FROM 2008/0010 SH
0500/0130 (CONN)
1 0 00091 0 01 0456+00
104028 FT
NC SECOND ST

5 0500/0000 LENGTH(AH 0718 BK 2383)
024 "DIA CIRC CONCR
LEN=0055 INSTALLED UNKN
0490/2235 018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN
0490/1933 018 "DIA CIRC CONCR
LEN=0045 INSTALLED UNKN
0490/1690 018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN
0490/1386 IMPERIAL ST
0490/1047 (CITY)
018 "DIA CIRC CONCR
LEN=0055 INSTALLED UNKN
0490/0725 018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN
0490/0526 018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN
0490/0247 018 "DIA CIRC CONCR
LEN=0020 INSTALLED UNKN
0490/0050 101645 FT
1 0 00091 0 01 0431+53
NC FRONT ST

5 0490/0000 LENGTH(AH 2383 BK 1297)

0480/1166 018 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 68
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

(CITY)	0481/1096	==	WILSON AV (CITY)
018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN	0481/0840	==	0480/1121 WILSON AV (SR2008 SEG 0010/0000)
STATE ST (CITY)	0481/0717	==	0480/0759 STATE ST (CITY)
018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN	0481/0700	==	0480/0582 LINDON AL (CITY)
CENTRAL AV (CITY)	0481/0309	==	0480/0383 CENTRAL AV (CITY)
2 0 60085 0 01 0040+16 100377 FT PETROLEUM ST (SR0062 SEG 0470/1255)		==	0480/0171 HAZEL PL (CITY)
018 "DIA CIRC CONCR LEN=0015 INSTALLED UNKN NC FRONT ST FRONT ST (CITY)			
PETROLEUM ST (SR0062 SEG 0470/1255)	INTER-BK		100348 FT 1 0 00091 0 01 0414+59 NC FIRST ST
MFC BEGIN = B			MFC BEGIN = B
LTH AH 001296 BK 000315 0481/0000	100377 FT	5	0480/0000 LENGTH(AH 1297 BK 1583)
LTH AH 000315 BK 001583 7473/0000			PETROLEUM ST (CITY)
			0470/1583 FIRST ST (SR3025 SEG 0160/1971)
			0470/1430 ORCHARD ST (CITY)
FRONT ST (SR0062 SEG 0481/0000) 0470/1255			0470/1303 024 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN FRONT ST (CITY)
			0470/1211 024 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
			0470/1175 BMSBN 60/0062/0470/0450
			1 0 00091 0 00 0402+39 ALLEGHENY R.
			0470/0470 BMSBG 60/0062/0470/0450

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 67
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

TO 0008/0420 SH
(CONN) 0470/0132

1 0 00091 0 00 0397+68 098794 FT

MAIN ST

(SR0008 SEG 0421/0000)

(SR0008 SEG 0420/0000)

HALYDAY ST

(SR0428 SEG 0010/0000) 0470/0000

018 "DIA CIRC CONCR
LEN=0016 INSTALLED UNKN 0461/2619

(APRA) ELECTRALLOY CORP

ELECTRALLOY CORP RD

(PRDR)

0461/2258

018 "DIA CIRC CONCR

LEN=0016 INSTALLED UNKN 0461/2255

018 "DIA CIRC CONCR

LEN=0016 INSTALLED UNKN 0461/2014

018 "DIA CIRC CONCR

LEN=0016 INSTALLED UNKN 0461/1613

018 "DIA CIRC CONCR

LEN=0016 INSTALLED UNKN 0461/1470

024 "DIA CIRC CONCR

LEN=0016 INSTALLED UNKN 0461/1275

018 "DIA CIRC CONCR

LEN=0016 INSTALLED UNKN 0461/1188

018 "DIA CIRC CONCR

LEN=0016 INSTALLED UNKN 0461/0878

018 "DIA CIRC CONCR

LEN=0016 INSTALLED UNKN 0461/0763

0470/0391

018 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN
FROM 0062/0460 SH

0470/0132

(CONN)

0470/0119

(AAR 262844J) #TRKS 01

098765 FT

NC PETROLEUM ST

5 0470/0000 MFC BEGIN = B
LENGTH(AH 1583 BK 2303)

0460/2116

TO 0062/0470 SH
(CONN)

0460/1961

018 "DIA CIRC CONCR
LEN=0016 INSTALLED UNKN
(APRA) ELECTRALLOY CORP

POI POI

0460/1899

ELECTRALLOY CORP RD
(PRDR)

0460/1862

018 "DIA CIRC CONCR
LEN=0016 INSTALLED UNKN
018 "DIA CIRC CONCR

0460/1680

LEN=0016 INSTALLED UNKN

0460/1237

018 "DIA CIRC CONCR
LEN=0016 INSTALLED UNKN

0460/1113

018 "DIA CIRC CONCR
LEN=0016 INSTALLED UNKN

0460/0911

018 "DIA CIRC CONCR
LEN=0016 INSTALLED UNKN

0460/0825

018 "DIA CIRC CONCR
LEN=0016 INSTALLED UNKN

018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 65
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

1 0 00091 0 00 0350+19 094089 FT	0450/0030 LEN=0016 INSTALLED UNKN
NC MAIN ST	094089 FT 1 0 00091 0 00 0351+11
OIL CITY	NC MAIN ST
SUGARCREEK B	OIL CITY
LENGTH(AH 2038 BK 3655) 0451/0000	0450/0000 LENGTH(AH 2373 BK 3663)
	018 "DIA CIRC CONCR
018 "DIA CIRC CONCR	0440/3423 LEN=0016 INSTALLED UNKN
LEN=0016 INSTALLED UNKN 0441/3398	
	0440/3252 018 "DIA CIRC CONCR
018 "DIA CIRC CONCR	LEN=0016 INSTALLED UNKN
LEN=0016 INSTALLED UNKN 0441/3224	
	0440/3004 018 "DIA CIRC CONCR
018 "DIA CIRC CONCR	LEN=0016 INSTALLED UNKN
LEN=0016 INSTALLED UNKN 0441/2993	
	0440/2779 018 "DIA CIRC CONCR
018 "DIA CIRC CONCR	LEN=0016 INSTALLED UNKN
LEN=0016 INSTALLED UNKN 0441/2767	
	0440/2598 018 "DIA CIRC CONCR
	LEN=0016 INSTALLED UNKN
	0440/2388 018 "DIA CIRC CONCR
018 "DIA CIRC CONCR	LEN=0016 INSTALLED UNKN
LEN=0016 INSTALLED UNKN 0441/2374	
	0440/2081 018 "DIA CIRC CONCR
018 "DIA CIRC CONCR	LEN=0016 INSTALLED UNKN
LEN=0016 INSTALLED UNKN 0441/2077	
018 "DIA CIRC CONCR	
LEN=0016 INSTALLED UNKN 0441/1787	
	0440/1680 018 "DIA CIRC CONCR
018 "DIA CIRC CONCR	LEN=0016 INSTALLED UNKN
LEN=0016 INSTALLED UNKN 0441/1674	
	0440/1382 018 "DIA CIRC CONCR
018 "DIA CIRC CONCR	LEN=0016 INSTALLED UNKN
LEN=0016 INSTALLED UNKN 0441/1372	
	0440/0989 018 "DIA CIRC CONCR
018 "DIA CIRC CONCR	LEN=0016 INSTALLED UNKN
LEN=0016 INSTALLED UNKN 0441/0982	
	0440/0829 018 "DIA CIRC CONCR
018 "DIA CIRC CONCR	LEN=0016 INSTALLED UNKN
LEN=0016 INSTALLED UNKN 0441/0822	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 64
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

018 "DIA CIRC CONCR LEN=0016 INSTALLED UNKN 0441/0684	0440/0702	018 "DIA CIRC CONCR LEN=0015 INSTALLED 2018
018 "DIA CIRC CONCR LEN=0016 INSTALLED UNKN 0441/0546		
018 "H 24 "W ELLIP CONC LEN=0016 INSTALLED UNKN 0441/0389		
018 "DIA CIRC CONCR LEN=0016 INSTALLED UNKN 0441/0195	0440/0339	018 "DIA CIRC CONCR LEN=0016 INSTALLED 2018
	0440/0117	018 "DIA CIRC CONCR LEN=0016 INSTALLED UNKN
1 0 00091 0 00 0313+38 090434 FT LENGTH(AH 3655 BK 2245) 0441/0000	0440/0085 090426 FT	018 "DIA CIRC CONCR LEN=0016 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0016 INSTALLED UNKN 0431/2178	0440/0000	1 0 00091 0 00 0314+48 LENGTH(AH 3663 BK 1883)
018 "DIA CIRC CONCR LEN=0016 INSTALLED UNKN 0431/2050		
018 "DIA CIRC CONCR LEN=0016 INSTALLED UNKN 0431/1856	0430/1665	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
	0430/1486	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0018 INSTALLED UNKN 0431/1646	0430/1472	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
EMERGENCY CROSSOVER (CONN) 0431/1367	0430/1014	EMERGENCY CROSSOVER (CONN)
018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN 0431/1249		
024 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN 0431/1034		
018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN 0431/0755	0430/0891	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
	0430/0676	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN 0431/0389	0430/0420	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN 0431/0188		

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 63
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

1 0 00091 0 00 0290+93 088189 FT		0430/0024	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
018 "DIA CIRC CONCR		088543 FT	1 0 00091 0 00 0295+60
LEN=0012 INSTALLED UNKN		0430/0000	LENGTH(AH 1883 BK 1935)
LENGTH(AH 2245 BK 1559) 0431/0000		0420/1757	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
		0420/1518	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
018 "DIA CIRC CONCR			
LEN=0012 INSTALLED UNKN 0421/1370		0420/1336	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
018 "DIA CIRC CONCR			
LEN=0012 INSTALLED UNKN 0421/1073		0420/1028	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
018 "DIA CIRC CONCR			
LEN=0012 INSTALLED UNKN 0421/0866		0420/0818	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
		0420/0766	018 "DIA CIRC CONCR LEN=0010 INSTALLED UNKN
018 "DIA CIRC CONCR			
LEN=0012 INSTALLED UNKN 0421/0296		0420/0241	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
1 0 00091 0 00 0271+78 086630 FT		086608 FT	1 0 00091 0 00 0272+16
MFC BEGIN = B		0420/0000	MFC BEGIN = B
LENGTH(AH 1559 BK 2025) 0421/0000		0410/1891	LENGTH(AH 1935 BK 2025)
		0410/1632	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
		0410/1075	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
		0410/0874	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
		0410/0419	024 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
NINTH ST			
(BORO)		084583 FT	1 0 00091 0 00 0255+52
	0410/0398	0410/0000	LENGTH(AH 2025 BK 2929)
084605 FT		0400/2838	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
		0400/2566	024 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
			024 "DIA CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 62
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

		-- --	0400/2200	LEN=0012	INSTALLED UNKN
		-- --		018 "DIA	CIRC CONCR
SIXTH ST (BORO)	0400/1578	=	0400/1743	LEN=0012	INSTALLED UNKN
		-- --		018 "DIA	CIRC CONCR
FIFTH ST (BORO)	0400/1149	=	0400/1567	LEN=0012	INSTALLED UNKN
		-- --		024 "DIA	CIRC CONCR
FOURTH ST (BORO)	0400/0765	=	0400/0804	LEN=0012	INSTALLED UNKN
THIRD ST (BORO)	0400/0389	=			
		-- --	0400/0308	018 "DIA	CIRC CONCR
1 0 00091 0 00 0226+58 081676 FT		-- --	081654 FT	LEN=0012	INSTALLED UNKN
SECOND ST (BORO)	0400/0000	=	0400/0000	LENGTH(AH 2929 BK 2653)	
		-- --		018 "DIA	CIRC CONCR
FIRST ST (BORO)	0390/2283	=	0390/2598	LEN=0012	INSTALLED UNKN
		-- --			
		>--<		SHAFFER RUN	
TRANSIT ST (BORO)	0390/1468	=	0390/2015	STRUCTURE LENGTH 18 FT	
		-- --		BMSID 60/0062/0390/1987	
		-- --	0390/1088	018 "DIA	CIRC CONCR
		-- --		LEN=0012	INSTALLED UNKN
		-- --	0390/0956	018 "DIA	CIRC CONCR
PROGRESS DR (PRDR)	0390/0819	POI		LEN=0012	INSTALLED UNKN
KLAPEC TRUCKING DR (PRDR)	0390/0230	POI	0390/0819	(APRA) WEBCO IND	
	079023 FT		0390/0230	(APRA) KLAPEC TRUCKING	
		>--<	079001 FT	1 0 00091 0 00 0199+82	
		-- --	0390/0000	LENGTH(AH 2653 BK 1966)	
				BRANNON RUN	
				STRUCTURE LENGTH 16 FT	
			0380/1640	BMSID 60/0062/0380/1620	
MONG WY (BORO)	0380/0899	=			
		-- --	0380/0461	018 "DIA	CIRC CONCR
	077057 FT	-- --	077035 FT	LEN=0012	INSTALLED UNKN
WIBLE WY (BORO)	0380/0000	>--<		1 0 00091 0 00 0180+03	
			0380/0000	VILLAGE: RENO	
				LENGTH(AH 1966 BK 2510)	

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 60
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

018 "DIA CIRC CONCR LEN=0028 INSTALLED UNKN 0351/1318	0350/1359	018 "DIA CIRC CONCR LEN=0022 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0022 INSTALLED UNKN 0351/1046	0350/1087	018 "DIA CIRC CONCR LEN=0022 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0022 INSTALLED UNKN 0351/0844	0350/0885	018 "DIA CIRC CONCR LEN=0022 INSTALLED UNKN
BMS EN 60/0062/0350/0000 0351/0044 1 0 00091 0 00 0106+35 069700 FT UPPER 2 MI. BMSBG 60/0062/0350/0000 LENGTH(AH 3101 BK 3048) 0351/0000	0350/0044 069678 FT BMS EN 60/0062/0350/0000 1 0 00091 0 00 0106+35 UPPER 2 MI. BMSBG 60/0062/0350/0000 LENGTH(AH 3101 BK 3278) 0350/0000	BMS EN 60/0062/0350/0000 1 0 00091 0 00 0106+35 UPPER 2 MI. BMSBG 60/0062/0350/0000 LENGTH(AH 3101 BK 3278)
TWO MILE RUN RD (SR4001 SEG 0010/0000) TWO MILE RUN RD (SR4001 SEG 0010/0000) 0341/2371	0340/2591	TWO MILE RUN RD (SR4001 SEG 0010/0000) TWO MILE RUN RD (SR4001 SEG 0010/0000)
018 "DIA CIRC CONCR LEN=0130 INSTALLED UNKN 0341/2355		
024 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN 0341/2223	0340/2462	024 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
GIBB RD (BORO) 0341/1260 GOODWILL PLAZA (PRDR) 0341/1094	0340/1505	GIBB RD (BORO) GOODWILL PLAZA (PRDR)
018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN 0341/0935	0340/1334	
018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN 0341/0600	0340/1113	018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN 0341/0393	0340/0879	018 "DIA CIRC CONCR LEN=0450 INSTALLED UNKN
BIG LOTS PLAZA (PRDR)	0340/0573	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN BIG LOTS PLAZA (PRDR)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 59
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

GIBB RD
(BORO)

0341/0210

00 0000 00

1 0 00091 0 00 0075+93 066652 FT
LENGTH(AH 3048 BK 2542) 0341/0000
018 "DIA CIRC CONCR
LEN=0034 INSTALLED UNKN 0331/2454
018 "DIA CIRC CONCR
LEN=0034 INSTALLED UNKN 0331/2236

018 "DIA CIRC CONCR
LEN=0032 INSTALLED UNKN 0331/2023

015 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN 0331/1935

018 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN 0331/1587
FRONT ST
(SR4002 SEG 0020/3651)
0331/1267

018 "DIA CIRC CONCR
LEN=0048 INSTALLED UNKN 0331/0141
1 0 00091 0 00 0049+37 064110 FT
KMART PLAZA
(PRDR)

LENGTH(AH 2542 BK 2021) 0331/0000

030 "DIA CIRC CONCR
LEN=0043 INSTALLED UNKN 0321/1721

1 0 00091 0 00 0030+61 062089 FT
LENGTH(AH 2021 BK 2337) 0321/0000

024 "DIA CIRC CONCR
LEN=0023 INSTALLED UNKN 0311/2263

0340/0456

0340/0075

066400 FT

0340/0000

0330/2167

0330/1953

0330/1607

0330/1270

064091 FT

0330/0000

0320/1771

0320/1182

062101 FT

0320/0000

0310/2269

GIBB RD
(BORO)

018 "DIA CIRC CONCR
LEN=0044 INSTALLED UNKN
1 0 00091 0 00 0073+78
LENGTH(AH 3278 BK 2309)

018 "DIA CIRC CONCR
LEN=0046 INSTALLED UNKN

018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN

018 "DIA CIRC CONCR
LEN=0045 INSTALLED UNKN

FRONT ST
(SR4002 SEG 0020/3651)

1 0 00091 0 00 0050+06
KMART PLAZA
(PRDR)

LENGTH(AH 2309 BK 1990)
030 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN

018 "DIA CIRC CONCR
LEN=0031 INSTALLED UNKN

024 "DIA CIRC CONCR
LEN=0045 INSTALLED UNKN

024 "DIA CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 58
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

024 "DIA CIRC CONCR
LEN=0023 INSTALLED UNKN 0311/1911
SUGARCREEK
FRANKLIN C 0311/1368
018 "DIA CIRC CONCR
LEN=0025 INSTALLED UNKN 0311/1032

FRANKLIN
SUGARCREEK B 0311/0663
SUGARCREEK
FRANKLIN C 0311/0625
BMSSEN 60/0062/0310/0025 0311/0582
1 0 00091 0 00 0007+17
FRENCH CREEK
BMSBG 60/0062/0310/0025 0311/0028
1 0 00091 0 00 0006+89 059752 FT
LENGTH(AH 2337 BK 0705) 0311/0000
NC ALLEGHENY BL


ELK ST
(CITY)
1 0 00091 0 00 0000+00 0301/0374
LIBERTY ST 059047 FT
(SR0322 SEG 0300/0000)
NC WASHINGTON CROSSING

MFC BEGIN = B
LENGTH(AH 0705 BK 1002) 0301/0000

1 0 00065 0 00 0013+85 058045 FT
SOUTH PARK ST
(CITY) 0290/0000

TWELFTH ST
(CITY) 0281/0991

WEST PARK ST
(CITY) 0281/0609
(CITY) 0281/0466
1 0 00065 0 00 0000+00 056661 FT



0310/1920 LEN=0023 INSTALLED UNKN

0310/1365 SUGARCREEK
FRANKLIN C

0310/1050 018 "DIA CIRC CONCR
LEN=0045 INSTALLED 1999
FRANKLIN

0310/0685 SUGARCREEK B
SUGARCREEK
FRANKLIN C 0310/0622
0310/0579 BMSSEN 60/0062/0310/0025
1 0 00091 0 00 0007+17
FRENCH CREEK

0310/0025 BMSBG 60/0062/0310/0025
059737 FT 1 0 00091 0 00 0006+92
0310/0000 LENGTH(AH 2364 BK 0703)
NC ALLEGHENY BL

0300/0389
059034 FT 1 0 00091 0 00 0000+00
NC WASHINGTON CROSSING
LIBERTY ST
(SR0322 SEG 0300/0000)

0300/0000 MFC BEGIN = B
LENGTH(AH 0703 BK 1002)
ELEVENTH ST
(CITY)

0290/0604
0290/0299 FELDMAN WY
(CITY)
0290/0084 BERNET WY
058032 FT (CITY)

0290/0000 MFC BEGIN = B
LENGTH(AH 1002 BK 1345)

0280/0969 TWELFTH ST
(CITY)
0280/0871 WEST PARK ST
(CITY)

0280/0465 (CITY)
056687 FT 1 0 00065 0 00 0000+00

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 57
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: FRANKLIN C RIGHT MUN: FRANKLIN C

THIRTEENTH ST (CITY) THIRTEENTH ST (SR0322 SEG 0260/2711) (SR0322 SEG 0261/2713) MFC BEGIN = B LENGTH(AH 1384 BK 1308) 0281/0000		THIRTEENTH ST (CITY) THIRTEENTH ST (SR0322 SEG 0261/2713) (SR0322 SEG 0260/2711) MFC BEGIN = B LENGTH(AH 1345 BK 1308)
		FOURTEENTH ST (CITY)
1 0 00233 0 02 0895+36 055353 FT FIFTEENTH ST (CITY) LIBERTY ST (CITY)	0270/0000	0270/0647 055379 FT
OLD MERCER RD (CITY)	0260/0612	0270/0000 NC LIBERTY ST LENGTH(AH 1308 BK 1620) BUFFALO ST (CITY) CHESTNUT ST (CITY)
		0260/1243 0260/0882
		0260/0515 018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN EAGLE ST (CITY)
		0260/0392 036 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN 018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN
1 0 00233 0 02 0879+16 053733 FT BELL AV (CITY)	0260/0000	MFC BEGIN = B LENGTH(AH 1620 BK 2078)
		0250/0797 TRUCK ESCAPE RAMP RD (SR9301 SEG 0010/0000) 018 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN 018 "DIA CIRC CONCR LEN=0056 INSTALLED UNKN 1 0 00233 0 02 0858+38 FRANKLIN SANDY CREEK T LENGTH(AH 2078 BK 1444)
1 0 00233 0 02 0858+62 051658 FT FRANKLIN SANDY CREEK T LENGTH(AH 2075 BK 1420) 0251/0000	0250/0000	

DIST: 01-5 SR: 62
RIGHT MUN: SANDY CREEK T

(SR0008 SEG 0401/0938)
(SR0008 SEG 0400/0919)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 55
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: SANDY CREEK T RIGHT MUN: SANDY CREEK T


FIFTEENTH ST
(SR0008 SEG 0401/0938)
MFC BEGIN = B
LENGTH(AH 1458 BK 2797)

FROM 0062/0231 SH
(CONN)
UNION ST
(T392)
SANDY CREEK
FRENCH CREEK T
OLD MERCER RD
(T453)
PERRY ST
(T390)

0220/2628
0220/2616
0220/2081
0220/2028

045983 FT

1 0 00208 0 01 0431+66 043105 FT
GEORGETOWN RD
(SR3026 SEG 0160/2205) 0210/0000



0230/0000
0220/2746

FIFTEENTH ST
(SR0008 SEG 0401/0938)
(SR0008 SEG 0400/0919)
MFC BEGIN = B
LENGTH(AH 1457 BK 2797)
TO 0008/0401 SH
(CONN)

0220/1694 WHITEWOOD DR
(PRDR)
018 "DIA CIRC CONCR
LEN=0015 INSTALLED 1999
0220/1676 SPRUCE LN
(PRDR)
018 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN
0220/1204 018 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN
0220/0919

0220/0308 SANDY CREEK
045983 FT FRENCH CREEK T
1 0 00208 0 01 0460+44
0220/0000 LENGTH(AH 2797 BK 2878)

0210/2184 018 "DIA CIRC CONCR
LEN=0022 INSTALLED UNKN
0210/1513 036 "DIA CIR PLASTIC
LEN=0012 INSTALLED UNKN
0210/1015 018 "DIA CIRC CONCR
LEN=0012 INSTALLED UNKN

043105 FT
0210/0000 LENGTH(AH 2878 BK 1843)
0200/1212 024 "DIA CIR PLASTIC
LEN=0015 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 54
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

1 0 00208 0 01 0413+48 041262 FT
SANFORD RD
(T454) 0200/0000

VENANGO CNTY FAIRGROUND
(PRDR) 0190/0156
1 0 00208 0 01 0390+20 039122 FT
BLACKHILL RD
(T451) 0190/0000

037032 FT

034691 FT

== 0200/0068 WAININGO RD
041262 FT (T458)
== 0200/0000 LENGTH(AH 1843 BK 2140)
-- -- 0190/0901 018 "DIA CIRC CONCR
LEN=0012 INSTALLED UNKN
-- -- 0190/0502 015 "DIA CIRC CONCR
LEN=0012 INSTALLED UNKN
== 039122 FT
== 0190/0000 LENGTH(AH 2140 BK 2090)
-- -- 0180/1250 015 "DIA CIRC CONCR
LEN=0041 INSTALLED UNKN
-- -- 0180/0306 018 "DIA CIR PLASTIC
LEN=0015 INSTALLED 2002
037032 FT 1 0 00208 0 01 0369+30
5 0180/0000 LENGTH(AH 2090 BK 2341)
-- -- 0170/2282 018 "DIA CIR PLASTIC
LEN=0015 INSTALLED 2013
-- -- 0170/2025 018 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN
-- -- 0170/1696 018 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN
-- -- 0170/1345 015 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN
-- -- 0170/1044 036 "DIA CIRC CONCR
LEN=0020 INSTALLED UNKN
-- -- 0170/0555 015 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN
-- -- 0170/0034 018 "DIA CIR PLASTIC
LEN=0015 INSTALLED UNKN
034691 FT 1 0 00208 0 01 0346+58
5 0170/0000 LENGTH(AH 2341 BK 2677)
-- -- 0160/1914 015 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN
-- -- 0160/1565 048 "DIA CIR PLASTIC
LEN=0020 INSTALLED UNKN
012 "DIA CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 53
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

	032014 FT	0160/0628	LEN=0045	INSTALLED	UNKN
		012 "DIA	CIRC	CONCR	
		0160/0153	LEN=0015	INSTALLED	UNKN
		032014 FT	1 0 00208	0 01	0319+81
		0160/0000	LENGTH(AH	2677	BK 2410)
		018 "DIA	CIRC	CONCR	
		0150/2342	LEN=0015	INSTALLED	UNKN
		015 "DIA	CIRC	METAL	
		0150/2003	LEN=0015	INSTALLED	UNKN
		024 "DIA	CIRC	CONCR	
		0150/1972	LEN=0015	INSTALLED	UNKN
		015 "DIA	CIRC	CONCR	
		0150/1490	LEN=0015	INSTALLED	UNKN
		018 "DIA	CIRC	CONCR	
	029604 FT	0150/0566	LEN=0015	INSTALLED	UNKN
		029604 FT	1 0 00208	0 01	0295+79
		NC ME	RCCER RD		
			FRENCH CREEK		
			POLK BOROUGH B		
		0150/0000	LENGTH(AH	2410	BK 1413)
		015 "DIA	CIRC	CONCR	
		0140/1024	LEN=0015	INSTALLED	UNKN
NILES RD (BORO)	0140/0983				
	028191 FT	0140/0075	BMSSEN 60/0062/0140/0000		
		028191 FT	1 0 00208	0 00	0281+66
			LT. SANDY CK		
		0140/0000	BMSBG 60/0062/0140/0000		
			LENGTH(AH	1413	BK 1971)
		015 "DIA	CIRC	CONCR	
		0130/1793	LEN=0015	INSTALLED	UNKN
		015 "DIA	CIRC	CONCR	
		0130/1482	LEN=0015	INSTALLED	UNKN
		018 "DIA	CIRC	CONCR	
		0130/1117	LEN=0046	INSTALLED	UNKN
		018 "DIA	CIRC	CONCR	
		0130/0298	LEN=0015	INSTALLED	UNKN
		015 "DIA	CIRC	CONCR	
		0130/0081	LEN=0015	INSTALLED	UNKN
		026220 FT	POLK CUTOFF RD		
1 0 00208 0 00 0261+92 026220 FT			(SR3024 SEG 0110/0000)		
VALLEY RD			LENGTH(AH	1971	BK 1508)
(SR3024 SEG 0110/0000) 0130/0000		0130/0000	BMSSEN 60/0062/0120/1298		
		0120/1313	1 0 00208	0 00	0259+80
			HIBBS RUN		

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 52
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI.
LEFT MUN: POLK BOROUGH B


DIST: 01-5 SR: 62
RIGHT MUN: POLK BOROUGH B

1 0 00208 0 00 0246+90 024712 FT
SCHOOL DR
(GOVT) 0120/0000

1 0 00208 0 00 0238+09 023830 FT
BELL AV
(BORO) 0110/0000

PALM HILL RD
(BORO) 0100/0893

022033 FT



0120/1298 BMSBG 60/0062/0120/1298

0120/0633 018 "DIA CIRC CONCR
LEN=0010 INSTALLED UNKN
MAIN ST
(BORO)
CRAWFORD AV

0120/0553 (BORO)
ERIE ST
(BORO)

0120/0195
024712 FT

5 0120/0000 LENGTH(AH 1508 BK 0882)
CHESTNUT ST

0110/0473 (BORO)
CHURCH ST

0110/0128 (BORO)

0110/0015 015 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN
023830 FT

5 0110/0000 LENGTH(AH 0882 BK 1797)

0100/1137 018 "DIA CIRC METAL
LEN=0015 INSTALLED UNKN

0100/1022 018 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN

0100/0904 018 "DIA CIRC METAL
LEN=0015 INSTALLED UNKN

0100/0540 024 "DIA CIRC CONCR
LEN=0044 INSTALLED UNKN

0100/0200 015 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN

0100/0017 018 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN

5 0100/0000 1 0 00208 0 00 0219+71
LENGTH(AH 1797 BK 3618)

0090/3248 018 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN

0090/3093 018 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN

0090/2880 018 "DIA CIRC CONCR
LEN=0045 INSTALLED UNKN

0090/2534 018 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN

NC MA
POLK BOROUGH
0090/2210 FRENCH CREEK T

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 51
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: POLK BOROUGH B RIGHT MUN: POLK BOROUGH B

018415 FT

015978 FT

0090/2109	012 "DIA	CIRC CONCR
0090/1891	LEN=0100	INSTALLED UNKN
0090/1763	015 "DIA	CIRC CONCR
0090/1396	LEN=0044	INSTALLED UNKN
0090/0797	018 "DIA	CIR PLASTIC
0090/0489	LEN=0015	INSTALLED UNKN
0090/0343	015 "DIA	CIRC METAL
0090/0050	LEN=0045	INSTALLED UNKN
018415 FT	018 "DIA	CIRC CONCR
0090/0000	LEN=0015	INSTALLED UNKN
0080/2329	030 "DIA	CIRC CONCR
0080/2248	018 "DIA	CIR PLASTIC
0080/2012	LEN=0015	INSTALLED UNKN
0080/1433	018 "DIA	CIR PLASTIC
0080/1139	LEN=0015	INSTALLED UNKN
0080/0982	018 "DIA	CIR PLASTIC
0080/0664	LEN=0015	INSTALLED UNKN
0080/0547	018 "DIA	CIR PLASTIC
0080/0193	LEN=0015	INSTALLED UNKN
0080/0057	018 "DIA	CIR PLASTIC
015978 FT	LEN=0015	INSTALLED UNKN
0080/0000	1 0 00208	0 00 0184+10
0070/1325	JACKSON CENTER	POLK RD
0070/1020	(SR0965	SEG 0080/3264)
0070/0745	LENGTH(AH	3618 BK 2437)
	FRENCH CREEK	
	MINERAL T	
	012 "DIA	CIRC CONCR
	LEN=0034	INSTALLED UNKN
	024 "DIA	CIRC METAL
	LEN=0048	INSTALLED UNKN
	015 "DIA	CIRC CONCR
	LEN=0042	INSTALLED UNKN
	015 "DIA	CIRC CONCR
	LEN=0042	INSTALLED UNKN
	015 "DIA	CIRC CONCR
	LEN=0034	INSTALLED UNKN
	012 "DIA	CIRC CONCR
	LEN=0046	INSTALLED UNKN
	012 "DIA	CIRC CONCR
	LEN=0048	INSTALLED UNKN
	018 "DIA	CIR PLASTIC
	LEN=0040	INSTALLED UNKN
	015 "DIA	CIR PLASTIC
	LEN=0015	INSTALLED UNKN
	1 0 00208	0 00 0159+73
	LENGTH(AH	2437 BK 1971)
	015 "DIA	CIRC CONCR
	LEN=0015	INSTALLED UNKN
	015 "DIA	CIRC CONCR
	LEN=0015	INSTALLED UNKN
	015 "DIA	CIRC CONCR
	LEN=0044	INSTALLED UNKN
	012 "DIA	CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 50
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: MINERAL T RIGHT MUN: MINERAL T

014007 FT

011488 FT

008990 FT

0070/0495	LEN=0050	INSTALLED	UNKN
024 "DIA	CIRC	CONCR	
0070/0400	LEN=0048	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0070/0040	LEN=0047	INSTALLED	UNKN
014007 FT	1 0 00208	0 00	0140+02
5 0070/0000	LENGTH(AH	1971	BK 2519)
015 "DIA	CIRC	CONCR	
0060/2332	LEN=0042	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0060/2097	LEN=0045	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0060/1771	LEN=0040	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0060/1537	LEN=0040	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0060/1322	LEN=0040	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0060/0962	LEN=0040	INSTALLED	UNKN
024 "DIA	CIRC	METAL	
0060/0767	LEN=0056	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0060/0506	LEN=0045	INSTALLED	UNKN
011488 FT	1 0 00208	0 00	0114+83
5 0060/0000	LENGTH(AH	2519	BK 2498)
015 "DIA	CIRC	CONCR	
0050/2429	LEN=0040	INSTALLED	UNKN
018 "DIA	CIRC	CONCR	
0050/1853	LEN=0045	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0050/1485	LEN=0038	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0050/1212	LEN=0035	INSTALLED	UNKN
018 "DIA	CIRC	CONCR	
0050/0866	LEN=0045	INSTALLED	UNKN
024 "DIA	CIRC	CONCR	
0050/0672	LEN=0048	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0050/0538	LEN=0040	INSTALLED	UNKN
008990 FT	1 0 00208	0 00	0089+85
5 0050/0000	LENGTH(AH	2498	BK 2539)
015 "DIA	CIRC	CONCR	
0040/2074	LEN=0038	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0040/1762	LEN=0040	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0040/1544	LEN=0012	INSTALLED	UNKN
015 "DIA	CIRC	CONCR	
0040/1029	LEN=0012	INSTALLED	UNKN
048 "DIA	CIRC	CONCR	


EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 49
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: MINERAL T RIGHT MUN: MINERAL T

	006451 FT	0040/0704	LEN=0062	INSTALLED UNKN
		0040/0322	015 "DIA CIRC CONCR	
		006451 FT	LEN=0012	INSTALLED UNKN
			1 0 00208 0 00 0064+51	
			018 "DIA CIRC CONCR	
		0040/0000	LEN=0015	INSTALLED UNKN
			LENGTH(AH 2539 BK 2651)	
			016 "DIA CIRC CONCR	
		0030/2275	LEN=0040	INSTALLED UNKN
			018 "DIA CIRC CONCR	
		0030/1990	LEN=0050	INSTALLED UNKN
			018 "DIA CIRC CONCR	
		0030/1730	LEN=0015	INSTALLED UNKN
			018 "DIA CIRC CONCR	
		0030/1362	LEN=0015	INSTALLED UNKN
			018 "DIA CIRC CONCR	
		0030/0990	LEN=0015	INSTALLED UNKN
			018 "DIA CIRC CONCR	
		0030/0712	LEN=0015	INSTALLED UNKN
			018 "DIA CIRC CONCR	
		0030/0375	LEN=0015	INSTALLED UNKN
			015 "DIA CIRC CONCR	
		0030/0015	LEN=0015	INSTALLED UNKN
		003800 FT	RAYMILTON RD	
1 0 00208 0 00 0038+00 003800 FT			(SR3015 SEG 0050/2763)	
UTICA RD		0030/0000	LENGTH(AH 2651 BK 1774)	
(SR3017 SEG 0010/0000)			018 "DIA CIRC CONCR	
		0020/1377	LEN=0012	INSTALLED UNKN
			016 "DIA CIRC CONCR	
		0020/0265	LEN=0040	INSTALLED UNKN
		002026 FT	1 0 00208 0 00 0020+33	
		0020/0000	LENGTH(AH 1774 BK 2026)	
			018 "DIA CIRC CONCR	
		0010/1609	LEN=0012	INSTALLED UNKN
			018 "DIA CIRC CONCR	
		0010/1325	LEN=0012	INSTALLED UNKN
			015 "DIA CIRC CONCR	
		0010/0046	LEN=0012	INSTALLED UNKN
		000000 FT	1 0 00208 0 00 0000+00	
			NC MERCER RD	
		* REF-BK	SR 0062 SH	
			(SR0062 SEG 0730/1995)	
			MFC BEGIN = C	
			BK-MERCER	(43)
		0010/0000	LENGTH(AH 2026 BK 0000)	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 48
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: 11.849 MI. DIST: 01-5 SR: 38
 LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

062564 FT



Segment	Length	Material	Division	Notes
062564 FT			TWENTYEIGHTH DIVISION H	
0240/3594		(SR0322	SEG 0550/0000)	
		036" H 84" W	ELLIP CONC	
0240/3570	LEN=0056	015" DIA	CIRC CONCR	UNKN
0240/3200	LEN=0045	015" DIA	CIRC CONCR	UNKN
0240/2886	LEN=0035	015" DIA	CIRC CONCR	UNKN
0240/2580	LEN=0050	015" DIA	CIRC PLASTIC	UNKN
0240/2290	LEN=0050	018" DIA	CIRC PLASTIC	UNKN
0240/2070	LEN=0052	015" DIA	CIRC CONCR	UNKN
0240/1800	LEN=0035	015" DIA	CIRC CONCR	UNKN
		015" DIA	CIRC CONCR	
0240/1040	LEN=0035	024" DIA	CIRC CONCR	UNKN
0240/0575	LEN=0045	036" DIA	CIRC CONCR	UNKN
0240/0475	LEN=0072		INSTALLED	UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 47
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 11.849 MI. DIST: 01-5 SR: 38
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

SANDY HILL DR
(PRDR)

058970 FT

0230/2911

GEORGEVILLE RD
(T382)

0230/1144

055727 FT

052276 FT

058970 FT 1 0 00075 0 03 0724+96
S 0240/0000 LENGTH(AH 3594 BK 3243)

0230/2550 015 "DIA CIRC CONCR
LEN=0045 INSTALLED UNKN

0230/1937 015 "DIA CIR PLASTIC
LEN=0034 INSTALLED UNKN

0230/1540 015 "DIA CIRC METAL
LEN=0035 INSTALLED UNKN

0230/1170 024 "DIA CIRC CONCR
LEN=0075 INSTALLED UNKN

0230/1144 PEG-A-NAL RD
(T381)

0230/1126 024 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN

0230/0820 015 "DIA CIRC CONCR
LEN=0046 INSTALLED UNKN

0230/0437 015 "DIA CIRC CONCR
LEN=0043 INSTALLED UNKN

0230/0040 015 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN

055727 FT 1 0 00075 0 03 0692+46
ROCKLAND

S 0230/0000 RICHLAND T
LENGTH(AH 3243 BK 3451)

0220/3003 048 "DIA CIRC CONCR
LEN=0045 INSTALLED UNKN

0220/2692 WHITLING RD
(T590)

0220/2680 015 "DIA CIR PLASTIC
LEN=0050 INSTALLED UNKN

0220/1850 012 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN

0220/1425 015 "DIA CIRC CONCR
LEN=0045 INSTALLED UNKN

0220/1178 015 "DIA CIRC CONCR
LEN=0042 INSTALLED UNKN

0220/0810 015 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN

0220/0508 015 "DIA CIR PLASTIC
LEN=0044 INSTALLED UNKN

0220/0185 015 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN

0220/0024 BMS EN 60/0038/0220/0000
1 0 00075 0 03 0658+11

052276 FT PINE RUN
BMS BG 60/0038/0220/0000

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 46
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 11.849 MI. DIST: 01-5 SR: 38
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

0220/0000 LENGTH(AH 3451 BK 3331)

048945 FT

0210/2120 018 "DIA CIRC CONCR
LEN=0044 INSTALLED UNKN
0210/1713 015 "DIA CIRC CONCR
LEN=0042 INSTALLED UNKN
0210/1416 015 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN
0210/0891 018 "DIA CIRC PLASTIC
LEN=0034 INSTALLED UNKN
0210/0821 015 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN
0210/0556 018 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN
0210/0441 015 "DIA CIRC CONCR
LEN=0034 INSTALLED UNKN
0210/0238 015 "DIA CIRC CONCR
LEN=0035 INSTALLED 2017
0210/0216 015 "DIA CIRC CONCR
LEN=0036 INSTALLED UNKN
0210/0024 015 "DIA CIRC CONCR
LEN=0056 INSTALLED 2017
0210/0012 018 "DIA CIRC CONCR
LEN=0055 INSTALLED UNKN
048945 FT 1 0 00075 0 03 0624+84
NICKLEVILLE RD
(SR2011 SEG 0040/2318)
0210/0000 LENGTH(AH 3331 BK 2471)

046474 FT

0200/0650 018 "DIA CIRC PLASTIC
LEN=0045 INSTALLED 1998
0200/0325 018 "DIA CIRC CONCR
LEN=0042 INSTALLED UNKN
0200/0070 015 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN
046474 FT 1 0 00075 0 03 0600+46
0200/0000 LENGTH(AH 2471 BK 3780)
015 "DIA CIRC CONCR
0190/3350 LEN=0042 INSTALLED UNKN

LC FOR MYERS MILL RD
(CONN)

0190/3120

0190/2950 018 "DIA CIRC CONCR
LEN=0040 INSTALLED 2005
018 "DIA CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 45
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 11.849 MI. DIST: 01-5 SR: 38
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

MYERS MILL RD
(T381)

0190/2790

1 0 00075 0 03 0563+78 042694 FT
ROCKLAND NICKLEVILLE RD
(SR2002 SEG 0120/1807) 0190/0000

039222 FT

SHOTGUN CLUB RD
(T361)

0170/0353

0190/2937 LEN=0039 INSTALLED 2017

0190/2155 BMS EN 60/0038/0190/2178
1 0 00075 0 03 0563+78
BEAR RUN

0190/2137 BMSBG 60/0038/0190/2178
036 "DIA CIR PLASTIC

0190/1720 LEN=0050 INSTALLED UNKN

018 "DIA CIR PLASTIC
0190/0765 LEN=0040 INSTALLED 2007

015 "DIA CIRC CONCR
0190/0739 LEN=0043 INSTALLED 2017

042694 FT

5 0190/0000 LENGTH(AH 3780 BK 3472)
018 "DIA CIRC CONCR

0180/3350 LEN=0055 INSTALLED 1996

015 "DIA CIRC CONCR
0180/2734 LEN=0036 INSTALLED 2017

015 "DIA CIRC CONCR
0180/2040 LEN=0040 INSTALLED UNKN

015 "DIA CIRC CONCR
0180/2019 LEN=0040 INSTALLED 2017

015 "DIA CIRC CONCR
0180/1445 LEN=0035 INSTALLED UNKN

015 "DIA CIRC CONCR
0180/1422 LEN=0034 INSTALLED 2017

039222 FT 1 0 00075 0 03 0527+55
052"H 82"W ELLIP CONC

5 0180/0000 LEN=0045 INSTALLED UNKN
LENGTH(AH 3472 BK 2340)

018 "DIA CIRC CONCR
0170/1035 LEN=0041 INSTALLED UNKN

018 "DIA CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 44
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 11.849 MI. DIST: 01-5 SR: 38
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

036882 FT	---	0170/0022	LEN=0040	INSTALLED UNKN
		036882 FT	1 0 00075 0 03 0504+03	BELL RD
	==	5 0170/0000	LENGTH(AH 2340 BK 1788)	(T363)
	---	0160/0913	BMSSEN 60/0038/0160/0898	1 0 00075 0 03 0495+05
	---	0160/0898	MILL CK. TR.	BMSBG 60/0038/0160/0898
1 0 00075 0 03 0486+10 035094 FT		035094 FT	MULLEN LN	
PORTERFIELD RD		5 0160/0000	LENGTH(AH 1788 BK 2765)	(PRDR)
(T357)	==	0150/2754	024 "DIA CIR PLASTIC	
0160/0000	---		LEN=0035	INSTALLED 1996
	---	0150/0980	018 "DIA CIRC CONCR	
			LEN=0050	INSTALLED UNKN
	---	0150/0348	015 "DIA CIRC CONCR	
			LEN=0045	INSTALLED UNKN
	---	0150/0069	015 "DIA CIRC CONCR	
032329 FT		032329 FT	LEN=0050	INSTALLED UNKN
			1 0 00075 0 03 0458+46	
	==	5 0150/0000	NORTH KAHLE LAKE RD	
	---	0140/2340	(T359)	
			LENGTH(AH 2765 BK 2757)	
	---	0140/2014	018 "DIA CIRC METAL	
			LEN=0110	INSTALLED UNKN
	---	0140/1396	018 "DIA CIRC CONCR	
			LEN=0040	INSTALLED UNKN
	---	0140/0796	018 "DIA CIRC CONCR	
			LEN=0040	INSTALLED UNKN
029572 FT	---	0140/0019	018 "DIA CIRC CONCR	
		029572 FT	LEN=0040	INSTALLED UNKN
	---	5 0140/0000	BMSSEN 60/0038/0140/0000	
			1 0 00075 0 03 0430+91	
	---	0130/1407	MILL CREEK	
			BMSBG 60/0038/0140/0000	
	---		LENGTH(AH 2757 BK 1809)	
			018 "DIA CIR PLASTIC	
	---		LEN=0038	INSTALLED 1996

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 43
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 11.849 MI. DIST: 01-5 SR: 38
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

		0130/0467	015 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN
		0130/0020	018 "DIA CIRC CONCR
027763 FT		027763 FT	LEN=0040 INSTALLED UNKN 1 0 00075 0 03 0412+83 SOUTH KAHLE LAKE RD (T350)
		0130/0000	LENGTH(AH 1809 BK 3973)
		0120/3680	BMSSEN 60/0038/0120/3668 0 0 00000 0 00 0000+00 MILL CK. TR.
		0120/3668	BMSBG 60/0038/0120/3668
		0120/2855	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
		0120/2286	024 "DIA CIRC CONCR LEN=0048 INSTALLED UNKN
		0120/1374	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
		0120/0365	015 "DIA CIR PLASTIC LEN=0035 INSTALLED UNKN
1 0 00075 0 03 0373+13 023790 FT AIRPORT RD (SR2001 SEG 0080/2821) 0120/0000		023790 FT	
		0120/0000	LENGTH(AH 3973 BK 3567)
		0110/3563	015 "DIA CIRC CONCR LEN=0045 INSTALLED 2019
		0110/2269	015 "DIA CIRC CONCR LEN=0044 INSTALLED UNKN
		0110/1811	018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
		0110/1566	015 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
		0110/0998	015 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
		0110/0016	BMSSEN 60/0038/0110/0000
020223 FT		020223 FT	1 0 00075 0 03 0337+27 RICHEY RUN BMSBG 60/0038/0110/0000
		0110/0000	LENGTH(AH 3567 BK 1749) 024 "DIA CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 42
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 11.849 MI. DIST: 01-5 SR: 38
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

WHITEHALL RD
(SR2003 SEG 0080/2441) 0100/0580
018474 FT

018474 FT

FERREE RD
(T550)

0090/1485

015765 FT

Station	Length	Material	Status
0100/1605	LEN=0042	INSTALLED	UNKN
0100/0615	018 "DIA CIRC CONCR LEN=0036	INSTALLED	UNKN
0100/0580	SHREFFLER RD (T321)		
018474 FT	1 0 00075 0 03 0319+60		
REF-BK	SR 0038 SH (SR0038 SEG 0070/2705)		
0100/0000	BK-CLARION (16)		
018474 FT	LTH AH 001749 BK 000100		
7092/0000	AH-CLARION (16)		
REF-AHD	LTH AH 000100 BK 002709		
0090/2709	SR 0038 SH (SR0038 SEG 0050/0000)		
0090/2650	018 "DIA CIRC CONCR		
0090/2182	LEN=0040 INSTALLED UNKN		
0090/2164	BMSBG 60/0038/0090/2164		
0090/1880	1 0 00075 0 02 0251+90		
0090/1540	RICHEY RUN		
0090/0952	BMSBG 60/0038/0090/2164		
0090/0660	018 "DIA CIRC CONCR		
0090/0642	LEN=0050 INSTALLED UNKN		
0090/0623	015 "DIA CIRC CONCR		
0090/0493	LEN=0045 INSTALLED UNKN		
0090/0430	018 "DIA CIRC CONCR		
0090/0250	LEN=0034 INSTALLED UNKN		
015765 FT	018 "DIA CIRC CONCR		
0090/0000	LEN=0060 INSTALLED UNKN		
0080/2130	RAMP B RD (SR8002 SEG 0510/0942)		
0080/1920	RAMP A RD (SR8002 SEG 0500/0000)		
0080/1763	TO 8002/0500 SH (CONN)		
	024 "DIA CIRC CONCR		
	LEN=0055 INSTALLED UNKN		
	015 "DIA CIRC METAL		
	LEN=0070 INSTALLED UNKN		
	1 0 00075 0 02 0230+19		
	LENGTH(AH 2709 BK 2342)		
	018 "DIA CIRC CONCR		
	LEN=0040 INSTALLED UNKN		
	018 "DIA CIRC CONCR		
	LEN=0042 INSTALLED UNKN		
	SR 0478 SH		
	(SR0478 SEG 0012/0000)		

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 41
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 11.849 MI. DIST: 01-5 SR: 38
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

Station	Structure	Notes
013423 FT	0080/1503	015 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
013423 FT	0080/0839	018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
013423 FT	0080/0522	015 "DIA CIRC CONCR LEN=0045 INSTALLED 2005
013423 FT	0080/0021	BMSBG 60/0038/0080/0000
013423 FT	013423 FT	1 0 00075 0 02 0206+97
013423 FT	0038 SH	SR 0038 SH
013423 FT	REF-BK	(SR0038 SEG 0030/2304)
013423 FT	0080/0000	RICHEY RUN
013423 FT	013423 FT	BMSBG 60/0038/0080/0000
013423 FT	7072/0000	BK-CLARION (16)
013423 FT	REF-AHD	LTH AH 002342 BK 000100
013423 FT	0070/1270	SR 0038 SH
013423 FT	0070/1229	(SR0038 SEG 0010/0000)
013423 FT	0070/0300	EMLENTON B
013423 FT	012153 FT	RICHEY RUN
013423 FT	0070/0000	STRUCTURE LENGTH 40 FT
013423 FT	0060/0771	BMSID 60/0038/0070/1200
013423 FT	0060/0369	FIRST ST
013423 FT	010979 FT	(BORO)
013423 FT	0060/0000	1 0 00075 0 01 0124+31
013423 FT	0060/0000	SECOND ST
013423 FT	0060/0000	(BORO)
013423 FT	0060/0000	LENGTH (AH 1270 BK 1174)
013423 FT	0060/0000	THIRD ST
013423 FT	0060/0000	(BORO)
013423 FT	0060/0000	FOURTH ST
013423 FT	0060/0000	(BORO)
013423 FT	0060/0000	NC MAIN ST
013423 FT	0060/0000	LENGTH (AH 1174 BK 0976)
013423 FT	0056/0875	018 "DIA CIRC CONCR
013423 FT	0056/0734	LEN=0040 INSTALLED UNKN
013423 FT	0056/0062	BMSBG 60/0038/0056/0163
013423 FT	0056/0050	0 0 00000 0 00 0000+00
013423 FT	0056/0050	RIVER AVE.
013423 FT	0056/0050	BMSBG 60/0038/0056/0163
013423 FT	0056/0050	024 "DIA CIRC CONCR
013423 FT	0056/0050	LEN=0070 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 40
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 11.849 MI. DIST: 01-5 SR: 38
LEFT MUN: EMLENTON B RIGHT MUN: EMLENTON B

010003 FT

010003 FT 0 0 00000 0 00 0000+00
EMLENTON CLINTONVILLE R
(SR0268 SEG 0020/1277)

NC FIFTH ST

5 0056/0000 LENGTH(AH 0976 BK 0957)
024 "DIA CIRC CONCR
LEN=0039 INSTALLED 2017
0052/0822 024 "DIA CIRC CONCR
LEN=0033 INSTALLED 2017
0052/0656 024 "DIA CIRC CONCR
LEN=0032 INSTALLED 2017
0052/0547 018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN
0052/0385 018 "DIA CIRC CONCR
LEN=0045 INSTALLED UNKN
0052/0270 018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN
0052/0050
009046 FT

1 0 00704 0 00 0043+26 009046 FT
HONEYSUCKLE RD
(BORO) 0052/0000

5 0052/0000 LENGTH(AH 0957 BK 2950)
018 "DIA CIR PLASTIC
LEN=0045 INSTALLED 2014
0040/2532 024 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2014
0040/2253 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2014
0040/1978 018 "DIA CIR PLASTIC
LEN=0040 INSTALLED 2014
0040/1694 030 "DIA CIR PLASTIC
LEN=0070 INSTALLED 2014
0040/1370 024 "DIA CIR PLASTIC
LEN=0055 INSTALLED 2014
0040/0918 024 "DIA CIR PLASTIC
LEN=0036 INSTALLED 2014
0040/0665

SQUAW VALLEY RD
(T309)
TRIBUT TO ALLEGHENY RIVER
STRUCTURE LENGTH 21 FT
0040/0564
BMSID 60/0038/0040/0538
0040/0503

BIG BEND RD
(SR3016 SEG 0100/3342) 0040/0448
006096 FT

5 006096 FT 1 0 00075 0 00 0060+00
0040/0000 LENGTH(AH 2950 BK 3086)
018 "DIA CIR PLASTIC
LEN=0048 INSTALLED UNKN
0030/2980 024 "DIA CIR PLASTIC
LEN=0050 INSTALLED UNKN
0030/2735

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 39
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 11.849 MI. DIST: 01-5 SR: 38
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T


	003010 FT	0030/2077	024 "DIA CIRC METAL LEN=0059 INSTALLED UNKN
		0030/1065	030 "DIA CIR PLASTIC LEN=0042 INSTALLED UNKN
		003010 FT	1 0 00075 0 00 0028+85
		0030/0000	LENGTH(AH 3086 BK 1567)
		0020/0409	024 "DIA CIRC METAL LEN=0052 INSTALLED UNKN
		0020/0272	024 "DIA CIRC METAL LEN=0054 INSTALLED UNKN
		0020/0105	FROM 0038/0010 SH (CONN)
EMLENTON CLINTONVILLE R	001443 FT	001443 FT	1 0 00075 0 00 0014+32
(SR0208 SEG 0300/2612)	0020/0000	0020/0000	NC EM LENTON CLINTONVILLE RD LENGTH(AH 1567 BK 1443)
		0010/1348	TO 0038/0020 SH (CONN)
		0010/1342	018 "DIA CIRC CONCR LEN=0072 INSTALLED UNKN
		0010/1145	RAMP B RD (SR8010 SEG 0500/0665)
		0010/1058	036 "DIA CIRC CONCR LEN=0052 INSTALLED UNKN
RAMP A RD			
(SR8010 SEG 0250/0000)	0010/1005		
TO 8010/0250 SH			
(CONN)	0010/0880		
		0010/0668	SR 0080 WB OP ID 60/0080/0421/0062
		0010/0508	SR 0080 EB OP ID 60/0080/0420/0000
		0010/0377	TO 8010/0750 SH (CONN)
		0010/0251	RAMP C RD (SR8010 SEG 0750/0000)
RAMP D RD			
(SR8010 SEG 0010/0621)	0010/0040		
	000000 FT		
		000000 FT	
		000000 FT	1 0 00075 0 00 0000+00
		NC SR	0038 SH
		* REF-BK	SR 0038 SH
			(SR0038 SEG 0570/2109)
			MFC BEGIN = C
			BK-BUTLER (10)
		0010/0000	LENGTH(AH 1443 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 38
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
 DIR: B TOTAL LEN: 5.009 MI. DIST: 01-5 SR: 36
 LEFT MUN: PLEASANTVILLE B RIGHT MUN: PLEASANTVILLE B

MAIN ST
(BORO)

026447 FT

0110/2984



026447 FT
INTER-AHD

0110/2984

0110/2920

0110/2115

STATE ST
(SR0027 SEG 0240/0000)
 MAIN ST
(SR0027 SEG 0240/0000)
 018 "DIA CIRC CONCR
 LEN=0049 INSTALLED 1996
 SCHOOL ST
(BORO)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 37
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.009 MI. DIST: 01-5 SR: 36
LEFT MUN: PLEASANTVILLE B RIGHT MUN: PLEASANTVILLE B

TIGHT PINCH RD
(T626)

023463 FT

0100/1233

021135 FT

018574 FT

015436 FT

0110/1205 DUNHAM RD
(BORO)

023463 FT 2 0 60051 0 00 0066+55
NC ST STATE ST

0110/0000 PLEASANTVILLE
OIL CREEK T
LENGTH(AH 2984 BK 2328)
018 "DIA CIRC CONCR
0100/1874 LEN=0050 INSTALLED 1996

0100/1233 OIL CREEK
ALLEGHENY T

0100/0410 018 "DIA CIRC CONCR
LEN=0048 INSTALLED 1996
021135 FT 2 0 60051 0 00 0089+83
0100/0000 LENGTH(AH 2328 BK 2561)
018 "DIA CIRC CONCR
0090/2283 LEN=0050 INSTALLED 1996

0090/1670 018 "DIA CIRC CONCR
LEN=0050 INSTALLED 1996

0090/0969 018 "DIA CIRC CONCR
LEN=0050 INSTALLED 1996

018574 FT 2 0 60051 0 00 0115+75
0090/0000 LENGTH(AH 2561 BK 3138)
018 "DIA CIRC CONCR
0080/2980 LEN=0050 INSTALLED 1996

0080/1656 018 "DIA CIRC CONCR
LEN=0074 INSTALLED 1996

0080/1160 018 "DIA CIRC CONCR
LEN=0054 INSTALLED 1996

0080/0312 018 "DIA CIRC CONCR
LEN=0068 INSTALLED 1996

0080/0018 BMSBN 60/0036/0080/0000
015436 FT 2 0 60051 0 00 0147+05
PITHOLE CR.
BMSBG 60/0036/0080/0000
0080/0000 LENGTH(AH 3138 BK 2248)
018 "DIA CIRC METAL

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 36
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.009 MI. DIST: 01-5 SR: 36
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T

WILBUR RD (T595)	0070/1790	==	==	0070/1812	LEN=0048	INSTALLED	1996
				0070/1790	PIKE RD (T599)		
				0070/1735	018 "DIA	CIRC CONCR	
PLEASANT VALLEY DR (T632)	0070/1391	==			LEN=0056	INSTALLED	1996
				0070/1356	018 "DIA	CIRC CONCR	
					LEN=0056	INSTALLED	1996
				0070/0934	018 "DIA	CIRC CONCR	
					LEN=0080	INSTALLED	1996
	013188 FT			013188 FT	2 0 60051 0 00 0169+05		
				0070/0000	LENGTH(AH 2248 BK 2078)		
					015 "DIA	CIRC CONCR	
				0060/1625	LEN=0052	INSTALLED	1996
					018 "DIA	CIRC CONCR	
				0060/1269	LEN=0074	INSTALLED	1996
	011110 FT			011110 FT	2 0 60051 0 00 0190+26		
				0060/0000	LENGTH(AH 2078 BK 1901)		
					018 "DIA	CIRC CONCR	
				0050/1871	LEN=0102	INSTALLED	1996
					018 "DIA	CIRC CONCR	
				0050/1097	LEN=0060	INSTALLED	1996
TEMPERANCE HOUSE RD (T603)	0050/0487	==		009209 FT	2 0 60051 0 00 0209+27		
	009209 FT				BAILEY RD (T634)		
PITHOLE RD (SR1006 SEG 0130/2683)	0050/0000	==	==	0050/0000	LENGTH(AH 1901 BK 2118)		
				0040/1210	BMS EN 60/0036/0040/1142		
					2 0 60051 0 00 0230+57		
				0040/1121	PITHOLE CK.0		
					BMS BG 60/0036/0040/1142		
				0040/0227	018 "DIA	CIRC CONCR	
	007091 FT				LEN=0050	INSTALLED	1996
				007091 FT	2 0 60051 0 00 0230+57		
				0040/0000	LENGTH(AH 2118 BK 1892)		
					018 "DIA	CIRC CONCR	
				0030/1269	LEN=0054	INSTALLED	1996

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 35
 PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 5.009 MI. DIST: 01-5 SR: 36
 LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T

005199 FT

002866 FT

000000 FT

0030/0739	024 " DIA CIRC CONCR
	LEN=0064 INSTALLED 1996
0030/0561	018 " DIA CIRC CONCR
	LEN=0050 INSTALLED UNKN
	PITHOLE CK.
0030/0376	STRUCTURE LENGTH 13 FT
	BMSID 60/0036/0030/0376
	018 " DIA CIRC CONCR
0030/0025	LEN=0050 INSTALLED 1996
005199 FT	2 0 60051 0 00 0249+41
	OLD ROUTE 36
	(T601)
0030/0000	LENGTH(AH 1892 BK 2333)
	015 " DIA CIRC CONCR
0020/2057	LEN=0054 INSTALLED 1996
	018 " DIA CIRC CONCR
0020/1809	LEN=0054 INSTALLED 1996
	018 " DIA CIRC CONCR
0020/1457	LEN=0054 INSTALLED 1996
	024 " DIA CIRC CONCR
0020/0707	LEN=0050 INSTALLED 1996
	018 " DIA CIRC CONCR
0020/0367	LEN=0052 INSTALLED 1996
002866 FT	2 0 60051 0 00 0272+80
	OLD ROUTE 36
	(T601)
0020/0000	LENGTH(AH 2333 BK 2866)
	018 " DIA CIRC CONCR
0010/2714	LEN=0060 INSTALLED 1996
	018 " DIA CIRC CONCR
0010/2232	LEN=0060 INSTALLED 1996
	018 " DIA CIRC CONCR
	LEN=0045 INSTALLED 1996
0010/0964	018 " DIA CIRC CONCR
	LEN=0060 INSTALLED 1996
0010/0757	018 " DIA CIRC CONCR
	LEN=0045 INSTALLED 1996
0010/0352	018 " DIA CIRC CONCR
	LEN=0045 INSTALLED 1996
0010/0129	LEN=0045 INSTALLED 1996
000000 FT	2 0 60051 0 00 0301+16
	NC CO L DRAKE HW
* REF-BK	COL DRAKE HW
	(SR0036 SEG 0260/2734)
	MFC BEGIN = C
	BK-FOREST (27)
0010/0000	LENGTH(AH 2866 BK 0000)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 34
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO
DIR: B TOTAL LEN: 11.546 MI. DIST: 01-5 SR: 27
LEFT MUN: OIL CREEK T RIGHT MUN: OIL CREEK T

060962 FT



* 060962 FT AH-WARREN (61)
REF-AHD ENTERPRISE RD
0290/1432 (SR0027 SEG 0010/0000)
0290/1074 BMS EN 60/0027/0290/1082

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 33
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 11.546 MI. DIST: 01-5 SR: 27
LEFT MUN: OIL CREEK T RIGHT MUN: OIL CREEK T

059530 FT

056553 FT

054066 FT

0290/1055	1 0 00089 0 00 0574+80 PINE RUN BR. BMSBG 60/0027/0290/1082
0290/0011 059530 FT	BMSBN 60/0027/0290/0000 1 0 00089 0 00 0574+80 PINE CK. TR. BMSBG 60/0027/0290/0000
5 0290/0000	LENGTH(AH 1432 BK 2977)
0280/2197	018 " DIA CIRC CONCR LEN=0015 INSTALLED UNKN
0280/1812	018 " DIA CIRC CONCR LEN=0020 INSTALLED UNKN
0280/1350	BMSBN 60/0027/0280/1313 1 0 00089 0 00 0558+33 BRANCH OF PINE CREEK
0280/1333	BMSBG 60/0027/0280/1313
0280/1187	018 " DIA CIRC CONCR LEN=0015 INSTALLED UNKN
0280/0745	018 " DIA CIRC CONCR LEN=0015 INSTALLED UNKN
0280/0277	018 " DIA CIRC CONCR LEN=0062 INSTALLED UNKN
0280/0075	018 " DIA CIRC CONCR LEN=0015 INSTALLED UNKN
056553 FT	1 0 00089 0 00 0545+20
5 0280/0000	LENGTH(AH 2977 BK 2487)
0270/2342	012 " DIA CIRC CONCR LEN=0015 INSTALLED UNKN
0270/2053	018 " DIA CIRC CONCR LEN=0015 INSTALLED UNKN
0270/1589	024 " DIA CIRC CONCR LEN=0015 INSTALLED UNKN
0270/1265	018 " DIA CIRC CONCR LEN=0015 INSTALLED UNKN
0270/0585	024 " DIA CIRC CONCR LEN=0015 INSTALLED UNKN
0270/0409	020 " DIA CIRC CONCR LEN=0015 INSTALLED UNKN
054066 FT	1 0 00089 0 00 0520+54
5 0270/0000	018 " DIA CIRC CONCR LEN=0056 INSTALLED UNKN LENGTH(AH 2487 BK 3359)
0260/3149	018 " DIA CIRC CONCR LEN=0015 INSTALLED UNKN
0260/2741	018 " DIA CIRC CONCR LEN=0015 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 32
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 11.546 MI. DIST: 01-5 SR: 27
LEFT MUN: OIL CREEK T RIGHT MUN: OIL CREEK T

1 0 00089 0 00 0486+74 050707 FT
MERRICK ST
(SR1008 SEG 0010/3407) 0260/0000
MAIN ST
(BORO) 0250/0685

049858 FT

048928 FT

0260/2302	018 "DIA CIRC CONCR LEN=0053 INSTALLED UNKN
0260/2285	OIL CREEK PLEASANTVILLE B
0260/1821	024 "DIA CIRC CONCR LEN=0015 INSTALLED UNKN
0260/1540	040 "DIA CIRC CONCR LEN=0015 INSTALLED UNKN
0260/1142	015 "DIA CIRC CONCR LEN=0015 INSTALLED UNKN
0260/0851	015 "DIA CIRC CONCR LEN=0015 INSTALLED UNKN
0260/0450	015 "DIA CIR PLASTIC LEN=0015 INSTALLED UNKN
050707 FT	
0260/0000	LENGTH(AH 3359 BK 0849)
0250/0349	NC ENTERPRISE RD 015 "DIA CIRC CONCR LEN=0010 INSTALLED UNKN
0250/0005	015 "DIA CIRC CONCR LEN=0015 INSTALLED UNKN
049858 FT	2 0 60074 0 00 0009+44 THIRD ST
0250/0000	(SR0227 SEG 0250/0000) LENGTH(AH 0849 BK 0930)
0240/0917	015 "DIA CIRC CONCR LEN=0010 INSTALLED UNKN
0240/0581	015 "DIA CIRC CONCR LEN=0033 INSTALLED UNKN
0240/0468	015 "DIA CIRC CONCR LEN=0033 INSTALLED UNKN
0240/0156	015 "DIA CIRC CONCR LEN=0017 INSTALLED UNKN
0240/0132	SECOND ST (BORO)
048928 FT	2 0 60074 0 00 0000+00 STATE ST
	(SR0036 SEG 0110/2984)
	NC MAIN ST
0240/0000	MAIN ST (BORO) LENGTH(AH 0930 BK 2224)
0230/1907	030 "DIA CIRC CONCR LEN=0015 INSTALLED UNKN
0230/1902	030 "DIA CIRC CONCR LEN=0010 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 31
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 11.546 MI. DIST: 01-5 SR: 27
LEFT MUN: PLEASANTVILLE B RIGHT MUN: PLEASANTVILLE B

CHESTNUT ST
(BORO)

0230/1194

046704 FT

FOR SR 0027 AND 1008
(CONN)

0220/0114

2 0 60051 0 00 0000+00 045243 FT
MERRICK ST
(SR1008 SEG 0010/0000)

0220/0000

FAWN LN
(T625)

0210/1788

1 0 00089 0 00 0427+68 042742 FT
LAURIE DR
(T623)

0210/0000

BUGTOWN RD
(T620)

0200/1068

0230/1765 030 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN
SHAMBURG ST

0230/1496 (BORO)
015 "DIA CIRC CONCR
0230/1455 LEN=0010 INSTALLED UNKN

0230/0779 015 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN
015 "DIA CIRC CONCR

0230/0253 LEN=0015 INSTALLED UNKN
046704 FT 2 0 60051 0 00 0014+63
NEW ST

0230/0000 (BORO)
LENGTH(AH 2224 BK 1461)

0220/0151 PLEASANTVILLE
OIL CREEK T

NC STATE ST
045243 FT ROUSEVILLE RD
(SR0227 SEG 0240/2489)

0220/0000 LENGTH(AH 1461 BK 2501)

0210/2142 018 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN

0210/1612 018 "DIA CIRC CONCR
LEN=0056 INSTALLED UNKN

042742 FT

0210/0000 LENGTH(AH 2501 BK 2240)

0200/1122 018 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN

0200/0270 018 "DIA CIRC CONCR
LEN=0028 INSTALLED UNKN
018 "DIA CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 30
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 11.546 MI. DIST: 01-5 SR: 27
LEFT MUN: OIL CREEK T RIGHT MUN: OIL CREEK T

HARVEY RD
(T628)

040502 FT

0190/0605

037368 FT

034894 FT

0200/0020	LEN=0020	INSTALLED	UNKN
040502 FT	1 0 00089	0 00	0405+23
	KUNZ RD		
	(T671)		
0200/0000	LENGTH(AH	2240	BK 3134)
0190/3080	RWIS	SITE/AT	PLEASANTV
	024 "DIA	CIRC	CONCR
0190/2480	LEN=0070	INSTALLED	UNKN
	SR 1013	SH	
0190/2395	(SR1013	SEG	0020/2442)
	018 "DIA	CIRC	CONCR
0190/1644	LEN=0015	INSTALLED	UNKN
	018 "DIA	CIR	PLASTIC
0190/1111	LEN=0015	INSTALLED	UNKN
	048"H 48"	W CON	BOX CUL
0190/1086	LEN=0050	INSTALLED	UNKN
	015 "DIA	CIRC	CONCR
0190/0592	LEN=0015	INSTALLED	UNKN
	015 "DIA	CIRC	METAL
0190/0290	LEN=0012	INSTALLED	UNKN
037368 FT	1 0 00089	0 00	0374+00
0190/0000	LENGTH(AH	3134	BK 2474)
	015 "DIA	CIRC	CONCR
0180/2435	LEN=0015	INSTALLED	UNKN
	018 "DIA	CIRC	CONCR
0180/2060	LEN=0015	INSTALLED	UNKN
	018 "DIA	CIRC	CONCR
0180/1852	LEN=0015	INSTALLED	UNKN
	018 "DIA	CIRC	CONCR
0180/1612	LEN=0050	INSTALLED	UNKN
	015 "DIA	CIRC	CONCR
0180/1375	LEN=0064	INSTALLED	UNKN
	015 "DIA	CIRC	CONCR
0180/1034	LEN=0060	INSTALLED	UNKN
	018 "DIA	CIRC	CONCR
0180/0537	LEN=0012	INSTALLED	UNKN
	015 "DIA	CIRC	CONCR
0180/0285	LEN=0012	INSTALLED	UNKN
	018 "DIA	CIRC	CONCR
0180/0030	LEN=0012	INSTALLED	UNKN
034894 FT	1 0 00089	0 00	0348+97
0180/0000	LENGTH(AH	2474	BK 2489)
	018 "DIA	CIRC	CONCR
0170/2330	LEN=0020	INSTALLED	UNKN
	018 "DIA	CIRC	CONCR
0170/2185	LEN=0050	INSTALLED	UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 29
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 11.546 MI. DIST: 01-5 SR: 27
LEFT MUN: OIL CREEK T RIGHT MUN: OIL CREEK T

032405 FT

031032 FT

031032 FT

028436 FT

0170/2178	018 "DIA CIRC CONCR
0170/2027	LEN=0048 INSTALLED UNKN
0170/1626	018 "DIA CIRC CONCR
	LEN=0015 INSTALLED UNKN
	024 "DIA CIRC CONCR
	LEN=0058 INSTALLED UNKN
0170/1020	015 "DIA CIRC CONCR
0170/0764	LEN=0064 INSTALLED UNKN
0170/0374	015 "DIA CIRC CONCR
	LEN=0055 INSTALLED UNKN
	015 "DIA CIRC CONCR
	LEN=0020 INSTALLED UNKN
	015 "DIA CIRC CONCR
	LEN=0015 INSTALLED UNKN
032405 FT	1 0 00089 0 00 0324+08
0170/0000	LENGTH(AH 2489 BK 1373)
0160/1050	015 "DIA CIRC CONCR
	LEN=0015 INSTALLED UNKN
0160/0445	018 "DIA CIRC CONCR
	LEN=0064 INSTALLED UNKN
0160/0388	WHITE CITY RD
031032 FT	(T600)
REF-BK	1 0 00089 0 00 0310+50
	SR 0027 SH
	(SR0027 SEG 0530/2750)
	BK-CRAWFORD (20)
0160/0000	LTH AH 001373 BK 000100
031032 FT	AH-CRAWFORD (20)
7154/0000	LTH AH 000100 BK 002596
REF-AHD	SR 0027 SH
	(SR0027 SEG 0390/0000)
0150/2596	CHERRY TREE T
0150/2473	018 "DIA CIR PLASTIC
	LEN=0012 INSTALLED 1999
0150/2100	017"H 29"W ELLIP METAL
	LEN=0045 INSTALLED UNKN
0150/0963	015"H 29"W ELLIP METAL
	LEN=0018 INSTALLED UNKN
0150/0257	038"H 59"W ELLIP METAL
028436 FT	LEN=0018 INSTALLED UNKN
0150/0000	1 0 00089 0 00 0284+47
	LENGTH(AH 2596 BK 1994)

EAST TROY RD

STONE SPRINGHOUSE RD

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 28
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 11.546 MI. DIST: 01-5 SR: 27
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

(T854)	0140/0981	==	==	0140/0981	(T508)
	026442 FT			026442 FT	1 0 00089 0 00 0264+53
				5 0140/0000	LENGTH(AH 1994 BK 2333)
		---	---	0130/1597	042 "DIA CIRC CONCR LEN=0016 INSTALLED UNKN
	024109 FT			024109 FT	1 0 00089 0 00 0241+20
					018 "DIA CIR PLASTIC LEN=0016 INSTALLED 1999 CHERRY TREE PLUM LINE R (T506) CHERRYTREE PLUM T
SHRINER RD (T507)	0130/0000	---	---	5 0130/0000	LENGTH(AH 2333 BK 2158)
		---	---	0120/1641	015 "DIA CIRC METAL LEN=0014 INSTALLED 1999
		---	---		011 "DIA CIR PLASTIC LEN=0016 INSTALLED UNKN
	021951 FT			0120/0223	1 0 00089 0 00 0219+62
				5 0120/0000	LENGTH(AH 2158 BK 1909)
		---	---		018 "DIA CIRC CONCR LEN=0016 INSTALLED UNKN
	020042 FT			0110/0136	1 0 00089 0 00 0200+53
				5 0110/0000	LENGTH(AH 1909 BK 2383)
		---	---	0100/2049	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
		---	---	0100/1548	024"H 42"W ELLIP CONC LEN=0056 INSTALLED UNKN
		---	---		018 "DIA CIRC CONCR LEN=0014 INSTALLED UNKN
	017659 FT			0100/0205	1 0 00089 0 00 0178+45
				017659 FT	OLD POST OFFICE RD (T713)
			==	5 0100/0000	LENGTH(AH 2383 BK 2104)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 27
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 11.546 MI. DIST: 01-5 SR: 27
LEFT MUN: PLUM T RIGHT MUN: PLUM T

KIGHTLINER RD
(T477)

0090/1232

015555 FT

TROY CENTER RD
(SR0428 SEG 0330/0000)

0080/0000

012660 FT

010532 FT

008417 FT

0090/1381 OLD POST OFFICE RD
(T713)
SUG. CK. TB.
STRUCTURE LENGTH 20 FT
BMSID 60/0027/0090/1300

0090/1300

0090/0832 018 "DIA CIRC CONCR
LEN=0014 INSTALLED UNKN

015555 FT 1 0 00089 0 00 0155+71
WALLACEVILLE RD
(SR0428 SEG 0320/2644)
LENGTH(AH 2104 BK 0537)

0090/0000 018 "H 30" W ELLIP METAL
LEN=0018 INSTALLED UNKN

015018 FT 1 0 00089 0 00 0150+29
018 "DIA CIR PLASTIC
LEN=0030 INSTALLED 2015

0080/0000 LENGTH(AH 0537 BK 2358)

0070/0923 024 "DIA CIRC CONCR
LEN=0014 INSTALLED UNKN

012660 FT 1 0 00089 0 00 0126+71
LENGTH(AH 2358 BK 2128)

0070/0000 018 "DIA CIRC CONCR
LEN=0014 INSTALLED UNKN

0060/1722

0060/0886 018 "DIA CIRC CONCR
LEN=0014 INSTALLED UNKN

0060/0451 015 "DIA CIRC CONCR
LEN=0014 INSTALLED UNKN

0060/0281 018 "DIA CIRC CONCR
LEN=0014 INSTALLED UNKN

010532 FT 1 0 00089 0 00 0105+43
LENGTH(AH 2128 BK 2115)

0060/0000

008417 FT 1 0 00089 0 00 0084+19
LENGTH(AH 2115 BK 2543)

0050/0000 027 "DIA CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 26
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 11.546 MI. DIST: 01-5 SR: 27
LEFT MUN: PLUM T RIGHT MUN: PLUM T

	0040/2496	LEN=0018	INSTALLED UNKN
005874 FT	0040/0085	030 "DIA CIRC CONCR	LEN=0018 INSTALLED UNKN
	005874 FT	1 0 00089 0 00 0057+52	
	0040/0000	LENGTH(AH 2543 BK 2527)	
	0030/1272	027 "DIA CIRC METAL	LEN=0052 INSTALLED UNKN
	0030/0974	SNYDER RD	(T639)
003347 FT	003347 FT	1 0 00089 0 00 0033+51	
		LEBOEUF TRAIL RD	
	0030/0000	(SR4009 SEG 0180/0000)	
		LENGTH(AH 2527 BK 1418)	
	0020/1259	036 "DIA CIRC CONCR	LEN=0014 INSTALLED UNKN
001929 FT	001929 FT	1 0 00089 0 00 0020+01	
		VILLAGE: CHAPMANVILLE	
	0020/0000	LENGTH(AH 1418 BK 1929)	
	0010/1027	LESH RD	(T386)
	0010/0881	LC TO LESH RD	(CONN)
	0010/0737	036 "DIA CIRC CONCR	LEN=0014 INSTALLED UNKN
	0010/0223	015 "DIA CIRC CONCR	LEN=0014 INSTALLED UNKN
000000 FT	000000 FT	1 0 00089 0 00 0000+00	
		NC SR 0027 SH	
	* REF-BK	SR 0027 SH	
		(SR0027 SEG 0380/2329)	
		MFC BEGIN = C	
		BK-CRAWFORD	(20)
	0010/0000	LENGTH(AH 1929 BK 0000)	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 25
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

168362 FT

168755 FT AH-CRAWFORD (20)
* REF-AHD SMOCK BL
0730/2374 (SR0008 SEG 0010/0000)

0730/1993 LEN=0058 INSTALLED UNKN

0730/1488 LEN=0106 INSTALLED UNKN

0730/1166 LEN=0096 INSTALLED UNKN

0730/0850 LEN=0116 INSTALLED UNKN

0730/0449 LEN=0054 INSTALLED UNKN

165988 FT

166381 FT
5 0730/0000 LENGTH(AH 2374 BK 2536)

0720/2420 LEN=0100 INSTALLED UNKN

0720/1836 LEN=0034 INSTALLED UNKN

0720/1200 LEN=0048 INSTALLED UNKN

0720/0858 LEN=0235 INSTALLED UNKN

0720/0200 LEN=0100 INSTALLED UNKN

0720/0040 LEN=0100 INSTALLED UNKN

163452 FT

163845 FT
5 0720/0000 LENGTH(AH 2536 BK 2661)

0710/1478 LEN=0050 INSTALLED UNKN

0710/0635 STRUCTURE LENGTH 8 FT

160791 FT

161184 FT 1 0 00205 0 02 0697+29
BLACK RD
(T669)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 24
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

				0710/0000	LENGTH(AH 2661 BK 2870)
OLD ROUTE 8 RD (T670)	0700/2118	==			
		---		0700/2003	018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN
		---		0700/1480	015 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN
		---		0700/0775	015 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN
FAIRVIEW RD (T649)	0700/0335	==			
	157921 FT	---		0700/0220	024 "DIA CIRC CONCR LEN=0048 INSTALLED UNKN
		---		158314 FT	1 0 00205 0 02 0668+74
		---		0700/0000	LENGTH(AH 2870 BK 2930)
		---		0690/2570	015 "DIA CIRC METAL LEN=0040 INSTALLED UNKN

	154991 FT	---		0690/0270	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 1997
		---		155384 FT	1 0 00205 0 02 0639+45
		---		0690/0000	LENGTH(AH 2930 BK 2462)
SOPHER RD (T651)	0680/1591	==			
	152529 FT	---		152922 FT	1 0 00205 0 02 0614+83
		---		0680/0000	LENGTH(AH 2462 BK 2398)
		---		0670/1881	018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN

BUXTON RD (SR4022 SEG 0200/3079)	0670/0531	==			
		---		0670/0530	060 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN
		---		0670/0448	060 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN
	150131 FT	---		150524 FT	1 0 00205 0 02 0590+52

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 23
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

	==	0670/0000	TURKEY FARM RD (T633) LENGTH(AH 2398 BK 2565) 018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
147566 FT		0660/0000	147959 FT 1 0 00205 0 02 0565+22 LENGTH(AH 2565 BK 2508) 018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
		0650/1898	015 "DIA CIR PLASTIC LEN=0072 INSTALLED UNKN
145058 FT		0650/0000	145451 FT 1 0 00205 0 02 0540+14 LENGTH(AH 2508 BK 2565) 024 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
		0640/0551	015 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
142493 FT		0640/0000	142886 FT 1 0 00205 0 02 0514+49 LENGTH(AH 2565 BK 2927) 018 "DIA CIRC CONCR LEN=0006 INSTALLED UNKN
		0630/2090	PETROLEUM CENTER RD (SR1009 SEG 0070/2453)
		0630/1992	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
		0630/1058	018 "DIA CIRC METAL LEN=0075 INSTALLED UNKN
		0630/0299	036 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN
139566 FT		0630/0050	139959 FT 1 0 00205 0 02 0486+96 CHERRYTREE RD

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 22
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

CHERRYTREE RD
(T540)

0620/1458

1 0 00205 0 02 0455+49 136582 FT
LAMEY RD
(T518)

0620/0000

HAMILTON CORNERS RD
(T617)

0610/1242

SR 9101 SH
(SR9101 SEG 0010/0000) 0610/0254

SR 0417 SH
(SR0417 SEG 0261/0286) 0610/0010
1 0 00205 0 02 0435+16 134316 FT
SR 0417 SH
(SR0417 SEG 0260/0213) 0610/0000

(T540)
0630/0000 LENGTH(AH 2927 BK 2984)
018 "DIA CIRC CONCR
0620/2468 LEN=0035 INSTALLED UNKN

CHERRYTREE RD
(T540)
0620/1458 024 "DIA CIRC CONCR
0620/1286 LEN=0150 INSTALLED UNKN

136975 FT
0620/0000 LENGTH(AH 2984 BK 2266)

018 "DIA CIRC CONCR
0610/1635 LEN=0075 INSTALLED UNKN
OLD PETROLEUM CENTER RD
(T613)
0610/1400 BMSSEN 60/0008/0610/1242
0610/1324 0 0 00000 0 00 0000+00
CHERRYTREE RUN
0610/1270 BMSBG 60/0008/0610/1242

018 "DIA CIRC CONCR
0610/0669 LEN=0050 INSTALLED UNKN
0610/0454 BMSSEN 60/0008/0610/0398
0 0 00000 0 00 0000+00
B. CHRYTR. R.
0610/0431 BMSBG 60/0008/0610/0398

018 "DIA CIRC CONCR
0610/0235 LEN=0060 INSTALLED UNKN

134709 FT

0610/0000 LENGTH(AH 2266 BK 2364)
024 "DIA CIRC CONCR
0600/2000 LEN=0075 INSTALLED UNKN
024 "DIA CIRC CONCR
0600/1814 LEN=0070 INSTALLED UNKN
030 "DIA CIRC CONCR
0600/1506 LEN=0060 INSTALLED UNKN
024 "DIA CIRC CONCR
0600/1018 LEN=0050 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 21
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

HORN RD
(T516)

0600/0126
131952 FT

1 0 00205 0 02 0348+00 129529 FT
KANEVILLE RD
(T538)

0590/0000

127616 FT

--	--	0600/0657	024 "DIA	CIRC CONCR
--	--		LEN=0060	INSTALLED UNKN
--	--	0600/0537	024 "DIA	CIRC CONCR
--	--		LEN=0060	INSTALLED UNKN
--	--	0600/0413	PAT TARR	RD
--	--		(T516)	
--	--	0600/0232	024 "DIA	CIRC CONCR
--	--		LEN=0063	INSTALLED UNKN
--	--	132345 FT	1 0 00205 0 02 0408+82	
--	--		CHERRYTREE	
--	--	0600/0000	OAKLAND T	
--	--		LENGTH(AH 2364 BK 2423)	
--	--	0590/2214	036 "DIA	CIRC CONCR
--	--		LEN=0085	INSTALLED UNKN
--	--	0590/1648	015 "DIA	CIRC CONCR
--	--		LEN=0038	INSTALLED UNKN
--	--	0590/1340	018 "DIA	CIRC CONCR
--	--		LEN=0045	INSTALLED UNKN
--	--	0590/1035	030 "DIA	CIRC CONCR
--	--		LEN=0070	INSTALLED UNKN
--	--	0590/0559	024 "DIA	CIRC CONCR
--	--		LEN=0050	INSTALLED UNKN
--	--	0590/0265	015 "DIA	CIRC CONCR
--	--	129922 FT	LEN=0040	INSTALLED UNKN
--	--	0590/0000	LENGTH(AH 2423 BK 1913)	
--	--		OAKLAND	
--	--	0580/1600	CORNPLANTER T	
--	--		015 "DIA	CIRC CONCR
--	--	0580/1432	LEN=0052	INSTALLED UNKN
--	--		015 "DIA	CIRC CONCR
--	--	0580/1234	LEN=0112	INSTALLED UNKN
--	--		015 "DIA	CIRC CONCR
--	--	0580/0750	LEN=0050	INSTALLED UNKN
--	--		015 "DIA	CIRC CONCR
--	--	0580/0630	LEN=0055	INSTALLED UNKN
--	--		015 "DIA	CIRC CONCR
--	--	0580/0370	LEN=0045	INSTALLED UNKN
--	--		036 "DIA	CIRC CONCR
--	--	0580/0182	LEN=0078	INSTALLED UNKN
--	--		024 "DIA	CIRC CONCR
--	--	0580/0136	LEN=0078	INSTALLED UNKN
--	--	128009 FT	1 0 00205 0 02 0365+00	
--	--	0580/0000	LENGTH(AH 1913 BK 1968)	
--	--		018 "DIA	CIRC CONCR
--	--	0570/1605	LEN=0054	INSTALLED UNKN
--	--		018 "DIA	CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 20
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

Station	Length	Material	Status
0570/1306	LEN=0045	018 "DIA CIRC CONCR	UNKN
0570/0997	LEN=0040	018 "DIA CIRC CONCR	UNKN
0570/0828	LEN=0042	018 "DIA CIRC CONCR	UNKN
0570/0755	LEN=0045	018 "DIA CIRC CONCR	UNKN
0570/0615	LEN=0045	018 "DIA CIRC CONCR	UNKN
0570/0441	LEN=0050	015 "DIA CIR PLASTIC	1999
0570/0348	LEN=0048	015 "DIA CIRC CONCR	UNKN
0570/0040	LEN=0052	015 "DIA CIRC CONCR	UNKN
125648 FT	126041 FT	1 0 00205 0 02 0345+32	
0570/0000	LEN=0058	015 "DIA CIRC CONCR	UNKN
0560/2368	LEN=0058	015 "DIA CIRC CONCR	UNKN
0560/1670	LEN=0058	024 "DIA CIRC CONCR	1998
0560/1353	LEN=0064	024 "DIA CIRC CONCR	UNKN
0560/0353	LEN=0064	024 "DIA CIRC CONCR	UNKN
0560/0170	LEN=0008	015 "DIA CIRC CONCR	UNKN
122865 FT	123258 FT	1 0 00205 0 02 0317+84	
0560/0054	LEN=0008	015 "DIA CIRC CONCR	UNKN
0560/0032	LEN=0008	015 "DIA CIRC CONCR	UNKN
0560/0000	LEN=0052	015 "DIA CIRC CONCR	UNKN
0550/2620	LEN=0048	018 "DIA CIRC CONCR	UNKN
0550/2050	LEN=0052	018 "DIA CIRC CONCR	UNKN
0550/1776	LEN=0052	018 "DIA CIRC CONCR	UNKN
0550/1382	LEN=0052	015 "DIA CIR PLASTIC	UNKN
0550/0700	LEN=0052	015 "DIA CIRC CONCR	UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 19
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

	119621 FT	---	0550/0447	015 "DIA CIRC CONCR
		---	120014 FT	LEN=0052 INSTALLED UNKN
		---		1 0 00205 0 02 0285+10
		---		018 "DIA CIRC CONCR
		---	5 0550/0000	LEN=0055 INSTALLED UNKN
		---		LENGTH(AH 3244 BK 2449)
		---	0540/1707	018 "DIA CIRC CONCR
		---		LEN=0052 INSTALLED 1998
	117172 FT	^	0540/0010	BMS EN 60/0008/0540/0000
		^	117565 FT	1 0 00205 0 02 0260+45
		^		CHRYTR.RN.TR
		^	5 0540/0000	BMSBG 60/0008/0540/0000
		^		LENGTH(AH 2449 BK 2410)
		---	0530/2169	018 "DIA CIRC METAL
		---		LEN=0046 INSTALLED UNKN
		---	0530/0759	024 "DIA CIRC CONCR
		---		LEN=0048 INSTALLED UNKN
		---	0530/0567	015 "DIA CIRC CONCR
		---		LEN=0058 INSTALLED UNKN
GIBSON HILL RD	0530/0510	==		
(T585)		==		
RYND HILL RD	0530/0129	==		
(T553)		==		
	114762 FT	^	0530/0060	BMS EN 60/0008/0530/0000
		^	115155 FT	1 0 00205 0 02 0236+45
		^		CHERRY TREE
		^	5 0530/0000	BMSBG 60/0008/0530/0000
		^		LENGTH(AH 2410 BK 2414)
		^		STATE PARK RD
		==	0520/2036	(SR1007 SEG 0010/0000)
WAITZ RD	0520/1843	==		
(T560)		==		
		^	0520/1817	BMS EN 60/0008/0520/1609
		^		1 0 00000 0 00 0000+00
		^		OIL CREEK
		^	0520/1609	BMSBG 60/0008/0520/1609
		^		OLD BANKSON RD
		==	0520/1515	(T569)
		==		

018 "DIA CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 18
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

	112348 FT	0520/0129	LEN=0105	INSTALLED	UNKN
		112741 FT	1 0 00205 0 01 0211+64		
			(AAR 262850M) #TRKS 01		
		NC W	LLIAM FLINN HW		
		5 0520/0000	LENGTH(AH 2414 BK 3423)		
			036 "DIA CIRC CONCR		
		0510/3394	LEN=0100	INSTALLED	UNKN
			CORNPLANTER		
		0510/3387	ROUSEVILLE B		
			018 "DIA CIRC CONCR		
		0510/2696	LEN=0080	INSTALLED	UNKN
			018 "DIA CIRC CONCR		
		0510/2476	LEN=0070	INSTALLED	UNKN
			015 "DIA CIRC CONCR		
		0510/2154	LEN=0045	INSTALLED	UNKN
			FIFTH ST		
		0510/2131	(BORO)		
			FOURTH ST		
		0510/1798	(BORO)		
			012 "DIA CIR PLASTIC		
		0510/1693	LEN=0040	INSTALLED	UNKN
			015 "DIA CIR PLASTIC		
		0510/1110	LEN=0020	INSTALLED	UNKN
STRAUB ST (BORO)	0510/1013				
			SECOND ST		
		0510/0872	(BORO)		
MUSTARD ST (BORO)	0510/0667		DIAMOND ST		
		0510/0667	(BORO)		
			LOCUST ST		
		0510/0452	(BORO)		
WILLETT ST (BORO)	0510/0181				
	108925 FT	109318 FT	1 0 00205 0 01 0177+49		
			CHERRY RUN RD		
			(SR0227 SEG 0010/0000)		
		5 0510/0000	LENGTH(AH 3423 BK 2172)		
			018 "DIA CIRC CONCR		
		0500/2133	LEN=0025	INSTALLED	UNKN
			BMS EN 60/0008/0500/2059		
		0500/2100	1 0 00205 0 01 0176+25		
			CHERRY RUN		
		0500/2059	BMSBG 60/0008/0500/2059		
			MECHANIC ST		
RAILROAD ST (BORO)	0500/2124	0500/1843	(BORO)		

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 17
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: ROUSEVILLE B RIGHT MUN: ROUSEVILLE B

WAITZ RD
(T560)

106753 FT

0490/0780
104243 FT

101369 FT

107146 FT 1 0 00205 0 01 0155+52
018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN
5 0500/0000 LENGTH(AH 2172 BK 2510)
NC MA IN ST
ROUSEVILLE
0490/2491 CORNPLANTER T
048"H 60"W CON BOX CUL
LEN=0060 INSTALLED UNKN
0490/2266 MCCLINTOCKVILLE RD
(T562)
0490/2215 PIPELINE RD
(T561)
018 "DIA CIRC CONCR
0490/1506 LEN=0032 INSTALLED UNKN
0490/1440 BMS EN 60/0008/0490/1135
1 0 00205 0 01 0130+17
OIL CREEK (SPAN 1)
0490/1067 BMS BG 60/0008/0490/1135
018 "DIA CIRC CONCR
0490/1045 LEN=0032 INSTALLED UNKN
104636 FT 1 0 00205 0 01 0130+17
5 0490/0000 LENGTH(AH 2510 BK 2874)
018 "DIA CIRC CONCR
0480/2369 LEN=0043 INSTALLED UNKN
015 "DIA CIRC CONCR
0480/1865 LEN=0045 INSTALLED UNKN
0480/1652 OP ID 60/0008/0480/1675
024 "DIA CIRC CONCR
0480/1523 LEN=0045 INSTALLED UNKN
018 "DIA CIRC CONCR
0480/1106 LEN=0045 INSTALLED 2011
018 "DIA CIRC CONCR
0480/0462 LEN=0046 INSTALLED UNKN
018 "DIA CIRC CONCR
0480/0201 LEN=0037 INSTALLED UNKN
101762 FT 1 0 00205 0 01 0101+96
NC WI LLIAM FLINN HW
5 0480/0000 LENGTH(AH 2874 BK 2463)
015 "DIA CIRC CONCR
0470/2366 LEN=0036 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 16
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

QUAKER DR
(T531)

0470/1243

0470/2014 018 "DIA CIRC CONCR
LEN=0037 INSTALLED UNKN
0470/1857 018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN
0470/1593 018 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN
0470/1334 018 "DIA CIRC CONCR
LEN=0038 INSTALLED UNKN

098906 FT

0470/0885 024 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN
0470/0702 018 "DIA CIRC CONCR
LEN=0037 INSTALLED UNKN
0470/0467 018 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN
(APRA) BK I
BKI DR
POE 0470/0275 (PRDR)
018 "DIA CIRC CONCR
0470/0240 LEN=0033 INSTALLED UNKN
099299 FT 1 0 00205 0 01 0077+25

UNION ST
(CITY)

0460/1647

0470/0000 LENGTH(AH 2463 BK 2613)
018 "DIA CIRC CONCR
0460/2217 LEN=0033 INSTALLED UNKN
0460/1819 BMSSEN 60/0008/0460/1801
1 0 00205 0 01 0069+07
CORNPLANTER RUN
0460/1801 BMSBG 60/0008/0460/1801

096293 FT

0460/1555 018 "DIA CIRC CONCR
LEN=0032 INSTALLED UNKN
0460/1136 (AAR 528676V) #TRKS 02
0460/0480 024 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN
096686 FT 1 0 00205 0 01 0050+75
NC SENECA ST
SENECA ST
(SR6008 SEG 0100/2505)
0460/0000 LENGTH(AH 2613 BK 3516)
018 "DIA CIRC CONCR
0442/3020 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0442/2906 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0442/2692 LEN=0050 INSTALLED UNKN

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 15
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

	0442/2599	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
	0442/2502	018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
	0442/2307	018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
	0442/2148	018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
	0442/1768	018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
	0442/1156	018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
	0442/0686	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
	0442/0384	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
	0442/0140	018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
092777 FT	093170 FT	1 0 00205 7 00 0003+61 MFC BEGIN = C
	0442/0000	LENGTH(AH 3516 BK 0347)
	0432/0212	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 0433/0205 1 0 00205 7 00 0000+00 092427 FT CENTER ST (SR6008 SEG 0070/0000)	092823 FT	1 0 00205 7 00 0000+00 CENTER ST (SR6008 SEG 0070/0000)
LENGTH(AH 0350 BK 1130) 0433/0000	0432/0000	LENGTH(AH 0347 BK 1164)
	0420/1015	018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0029 INSTALLED UNKN 0421/0988 018 "DIA CIRC CONCR LEN=0029 INSTALLED UNKN 0421/0789	0420/0765	024 "H 24 "W CON BOX CUL LEN=0030 INSTALLED UNKN
RELIEF ST (CITY) 0421/0634	0420/0639	RELIEF ST (CITY)
018 "DIA CIRC CONCR LEN=0029 INSTALLED UNKN 0421/0613	0420/0578	018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
HALYDAY ST (SR9105 SEG 0010/0000) 0421/0320	0420/0133	FROM 0062/0470 SH (CONN)

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 14
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

1 0 00205 0 00 0000+00 091297 FT		091659 FT	1 0 00205 0 00 0000+00
NC MAIN ST		NC MAIN ST	
HALYDAY ST		HALYDAY ST	
(SR0428 SEG 0010/0000)		(SR0428 SEG 0010/0000)	
PETROLEUM ST		PETROLEUM ST	
(SR0062 SEG 0470/0000)		(SR0062 SEG 0470/0000)	
SR 0062 SH	INTER-BK	INTER-BK	SR 62 SH
(SR0062 SEG 0470/0000)			(SR0062 SEG 0470/0000)
MFC BEGIN = C			MFC BEGIN = C
LTH AH 001130 BK 000100 0421/0000		0420/0000	LTH AH 001164 BK 000100
091297 FT		091659 FT	
LTH AH 000100 BK 000938 7411/0000		7410/0000	LTH AH 000100 BK 000919
(SR0062 SEG 0231/0000)		INTER-AHD	FIFTEENTH ST
MERCER RD			(SR0062 SEG 0230/0000)
(SR0062 SEG 0231/0000)			MERCER RD
(SR0062 SEG 0230/0000)			(SR0062 SEG 0230/0000)
SANDY CREEK T	0401/0938	0400/0919	SANDY CREEK T
FROM 0062/0220 SH			
(CONN)	0401/0888		
TINGLEY LN			TINGLEY LN
(T671)	0401/0817	0400/0839	(T671)
GURNEY RD			GURNEY RD
(CITY)	0401/0298	0400/0313	(CITY)
1 0 00233 0 01 0820+31 090359 FT		090740 FT	1 0 00233 0 01 0817+01
LENGTH(AH 0938 BK 3301) 0401/0000		0400/0000	LENGTH(AH 0919 BK 3300)
HEMLOCK DR			HEMLOCK DR
(CITY)	0391/3141	0390/3138	(CITY)
SANDY CREEK			SANDY CREEK
FRANKLIN C	0391/3095	0390/3066	FRANKLIN C
		0390/3025	018 "DIA CIRC CONCR
018 "DIA CIRC CONCR			LEN=0035 INSTALLED UNKN
LEN=0035 INSTALLED 1998 0391/3036			
		0390/2731	018 "DIA CIRC CONCR
018 "DIA CIRC CONCR			LEN=0040 INSTALLED UNKN
LEN=0035 INSTALLED UNKN 0391/2730			
018 "DIA CIRC CONCR			
LEN=0035 INSTALLED UNKN 0391/2498			
		0390/2486	018 "DIA CIRC CONCR
WINTERGREEN DR			LEN=0040 INSTALLED UNKN
(CITY)	0391/2442	0390/2440	WINTERGREEN DR
LINDEN DR			(CITY)
(CITY)	0391/2248	0390/2248	LINDEN DR
EVERGREEN DR			(CITY)
(CITY)	0391/1975	0390/1973	EVERGREEN DR
HANGAR DR			(CITY)
			HANGAR DR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 13
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: FRANKLIN C RIGHT MUN: FRANKLIN C

(CITY)	0391/1603	==	==	0390/1607 (CITY)
018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN	0391/0864	---	---	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
AIRPORT RD (CITY)	0391/0803	==	==	0390/0825 AIRPORT RD 0390/0789 (CITY)
018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN	0391/0771	---	---	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
FRANKLIN SANDY CREEK T	0391/0760	---	---	0390/0760 FRANKLIN SANDY CREEK T
018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN	0391/0440	---	---	0390/0732 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
018 "DIA CIR PLASTIC LEN=0035 INSTALLED UNKN	0391/0177	---	---	0390/0645 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
1 0 00233 0 01 0783+53 087058 FT NC FIFTEENTH ST PONE LN (SR3021 SEG 0010/0000)				0390/0472 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
LENGTH(AH 3301 BK 2242)	0391/0000	5	5	0390/0217 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN	0381/2114	---	---	087440 FT 1 0 00233 0 01 0787+34 NC FIFTEENTH ST PONE LN (SR3021 SEG 0010/0000)
018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN	0381/1874	---	---	0390/0000 LENGTH(AH 3300 BK 2225) 024 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN
WOODLAND AV (T677) THOMPSON RD (T675)	0381/1641	==	==	0380/2155 018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN
024 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN	0381/1071	---	---	0380/1896 018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN
MAIN ST (T673)	0381/0820	==	==	0380/1618 WOODLAND AV (T677) THOMPSON RD (T675)
				0380/1442 024 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN
				0380/1067 MAIN ST (T673)
				0380/0792 (APRA) PENNDOT VENANGO

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 12
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: SANDY CREEK T RIGHT MUN: SANDY CREEK T

		==	==	0380/0025	PENNDOT COUNTY OFFICE 1 (GOVT)
(APRA) PENNDOT VENANGO					
PENNDOT COUNTY OFFICE 1					
(GOVT)					
1 0 00233 0 01 0765+47 084816 FT	0381/0041	==	==	085215 FT	1 0 00233 0 01 0765+31
NC PITTSBURGH RD				NC PITTSBURGH RD	
LENGTH(AH 2242 BK 2465)	0381/0000	S	S	0380/0000	LENGTH(AH 2225 BK 2511)
				0370/2490	018 "DIA CIRC CONCR
PENNDOT MAINTENANCE 1-5					LEN=0035 INSTALLED UNKN
(GOVT)	0371/2269	==	==	0370/2275	PENNDOT MAINTENANCE 1-5
					(GOVT)
018 "DIA CIRC CONCR				0370/2203	018 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN	0371/2185	==	==		LEN=0035 INSTALLED UNKN
PA GAME COMMISSION RD					
(GOVT)	0371/1811	==	==	0370/1815	PA GAME COMMISSION RD
					(GOVT)
018 "DIA CIRC CONCR				0370/1297	012"H 18"W ELLIP CONC
LEN=0035 INSTALLED UNKN	0371/1296	==	==		LEN=0035 INSTALLED UNKN
1 0 00233 0 01 0735+85 082351 FT				082704 FT	1 0 00233 0 01 0740+20
LENGTH(AH 2465 BK 3446)	0371/0000	S	S	0370/0000	LENGTH(AH 2511 BK 3424)
018 "DIA CIRC CONCR				0360/2800	024 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN	0361/2759	==	==		LEN=0035 INSTALLED UNKN
MEANS DR					
(T665)	0361/2430	==	==	0360/2403	MEANS DR
					(T665)
018 "DIA CIRC CONCR				0360/2402	018 "DIA CIRC METAL
LEN=0035 INSTALLED UNKN	0361/1986	==	==		LEN=0035 INSTALLED UNKN
018 "DIA CIRC CONCR				0360/1694	018 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN	0361/1671	==	==		LEN=0035 INSTALLED UNKN
BERRINGER DR					
(T660)	0361/1293	==	==	0360/1281	BERRINGER DR
WESTVIEW DR					(T660)
(T679)	0361/0913	==	==	0360/0920	WESTVIEW DR
GARDEN DR					(T679)
(T681)	0361/0548	==	==	0360/0553	GARDEN DR
					(T681)
018 "DIA CIRC CONCR				0360/0380	018 "DIA CIRC CONCR
					LEN=0035 INSTALLED UNKN

DIST: 01-5 SR: 8
RIGHT MUN: SANDY CREEK T

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: SANDY CREEK T RIGHT MUN: SANDY CREEK T

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 9
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: VICTORY T RIGHT MUN: VICTORY T

030 "DIA CIRC METAL LEN=0100 INSTALLED UNKN 0291/0300	062319 FT 1 0 01107 0 00 0549+93
1 0 01107 0 00 0550+11 062375 FT	0290/0000 LENGTH(AH 2627 BK 2498)
LENGTH(AH 2509 BK 2439) 0291/0000	
018 "DIA CIRC METAL LEN=0070 INSTALLED UNKN 0281/2028	
018 "DIA CIRC METAL LEN=0100 INSTALLED UNKN 0281/1332	
036 "DIA CIRC METAL LEN=0100 INSTALLED UNKN 0281/0934	0280/1046 036 "DIA CIRC METAL LEN=0060 INSTALLED UNKN
018 "DIA CIRC METAL LEN=0080 INSTALLED UNKN 0281/0551	0280/0630 018 "DIA CIRC METAL LEN=0055 INSTALLED UNKN
018 "DIA CIRC METAL LEN=0070 INSTALLED UNKN 0281/0107	0280/0244 018 "DIA CIRC METAL LEN=0060 INSTALLED UNKN
1 0 01107 0 00 0525+43 059936 FT	059821 FT 1 0 01107 0 00 0524+45
LENGTH(AH 2439 BK 2562) 0281/0000	0280/0000 LENGTH(AH 2498 BK 2417)
MILEPOST 070.00 0271/2088	0270/2069 MILEPOST 070.00
048 "DIA CIRC METAL LEN=0130 INSTALLED UNKN 0271/1832	0270/1689 048 "DIA CIRC METAL LEN=0125 INSTALLED UNKN
024 "DIA CIRC METAL LEN=0100 INSTALLED UNKN 0271/1288	
1 0 01107 0 00 0499+81 057374 FT	057404 FT 1 0 01107 0 00 0500+28
LENGTH(AH 2562 BK 2510) 0271/0000	0270/0000 LENGTH(AH 2417 BK 2553)
042 "DIA CIRC METAL LEN=0100 INSTALLED UNKN 0261/1804	0260/1205 036 "DIA CIRC METAL LEN=0070 INSTALLED UNKN
018 "DIA CIRC METAL LEN=0060 INSTALLED UNKN 0261/0039	0260/0471 036 "DIA CIRC METAL LEN=0085 INSTALLED UNKN
1 0 01107 0 00 0474+71 054864 FT	054851 FT 1 0 01107 0 00 0474+54
LENGTH(AH 2510 BK 2417) 0261/0000	0260/0000 LENGTH(AH 2553 BK 2406)
	0250/1769 MILEPOST 069.00

DIR: B	TOTAL LEN: 31.961 MI.	DIST: 01-5	SR: 8
LEFT MUN: VICTORY T		RIGHT MUN: VICTORY T	
MILEPOST 069.00 0251/1735			
024 "DIA CIRC METAL LEN=0060 INSTALLED UNKN 0251/0844		0250/1674 024 "DIA CIRC METAL LEN=0078 INSTALLED UNKN	
		0250/1140 018 "DIA CIRC METAL LEN=0081 INSTALLED UNKN	
018 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN 0251/0032		0250/0583 018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN	
0 01107 0 00 0450+54 052447 FT		0250/0033 018 "DIA CIRC METAL LEN=0078 INSTALLED UNKN	
SR 3018		052445 FT 1 0 01107 0 00 0450+48	
OP ID 60/3018/0022/0000		SR 3018	
LENGTH(AH 2417 BK 2586) 0251/0000		OP ID 60/3018/0026/0000	
018 "DIA CIRC METAL LEN=0070 INSTALLED UNKN 0241/2226		LENGTH(AH 2406 BK 2631)	
		0240/2213 018 "DIA CIRC METAL LEN=0085 INSTALLED UNKN	
		0240/1010 024 "DIA CIRC METAL LEN=0280 INSTALLED UNKN	
027 "DIA CIRC METAL LEN=0150 INSTALLED UNKN 0241/0920			
0 01107 0 00 0424+68 049861 FT		049814 FT 1 0 01107 0 00 0424+49	
LENGTH(AH 2586 BK 2430) 0241/0000		0240/0000 LENGTH(AH 2631 BK 2496)	
		018 "DIA CIRC METAL LEN=0085 INSTALLED UNKN	
015 "DIA CIRC METAL LEN=0060 INSTALLED UNKN 0231/1918		0230/2210	
MAINTENANCE CROSSOVER R (CONN) 0231/1661		0230/1773 MAINTENANCE CROSSOVER R (CONN)	
MILEPOST 068.00 0231/1560		0230/1616 MILEPOST 068.00	
		0230/1516 018 "DIA CIRC CONCR LEN=0090 INSTALLED UNKN	
		0230/0550 048 "DIA CIRC CONCR LEN=0172 INSTALLED UNKN	
048 "DIA CIRC METAL LEN=0075 INSTALLED UNKN 0231/0472			
0 01107 0 00 0399+87 047431 FT		047318 FT 1 0 01107 0 00 0399+19	
LENGTH(AH 2430 BK 2547) 0231/0000		0230/0000 LENGTH(AH 2496 BK 2489)	
		030 "DIA CIRC METAL	

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 7
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: VICTORY T RIGHT MUN: VICTORY T

015 "DIA CIRC METAL LEN=0080 INSTALLED UNKN 0221/2033	0220/2126 LEN=0120 INSTALLED UNKN
018 "DIA CIRC METAL LEN=0070 INSTALLED UNKN 0221/1585	
030 "DIA CIRC METAL LEN=0080 INSTALLED UNKN 0221/1100	0220/1177 030 "DIA CIRC METAL LEN=0140 INSTALLED UNKN
1 0 01107 0 00 0375+35 044884 FT LENGTH(AH 2547 BK 2547) 0221/0000	044829 FT 1 0 01107 0 00 0374+30 0220/0000 LENGTH(AH 2489 BK 2506)
	018 "DIA CIRC METAL LEN=0150 INSTALLED UNKN
BMSSEN 60/0008/0211/1301 0211/1447 VICTORY IRWIN T 0211/1388	0210/2193
1 0 01107 0 00 0362+90 T371	0210/1588 BMSSEN 60/0008/0210/1467 VICTORY IRWIN T
BMSBG 60/0008/0211/1301 0211/1326	0210/1528 1 0 01107 0 00 0363+97 T371
	0210/1467 BMSBG 60/0008/0210/1467 018 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN
MILEPOST 067.00 0211/1279	0210/1374 0210/1331 MILEPOST 067.00
	0210/0744 018 "DIA CIRC METAL LEN=0075 INSTALLED UNKN
1 0 01107 0 00 0349+89 042337 FT LENGTH(AH 2547 BK 2406) 0211/0000	042323 FT 1 0 01107 0 00 0349+30 0210/0000 LENGTH(AH 2506 BK 2492)
	018 "DIA CIRC CONCR LEN=0140 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0150 INSTALLED UNKN 0201/1219 RAMP C RD (SR8014 SEG 0500/0000) 0201/1039	0200/2470 0200/1618 RAMP B RD (SR8014 SEG 0750/1640)
	0200/0870 018 "DIA CIRC CONCR LEN=0210 INSTALLED UNKN
BMSSEN 60/0008/0201/0000 0201/0163 1 0 01107 0 00 0325+76 039931 FT SR 0308	W 0200/0215 0200/0185 039831 FT
BMSBG 60/0008/0201/0000 LENGTH(AH 2406 BK 2631) 0201/0000	0200/0000 RWIS SITE/AT SR 308 BMSSEN 60/0008/0200/0000 1 0 01107 0 00 0325+04 SR 0308 BMSBG 60/0008/0200/0000 LENGTH(AH 2492 BK 2546)

032291 FT 1 0 01107 0 00 0249+80

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 5
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

SR 3102		SR 3102	
OP ID 60/3102/0010/0000	OP ID 60/3102/0010/0000	OP ID 60/3102/0010/0000	OP ID 60/3102/0010/0000
LENGTH(AH 2525 BK 2495) 0171/0000	5	5	LENGTH(AH 2539 BK 2489)
024 "DIA CIRC CONCR			
LEN=0090 INSTALLED UNKN 0161/2403	---		
		0160/2391	018 "DIA CIRC CONCR
018 "DIA CIRC CONCR	---		LEN=0100 INSTALLED UNKN
LEN=0100 INSTALLED UNKN 0161/1877	---		
		0160/1839	018 "DIA CIRC CONCR
018 "DIA CIRC CONCR	---		LEN=0100 INSTALLED UNKN
LEN=0100 INSTALLED UNKN 0161/1308	---		
		0160/1293	018 "DIA CIRC CONCR
018 "DIA CIRC CONCR	---		LEN=0100 INSTALLED UNKN
LEN=0100 INSTALLED UNKN 0161/0797	---		
		0160/0743	030 "DIA CIRC CONCR
018 "DIA CIRC CONCR	---		LEN=0130 INSTALLED UNKN
LEN=0110 INSTALLED UNKN 0161/0321	---		
		0160/0278	018 "DIA CIRC CONCR
1 0 01107 0 00 0224+92 029839 FT	---		LEN=0115 INSTALLED UNKN
LENGTH(AH 2495 BK 2564) 0161/0000	5	5	1 0 01107 0 00 0225+16
		0160/0000	LENGTH(AH 2489 BK 2532)
		0150/2276	018 "DIA CIRC CONCR
018 "DIA CIRC CONCR	---		LEN=0115 INSTALLED UNKN
LEN=0100 INSTALLED UNKN 0151/2264	---		
		0150/1735	018 "DIA CIRC CONCR
018 "DIA CIRC CONCR	---		LEN=0110 INSTALLED UNKN
LEN=0100 INSTALLED UNKN 0151/1730	---		
018 "DIA CIRC CONCR	---		
LEN=0100 INSTALLED UNKN 0151/1178	---		
		0150/1126	036 "DIA CIRC CONCR
		0150/0544	LEN=0120 INSTALLED UNKN
			MILEPOST 064.00
MILEPOST 064.00 0151/0526	□		
		0150/0030	018 "DIA CIRC CONCR
1 0 01107 0 00 0199+92 027275 FT	---		LEN=0120 INSTALLED UNKN
MAINTENANCE CROSSOVER R		027270 FT	1 0 01107 0 00 0199+84
(CONN)			MAINTENANCE CROSSOVER R
LENGTH(AH 2564 BK 2097) 0151/0000	5	5	(CONN)
SCRUBGRASS		0150/0000	LENGTH(AH 2532 BK 2120)
STRUCTURE LENGTH 12 FT			SCRUBGRASS
BMSID 60/0008/0140/2100 0141/1765	---	0140/1663	STRUCTURE LENGTH 12 FT
018 "DIA CIRC CONCR	---		BMSID 60/0008/0140/2100
LEN=0070 INSTALLED UNKN 0141/1697	---		

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 4
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

018 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN 0141/1043
SIGN: 4 CHORD TRUSS
BMSID 60/0008/0141/1022 0141/1020

018 "DIA CIRC CONCR
LEN=0080 INSTALLED UNKN 0141/0177
RAMP C RD
(SR8012 SEG 0500/0000) 0141/0172

1 0 01107 0 00 0174+00 025178 FT
MFC BEGIN = B
LENGTH(AH 2097 BK 2373) 0141/0000

0140/1071 018 "DIA CIRC CONCR
LEN=0130 INSTALLED UNKN

0140/0467 RAMP B RD
(SR8012 SEG 0750/1448)

0140/0125 018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN
1 0 01107 0 00 0174+00
MFC BEGIN = B
LENGTH(AH 2120 BK 2373)
SIGN: CANTILEVER

0134/2016 BMSID 60/0008/0140/0105
0134/1582 BMSID 60/0008/0134/1525
0 0 00000 0 00 0000+00
SR 3003
BMSBG 60/0008/0134/1525

022805 FT

022777 FT 0 0 00000 0 00 0000+00
0134/0000 LENGTH(AH 2373 BK 2250)

020555 FT

020527 FT 0 0 00000 0 00 0000+00
0124/0000 LENGTH(AH 2250 BK 3223)

017332 FT

0114/0458 018 "DIA CIRC CONCR
017304 FT LEN=0100 INSTALLED UNKN
0 0 00000 0 00 0000+00
NC RICHARD C FRAME HW

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 3
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

OLD ROUTE 8 RD
(SR6008 SEG 0010/0000) 0114/0000

015 "DIA CIRC CONCR
LEN=0090 INSTALLED UNKN 0107/2032
018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0107/1480

0 0 00000 0 00 0000+00 015241 FT
NC WILLIAM FLINN HW

GILMORE RD
(T323)

MELVIN RD

(SR3004 SEG 0010/0000)

MFC BEGIN = B

LENGTH(AH 2091 BK 1809) 0107/0000

0114/0000

OLD ROUTE 8 RD
(T318)
MFC BEGIN = B
LENGTH(AH 3223 BK 2068)

015236 FT

0 0 00000 0 00 0000+00

GILMORE RD
(T323)

MELVIN RD

(SR3004 SEG 0010/0000)

MFC BEGIN = B

LENGTH(AH 2068 BK 1809)

0106/0000

0090/0530

0090/0516

013432 FT

0090/0497

013427 FT

0090/0000

013124 FT

0080/0282

013119 FT

0080/0000

IRWIN
BARKEYVILLE B
BMSSEN 60/0008/0090/0497
1 0 00233 0 00 0069+00
EAST BR OF WOLF CREEK
BMSBG 60/0008/0090/0497
1 0 00233 0 00 0064+03
LENGTH(AH 1809 BK 0308)
015 "DIA CIRC CONCR
LEN=0070 INSTALLED UNKN
1 0 00233 0 00 0060+79
MFC BEGIN = B
LENGTH(AH 0308 BK 1400)

018 "DIA CIRC CONCR
LEN=0047 INSTALLED UNKN 0071/0945

(APRA) FYDA FREIGHTLINE
FYDA FREIGHTLINER RD
(PRDR)
GIBBS RD
(BORO)

0071/0863

RAMP C RD
(SR8002 SEG 0500/1074) 0071/0481
RAMP A RD

0070/0926

0070/0873

0070/0481

018 "DIA CIRC CONCR
LEN=0058 INSTALLED UNKN
(APRA) FYDA FREIGHTLINE
FYDA FREIGHTLINER RD
(PRDR)
GIBBS RD
(BORO)
RAMP C RD
(SR8002 SEG 0500/1074)
RAMP A RD

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 2
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: BARKEYVILLE B RIGHT MUN: BARKEYVILLE B

(SR8002 SEG 0250/0000) 0071/0383	==	0070/0387 (SR8002 SEG 0250/0000)
BMSSEN 60/0008/0070/0000 0071/0224	==	0070/0224 BMSSEN 60/0008/0070/0000
1 0 00233 0 00 0047+29 011719 FT	==	1 0 00233 0 00 0047+29 011719 FT
SR 0080 E/W	==	SR 0080 E/W
BMSBG 60/0008/0070/0000	==	BMSBG 60/0008/0070/0000
LENGTH(AH 1405 BK 1240) 0071/0000	==	LENGTH(AH 1400 BK 1240) 0070/0000
RAMP D RD	==	RAMP D RD
(SR8002 SEG 0750/0000) 0061/1071	==	(SR8002 SEG 0750/0000) 0060/1086
RAMP B RD	==	RAMP B RD
(SR8002 SEG 0010/1140) 0061/0972	==	(SR8002 SEG 0010/1140) 0060/0984
(APRA) TA TRAVEL CENTER	==	(APRA) TA TRAVEL CENTER
TA TRAVEL CENTER RD	==	TA TRAVEL CENTER RD
(PRDR)	==	(PRDR)
LOG CEMETERY RD	==	LOG CEMETERY RD
(BORO) 0061/0594	==	(BORO) 0060/0586
015 "DIA CIRC CONCR	==	024 "DIA CIRC METAL
LEN=0050 INSTALLED UNKN 0061/0545	==	LEN=0050 INSTALLED UNKN
	==	018 "DIA CIRC CONCR
	==	LEN=0045 INSTALLED UNKN
STEVENSON RD	==	STEVENSON RD
(BORO) 0061/0066	==	(BORO) 0060/0054
1 0 00233 0 00 0034+40 010479 FT	==	1 0 00233 0 00 0034+40 010479 FT
NC WILLIAM FLYNN HW	==	NC WILLIAM FLYNN HW
MFC BEGIN = B	==	MFC BEGIN = B
LENGTH(AH 1240 BK 3410) 0061/0000	==	LENGTH(AH 1240 BK 3410) 0060/0000
KWIKFILL TRUCK PLAZA RD	==	(APRA) KWIKFILL TRUCK P
(PRDR) 0050/3091	==	WILLOW ST
	==	(BORO) 0050/3048
	==	018"H 24"W ELLIP METAL
	==	LEN=0050 INSTALLED UNKN
	==	OAK ST
PINE ST	==	(BORO) 0050/2412
(BORO) 0050/2141	==	WALNUT ST
	==	(BORO) 0050/1795
	==	024 "DIA CIR PLASTIC
	==	LEN=0050 INSTALLED UNKN
	==	MAPLE ST
	==	(BORO) 0050/1505
	==	CHESTNUT ST
	==	(BORO) 0050/1137
	==	018 "DIA CIRC CONCR

EXTRACT DATE: 12/21/2020 ROADWAY MANAGEMENT SYSTEM PAGE NUMBER: 1
PRINT DATE: 12/22/2020 SLD COUNTY/SR - ANNUAL PRINT COUNTY: VENANGO

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: BARKEYVILLE B RIGHT MUN: BARKEYVILLE B

1 0 00233 0 00 0000+00 007069 FT
BARKEYVILLE RD
(SR0208 SEG 0040/0000) 0050/0000

BARKEYVILLE
IRWIN T

0040/0362
005027 FT

003186 FT

1 0 00218 0 00 0014+05 001369 FT
DUNCAN RD
(T301) 0020/0000

000000 FT

0050/0288 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/0028 LEN=0045 INSTALLED 2004
007069 FT CLINTONVILLE RD
(SR0208 SEG 0040/0000)
5 0050/0000 LENGTH(AH 3410 BK 2042)
015 "DIA CIRC CONCR
0040/1716 LEN=0080 INSTALLED UNKN
015 "DIA CIRC CONCR
0040/1530 LEN=0052 INSTALLED UNKN
015 "DIA CIRC CONCR
0040/1097 LEN=0050 INSTALLED UNKN
015 "DIA CIRC CONCR
0040/0362 LEN=0050 INSTALLED UNKN
005027 FT 1 0 00218 0 00 0050+70
5 0040/0000 LENGTH(AH 2042 BK 1841)
BARKEYVILLE
IRWIN T
0030/1657 018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN
0030/1043
003186 FT 1 0 00218 0 00 0032+29
SLIPPERY ROCK CREEK RD
(T303)
5 0030/0000 LENGTH(AH 1841 BK 1817)
0020/1491 BMSSEN 60/0008/0020/1474
1 0 00218 0 00 0028+72
N BR OF SLIPPERY ROCK C
0020/1474 BMSBG 60/0008/0020/1474
001369 FT
5 0020/0000 LENGTH(AH 1817 BK 1369)
0010/0584 BMSSEN 60/0008/0010/0566
1 0 00218 0 00 0006+08
SLIP. RO. BR.
0010/0566 BMSBG 60/0008/0010/0566
000000 FT 1 0 00218 0 00 0000+00
NC PI TTSBURGH RD
* REF-BK WILLIAM FLINN HW
(SR0008 SEG 0890/3458)
MFC BEGIN = B
BK-BUTLER (10)
5 0010/0000 LENGTH(AH 1369 BK 0000)