

# WIRELESS VIDEO SECURITY SYSTEM Monitor & 720p Camera Kit







# WIRELESS FREEDOM – UNRIVALED PERFORMANCE

Get all the capabilities of a full surveillance system with simplified installation, secure wireless video, and no recurring fees. View live and recorded video anywhere you go with free apps to help you stay connected.



## LW2760 Series

## www.lorextechnology.com

# WIRELESS VIDEO SECURITY SYSTEM

## **FEATURES**:

- 7" LCD monitor / recorder <sup>1</sup>
- Weather resistant HD wireless cameras <sup>2</sup>
- Simple installation. No video cables required
- Free iOS / Android apps for smartphones & tablets <sup>3</sup>
- Record video in 720p HD with audio  $^{\rm 4}$
- Manual, motion, and schedule recording
- Triplex operation: view live video, record, and playback simultaneously
- $\cdot$  Up to 45 days of recording  $^{\rm 5}$
- Pre-event motion detection recording
- Dual motion detection technology for more accurate alerts
- Motorized camera filter provides accurate color reproduction in all lighting conditions
- Secure wireless signal
- Time and date stamped recordings for easy retrieval
- 2-way audio intercom
- $\cdot$  Push notifications sent to your smartphone / tablet when motion is detected
- Expandable up to 4 cameras
- Night time viewing up to 65ft (20m) away in ambient night time lighting conditions and up to 45ft (14m) away in total darkness <sup>6</sup>
- High gain antennas provide up to 150ft (46m) indoor / 500ft (152m) outdoor wireless range <sup>7</sup>
- 8GB SD card included; 64GB supported





LW2760 Series

www.lorextechnology.com



## WIRELESS VIDEO SECURITY SYSTEM Monitor & 720p Camera Kit

### Specifications

#### General

Transmission Frequency Transmission Power Data Rate Unobstructed Wireless Range Spread Spectrum Modulation Operating Humidity

#### Camera

Image Sensor Supported Resolutions

Effective Pixels Minimum Illumination

AGC AES Speed Night Vision Range PIR Range Lens / Lens Type Field of View (Horizontal) Power Consumption Power Supply Environmental Rating Operating Temperature Dimensions (W × D × H) Weight

#### **Receiver/Monitor**

Display LCD Resolution Receiving Sensitivity Supported Resolutions

Power Consumption Power Supply Environmental Rating Operating Temperature Dimensions (W × D × H) Weight

Disclaimers

2.4 ~ 2.4835 GHz 16dBm 4 Mbps 500ft (152m) Outdoors / 150ft (46m) Indoors(6) FHSS GFSK < 85% RH

1/4" CMOS Image Sensor 720p (1280×720) @ 15fps VGA (640×480) @ 25fps 1280 (W) × 720 (H) < 5 lux (IR On) > 30 lux (IR Off) Auto 1/30 (1/25) ~ 1/1,000s 65ft (20m) / 45ft (14m)(5) 16ft (5m) 3.6mm F2.0 / Fixed 58 Max. 500mA 9V DC 600mA ±10% Indoor & Outdoor (IP54 Rated) 14° ~ 122°F / -10° ~ 50°C 3.2 × 8.0 × 4.7" / 81 × 203 × 119mm 0.70lbs / 0.32kg

### Dimensions



#### **Product Information**

Model	LW2762H
Configuration	Wireless 720p Video Surveillance System
Package	Retail Box
Package Dimensions (W × D × H)	14.6 × 10.6 × 3.9" 370 × 268 × 100mm
Package Weight	4.0lbs / 1.8kg
Package Cube	0.4 cbf / 0.01 cbm
UPC	6-95529-00673-4
Contents	1× 7" LCD Monitor, 2× Wireless 720p HD Cameras, 3× Power Adapters, 1× Ethernet Cable, 1× 8GB SD Card, Quick Setup Guides
Model	LW2762HB
Configuration	Wireless 720p Video Surveillance System
Package	Brown Box
Package Dimensions (W × D × H)	14.6 × 10.6 × 3.9" 370 × 268 × 100mm
Package Weight	4.0lbs / 1.8kg
Package Cube	0.4 cbf / 0.01 cbm
UPC	6-95529-01159-2
Contents	1× 7" LCD Monitor, 2× Wireless 720p HD Cameras, 3× Power Adapters, 1× Ethernet Cable, 1× 8GB SD Card, Quick Setup Guides

\_\_\_\_\_

1. Wireless cameras and monitor require a wired connection to a power outlet.

7" Diagonal

800×480

-88dBm

Max. 850mA 5V DC 2A ±10%

Indoor Only 32° ~ 104°F / 0° ~ 40°C

0.90lbs / 0.40kg

720p (1280×720) @ 15fps

VGA (640×480) @ 25fps

2. Not intended for direct exposure to rain or snow. For outdoor applications, install under shelter protected from the elements.

7.4 × 1.5 × 5.4" / 188 × 38 × 137mm

3. Requires a high speed Internet connection and a wired connection to a router (not included). An upload speed of 3Mbps is recommended for optimal video performance. Up to 3 devices may connect to the system at the same time. For the latest compatibility list check www.lorextechnology.com/support as new models become available in the market.

4. Viewing and recording in 720p resolution should be limited to 2 cameras. For systems using up to 4 cameras, VGA resolution is recommended for optimal video performance. 720p resolution recordings and live view can only be viewed in HD using devices that support 720p (1280×720) or higher resolutions. Included monitor resolution is 800×480.

5. Motion recording for a single camera based on VGA (640-480) recording resolution with 40 motion events per day and 30 second recording duration per event. Maximum recording time may vary based on the number of cameras that are recording, the amount of motion in the scene, and the size of the memory card used (8GB SD card included; 64GB supported).

6. Stated IR illumination ranges are based on ideal conditions in typical outdoor night time ambient lighting and total darkness. Actual range and image clarity depends on installation location, viewing area and light reflection / absorption.

7. Wireless cameras automatically reconnect with the receiver upon detecting low signal strength to optimize the wireless connection. Maximum wireless transmission range of 150ft (46m) indoors / 500ft (152m) outdoors. Actual range dependent upon building materials and other obstructions in the path of the wireless signal.

All trademarks belong to their respective owners. No claim is made to the exclusive right to use the trademarks listed, other than the trademarks owned by Lorex Corporation. We reserve the right to change models, configurations or specifications without notice or liability. Product may not be exactly as shown. Images are simulated.

#### Lorex Corporation, a division of FLIR Commercial Systems Inc.

250 Royal Crest Court Markham, Ontario, Canada L3R 3S1

7055 Troy Hill Drive Elkridge, Maryland 21075 USA www.lorextechnology.com

© 2016 Lorex Corporation

As our product is subject to continuous improvement, Lorex Corporation & subsidiaries reserve the right to modify product design, specifications & prices without notice and without incurring any obligation. E&OE.