

Revision Date: 10/25/2017

RTV108 3TG

SAFETY DATA SHEET

1. Identification

Product identifier: RTV108 3TG

Other means of identification

Synonyms: ACETOXY SEALANT (translucent)

Recommended use and restriction on use

Recommended use: Silicone Elastomer **Restrictions on use:** For industrial use only.

Manufacturer/Importer/Distr :

ibutor Information

Momentive Performance Materials - Daytona

703 South Street

New Smyrna Beach FL 32168

Contact person : commercial.services@momentive.com

Telephone : General information

+1-800-295-2392

Emergency telephone

number

Supplier : CHEMTREC

1-800-424-9300

2. Hazard(s) identification

Hazard Classification

Health Hazards

Toxic to reproduction Category 2

Label Elements

Hazard Symbol:



Signal Word: Warning

Hazard Statement: H361; Suspected of damaging fertility or the unborn child.

SDS_US 1/14



Revision Date: 10/25/2017

RTV108 3TG

Precautionary Statements

Prevention: Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Use personal protective

equipment as required.

Response: If exposed or concerned: Get medical advice/attention.

Storage: Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

Substance(s) formed under the

conditions of use:

Generates acetic acid during cure.

3. Composition/information on ingredients

Mixtures

Chemical Identity CAS number Octamethylcyclotetrasiloxane 556-67-2		Content in percent (%)*	Notes	
		1 - <3%	No data available.	

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information: No action shall be taken involving any personal risk or without suitable

training.

Ingestion: If swallowed, do NOT induce vomiting. Give a glass of water. Do not give

victim anything to drink if he is unconscious. Get medical attention.

Inhalation: If inhaled, remove to fresh air. If not breathing give artificial respiration

using a barrier device. If breathing is difficult give oxygen. Get medical

attention.

Skin Contact: Wash with soap and water.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

Most important symptoms/effects, acute and delayed

Symptoms: None known.

SDS_US 2/14



Revision Date: 10/25/2017

RTV108 3TG

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Treatment is symptomatic and supportive.

5. Fire-fighting measures

General Fire Hazards: Use standard firefighting procedures and consider the hazards of other

involved materials. Prevent runoff from fire control or dilution from entering

streams, sewers, or drinking water supply.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

All standard extinguishing agents are suitable.

Unsuitable extinguishing

media:

Do not use water jet.

Specific hazards arising from

the chemical:

In case of fire, carbon monoxide and carbon dioxide may be formed. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Pay attention to the corrosive effects arising from contact with water.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

Use water spray to keep fire-exposed containers cool.

Special protective equipment

for fire-fighters:

Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective

clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Avoid contact with eyes, skin, and clothing. Use only in well-ventilated areas. Avoid accidental ingestion of this material. Wash hands and face before eating, drinking, smoking, using toilet facilities, or applying cosmetics.

Remove contact lenses before using sealant. Do not handle lenses until all sealant has been cleaned from the finger and hands. Keep out of reach of children. Keep container closed. May generate formaldehyde at temperatures greater than 150 C(300 F). See Section 8 of the SDS for Personal Protective Equipment.

SDS_US 3/14



Revision Date: 10/25/2017

RTV108 3TG

Methods and material for containment and cleaning

up:

Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the

protective equipment section.

Notification Procedures: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in

immediate area). See Section 8 of the SDS for Personal Protective

Equipment.

7. Handling and storage

Precautions for safe handling:

Sensitivity to static discharge is not expected. Acetic acid is formed during processing. Wear appropriate personal protective equipment. Use only in well-ventilated areas. Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Keep containers tightly closed. See Section 8 of the SDS for Personal Protective Equipment.

Conditions for safe storage,

including any incompatibilities:

Keep container tightly closed in a cool, well-ventilated place.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values	Source
Octamethylcyclotetrasiloxane	TWA	5 ppm	

Appropriate Engineering

Controls

Provide adequate general and local exhaust ventilation. Eye washes and

showers for emergency use.

Individual protection measures, such as personal protective equipment

General information: Ventilation and other forms of engineering controls are preferred for

controlling exposures. Respiratory protection may be needed for non-

routine or emergency situations.

Eye/face protection: Safety glasses with side shields

Skin Protection

Hand Protection: Butyl rubber gloves are recommended.

Other: Wear suitable protective clothing and eye/face protection.

SDS_US 4/14



Revision Date: 10/25/2017

RTV108 3TG

Respiratory Protection: If exposure limits are exceeded or respiratory irritation is experienced,

NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA

regulations (see 29CFR 1910.134).

Hygiene measures: Avoid contact with eyes, skin, and clothing. Ensure adequate ventilation,

especially in confined areas. Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product.

When using do not eat, drink or smoke.

9. Physical and chemical properties

Appearance

Physical state: solid
Form: Paste
Color: Colorless
Odor: Acetic acid.

Odor threshold:No data available.pH:No data available.Melting point/freezing point:No data available.Initial boiling point and boiling range:not applicable

Flash Point: > 93.3 °C (estimated)
Evaporation rate: No data available.
Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

No data available.

Vapor pressure: No data available.

Vapor density:No data available.Density:ca. 1.06 g/cm3

Relative density: 1.06

Solubility(ies)

Solubility in water: Insoluble Solubility (other): Toluene

Partition coefficient (n-octanol/water) Log No data available.

Pow:

Auto-ignition temperature: No data available.

SDS_US 5/14



Revision Date: 10/25/2017

RTV108 3TG

No decomposition if stored and applied as directed. **Decomposition temperature:**

SADT: No data available. Viscosity, dynamic: No data available. Viscosity, kinematic: No data available.

VOC: 26 g/l;

10. Stability and reactivity

Reactivity: No dangerous reaction if used as recommended.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerisation does not occur.

Conditions to avoid: Keep away from moisture.

Incompatible Materials: Strong Acids, Strong Bases Water.

Hazardous Decomposition

Products:

Carbon dioxide Silicon dioxide. Formaldehyde. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that

small amounts of formaldehyde are formed due to oxidative degradation.

11. Toxicological information

Information on likely routes of exposure

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: Not classified for acute toxicity based on available data.

SDS_US 6/14



Revision Date: 10/25/2017

RTV108 3TG

Specified substance(s):

Octamethylcyclotetrasilox LD 50 (Rat): 4,800 mg/kg

ane

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Octamethylcyclotetrasilox LD 50 (Rat): > 2,400 mg/kg

ane

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Octamethylcyclotetrasilox

ane

LC50 (Rat): 36 mg/l

Repeated dose toxicity

Product: NOAEL (Rat(male and female), Inhalation(vapour)): 150 mg/kg

NOAEL (Rabbit(male and female), Dermal): > 1 mg/kg

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasil OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rat): No skin

oxane irritation

Serious Eye Damage/Eye Irritation

Product: No data available.

Respiratory or Skin Sensitization

Product: , OECD-Guideline 406 (Skin Sensitisation)negative

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

SDS_US 7/14



Revision Date: 10/25/2017

RTV108 3TG

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella

typhimurium, Reverse Mutation Assay)): negative (not mutagenic)

Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)

In vivo

Product: Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology:

Micronucleus Test)): negative

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

SDS_US 8/14



Revision Date: 10/25/2017

RTV108 3TG

Other effects:

Acetic acid released during curing. Octamethylcyclotetrasiloxane (D4) Ingestion: Rodents given large doses via oral gavage of Octamethylcyclotetrasiloxane (1600mg/kg/day,14 days), developed increased liver weights relative to unexposed control animals due to hepatocellular hyperplasia (increased number of liver cells which appear normal) as well as hypertrophy (increased cell size). Inhalation: In inhalation studies, laboratory rodents exposed to Octamethylcyclotetrasiloxane (300 ppm five days/week, 90 days) developed increased liver weights in female animals relative to unexposed control animals. When the exposure was stopped, liver weights returned to normal. Microscopic examination of the liver cells did not show any evidence of pathology. This response in rats, which does not affect the animal's health, is well-documented and widely recognized. It is related to an increase of liver enzymes that metabolize and eliminate a material from the body. The increased liver weight reverses even while the D4 exposure continues. The finding is not adverse, but is considered a natural adaptive change in rats, and does not represent a hazard to humans. Inhalation studies utilizing laboratory rabbits and guinea pigs showed no effects on liver weights. Inhalation exposures typical of industrial usage (5-10 ppm) showed no toxic effects in rodents. Range finding reproductive studies were conducted (whole body inhalation, 70 days prior to mating, through mating, gestation and lactation), with D4. Rats were exposed to 70 and 700 ppm. In the 700 ppm group, there was a statistically significant reduction in mean litter size and in implantation sites. No D4 related clinical signs were observed in the pups and no exposure related pathological findings were found. A two-year, combined chronic/carcinogenicity study, during which rats were exposed to D4 by inhalation, data showed a statistically significant increase in a benign uterine tumor in female rats exposed at the highest level--a level much higher than the low levels that consumers or workers may encounter. An expert panel of independent scientists who have reviewed the results of this research concur that the finding seen in the two-year study occurred through a biological pathway that is specific to the rat and is not relevant to humans. Therefore, this observed effect does not indicate a potential health hazard to humans. In developmental toxicity studies, rats and rabbits were exposed to D4 at concentrations up to 700 ppm and 500 ppm, respectively. No teratogenic effects (birth defects) were observed in either study. Contains dibutyltin compound(s) - May impair fertility. May cause harm to unborn child.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: EC50 (Daphnia magna, 48 h): > 0.015 mg/l

Chronic hazards to the aquatic environment:

SDS_US 9/14



Revision Date: 10/25/2017

RTV108 3TG

Fish

Product: LC50 (Oncorhynchus mykiss, 14 d): 0.01 mg/l

Aquatic Invertebrates

Product: EC50 (Daphnia magna, 21 d): > 0.015 mg/l

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: 3.7 % (29 d, OECD Test Guideline 310)

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: Pimephales promelas, Bioconcentration Factor (BCF): 12.40 May

accumulate in soil and water systems.

Partition Coefficient n-octanol / water (log Kow) **Product:** No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Octamethylcyclotetrasiloxa

No data available.

ne

Other adverse effects: No data available.

13. Disposal considerations

General information: The generation of waste should be avoided or minimized wherever

> possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.

Disposal instructions: Disposal should be made in accordance with federal, state and local

regulations.

Contaminated Packaging: Dispose of as unused product.

14. Transport information

DOT

Not regulated.

SDS_US 10/14



Revision Date: 10/25/2017

RTV108 3TG

IMDG

Not regulated.

IATA

Not regulated.

Special precautions for user: This product is not regarded as dangerous goods according to the

national and international regulations on the transport of

dangerous goods.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

<u>Chemical Identity</u> <u>Reportable quantity</u>

Octamethylcyclotetrasilox De minimis concentration: TSCA Section: 4: 1.0%

ane One-Time Export Notification only.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Delayed (Chronic) Health Hazard

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u> <u>Threshold Planning Quantity</u>

Octamethylcyclotetrasiloxa 10000 lbs

ne

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

SDS_US 11/14



Revision Date: 10/25/2017

RTV108 3TG

US State Regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Dimethylpolysiloxane

Silica

Siloxanes and Silicones, di-Me hydroxy terminated

Siloxanes and Silicones, di-Me, polymers with Me silsesquioxanes,

hydroxy-terminated

Octamethylcyclotetrasiloxane

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

SDS_US 12/14



Revision Date: 10/25/2017

RTV108 3TG

Inventory Status:

Australia AICS:	y (positive listing)	Remarks: None.	
Canada DSL Inventory List:	y (positive listing)	Remarks: None.	
EU EINECS List:	y (positive listing)	Remarks: None.	
Japan (ENCS) List:	y (positive listing)	Remarks: None.	
China Inventory of Existing	y (positive listing)	Remarks: None.	
Chemical Substances:			
Korea Existing Chemicals Inv.	y (positive listing)	Remarks: None.	
(KECI):			
Canada NDSL Inventory:	n (Negative listing)	Remarks: None.	
Philippines PICCS:	y (positive listing)	Remarks: None.	
US TSCA Inventory:	y (positive listing)	Remarks: On TSCA Inventory	
New Zealand Inventory of	y (positive listing)	Remarks: None.	
Chemicals:	5		

16.Other information, including date of preparation or last revision

HMIS Hazard ID

Health	*		0	
Flammability			1	
Physical Hazards			1	
PERSONAL PROTECTION				

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date: 10/25/2017

Revision Date: No data available.

Version #: 4.0

Further Information: No data available.

SDS_US 13/14



Revision Date: 10/25/2017

RTV108 3TG

Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®,*, and TM indicate trademarks owned by or licensed to Momentive.

SDS_US 14/14