

# Recommended Media List

## Xerox® PrimeLink® C9065/C9070 Press

This Recommended Media List contains Xerox® Paper and Specialty Media that has been extensively tested on the Xerox® PrimeLink® C9065/C9070 Press for image quality and performance by Xerox® at the Xerox® Media Technology Center.

The paper and specialty media on this list are approved by Xerox and recommended for use in all configurations of the Xerox® PrimeLink® C9065/C9070 press.

All Xerox® Paper and Specialty Media on this list are digitally optimized, designed and manufactured for optimal performance in Xerox digital printing equipment and carry the Domtar 100% Performance Guarantee. Domtar offers a 100% Performance Guarantee for any Xerox® Paper or Specialty Media that is featured on the Recommended Media List for a specific Xerox printer

or digital press. This is your assurance that if you are unhappy with the performance of recommended Xerox® Paper or Specialty Media, Domtar will either take back the unused product and replace it or refund your money – guaranteed.

Domtar Paper Company, LLC. and Domtar Inc., (collectively referred to as “Domtar”), are the exclusive U.S. and Canadian trademark licensees of Xerox® Paper and Specialty Media. Domtar’s and Xerox’s extensive collaborative testing and stringent specifications ensure that we are able to guarantee the performance and consistency of Xerox® Paper and Specialty Media.

## Recommended Media List

### General Information

Customers should validate that the Best Practices for Operation for the selected Xerox® Paper or Specialty Media are acceptable for their application. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to ensure that expectations are met.

Media observations made in this publication are based on tests conducted using standard images with moderate to heavy image area coverage. Test machines are maintained within specifications defined by user documentation. Where applicable, suggested adjustments and best practices are included to optimize media performance. Note that “size” designation is for sheet dimensions only, and is not used to indicate grain direction.

The Stock Library Montage application can be updated with the most current Recommended Media List by downloading the “Recommended Media List.rml” file from Xerox.com. This file can be found on Xerox.com under the Support and Drivers tab, searching on PrimeLink. Instructions on how to update the Stock Library Manager media list are included with the file.

To view the most current Recommended Media List, please visit [www.xeroxpaperusa.com/resources/recommended-media-list](http://www.xeroxpaperusa.com/resources/recommended-media-list).

### Warranty Disclaimer

Domtar and Xerox make no guarantees or warranties, either expressed or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure their expectations are met. The quality of Xerox supplies is consistent from ream to ream and is backed by a 100% guarantee such that if you are unhappy with the performance of recommended Xerox® Paper or Specialty Media, Domtar will either take back the unused product and replace it or refund your money. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best: Xerox supplies.

To learn more about Xerox® Paper and Specialty Media, please call 1.800.458.4640, Prompt #1.

To learn more about the benefits of using Xerox Supplies (toner and ink), please contact your Xerox Supplies Representative at 1.800.822.2200 (U.S.) or 1.800.668.0199 (Canada).

# Xerox® PrimeLink® C9065/C9070 Press Recommended Media List

Trays													
A = Auto Duplex, S = Simplex Only, M = Manual Duplex													
Item Number	Paper & Specialty Media Description	Size	gsm	Mode	Image Quality System Setting	Tray 1	Tray 2	Tray 3	Tray 4	Tray 5 (Bypass)	Tray 6 HCF	Tray 7 OHCF	Additional Information
<b>Xerox® Bold Digital® Printing Paper</b>													
3R11540	24 lb. Bond / 60 lb. Text	8.5 x 11	90	Plain	Plain C	A	A	A	A	A	A	A	
3R11540PY	24 lb. Bond / 60 lb. Text	8.5 x 11	90	Plain	Plain C	A	A	A	A	A	A	A	
3R11541	24 lb. Bond / 60 lb. Text	8.5 x 11 3HP	90	Plain	Plain C	A	A	A	A	A	A	A	
3R11541R	24 lb. Bond / 60 lb. Text	8.5 x 11 3HP	90	Plain	Plain C	A	A	A	A	A	A	A	
3R11542	24 lb. Bond / 60 lb. Text	8.5 x 11	90	Plain	Plain C	A	A	A	A	A	A	A	
3R11542R	24 lb. Bond / 60 lb. Text	8.5 x 11	90	Plain	Plain C	A	A	A	A	A	A	A	
3R11543	24 lb. Bond / 60 lb. Text	11 x 17	90	Plain	Plain C	A	A	A	A	A	A	A	
3R11543R	24 lb. Bond / 60 lb. Text	11 x 17	90	Plain	Plain C	A	A	A	A	A	A	A	
3R11760	28 lb. Bond / 70 lb. Text	8.5 x 11	105	Plain	Plain D	A	A	A	A	A	A	A	
3R11760PY	28 lb. Bond / 70 lb. Text	8.5 x 11	105	Plain	Plain D	A	A	A	A	A	A	A	
3R11761	28 lb. Bond / 70 lb. Text	8.5 x 11 3HP	105	Plain	Plain D	A	A	A	A	A	A	A	
3R20150	28 lb. Bond / 70 lb. Text	8.5 x 14	105	Plain	Plain D	A	A	A	A	A	A	A	
3R11762	28 lb. Bond / 70 lb. Text	17 x 11	105	Plain	Plain D	A	A	A	A	A	A	A	
3R11763	28 lb. Bond / 70 lb. Text	18 x 12	105	Plain	Plain D	A	A	A	A	A	A	A	
3R11764	32 lb. Bond / 80 lb. Text	8.5 x 11	120	Heavyweight 1	HWTA	A	A	A	A	A	A	A	
3R11764PY	32 lb. Bond / 80 lb. Text	8.5 x 11	120	Heavyweight 1	HWTA	A	A	A	A	A	A	A	
3R11765	32 lb. Bond / 80 lb. Text	17 x 11	120	Heavyweight 1	HWTA	A	A	A	A	A	A	A	
3R11766	32 lb. Bond / 80 lb. Text	18 x 12	120	Heavyweight 1	HWTA	A	A	A	A	A	A	A	
3R11767	60 lb. Cover	163	163	Heavyweight 1	HWTC	A	A	A	A	A	A	A	
3R11768	60 lb. Cover	177 x 11	163	Heavyweight 1	HWTC	A	A	A	A	A	A	A	
3R11770	80 lb. Cover	8.5 x 11	216	Heavyweight 2	Heavyweight 2	S	S	S	S	S	S	S	Increased jams may occur when auto-duplexing. Increased jams may occur when Output Format is Auto Face Down. Use Face Up output format if this occurs.
3R11771	80 lb. Cover	17 x 11	216	Heavyweight 2	Heavyweight 2	S	S	S	S	S	S	S	Increased jams may occur when auto-duplexing. Increased jams may occur when Output Format is Auto Face Down. Use Face Up output format if this occurs.
3R11772	80 lb. Cover	18 x 12	216	Heavyweight 2	Heavyweight 2	S	S	S	S	S	S	S	Increased jams may occur when auto-duplexing. Increased jams may occur when Output Format is Auto Face Down. Use Face Up output format if this occurs.
3R11774	100 lb. Cover	8.5 x 11	270	Heavyweight 4	Heavyweight 4	S	S	S	S	S	S	S	Increased jams may occur when auto-duplexing. Increased jams may occur when Output Format is Auto Face Down. Use Face Up output format if this occurs.
3R11775	100 lb. Cover	17 x 11	270	Heavyweight 4	Heavyweight 4	S	S	S	S	S	S	S	Increased jams may occur when auto-duplexing. Increased jams may occur when Output Format is Auto Face Down. Use Face Up output format if this occurs.
3R11776	100 lb. Cover	18 x 12	270	Heavyweight 4	Heavyweight 4	S	S	S	S	S	S	S	Increased jams may occur when auto-duplexing. Increased jams may occur when Output Format is Auto Face Down. Use Face Up output format if this occurs.
<b>Xerox® Bold Digital® Printing Paper, 30% Recycled</b>													
3R20160	28 lb. Bond / 70 lb. Text	8.5 x 11	105	Recycled	Recycled D	A	A	A	A	A	A	A	
3R20161	28 lb. Bond / 70 lb. Text	17 x 11	105	Recycled	Recycled D	A	A	A	A	A	A	A	
3R20162	28 lb. Bond / 70 lb. Text	18 x 12	105	Recycled	Recycled D	A	A	A	A	A	A	A	
3R20163	60 lb. Cover	8.5 x 11	163	Heavyweight 1	HWTA	A	A	A	A	A	A	A	
3R20164	60 lb. Cover	17 x 11	163	Heavyweight 1	HWTA	A	A	A	A	A	A	A	
3R20165	60 lb. Cover	18 x 12	163	Heavyweight 1	HWTA	A	A	A	A	A	A	A	
3R20166	80 lb. Cover	8.5 x 11	216	Heavyweight 2	Heavyweight 2	S	S	S	S	S	S	S	Increased jams may occur when auto-duplexing. Increased jams may occur when Output Format is Auto Face Down. Use Face Up output format if this occurs.
3R20167	80 lb. Cover	17 x 11	216	Heavyweight 2	Heavyweight 2	S	S	S	S	S	S	S	Increased jams may occur when auto-duplexing. Increased jams may occur when Output Format is Auto Face Down. Use Face Up output format if this occurs.
3R20168	80 lb. Cover	18 x 12	216	Heavyweight 2	Heavyweight 2	S	S	S	S	S	S	S	Increased jams may occur when auto-duplexing. Increased jams may occur when Output Format is Auto Face Down. Use Face Up output format if this occurs.
3R20169	100 lb. Cover	8.5 x 11	270	Heavyweight 4	Heavyweight 4	S	S	S	S	S	S	S	Increased jams may occur when auto-duplexing. Increased jams may occur when Output Format is Auto Face Down. Use Face Up output format if this occurs.
3R20170	100 lb. Cover	17 x 11	270	Heavyweight 4	Heavyweight 4	S	S	S	S	S	S	S	Increased jams may occur when auto-duplexing. Increased jams may occur when Output Format is Auto Face Down. Use Face Up output format if this occurs.
3R20171	100 lb. Cover	18 x 12	270	Heavyweight 4	Heavyweight 4	S	S	S	S	S	S	S	Increased jams may occur when auto-duplexing. Increased jams may occur when Output Format is Auto Face Down. Use Face Up output format if this occurs.
<b>Xerox® Vitality® Multipurpose Printer Paper</b>													
3R02047	20 lb. Bond	8.5 x 11	75	Plain	Plain B	A	A	A	A	A	A	A	
3R02047PY	20 lb. Bond	8.5 x 11	75	Plain	Plain B	A	A	A	A	A	A	A	
3R11415	20 lb. Bond	8.5 x 11 Xpress	75	Plain	Plain B	A	A	A	A	A	A	A	
3R02641	20 lb. Bond	8.5 x 11 3HP	75	Plain	Plain B	A	A	A	A	A	A	A	
3R02051	20 lb. Bond	8.5 x 14	75	Plain	Plain B	A	A	A	A	A	A	A	
3R03761	20 lb. Bond	11 x 17	75	Plain	Plain B	A	A	A	A	A	A	A	
3R02531	24 lb. Bond	8.5 x 11	90	Plain	Plain C	A	A	A	A	A	A	A	
3R11414	24 lb. Bond	8.5 x 11 Xpress	90	Plain	Plain C	A	A	A	A	A	A	A	
3R03317	24 lb. Bond	8.5 x 11 3HP	90	Plain	Plain C	A	A	A	A	A	A	A	
3R03871	24 lb. Bond	11 x 17	90	Plain	Plain C	A	A	A	A	A	A	A	
<b>Xerox® Vitality® Multipurpose Printer Paper, 30% Recycled</b>													
3R0296	20 lb. Bond	8.5 x 11	75	Recycled	Recycled B	A	A	A	A	A	A	A	
3R0297	20 lb. Bond	8.5 x 11 3HP	75	Recycled	Recycled B	A	A	A	A	A	A	A	
3R0298	20 lb. Bond	8.5 x 14	75	Recycled	Recycled B	A	A	A	A	A	A	A	
3R0299	20 lb. Bond	11 x 17	75	Recycled	Recycled B	A	A	A	A	A	A	A	
<b>Xerox® Vitality® Index Paper</b>													
3R11747	90 lb. Index	8.5 x 11	163	Heavyweight 1	HWTC	A	A	A	A	A	A	A	
3R11748	90 lb. Index	17 x 11	163	Heavyweight 1	HWTC	A	A	A	A	A	A	A	
3R11749	110 lb. Index	8.5 x 11	199	Heavyweight 2	Heavyweight 2	S	S	S	S	S	S	S	Increased jams may occur when auto-duplexing. Increased jams may occur when Output Format is Auto Face Down. Use Face Up output format if this occurs. When feeding HW2 and/or coated stock it is highly recommended to feed from tray 5 (bypass) or tray 6/7 (OHCF) due to degraded leading performance of trays 1-4.

# Xerox® PrimeLink® C9065/C9070 Press Recommended Media List

Xerox® Revolution NeverTear™												
Part Number	Media Description	Weight	Width	Height	Coated 1	Coated 1B	A					
3R20172	5 mil	135	8.5 x 11		Coated 1	Coated 1B	A					
3R20173	5 mil	135	8.5 x 11 3HP		Coated 1	Coated 1B	A					
3R20174	5 mil	135	11 x 17		Coated 1	Coated 1B	A					
3R20176	8 mil	230	8.5 x 11		Coated 3	Coated 3A						Run less than 50 sheets to stacker. Remove and fan or allow to cool stacked horizontally.
3R20185	8 mil Pre-Scored Horizontal	230	8.5 x 11		Coated 3	Coated 3A						
3R20186	8 mil Pre-Scored Vertical	230	8.5 x 11		Coated 3	Coated 3A						
3R20187	8 mil Pre-Perforated Shelf Tags	230	8.5 x 11		Coated 3	Coated 3A						
3R20188	8 mil Pre-Perforated Door Hangers	230	8.5 x 11		Coated 3	Coated 3A						
3R20189	8 mil Pre-Perforated Luggage Tags	230	8.5 x 11		Coated 3	Coated 3A						
3R20190	8 mil Pre-Perforated Badges	230	8.5 x 11		Coated 3	Coated 3A						
3R20191	8 mil Pre-Perforated ID Cards	230	8.5 x 11		Coated 3	Coated 3A						
3R20192	8 mil Pre-Perforated Parking Passes	230	8.5 x 11		Coated 3	Coated 3A						
3R20193	8 mil Pre-Perforated Portrait Badges	230	8.5 x 11		Coated 3	Coated 3A						
Xerox® Revolution® - Premium Digital Carbonless												
3R12420	2-Part Straight/Reverse	80	8.5 x 11		Plain	Plain B	S	S	S	S	S	
3R12422	2-Part Straight/Reverse	80	8.5 x 14		Plain	Plain B	S	S	S	S	S	
3R12423	2-Part Straight/Reverse	80	11 x 17		Plain	Plain B	S	S	S	S	S	
3R12421	2-Part Straight/Reverse	80	8.5 x 11		Plain	Plain B	S	S	S	S	S	
3R12424	3-Part Reverse	80	8.5 x 11		Plain	Plain B	S	S	S	S	S	
3R12425	3-Part Straight	80	8.5 x 11		Plain	Plain B	S	S	S	S	S	
3R12427	3-Part Straight	80	8.5 x 14		Plain	Plain B	S	S	S	S	S	
3R12426	3-Part Straight (Mini Carton)	80	8.5 x 11		Plain	Plain B	S	S	S	S	S	
3R12429	4-Part Reverse	80	8.5 x 11		Plain	Plain B	S	S	S	S	S	
3R12430	4-Part Straight	80	8.5 x 11		Plain	Plain B	S	S	S	S	S	
3R12434	Singles CB	80	8.5 x 11		Plain	Plain B	S	S	S	S	S	
3R12435	Singles CFB	80	8.5 x 11		Plain	Plain B	S	S	S	S	S	
3R12437	Singles CFB	80	8.5 x 11		Plain	Plain B	S	S	S	S	S	
3R12439	Singles CF	80	8.5 x 11		Plain	Plain B	S	S	S	S	S	

Carbonless paper is not intended for extensive or exclusive usage. Limit monthly volumes. It is recommended to use equipment with an Offset Catch Tray, rather than a finishing device.



Domtar is the exclusive trademark licensee of the Xerox® Paper and Specialty Media Line within the United States and Canada.

Working collaboratively with the Xerox Corporation and our Media Partners, Domtar designs and manufactures the Xerox® Paper and Specialty Media Line to bring you the most extensive line of digitally optimized products in the United States and Canada.

With the Domtar Performance Guarantee, you can be assured that if you are unhappy with the performance of the product, you may return the unused portion and Domtar will either replace it, or refund your money.

Xerox® Paper and Specialty Media products are distributed by Domtar and are widely available for purchase through office supply dealers, paper merchants, office supply stores, online as well as in selected retail stores.

[www.domtar.com](http://www.domtar.com)

[www.xeroxpaperUSA.com](http://www.xeroxpaperUSA.com) | [www.xeroxpaper.ca](http://www.xeroxpaper.ca)