



Shown actual size: non-insert style seeTouch 5-button keypad with raise/lower in White (QSWS2-5BRLN-WH)

Features and capacities

- Available with 1–7 buttons in insert and non-insert styles
- Standard models available in 14 button configurations and 41 color options; custom models available
- Large rounded buttons are easy to use
- Each keypad includes two contact closures
- Coordinating Architectural or Claro® wallplates may be included depending on finish, see pg. 366 for further information
- Multi-gang wallplates available; up to 6-gang, see pg. 368
- For information on engraving, text symbols and backlit buttons/backlit text, see pg. 376
- A QS system can have up to 100 devices such as GRAFIK Eye® control units, keypads or shades
- Backlit buttons with engraving make it easy to find and operate wallstation in low light conditions

Shade control

- Models available with group control settings for a single shade or multiple shades

Dimensions and mounting

- Width: 2.75 in (70 mm); Height: 4.56 in (116 mm); Depth: 1.40 in (36 mm); Profile: .31 in (8 mm)
- Mounts in a standard 1-gang U.S. backbox


Communication and wiring

- Operates via low-voltage IEC PELV/NEC Class 2 standard wired communication on the QS link
- Uses one power draw unit on the QS link

Component may be used in the following system(s):

- GRAFIK Eye QS pg. 14
- GRAFIK Eye QS with EcoSystem®/DALI pg. 28
- Lutron® guestroom solutions pg. 42
- Energi Savr Node™ with EcoSystem pg. 70
- Energi Savr Node for 0-10V/Energi Savr Node with Softswitch® pg. 84
- Energi Savr Node for DALI (DIN-rail) pg. 96
- Energi Savr Node for 0-10V/Energi Savr Node for Switching (DIN-rail) pg. 108
- Energi Savr Node phase adaptive pg. ???

Available finishes



Use **BOLD** color code in model number (Example: QSW2-2BN-**SW**)

Satin finishes (Available for insert style keypads; coordinating **faceplates ordered separately**)



SW
Snow **F, B**
Gray **E**



LS
Limestone **F**
Gray **B**
White **E**




BI
Biscuit **F, B**
Gray **E**



ES
Eggshell **F, B**
Gray **E**



PD
Palladium **F**
Gray **B**



TP
Taupe **F, B**
Gray **E**



ST
Stone **F**
Gray **B**
White **E**



BG
Bluestone **F**
Gray **B**
White **E**



PL
Plum **F**
Taupe **B**
Gray **E**



SG
Sea Glass **F**
Gray **B**
White **E**



TQ
Turquoise **F**
Gray **B**
White **E**



GS
Goldstone **F**
Ivory **B**
Gray **E**



DS
Desert Stone **F**
Taupe **B**
Gray **E**



GB
Greenbriar **F**
Gray **B**
White **E**



MS
Mocha Stone **F**
Taupe **B**
Gray **E**



TC
Terracotta **F**
Taupe **B**
Gray **E**



SI
Sienna **F**
Brown **B**
White **E**



HT
Hot **F**
Taupe **B**
Gray **E**



MR
Merlot **F**
Taupe **B**
Gray **E**



MN
Midnight **F, B**
Gray **E**

Bold color code indicates faceplate color. Models include button kit in coordinating colors as shown.

Text engraving color varies by button color. Lighter colored buttons use gray text and darker colored buttons use white text. Visit www.lutron.com/engraving for further information.

Architectural matte finishes (Available for insert and non-insert style keypads; coordinating faceplates included)



WH
White F, B
Gray E



LA
Light Almond F, B
Gray E



AL
Almond F, B
Gray E



BE
Beige F, B
Gray E



IV
Ivory F, B
Gray E



TP
Taupe F, B
(non-insert only)
Gray E



GR
Gray F, B
White E



BR
Brown F, B
White E



BL
Black F, B
White E

Architectural metal finishes (Available for insert and non-insert style keypads; coordinating faceplates included)



BN
Bright Nickel F
Black B
White E



BC
Bright Chrome F
Black B
White E



CLA
Clear Anodized Aluminum F
Black B
White E



SC
Satin Chrome F
Black B
White E



SN
Satin Nickel F
Black B
White E



QZ
Antique Bronze F
Black B
White E



BB
Bright Brass F
Black B
White E



BRA
Brass Anodized Aluminum F
Black B
White E



SB
Satin Brass F
Black B
White E




QB
Antique Brass F
Black B
White E




BLA
Black Anodized Aluminum F
Black B
White E

Explanation of features



seeTouch QS keypad
insert and non-insert styles

.31 in 1.09 in
(8 mm) (28 mm)




Features

<p>1 Buttons</p>	<ul style="list-style-type: none"> • Available with 1–7 scene preset options • Models available to instead provide zone, partitioning, sequencing, shade control, and other features
<p>2 Status LEDs</p>	<ul style="list-style-type: none"> • Show which keypad button has been activated
<p>3 Backlit buttons</p>	<ul style="list-style-type: none"> • Easy to read and use in low-light conditions, can be disabled on a button by button basis
<p>4 Infrared (IR) receiver (optional)*</p>	<ul style="list-style-type: none"> • Offers convenient control of lights/shades from an IR remote control, see pg. 197
<p>5 Raise/lower buttons</p>	<ul style="list-style-type: none"> • Brightens/dims assigned lighting or raises/lowers assigned shades
<p>6 Insert (top) and non-insert styles (bottom)</p>	<ul style="list-style-type: none"> • Insert style wallstations use standard decora style wallplates for single and multi-gang configurations • Non-insert style wallstations feature simplified wallplate design
<p>7 Dual button configurations</p>	<ul style="list-style-type: none"> • Wallstation functions as two independently programmable controllers
<p>8 Dual contact closer inputs</p>	<ul style="list-style-type: none"> • Dual contact closer inputs (CCI) programmable to “press” only button


* GRX-IT or GRX-8IT recommended

Available models


(Available in insert and non-insert styles, non-insert style shown)



1, 2, 3, 5, 7-button



2, 3, 5-button with raise/lower
(model numbers on following page)



2, 3, 5-button with IR and raise/lower
(model numbers on following page)



Dual configurations
(model numbers on following page)

Model numbers

Keypads

1-button

Non-insert style	QSW2-1BN- AA ¹ - CCC
Insert style	QSW2-1BI- AA ⁴ - CCC

2-button

Non-insert style	QSW2-2BN- AA ¹ - CCC
Insert style	QSW2-2BI- AA ⁴ - CCC

3-button

Non-insert style	QSW2-3BN- AA ¹ - CCC
Insert style	QSW2-3BI- AA ⁴ - CCC

5-button

Non-insert style	QSW2-5BN- AA ¹ - CCC
Insert style	QSW2-5BI- AA ⁴ - CCC

7-button

Non-insert style	QSW2-7BN- AA ¹ - CCC
Insert style	QSW2-7BI- AA ⁴ - CCC

Compatible with GRAFIK Eye® QS, GRAFIK Eye QS with EcoSystem®, all Energi Savr Node™ systems and Lutron® guestroom solutions.

AA¹: Architectural matte and metal color codes, see pg. 205

AA⁴: Architectural matte, metal and Satin color codes, see pg. 204–205
(Coordinating wallplates not included with Satin colors, order separately, see pg. 366)

CCC: Engraving codes, see pg. 376

Model numbers

Keypads with raise/lower

2-button with raise/lower

Non-insert style	QSW2-2BRLN- AA ¹ - CCC
Insert style	QSW2-2BRLI- AA ⁴ - CCC

3-button with raise/lower

Non-insert style	QSW2-3BRLN- AA ¹ - CCC
Insert style	QSW2-3BRLI- AA ⁴ - CCC

5-button with raise/lower

Non-insert style	QSW2-5BRLN- AA ¹ - CCC
Insert style	QSW2-5BRLI- AA ⁴ - CCC

Compatible with GRAFIK Eye® QS, GRAFIK Eye QS with EcoSystem®, all Energi Savr Node™ systems and Lutron® guestroom solutions.

Keypads with IR and raise/lower

2-button with IR and raise/lower

Non-insert style	QSW2-2BRLIRN- AA ¹ - CCC
Insert style	QSW2-2BRLIRI- AA ⁴ - CCC

3-button with IR and raise/lower

Non-insert style	QSW2-3BRLIRN- AA ¹ - CCC
Insert style	QSW2-3BRLIRI- AA ⁴ - CCC

5-button with IR and raise/lower

Non-insert style	QSW2-5BRLIRN- AA ¹ - CCC
Insert style	QSW2-5BRLIRI- AA ⁴ - CCC

Dual configuration keypads

Dual 2-button with raise/lower

Non-insert style	QSW2-2RLDN- AA ¹ - CCC
Insert style	QSW2-2RLDI- AA ⁴ - CCC

Dual 3-button and 2-button with raise/lower

Non-insert style	QSW2-1RLDN- AA ¹ - CCC
Insert style	QSW2-1RLDI- AA ⁴ - CCC

Dual 3-button

Non-insert style	QSW2-3BDN- AA ¹ - CCC
Insert style	QSW2-3BDI- AA ⁴ - CCC

Compatible with GRAFIK Eye QS, GRAFIK Eye QS with EcoSystem, all Energi Savr Node systems and Lutron guestroom solutions.

AA¹: Architectural matte and metal color codes, see pg. 205

AA⁴: Architectural matte, metal and Satin color codes, see pgs. 204–205

CCC: Engraving codes, see pg. 376
(Faceplates ship with matte and metal finishes, but should be ordered separately for satin finish keypads)

Insert style keypads may ship with Architectural or Designer style faceplates depending on finish; Non-insert style keypads ship with Architectural faceplates.

Model numbers

Faceplate kits

1-button

Non-insert style	QSW2R-1BN- AA ¹ - CCC
Insert style	QSW2R-1BI- AA ⁴ - CCC

2-button

Non-insert style	QSW2R-2BN- AA ¹ - CCC
Insert style	QSW2R-2BI- AA ⁴ - CCC

3-button

Non-insert style	QSW2R-3BN- AA ¹ - CCC
Insert style	QSW2R-3BI- AA ⁴ - CCC

5-button

Non-insert style	QSW2R-5BN- AA ¹ - CCC
Insert style	QSW2R-5BI- AA ⁴ - CCC

7-button

Non-insert style	QSW2R-7BN- AA ¹ - CCC
Insert style	QSW2R-7BI- AA ⁴ - CCC

Includes faceplates, buttons and insert.

Compatible with all seeTouch QS keypads.

Faceplate kits with raise/lower

2-button with raise/lower

Non-insert style	QSW2R-2BRLN- AA ¹ - CCC
Insert style	QSW2R-2BRIL- AA ⁴ - CCC

3-button with raise/lower

Non-insert style	QSW2R-3BRLN- AA ¹ - CCC
Insert style	QSW2R-3BRIL- AA ⁴ - CCC

5-button with raise/lower

Non-insert style	QSW2R-5BRLN- AA ¹ - CCC
Insert style	QSW2R-5BRIL- AA ⁴ - CCC

Includes faceplates, buttons and insert.

Compatible with all seeTouch QS keypads.

AA¹: Architectural matte and metal color codes, see pg. 205

AA⁴: Architectural matte, metal and Satin color codes, see pgs. 204–205

CCC: Engraving codes, see pg. 376
(Faceplates ship with matte and metal finishes, but should be ordered separately for satin finish keypads)

Insert style keypads may ship with Architectural or Designer style faceplates depending on finish; Non-insert style keypads ship with Architectural faceplates.

Model numbers

Button kits *

1-button

Non-insert style	QSW2B-1BN- AA ⁵ - CCC
Insert style	QSW2B-1BI- AA ⁶ - CCC

2-button

Non-insert style	QSW2B-2BN- AA ⁵ - CCC
Insert style	QSW2B-2BI- AA ⁶ - CCC

3-button

Non-insert style	QSW2B-3BN- AA ⁵ - CCC
Insert style	QSW2B-3BI- AA ⁶ - CCC

5-button

Non-insert style	QSW2B-5BN- AA ⁵ - CCC
Insert style	QSW2B-5BI- AA ⁶ - CCC

7-button

Non-insert style	QSW2B-7BN- AA ⁵ - CCC
Insert style	QSW2B-7BI- AA ⁶ - CCC

Button kits with raise/lower *

2-button with raise/lower

Non-insert style	QSW2B-2BRLN- AA ⁵ - CCC
Insert style	QSW2B-2BRLI- AA ⁶ - CCC

3-button with raise/lower

Non-insert style	QSW2B-3BRLN- AA ⁵ - CCC
Insert style	QSW2B-3BRLI- AA ⁶ - CCC

5-button with raise/lower

Non-insert style	QSW2B-5BRLN- AA ⁵ - CCC
Insert style	QSW2B-5BRLI- AA ⁶ - CCC

Compatible with seeTouch QS keypads.

* Faceplate kits ordered separately

Button kits with IR and raise/lower *

2-button with IR and raise/lower

Non-insert style	QSW2B-2BRLIRN- AA ⁵ - CCC
Insert style	QSW2B-2BRLIRI- AA ⁶ - CCC

3-button with IR and raise/lower

Non-insert style	QSW2B-3BRLIRN- AA ⁵ - CCC
Insert style	QSW2B-3BRLIRI- AA ⁶ - CCC

5-button with IR and raise/lower

Non-insert style	QSW2B-5BRLIRN- AA ⁵ - CCC
Insert style	QSW2B-5BRLIRI- AA ⁶ - CCC

Dual configuration button kits *

Dual 3-button and 2-button with raise/lower

Non-insert style	QSW2B-1RLDN- AA ⁵ - CCC
Insert style	QSW2B-1RLDI- AA ⁶ - CCC

Dual 2-button with raise/lower

Non-insert style	QSW2B-2RLDN- AA ⁵ - CCC
Insert style	QSW2B-2RLDI- AA ⁶ - CCC

Dual 3-button

Non-insert style	QSW2B-3BDN- AA ⁵ - CCC
Insert style	QSW2B-3BDI- AA ⁶ - CCC

Compatible with seeTouch QS keypads.

AA⁵: Limited Architectural matte finishes, see pg. 205 for corresponding button colors

AA⁶: Limited Satin finishes, see pg. 204 for corresponding button colors

CCC: Engraving codes, see pg. 376