

**CODEMARK®**

Certificate No: BRANZ-CM-1010
 Date of Issue: 15 May 2020
 Revision Date: 15 May 2023

CERTIFICATE HOLDER**VELUX®****Velux New Zealand Limited**

62b Princes Street
 Onehunga, Auckland, 1061
 New Zealand

Tel: 0800 650 445
 Email: info@velux.co.nz
 Web: www.velux.co.nz

Dean Pocock
 Logistics Manager
 Velux New Zealand Limited

CERTIFICATION BODY**BRANZ****BRANZ Limited**

1222 Moonshine Rd,
 RD1, Porirua 5381
 Private Bag 50 908
 Porirua 5240,
 New Zealand

Tel: 04 237 1170
 Email: assuranceservices@branz.co.nz
 Web: branz.nz

Cheydra Percy
 Chief Executive Officer
 BRANZ Limited

PRODUCT CERTIFICATE

THIS IS TO CERTIFY

VELUX SUN TUNNELS

KEY INFORMATION**1. DESCRIPTION OF PRODUCT**

Velux Sun Tunnels are aluminium framed double glazed roof windows with a light transmission tunnel and ceiling mounted light diffuser. Velux Sun Tunnels (TWF, TWR, TLR and TCR) can be identified by their brand markings on both the units themselves and the packaging.

2. USE OF PRODUCT

Velux Sun Tunnels (TWF, TWR and TLR) are for use on roofs of buildings to provide natural light into spaces in buildings within the following scope:

- the scope limitations of NZBC Acceptable Solution E2/AS1, Paragraph 1.1 with respect to building height and maximum floor plan area; and,
- with roof structures designed and constructed to meet the requirements of the NZBC; and,
- with pitched roof cladding types and profiles specified in E2/AS1; and,
- with a roof pitch between 15° and 60°; and,
- situated in NZS 3604 Wind Zones, up to and including Extra High; and,
- on buildings designed for up to a 1 kPa snow loading.

Velux Low-Pitch Sun Tunnels (TCR) are for use on roofs of buildings to provide natural light into spaces in buildings within the following scope:

- the scope limitations of NZBC Acceptable Solution E2/AS1, Paragraph 1.1 with respect to building height and maximum floor plan area; and,
- with roof structures designed and constructed to meet the requirements of the NZBC; and,
- for use on flat or nominally flat roofs making use of membrane roof systems; and,
- with a roof pitch between 0° and 60°; and,
- situated in NZS 3604 Wind Zones, up to and including Extra High; and,
- on buildings designed for up to a 1 kPa snow loading.

The Certificate Holder must maintain compliance with the conditions set out in Regulation 15 of the Building (Product Certification) Regulations 2008.

This Certificate is issued by BRANZ Limited, an independent certification body accredited by the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment (MBIE) under the Building Act 2004. MBIE does not in any way warrant, guarantee or represent that the building method or product the subject of this certificate conforms with the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. MBIE disclaims, to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the building method(s) or products(s) referred to in this certificate.

It is advised to check that this Product Certificate is currently valid and not withdrawn, suspended or superseded by a later issue, by referring to the MBIE website, www.mbie.govt.nz

This certificate may only be reproduced in its entirety.

Information regarding BRANZ's complaints process can be found at the following link: [Complaints Process](#)

www.jas-anz.org/register



CODEMARK®

Certificate No: **BRANZ-CM-1010**
 Date of Issue: **15 May 2020**
 Revision Date: **15 May 2023**

CERTIFICATE HOLDER



Velux New Zealand Limited

62b Princes Street
 Onehunga, Auckland, 1061
 New Zealand

Tel: **0800 650 445**
 Email: **info@velux.co.nz**
 Web: **www.velux.co.nz**

Dean Pocock
 Logistics Manager
 Velux New Zealand Limited

CERTIFICATION BODY



BRANZ Limited

1222 Moonshine Rd,
 RD1, Porirua 5381
 Private Bag 50 908
 Porirua 5240,
 New Zealand

Tel: **04 237 1170**
 Email: **assuranceservices@branz.co.nz**
 Web: **branz.nz**

Cheydra Percy
 Chief Executive Officer
 BRANZ Limited

3. COMPLIES WITH THE FOLLOWING PROVISIONS OF THE NEW ZEALAND BUILDING CODE (NZBC)

Clause B1 STRUCTURE: Performance B1.3.1, B1.3.2 and B1.3.3[g], [h] and [j] [loads arising from snow, wind and impact].

Clause B2 DURABILITY: Performance B2.3.1 [b] [15 years].

Clause E2 EXTERNAL MOISTURE: Performance E2.3.1 and E2.3.2.

Clause F2 HAZARDOUS BUILDING MATERIALS: Performance F2.3.1. and F2.3.3 [a].

Clause G7 NATURAL LIGHT: Performance G7.3.1 and G7.3.2. Velux Sun Tunnels will contribute to meeting these requirements.

Clause H1 ENERGY EFFICIENCY: Performance H1.3.1 and H1.3.2E. Velux Sun Tunnels will contribute to meeting these requirements.

4. CONDITIONS AND LIMITATIONS OF USE

4.1 Velux Sun Tunnels must be installed in accordance with the Technical Literature supplied by Velux New Zealand Limited.

4.2 The installation of Velux Sun Tunnels must be completed by installers trained by Velux New Zealand Limited or by competent, experienced tradespersons with an understanding of roof window installation and weathertightness details.

4.3 The roof structure must be checked by a suitably qualified person for structural adequacy and suitability of the existing roof cladding prior to installation.

5. HEALTH AND SAFETY INFORMATION

Velux Sun Tunnels are glazed with glass. Manufacturer's instructions and typical practices for working with, handling and maintaining glazing should be observed.

6. REFERENCE DOCUMENTS

This Product Certificate must be read in conjunction with:

- Technical Manual - Velux Skylights and Roof Windows - New Zealand - Product: Sun Tunnels - April 2020.

SCHEDULE: INFORMATION THAT SUPPORTS KEY INFORMATION

7. SUPPORTING INFORMATION ABOUT DESCRIPTION OF PRODUCT

PRODUCT SPECIFICATION

Velux Sun Tunnels [TWF, TWR and TLR] incorporate a square external roof window with integral flashings suitable for use with profiled metal and tiled roofing. The interior component of Velux Sun Tunnels comprises a ceiling mounted frosted acrylic double-glazed diffuser with white ceiling trim ring. The roof window is connected to the ceiling diffuser with either a flexible [TWF] or a rigid [TWR and TLR] highly reflective aluminium light transmission tunnel. The rigid aluminium 'light-tunnel' is made up of straight and adjustable-angle tube sections to allow passage through the roof-space.

The Velux TCR Sun Tunnel incorporates a light-capture dome above roof level attached to a highly reflective aluminium light transmission tunnel providing light to the interior via a diffuser unit mounted on the ceiling below. The rigid aluminium 'light-tunnel' is made up of straight and adjustable-angle tunnel sections to allow passage of light through the roof-space.

The minimum ceiling to roof distance is 400 mm for the TWF models and 900 mm for the TWR, TLR and TCR models.

The Certificate Holder must maintain compliance with the conditions set out in Regulation 15 of the Building [Product Certification] Regulations 2008.

This Certificate is issued by BRANZ Limited, an independent certification body accredited by the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment [MBIE] under the Building Act 2004. MBIE does not in any way warrant, guarantee or represent that the building method or product the subject of this certificate conforms with the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. MBIE disclaims, to the extent permitted by law, all liability [including negligence] for claims of losses, expenses, damages and costs arising as a result of the use of the building method(s) or products(s) referred to in this certificate.

It is advised to check that this Product Certificate is currently valid and not withdrawn, suspended or superseded by a later issue, by referring to the MBIE website, www.mbie.govt.nz

This certificate may only be reproduced in its entirety.

Information regarding BRANZ's complaints process can be found at the following link: [Complaints Process](#)



www.jas-anz.org/register



CODEMARK®

Certificate No: **BRANZ-CM-1010**
 Date of Issue: **15 May 2020**
 Revision Date: **15 May 2023**

CERTIFICATE HOLDER

VELUX®

Velux New Zealand Limited

62b Princes Street
 Onehunga, Auckland, 1061
 New Zealand

Tel: 0800 650 445
 Email: info@velux.co.nz
 Web: www.velux.co.nz

Dean Pocock
 Logistics Manager
 Velux New Zealand Limited

CERTIFICATION BODY

BRANZ

BRANZ Limited

1222 Moonshine Rd,
 RD1, Porirua 5381
 Private Bag 50 908
 Porirua 5240,
 New Zealand

Tel: 04 237 1170
 Email: assuranceservices@branz.co.nz
 Web: branz.nz

Cheyldra Percy
 Chief Executive Officer
 BRANZ Limited

The Velux Sun Tunnel models covered by this Product Certificate are:

Sun Tunnel Models:

TWF	OK14: 350 mm diameter tube – external size 475 mm x 475 mm
TWR	OK10: 250 mm diameter tube – external size 374 mm x 374 mm
TWR	OK14: 350 mm diameter tube – external size 475 mm x 475 mm
TLR	OK14: 350 mm diameter tube – external size 475 mm x 475 mm
TCR	OK14: 350 mm diameter tube – external size 530 mm x 530 mm

Velux Sun Tunnels TWF, TWR and TLR all use a single pane of 4 mm toughened glass to the exterior. Sun Tunnel TCR features an acrylic dome to the exterior. All Sun Tunnels use an acrylic double-glazed diffuser designed to be fixed to the ceiling.

Velux Sun Tunnels TWF, TWR and TLR all feature an integrated proprietary flashing system suitable for a variety of roofing types. Flashings and roof detailing for the Velux Low-Pitch Sun Tunnels [TCR] must be specifically designed and are outside the scope of the Product Certificate and will need to be considered by the designer at the time of preparing design documentation.

8. SUPPORTING INFORMATION ABOUT INTENDED USE OF PRODUCT

MAINTENANCE REQUIREMENTS

Maintenance of Velux Sun Tunnels shall be carried out in accordance with the relevant manufacturer's instructions and at prescribed intervals.

BUILDING CODE

B2 DURABILITY

On exposure to the weather, the coil coated aluminium may gradually lose the original surface finish. A faster reduction in both surface finish and overall serviceable life can be anticipated in severe industrial, geothermal and marine exposures.

H1 ENERGY EFFICIENCY

Velux Sun Tunnels have R-values that satisfy the minimum requirements for skylights, all exceeding R 0.31 m²K/W as specified in NZBC Verification Method H1/VM1 and NZBC Acceptable Solution H1/AS1. Where the total area of skylights exceeds 1.5 m² or 1.5% of the total roof area [whichever is the greater] the calculation or modelling methods of NZS 4218 must be used for building designs.

9. SUPPORTING INFORMATION ABOUT CONDITIONS AND LIMITATIONS OF USE

All conditions and limitations provided as stated in this Product Certificate.

The Certificate Holder must maintain compliance with the conditions set out in Regulation 15 of the Building [Product Certification] Regulations 2008.

This Certificate is issued by BRANZ Limited, an independent certification body accredited by the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment [MBIE] under the Building Act 2004. MBIE does not in any way warrant, guarantee or represent that the building method or product the subject of this certificate conforms with the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. MBIE disclaims, to the extent permitted by law, all liability [including negligence] for claims of losses, expenses, damages and costs arising as a result of the use of the building method(s) or products(s) referred to in this certificate.

It is advised to check that this Product Certificate is currently valid and not withdrawn, suspended or superseded by a later issue, by referring to the MBIE website, www.mbie.govt.nz

This certificate may only be reproduced in its entirety.

Information regarding BRANZ's complaints process can be found at the following link: [Complaints Process](#)



www.jas-anz.org/register

**CODEMARK®**

Certificate No: **BRANZ-CM-1010**
 Date of Issue: **15 May 2020**
 Revision Date: **15 May 2023**

CERTIFICATE HOLDER**VELUX®****Velux New Zealand Limited**

62b Princes Street
 Onehunga, Auckland, 1061
 New Zealand

Tel: 0800 650 445
 Email: info@velux.co.nz
 Web: www.velux.co.nz

Dean Pocock
 Logistics Manager
 Velux New Zealand Limited

CERTIFICATION BODY**BRANZ Limited**

1222 Moonshine Rd,
 RD1, Porirua 5381
 Private Bag 50 908
 Porirua 5240,
 New Zealand

Tel: 04 237 1170
 Email: assuranceservices@branz.co.nz
 Web: branz.co.nz

Cheydra Percy
 Chief Executive Officer
 BRANZ Limited

10. BASIS FOR CODEMARK CERTIFICATION

The following evaluations have been carried out on Velux Sun Tunnels to determine compliance with the NZBC:

- Velux Sun Tunnels have been assessed for resistance to impact loads, snow loads and resistance to wind pressures [non-cyclonic regions]. These assessments have been reviewed by BRANZ and were found to be satisfactory.
- Velux Sun Tunnels have been subjected to dynamic weather resistance testing by a National Association of Testing Authorities [NATA] registered laboratory in Australia.
- Weathertightness detailing of the Velux Sun Tunnels has been assessed by BRANZ and found to be satisfactory. Instructions for installation of units and associated flashing components for different roof types have also been reviewed and found to be satisfactory.
- BRANZ Expert Judgement [Materials Scientist] confirmation of compliance to the NZBC Clause B2 Durability Performance Requirements.
- BRANZ Expert Judgement [Materials Scientist] confirmation of thermal resistance by BRANZ experts.
- The practicability of installation of Velux Sun Tunnels has been assessed by BRANZ and found to be satisfactory.
- The referenced Technical Literature has been examined by BRANZ and found to be satisfactory.

11. RESPONSIBILITIES FOR USE OF THE CERTIFIED PRODUCT

- The quality of supply to the market is the responsibility of Velux New Zealand Limited.
- Building designers are responsible for the design of the building, and for the incorporation of Velux Sun Tunnels into their design in accordance with the instructions of Velux New Zealand Limited.
- Quality of installation is the responsibility of the installer in accordance with the instructions of Velux New Zealand Limited.

12. DOCUMENTATION SUPPORTING CERTIFICATION

- AS 4285: 1995 Skylights.
- BRANZ Appraisal No. 970 [2017] Velux Sun Tunnels.
- NZS 3604: 2011 Timber Framed Buildings.
- NZS 4218: 2009 Thermal insulation - Housing and small buildings.
- NZS 4223.4: 2016 Code of practice for glazing in buildings - Dead, wind and snow loading.
- Ministry of Business, Innovation and Employment Record of amendments - Acceptable Solutions, Verification Methods and handbooks.
- The Building Regulations 1992.

13. CONDITIONS RELATING TO NOTIFICATION

The certificate holder [Velux New Zealand Limited] must notify the product certification body [BRANZ] in writing, of any intended change to any of the following particulars:

- The name, address, or contact details of the certificate holder;
- Any address of a location where a certified product is produced or manufactured.

The Certificate Holder must maintain compliance with the conditions set out in Regulation 15 of the Building [Product Certification] Regulations 2008.

This Certificate is issued by BRANZ Limited, an independent certification body accredited by the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment [MBIE] under the Building Act 2004. MBIE does not in any way warrant, guarantee or represent that the building method or product the subject of this certificate conforms with the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. MBIE disclaims, to the extent permitted by law, all liability [including negligence] for claims of losses, expenses, damages and costs arising as a result of the use of the building method(s) or products(s) referred to in this certificate.

It is advised to check that this Product Certificate is currently valid and not withdrawn, suspended or superseded by a later issue, by referring to the MBIE website, www.mbie.govt.nz

This certificate may only be reproduced in its entirety.

Information regarding BRANZ's complaints process can be found at the following link: [Complaints Process](#)

www.jas-anz.org/register



CODEMARK®

Certificate No: **BRANZ-CM-1010**
 Date of Issue: **15 May 2020**
 Revision Date: **15 May 2023**

CERTIFICATE HOLDER

VELUX®

Velux New Zealand Limited

62b Princes Street
 Onehunga, Auckland, 1061
 New Zealand

Tel: 0800 650 445
 Email: info@velux.co.nz
 Web: www.velux.co.nz

Dean Pocock
 Logistics Manager
 Velux New Zealand Limited

CERTIFICATION BODY

BRANZ

BRANZ Limited

1222 Moonshine Rd,
 RD1, Porirua 5381
 Private Bag 50 908
 Porirua 5240,
 New Zealand

Tel: 04 237 1170
 Email: assuranceservices@branz.co.nz
 Web: branz.co.nz

Cheydra Percy
 Chief Executive Officer
 BRANZ Limited

The certificate holder shall notify the product certification body in writing of any intended change, modification, or alteration to any of the following:

- The certified building method or product;
- The method of its production or manufacture;
- The Product Quality Plan prepared in respect of the certified building method or product;
- The application or installation instructions for the certified building method or product;
- Any documentation relating to the use and maintenance of the certified building method or product.

If the certificate holder has any reason to suspect that the certified building method or product does not comply with the Building Code, the certificate holder shall notify the product certification body in writing of the reason for that suspicion.

If the certificate holder or the product certification body finds that a certified building method or product that has been released on the market does not comply with the Building Code, the certificate holder shall disclose that fact in a published disclosure statement in a form that is acceptable to the product certification body and to MBIE.

If the certificate is suspended or revoked, the certificate holder—

- Shall notify all customers to whom the building method or product is regularly supplied; and
- Immediately cease using the certificate, the mark of conformity, and any reference to the number of this certificate.

The Certificate Holder must maintain compliance with the conditions set out in Regulation 15 of the Building (Product Certification) Regulations 2008.

This Certificate is issued by BRANZ Limited, an independent certification body accredited by the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment (MBIE) under the Building Act 2004. MBIE does not in any way warrant, guarantee or represent that the building method or product the subject of this certificate conforms with the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. MBIE disclaims, to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the building method(s) or products(s) referred to in this certificate.

It is advised to check that this Product Certificate is currently valid and not withdrawn, suspended or superseded by a later issue, by referring to the MBIE website, www.mbie.govt.nz

This certificate may only be reproduced in its entirety.

Information regarding BRANZ's complaints process can be found at the following link: [Complaints Process](#)



www.jas-anz.org/register