



**BRADY**  
WHEN PERFORMANCE MATTERS MOST™



# Absorbent & Spill Control





# Table Of Contents

|  |  |
|--|--|
|  | <b>Learning Center &amp; Guides .....3</b><br>Use our guides to quickly and easily pinpoint the right absorbent for your spills.   |
|  | <b>Universal Absorbent Pads &amp; Rolls .....8</b><br>All-purpose absorbents for cleaning up oils, coolants, solvents and water-based fluids.  |
|  | <b>Oil Only Absorbent Pads &amp; Rolls .....20</b><br>Oil Only absorbents to clean-up all of your oil or petroleum-based spills.   |
|  | <b>Chemical Absorbent Pads &amp; Rolls .....30</b><br>Chemical absorbents can be used on a wide range of chemicals.  |
|  | <b>SOCs, Pillows &amp; Drum Covers.....36</b><br>Spill containment products designed to fit in and around machinery.   |
|  | <b>Mat &amp; Rug Absorbents .....42</b><br>Absorbents specifically designed with a barrier backing to withstand heavy foot and even vehicle traffic.   |
|  | <b>Marine Absorbents .....48</b><br>Absorbents designed for cleaning up oil spills in marine environments.   |
|  | <b>Granular &amp; Neutralizer Absorbents.....50</b><br>Loose granular absorbents ideal for liquid spill clean-up, lab packing and stabilizing free liquids.  |
|  | <b>Spill Control &amp; Containment.....52</b><br>Products designed to protect employees, facilities and the environment in the event of an unexpected spill.<br><br><b>Drain Protection, Decks, Pallets and Pans.....54</b><br><b>Absorbent Centers.....55</b><br><b>Spill Kits.....56</b> |
|  | <b>Facility Safety Products .....72</b><br>View a wide range of safety and facility products that complete your spill clean-up task and keep you safe.   |
|  | <b>Reference &amp; Index .....74</b>   |



**Universal Absorbents**



**Oil Only Absorbents**



**Chemical Absorbents**



**Absorbent SOC's and Pillows**



**Spill Control Products and Kits**





## Why SPC Products?

For more than 30 years, SPC products have helped customers protect against leaks, drips and spills that create safety hazards in the workplace. Brady provides high-quality service, application expertise and product knowledge to SPC distributors and customers.

Brady SPC has a history of innovation and continues to develop industry-leading products and applications. With an ever expanding portfolio, we are committed to providing our customers with the right product for the right application at the right price point.

### Brady SPC—An Environmentally Friendly Company

Corporate social responsibility is at the core of the Brady SPC business! In fact, 97% of material is reused to reduce landfill waste. Brady SPC strives to become a zero waste facility through the conservation of energy and the recovery of resources.

## Why Is Spill Control Important?

Beyond the obvious need to protect our environment and to reuse or recycle, a proper spill control program can create a safe and productive work environment for your employees.

By complying with EPA and OSHA regulations around spill control we provide our people with conditions that allow for the greatest productivity and limit equipment down time. The cost of non-compliance around this area of regulation can have devastating effects on a business' reputation and financial performance.

### Spill Prevention Control & Countermeasure (SPCC) Plan

The EPA issued its final rule amending the SPCC under the authority of the Federal Water Pollution Control Act. This regulation became effective as of August 16, 2002.

#### What is an SPCC Plan?

An SPCC plan is a facility-specific, comprehensive plan outlining both the containment and countermeasures implemented to prevent a spill from occurring and a series of response procedures in the event that one does.

The SPCC plan addresses the following three areas:

- Operating procedures that prevent oil spills
- Control measures installed to prevent a spill from reaching the environment
- Countermeasures to contain, clean-up and mitigate the effects of an oil spill that reaches the environment

### Regulations

The following OSHA and EPA regulations protect your employees and the environment;

**29 CFR 1910.22(a)(2)**  
Clean, dry workplace floors.

**40 CFR 112.7(c)(1)(vii)**  
Absorbent materials are one option for preventing oil spills from reaching waterways.


**29 CFR 1910.120(j)(1)(vii)**  
DOT-specified containers and suitable quantities of absorbents shall be kept available for response to spills.

# Cost Savings

More and more industries are using a variety of absorbents for the control and clean-up of oils, industrial liquids and chemicals in their workplace. They reduce cost, increase productivity and improve safety. See why Brady's SPC absorbents are the product of choice!

The examples below show how much money an average facility can save by switching their spill control products to SPC absorbents.

## Cost Comparison #1: Absorbent Materials



|   | Clay              | SPC Absorbents    | Your Costs |
|---|-------------------|-------------------|------------|
| Cost per bag or box                       | \$5.00            | \$75.00           |            |
| Absorbency (gallons per package)          | 4                 | 40                |            |
| Total bags or boxes of absorbent required | 375               | 38                |            |
| <b>Total</b>                              | <b>\$1,875.00</b> | <b>\$2,812.50</b> |            |

## Cost Comparison #2: Labor Costs



|  | Clay              | SPC Absorbents  | Your Costs |
|--|-------------------|-----------------|------------|
| Estimated minutes per gallon to clean-up | 3.0               | 1.0             |            |
| Total man-hours to clean-up              | 75                | 25              |            |
| Average hourly wage & benefits           | \$20.00           | \$20.00         |            |
| <b>Total</b>                             | <b>\$1,875.00</b> | <b>\$500.00</b> |            |

## Cost Comparison #3: Disposal Costs



|                          | Clay               | SPC Absorbents    | Your Costs |
|--------------------------|--------------------|-------------------|------------|
| Number of drums required | 76                 | 24                |            |
| Estimated cost per drum  | \$60.00            | \$60.00           |            |
| Total drum cost          | \$4,560.00         | \$1,440.00        |            |
| Disposal cost per drum   | \$150.00           | \$150.00          |            |
| <b>Total</b>             | <b>\$15,960.00</b> | <b>\$5,040.00</b> |            |

| <b>Grand Total</b> | <b>\$19,335.00</b> | <b>\$8,352.50</b> |  |
|--------------------|--------------------|-------------------|--|
|--------------------|--------------------|-------------------|--|

*Comparison is based on a facility with 1,500 gallons of spill clean-up per year. The values included in this cost comparison are based on the products' average costs as published online in 2013.*

## SPC Absorbents Cost Savings vs. Clay

**\$10,982.50** **57% Savings**



### Did You Know? SPC Absorbents vs. Clay

There is a negative financial impact of using clay to clean-up your leaks, drips and spills. It may be cheaper to buy, but the benefits stop there.

**Still not convinced? Consider these points:**

- OSHA considers silica a serious health hazard.
- Granular clean-up is difficult and labor intensive. The small particles can easily enter and damage machinery or your finished product.
- Clay has limited chemical resistance.

**With Brady's SPC Absorbents, all of these shortcomings are eliminated!**





# Choosing Your Absorbents



## Think you're using the correct absorbent? Put it to the test!

Want to know if your absorbent is working for you? Start at the end, in the trash. One of the best ways to pick the right absorbent is to see what it looks like when you're done with it. Take a look...



### Check Product Type

Looks like this absorbent roll is being used to contain a leak – instead, consider using a SOC for leaky equipment.


Brady SPC offers pads, rolls, SOCs, pillows and more so that you have the right type of product to contain your spill.



### Check Durability

Are your absorbents falling apart or tearing due to heavy traffic?

Look for absorbents with spunbond coverstock construction when durability is critical.



### Check Absorbency

Are your absorbents being used to their absorbency capacity? Or maybe your current absorbent isn't absorbing the whole spill.

For small spills, choose a medium or lightweight pad to avoid wasting.

For large spills, use a heavyweight pad to cut down on the number of lighter pads you go through.

## Not Sure Which Absorbents To Use? Consider A Survey!

We understand that surveying a facility for potential trouble spots, proper absorbent usage and product selection can be extremely time consuming and confusing. But we also believe that it can be extremely beneficial.

### • Free Absorbent Survey

Brady's Absorbent Survey is a free service designed to help a facility keep its employees and its equipment safe. This detailed survey asks the right questions and identifies how Brady SPC and its distributor can provide solutions for the proper use of absorbents in the plant. Many organizations use these surveys as an "Environmental Audit" and keep them on file.

### • Cost Savings Worksheet

Seeing is believing! This simple worksheet helps you compare the absorbents you are currently purchasing with our recommendations – quickly showing you the price difference and your cost savings.

**Contact your Brady SPC Representative for more information, for assistance in selecting the right product or to set up you FREE Absorbent Survey!!**



# Choosing Your Absorbents

Selecting the right absorbent for the job makes a big difference. Proper product selection can make your employees' jobs easier, create a safer work environment, and save you money!

These three easy steps will help you find the correct SPC absorbent product for your application.

## 1 Step One: Know What You're Absorbing

### Your Spill:


- Coolants
- Solvents
- Gasoline
- Vegetable oil
- Kerosene
- Other water-based fluids

### Your Absorbent Solution:

#### Universal Absorbents

All-purpose products that clean-up oils, coolants, solvents and water-based fluids anywhere in your facility. Use around machinery, under leaky pipes, in messy traffic areas or for general maintenance projects. Re-Form™ universal absorbents made of recycled materials offer an environmentally friendly solution.

Page 8



### Your Spill:

- Hydraulic oil
- Motor oil
- Brake fluid
- Cooking oil
- Turpentine
- Other oil-based fluids

### Your Absorbent Solution:

#### Oil Only Absorbents

Specialized for oil and other petroleum-based spills including paints and non-water soluble chemicals, these absorbents will not absorb water and will float indefinitely. Re-Form™ oil only absorbents made of recycled materials offer an environmentally friendly solution.

Page 20



### Your Spill:

- Aggressive chemicals
- Citric acid
- Sodium hydroxide
- Other unknown chemicals

### Your Absorbent Solution:

#### Chemical Absorbents

Surfactant-treated polypropylene absorbents can be used on a wide range of chemicals, including hydrofluoric acid. They are chemically inert, so they will not react with aggressive fluids.

Page 30





# Choosing Your Absorbents

## 2 Step Two: Identify Your Absorbent Application




### Wiping, Dripping or Foot Traffic Applications

#### Pads & Rolls

Use for wiping, dripping and leaks. Pads are pre-cut, while rolls allow you to choose the length you need.

#### SOCs & Pillows

Specialized for use around or underneath equipment.



### Barrier-Backed or Heavy Traffic Applications

#### Mats & Rugs

Use with heavy foot or vehicle traffic. These mats are more durable and prevent leaking liquid from penetrating the absorbent and reaching the floor underneath.




### Emergency Spill Response

#### Spill Containment and Spill Kits

Be prepared for emergency spills with a variety of bundled spill kits carefully configured with our most popular products.


Additional spill control products are available including spill pallets, drain plugs and absorbent storage centers.

**?** **Perforation Guide**




**Single Perf**

- Featured on many SPC pads & rolls



**Double Perf**

- Featured on many SPC rolls



**Triple Perf**

- Unique to some of the High Traffic Universal rolls

## 3 Step Three: Select Your Absorbent Size and Weight

Now that you know what you're absorbing, and what style of product you need, you can choose your absorbent from the many sizes and absorbency weights that Brady SPC offers.

Quickly and easily compare absorbents in the following sections:

|  |                |
|--|----------------|
| <b>Universal Absorbents</b>            | <b>Page 8</b>  |
| <b>Oil Only Absorbents</b>             | <b>Page 20</b> |
| <b>Chemical Absorbents</b>             | <b>Page 30</b> |
| <b>SOCs &amp; Pillows</b>              | <b>Page 36</b> |
| <b>Mats &amp; Rugs</b>                 | <b>Page 42</b> |
| <b>Spill Control &amp; Containment</b> | <b>Page 52</b> |



# UNIVERSAL

## ALL-PURPOSE INDOOR SPILL CONTROL

### Universal Absorbency:

Use these all-purpose absorbents to clean-up oils, coolants, solvents and water-based fluids anywhere in your facility. Around machinery, under leaky pipes or fittings, in messy traffic areas, for general maintenance projects – they are your first choice for indoor spill control. Plus, their gray color masks spills and stains – helping you resist the urge to pick up the absorbent before it is fully saturated.

Looking for added cost savings? Select a perforated option that allows you to use only what you need.

### Common Liquids Absorbed:

- Coolants
- Solvents
- Oils
- Gasoline
- Vegetable oil
- Kerosene
- Latex paint
- Other water-based fluids

### The Technology:

The technology or structure behind each of the universal products helps determine relative strength and absorbency. This information along with the product's characteristics (grade, perforations, etc.) will help you decide which absorbent is best for your application.



# Universal Absorbency

## Universal Absorbent Family:


All of these pads and rolls start with a highly absorbent polypropylene core - the difference is what happens from there. Features including durability, absorbency grades and coverstock give you versatile absorbent options for your specific application.

|   | Applications  | Durability | Linting        | Cost   | Absorbency Grades            | Construction  |
|---|---|------------|----------------|--------|------------------------------|---|
| <b>Battlemat® Rolls</b>                               | High wear resistance is ideal for heavy foot traffic, forklifts and walkways.                     | ✓✓✓        | Low Linting    | \$\$\$ | Heavy Weight                 | 2-ply (SM) construction, tough spunbond coverstock on one side          |
| <b>UXT Xtra Tough Pads &amp; Rolls</b>                | Extra durable general purpose absorbent for wiping and abrasive applications.                     | ✓✓✓        | Low Linting    | \$\$\$ | Heavy, Medium & Light Weight | 3-ply (SMS) construction, spunbond coverstock on both sides             |
| <b>HT High Traffic Rolls</b>                          | Safety printed absorbent for foot traffic, walkways, and around work stations.                    | ✓✓✓        | Low Linting    | \$\$   | Heavy, Medium & Light Weight | 2-ply (SM) construction, spunbond coverstock on one side                |
| <b>MRO Plus® Pads &amp; Rolls</b>                     | Best for industrial applications where greater durability and lower linting is needed             | ✓✓         | Medium Linting | \$\$\$ | Heavy & Medium Weight        | 3-ply (MMM) Fine Fiber Meltblown Polypropylene                          |
| <b>Spill Response Plus Universal Pads &amp; Rolls</b> | Best for small spill applications where greater durability and lower linting is needed.           | ✓✓         | Medium Linting | \$\$   | Heavy Weight                 | 3-ply (MMM) Fine Fiber Meltblown Polypropylene                          |
| <b>GP General Purpose Pads &amp; Rolls</b>            | Maintenance absorbent for general industrial applications.  | ✓          | Medium Linting | \$\$   | Heavy, Medium & Light Weight | Single-ply, made with MAXX® technology to improve absorption & strength |
| <b>BASIC Universal Pads &amp; Rolls</b>               | Value absorbent for general purpose wiping, drips or leaks.                                       | ✓          | Medium Linting | \$     | Heavy & Light Weight         | Single-ply Meltblown Polypropylene                                      |
| <b>Re-Form™ Pro Plus Pads &amp; Rolls</b>             | High absorbency for drips, spills and wiping applications.  | ✓✓         | Medium Linting | \$\$\$ | Heavy Weight                 | 3-ply, 90% recycled fibers  |
| <b>Re-Form™ XPlus Pads &amp; Rolls</b>                | When durability and lower linting is needed for foot traffic, walkways, and around work stations. | ✓✓         | Medium Linting | \$\$\$ | Medium Weight                | Minimum 80% recycled cellulose with 2-sided coverstock                  |
| <b>Re-Form™ Plus Pads &amp; Rolls</b>                 | Maintenance absorbent for general industrial applications.  | ✓✓         | Medium Linting | \$\$   | Heavy, Medium & Light Weight | Minimum 80% recycled cellulose with 1-sided coverstock                  |
| <b>Re-Form™ Pads</b>                                  | Value absorbent for general purpose wiping, drips or leaks.                                       | ✓          | High Linting   | \$     | Heavy, Medium & Light Weight | Minimum 80% recycled newsprint and cellulose                            |

Universal Pads & Rolls



# Universal Absorbency



## BattleMat® Absorbent Rolls

**Tough camouflage patterned roll hides leaks and drips and is ideal for areas with moderate foot traffic.**

- Tough, 2-ply construction – perfect for use as a mat in high traffic areas
- Camouflaged pattern hides absorbent stains reducing urge to dispose too early
- A durable, abrasion-resistant upper layer
- Perforated to help you reduce waste - use only what you need

BattleMat® rolls and pads, with their unique construction and camouflage pattern, are tough enough to take whatever you dish out.

### Product Summary

**Liquids Absorbed:** Oils, Coolants, Solvents and Water-based Fluids

**Durability:** ✓✓✓

**Linting:** Low Linting

**Absorbencies:** Heavy Weight

**Cost:** \$\$\$

### Recommended Applications

- Walkways and high traffic areas
- Production & machine areas
- Under assembly lines, equipment or vehicles
- On workbenches or as a work surface



| Catalog #              | Type           | Size     | Perforated               | Absorbency Factor (g/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|------------------------|----------------|----------|--------------------------|--------------------------|---------------------------|-------------------|-------------|----------|
| <b>BattleMat Pads</b>  |                |          |                          |                          |                           |                   |             |          |
| BM100                  | Heavy Wt. Pad  | 15"x19"  | Yes, 7.5"                | 12.5                     | 28                        | 16.5              | 24          | 100/bale |
| <b>BattleMat Rolls</b> |                |          |                          |                          |                           |                   |             |          |
| BM30                   | Heavy Wt. Roll | 30"x150' | Yes, 15" and every 15"   | 12.5                     | 53                        | 34.5              | 12          | 1/case   |
| BM15                   | Heavy Wt. Roll | 15"x150' | Yes, 7.5" and 12" across | 12.5                     | 26                        | 17                | 24          | 1/case   |





# Universal Absorbency

Universal Pads & Rolls



## UXT - Universal "Xtra Tough" Absorbents

Extra tough maintenance rolls for applications that require a durable, non-linting and abrasion-resistant absorbent!

- High performance, all-purpose absorbent made to handle virtually any liquid
- 3-ply (SMS) construction with spunbond coverstock on both sides for maximum durability and very low linting - perfect to wipe down tools and machinery
- Both abrasion resistant and non-abrasive performance – perfect for wipe down applications
- The extra strength required for the wringing and re-using of absorbents
- Dimpled for added durability and reduced linting
- Perforated to help you reduce waste - use only what you need

### Product Summary

**Liquids Absorbed:** Oils, Coolants, Solvents and Water-based Fluids

**Durability:** ✓✓✓

**Linting:** Low Linting

**Absorbencies:** Heavy, Medium & Light Weight

**Cost:** \$\$\$

### Recommended Applications

- For drips, spills and wiping applications
- Pharmaceutical
- Printing industries
- Food processing
- High tech industries
- Machining small parts
- Paint room



| Catalog #        | Type           | Size     | Perforated             | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|------------------|----------------|----------|------------------------|---------------------------|---------------------------|-------------------|-------------|----------|
| <b>UXT Pads</b>  |                |          |                        |                           |                           |                   |             |          |
| UXT100           | Heavy Wt. Pad  | 15"x19"  | Yes, 7.5"              | 11                        | 19.5                      | 14.5              | 30          | 100/case |
| UXT300           | Medium Wt. Pad | 15"x19"  | Yes, 7.5"              | 11                        | 17                        | 12                | 30          | 100/case |
| UXT200           | Light Wt. Pad  | 15"x19"  | Yes, 7.5"              | 11                        | 31.5                      | 18.5              | 24          | 200/case |
| <b>UXT Rolls</b> |                |          |                        |                           |                           |                   |             |          |
| UXT30DP          | Heavy Wt. Roll | 30"x150' | Yes, 15" and every 15" | 11                        | 37                        | 27.5              | 12          | 1/case   |
| UXT15P           | Heavy Wt. Roll | 15"x150' | Yes, every 18"         | 11                        | 17                        | 14.5              | 24          | 1/case   |



# Universal Absorbency

Universal Pads & Rolls



## HT - "High Traffic" Absorbents

**Multi-use maintenance absorbent built for durability and high absorbency in "high traffic" and busy problem areas.**

- Absorbs all water-based industrial liquids, oil and petroleum-based fluids
- 2-ply (SM) construction with spunbond coverstock - makes it extra tough and abrasion resistant
- Dimpled for added durability and reduced linting
- Perforated to help you reduce waste - use only what you need
- Gray color masks drips and spills, encourages longer use

### Product Summary

**Liquids Absorbed:** Oils, Coolants, Solvents and Water-based Fluids

**Durability:** ✓✓✓

**Linting:** Low Linting

**Absorbencies:** Heavy, Medium & Light Weight

**Cost:** \$\$

### Recommended Applications

- Anywhere foot traffic or extra durability is needed
- Metal fabrication
- Utility
- General manufacturing
- Equipment repair & servicing
- Precision engineering



| Catalog #       | Type            | Size     | Perforated                | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------------|-----------------|----------|---------------------------|---------------------------|---------------------------|-------------------|-------------|----------|
| <b>HT Rolls</b> |                 |          |                           |                           |                           |                   |             |          |
| HT30            | Heavy Wt. Roll  | 30"x150' | Yes, 15" and every 15"    | 12.5                      | 47                        | 32                | 12          | 1/case   |
| HT555           | Heavy Wt. Roll* | 15"x150' | Yes (3), 5" and every 18" | 12.5                      | 23                        | 16                | 30          | 1/case   |
| HT15            | Heavy Wt. Roll  | 15"x150' | Yes, every 15"            | 12.5                      | 23                        | 16                | 30          | 1/case   |
| HT303           | Medium Wt. Roll | 30"x300' | Yes, 15" and every 15"    | 12                        | 63                        | 40                | 12          | 1/bale   |
| HT350           | Medium Wt. Roll | 30"x150' | Yes, 15" and every 18"    | 12.5                      | 35                        | 20                | 12          | 1/bale   |
| HT153           | Medium Wt. Roll | 15"x300' | Yes, every 15"            | 12.5                      | 32                        | 20                | 24          | 1/bale   |
| HT230           | Light Wt. Roll  | 30"x300' | Yes, 15" and every 15"    | 12.5                      | 42.5                      | 29.5              | 18          | 1/bale   |
| HT215           | Light Wt. Roll  | 15"x300' | Yes, every 15"            | 12.5                      | 21.5                      | 15                | 18          | 1/bale   |

\* Does not include print.

## HT555 - Versatile Multi-Perforated Rolls

- Convenient dispenser box
- Triple perforated lengthwise every 5"
- Cross-wise perforation every 18"



**As a pad!**



**As a roll!**



**As a SOC!**



**As a wipe!**





# Universal Absorbency

Universal Pads & Rolls



## MRO Plus® Absorbents

**Our number one universal absorbent and the standard in all-purpose, gray maintenance absorbents.**

- Absorbs all industrial liquids (water, petroleum and chemical-based fluids)
- 3-ply (MMM) Meltblown Polypropylene construction increases durability and reduces lint
- Perforated to help you reduce waste - use only what you need
- Dimpled for added durability & reduced linting, and gray color masks drips and spills

**Product Summary**

**Liquids Absorbed:** Oils, Coolants, Solvents and Water-based Fluids

**Durability:** ✓✓

**Linting:** Medium Linting

**Absorbencies:** Heavy & Medium Weight

**Cost:** \$\$\$

**Recommended Applications**

- Anywhere there is a leak, drip or spill
- Under assembly lines or equipment
- Production/machine areas
- Maintenance areas
- Liquid storage areas

MRO150DND features 150 heavyweight pads in a unique Dispense-n-Dispose™ system - packaging doubles as a dispenser and a disposal bin all at once.



| Catalog #             | Type            | Size     | Perforated                   | Absorbency Factor (gl/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------------------|-----------------|----------|------------------------------|--------------------------|---------------------------|-------------------|-------------|----------|
| <b>MRO Plus Pads</b>  |                 |          |                              |                          |                           |                   |             |          |
| MRO50                 | Heavy Wt. Pad   | 30"x30"  | Yes, 15"                     | 12.5                     | 41                        | 26.5              | 12          | 50/bale  |
| MRO150DND             | Heavy Wt. Pad*  | 15"x19"  | Yes, 7.5"                    | 12.5                     | 39                        | 27                | 18          | 150/case |
| MRO100                | Heavy Wt. Pad   | 15"x19"  | Yes, 7.5"                    | 12.5                     | 26                        | 17.5              | 30          | 100/case |
| MRO100-2              | Heavy Wt. Pad   | 15"x19"  | Yes, 7.5"                    | 12.5                     | 13.5                      | 8                 | 36          | 50/bale  |
| MRO300                | Medium Wt. Pad  | 15"x19"  | Yes, 7.5"                    | 12.5                     | 20.5                      | 14                | 30          | 100/case |
| <b>MRO Plus Rolls</b> |                 |          |                              |                          |                           |                   |             |          |
| MRO30-DP              | Heavy Wt. Roll  | 30"x150' | Yes, every 15" and up center | 12.5                     | 49                        | 32                | 12          | 1/case   |
| MRO30P                | Heavy Wt. Roll  | 30"x150' | Yes, every 30"               | 12.5                     | 49                        | 32                | 12          | 1/case   |
| MRO30                 | Heavy Wt. Roll  | 30"x150' | No                           | 12.5                     | 49                        | 33                | 12          | 1/case   |
| MRO15-DP              | Heavy Wt. Roll  | 15"x150' | Yes, 7.5" and 12" across     | 12.5                     | 24                        | 17.5              | 24          | 1/case   |
| MRO15P                | Heavy Wt. Roll  | 15"x150' | Yes, every 18"               | 12.5                     | 24                        | 17.5              | 24          | 1/case   |
| MRO15                 | Heavy Wt. Roll  | 15"x150' | No                           | 12.5                     | 24                        | 17.5              | 24          | 1/case   |
| MRO15-DPS             | Heavy Wt. Roll  | 15"x73'  | Yes, 7.5" and 12" across     | 12.5                     | 12                        | 8                 | 60          | 1/bale   |
| MRO350-DP             | Medium Wt. Roll | 30"x150' | Yes, 15" and every 15"       | 12.5                     | 38                        | 26.5              | 12          | 1/case   |
| MRO350                | Medium Wt. Roll | 30"x150' | No                           | 12.5                     | 38                        | 26.5              | 12          | 1/case   |
| MRO315-DP             | Medium Wt. Roll | 15"x150' | Yes, every 18"               | 12.5                     | 20                        | 14                | 24          | 1/case   |

\*Features Dispense-N-Dispose System





# Universal Absorbency



## Spill Response Plus Universal Absorbents

Best for small spill applications.

- Convenient, portable size perfect for employees to fold or carry in their pockets for quick response time
- Ideal for small spills and janitorial applications
- Fine fiber coverstock on each side increases product versatility
- Highly absorbent, multi-purpose absorbents designed to handle water-based liquids and oils
- Dimpled for added durability and reduced linting

### Product Summary

**Liquids Absorbed:** Oils, Coolants, Solvents and Water-based Fluids

**Durability:** ✓✓


**Linting:** Medium Linting

**Absorbencies:** Heavy Weight

**Cost:** \$\$

### Recommended Applications

- Janitorial
- Hospitality & Retail
- Maintenance areas
- Liquid storage areas
- Anywhere there is a leak, drip or spill
- Production areas
- Under assembly lines or equipment



| Catalog #                                  | Type            | Size       | Perforated | Absorbency Factor (gl/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|--|-----------------|------------|------------|--------------------------|---------------------------|-------------------|-------------|----------|
| <b>Spill Response Plus Universal Pads</b>  |                 |            |            |                          |                           |                   |             |          |
| SRP100                                     | Heavy Wt. Pad   | 7.5"x10"   | No         | 12.5                     | 5.5                       | 4                 | 96          | 100/case |
| SRP200                                     | Heavy Wt. Pad   | 7.5"x10"   | No         | 12.5                     | 11.1                      | 7.5               | 48          | 200/case |
| <b>Spill Response Plus Universal Rolls</b> |                 |            |            |                          |                           |                   |             |          |
| SRP75P                                     | Heavy Wt. Roll* | 7.5" x 50' | Yes, 10"   | 12.5                     | 3.3                       | 1.85              | 96          | 1/bale   |



### May We Also Suggest: 2-Gallon SRP Spill Kit

Brady SPC also offers a 2-gallon spill kit that is specially designed for small spills.

**View all spill kits on page 62.**





# Universal Absorbency



## GP - "General Purpose" Absorbents

These economical, general purpose absorbents offer the look, feel and performance of a premium product.

- Made with MAXX® Technology – improved adsorption and strength without the extra weight
- Universal in nature so it absorbs basically all fluids (water, petroleum and chemical-based fluids)
- Efficient single-ply construction
- Dimpled for added durability and reduced linting
- Perforated to help you reduce waste - use only what you need

### Product Summary

**Liquids Absorbed:** Oils, Coolants, Solvents and Water-based Fluids

**Durability:** ✓

**Linting:** Medium Linting

**Absorbencies:** Heavy, Medium & Light Weight

**Cost:** \$\$

### Recommended Applications

- Ideal for industrial settings
- Machine shop
- Refineries
- Paper mills
- Transportation maintenance
- Steel manufacturing
- Anywhere there is a leak, spill or drip



| Catalog #       | Type                   | Size     | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------------|------------------------|----------|------------|---------------------------|---------------------------|-------------------|-------------|----------|
| <b>GP Pads</b>  |                        |          |            |                           |                           |                   |             |          |
| GP100           | Heavy Wt. Pad          | 15"x19"  | Yes, 7.5"  | 18                        | 30                        | 11.5              | 30          | 100/case |
| GP100-B         | Heavy Wt. Pad (bagged) | 15"x19"  | Yes, 7.5"  | 18                        | 30                        | 12                | 30          | 100/bale |
| GP300           | Medium Wt. Pad         | 15"x19"  | Yes, 7.5"  | 20                        | 25                        | 10                | 30          | 100/bale |
| GP200           | Light Wt. Pad          | 15"x19"  | Yes, 7.5"  | 20                        | 44                        | 16                | 22          | 200/bale |
| GP200-B         | Light Wt. Pad (bagged) | 15"x19"  | Yes, 7.5"  | 20                        | 44                        | 16                | 24          | 200/bale |
| GP500           | Light Wt. Pad          | 15"x19"  | Yes, 7.5"  | 20                        | 22                        | 8.2               | 30          | 100/bale |
| MXU1000         | Light Wt. Pad          | 15"x19"  | Yes, 7.5"  | 24                        | 27                        | 11                | 30          | 100/case |
| <b>GP Rolls</b> |                        |          |            |                           |                           |                   |             |          |
| GP30            | Heavy Wt. Roll         | 30"x150' | No         | 13                        | 48                        | 28                | 18          | 1/bale   |





Universal Pads & Rolls

# Universal Absorbency



## BASIC Universal Absorbent

**Our value-priced universal all-purpose absorbent.**

- Absorbs all water-based industrial liquids, oils and petroleum-based fluids
- Universal Meltblown Polypropylene
- Economical single-ply construction
- Perforated to help you reduce waste - use only what you need
- Dimpled for added durability and reduced linting



### Product Summary

**Liquids Absorbed:** Oils, Coolants, Solvents and Water-based Fluids

**Durability:** ✓

**Linting:** Medium Linting

**Absorbencies:** Heavy & Light Weight

**Cost:** \$

### Recommended Applications

- General industrial universal applications
- Manufacturing
- Printing
- Transportation

| Catalog #                    | Type           | Size     | Perforated     | Absorbency Factor (gl/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|------------------------------|----------------|----------|----------------|--------------------------|---------------------------|-------------------|-------------|----------|
| <b>Basic Universal Pads</b>  |                |          |                |                          |                           |                   |             |          |
| BPU100                       | Heavy Wt. Pad  | 15"x17"  | Yes, 7.5"      | 18                       | 20.5                      | 8.5               | 30          | 100/bale |
| BPU200                       | Light Wt. Pad  | 15"x17"  | Yes, 7.5"      | 18                       | 34                        | 13.7              | 24          | 200/bale |
| BPU500                       | Light Wt. Pad  | 15"x17"  | Yes, 7.5"      | 18                       | 17                        | 7                 | 36          | 100/bale |
| <b>Basic Universal Rolls</b> |                |          |                |                          |                           |                   |             |          |
| BRU150                       | Heavy Wt. Roll | 30"x150" | Yes, every 30" | 14.5                     | 38                        | 19.5              | 18          | 1/bale   |
| BRU152                       | Heavy Wt. Roll | 15"x150" | Yes, every 30" | 14.5                     | 38                        | 19.5              | 18          | 2/bale   |







# Universal Absorbency



## Re-Form™ Pro Plus Absorbents

The absorbency and durability you expect (plus it's recycled)!

The look, feel and performance of a traditional absorbent made from 90% recycled fibers. Available in pads and rolls, Re-Form Pro Plus helps keep your employees and work environment safe from unexpected spills, leaks, drips and other accidents.

- Environmentally friendly: Made of 90% recycled materials
- Extremely absorbent: absorbs 20 times its weight
- Strong durability: 3-ply dimpled construction

*Perforated design means you only use what you need and send less waste to landfills.*



### Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and Water-based Fluids

Durability: ✓✓

Linting: Medium Linting

Absorbencies: Heavy Weight

Cost: \$\$\$

### Recommended Applications

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Under assembly lines or equipment
- Maintenance areas
- Liquid storage areas

| Catalog #                     | Type           | Size     | Perforated | Absorbency Factor (g/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-------------------------------|----------------|----------|------------|--------------------------|---------------------------|-------------------|-------------|----------|
| <b>Re-Form Pro Plus Pads</b>  |                |          |            |                          |                           |                   |             |          |
| RFPP100                       | Heavy Wt. Pad  | 15"x19"  | Yes, 7.5"  | 12.5                     | 26                        | 17.5              | 30          | 100/case |
| <b>Re-Form Pro Plus Rolls</b> |                |          |            |                          |                           |                   |             |          |
| RFPP30P                       | Heavy Wt. Roll | 30"x150' | Yes, 30"   | 12.5                     | 49                        | 32                | 12          | 1/case   |

\*Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.

Universal Pads & Rolls



# Universal Absorbency

Universal Pads & Rolls



## Re-Form™ XPlus Absorbents

A medium weight absorbent with the same absorbency capacity as Re-Form™ Plus Absorbents but with meltblown coverstock on both sides for added durability.

- Made from 80% recycled cellulose
- Up to 50% more absorbent than comparable Meltblown Polypropylene absorbents
- Supports corporate sustainability and LEED initiatives
- Absorbs water-based chemicals, oils and petroleum-based products
- Perforated to help you reduce waste - use only what you need
- Class A fire retardant

### Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and Water-based Fluids  
 Durability: ✓✓  
 Linting: Medium Linting  
 Absorbencies: Medium Weight  
 Cost: \$\$\$

### Recommended Applications

- For drips, spills, and wiping applications
- Indoor use or dry-weather outdoor use
- General purpose absorbent
- Light foot traffic




| Catalog #                  | Type            | Size       | Perforated                | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|----------------------------|-----------------|------------|---------------------------|---------------------------|---------------------------|-------------------|-------------|----------|
| <b>Re-Form XPlus Pads</b>  |                 |            |                           |                           |                           |                   |             |          |
| RFDP300                    | Medium Wt. Pad  | 16"x18"    | Yes, 7.5"                 | 16.5                      | 32                        | 16.6              | 30          | 100/case |
| <b>Re-Form XPlus Rolls</b> |                 |            |                           |                           |                           |                   |             |          |
| RFDP328-DP                 | Medium Wt. Roll | 28.5"x150' | Yes, 14.25" and every 19" | 16.5                      | 55                        | 33.3              | 12          | 1/case   |

*\*Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.*



### Did You Know? Re-Form™ XPlus Now Offers Better Traction

Re-Form™ XPlus Absorbents have been updated to include a meltblown coverstock on both sides. This improvement offers you better traction and durability than its original construction, helping you prevent slips, trips and falls in your facility.



# Universal Absorbency

Universal Pads & Rolls



## Re-Form™ Plus Absorbents

**Eco-friendly all-purpose absorbent for wiping and light foot traffic.**

- Made from 80% recycled newsprint and cellulose with spunbond coverstock on one side for durability
- Up to 50% more absorbent than comparable polypropylene
- Supports corporate sustainability and LEED initiatives
- Absorbs water-based chemicals, oils and petroleum-based products
- Class A fire retardant

### Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and Water-based Fluids  
 Durability: ✓✓  
 Linting: Medium Linting  
 Absorbencies: Heavy, Medium & Light Weight  
 Cost: \$\$

### Applications

- For drips, spills and wiping  
Indoor use or dry-weather outdoor use
- Maintenance or storage areas
- Production/Machine areas
- Under equipment or vehicles
- Light foot traffic areas

| Catalog #                 | Type            | Size        | Perforated                | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|---------------------------|-----------------|-------------|---------------------------|---------------------------|---------------------------|-------------------|-------------|----------|
| <b>Re-Form Plus Pads</b>  |                 |             |                           |                           |                           |                   |             |          |
| RFP100                    | Heavy Wt. Pad   | 15"x19"     | Yes, 7.5"                 | 17                        | 40                        | 19.5              | 18          | 100/case |
| RFP300                    | Medium Wt. Pad  | 15"x19"     | Yes, 7.5"                 | 17                        | 32                        | 16                | 30          | 100/case |
| RFP500                    | Light Wt. Pad   | 15"x19"     | Yes, 7.5"                 | 17                        | 24                        | 12.7              | 30          | 100/case |
| <b>Re-Form Plus Rolls</b> |                 |             |                           |                           |                           |                   |             |          |
| RFP28-DP                  | Heavy Wt. Roll  | 28.5"x150'  | Yes, 14.25' and every 19" | 17                        | 62                        | 33                | 8           | 1/case   |
| RFP14P                    | Heavy Wt. Roll  | 14.25"x150' | Yes, every 19"            | 17                        | 30                        | 16.5              | 24          | 1/case   |
| RFP328-DP                 | Medium Wt. Roll | 28.5"x150'  | Yes, 14.25' and every 19" | 17                        | 54                        | 30.5              | 8           | 1/case   |
| RFP314P                   | Medium Wt. Roll | 14.25"x150' | Yes, every 19"            | 17                        | 30                        | 15.5              | 24          | 1/case   |

*\*Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.*



## Re-Form™ Universal Absorbents

**Economical general purpose absorbent offering superior absorbency compared to meltblown polypropylene.**

- Made from 80% recycled newsprint and cellulose and is up to 50% more absorbent than comparable polypropylene absorbents
- Nylon mesh construction provides extra durability and strength
- Supports corporate sustainability and LEED initiatives
- Class A fire retardant

### Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and Water-based Fluids  
 Durability: ✓  
 Linting: High Linting  
 Absorbencies: Heavy, Medium & Light Weight  
 Cost: \$

### Applications

- For drips and spill applications
- Indoor use or dry-weather outdoor use
- Maintenance areas
- Production/Machine areas
- Under assembly/equipment lines or vehicles

| Catalog #           | Type           | Size    | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|---------------------|----------------|---------|------------|---------------------------|---------------------------|-------------------|-------------|----------|
| <b>Re-Form Pads</b> |                |         |            |                           |                           |                   |             |          |
| RF100               | Heavy Wt. Pad  | 15"x19" | No         | 17.5                      | 40                        | 19                | 18          | 100/case |
| RF300               | Medium Wt. Pad | 15"x19" | No         | 17.5                      | 32                        | 14.8              | 24          | 100/case |
| RF500               | Light Wt. Pad  | 15"x19" | No         | 17.5                      | 24                        | 12                | 30          | 100/case |

*\*Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.*

# OIL ONLY

## ABSORBS OIL AND REPELS WATER

### Oil Only Absorbency

Specialized for oil and other petroleum-based spills, oil only pads and rolls repel water and will float indefinitely. These absorbents are unaffected by temperature and impervious to rot and mildew. Ideal for outside use, Brady SPC's oil only products are equally effective in soaking up petroleum-based solvents and paints, vegetable oils and other non-water soluble oil-based fluids.

Looking for added cost savings? Select a perforated option that allows you to use only what you need.

### The Technology:

The technology (construction layers, weave and loft) behind each of the oil only products helps determine relative strength and absorbency. This information along with the product's characteristics (grade, perforations, etc.) will help you decide which absorbent is best for your application.

#### Common Liquids Absorbed:

- Drilling and cutting fluids
- Hydraulic and brake fluids
- Engine oils
- Transmission fluids
- Lubricants
- Gasoline, diesel and aircraft fuels
- Cooking oils
- Oil-based paints and solvents
- Other oils and petroleum-based fluids

# Oil Only Absorbency

## Oil Only Absorbent Family:

All of these pads and rolls start with a highly absorbent polypropylene core - the difference is what happens from there. Features including durability, absorbency grades and coverstock give you versatile absorbent options for your specific application.

|  | Applications   | Durability | Linting        | Cost   | Absorbency Grades            | Construction  |
|--|--|------------|----------------|--------|------------------------------|---|
| <b>SXT® Oil Pads &amp; Rolls</b>                     | Quality absorbent for wiping tools or component parts that require high durability | ✓✓✓        | Low Linting    | \$\$\$ | Heavy, Medium & Light Weight | 3-ply (SMS) construction, spunbond coverstock on both sides             |
| <b>Oil Plus Pads &amp; Rolls</b>                     | Durable for general industrial applications such as wiping, drips and leaks        | ✓✓         | Medium Linting | \$\$\$ | Heavy & Medium Weight        | 3-ply (MMM) Fine Fiber Meltblown Polypropylene                          |
| <b>Spill Response Plus Oil Only Pads &amp; Rolls</b> | Durable for general small spill applications such as wipes, drips and leaks        | ✓✓         | Medium Linting | \$\$   | Heavy Weight                 | 3-ply (MMM) Fine Fiber Meltblown Polypropylene                          |
| <b>SPC® Oil Pads &amp; Rolls</b>                     | Cost effective and ideal for industrial applications or marine spills              | ✓✓         | Medium Linting | \$     | Heavy, Medium & Light Weight | Single-ply, made with MAXX® technology to improve absorption & strength |
| <b>ENV® Oil Pads &amp; Rolls</b>                     | Contractor grade for emergency marine spills and maximum absorbency                | ✓✓         | High Linting   | \$     | Heavy, Medium & Light Weight | Single-ply, made with MAXX® technology to improve absorption & strength |
| <b>BASIC Oil Only Pads &amp; Rolls</b>               | Value absorbent for general purpose wiping, drips or leaks and marine applications | ✓          | High Linting   | \$     | Heavy & Light Weight         | Single-ply Meltblown Polypropylene                                      |
| <b>Static Resistant Pads &amp; Rolls</b>             | For wherever static electricity is a concern, around fuel or other ignitable fumes | ✓✓         | High Linting   | \$\$\$ | Heavy Weight                 | Single-ply Meltblown Polypropylene                                      |
| <b>Re-Form™ Oil Only Pads</b>                        | High absorbency for petroleum-based drips, spills and wiping applications          | ✓✓✓        | Low Linting    | \$\$\$ | Heavy Weight                 | Minimum 80% recycled cotton and cellulose with 2-sided coverstock       |

Oil Only Pads & Rolls

# Oil Only Absorbency



## SXT® Oil Absorbents

The ideal absorbent when durability, abrasion resistance and low linting is required.

- High performance, oil only absorbent made to handle petroleum-based spills
- Repels water and floats indefinitely; also remains intact even when saturated with oil
- 3-ply (SMS) Meltblown Polypropylene construction
- Spunbond coverstock provides added durability with very low linting
- Both abrasion resistant and non-abrasive performance – ideal for wiping down tools or component parts
- The extra strength required for the wringing and re-using of absorbents
- Dimpled for added durability and reduced linting
- Perforated to help you reduce waste - using only what you need

### Product Summary

**Liquids Absorbed:** Oils, Coolants, Solvents and Oil-based Fluids

**Durability:** ✓✓✓

**Linting:** Low Linting

**Absorbencies:** Heavy, Medium & Light Weight

**Cost:** \$\$\$

### Recommended Applications

- For drips, spills and wiping applications
- High tech industries
- Pharmaceutical
- Paper industries
- Machining of small parts
- Food processing
- Precision engineering



| Catalog #            | Type           | Size     | Perforated             | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|----------------------|----------------|----------|------------------------|---------------------------|---------------------------|-------------------|-------------|----------|
| <b>SXT Oil Pads</b>  |                |          |                        |                           |                           |                   |             |          |
| SXT100               | Heavy Wt. Pad  | 15"x19"  | Yes, 7.5"              | 12                        | 19.5                      | 14.5              | 30          | 100/case |
| SXT300               | Medium Wt. Pad | 15"x19"  | Yes, 7.5"              | 12                        | 17                        | 10                | 30          | 100/case |
| SXT200               | Light Wt. Pad  | 15"x19"  | Yes, 7.5"              | 12                        | 31.5                      | 18                | 24          | 200/case |
| <b>SXT Oil Rolls</b> |                |          |                        |                           |                           |                   |             |          |
| SXT30DP              | Heavy Wt. Roll | 30"x150' | Yes, 15' and every 15" | 12                        | 37                        | 26.5              | 24          | 1/case   |
| SXT15P               | Heavy Wt. Roll | 15"x150' | Yes, every 18"         | 12                        | 18                        | 14                | 30          | 1/case   |

# Oil Only Absorbency



## Oil Plus Oil Absorbents

Perfect for general everyday use and emergency spill clean-up.

- Absorbs petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil
- 3-ply (MMM) Meltblown Polypropylene construction
- Multi-ply, heavyweight quality you can count on
- Dimpled for added durability and reduced linting
- Perforated to help you reduce waste - using only what you need
- Wide selection of roll sizes makes it ideal for industrial applications

Oil Only Pads & Rolls

**Product Summary**

**Liquids Absorbed:** Oils, Coolants, Solvents and Oil-Based Fluids

**Durability:** ✓✓

**Linting:** Medium Linting


**Absorbencies:** Heavy, Medium & Light Weight

**Cost:** \$\$\$

**Recommended Applications**

- Ideal for industrial applications
- Heavy manufacturing
- Fuel stations
- Automotive industries
- Precision engineering
- Printing industries

OP150DND features 150 heavyweight pads in a unique Dispense-n-Dispose™ system - packaging doubles as a dispenser and a disposal bin all at once.



| Catalog #             | Type            | Size     | Perforated               | Absorbency Factor (gl/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------------------|-----------------|----------|--------------------------|--------------------------|---------------------------|-------------------|-------------|----------|
| <b>Oil Plus Pads</b>  |                 |          |                          |                          |                           |                   |             |          |
| OP50                  | Heavy Wt. Pad   | 30"x30"  | Yes, 15"                 | 12.5                     | 41                        | 24                | 13          | 50/bale  |
| OP150DND              | Heavy Wt. Pad*  | 15"x19"  | Yes, 7.5"                | 12.5                     | 39                        | 27                | 18          | 150/case |
| OP100                 | Heavy Wt. Pad   | 15"x19"  | Yes, 7.5"                | 12.5                     | 26                        | 17.5              | 30          | 100/case |
| OP300                 | Medium Wt. Pad  | 15"x19"  | Yes, 7.5"                | 12.5                     | 20.5                      | 14                | 30          | 100/case |
| <b>Oil Plus Rolls</b> |                 |          |                          |                          |                           |                   |             |          |
| OP30-DP               | Heavy Wt. Roll  | 30"x150' | Yes, 15" and every 15"   | 12.5                     | 49                        | 33                | 12          | 1/case   |
| OP30P                 | Heavy Wt. Roll  | 30"x150' | Yes, every 30"           | 12.5                     | 49                        | 33                | 12          | 1/case   |
| OP30                  | Heavy Wt. Roll  | 30"x150' | No                       | 12.5                     | 49                        | 33                | 12          | 1/case   |
| OP15DP                | Heavy Wt. Roll  | 15"x150' | Yes, 7.5" and 12" across | 12.5                     | 24                        | 17.5              | 24          | 1/case   |
| OP15P                 | Heavy Wt. Roll  | 15"x150' | Yes, every 18"           | 12.5                     | 24                        | 17.5              | 24          | 1/case   |
| OP15                  | Heavy Wt. Roll  | 15"x150' | No                       | 12.5                     | 24                        | 17.5              | 24          | 1/case   |
| OP350-DP              | Medium Wt. Roll | 30"x150' | Yes, 15" and every 15"   | 12.5                     | 38                        | 26.5              | 12          | 1/case   |
| OP315P                | Medium Wt. Roll | 15"x150' | Yes, every 18"           | 12.5                     | 19                        | 14                | 24          | 1/case   |

\*Features Dispense-N-Dispose System

# Oil Only Absorbency



## Spill Response Plus Oil Only Absorbents

**Durable absorbents for general small spill applications such as wipes, drips and leaks.**

- Employees can fold and carry pads in their pockets, allowing for quick response to spills
- 3-ply (MMM) Meltblown Polypropylene
- Highly absorbent, absorbs paints, vegetable oils and other non-water soluble oil-based fluids
- Dimpled for added durability and reduced linting



### Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and Water-based Fluids  
 Durability: ✓✓  
 Linting: Medium Linting  
 Absorbencies: Heavy Weight  
 Cost: \$\$

### Recommended Applications

- Janitorial
- Hospitality
- Retail
- Ideal for industrial applications
- Heavy manufacturing
- Fuel stations
- Automotive industries
- Precision engineering
- Printing industries



| Catalog #                                  | Type            | Size       | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|--|-----------------|------------|------------|---------------------------|---------------------------|-------------------|-------------|----------|
| <b>Spill Response Plus Universal Pads</b>  |                 |            |            |                           |                           |                   |             |          |
| SRPO100                                    | Heavy Wt. Pad   | 7.5"x10"   | No         | 12.5                      | 5.5                       | 4                 | 96          | 100/case |
| SRPO200                                    | Heavy Wt. Pad   | 7.5"x10"   | No         | 12.5                      | 11.1                      | 7.5               | 48          | 200/case |
| <b>Spill Response Plus Universal Rolls</b> |                 |            |            |                           |                           |                   |             |          |
| SRPO75P                                    | Heavy Wt. Roll* | 7.5" x 50' | Yes, 10"   | 12.5                      | 3.3                       | 1.85              | 96          | 1/bale   |



### May We Also Suggest: 2-Gallon SRP Spill Kit

Brady SPC also offers a 2-gallon spill kit that is specially designed for small spills.

**View all spill kits on page 62.**





# Oil Only Absorbency

Oil Only Pads & Rolls



## SPC® Oil Absorbents

**Our best-selling oil only pads for industrial or marine use.**

Convenient and cost-effective, Brady's original SPC absorbent is still one of our most popular lines. It is made with MAXX® Technology, meaning greater performance without the extra weight.

- Single-ply Oil Only Meltblown Polypropylene
- Absorbs petroleum-based liquids and repels water making it ideal for outdoor marine or environmental applications
- Floats indefinitely even when saturated with oil
- Dimpled for added durability & reduced linting
- Perforated to help you reduce waste - using only what you need
- All SPC® Oil Absorbents are packaged in a blue colored bag to streamline absorbent identification in your facility

### Product Summary

**Liquids Absorbed:** Oils, Coolants, Solvents and Oil-based Fluids

**Durability:** ✓✓


**Linting:** Medium Linting

**Absorbencies:** Heavy, Medium & Light Weight

**Cost:** \$\$

### Recommended Applications

- General industrial use
- Marine and environmental spills
- Oil refineries/Fuel chemical
- General manufacturing



| Catalog #            | Type                                     | Size     | Perforated | Absorbency Factor (g/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity  |
|----------------------|--|----------|------------|--------------------------|---------------------------|-------------------|-------------|-----------|
| <b>SPC Oil Pads</b>  |  |          |            |                          |                           |                   |             |           |
| SPC50                | Heavy Wt. Pad                            | 33"x39"  | No         | 18                       | 73                        | 33.5              | 10          | 50/bale*  |
| SPC100               | Heavy Wt. Pad                            | 15"x19"  | Yes, 7.5"  | 18                       | 35                        | 14                | 30          | 100/bale* |
| SPC105               | Heavy Wt. Pad (1 side w/blue coverstock) | 15"x19"  | Yes, 7.5"  | 18                       | 24                        | 14                | 30          | 100/bale* |
| SPC300               | Medium Wt. Pad                           | 15"x19"  | Yes, 7.5"  | 18                       | 30                        | 11                | 30          | 100/bale* |
| SPC200               | Light Wt. Pad                            | 15"x19"  | Yes, 7.5"  | 18                       | 51                        | 16                | 24          | 200/bale* |
| SPC500               | Light Wt. Pad                            | 15"x19"  | Yes, 7.5"  | 18                       | 20                        | 8.2               | 36          | 100/bale* |
| <b>SPC Oil Rolls</b> |  |          |            |                          |                           |                   |             |           |
| SPC150               | Heavy Wt. Roll                           | 38"x144' | No         | 15                       | 70                        | 33                | 18          | 1/bale*   |
| SPC152               | Heavy Wt. Roll                           | 19"x144' | No         | 15                       | 70                        | 33                | 18          | 2/bale*   |

\*SPC Oil Absorbents packaged in a blue bag.

# Oil Only Absorbency

## ENV® Oil Absorbents

**Made with MAXX® Technology for superior absorbency and greater strength. Plus, they weight less - which means lower disposal costs!**

Highly economical, contractor grade Oil Only Meltblown Polypropylene for oil clean-up on land or water.

- Absorbs petroleum-based liquids and repels water
- Economical single-ply construction
- Floats indefinitely even when saturated with oil
- Non-dimpled construction maximizes absorbency for emergency outdoor spill clean-up
- All ENV® Oil Absorbents are packaged in a green colored bag to streamline absorbent identification in your facility



### Product Summary

**Liquids Absorbed:** Oils, Coolants, Solvents and Oil-based Fluids

**Durability:** ✓✓

**Linting:** High Linting

**Absorbencies:** Heavy, Medium & Light Weight

**Cost:** \$

### Recommended Applications

- Marine and environmental spills
- General industrial oil only applications
- Coast guard
- Emergency spill response
- On-board vessels
- Off-shore oil rigs



| Catalog #            | Type            | Size     | Perforated | Absorbency Factor (g/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity  |
|----------------------|-----------------|----------|------------|--------------------------|---------------------------|-------------------|-------------|-----------|
| <b>ENV Oil Pads</b>  |                 |          |            |                          |                           |                   |             |           |
| ENV50                | Medium Wt. Pad  | 30"x30"  | No         | 20                       | 50                        | 19                | 14          | 50/bale*  |
| ENV100               | Heavy Wt. Pad   | 15"x19"  | No         | 20                       | 33                        | 12.5              | 30          | 100/bale* |
| ENV300               | Medium Wt. Pad  | 15"x19"  | No         | 18                       | 23.2                      | 10                | 30          | 100/bale* |
| ENV200               | Light Wt. Pad   | 15"x19"  | No         | 23                       | 51                        | 16                | 24          | 200/bale* |
| ENV500               | Light Wt. Pad   | 15"x19"  | No         | 23                       | 24.5                      | 8                 | 30          | 100/bale* |
| MXO1000              | Light Wt. Pad   | 15"x19"  | Yes, 7.5"  | 23                       | 26                        | 11                | 30          | 100/case* |
| <b>ENV Oil Rolls</b> |                 |          |            |                          |                           |                   |             |           |
| ENV150               | Medium Wt. Roll | 30"x150' | No         | 15                       | 44                        | 22                | 18          | 1/bale*   |

\*ENV Oil Absorbents packaged in a green bag.

# Oil Only Absorbency



## BASIC Oil Absorbents

Our value-priced oil only absorbent.

- Absorbs petroleum-based liquids and repels water
- Floats indefinitely even when saturated with oil
- Economical single-ply construction is great for everyday usage
- Perforated to help you reduce waste - use only what you need
- Dimpled for added durability and reduced linting
- All Basic Oil Absorbents are packaged in a clear bag to streamline absorbent identification in your facility

### Product Summary

**Liquids Absorbed:** Oils, Coolants, Solvents and Oil-based Fluids

**Durability:** ✓

**Linting:** High Linting

**Absorbencies:** Heavy & Light Weight

**Cost:** \$

### Recommended Applications

- Marine and environmental spills
- General industrial oil only applications
- Manufacturing
- Printing
- Transportation
- Emergency spill response
- Coast guard
- On-board vessels
- Off-shore oil rigs



| Catalog #              | Type           | Size     | Perforated     | Absorbency Factor (g/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|------------------------|----------------|----------|----------------|-------------------------|---------------------------|-------------------|-------------|----------|
| <b>Basic Oil Pads</b>  |                |          |                |                         |                           |                   |             |          |
| BPO100                 | Heavy Wt. Pad  | 15"x17"  | Yes, 7.5"      | 18                      | 20.5                      | 8.5               | 30          | 100/bale |
| BPO200                 | Light Wt. Pad  | 15"x17"  | Yes, 7.5"      | 18                      | 34                        | 13.7              | 24          | 200/bale |
| BPO500                 | Light Wt. Pad  | 15"x17"  | Yes, 7.5"      | 18                      | 17                        | 7                 | 36          | 100/bale |
| <b>Basic Oil Rolls</b> |                |          |                |                         |                           |                   |             |          |
| BRO150                 | Heavy Wt. Roll | 30"x150" | Yes, every 30" | 14.5                    | 38                        | 19.5              | 18          | 1/bale   |
| BRO152                 | Heavy Wt. Roll | 15"x150" | Yes, every 30" | 14.5                    | 38                        | 19.5              | 18          | 2/bale   |

\*Basic Oil Absorbents packaged in a clear bag.



### Perforations - Saving you time and money

Perforations allow you to quickly and easily select the perfect size absorbent. Choose a small for small spills, or a larger section for bigger spills. Multiple size options mean less waste since you only use what you need.



# Oil Only Absorbency



## Static Resistant Oil Absorbents

For areas where static electricity is a concern.

- Oil only pads and rolls are specially treated to resist static electricity build up
- Oil only so they do not absorb water – perfect for outdoor use
- Economical single-ply construction
- Meets National Fire Protection Association (NFPA) specifications

### Product Summary

**Liquids Absorbed:** Oils, Coolants, Solvents and Oil-based Fluids

**Durability:** ✓✓

**Linting:** High Linting

**Absorbencies:** Heavy Weight

**Cost:** \$\$\$

### Recommended Applications


- Wherever static electricity is a concern
- Cold environments
- Around fuel or other ignitable fumes
- Computer production



| Catalog #                         | Type           | Size     | Perforated | Absorbency Factor (gl/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------------------------------|----------------|----------|------------|--------------------------|---------------------------|-------------------|-------------|----------|
| <b>Static Resistant Oil Pads</b>  |                |          |            |                          |                           |                   |             |          |
| SR3625                            | Heavy Wt. Pad  | 30"x30"  | No         | 13                       | 16                        | 9                 | 14          | 25/bale  |
| SR100                             | Heavy Wt. Pad  | 15" x19" | No         | 13                       | 26                        | 14.5              | 30          | 100/bale |
| <b>Static Resistant Oil Rolls</b> |                |          |            |                          |                           |                   |             |          |
| SR3600                            | Heavy Wt. Roll | 30"x150' | No         | 15                       | 44                        | 22                | 18          | 1/bale   |




### Did You Know? - Perforation Locations




#### Single Perf

- Featured on many SPC pads & rolls



#### Double Perf

- Featured on many SPC rolls



#### Triple Perf

- Unique to some of the High Traffic Universal rolls

# Oil Only Absorbency



## Re-Form™ Oil Only Absorbents

Repels water and floats making it ideal for outdoor applications.

- Absorbs more than 30 times its weight in liquid
- 40% higher absorption ratio than the next leading absorbent
- Spunbond coverstock adds durability and reduces linting
- Made from 80% all natural cotton fibers
- Perforated to help you reduce waste - using only what you need
- Supports corporate sustainability and LEED initiatives

Oil Only Pads & Rolls

### Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and Water-based Fluids  
 Durability: ✓✓✓  
 Linting: Low Linting  
 Absorbencies: Heavy Weight  
 Cost: \$\$\$

### Recommended Applications

- For drips, spills and wiping applications
- Paper industries
- High tech industries
- Pharmaceutical
- Machining of small parts
- Food processing
- Precision engineering
- Marine and environmental spills



| Catalog #                    | Type          | Size    | Perforated | Absorbency Factor (g/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|------------------------------|---------------|---------|------------|--------------------------|---------------------------|-------------------|-------------|----------|
| <b>Re-Form Oil Only Pads</b> |               |         |            |                          |                           |                   |             |          |
| RFODP100                     | Heavy Wt. Pad | 15"x19" | Yes, 7.5"  | 30                       | 39                        | 12                | 24          | 100/case |

\*Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.

### May We Also Suggest: Mixed Application Spill Kits

Brady SPC spill kits with both universal and oil only absorbents to respond to spills of water based fluids AND petroleum based spills.

**View all mixed application spill kits on page 65.**



# CHEMICAL

## Chemical Absorbency

Alert your employees to the presence of hazardous fluids with green and yellow chemical absorbents from Brady SPC. These surfactant-treated polypropylene pads and rolls can be used on a wide range of chemicals and are chemically inert, so they will not react with aggressive fluids.

## The Technology:

The technology or structure behind each of the chemical products helps determine the relative strength and absorbency. This information along with the product's characteristics (grade, perforations, etc.) will help you decide which absorbent is best for your application.

### Common Liquids Absorbed:

- Acids and bases
- Aggressive chemicals
- Oils
- Solvents
- Citric acid
- Water-based fluids
- Sodium hydroxide
- Other unknown chemicals

# Chemical Absorbency

## Chemical Absorbent Family:

All of these pads and rolls start with a highly absorbent polypropylene core - the difference is what happens from there. Features including durability, absorbency grades and coverstock give you versatile absorbent options for your specific application.

|   | Applications   | Durability | Linting        | Cost   | Absorbency Grades             | Construction   |
|---|--|------------|----------------|--------|-------------------------------|--|
| <b>BrightSorb™ High Visibility Safety &amp; Chemical Absorbents</b> | Durable all-purpose and hazardous chemical absorbency. Ideal for areas with a high risk of slips trips and falls | ✓✓✓        | Low Linting    | \$\$\$ | Heavy, Medium & Light Weights | 2-ply SM construction with tough spunbond coverstock |
| <b>BASIC Chemical Pads &amp; Rolls</b>                              | Value absorbent for applications with hazardous chemicals  | ✓          | High Linting   | \$     | Heavy & Light Weight          | Single Ply Meltblown Polypropylene                   |
| <b>Universal Plus Pads &amp; Rolls</b>                              | For industrial applications where greater durability is needed with hazardous chemicals                          | ✓✓         | Medium Linting | \$\$\$ | Medium Weight                 | 3-ply (MMM) Fine Fiber Meltblown Polypropylene       |
| <b>Spill Response Plus Pads &amp; Rolls</b>                         | For industrial small spill applications where greater durability is needed with hazardous chemicals              | ✓✓         | Medium Linting | \$\$   | Heavy Weight                  | 3-ply (MMM) Fine Fiber Meltblown Polypropylene       |

Chemical

### ? Increase Safety and Save: Color Coded Waste Stream

Save on disposal costs by using different colored absorbents in specific parts of you facility and throughout your waste streams.

**For example:** a facility might use yellow absorbents in radioactive areas and green absorbents in their chlorine areas. Then the facility would use gray universal absorbents for the rest of their facility.

A color coded system benefits your employees' understanding of the waste stream because they will assume yellow absorbents are saturated with radioactive waste and green absorbents are saturated with chlorine.





Chemical

# Chemical Absorbency



## BrightSorb™ High Visibility Safety Absorbents

Color and print make it ideal for areas where the risk of slips, trips and falls are great

- Highly absorbent for all-purpose industrial applications
- Extremely durable 2-ply SM construction
- Product will not react with aggressive fluids
- Printed messaging helps to promote a culture of safety within your facility]
- Bright coloring is visible even in low light areas



### Product Summary

**Liquids Absorbed:** Acids, Bases, Oils, Chemicals, Solvents, Water-based Fluids, and Unknown Chemicals

**Durability:** ✓✓✓

**Linting:** Low Linting

**Absorbencies:** Heavy, Medium & Light Weight

**Cost:** \$\$\$

### Recommended Applications

- For use where hazardous chemicals and acids are involved
- Nuclear power facilities
- Chemical spill response units
- Labs and hospitals
- Any industrial application utilizing aggressive fluids
- Applications with higher risk of slips, trips and falls
- Foot traffic areas or where extra durability is needed

| Catalog #                           | Type            | Size     | Perforated                   | Absorbency Factor (gl/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-------------------------------------|-----------------|----------|------------------------------|--------------------------|---------------------------|-------------------|-------------|----------|
| <b>High Visibility Safety Pads</b>  |                 |          |                              |                          |                           |                   |             |          |
| CH100                               | Heavy Wt. Pad   | 15"x19"  | Yes, 7.5"                    | 18                       | 28                        | 16                | 30          | 100/case |
| CH1212                              | Medium Wt. Pad* | 12"x12"  | Yes, 6"                      | 18                       | 30                        | 14.5              | 30          | 200/case |
| CH1212-50                           | Medium Wt. Pad* | 12"x12"  | Yes, 6"                      | 12.5                     | 15                        | 4                 | 60          | 50/case  |
| CH200                               | Light Wt. Pad   | 15"x19"  | Yes, 7.5"                    | 18                       | 28                        | 16                | 24          | 200/case |
| <b>High Visibility Safety Rolls</b> |                 |          |                              |                          |                           |                   |             |          |
| CH30DP                              | Heavy Wt. Roll  | 30"x150' | Yes, every 15" and up center | 12.5                     | 40                        | 25                | 12          | 1/case   |
| CH15P                               | Heavy Wt. Roll  | 15"x150' | Yes, every 18"               | 12.5                     | 20                        | 14                | 24          | 1/bale   |
| CH303                               | Medium Wt. Roll | 30"x300' | Yes, every 15" and up center | 12.5                     | 80                        | 40                | 8           | 1/bale   |

\* Absorbent does not have print.







# Chemical Absorbency



## BASIC Chemical Absorbents

- Chemically inert, making it ideal for use with aggressive fluids
- Unique color helps to set these absorbents apart for proper disposal
- Economical single-ply construction
- Perforated to help you reduce waste - use only what you need
- Dimpled for added durability and reduced linting



### Product Summary

**Liquids Absorbed:** Acids, Bases, Oils, Chemicals, Solvents, Water-based Fluids, and Unknown Chemicals

**Durability:** ✓

**Linting:** High Linting

**Absorbencies:** Heavy & Light Weight

**Cost:** \$\$\$

### Recommended Applications

- For use where hazardous chemicals and acids are involved
- Nuclear power facilities
- Chemical spill response units
- Labs and hospitals
- Any industrial application utilizing aggressive fluids

| Catalog #                   | Type           | Size     | Perforated     | Absorbency Factor (g/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------------------------|----------------|----------|----------------|--------------------------|---------------------------|-------------------|-------------|----------|
| <b>BASIC Chemical Pads</b>  |                |          |                |                          |                           |                   |             |          |
| NEW! BPH100                 | Heavy Wt. Pad  | 15"x17"  | Yes, 7.5"      | 18                       | 20                        | 8.5               | 30          | 100/bale |
| NEW! BPH200                 | Light Wt. Pad  | 15"x17"  | Yes, 7.5"      | 18                       | 34                        | 13.7              | 18          | 200/bale |
| NEW! BPH500                 | Light Wt. Pad  | 15"x17"  | Yes, 7.5"      | 18                       | 17                        | 7                 | 30          | 100/bale |
| <b>BASIC Chemical Rolls</b> |                |          |                |                          |                           |                   |             |          |
| NEW! BRH150                 | Heavy Wt. Roll | 30"x150' | Yes, every 30" | 18                       | 38                        | 19.5              | 18          | 1/bale   |
| NEW! BRH152                 | Heavy Wt. Roll | 15"x150' | Yes, every 30" | 18                       | 38                        | 19.5              | 18          | 2/bale   |





Chemical

# Chemical Absorbency



## Universal Plus Absorbents

**Green color (the universal symbol for safety) indicates that it is intended for use on hazardous materials.**

- Absorbs any liquids including oil, hazardous chemicals and acids
- Dimpled for added durability and reduced linting
- 3-ply construction makes it stronger, more durable and reduces lint
- Perforated to help you reduce waste - use only what you need
- Chemically inert making it ideal for use with aggressive fluids

### Product Summary

**Liquids Absorbed:** Acids, Bases, Oils, Chemicals, Solvents, Water-based Fluids, and Unknown Chemicals

**Durability:** ✓✓

**Linting:** Medium Linting

**Absorbencies:** Medium Weight

**Cost:** \$\$\$

### Recommended Applications

- Where hazardous chemicals and acids are involved
- Laboratories
- Hospitals
- Research institutes
- Pharmaceutical
- Chemical plants



| Catalog #                   | Type            | Size     | Perforated             | Absorbency Factor (gl/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------------------------|-----------------|----------|------------------------|--------------------------|---------------------------|-------------------|-------------|----------|
| <b>Universal Plus Pads</b>  |                 |          |                        |                          |                           |                   |             |          |
| SPCUN1719                   | Medium Wt. Pad  | 15"x19"  | Yes, 7.5"              | 12.5                     | 20.5                      | 14.5              | 30          | 100/case |
| SPCUN1113                   | Medium Wt. Pad  | 12"x12"  | No                     | 12.5                     | 20                        | 16                | 30          | 200/case |
| SPCUN1113-50                | Medium Wt. Pad  | 12"x12"  | No                     | 12.5                     | 5.5                       | 4                 | 45          | 50/case  |
| <b>Universal Plus Rolls</b> |                 |          |                        |                          |                           |                   |             |          |
| SPCUN3800                   | Medium Wt. Roll | 30"x150' | Yes, 15" and every 15" | 12.5                     | 39                        | 27                | 12          | 1/case   |
| SPCUN1019                   | Medium Wt. Roll | 15"x150' | Yes, 15" and every 15" | 12.5                     | 39                        | 24                | 12          | 2/case   |





# Chemical Absorbency



## Spill Response Plus Universal Plus Absorbents

Best for small spill applications.

- Small convenient size for employees to fold and carry in pockets for quick response time
- Ideal for small spills and janitorial applications
- Highly absorbent, multi-purpose absorbents made to handle water-based liquids and oils
- Dimpled for added durability and reduced linting

### Product Summary

**Liquids Absorbed:** Acids, Bases, Oils, Chemicals, Solvents, Water-based Fluids, and Unknown Chemicals

**Durability:** ✓✓

**Linting:** Medium Linting

**Absorbencies:** Heavy Weight

**Cost:** \$\$

### Recommended Applications

- Where hazardous chemicals and acids are involved
- Laboratories
- Hospitals
- Research institutes
- Pharmaceutical
- Chemical plants



| Catalog #                                  | Type            | Size       | Perforated | Absorbency Factor (g/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|--|-----------------|------------|------------|-------------------------|---------------------------|-------------------|-------------|----------|
| <b>Spill Response Plus Universal Pads</b>  |                 |            |            |                         |                           |                   |             |          |
| SRPH100                                    | Heavy Wt. Pad   | 7.5"x10"   | No         | 12.5                    | 5.5                       | 4                 | 96          | 100/case |
| SRPH200                                    | Heavy Wt. Pad   | 7.5"x10"   | No         | 12.5                    | 11.1                      | 7.5               | 48          | 200/case |
| <b>Spill Response Plus Universal Rolls</b> |                 |            |            |                         |                           |                   |             |          |
| SRPH75P                                    | Heavy Wt. Roll* | 7.5" x 50' | Yes, 10"   | 12.5                    | 3.3                       | 1.85              | 96          | 1/bale   |

# SOCS, PILLOWS & DRUM COVERS

## SOCs, Pillows & Drum Covers

Specialty absorbent products including SOC's, pillows and drum covers can be used around a facility when a pad or roll may not be sufficient. These flexible absorbents allow you to place the absorbent exactly where you need it.

Absorbent SOC's are dependable, flexible tubes that contain and absorb liquids. SOC's mold around corners and conform to uneven surfaces to soak up spills and drips, preventing fluid from escaping to other areas.

Absorbent pillows are ideal for use under spill pallets or machines that are known to drip or leak. Pillows are easy to retrieve, and can soak up oil and water-based fluids in hard-to-reach areas including sumps, catch basins and outdoor ponds.

Absorbent drum covers eliminate the messy drips and overflow when mixing or pumping liquids from the drum barrel. Brady SPC drum covers keep drums, the floor and surrounding storage areas dry and clean.

### Recommended for:

- Wrap a SOC around your machine to stop leaks from reaching the floor
- Place a pillow in a tight space between machines to catch splashes or overspray
- Keep drum storage areas clean and dry with pre-cut drum covers

# SOCs, Pillows & Drum Covers

## SOCs, Pillows & Drum Cover Absorbents:

Keep your work areas clean and dry with a variety of highly absorbent products. Use the following table to quickly compare which SOC, pillow or drum cover works best for your application.

|   | Liquids Absorbed   | Construction  | Available Products   |
|---|--|---|--|
| <b>Universal SOC, Pillows &amp; Drum Covers</b> | Water-based Liquids<br>Oil-based Liquids                         | Vermiculite,<br>Polypropylene,<br>Corn Cob or<br>Cellulose Filled | ALLWIK® SOC, Pillows & Drum Covers<br>SLIKWIK® SOC<br>Cobra Coil® SOC<br>BASIC SOC<br>Re-Form™ Universal SOC |
| <b>Oil Only SOC, Pillows &amp; Drum Covers</b>  | Oil-based Liquids  | Polypropylene<br>or Cellulose Filled                              | Oil Only SOC,<br>Pillows & Drum Covers<br>Re-Form™ Oil Only SOC  |
| <b>Chemical SOC &amp; Pillows</b>               | Water-based Liquids<br>Oil-based Liquids<br>Aggressive Chemicals | Polypropylene<br>Filled   | BrightSorb™ High Visibility<br>SOC & Pillows<br>HAZWIK® SOC & Pillows  |

Socs, Pillows & Drum Covers



# SOCs, Pillows & Drum Covers



## Universal Absorbency

Use these all-purpose absorbents to clean-up oils, coolants, solvents and water-based fluids throughout your facility. Their gray color masks spills and stains – helping you resist the urge to pick up the absorbent before it is fully saturated.

Re-Form™ Universal SOC's are up to 50% more absorbent than polypropylene SOC's meaning you can soak up more with less.

## ALLWIK® Universal SOC's

- All-purpose polypropylene SOC
- Suitable for most industrial applications
- Wringable and can be incinerated



| Catalog # | Type | Size   | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|------|--------|---------------------------|---------------------------|-------------------|-------------|----------|
| AW124     | SOC  | 3"x12' | 9                         | 12                        | 12                | 36          | 4/case   |
| AW806     | SOC  | 3"x8"  | 9                         | 12                        | 12                | 30          | 6/case   |
| AW430     | SOC  | 3"x4'  | 9                         | 30                        | 26                | 15          | 30/case  |
| AW412     | SOC  | 3"x4'  | 9                         | 12                        | 12                | 36          | 12/case  |

## SLIKWIK® Universal SOC's

- All-purpose corn cob-filled SOC
- Cost-effective option for picking up of all non-aggressive liquids



| Catalog # | Type | Size   | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|------|--------|---------------------------|---------------------------|-------------------|-------------|----------|
| SW46      | SOC  | 3"x42" | 3                         | 20                        | 50                | 16          | 40/case  |

## Cobra Coil® Universal SOC's

- All-purpose vermiculite-filled SOC
- Excellent for diking applications
- Suitable for all liquids including aggressive chemicals



| Catalog # | Type | Size  | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|------|-------|---------------------------|---------------------------|-------------------|-------------|----------|
| CC400     | SOC  | 3"x4' | 8.5                       | 8.5                       | 29                | 32          | 12/case  |

# SOCs, Pillows & Drum Covers

## BASIC Universal SOC

- All-purpose cellulose-filled SOC
- Suitable for most non-aggressive fluids



| Catalog # | Type | Size   | Absorbency Factor (g/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|------|--------|-------------------------|---------------------------|-------------------|-------------|----------|
| BSC40     | SOC  | 3"x42" | 15                      | 84                        | 47.5              | 12          | 40/case  |
| BSC20     | SOC  | 3"x42" | 15                      | 40.5                      | 24                | 24          | 20/case  |

## Re-Form™ Universal SOC

- Made from recycled newsprint and other cellulose
- Absorbs oils, coolants, solvents and water-based fluid



| Catalog # | Type | Size   | Absorbency Factor (g/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|------|--------|-------------------------|---------------------------|-------------------|-------------|----------|
| MS124     | SOC  | 3"x12' | 8.5                     | 12                        | 12                | 36          | 4/case   |
| MS806     | SOC  | 3"x8'  | 8.5                     | 12                        | 12                | 36          | 6/case   |
| MS50      | SOC  | 3"x4'  | 7                       | 40                        | 43                | 10          | 40/case  |
| MS412     | SOC  | 3"x4'  | 8.5                     | 12                        | 12                | 36          | 12/case  |

## ALLWIK® Universal Pillows

- All-purpose polypropylene pillow
- Suitable for most industrial applications
- Ideal for under valves and other dripping applications



| Catalog # | Type   | Size    | Absorbency Factor (g/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|--------|---------|-------------------------|---------------------------|-------------------|-------------|----------|
| AW1818    | Pillow | 18"x18" | 12.5                    | 28                        | 19                | 15          | 16/case  |
| AW99      | Pillow | 9"x9"   | 12.5                    | 14                        | 10                | 40          | 32/case  |

## ALLWIK® Universal Drum Covers

- All-purpose polypropylene drum cover
- Fits 55-gallon drums either with 1 or 2 bungholes
- Creates a clean and safe work floor by helping to prevent pump drips from reaching the floor



| Catalog # | Type                  | Size     | Absorbency Factor (g/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|-----------------------|----------|-------------------------|---------------------------|-------------------|-------------|----------|
| DTA25     | Medium Wt. Drum Cover | 22" dia. | 12.5                    | 6                         | 6                 | 60          | 25/case  |

# SOCs, Pillows & Drum Covers



## Oil Only Absorbency

Specialized for oil and other petroleum-based spills, Oil Only SOC, pillows and drum covers will not absorb water making them ideal for outdoor use.

These absorbents are unaffected by temperature and impervious to rot and mildew. Ideal for soaking up petroleum-based solvents and paints, vegetable oils and other non-water soluble oil based fluids.

## Oil Only SOC

- Oil only polypropylene SOC absorbs oil and petroleum based liquids while repelling water
- Wringable and can be incinerated
- Strong wicking action: absorption begins instantly after contact with the spilled liquid, no need to turn the SOC



| Catalog # | Type | Size   | Absorbency Factor (g/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|------|--------|-------------------------|---------------------------|-------------------|-------------|----------|
| OIL124    | SOC  | 3"x12' | 9                       | 12                        | 11                | 36          | 4/case   |
| OIL806    | SOC  | 3"x8'  | 9                       | 12                        | 11                | 30          | 6/case   |
| OIL430    | SOC  | 3"x4'  | 9                       | 28                        | 30                | 15          | 30/case  |
| OIL412    | SOC  | 3"x4'  | 9                       | 12                        | 11                | 36          | 12/case  |

## Re-Form™ Oil Only SOC

- Made from 80% all natural cotton fibers
- Absorbs oil, grease, transmission fluid, coolant and other liquids
- Repels water and floats for outdoor applications



| Catalog # | Type | Size  | Absorbency Factor (g/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|------|-------|-------------------------|---------------------------|-------------------|-------------|----------|
| RFO412    | SOC  | 3"x4' | 13.5                    | 15                        | 10.5              | 36          | 12/case  |

## Oil Only Pillows

- Specialized oil only polypropylene pillow will not absorb water or water-based solutions
- Oil only pillows are ideal for use in waste troughs, coolant tanks, fluid reservoirs and sump wells



| Catalog # | Type   | Size    | Absorbency Factor (g/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|--------|---------|-------------------------|---------------------------|-------------------|-------------|----------|
| OIL1818   | Pillow | 18"x18" | 12.5                    | 28                        | 19                | 15          | 16/case  |
| OIL1818-2 | Pillow | 18"x18" | 12.5                    | 14                        | 9.5               | 40          | 8/case   |
| OIL99     | Pillow | 9"x9"   | 12.5                    | 14                        | 10                | 40          | 32/case  |

## Oil Only Drum Covers

- Oil only polypropylene drum cover
- Fits 55-gallon drums either with 1 or 2 bungholes
- Creates a clean and safe work floor by helping to prevent pump drips from reaching the floor



Pre-cut holes fit 1-2 bungholes.

| Catalog # | Type                  | Size     | Absorbency Factor (g/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|-----------------------|----------|-------------------------|---------------------------|-------------------|-------------|----------|
| DTO25     | Medium Wt. Drum Cover | 22" dia. | 12.5                    | 6                         | 6                 | 60          | 25/case  |



# SOCs, Pillows & Drum Covers



## Chemical Absorbency

These surfactant-treated polypropylene SOC and pillows can be used on a wide range of chemicals, including hydrofluoric acid. They are chemically inert, so they will not react with aggressive fluids.

### BrightSorb™ High Visibility SOC

- Color and print help prevent risk of slips, trips and falls
- Absorbs chemicals, acids and bases
- Flexible design is easily molded around spills



| Catalog #  | Type | Size   | Absorbency Factor (g/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|------------|------|--------|-------------------------|---------------------------|-------------------|-------------|----------|
| NEW! CH124 | SOC  | 3"x12' | 9                       | 12                        | 12                | 40          | 4/case   |
| NEW! CH412 | SOC  | 3"x4'  | 9                       | 12                        | 12                | 40          | 12/case  |

### BrightSorb™ High Visibility Pillows

- Color and print help prevent risk of slips, trips and falls
- Absorbs chemicals, acids and bases
- Ideal for extra protection during packaging and transport



| Catalog #   | Type   | Size    | Absorbency Factor (g/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-------------|--------|---------|-------------------------|---------------------------|-------------------|-------------|----------|
| NEW! CH1818 | Pillow | 18"x18" | 12.5                    | 14                        | 9.5               | 20          | 16/case  |

### HAZWIK® SOC

- Absorbs chemicals, acids and bases
- Flexible design is easily molded around spills



| Catalog # | Type | Size   | Absorbency Factor (g/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|------|--------|-------------------------|---------------------------|-------------------|-------------|----------|
| HAZ124    | SOC  | 3"x12' | 9                       | 12                        | 12                | 40          | 4/case   |
| HAZ412    | SOC  | 3"x4'  | 9                       | 12                        | 12                | 40          | 12/case  |

### HAZWIK® Pillows

- Absorbs chemicals, acids and bases
- Ideal for extra protection during packaging and transport



| Catalog # | Type   | Size    | Absorbency Factor (g/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|--------|---------|-------------------------|---------------------------|-------------------|-------------|----------|
| HAZ1818   | Pillow | 18"x18" | 12.5                    | 14                        | 9.5               | 20          | 16/case  |
| HAZ99     | Pillow | 9"x9"   | 12.5                    | 10                        | 14                | 40          | 32/case  |

Socs, Pillows & Drum Covers

# MATS & RUGS

## High Performance Mats and Rugs

Brady SPC absorbent mats and rugs keep aisles and walkways slip-free by absorbing and containing oils, liquids or other spills. They are designed to hold up under the toughest conditions and are ideal for high traffic areas and workstations. Compared to an entrance mat, absorbent mats and rugs offer better traction and reduce the tracking of liquids from one area to another.

## The Technology:

Brady SPC absorbent mats and rugs are constructed from a variety of more durable polypropylene materials. Featuring barrier backings and tighter fiber weaves, these products will stand up to higher traffic areas. This technology means that fibers or absorbent materials will not come loose around high traffic areas or workstations.

### Common Liquids Absorbed:

- Bases
- Oils
- Chemicals
- Solvents
- Water-based fluids

# Mats & Rugs

## Mats & Rugs Absorbent Family:

All of these mats and rugs start with a highly absorbent core - the difference is what happens from there... Features including durability, absorbency grades and construction give you versatile absorbent options for your specific application. Use the table below to help you choose the appropriate mat or rug for your applications.

|   | Application  | Durability | Linting        | Cost   | Absorbency Grades | Construction   |
|---|--|------------|----------------|--------|-------------------|--|
| <b>Adhesive Mat</b>                                   | Areas with significant foot and forklift traffic where traditional mats are a tripping hazard  | ✓✓✓        | Low Linting    | \$\$\$ | Heavy Weight      | Needle-punched polypropylene, adhesive backing                     |
| <b>BSM - Barrier Spill Matting</b>                    | High traffic aisles and walkways   | ✓✓✓        | Low Linting    | \$\$\$ | Medium Weight     | Needle-punched polypropylene, non-skid backing                     |
| <b>BrightSorb™ High Visibility Barrier-Backed Mat</b> | High traffic areas where visual cues are necessary given higher risk of slips, trips and falls | ✓✓✓        | Low Linting    | \$\$\$ | Heavy Weight      | 3-ply Spunbond coverstock, non-skid backing                        |
| <b>High Traffic (HT) Barrier-Backed Mat</b>           | Placement near workstations  | ✓✓✓        | Low Linting    | \$\$\$ | Heavy Weight      | 3-ply Spunbond coverstock, non-skid backing                        |
| <b>TrackMat Matting</b>                               | Indoor and outdoor areas where high volume spills could occur                                  | ✓✓✓        | Low Linting    | \$\$\$ | Heavy Weight      | 3-ply UV-resistant top layer, polypropylene core, non-skid backing |
| <b>SIR - Sorbent Industrial Rug</b>                   | Areas of moderate foot traffic   | ✓✓✓        | Low Linting    | \$\$   | Heavy Weight      | Needle-punched polypropylene                                       |
| <b>Rag Rug Matting</b>                                | Eco-friendly solution for areas with moderate foot traffic                                     | ✓✓         | Medium Linting | \$     | Heavy Weight      | Recycled cotton and polyester fibers                               |

Mats & Rugs



# Mats & Rugs



**NEW!**

## Adhesive Mat

Easy adherence for semi-permanent solution in high traffic aisles and walkways.

- All-purpose absorbent mat designed for general industrial applications
- Tacky underside adheres to surfaces to keep the absorbent in place and reduce slips, trips and falls
- Strong adhesive keeps mat in place for semi-permanent solution
- Gray color masks drips and spills for longer use

### Product Summary

**Liquids Absorbed:** Oils, Coolants, Solvents and Water-based Fluids  
**Durability:** ✓✓✓  
**Linting:** Low Linting  
**Absorbencies:** Heavy Weight  
**Cost:** \$\$\$

### Applications

- Aisles and walkways
- Areas with high foot and forklift traffic
- Lining entrances and exits
- Lining tool cribs and work surfaces

| Catalog #                 | Type           | Size     | Perforated | Absorbency Factor (g/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|---------------------------|----------------|----------|------------|--------------------------|---------------------------|-------------------|-------------|----------|
| <b>Adhesive Mat Rolls</b> |                |          |            |                          |                           |                   |             |          |
| NEW! AD30100              | Heavy Wt. Roll | 30"x100' | No         | 8                        | 21                        | 29                | 12          | 1/case   |
| NEW! AD15100              | Heavy Wt. Roll | 15"x100' | No         | 8                        | 11                        | 15                | 30          | 1/case   |



## BSM - Barrier Spill Matting

Industrial rug with non-slip and leak-proof barrier backing for use in high-traffic areas and around workstations.

- Needle-punched polypropylene is durable for high traffic areas and eliminates slippery areas and unsightly tracking
- Tear resistant and will not curl or buckle
- Absorbs water, oil or chemicals

### Product Summary

**Liquids Absorbed:** Oils, Coolants, Solvents and Water-based Fluids  
**Durability:** ✓✓✓  
**Linting:** Low Linting  
**Absorbencies:** Medium Weight  
**Cost:** \$\$\$

### Applications

- Ideal for high traffic industrial applications and in workstations
- Premium surface protection during renovation work

| Catalog #                  | Type           | Size     | Perforated | Absorbency Factor (g/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|----------------------------|----------------|----------|------------|--------------------------|---------------------------|-------------------|-------------|----------|
| <b>Barrier Spill Rolls</b> |                |          |            |                          |                           |                   |             |          |
| BSM100                     | Medium Wt. Rug | 36"x100' | No         | 8                        | 25                        | 24                | 20          | 1/bale   |
| BSM3650                    | Medium Wt. Rug | 36"x50'  | No         | 8                        | 12                        | 12                | 20          | 1/case   |

# Mats & Rugs



## BrightSorb™ High Visibility Barrier-Backed Mat

Absorbency, signage and durability all in one.

- Highly absorbent, all-purpose mat for industrial applications
- Printed messaging draws attention to slip, trip and fall risk areas
- Non-skid, barrier-backed 3-ply construction with spunbond coverstock for ultimate durability
- Color-coded for safety and easy separation of hazardous waste
- Product will not react with aggressive fluids



### Product Summary

**Liquids Absorbed:** Oils, Coolants, Solvents and Water-based Fluids  
**Durability:** ✓✓✓  
**Linting:** Low Linting  
**Absorbencies:** Heavy Weight  
**Cost:** \$\$\$

### Applications

- Areas with low visibility
- Lining aisles and walkways
- High-traffic areas prone to leaks, drips and spills


| Catalog #                                       | Type           | Size     | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|---|----------------|----------|------------|---------------------------|---------------------------|-------------------|-------------|----------|
| <b>High Visibility Barrier Backed Mat Pads</b>  |                |          |            |                           |                           |                   |             |          |
| NEW! CHBB100                                    | Heavy Wt. Pad  | 15"x19"  | No         | 11.7                      | 21.2                      | 15.75             | 30          | 100/case |
| <b>High Visibility Barrier Backed Mat Rolls</b> |                |          |            |                           |                           |                   |             |          |
| NEW! CHBB30                                     | Heavy Wt. Roll | 30"x100' | No         | 11.7                      | 26.7                      | 22                | 12          | 1/bale   |
| NEW! CHBB15                                     | Heavy Wt. Roll | 15"x100' | No         | 11.7                      | 13.4                      | 11                | 30          | 1/bale   |



## "High Traffic" (HT) Barrier-Backed Mat

Universal absorbent with added durability to stand up to the toughest conditions.

- All-purpose mat designed for general industrial applications and high traffic areas
- Non-skid, barrier-backed 3-ply construction with spunbond coverstock for ultimate durability
- Printed safety message reminds workers to exercise caution near high-risk slip, trip and fall areas
- Gray color masks drips and spills for longer use



### Product Summary


**Liquids Absorbed:** Oils, Coolants, Solvents and Water-based Fluids  
**Durability:** ✓✓✓  
**Linting:** Low Linting  
**Absorbencies:** Heavy Weight  
**Cost:** \$\$\$

### Applications

- Aisles and walkways
- High-traffic areas prone to leaks, drips and spills

| Catalog #                                    | Type           | Size     | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|--|----------------|----------|------------|---------------------------|---------------------------|-------------------|-------------|----------|
| <b>High Traffic Barrier-Backed Mat Pads</b>  |                |          |            |                           |                           |                   |             |          |
| NEW! HTBB100                                 | Heavy Wt. Pad  | 15"x19"  | No         | 10.1                      | 18.3                      | 14.75             | 30          | 100/case |
| <b>High Traffic Barrier-Backed Mat Rolls</b> |                |          |            |                           |                           |                   |             |          |
| NEW! HTBB30                                  | Heavy Wt. Roll | 30"x100' | No         | 10.1                      | 23.1                      | 20                | 12          | 1/bale   |
| NEW! HTBB15                                  | Heavy Wt. Roll | 15"x100' | No         | 10.1                      | 11.5                      | 10                | 30          | 1/bale   |

# Mats & Rugs



## TrackMat Matting

The ultimate barrier absorbent for high volume petroleum spills.

- Extremely strong and durable 3-ply construction features UV-resistant top layer making it ideal for outdoor applications and suitable for heavy foot or vehicle traffic
- Highly absorbent polypropylene core
- Non-slip and non-leak barrier backing prevents liquids from penetrating into the ground
- Dimpled for added durability and reduced linting

| Product Summary          |   | Applications  |
|--------------------------|---|---|
| <b>Liquids Absorbed:</b> | Oils, Coolants, Solvents and Water-based Fluids | • Where strength, absorbency and impermeability is needed |
| <b>Durability:</b>       | ✓✓✓   | • Transportation companies                                |
| <b>Linting:</b>          | Low Linting                                     | • Refineries and Steel Mills                              |
| <b>Absorbencies:</b>     | Heavy Weight                                    | • Railway or Military                                     |
| <b>Cost:</b>             | \$\$\$  |   |

| Catalog #             | Type           | Size    | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------------------|----------------|---------|------------|---------------------------|---------------------------|-------------------|-------------|----------|
| <b>TrackMat Pads</b>  |                |         |            |                           |                           |                   |             |          |
| TM30                  | Heavy Wt. Pad  | 29"x29" | No         | 9                         | 25                        | 15                | 15          | 30/bale  |
| <b>TrackMat Rolls</b> |                |         |            |                           |                           |                   |             |          |
| TM58                  | Heavy Wt. Roll | 58"x80' | No         | 9                         | 55                        | 34                | 9           | 1/bale   |
| TM29                  | Heavy Wt. Roll | 29"x80' | No         | 9                         | 20                        | 24                | 18          | 1/bale   |
| TM19                  | Heavy Wt. Roll | 19"x80' | No         | 9                         | 26                        | 32                | 18          | 2/bale   |



## SIR - Sorbent Industrial Rug

Designed for high traffic areas and workstations where there's a need for clean and safe work floors and walkways.

- Made of durable, needle-punched polypropylene fibers for high traffic areas
- Universal absorbent roll for water-based chemicals or oil
- Eliminates slippery areas and unsightly tracking between the plant and office areas
- Can stand up to most aggressive fluids

| Product Summary          |   | Applications                                |
|--------------------------|---|---|
| <b>Liquids Absorbed:</b> | Oils, Coolants, Solvents and Water-based Fluids | • Vehicles repair and service               |
| <b>Durability:</b>       | ✓✓✓   | • Warehouse and container terminal          |
| <b>Linting:</b>          | Low Linting                                     | • Surface protection during renovation work |
| <b>Absorbencies:</b>     | Heavy Weight                                    | • Marine spills/wildlife preservation       |
| <b>Cost:</b>             | \$\$  |   |

| Catalog #                       | Type          | Size     | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|---------------------------------|---------------|----------|------------|---------------------------|---------------------------|-------------------|-------------|----------|
| <b>Sorbent Industrial Rolls</b> |               |          |            |                           |                           |                   |             |          |
| SIR36                           | Heavy Wt. Rug | 36"x300' | No         | 8.5                       | 59                        | 50                | 12          | 1/bale   |
| SIR36150                        | Heavy Wt. Rug | 36"x150' | No         | 12.5                      | 45                        | 25                | 18          | 1/bale   |
| SIR72                           | Heavy Wt. Rug | 72"x150' | No         | 8.5                       | 59                        | 50                | 12          | 1/bale   |



# Mats & Rugs

Mats & Rugs



## Rag Rug Matting

Newly updated for great absorbency and added durability!  
Eco-friendly highly absorbent matting made from recycled materials

- Economy rug made from recycled cotton and polyester fibers
- Provides good footing, masks dirt and absorbs spills
- Soaks up oil, water-based and solvent-based liquids
- Ideal for maintenance, repair and industrial environments



| Product Summary          |   | Applications  |
|--------------------------|---|---|
| <b>Liquids Absorbed:</b> | Oils, Coolants, Solvents and Water-based Fluids | <ul style="list-style-type: none"> <li>• Ideal for high traffic industrial applications and in workstations</li> <li>• Premium surface protection during renovation work</li> </ul> |
| <b>Durability:</b>       | ✓✓  |   |
| <b>Linting:</b>          | Low Linting                                     |   |
| <b>Absorbencies:</b>     | Heavy Weight                                    |   |
| <b>Cost:</b>             | \$  |   |

| Catalog #            | Type           | Size     | Perforated | Absorbency Factor (gl/gs) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|----------------------|----------------|----------|------------|---------------------------|---------------------------|-------------------|-------------|----------|
| <b>Rag Rug Pads</b>  |                |          |            |                           |                           |                   |             |          |
| RAG1818              | Heavy Wt. Pads | 18"x18"  | No         | 9                         | 38                        | 32                | 24          | 50/case  |
| <b>Rag Rug Rolls</b> |                |          |            |                           |                           |                   |             |          |
| RAG36150             | Heavy Wt. Rug  | 36"x150' | No         | 9                         | 55                        | 47                | 6           | 1/bale   |
| RAG24150             | Heavy Wt. Rug  | 24"X150  | No         | 9                         | 37                        | 52                | 12          | 1/bale   |

# MARINE

## HIGH ABSORBENCY ON THE WATER

### Marine Absorbents

Brady SPC marine absorbents are specially designed to float on water and contain or absorb a wide variety of marine fuels and oils. From containment to booming and skimming operations, these absorbents will soak up unwanted fluids on lakes, rivers, streams and coastal shorelines. Marine absorbent products are made for high absorbency and rapid deployment in demanding emergency situations.

#### Recommended For:

- Marinas
- On Boats & ships
- Loading docks
- Affluent pipes
- Outdoor liquid transfer points
- Fuel storage tanks

### The Technology:

Brady SPC absorbent booms are constructed of highly absorbent polypropylene fibers encased in a durable skin that is lined with a heavy duty tow rope. The booms are fastened with three stainless steel connectors to allow for linkage and aid in fast retrieval. This is extremely important when towing heavy booms are saturated with oil.



# Marine Sorbents

Marine



ENV510

SPC5510\*

## Absorbent Booms

- Universal booms can be used on land and indoors absorbing all water-based, oil-based and chemical fluids
- Premium SPC® booms are lint free and easy to handle
- Economical ENV® booms feature a lint-free blue sleeve

| Catalog # | Type           | Size   | Absorbency Factor (g/g) | Absorb Cap. (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.    |
|-----------|----------------|--------|-------------------------|-------------------|-------------------|-------------|---------|
| ENV810    | ENV Oil Boom   | 8"x10' | 13                      | 65                | 38                | 12          | 4/bale  |
| ENV510    | ENV Oil Boom   | 5"x10' | 12.6                    | 32                | 19                | 20          | 4/bale  |
| SPC810    | SPC Oil Boom   | 8"x10' | 13.3                    | 71                | 40                | 12          | 4/bale  |
| SPC510    | SPC Oil Boom   | 5"x10' | 12.6                    | 32                | 19                | 20          | 4/bale  |
| SPC5510   | SPC Oil Boom*  | 5"x10' | 12.1                    | 61                | 19                | 20          | 4/bale  |
| SPC818    | SPC Oil Boom   | 8"x18" | 12.5                    | 28                | 17                | 16          | 10/bale |
| SPC518    | SPC Oil Boom   | 5"x18" | 12.6                    | 12                | 8                 | 36          | 10/case |
| SPC318    | SPC Oil Boom   | 3"x18" | 9.5                     | 14                | 10                | 40          | 25/case |
| SPCUN810  | Universal Boom | 8"x10' | 13.3                    | 71                | 19                | 9           | 4/bale  |
| SPCUN510  | Universal Boom | 5"x10' | 12.6                    | 32                | 19                | 20          | 4/bale  |

\*SPC5510 features two 5"x10' booms attached side by side.



## Containment Booms

- Cost-effective solution for containment of oil spills on water
- Also used as barriers in holding ponds to retain waste and debris

| Catalog # | Type | Size                               | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|------|------------------------------------|-------------------|-------------|----------|
| CB612     | Boom | 6" Float, 12" Skirt, 100' Sections | 200               | 3           | 1/case   |
| CB305     | Boom | 3" Float, 4.5" Skirt, 25' Sections | 22.5              | 11          | 1/case   |



## Sweeps & Pillows

- Features a 2-ply construction, and durable blue coverstock for extra strength (for use with oil and petroleum-based fluids)
- "Sweep" the water to remove surface oil
- 100' sections are ideal for dragging behind or connecting between two ships

| Catalog # | Type   | Size     | Absorbency Factor (g/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|--------|----------|-------------------------|---------------------------|-------------------|-------------|----------|
| SPC1900   | Sweep  | 19"x100' | 15                      | 26                        | 13                | 30          | 1/bale   |
| SPC10     | Pillow | 14"x25"  | 12.5                    | 52                        | 30                | 10          | 10/bale  |



ODO08

ONO30

## Oil Nets/Drag Nets

- Flat, chemical-resistant filaments in half-pound units float in water and entrap heavy oil
- Reusable after draining or dousing with #1 or #2 weight oils; extracted oil can be recycled or downgraded as fuel oil
- Use as a sweep between boats or deployed along a shoreline

| Catalog # | Type     | Size                | Absorbency Factor (g/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|-----------|----------|---------------------|-------------------------|---------------------------|-------------------|-------------|--------|
| ODN08     | Oil Only | 30 nets on 50' rope | 15                      | 15                        | 16                | 24          | 1/bale |
| ONO30     | Oil Only | 30 nets (no rope)   | 15                      | 15                        | 17                | 24          | 1/bale |

# GRANULAR & NEUTRALIZERS

## LOOSE, MULTI-PURPOSE ABSORBENTS

### Granular & Neutralizer Absorbents

Granular absorbents are loose, multi-purpose absorbents used for liquid spill clean-up, lab packing and stabilization of free liquids. These absorbents are ideal for facilities that prefer or require the use of traditional granular absorbents.

Neutralizing polymers provide safe spill control for most acids, including battery spills. Color change indicates when neutralization has taken place.

### The Technology:

The small, loose particles of a granular absorbent make it ideal for applications where a pad or roll would not offer a proper fit. Liquids don't always spill on a smooth surface, and when they do, a granular absorbent can absorb liquids from the cracks and crevices of a variety of surfaces.

#### Recommended For:

- Absorbing oils, solvents, lubricants, coolant and water on uneven surfaces including on roads or parking lots
- Acid or base spills requiring neutralization prior to spill cleanup

+

# Granular Absorbents

## Re-Form™ Granular

- 100% recycled material - safe for the environment and employee use
- Absorbs oils, solvents, lubricants, coolants, water and most non-aggressive liquids on contact
- 1:1 absorbency ratio - absorbs its own weight in oil

| Catalog #  | Type             | Size   | Absorbency Factor (g/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|------------|------------------|--------|-------------------------|---------------------------|-------------------|-------------|----------|
| RFGRANULAR | Re-Form Granular | 30 lbs | 1                       | 16.7                      | 1950              | 65          | 1 pallet |

## SPC Granular Absorbent

- All natural corn cob product for oil, grease, water and other liquids. (Not for use with aggressive fluids)
- Ideal for use in aircraft maintenance, machine shops, food processing, filling lines and bulk liquid transfer stations

| Catalog # | Type               | Size   | Absorbency Factor (g/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|--------------------|--------|-------------------------|---------------------------|-------------------|-------------|----------|
| DZ100     | Universal Granular | 40 lbs | 1.5                     | 8.5                       | 1600              | 40          | 1 pallet |

## Sphag Sorb® Oil Only Granular Absorbent

- All-organic oil only absorbent, manufactured from high quality fiber sphagnum peat moss
- Ideal for oil only clean-up on open water and land applications
- Absorbs 8 times its weight

| Catalog # | Type              | Size   | Absorbency Factor (g/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|-------------------|--------|-------------------------|---------------------------|-------------------|-------------|----------|
| CS-CB18   | Oil Only Granular | 18 lbs | 8                       | 18/bag                    | 1000              | 50          | 1 pallet |

## Oil Gator Granular

- All natural biodegradable absorbent captures 2-6 times its weight in oil
- Will not harm environment and stops leaching of contaminants into the soil and groundwater

| Catalog # | Type              | Size   | Absorbency Factor (g/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|-------------------|--------|-------------------------|---------------------------|-------------------|-------------|----------|
| GS-10     | Oil Only Granular | 30 lbs | 2 to 6                  | 23                        | 1800              | 60          | 1 pallet |

## Acid & Base Neutralizing Polymer

- Acid neutralizer provides safe spill control for most acids, including battery spills
- Base neutralizer used for lab equipment and most bases
- Color change indicates neutralization
- Non-toxic, non-corrosive and non-hazardous

| Catalog # | Type             | Size | Absorbency Factor (g/g) | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|------------------|------|-------------------------|---------------------------|-------------------|-------------|----------|
| SPC-ACID  | Acid Neutralizer | 2lb  | n/a                     | 0.65                      | 2                 | 1200        | 1/each   |
| SPC-BASE  | Base Neutralizer | 2lb  | n/a                     | 0.65                      | 2                 | 1200        | 1/each   |

Acid Neutralizer

Base Neutralizer

\*Sphag Sorb® is a registered trademark of Bay Market Development, Inc.

Granular

+

www.bradyid.com.sg

51

SPC\_Absorbent\_Catalog\_201610-UPDATE.indb 51

+

16/11/16 3:24 PM



# SPILL CONTROL & CONTAINMENT

KEEPING YOU SAFE FROM UNEXPECTED SPILLS OR LEAKS.

## Spill Containment

A proper spill containment plan can help create a safe and productive work environment for your employees. Brady SPC spill containment products help to prepare and protect any facility with solutions for unexpected accidents. Absorbent storage centers and spill kits provide fast-response solutions for unplanned spills of oils, solvents, coolants and other fluids. Brady SPC drains, spill decks, berms, pans and pallets also help ensure facility safety by catching, controlling and containing unexpected leaks, drips and spills.

### Common Uses:

- Accidental or unexpected spills
- Indoor and outdoor drain applications
- Drain pans for dripping valves or faucets
- Storing absorbent products at the point of need

# Spill Control & Containment



## Drip Pans

- Durable, low profile, polyethylene drip pans easily fit under leaky drum spigots and other problem areas
- Pan and universal fill captures up to 3/4 of a gallon of liquid
- Wide base prevents tipping

| Catalog # | Type     | Size      | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|----------|-----------|-------------------|-------------|----------|
| DPA24     | Drip Pan | 10" x 10" | 6                 | 20          | 24/case  |



## Drain Plugs

- Conical-shaped drain plugs made from chemical-resistant PVC keep spills from entering the drainage system and features a "metal eye" for easy insertion or removal. Then just rinse and re-use when finished

| Catalog # | Type       | Size    | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|------------|---------|-------------------|-------------|----------|
| PLUG6     | Drain Plug | 6" Plug | 6                 | 50          | 1/case   |
| PLUG4     | Drain Plug | 4" Plug | 4                 | 50          | 1/case   |
| PLUG3     | Drain Plug | 3" Plug | 3                 | 50          | 1/case   |
| PLUG2     | Drain Plug | 2" Plug | 2                 | 50          | 1/case   |



SLIKSTOPPER  
PVC Drain Seal

Spill Magnet™  
Drain Seal

## Drain Seals

- Resists water, oil and most aggressive fluids
- Easy application; soap and water cleanup for re-use
- SLIKSTOPPER Drain Seals' flexible, chemical-resistant PVC seals drains to prevent spills from flowing into the drainage system
- Spill Magnet Seals are backed with a strong magnet to tightly seal drains

| Catalog # | Type         | Size      | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|--------------|-----------|-------------------|-------------|----------|
| PVC42     | Slikstopper  | 42" x 42" | 46                | 20          | 1/case   |
| PVC36     | Slikstopper  | 36" x 36" | 34                | 35          | 1/case   |
| PVC24     | Slikstopper  | 24" x 24" | 14                | 40          | 1/case   |
| PVC18     | Slikstopper  | 18" x 18" | 9                 | 80          | 1/case   |
| 96229     | Spill Magnet | 12" dia.  | 1                 | 100         | 1/each   |



## Storm Drain Guards

- Non-woven polypropylene drain guards keep oil, sediment and contaminants from entering the water system
- Holds up to 40 lbs of sediment; flow rate is 500 gpm (new) and 700 gpm bypass
- DGUARD14 and DGUARD1410 feature X-TEX filter strips which increase absorbency

| Catalog #  | Type        | Size            | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|------------|-------------|-----------------|---------------------------|-------------------|-------------|----------|
| DGUARD14   | Drain Guard | 36" X 48" X 18" | 1.4                       | 2                 | 36          | 1/case   |
| DGUARD1410 | Drain Guard | 36" X 48" X 18" | 14                        | 20                | 20          | 10/case  |
| DGUARD9    | Drain Guard | 36" X 48" X 18" | 0.9                       | 1                 | 36          | 1/case   |
| DGUARD910  | Drain Guard | 36" X 48" X 18" | 9                         | 10                | 20          | 10/case  |

# Spill Control & Containment

## Spill Containment

SPC spill containment products are designed with your efficiency in mind - keeping your employees and work environment safe from unexpected drum spills or leaks.

### Spill Containment decks and pallets feature:

- **Solid Construction:** Injection molding ensures exceptional durability and consistent specifications
- **Standard Lip and Grate Heights:** Manufactured to standard heights to allow uninhibited movement
- **Nestable:** Remove the grates and stack for storage
- **Grate Pins:** Pins keep the grates in place during use and prevent the walls from bulging
- **Interchangeable Grates with Large Openings:** Removable grates can be used with spill decks or spill pallets (even between two and four drum pallets)
- **Forklift Friendly:** Easily use your forklift to re-locate your decks or pallets and drums



### Spill Decks

- Low profile, 21.2 gallon capacity, 2-drum spill decks
- Contain hazardous leaks in your drum storage and dispensing areas
- Built-in clips easily connect multiple decks – creating a 4, 6, 8 or more drum storage platform

| Catalog # | Type   | Size              | Absorbency Capacity (gal) | Load Cap. (lbs) | Shipping Wt (lbs) | Pallet Qty. | Quantity |        |
|-----------|--|-------------------|---------------------------|-----------------|-------------------|-------------|----------|--------|
| SC-SD2    | 2 Drum Spill Deck                                      | 26"W X 52"L X 6"H | 21.2                      | 2,500           | 31                | 15          | 1/each   |        |
| SC-DK     | Sump Drain Kit to share capacity across multiple decks |                   |                           |                 |                   | 2           | 100      | 1/case |



### Spill Pallets

- Comply with governmental secondary containment regulations
- Capacity up to 128.9 gallons
- 2-drum or 4-drum configuration

| Catalog # | Type                | Size               | Absorbency Capacity (gal) | Load Cap. (lbs) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|---------------------|--------------------|---------------------------|-----------------|-------------------|-------------|----------|
| SC-DP4    | 4-Drum Spill Pallet | 52"W X 52"L X 17"H | 128.9                     | 5,000           | 89                | 10          | 1/each   |
| SC-DP2    | 2-Drum Spill Pallet | 26"W X 52"L X 17"H | 68.7                      | 2,500           | 46.5              | 10          | 1/each   |
| SC-DPR    | Spill Pallet Ramp   | 32.5"W X 70"L      | n/a                       | 650             | 47.5              | 3           | 1/each   |

Easy loading ramp works with both the 2-drum and 4-drum spill pallets. (sold separately)



### Spill Berms

- Standard and lightweight available
- Self-contained berms feature single piece construction for enhanced durability
- Requires no assembly, tools or inflation

| Catalog # | Type                   | Size       | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|------------------------|------------|---------------------------|-------------------|-------------|----------|
| SB-1236   | Standard Spill Berm    | 12'x36'x1' | n/a                       | 149               | 1           | 1/each   |
| SB-1226   | Standard Spill Berm    | 12'x26'x1' | n/a                       | 112               | 1           | 1/each   |
| SB-1212   | Standard Spill Berm    | 12'x12'x1' | 1,077                     | 60                | 1           | 1/each   |
| SB-1010   | Standard Spill Berm    | 10'x10'x1' | 748                       | 47                | 1           | 1/each   |
| SB-SL46   | Lightweight Spill Berm | 4'x6'x8"   | 119                       | 8                 | 10          | 1/each   |
| SB-SL44   | Lightweight Spill Berm | 4'x4'x8"   | 79                        | 6                 | 20          | 1/each   |

# Spill Control & Containment

## Spill Containment and Storage

A proper spill containment plan can help create a safe and productive work environment for your employees. SPC spill containment products help to prepare and protect any facility with solutions for unexpected, critical accidents. Absorbent storage centers and SPC spill kits provide fast-response solutions for unplanned spills of oils, solvents, coolants and other fluids. SPC drains, spill decks, berms, pans and pallets also ensure facility safety by catching, controlling and containing unexpected leaks, drips and spills.



\* Absorbents sold separately.



Set Of Casters



15" or 40" Dowel Rods



Accessory Pack  
(goggles, gloves, disposal bags with ties and an emergency handbook)



Wall Mount

### Absorbent Centers

- Fill with just about any Brady SPC absorbent
- Use as a deployment station or mobile spill control unit
- Fits up to a 38" roll & full bales of pads - no special refills required
- Stack two or three to make a cabinet, hang it on the wall, or place it under your workbench

| Catalog # | Type                             | Size  | Shipping Wt (lbs) | Pallet Qty. | Quantity |
|-----------|----------------------------------|---|-------------------|-------------|----------|
| SC-3000   | Absorbent Center Without Casters | 50"W x 26"H x 21-1/2"D  | 50                | 15          | 1/each   |
| SC-ACC    | Accessory Pack                   | Includes goggles, gloves, disposal bags with ties, and an emergency handbook. |                   |             | 1 pack   |
| SC-D15    | 15" Dowel Rod                    | 15"   | n/a               | n/a         | 1 rod    |
| SC-D40    | 40" Dowel Rod                    | 40"   | n/a               | n/a         | 1 rod    |
| SC-4      | Set of 4 casters                 | -   | n/a               | n/a         | 1 pack   |
| SC-MB     | Wall Mount                       | n/a   | n/a               | n/a         | 1 each   |

### Spill Control Cart

- Secure storage with locking handle (2 keys included)
- Convenient sturdy work surface with one fixed interior shelf
- 3" backstop on top surface
- Tubular handle and wheels for ease of mobility
- Extremely durable 16 gauge all welded steel
- Fill parts include: (100) 15"x19" Pads, (8) Pillows, (5) 3"x 4' SOCs, (5) Disposal Bags, Goggles, Nitrile Gloves



\* Absorbents sold separately.

| Catalog #  | Type               | Size             | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|------------|--------------------|------------------|-------------------|-------------|--------|
| SC-Cart    | Spill Control Cart | 36 x 18 x 38-3/8 | 180               | 1           | 1/each |
| SC-Cart-UF | Universal Fill     | -                | -                 | -           | 1/each |
| SC-Cart-OF | Oil Only Fill      | -                | -                 | -           | 1/each |
| SC-Cart-HF | Chemical Fill      | -                | -                 | -           | 1/each |

### Spill Control Cabinet

- Allows easy access for emergency situations
- 2 fully adjustable shelves
- Durable construction and keyhole slots for wall hanging
- Plexiglas window allows for easy content inventory
- Fill parts include: (50) 15"x19" Pads, (6) Pillows, (4) 3"x 4' SOCs, (5) Disposal Bags, Goggles, Handbook, Nitrile Gloves



\* Absorbents sold separately.

| Catalog #     | Type                  | Size                     | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|---------------|-----------------------|--------------------------|-------------------|-------------|--------|
| SC-Cabinet    | Spill Control Cabinet | 19-7/8 x 14-1/4 x 32-3/4 | 45                | 9           | 1/each |
| SC-Cabinet-UF | Universal Fill        | -                        | -                 | -           | 1/each |
| SC-Cabinet-OF | Oil Only Fill         | -                        | -                 | -           | 1/each |
| SC-Cabinet-HF | Chemical Fill         | -                        | -                 | -           | 1/each |

# Spill Control & Containment

## Spill Kits

**A range of emergency response kits to handle any type of spill.**

Accidents happen, so it's better to be prepared. Brady SPC offers a complete selection of spill kits in a variety of types and sizes to equip you with everything you need to clean-up accidents when they happen. Quickly and easily clean-up spills of oils, solvents, coolants and other fluids. They are ideal for fast response to critical accidents.

**Many of our kits are available in the following types:**

- **Universal/Maintenance Kits**  
For oil, water-based and chemical liquids
- **Oil Only Spill Kits**  
For oil and petroleum-based liquids
- **Mixed Oil Only and Universal Spill Kits**  
For indoor and outdoor applications. Kit contains both all-purpose universal absorbents and water-repellent oil only absorbents for petroleum and oil-based liquids
- **Chemical Spill Kits**  
For aggressive and hazardous liquids
- **Re-Form™ Spill Kits**  
Universal absorbents that are eco-friendly
- **TAA Compliant Spill Kits**  
Complies with the Trade Agreements Act



### Trade Agreement (TAA) Compliant Kits

GSA Schedule Contracts are subject to the Trade Agreements Act (TAA), meaning all products listed on the GSA Schedule Contract must be manufactured or "substantially transformed" in a "designated country." The designated countries are comprised of:

- World Trade Organization government procurement agreement countries
- Free trade agreement countries
- Least developed countries
- Caribbean basin countries

### Spill Kits Increase Efficiency

Worker productivity and efficiencies can be improved dramatically by strategically placing spill kits or absorbent storage centers around the facility, closer to the areas of need. For both emergency response and routine maintenance and safety, employees should not be wandering away from their workstation to the other side of the plant or tool room to find the absorbent materials they need.

**Be prepared: make sure you have spill kits on hand throughout your facility!**



Shipping Docks



Freight Vehicles



Plant Floor



Maintenance Areas



# Spill Control & Containment



## Spill Procedure Guide: What To Do When A Spill Occurs

When a spill occurs, time is of the essence to make sure a quick and safe clean-up occurs. Here are some helpful hints to make sure you, your employees and the environment are protected.

### 1. Risk Assessment

Evaluate the type of material spilled and identify the source. If you are NOT familiar with the liquid and its chemical properties, vacate the area and contact proper authorities.

### 2. Protective Clothing

Wear the appropriate protective gear for the situation. If the source or the material is not identifiable, assume the worst.

### 3. Containment

Contain the liquid and seal drains.

### 4. Stop the Source

Close valves, rotate punctured drums and plug leaks where it is possible and safe to do so.

### 5. Begin Clean Up

Use Brady SPC absorbents to absorb spilled liquids.



### 6. Contact Authorities

Report the spill to proper legal authorities in your community. Be sure to fill out all necessary reports in accordance with local laws.

### 7. Disposal of Used Material

Absorbent materials take on the characteristics of whatever they absorb. Be sure to dispose of used absorbents and spilled liquids in accordance with local laws.

### 8. Decontaminate

Clean all tools and reusable materials properly before reuse.

### 9. Restock Materials

Replace absorbent materials and safety equipment used in any clean-up operation.

### 10. Review Contingency Plans and Procedures!

PLEASE NOTE: THE SPC SPILL KIT IS A STOP-GAP MEASURE FOR MINOR SPILL CLEAN-UP. IF A SERIOUS SPILL OCCURS, CONTACT LOCAL AUTHORITIES FOR DIRECTION AND ASSISTANCE FOR THE PROBLEM. DUE TO THE POSSIBLE TOXIC AND HAZARDOUS FLUID ABSORBED, BRADY DOES NOT RECOMMEND DISPOSAL PROCEDURES.

# Spill Control & Containment

Spill Control & Containment

**NEW!**

## BrightSorb™ High Visibility Spill Kits

When a spill occurs, use Brady SPC's BrightSorb™ High Visibility Spill Kits for quick and efficient clean up.

- Include everything you need to contain your spill – a variety of absorbents, PPE and instruction information.
- If you currently use standard universal absorbents, consider high visibility spill kits to control consumption.
- When you see a high visibility absorbent, you'll automatically know that it came from a spill kit.



### BrightSorb™ MAXX® Packs

- Mini-packs in re-sealable zipper bags
- 20 durable 2-ply pads
- Kit dimensions: 15.5"L x 19.5"W x 20.5"H

**Contents:**

- 20 pads (15" x 19")

| Catalog #           | Type                | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|---------------------|---------------------|---------------------------|-------------------|-------------|--------|
| <b>NEW!</b> MXP-C20 | BrightSorb Chemical | 30                        | 14                | 24          | 5/case |



### BrightSorb™ Economy Spill Kit

- Highly visible, yellow PVC bag for small spills; the right price, the right size and the right value
- Absorbs up to 5 gallons per kit
- Kit dimensions: 20"L X 16"W X 4"H

**Contents:**

- 10 pads (15" x 19")
- 2 SOCs (3" x 4")
- 1 disposal bag
- 1 pair nitrile gloves
- 1 instruction sheet

| Catalog #           | Type                | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|---------------------|---------------------|---------------------------|-------------------|-------------|--------|
| <b>NEW!</b> SKCH-PP | BrightSorb Chemical | 5                         | 5                 | 20          | 4/case |



# Spill Control & Containment



## BrightSorb™ 6.5-Gallon Spill Bucket

- Fast and small response with easily accessible spill kit in a reusable bucket
- Absorbs up to 9 gallons per kit  
Kit Dimensions: 14"Dia. X 18"H

**Contents:**

- 10 pads (15" x 19")
- 3 SOCs (3" x 4')
- 2 disposal bags
- 1 pair nitrile gloves
- 1 instruction sheet

| Catalog #     | Type                | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|---------------|---------------------|---------------------------|-------------------|-------------|--------|
| NEW! SKCH-BKT | BrightSorb Chemical | 9                         | 8                 | 60          | 1/each |



## BrightSorb™ 20-Gallon Lab Pack

- UN-approved water and chemical resistant polyethylene container with screw top lid for medium response
- Absorbs up to 17 gallons per kit  
Kit Dimensions: 21"Dia. X 18"H

**Contents:**

- 12 pads (15" x 19")
- 3 SOCs (3" x 12')
- 2 pillows (18" x 18")
- 3 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook

| Catalog #    | Type                | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|--------------|---------------------|---------------------------|-------------------|-------------|--------|
| NEW! SKCH-20 | BrightSorb Chemical | 17                        | 26                | 18          | 1/each |



## BrightSorb™ 55-Gallon Drum

- Lever locked 55-gallon drum meets UN specifications and is ideal for medium spills
- Absorbs up to 38 gallons per kit
- Kit Dimensions: 24"Dia. X 37"H

**Contents:**

- 50 pads (15" x 19")
- 4 SOCs (3" x 12')
- 8 pillows (18" x 18")
- 5 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook

| Catalog #    | Type                | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|--------------|---------------------|---------------------------|-------------------|-------------|--------|
| NEW! SKCH-55 | BrightSorb Chemical | 38                        | 52                | 8           | 1/each |



## BrightSorb™ 95-Gallon Overpack

- Tough, secure, screw-topped overpack drum for large spills meets UN and DOT specifications
- Absorbs up to 75 gallons per kit
- Kit Dimensions: 31.5"Dia. X 35"H

**Contents:**

- 110 pads (15" x 19")
- 12 SOCs (3" x 4')
- 8 SOCs (3" x 12')
- 8 pillows (18" x 18")
- 10 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook

| Catalog #    | Type                | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|--------------|---------------------|---------------------------|-------------------|-------------|--------|
| NEW! SKCH-95 | BrightSorb Chemical | 75                        | 104               | 3           | 1/each |



# Spill Control & Containment

## Small Spill Response Kits

These kits are portable and have a small foot print - perfect for placement throughout your facility. Include them in each work cell, maintenance area, laboratory and on storage carts to ensure you're prepared when a spill occurs.



**NEW! Available with BrightSorb™ High Visibility Absorbents**

### MAXX® Packs

- Mini-packs in re-sealable zipper bags
- 20 durable 2-ply pads
- Kit dimensions: 15.5"L x 19.5"W x 20.5"H

**Contents:**

- 20 pads (15" x 19")

| Catalog #           | Type                | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|---------------------|---------------------|---------------------------|-------------------|-------------|--------|
| MXP-U20             | Universal           | 30                        | 14.4              | 24          | 5/case |
| MXP-O20             | Oil Only            | 35                        | 15                | 24          | 5/case |
| <b>NEW!</b> MXP-C20 | BrightSorb Chemical | 30                        | 14                | 24          | 5/case |

### BASIC Spill Kits

- Small selection of pads, socks and PPE makes these kits a perfect option for work cells, vehicles and small spaces
- Kit dimensions: 4.5"L x 15"W x 18"H

**Contents:**

- 10 pads (15" x 19")
- 2 SOCs (3" x 4')
- 1 pillow (17" x 19")
- 1 disposal bag
- 1 pair goggles
- 1 pair nitrile gloves
- 1 instruction sheet

| Catalog #           | Type      | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|---------------------|-----------|---------------------------|-------------------|-------------|--------|
| <b>NEW!</b> SKA-BSC | Universal | 3                         | 7                 | 40          | 1/case |
| <b>NEW!</b> SKO-BSC | Oil Only  | 3                         | 7                 | 40          | 1/case |



**NEW!**

### Attack Pac Spill Kit

- Space saving, single use kit, packed in puncture and UV resistant foil bag (includes grommet for hanging)
- Absorbs up to 7 gallons per kit
- Kit dimensions: 20"L X 16"W X 4"H

**Contents:**

- 15 pads (15" x 19")
- 3 SOCs (3" x 4')
- 1 disposal bag
- 1 pair goggles
- 1 pair nitrile gloves
- 1 instruction sheet

| Catalog #   | Type      | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|-------------|-----------|---------------------------|-------------------|-------------|--------|
| SKA-ATK     | Universal | 7                         | 36.5              | 24          | 4/case |
| SKA-ATK-TAA | Universal | 7                         | 36.5              | 24          | 4/case |
| SKO-ATK     | Oil Only  | 7                         | 23                | 24          | 4/case |
| SKH-ATK     | Chemical  | 7                         | 25                | 24          | 4/case |
| SKR-ATK     | Re-Form   | 7                         | 36.5              | 24          | 4/case |



# Spill Control & Containment

## Small Spill Response Kits (cont.)



**NEW! Available with BrightSorb™ High Visibility Absorbents**

### Economy Spill Kit

- Highly visible, yellow PVC bag for small spills; the right price, the right size and the right value
- Absorbs up to 5 gallons per kit
- Kit dimensions: 20"L X 16"W X 4"H

**Contents:**

- 10 pads (15" x 19")
- 2 SOC's (3" x 4')
- 1 disposal bag
- 1 pair nitrile gloves
- 1 instruction sheet

| Catalog #    | Type                | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|--------------|---------------------|---------------------------|-------------------|-------------|--------|
| SKA-PP       | Universal           | 5                         | 24                | 20          | 4/case |
| SKA-PP-TAA   | Universal           | 5                         | 24                | 20          | 4/case |
| SKO-PP       | Oil Only            | 5                         | 24                | 20          | 4/case |
| NEW! SKCH-PP | BrightSorb Chemical | 5                         | 5                 | 20          | 4/case |
| SKH-PP       | Chemical            | 5                         | 24                | 20          | 4/case |
| SKR-PP       | Re-Form             | 5                         | 24                | 20          | 4/case |

### Emergency Response Kit

- Quickly assess the absorbents you have through the clear shoulder bag when you respond to the spill
- Absorbs up to 15 gallons per kit
- Kit Dimensions: 25.5"L x 17"W x 21.5"H

**Contents:**

- 32 pads (15" x 19")
- 5 SOC's (3" x 4')
- 1 pillow (17" x 19")
- 2 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- 1 instruction sheet



| Catalog # | Type      | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|-----------|-----------|---------------------------|-------------------|-------------|--------|
| SKA-CFB   | Universal | 15                        | 25                | 24          | 1/case |
| SKO-CFB   | Oil Only  | 15                        | 25                | 24          | 1/case |
| SKH-CFB   | Chemical  | 15                        | 25                | 24          | 1/case |

### Emergency Spill Sak

- Portable economy spill kit packed in a reusable sack
- Absorbs up to 10 gallons per kit
- Kit dimensions: 32"L X 20"W X 12"H

**Contents:**

- 10 pads (15" x 19")
- 2 SOC's (3" x 12')
- 1 pillow (17" x 19")
- 1 disposal bag
- 1 pair nitrile gloves
- 1 instruction sheet



| Catalog # | Type      | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|-----------|-----------|---------------------------|-------------------|-------------|--------|
| SKA-SAK   | Universal | 10                        | 10                | 40          | 1/each |
| SKO-SAK   | Oil Only  | 10                        | 10                | 40          | 1/each |
| SKH-SAK   | Chemical  | 10                        | 10                | 40          | 1/each |

Spill Control & Containment

# Spill Control & Containment

## Small Spill Response Kits (cont.)



### 2-Gallon Spill Response Plus Kit

- Small sized absorbents are highly absorbent, durable and low linting
- Ideal for hospitality, retail, restaurants or anywhere that requires a small pad
- Absorbs up to 4.5 gallons per kit
- Kit Dimensions: 9.75" Dia. X 10.5"

**Contents:**

- 20 pads (7.5" x 10")
- 1 pair of goggles
- 1 disposable bag
- 1 instruction sheet
- 1 pair of nitrile gloves

| Catalog # | Type      | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|-----------|-----------|---------------------------|-------------------|-------------|--------|
| SKA-SRP   | Universal | 4.5                       | 2.5               | 48          | 1/each |
| SKO-SRP   | Oil Only  | 4.5                       | 2.5               | 48          | 1/each |
| SKH-SRP   | Chemical  | 4.5                       | 2.5               | 48          | 1/each |

### Mobile Spill Kaddie

- Mobile, compact emergency kit for fast spill response anywhere in the plant
- Absorbs up to 22 gallons per kit
- Kit Dimensions: 18"L X 17"W X 39"H

**Contents:**

- 1 roll (15" x 73")
- 1 pair goggles
- 5 SOC's (3" x 4")
- 1 pair nitrile gloves
- 8 pillows (10" x 10")
- Emer. Response Guidebook
- 5 disposal bags



| Catalog # | Type              | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|-----------|-------------------|---------------------------|-------------------|-------------|--------|
| SKA-K2    | Universal         | 22                        | 42                | 10          | 1/each |
| SKH-K2    | Chemical          | 22                        | 42                | 10          | 1/each |
| SKO-K2    | Oil Only          | 22                        | 42                | 10          | 1/each |
| SKA-K2R   | Universal Refill* | 22                        | 25                | 20          | 1/each |
| SKO-K2R   | Oil Only Refill*  | 22                        | 25                | 20          | 1/each |
| SKH-K2R   | Chemical Refill*  | 22                        | 25                | 20          | 1/each |

\*Refills do not include the container.

### Custom Spill Kits Available

Create your own Custom Spill Kits with an assortment of Brady's most popular absorbent products, accessories and containers. Choose the products you need, in the quantities you want.

**View page 71 or contact Brady Customer Service for more information on creating your Custom Spill Kits.**

# Spill Control & Containment

## Vehicle Spill Kits

Spills are common during transportation. Make sure your fleet is outfitted with the appropriate kit to quickly attend to any spill when en route.



### Economy Vehicle Spill Kits

- Compact emergency kit for fast spill response
- Designed in your truck, cab or storage cubby
- Universal and oil only products allow kit to be used for mixed fluid applications
- Absorbs up to 7.75 gallons per kit

**Contents:**

- 10 oil only pads (15" x 19")
- 10 universal pads (15" x 19")
- 2 SOCs (3"x 42")
- 1 putty pat
- 2 disposable bags
- 1 pair of goggles
- 1 pair of nitrile gloves

| Catalog # | Type              | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Pallet Qty. |
|-----------|-------------------|---------------------------|-------------------|-------------|-------------|
| BSCSK-CB  | Vehicle Spill Kit | 7.75                      | 7                 | 50          | 1/each      |

### Camouflaged Vehicle Spill Kits

- Mobile, compact emergency kit for fast spill response
- Easily fits in your truck, cab or storage cubby
- Universal and oil only products allow kit to be used for mixed fluid applications
- Absorbs up to 11.5 gallons per kit



SK-CAMO-RS shown.

**Contents:**

- 20 oil only pads (15" x 19")
- 10 universal pads (15" x 19")
- 3 SOCs (3" x 42")
- 2 disposable bags
- 1 pair of nitrile gloves
- 1 pair of goggles
- SK-CAMO also includes:  
1 putty pat and 1 set of nine plugs
- SK-CAMO-RS also includes  
1 set of 3 RuptureSEAL (1", 2.5", 2x6")

| Catalog #  | Type                                   | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Pallet Qty. |
|------------|--|---------------------------|-------------------|-------------|-------------|
| SK-CAMO    | Camouflaged Spill Kit                  | 11.5                      | 9                 | 50          | 1/each      |
| SK-CAMO-RS | Camouflaged Spill Kit with RuptureSEAL | 11.5                      | 9                 | 50          | 1/each      |

### Poly-Edge™ Mountable Spill Kit

- Slotted footprint makes mounting easy.
- Constructed of lightweight 100% polyethylene. Will not rust or corrode.
- Water-resistant gasket keeps stored items dry.
- Absorbs up to 20 gallons per kit  
Kit Dimensions: 35"H x 16"W x 16"D



**Contents:**

- 25 pads (15" x 19")
- 4 SOCs (3" x 12")
- 1 drain cover
- 2 disposable bags
- 1 hazmat suit
- 1 pair of goggles
- 1 pair of nitrile gloves
- 1 instruction sheet

| Catalog #    | Type      | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Pallet Qty. |
|--------------|-----------|---------------------------|-------------------|-------------|-------------|
| NEW! SKA-TRK | Universal | 20                        | 40                | 12          | 1/each      |
| NEW! SKO-TRK | Oil Only  | 20                        | 40                | 12          | 1/each      |

# Spill Control & Containment

## Small Spill Response: 6.5-Gallon Spill Kits

One of our most common, these 6.5 gallon spill kits are the perfect size to combat common, smaller spills within your facility. The durable bucket protects your spill kit contents and allows for easy storage.



**NEW! Available with BrightSorb™ High Visibility Absorbents**

**NEW!**

### 6.5-Gallon Spill Bucket

- Fast and small response with easily accessible spill kit in a reusable bucket
- Absorbs up to 9 gallons per kit  
Kit Dimensions: 14" Dia. X 18"H

**Contents:**

- 10 pads (15" x 19")
- 3 SOCs (3" x 4')
- 2 disposal bags
- 1 pair nitrile gloves
- 1 instruction sheet

| Catalog #   | Type                | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|-------------|---------------------|---------------------------|-------------------|-------------|--------|
| SKA-BKT     | Universal           | 9                         | 9                 | 27          | 1/each |
| SKA-BKT-TAA | Universal           | 9                         | 9                 | 27          | 1/each |
| SKO-BKT     | Oil Only            | 9                         | 9                 | 27          | 1/each |
| SKCH-BKT    | BrightSorb Chemical | 9                         | 8                 | 60          | 1/each |
| SKH-BKT     | Chemical            | 9                         | 8                 | 27          | 1/each |

### 6.5 Gallon Acid/Base Neutralizer Spill Kit

- Used to solidify a wide range of spills
- Polymers will neutralize and change to a color to let you know neutralization has taken place. Acid neutralizer changes to purple, base neutralizer changes to orange.
- Absorbs up to 4.5 gallons per kit  
Kit Dimensions: 14" Dia. X 18"H

**Contents:**

- 1.5 gallon bucket
- 1 shaker of neutralizer (2 lb.)
- 10 pads (15" x 19")
- 2 SOCs (3" x 4')
- 2 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- 1 Tyvek Suit
- 1 small scoop



| Catalog #   | Type  | Absorbency Cap. (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.    |
|-------------|---|-----------------------|-------------------|-------------|---------|
| SKA-BKTACID | Acid Neutralizing Kit                       | 4.5                   | 16.5              | 48          | 1/each  |
| SKA-BKTBASE | Base Neutralizer Kit                        | 4.5                   | 16.5              | 48          | 1/each  |
| SPC-ACID    | Acid Neutralizing Polymer Shaker Only (2lb) | 0.65                  | 2                 | 1200        | 1/each* |
| SPC-BASE    | Base Neutralizing Polymer Shaker Only (2lb) | 0.65                  | 2                 | 1200        | 1/each* |

\*SPC-ACID and SPC-BASE shaker minimum order of 10.



# Spill Control & Containment

## Medium Spill Response: 20-Gallon Spill Kits

Stock up on easily deployable 20 gallon spill kits. Absorbing up to 17 gallons, these kits are perfect for medium sized spills. Store throughout your facility - particularly in areas where fluid transfer is prevalent.



**NEW! Available with BrightSorb™ High Visibility Absorbents**

### 20-Gallon Lab Pack

- UN-approved water and chemical resistant polyethylene container with screw top lid for medium response
- Refill kits are available for easy re-stocking after a spill
- Absorbs up to 17 gallons per kit  
Kit Dimensions: 21" Dia. X 18"H

**Contents:**

- 12 pads (15" x 19")
- 3 disposal bags
- Emer. Response Guidebook
- 3 SOCs (3" x 12")
- 1 pair goggles
- 2 pillows (18" x 18")
- 1 pair nitrile gloves

| Catalog #  | Type                | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|------------|---------------------|---------------------------|-------------------|-------------|--------|
| SKA-20     | Universal           | 17                        | 26                | 12          | 1/each |
| SKA-20-TAA | Universal           | 17                        | 26                | 12          | 1/each |
| SKO-20     | Oil Only            | 17                        | 26                | 12          | 1/each |
| SKCH-20    | BrightSorb Chemical | 17                        | 26                | 18          | 1/each |
| SKH-20     | Chemical            | 17                        | 26                | 12          | 1/each |
| SKA20-R    | Universal Refill*   | 17                        | 13                | 16          | 1/each |
| SKO20-R    | Oil Only Refill*    | 17                        | 13                | 16          | 1/each |
| SKH20-R    | Chemical Refill*    | 17                        | 13                | 16          | 1/each |

\*Refills do not include the container.

### 20-Gallon Mixed Application Spill Kit

- A single spill kit to respond to both water-based and petroleum-based spills
- Absorbs up to 15 gallons per kit  
Kit Dimensions: 21" Dia. X 18"H

**Contents:**

- 6 universal pads (15" x 19")
- 3 disposal bags
- Emer. Response Guidebook
- 6 oil only pads (15" x 19")
- 1 pair goggles
- 1 universal pillow (18" x 18")
- 1 pair nitrile gloves
- 1 oil only pillow (18" x 18")

| Catalog # | Type  | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|-----------|-------|---------------------------|-------------------|-------------|--------|
| SKMA-20   | Mixed | 17                        | 20                | 12          | 1/each |

### 20-Gallon Rescue Spill Kit

- "Caution" tape and a "Wet Floor" sign help prevent slips, trips and falls while a spill is being cleaned up
- Absorbs up to 20 gallons per kit  
Kit Dimensions: 21" Dia. X 18"H

**Contents:**

- 12 pads (15" x 19")
- 1 pair goggles
- 1 wet floor sign (18")
- 3 SOCs (3" x 12")
- 1 pair nitrile gloves
- Emer. Response Guidebook
- 2 pillows (18" x 18")
- 1 roll caution tape (3" x200')
- 3 disposal bags

| Catalog #     | Type      | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|---------------|-----------|---------------------------|-------------------|-------------|--------|
| SKA-20-RESCUE | Universal | 17                        | 20                | 12          | 1/each |
| SKO-20-RESCUE | Oil Only  | 17                        | 20                | 12          | 1/each |
| SKH-20-RESCUE | Chemical  | 17                        | 20                | 12          | 1/each |



# Spill Control & Containment

Spill Control & Containment

## Medium Spill Response: 30-Gallon Spill Kits

Looking for something a little larger than the standard 20 gallon spill kit? Look no further than the 30 gallon kit. Absorbing up to 36 gallons, these kits are perfect for medium sized spills. Store throughout your facility - particularly in areas where fluid transfer is prevalent.



### 30-Gallon Spill Kit

- Tough, secure, screw-topped spill kit is reusable and ideal for medium spills
- Refill kits are available for easy re-stocking after a spill
- Absorbs up to 29 gallons per kit  
Kit dimensions: 21.125" Dia. X 28.5"H

**Contents:**

- 25 pads (15" x 19")
- 6 SOCs (3" x 12')
- 6 pillows (9" x 9")
- 3 disposal bags
- 1 pair goggles
- 1 pair of nitrile gloves
- Emer. Response Guidebook

| Catalog # | Type              | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|-----------|-------------------|---------------------------|-------------------|-------------|--------|
| SKA30     | Universal         | 36                        | 41                | 12          | 1/each |
| SKA30TAA  | Universal         | 36                        | 41                | 12          | 1/each |
| SKO30     | Oil Only          | 36                        | 41                | 12          | 1/each |
| SKH30     | Chemical          | 36                        | 41                | 12          | 1/each |
| SKA30-R   | Universal Refill* | 36                        | 28                | 12          | 1/each |
| SKO30-R   | Oil Only Refill*  | 36                        | 26                | 12          | 1/each |
| SKH30-R   | Chemical Refill*  | 36                        | 28                | 12          | 1/each |

\*Refills do not include the container.

### 30-Gallon Mixed Application Spill Kit

- A single spill kit to respond to both water-based and petroleum-based spills
- Absorbs up to 29 gallons per kit  
Kit dimensions: 21.125" Dia. X 28.5"H

**Contents:**

- 15 universal pads (15" x 19")
- 10 oil only pads (15" x 19")
- 3 universal SOC (3" x 12')
- 3 oil only SOC (3" x 12')
- 3 universal pillows (18" x 18")
- 3 oil only pillows (18" x 18")
- 3 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook



| Catalog # | Type  | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|-----------|-------|---------------------------|-------------------|-------------|--------|
| SKMA-30   | Mixed | 29                        | 41                | 12          | 1/each |



# Spill Control & Containment

## Medium Spill Response: 55-Gallon Spill Kits

55 gallon spill kits are essential in any facility. Keep these spill kits near entrances and exits for emergency deployment to prevent facility spills from entering the environment.



### 55-Gallon Drum

- Lever locked 55-gallon drum meets UN specifications and is ideal for medium spills
- Refill kits are available for easy re-stocking after a spill
- Absorbs up to 38 gallons per kit
- Kit Dimensions: 24"Dia. X 37"H  
Wheeled Kit Dimensions: 23"Dia. X 37"H

#### Contents:

- 50 pads (15" x 19")
- 4 SOCs (3" x 12')
- 8 pillows (18" x 18")
- 5 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook



Also available in a wheeled container.



**NEW!** Available with BrightSorb™ High Visibility Absorbents

NEW!

| Catalog # | Type                | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|-----------|---------------------|---------------------------|-------------------|-------------|--------|
| SKA55     | Universal           | 38                        | 57                | 8           | 1/each |
| SKA55-TAA | Universal           | 38                        | 56                | 8           | 1/each |
| SKO55     | Oil Only            | 38                        | 56                | 8           | 1/each |
| SKCH-55   | BrightSorb Chemical | 38                        | 52                | 8           | 1/each |
| SKH55     | Chemical            | 38                        | 52                | 8           | 1/each |
| SKA55W    | Universal w/Wheels  | 38                        | 57                | 8           | 1/each |
| SKO55W    | Oil Only w/Wheels   | 38                        | 56                | 8           | 1/each |
| SKH55W    | Chemical w/Wheels   | 38                        | 52                | 8           | 1/each |
| SKA55-R   | Universal Refill*   | 38                        | 37                | 8           | 1/each |
| SKO55-R   | Oil Only Refill*    | 55                        | 37                | 8           | 1/each |
| SKH55-R   | Chemical Refill*    | 55                        | 37                | 8           | 1/each |

\*Refills do not include the container.

### 55-Gallon Mixed Application Spill Kit

- A single spill kit to respond to spills of water based fluids AND petroleum based spills
- Absorbs up to 46 gallons per kit
- Kit Dimensions: 24"Dia. X 37"H  
Wheeled Kit Dimensions: 23"Dia. X 37"H

#### Contents:

- 25 universal pads (15" x 19")
- 25 oil only pads (15" x 19")
- 2 universal SOC (3" x 12')
- 2 oil only SOC (3" x 12')
- 4 universal pillows (18" x 18")
- 4 oil only pillows (18" x 18")
- 5 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook



Also available in a wheeled container.

| Catalog # | Type           | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|-----------|----------------|---------------------------|-------------------|-------------|--------|
| SKMA-55   | Mixed          | 46                        | 52                | 8           | 1/each |
| SKMA-55W  | Mixed w/Wheels | 46                        | 52                | 8           | 1/each |



# Spill Control & Containment

## Large Spill Response: 65-Gallon Spill Kits

If you require a larger selection of emergency items but don't have enough space for a 95-gallon kit, the 65 gallon kit is the perfect solution. These kits have almost double the absorbents of a 55-gallon kit without doubling in size.



Also available as a wheeled kit.

### 65-Gallon Spill Kit

- Tough, secure, screw-topped spill kit is reusable and ideal for larger spills
- Refill kits are available for easy re-stocking after a spill
- Absorbs up to 63 gallons per kit
- Kit dimensions: 31"Dia. X 33.5"H  
Wheeled Kit dimensions: 31"Dia. X 42"H

**Contents:**

- 100 pads (15" x 19")
- 7 SOC (3" x 12')
- 7 pillows (18" x 18")
- 5 disposal bags
- 1 pair goggles
- 1 pair of nitrile gloves
- Emer. Response Guidebook

| Catalog # | Type               | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|-----------|--------------------|---------------------------|-------------------|-------------|--------|
| SKA65     | Universal          | 63                        | 100               | 3           | 1/each |
| SKA65TAA  | Universal          | 63                        | 100               | 3           | 1/each |
| SKO65     | Oil Only           | 63                        | 100               | 3           | 1/each |
| SKH65     | Chemical           | 63                        | 100               | 3           | 1/each |
| SKA65W    | Universal w/Wheels | 63                        | 100               | 3           | 1/each |
| SKO65W    | Oil Only w/Wheels  | 63                        | 100               | 3           | 1/each |
| SKH65W    | Chemical w/Wheels  | 63                        | 100               | 3           | 1/each |
| SKA65-R   | Universal Refill*  | 63                        | 40                | 3           | 1/each |
| SKO65-R   | Oil Only Refill*   | 63                        | 40                | 3           | 1/each |
| SKH65-R   | Chemical Refill*   | 63                        | 40                | 3           | 1/each |

\*Refills do not include the container.

### 65-Gallon Mixed Application Spill Kit

- A single spill kit to respond to both water-based and petroleum-based spills
- Absorbs up to 65 gallons per kit
- Kit dimensions: 31"Dia. X 33.5"H  
Wheeled Kit dimensions: 31"Dia. X 42"H

**Contents:**

- 50 universal pads (15" x 19")
- 50 oil only pads (15" x 19")
- 4 universal SOC (3" x 12')
- 3 oil only SOC (3" x 12')
- 4 universal pillows (18" x 18")
- 3 oil only pillows (18" x 18")
- 5 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook

| Catalog # | Type           | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|-----------|----------------|---------------------------|-------------------|-------------|--------|
| SKMA-65   | Mixed          | 65                        | 100               | 3           | 1/each |
| SKMA-65W  | Mixed w/Wheels | 65                        | 100               | 3           | 1/each |



Also available as a wheeled kit.

# Spill Control & Containment

## Large Spill Response: 95-Gallon Spill Kits

95 gallon kits will keep you prepared for almost any spill. Keep these on hand in areas where the likelihood of larger spills is greatest.



### 95-Gallon Overpack

- Tough, secure, screw-topped overpack drum for large spills meets UN and DOT specifications
- Refill kits are available for easy re-stocking after a spill
- Absorbs up to 75 gallons per kit
- Kit Dimensions: 31.5"Dia. X 35"H  
Wheeled Kit Dimensions: 31.5"Dia. X 47"H

#### Contents:

- 110 pads (15" x 19")
- 12 SOC's (3" x 4')
- 8 SOC's (3" x 12')
- 8 pillows (18" x 18")
- 10 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook

| Catalog # | Type                | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|-----------|---------------------|---------------------------|-------------------|-------------|--------|
| SKA-95    | Universal           | 75                        | 107               | 3           | 1/each |
| SKO-95    | Oil Only            | 75                        | 107               | 3           | 1/each |
| SKCH-95   | BrightSorb Chemical | 75                        | 104               | 3           | 1/each |
| SKH-95    | Chemical            | 75                        | 104               | 3           | 1/each |
| SKA-95W   | Universal w/Wheels  | 75                        | 107               | 2           | 1/each |
| SKO-95W   | Oil Only w/Wheels   | 75                        | 107               | 2           | 1/each |
| SKH-95W   | Chemical w/Wheels   | 75                        | 104               | 2           | 1/each |
| SKA95-R   | Universal Refill*   | 79                        | 60                | 3           | 1/each |
| SKO95-R   | Oil Only Refill*    | 95                        | 60                | 3           | 1/each |
| SKH95-R   | Chemical Refill*    | 95                        | 60                | 3           | 1/each |

\*Refills do not include the container.

### 95-Gallon Mixed Application Spill Kit

- A single spill kit to respond to both water-based and petroleum-based spills
- Absorbs up to 77 gallons per kit
- Kit Dimensions: 31.5"Dia. X 35"H  
Wheeled Kit Dimensions: 31.5"Dia. X 47"H

#### Contents:

- 55 universal pads (15" x 19")
- 55 oil only pads (15" x 19")
- 6 universal SOC (3" x 4')
- 6 oil only SOC (3" x 4')
- 4 universal SOC (3" x 12')
- 4 oil only SOC (3" x 12')
- 4 universal pillows (18" x 18")
- 4 oil only pillows (18" x 18")
- 10 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook

| Catalog # | Type           | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|-----------|----------------|---------------------------|-------------------|-------------|--------|
| SKMA-95   | Mixed          | 77                        | 107               | 3           | 1/each |
| SKMA-95W  | Mixed w/Wheels | 77                        | 107               | 2           | 1/each |



# Spill Control & Containment

Spill Control & Containment

## Large Spill Response: Mobile Spill Trucks

In the event of a massive spill, keep your facility prepared. Mobile spill trucks are filled with all of the essentials you'll need for major spill clean-up.



### Mobile Spill Truck - Large

- Wheel mounted polyethylene bins are chemical and water resistant. Spill trucks provide the highest level of readiness
- Absorbs up to 169 gallons per kit.
- Kit Dimensions: 47”L X 34”W X 43”H

- Contents of SKA-LT, SKH-LT and SKO-LT:**
- 200 pads (15" x 19")
  - 24 SOC's (3" x 4')
  - 12 SOC's (3" x 12')
  - 8 pillows (17" x 19")
  - 15 disposal bags
  - 1 pair goggles
  - 3 pair nitrile gloves
  - Emer. Response Guidebook

- Contents of SKM-LT Marine Kit:**
- 400 pads (15" x 19")
  - 4 booms (5" x 10')
  - 1 sweep (19" x 100')
  - 15 disposal bags
  - 6 pairs of nitrile gloves
  - 1 pair goggles
  - Emer. Response Guidebook

| Catalog # | Type      | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|-----------|-----------|---------------------------|-------------------|-------------|--------|
| SKA-LT    | Universal | 134                       | 164               | 1           | 1/each |
| SKO-LT    | Oil Only  | 126                       | 185               | 1           | 1/each |
| SKH-LT    | Chemical  | 115                       | 158               | 1           | 1/each |
| SKM-LT    | Marine    | 169                       | 164               | 1           | 1/each |



### Mobile Spill Truck - X-Large

- Mobile spill response kit in water/chemical resistant large bin
- Absorbs up to 282 gallons per kit
- Kit Dimensions: 57.5”L X 40.5”W X 47”H

- Contents of SKA-XLT, SKH-XLT and SKO-XLT:**
- 250 pads (15" x 19")
  - 36 SOC's (3" x 4')
  - 20 SOC's (3" x 12')
  - 8 pillows (18" x 18")
  - 30 disposal bags
  - 3 pairs of nitrile gloves
  - 1 pair goggles
  - Emer. Response Guidebook

- Contents of SKM-XLT Marine Kit:**
- 600 pads (15" x 19")
  - 8 booms (5" x 10')
  - 1 sweeps (19" x 100')
  - 15 disposal bags
  - 6 pairs of nitrile gloves
  - 1 pair goggles
  - Emer. Response Guidebook

| Catalog # | Type      | Absorbency Capacity (gal) | Shipping Wt (lbs) | Pallet Qty. | Qty.   |
|-----------|-----------|---------------------------|-------------------|-------------|--------|
| SKA-XLT   | Universal | 184                       | 221               | 1           | 1/each |
| SKO-XLT   | Oil Only  | 174                       | 221               | 1           | 1/each |
| SKH-XLT   | Chemical  | 160                       | 221               | 1           | 1/each |
| SKM-XLT   | Marine    | 282                       | 258               | 1           | 1/each |

# Spill Control & Containment



## Custom Spill Kit Program

**Only the products you need - in the quantities you want.**

Brady also offers customers the opportunity to create their own Custom Spill Kits with an assortment of Brady's most popular pads, SOCs, booms, pillows and safety accessories.

With no minimum requirements, these Custom Spill Kits give you the flexibility to pick only the products you need without the extra cost.

Create a safer work environment and save time, money and space with a Brady SPC Custom Spill Kit.

**Create your Custom Spill Kit and start eliminating waste and extra cost!**

**Simply follow these 3 easy steps...**

- 1) Select your kit contents
- 2) Contact your authorized Brady Distributor for quotation and recommended spill container size
- 3) Receive your prices and quotation number, then place your order



**No minimums mean you can create your spill kit as large or small as you need!**



### Create Your Kit Now

Contact Brady Customer Service for more information or to create your Custom Spill Kit.

## Available Custom Spill Kit Contents Include:



**Absorbent Pads**



**Absorbent SOCs & Pillows**



**Marine Booms**



**Granular**



**Accessories & Personal Protection Equipment**



**Spill Kit Storage & Containment**

# Facility Safety Products

## Facility Safety Products

Brady offers a complete line of products and solutions to keep your facility safe, productive and compliant. Products including cones, warning tapes and signs help to communicate important safety and facility messages.



### Handy Cone™ Floor Signs

- Collapsible, spring-loaded, pyramid-shaped sign sets up in seconds
- Stored in a 2" diameter tube

| Catalog # | Description                         |
|-----------|-------------------------------------|
| 47380     | 31" Warning - People Working        |
| 47382     | 31" Caution - Wet Floor/Piso Mojado |
| 47372     | 18" Caution - Wet Floor             |



### Reversible Floor Stands

- Alert employees and visitors of potential floor hazards
- Made of lightweight corrugated polypropylene material (B-836)
- Size: 12" wide x 20" h (closed)

| Catalog # | Description                            |
|-----------|--|
| 92280     | Caution - Slippery When Wet/ Wet Floor |



### Traffic Cones and Snap-On Signs

- Flexible, yet durable warning cone in a high visibility fluorescent orange color
- Plastic snap-on signs are designed to fit on top of traffic cone like a paperclip

| Catalog # | Description  |
|-----------|--|
| 80111     | 18" Orange Vinyl Cone  |
| 80118     | 10 1/2" H x 12 3/4" W Black on Orange WET FLOOR Snap-On Sign |



### Reinforced Barricade Tape

- Provides fast on the spot warning
- 250 lbs tensile strength


| Catalog # | Legend               | Size      | Qty.   |
|-----------|----------------------|-----------|--------|
| 91100     | CAUTION              | 3" x 500' | 1 roll |
| 91102     | CAUTION DO NOT ENTER | 3" x 500' | 1 roll |
| 91104     | CAUTION              | 3" x 500' | 1 roll |



### BradyLink Warning Posts

- Non-conductive, Non-rusting, Fillable domed base
- Post dimension: 3" O.D., 41" high, 16" dia. base

| Catalog # | Description       | Color  |
|-----------|-------------------|--------|
| 92116     | Black Large Post  | Black  |
| 92117     | White Large Post  | White  |
| 92118     | Yellow Large Post | Yellow |



### BradyLink Warning Chain & Links

- Polyethylene chain designed to prevent kinking
- Chain links used to permanently attach or repair lengths of chain

| Catalog # | Description                 |
|-----------|-----------------------------|
| 78241     | 100' Orange Chain           |
| 78239     | 100' White Chain            |
| 78238     | 100' Yellow Chain           |
| 78246     | 2" Chain Links (36/package) |



# Chemical Application Guide

## Chemical Application Guide

Use the following guide to determine the compatibility of SPC absorbents with common chemicals.

| Universal Polypropylene Products:   | Oil Only Polypropylene Products:  | Chemical Polypropylene Products:   | Organic Products:  |
|---|---|--|--|
| <ul style="list-style-type: none"> <li>Battlemat® Absorbents</li> <li>UXT Absorbents</li> <li>HT Absorbents</li> <li>MRO Plus® Absorbents</li> <li>GP Absorbents</li> <li>Basic Universal Absorbents</li> <li>SIR &amp; BSM Mats</li> <li>AllWIK® SOC's &amp; Pillows</li> <li>Cobra Coil® SOC</li> </ul> | <ul style="list-style-type: none"> <li>Oil Only SOC's &amp; Pillows</li> <li>Trackmat Absorbents</li> <li>SXT® Oil Absorbents</li> <li>Oil Plus Absorbents</li> <li>SPC® Oil Absorbents</li> <li>ENV® Oil Absorbents</li> <li>Basic Oil Only Absorbents</li> <li>Static Resistant Absorbents</li> </ul> | <ul style="list-style-type: none"> <li>BrightSorb™ High Visibility Absorbents</li> <li>Chemical Absorbents</li> <li>Universal Plus Absorbents</li> <li>HAZWIK SOC's &amp; Pillows</li> </ul> | <ul style="list-style-type: none"> <li>Re-Form™ Absorbents</li> <li>Re-Form™ Plus Absorbents</li> <li>Re-Form™ XPlus Absorbents</li> <li>Re-Form™ Oil Only Absorbents</li> <li>MULTIWIK® &amp; SLIKWIK® SOC's</li> <li>Dri-zorb Granular</li> <li>Re-Form™ Granular</li> <li>Rag Rug Absorbents</li> </ul> |

| Chemical               | Universal | Oil Only | Chemical | Organic |
|------------------------|-----------|----------|----------|---------|
| Acetaldehyde           | X         |          | X        | X       |
| Acetic Acid            | X         |          | X        |         |
| Acetic Anhydride       | X         |          | X        |         |
| Acetone                | X         | X        | X        | X       |
| Acetyl Chloride        | X         |          | X        |         |
| Acrolein               | X         | X        | X        |         |
| Acrylonitrile          | X         |          | X        | X       |
| Allyl Alcohol          | X         |          | X        | X       |
| Aminobenzoic Acid      | X         |          | X        |         |
| Ammonia (Anhydrous)    | X         | X        | X        | X       |
| Ammonium Hydroxide     | X         | X        | X        | X       |
| Amyl Acetate           | X         | X        | X        |         |
| Amyl Alcohol           | X         |          | X        | X       |
| Aniline                | X         |          | X        | X       |
| Antifreeze             | X         |          | X        | X       |
| Aqua Regia             | X         |          | X        |         |
| Aviation Fuel          | X         | X        | X        | X       |
| Benzene                | X         | X        | X        | X       |
| Benzoic Acid           | X         |          | X        |         |
| Benzonitrile           | X         |          | X        |         |
| Benzoyl Chloride       | X         |          | X        |         |
| Benzyl Alcohol         | X         |          | X        | X       |
| Boric Acid             | X         |          | X        |         |
| Brake Fluid            | X         | X        | X        | X       |
| Bromine                | X         |          | X        |         |
| Butyl Acetate          | X         | X        | X        |         |
| Butyl Alcohol          | X         | X        | X        | X       |
| Butyric Acid           | X         | X        | X        |         |
| Butylamine             | X         |          | X        | X       |
| Butyric Acid           | X         | X        | X        |         |
| Calcium Hydroxide      | X         |          | X        |         |
| Carbolic Acid          | X         |          | X        |         |
| Carbon Disulfide       | X         |          | X        |         |
| Carbon Tetrachloride   | X         | X        | X        | X       |
| Castor Oil             | X         | X        | X        | X       |
| Chlorine Water         | X         |          | X        |         |
| Chloroacetic Acid      | X         |          | X        |         |
| Chlorobenzene          | X         |          | X        |         |
| Chloroform             | X         | X        | X        | X       |
| Chromic Acid (50%)     | X         |          | X        |         |
| Chlorosulfonic Acid    | X         |          | X        |         |
| Citric Acid            | X         |          | X        |         |
| Clorox (Full Strength) | X         |          | X        | X       |
| Corn Oil               | X         | X        | X        | X       |
| Cottonseed Oil         | X         | X        | X        | X       |
| Cresol                 | X         | X        | X        | X       |
| Cyclohexane            | X         | X        | X        | X       |

| Chemical            | Universal | Oil Only | Chemical | Organic |
|---------------------|-----------|----------|----------|---------|
| Detergents          | X         |          | X        | X       |
| Dichlorobenzene     | X         | X        | X        |         |
| Diethylamine        | X         | X        | X        |         |
| Diethyl Ether       | X         | X        | X        | X       |
| Disooctyl Phthalate | X         | X        | X        | X       |
| Dinitrobenzene      | X         | X        | X        |         |
| Dioxan              | X         |          | X        | X       |
| Ether               | X         | X        | X        | X       |
| Ethyl Acetate       | X         | X        | X        | X       |
| Ethyl Alcohol       | X         | X        | X        | X       |
| Ethyl Benzene       | X         | X        | X        |         |
| Ethyl Chloride      | X         | X        | X        |         |
| Ethyl Ether         | X         | X        | X        | X       |
| Ethyl Propionate    | X         | X        | X        | X       |
| Ethylene Glycol     | X         |          | X        | X       |
| Formaldehyde        | X         |          | X        | X       |
| Formic Acid         | X         |          | X        |         |
| Fuel Oil            | X         | X        | X        | X       |
| Gasoline            | X         | X        | X        | X       |
| Gearbox Oil         | X         | X        | X        | X       |
| Glacial Acetic Acid | X         |          | X        |         |
| Glycerol            | X         |          | X        | X       |
| Heptane             | X         | X        | X        | X       |
| Hexane              | X         | X        | X        | X       |
| Hydrazine           | X         |          | X        |         |
| Hydrochloric Acid   | X         |          | X        |         |
| Hydrofluoric Acid   | X         |          | X        |         |
| Hydrogen Cyanide    | X         | X        | X        |         |
| Hydrogen Peroxide   | X         |          | X        | X       |
| Isobutyl Alcohol    | X         | X        | X        | X       |
| Isobutyric Acid     | X         | X        | X        |         |
| Isopropyl Acetate   | X         | X        | X        | X       |
| Isopropyl Alcohol   | X         | X        | X        | X       |
| Kerosene            | X         | X        | X        | X       |
| Keytones            | X         | X        | X        | X       |
| Linseed Oil         | X         | X        | X        | X       |
| Lubricating Oil     | X         | X        | X        | X       |
| Magnesium Hydroxide | X         |          | X        |         |
| Methyl Alcohol      | X         | X        | X        | X       |
| Methyl Chloride     | X         | X        | X        |         |
| Methyl Ether        | X         | X        | X        | X       |
| Methyl Ethyl Ketone | X         | X        | X        | X       |
| Methyl Propionate   | X         | X        | X        | X       |
| Mineral Oil         | X         | X        | X        | X       |
| Motor Oil           | X         | X        | X        | X       |
| Naphthalene         | X         | X        | X        | X       |
| Nitric Acid         | X         |          | X        |         |

| Chemical                     | Universal | Oil Only | Chemical | Organic |
|------------------------------|-----------|----------|----------|---------|
| Nitrobenzene                 | X         |          | X        |         |
| Nitrobenzoic Acid            | X         |          | X        |         |
| Nitrotoluene                 | X         | X        | X        | X       |
| Octane                       | X         | X        | X        | X       |
| Oleic Acid                   | X         | X        | X        |         |
| Olive Oil                    | X         | X        | X        | X       |
| Paraffin                     | X         | X        | X        | X       |
| Perchloroethylene            | X         | X        | X        | X       |
| Petroleum Ether              | X         | X        | X        | X       |
| Phenol                       | X         |          | X        | X       |
| Phosphoric Acid              | X         |          | X        |         |
| Plating Solutions            | X         |          | X        |         |
| Potassium Hydroxide          | X         |          | X        |         |
| Propanol                     | X         |          | X        | X       |
| Propionic Acid               | X         | X        | X        | X       |
| Propyl Alcohol               | X         | X        | X        | X       |
| Propylene Glycol             | X         | X        | X        | X       |
| Quinoline                    | X         |          | X        |         |
| Resorcinol                   | X         |          | X        |         |
| Salt Solutions (metallic)    | X         |          | X        | X       |
| Silicone Oil                 | X         | X        | X        | X       |
| Silver Nitrate               | X         |          | X        | X       |
| Soap Solution (concentrated) | X         | X        | X        | X       |
| Sodium Bicarbonate           | X         |          | X        | X       |
| Sodium Chloride              | X         |          | X        | X       |
| Sodium Hydroxide             | X         |          | X        |         |
| Sodium Hypochlorite          | X         |          | X        | X       |
| Sodium Nitrate               | X         |          | X        | X       |
| Stannic Chloride             | X         |          | X        |         |
| Starch                       | X         |          | X        | X       |
| Styrene                      | X         | X        | X        | X       |
| Sucrose                      | X         |          | X        | X       |
| Sulfuric Acid                | X         |          | X        |         |
| Synthetic Motor Oil          | X         | X        | X        | X       |
| Tannic Acid                  | X         |          | X        |         |
| Toluene                      | X         | X        | X        | X       |
| Transformer Oil              | X         | X        | X        | X       |
| Trichloroethylene            | X         | X        | X        | X       |
| Triethylene Glycol           | X         | X        | X        | X       |
| Turpentine                   | X         | X        | X        | X       |
| Urine                        | X         |          | X        | X       |
| Vinyl Acetate                | X         | X        | X        | X       |
| Vinegar                      | X         |          | X        | X       |
| Xylene                       | X         | X        | X        | X       |

Disclaimer: The above information is provided as a guide only. No claims or warranties are expressed or implied as to the absolute accuracy of the data supplied. In all cases it is assumed chemicals in question are at ambient temperatures and pressure and are used in basic state, not in combination or mixtures. Small test samplings by user is always recommended to ensure safe application.

# Reference

## Part Number Index

| Catalog Numbers | Type                    | Size                               | Absorb. Factor (g/g) | Absorb. Capacity (gal) | Shipping Wt. (lbs) | Pallet Qty. | Quantity | Page # |
|-----------------|-------------------------|------------------------------------|----------------------|------------------------|--------------------|-------------|----------|--------|
| 96229           | Spill Magnet            | 12" dia.                           | n/a                  | n/a                    | 1                  | 100         | 1/each   | 53     |
| AD15100         | Heavy Wt. Roll          | 15"x100'                           | 8                    | 11                     | 15                 | 30          | 1/case   | 44     |
| AD30100         | Heavy Wt. Roll          | 30"x100'                           | 8                    | 21                     | 29                 | 12          | 1/case   | 44     |
| AW99            | Universal Pillows       | 9"x9"                              | 12.5                 | 14                     | 10                 | 40          | 32/case  | 39     |
| AW124           | Universal SOCs          | 3"x12'                             | 9                    | 12                     | 12                 | 36          | 4/case   | 38     |
| AW412           | Universal SOCs          | 3"x4'                              | 9                    | 12                     | 12                 | 36          | 12/case  | 38     |
| AW430           | Universal SOCs          | 3"x4'                              | 9                    | 30                     | 26                 | 15          | 30/case  | 38     |
| AW806           | Universal SOCs          | 3"x8'                              | 9                    | 12                     | 12                 | 30          | 6/case   | 38     |
| AW1818          | Universal Pillows       | 18"x18"                            | 12.5                 | 28                     | 19                 | 15          | 16/case  | 39     |
| BM15            | Heavy Wt. Roll          | 15"x150'                           | 12.5                 | 26                     | 17                 | 24          | 1/case   | 10     |
| BM30            | Heavy Wt. Roll          | 30"x150'                           | 12.5                 | 53                     | 34.5               | 12          | 1/case   | 10     |
| BM100           | Heavy Wt. Pad           | 15"x19"                            | 12.5                 | 28                     | 16.5               | 24          | 100/bale | 10     |
| BPH100          | Heavy Wt. Pad           | 15"x17"                            | 18                   | 20                     | 8.5                | 30          | 100/bale | 34     |
| BPH200          | Light Wt. Pad           | 15"x17"                            | 18                   | 34                     | 13.7               | 18          | 200/bale | 34     |
| BPH500          | Light Wt. Pad           | 15"x17"                            | 18                   | 17                     | 7                  | 30          | 100/bale | 34     |
| BPO100          | Heavy Wt. Pad           | 15"x17"                            | 18                   | 20.5                   | 8.5                | 30          | 100/bale | 27     |
| BPO200          | Light Wt. Pad           | 15"x17"                            | 18                   | 34                     | 13.7               | 24          | 200/bale | 27     |
| BPO500          | Light Wt. Pad           | 15"x17"                            | 18                   | 17                     | 7                  | 36          | 100/bale | 27     |
| BPU100          | Heavy Wt. Pad           | 15"x17"                            | 18                   | 20.5                   | 8.5                | 30          | 100/bale | 16     |
| BPU200          | Light Wt. Pad           | 15"x17"                            | 18                   | 34                     | 13.7               | 24          | 200/bale | 16     |
| BPU500          | Light Wt. Pad           | 15"x17"                            | 18                   | 17                     | 7                  | 36          | 100/bale | 16     |
| BRH150          | Heavy Wt. Roll          | 30"x150'                           | 18                   | 38                     | 19.5               | 18          | 1/bale   | 34     |
| BRH152          | Heavy Wt. Roll          | 15"x150'                           | 18                   | 38                     | 19.5               | 18          | 2/bale   | 34     |
| BRO150          | Heavy Wt. Roll          | 30"x150'                           | 14.5                 | 38                     | 19.5               | 18          | 1/bale   | 27     |
| BRO152          | Heavy Wt. Roll          | 15"x150'                           | 14.5                 | 38                     | 19.5               | 18          | 2/bale   | 27     |
| BRU150          | Heavy Wt. Roll          | 30"x150'                           | 14.5                 | 38                     | 19.5               | 18          | 1/bale   | 16     |
| BRU152          | Heavy Wt. Roll          | 15"x150'                           | 14.5                 | 38                     | 19.5               | 18          | 2/bale   | 16     |
| BSC20           | Universal SOCs          | 3"x42"                             | 15                   | 84                     | 24                 | 24          | 20/case  | 39     |
| BSC40           | Universal SOCs          | 3"x42"                             | 15                   | 81                     | 47.5               | 12          | 40/case  | 39     |
| BSCSK-CB        | BASIC Vehicle Spill Kit | n/a                                | n/a                  | 7.75                   | 7                  | 50          | 1/each   | 63     |
| BSM100          | Medium Wt. Rug          | 36"x100'                           | 8                    | 25                     | 24                 | 20          | 1/bale   | 44     |
| BSM3650         | Medium Wt. Rug          | 36"x50'                            | 8                    | 12                     | 12                 | 20          | 1/case   | 44     |
| CB305           | Boom                    | 3" Float, 4.5" Skirt, 25' Sections | n/a                  | n/a                    | 22.5               | 11          | 1/case   | 49     |
| CB612           | Boom                    | 6" Float, 12" Skirt, 100' Sections | n/a                  | n/a                    | 200                | 3           | 1/case   | 49     |
| CC400           | Universal SOCs          | 3"x4'                              | 8.5                  | 8.5                    | 29                 | 32          | 12/case  | 38     |
| CH15P           | Heavy Wt. Roll          | 15"x150'                           | 12.5                 | 20                     | 14                 | 24          | 1/bale   | 32     |

Index

# Reference

| Catalog Numbers | Type                   | Size        | Absorb. Factor (g/gs) | Absorb. Capacity (gal) | Shipping Wt. (lbs) | Pallet Qty. | Quantity | Page # |
|-----------------|------------------------|-------------|-----------------------|------------------------|--------------------|-------------|----------|--------|
| CH30DP          | Heavy Wt. Roll         | 30"x150'    | 12.5                  | 40                     | 25                 | 12          | 1/case   | 32     |
| CH100           | Heavy Wt. Pad          | 15"x19"     | 18                    | 28                     | 16                 | 30          | 100/case | 32     |
| CH124           | Chemical SOCs          | 3"x12'      | 9                     | 12                     | 12                 | 40          | 4/case   | 41     |
| CH200           | Light Wt. Pad          | 15"x19"     | 18                    | 28                     | 16                 | 24          | 200/case | 32     |
| CH303           | Medium Wt. Roll        | 30"x300'    | 12.5                  | 80                     | 40                 | 8           | 1/bale   | 32     |
| CH412           | Chemical SOCs          | 3"x4'       | 9                     | 12                     | 12                 | 40          | 12/case  | 41     |
| CH1212          | Medium Wt. Pad         | 12"x12"     | 18                    | 30                     | 14.5               | 30          | 200/case | 32     |
| CH1212-50       | Medium Wt. Pad         | 12"x12"     | 12.5                  | 15                     | 4                  | 60          | 50/case  | 32     |
| CH1818          | Chemical Pillow        | 18"x18"     | 12.5                  | 14                     | 9.5                | 20          | 16/case  | 41     |
| CHBB15          | Heavy Wt. Roll         | 15"x100'    | 11.7                  | 13.4                   | 11                 | 30          | 1/bale   | 45     |
| CHBB30          | Heavy Wt. Roll         | 30"x100'    | 11.7                  | 26.7                   | 22                 | 12          | 1/bale   | 45     |
| CHBB100         | Heavy Wt. Pad          | 15"x19"     | 11.7                  | 21.2                   | 15.75              | 30          | 100/case | 45     |
| CS-CB18         | Oil Only Granular      | 18 lbs      | 8                     | 18                     | 1000               | 50          | 1 pallet | 51     |
| DGUARD9         | Drain Guard            | 36"x48"x18" | n/a                   | 0.9                    | 1                  | 36          | 1/case   | 53     |
| DGUARD14        | Drain Guard            | 36"x48"x18" | n/a                   | 1.4                    | 2                  | 36          | 1/case   | 53     |
| DGUARD910       | Drain Guard            | 36"x48"x18" | n/a                   | 9                      | 10                 | 20          | 10/case  | 53     |
| DGUARD1410      | Drain Guard            | 36"x48"x18" | n/a                   | 14                     | 20                 | 20          | 10/case  | 53     |
| DPA24           | Drip Pan               | 10"x10"     | n/a                   | n/a                    | 6                  | 16          | 24/case  | 53     |
| DTA25           | Universal Drum Cover   | 22" dia.    | 12.5                  | 6                      | 6                  | 60          | 25/case  | 39     |
| DTO25           | Oil Only Drum Cover    | 22" dia.    | 12.5                  | 6                      | 6                  | 60          | 25/case  | 40     |
| DZ100           | Universal Granular     | 40 lbs      | 1.5                   | 8.5                    | 1600               | 40          | 1 pallet | 51     |
| ENV50           | Medium Wt. Pad         | 30"x30"     | 20                    | 50                     | 19                 | 14          | 50/bale  | 26     |
| ENV100          | Heavy Wt. Pad          | 15"x19"     | 20                    | 33                     | 12.5               | 30          | 100/bale | 26     |
| ENV150          | Medium Wt. Roll        | 30"x150'    | 15                    | 44                     | 22                 | 18          | 1/bale   | 26     |
| ENV200          | Light Wt. Pad          | 15"x19"     | 23                    | 51                     | 16                 | 24          | 200/bale | 26     |
| ENV300          | Medium Wt. Pad         | 15"x19"     | 18                    | 23.2                   | 10                 | 30          | 100/bale | 26     |
| ENV500          | Light Wt. Pad          | 15"x19"     | 23                    | 24.5                   | 8                  | 30          | 100/bale | 26     |
| ENV510          | ENV Boom               | 5"x10'      | 12.6                  | 32                     | 19                 | 20          | 4/bale   | 49     |
| ENV810          | ENV Boom               | 8"x10'      | 13                    | 65                     | 38                 | 12          | 4/bale   | 49     |
| GP30            | Heavy Wt. Roll         | 30"x150'    | 13                    | 48                     | 28                 | 18          | 1/bale   | 15     |
| GP100           | Heavy Wt. Pad          | 15"x19"     | 18                    | 30                     | 11.5               | 30          | 100/case | 15     |
| GP100-B         | Heavy Wt. Pad (bagged) | 15"x19"     | 18                    | 30                     | 12                 | 30          | 100/bale | 15     |
| GP200           | Light Wt. Pad          | 15"x19"     | 20                    | 44                     | 16                 | 22          | 200/bale | 15     |
| GP200-B         | Light Wt. Pad (bagged) | 15"x19"     | 20                    | 44                     | 16                 | 24          | 200/bale | 15     |
| GP300           | Medium Wt. Pad         | 15"x19"     | 20                    | 25                     | 10                 | 30          | 100/bale | 15     |
| GP500           | Light Wt. Pad          | 15"x19"     | 20                    | 22                     | 8.2                | 30          | 100/bale | 15     |
| GS-10           | Oil Only Granular      | 30 lbs      | 2 to 6                | 23                     | 1800               | 60          | 1 pallet | 51     |
| HAZ99           | Chemical Pillows       | 9"x9"       | 12.5                  | 10                     | 14                 | 40          | 32/case  | 41     |
| HAZ124          | Chemical SOCs          | 3"x12'      | 9                     | 12                     | 12                 | 40          | 4/case   | 41     |

# Reference

Index

| Catalog Numbers | Type                      | Size                 | Absorb. Factor (gl/g) | Absorb. Capacity (gal) | Shipping Wt. (lbs) | Pallet Qty. | Quantity | Page # |
|-----------------|---------------------------|----------------------|-----------------------|------------------------|--------------------|-------------|----------|--------|
| HAZ412          | Chemical SOCs             | 3"x4'                | 9                     | 12                     | 12                 | 40          | 12/case  | 41     |
| HAZ1818         | Chemical Pillows          | 18"x18"              | 12.5                  | 14                     | 9.5                | 20          | 16/case  | 41     |
| HT15            | Heavy Wt. Roll            | 15"x150'             | 12.5                  | 23                     | 16                 | 24          | 1/case   | 12     |
| HT30            | Heavy Wt. Roll            | 30"x150'             | 12.5                  | 47                     | 32                 | 8           | 1/case   | 12     |
| HT153           | Medium Wt. Roll           | 15"x300'             | 12.5                  | 32                     | 20                 | 16          | 1/bale   | 12     |
| HT215           | Light Wt. Roll            | 15"x300'             | 12.5                  | 21.5                   | 15                 | 20          | 1/bale   | 12     |
| HT230           | Light Wt. Roll            | 30"x300'             | 12.5                  | 42.5                   | 29.5               | 8           | 1/bale   | 12     |
| HT303           | Medium Wt. Roll           | 30"x300'             | 12.5                  | 63                     | 40                 | 8           | 1/bale   | 12     |
| HT350           | Medium Wt. Roll           | 30"x150'             | 12.5                  | 35                     | 20                 | 18          | 1/bale   | 12     |
| HT555           | Heavy Wt. Roll (no print) | 15"x150'             | 12.5                  | 23                     | 16                 | 24          | 1/case   | 12     |
| HTBB15          | Heavy Wt. Roll            | 15"x100'             | 10.1                  | 11.5                   | 10                 | 30          | 1/bale   | 45     |
| HTBB30          | Heavy Wt. Roll            | 30"x100'             | 10.1                  | 23.1                   | 20                 | 12          | 1/bale   | 45     |
| HTBB100         | Heavy Wt. Pad             | 15"x19"              | 10.1                  | 18.3                   | 14.75              | 30          | 100/case | 45     |
| MRO12P          | Heavy Wt. Roll            | 12"x150'             | 12.5                  | 20                     | 11.5               | 24          | 1/bale   | 13     |
| MRO15           | Heavy Wt. Roll            | 15"x150'             | 12.5                  | 24                     | 17.5               | 24          | 1/case   | 13     |
| MRO15-DP        | Heavy Wt. Roll            | 15"x150'             | 12.5                  | 24                     | 17.5               | 24          | 1/case   | 13     |
| MRO15-DPS       | Heavy Wt. Roll            | 15"x73'              | 12.5                  | 12                     | 8                  | 60          | 1/bale   | 13     |
| MRO15P          | Heavy Wt. Roll            | 15"x150'             | 12.5                  | 24                     | 17.5               | 24          | 1/case   | 13     |
| MRO30           | Heavy Wt. Roll            | 30"x150'             | 12.5                  | 49                     | 33                 | 12          | 1/case   | 13     |
| MRO30-DP        | Heavy Wt. Roll            | 30"x150'             | 12.5                  | 49                     | 32                 | 12          | 1/case   | 13     |
| MRO30P          | Heavy Wt. Roll            | 30"x150'             | 12.5                  | 49                     | 32                 | 12          | 1/case   | 13     |
| MRO50           | Heavy Wt. Pad             | 30"x30"              | 12.5                  | 41                     | 26.5               | 12          | 50/bale  | 13     |
| MRO100          | Heavy Wt. Pad             | 15"x19"              | 12.5                  | 26                     | 17.5               | 30          | 100/case | 13     |
| MRO100-2        | Heavy Wt. Pad             | 15"x19"              | 12.5                  | 13.5                   | 8                  | 36          | 50/bale  | 13     |
| MRO150DND       | Heavy Wt. Pad             | 15"x19"              | 12.5                  | 39                     | 27                 | 18          | 150/case | 13     |
| MRO300          | Medium Wt. Pad            | 15"x19"              | 12.5                  | 20.5                   | 14                 | 30          | 100/case | 13     |
| MRO315-DP       | Medium Wt. Roll           | 15"x150'             | 12.5                  | 20                     | 14                 | 24          | 1/case   | 13     |
| MRO350          | Medium Wt. Roll           | 30"x150'             | 12.5                  | 38                     | 26.5               | 12          | 1/case   | 13     |
| MRO350-DP       | Medium Wt. Roll           | 30"x150'             | 12.5                  | 38                     | 26.5               | 12          | 1/case   | 13     |
| MS50            | Universal SOCs            | 3"x4'                | 7                     | 40                     | 43                 | 10          | 40/case  | 39     |
| MS124           | Universal SOCs            | 3"x12'               | 8.5                   | 12                     | 12                 | 36          | 4/case   | 39     |
| MS412           | Universal SOCs            | 3"x4'                | 8.5                   | 12                     | 12                 | 36          | 12/case  | 39     |
| MS806           | Universal SOCs            | 3"x8'                | 8.5                   | 12                     | 12                 | 36          | 6/case   | 39     |
| MXO1000         | Light Wt. Pad             | 15"x19"              | 23                    | 26                     | 11                 | 30          | 100/case | 26     |
| MXP-C20         | Chemical Spill Kit        | 15.5"Lx19.5"Wx20.5"H | n/a                   | 30                     | 14                 | 24          | 5/case   | 60     |
| MXP-O20         | Oil Only Spill Kit        | 15.5"Lx19.5"Wx20.5"H | n/a                   | 35                     | 15                 | 24          | 5/case   | 60     |
| MXP-U20         | Universal Spill Kit       | 15.5"Lx19.5"Wx20.5"H | n/a                   | 30                     | 14.4               | 24          | 5/case   | 60     |
| MXU1000         | Light Wt. Pad             | 15"x19"              | 24                    | 27                     | 11                 | 30          | 100/case | 15     |
| ODN08           | Oil Only Net              | 30 nets on 50' rope  | 15                    | 15                     | 16                 | 24          | 1/bale   | 49     |

# Reference

| Catalog Numbers | Type             | Size              | Absorb. Factor (g/g) | Absorb. Capacity (gal) | Shipping Wt. (lbs) | Pallet Qty. | Quantity | Page # |
|-----------------|------------------|-------------------|----------------------|------------------------|--------------------|-------------|----------|--------|
| OIL99           | Oil Only Pillows | 9"x9"             | 12.5                 | 14                     | 10                 | 40          | 32/case  | 40     |
| OIL124          | Oil Only SOCs    | 3"x12'            | 9                    | 12                     | 11                 | 36          | 4/case   | 40     |
| OIL412          | Oil Only SOCs    | 3"x4'             | 9                    | 12                     | 11                 | 36          | 12/case  | 40     |
| OIL430          | Oil Only SOCs    | 3"x4'             | 9                    | 28                     | 30                 | 15          | 30/case  | 40     |
| OIL806          | Oil Only SOCs    | 3"x8'             | 9                    | 12                     | 11                 | 30          | 6/case   | 40     |
| OIL1818         | Oil Only Pillows | 18"x18"           | 12.5                 | 28                     | 19                 | 15          | 16/case  | 40     |
| ONO30           | Oil Only Net     | 30 nets (no rope) | 15                   | 15                     | 17                 | 24          | 1/bale   | 49     |
| OP15            | Heavy Wt. Roll   | 15"x150'          | 12.5                 | 24                     | 17.5               | 24          | 1/case   | 23     |
| OP15DP          | Heavy Wt. Roll   | 15"x150'          | 12.5                 | 24                     | 17.5               | 24          | 1/case   | 23     |
| OP15P           | Heavy Wt. Roll   | 15"x150'          | 12.5                 | 24                     | 17.5               | 24          | 1/case   | 23     |
| OP30            | Heavy Wt. Roll   | 30"x150'          | 12.5                 | 49                     | 33                 | 12          | 1/case   | 23     |
| OP30-DP         | Heavy Wt. Roll   | 30"x150'          | 12.5                 | 49                     | 33                 | 12          | 1/case   | 23     |
| OP30P           | Heavy Wt. Roll   | 30"x150'          | 12.5                 | 49                     | 33                 | 12          | 1/case   | 23     |
| OP50            | Heavy Wt. Pad    | 30"x30"           | 12.5                 | 41                     | 24                 | 12          | 50/bale  | 23     |
| OP100           | Heavy Wt. Pad    | 15"x19"           | 12.5                 | 26                     | 17.5               | 30          | 100/case | 23     |
| OP150DND        | Heavy Wt. Pad    | 15"x19"           | 12.5                 | 39                     | 27                 | 18          | 150/case | 23     |
| OP300           | Medium Wt. Pad   | 15"x19"           | 12.5                 | 20.5                   | 14                 | 30          | 100/case | 23     |
| OP315P          | Medium Wt. Roll  | 15"x150'          | 12.5                 | 19                     | 14                 | 24          | 1/case   | 23     |
| OP350-DP        | Medium Wt. Roll  | 30"x150'          | 12.5                 | 38                     | 26.5               | 12          | 1/case   | 23     |
| PLUG2           | Drain Plug       | 2" Plug           | n/a                  | n/a                    | 2                  | 50          | 1/case   | 53     |
| PLUG3           | Drain Plug       | 3" Plug           | n/a                  | n/a                    | 3                  | 50          | 1/case   | 53     |
| PLUG4           | Drain Plug       | 4" Plug           | n/a                  | n/a                    | 4                  | 50          | 1/case   | 53     |
| PLUG6           | Drain Plug       | 6" Plug           | n/a                  | n/a                    | 6                  | 50          | 1/case   | 53     |
| PVC18           | Slikstopper      | 18"x18"           | n/a                  | n/a                    | 9                  | 80          | 1/case   | 53     |
| PVC24           | Slikstopper      | 24"x24"           | n/a                  | n/a                    | 14                 | 40          | 1/case   | 53     |
| PVC36           | Slikstopper      | 36"x36"           | n/a                  | n/a                    | 34                 | 35          | 1/case   | 53     |
| PVC42           | Slikstopper      | 42"x42"           | n/a                  | n/a                    | 46                 | 20          | 1/case   | 53     |
| RAG1818         | Heavy Wt. Pads   | 18"x18"           | 9                    | 38                     | 32                 | 24          | 50/case  | 47     |
| RAG24150        | Heavy Wt. Rug    | 24"x150'          | 9                    | 37                     | 52                 | 12          | 1/bale   | 47     |
| RAG36150        | Heavy Wt. Rug    | 36"x150'          | 9                    | 55                     | 47                 | 6           | 1/bale   | 47     |
| RF100           | Heavy Wt. Pad    | 15"x19"           | 17.5                 | 40                     | 19                 | 18          | 100/case | 19     |
| RF300           | Medium Wt. Pad   | 15"x19"           | 17.5                 | 32                     | 14.8               | 24          | 100/case | 19     |
| RF500           | Light Wt. Pad    | 15"x19"           | 17.5                 | 24                     | 12                 | 30          | 100/case | 19     |
| RFDP300         | Medium Wt. Pad   | 16"x18"           | 16.5                 | 32                     | 16.6               | 30          | 100/case | 18     |
| RFDP328-DP      | Medium Wt. Roll  | 28.5"x150'        | 16.5                 | 55                     | 33.3               | 12          | 1/case   | 18     |
| RFGRANULAR      | Re-Form Granular | 30 lbs            | 1                    | 16.7                   | 1950               | 65          | 1 pallet | 51     |
| RFO412          | Oil Only SOCs    | 3"x4'             | 13.5                 | 15                     | 10.5               | 36          | 12/case  | 40     |
| RFODP100        | Heavy Wt. Pad    | 15"x19"           | 30                   | 39                     | 12                 | 24          | 100/case | 29     |
| RFP28-DP        | Heavy Wt. Roll   | 28.5"x150'        | 17                   | 62                     | 33                 | 8           | 1/case   | 19     |

# Reference

Index

| Catalog Numbers | Type   | Size                  | Absorb. Factor (g/g) | Absorb. Capacity (gal) | Shipping Wt. (lbs) | Pallet Qty. | Quantity | Page # |
|-----------------|--|-----------------------|----------------------|------------------------|--------------------|-------------|----------|--------|
| RFP14P          | Heavy Wt. Roll                                 | 14.25"x150'           | 17                   | 30                     | 16.5               | 24          | 1/case   | 19     |
| RFP100          | Heavy Wt. Pad                                  | 15"x19"               | 17                   | 40                     | 19.5               | 18          | 100/case | 19     |
| RFP314P         | Medium Wt. Roll                                | 14.25"x150'           | 17                   | 30                     | 15.5               | 24          | 1/case   | 19     |
| RFP328-DP       | Medium Wt. Roll                                | 28.5"x150'            | 17                   | 54                     | 30.5               | 8           | 1/case   | 19     |
| RFP300          | Medium Wt. Pad                                 | 15"x19"               | 17                   | 32                     | 16                 | 30          | 100/case | 19     |
| RFP500          | Light Wt. Pad                                  | 15"x19"               | 17                   | 24                     | 12.7               | 30          | 100/case | 19     |
| RFPP30P         | Heavy Wt. Roll                                 | 30"x150'              | 12.5                 | 49                     | 32                 | 12          | 1/case   | 17     |
| RFPP100         | Heavy Wt. Pad                                  | 15"x19"               | 12.5                 | 26                     | 17.5               | 30          | 100/case | 17     |
| SB-1010         | Standard Spill Berm                            | 10'x10'x1'            | n/a                  | 748                    | 47                 | 1           | 1/each   | 54     |
| SB-1212         | Standard Spill Berm                            | 12'x12'x1'            | n/a                  | 1,077                  | 60                 | 1           | 1/each   | 54     |
| SB-1226         | Standard Spill Berm                            | 12'x26'x1'            | n/a                  | n/a                    | 112                | 1           | 1/each   | 54     |
| SB-1236         | Standard Spill Berm                            | 12'x36'x1'            | n/a                  | n/a                    | 149                | 1           | 1/each   | 54     |
| SB-SL44         | Lightweight Spill Berm                         | 4'x4'x8"              | n/a                  | 79                     | 6                  | 20          | 1/each   | 54     |
| SB-SL46         | Lightweight Spill Berm                         | 4'x6'x8"              | n/a                  | 119                    | 8                  | 10          | 1/each   | 54     |
| SC-4            | Set of 4 casters                               | n/a                   | n/a                  | n/a                    | n/a                | n/a         | 1 pack   | 55     |
| SC-3000         | Absorbent Center                               | 50"Wx26"Hx21-1/2"D    | n/a                  | n/a                    | 50                 | 15          | 1/each   | 55     |
| SC-ACC          | Accessory Pack                                 | n/a                   | n/a                  | n/a                    | n/a                | n/a         | 1 pack   | 55     |
| SC-Cabinet      | Spill Control Cabinet                          | 19-7/8x14-1/4x 32-3/4 | n/a                  | n/a                    | 45                 | 9           | 1/each   | 55     |
| SC-Cabinet-HF   | Chemical Cabinet Fill                          | n/a                   | n/a                  | n/a                    | n/a                | n/a         | n/a      | 55     |
| SC-Cabinet-OF   | Oil Only Cabinet Fill                          | n/a                   | n/a                  | n/a                    | n/a                | n/a         | n/a      | 55     |
| SC-Cabinet-UF   | Universal Cabinet Fill                         | n/a                   | n/a                  | n/a                    | n/a                | n/a         | n/a      | 55     |
| SC-Cart         | Spill Control Cart                             | 36x18x38-3/8          | n/a                  | n/a                    | 180                | 1           | 1/each   | 55     |
| SC-Cart-HF      | Chemical Cart Fill                             | n/a                   | n/a                  | n/a                    | n/a                | n/a         | n/a      | 55     |
| SC-Cart-OF      | Oil Only Cart Fill                             | n/a                   | n/a                  | n/a                    | n/a                | n/a         | n/a      | 55     |
| SC-Cart-UF      | Universal Cart Fill                            | n/a                   | n/a                  | n/a                    | n/a                | n/a         | n/a      | 55     |
| SC-D15          | 15" Dowel Rod                                  | 15"                   | n/a                  | n/a                    | n/a                | n/a         | 1 rod    | 55     |
| SC-D40          | 40" Dowel Rod                                  | 40"                   | n/a                  | n/a                    | n/a                | n/a         | 1 rod    | 55     |
| SC-DK           | Sump Drain Kit                                 | n/a                   | n/a                  | n/a                    | 2                  | 100         | 1/case   | 54     |
| SC-DP2          | 2-Drum Spill Pallet                            | 26"Wx52"Lx17"H        | 68.7                 | 2,500                  | 46.5               | 10          | 1/each   | 54     |
| SC-DP4          | 4-Drum Spill Pallet                            | 52"Wx52"Lx17"H        | 128.9                | 5,000                  | 89                 | 10          | 1/each   | 54     |
| SC-DPR          | Spill Pallet Ramp                              | 32.5"Wx70"L           | n/a                  | 650                    | 47.5               | 3           | 1/each   | 54     |
| SC-MB           | Wall Mount                                     | n/a                   | n/a                  | n/a                    | n/a                | n/a         | 1 each   | 55     |
| SC-SD2          | 2 Drum Spill Deck                              | 26"Wx52"Lx6"H         | 21.2                 | 2,500                  | 31                 | 15          | 1/each   | 54     |
| SIR36           | Heavy Wt. Rug                                  | 36"x300'              | 8.5                  | 59                     | 50                 | 12          | 1/bale   | 46     |
| SIR72           | Heavy Wt. Rug                                  | 72"x150'              | 8.5                  | 59                     | 50                 | 12          | 1/bale   | 46     |
| SIR36150        | Heavy Wt. Rug                                  | 36"x150'              | 12.5                 | 45                     | 25                 | 18          | 1/bale   | 46     |
| SK-CAMO         | Camouflaged Vehicle Spill Kit                  | n/a                   | n/a                  | 11.5                   | 9                  | 50          | 1/each   | 63     |
| SK-CAMO-RS      | Camouflaged Vehicle Spill Kit with RuptureSEAL | n/a                   | n/a                  | 11.5                   | 9                  | 50          | 1/each   | 63     |
| SKA-20          | Universal Spill Kit                            | 21"Dia.x18"H          | n/a                  | 16                     | 26                 | 12          | 1/each   | 65     |

# Reference

| Catalog Numbers | Type                        | Size               | Absorb. Factor (g/gs) | Absorb. Capacity (gal) | Shipping Wt. (lbs) | Pallet Qty. | Quantity | Page # |
|-----------------|-----------------------------|--------------------|-----------------------|------------------------|--------------------|-------------|----------|--------|
| SKA-20-R        | Universal Spill Kit Refill  | n/a                | n/a                   | 17                     | 13                 | 16          | 1/each   | 65     |
| SKA-20-RESCUE   | Universal Spill Kit         | 21"Dia.x18"H       | n/a                   | 16                     | 20                 | 12          | 1/each   | 65     |
| SKA-20-TAA      | Universal Spill Kit         | 21"Dia.x18"H       | n/a                   | 16                     | 26                 | 12          | 1/each   | 65     |
| SKA-30          | Universal Spill Kit         | 21.125"Dia.x28.5"H | n/a                   | 36                     | 41                 | 12          | 1/each   | 66     |
| SKA-30-R        | Universal Spill Kit Refill  | n/a                | n/a                   | 36                     | 28                 | 12          | 1/each   | 66     |
| SKA-30-TAA      | Universal Spill Kit         | 21.125"Dia.x28.5"H | n/a                   | 36                     | 41                 | 12          | 1/each   | 66     |
| SKA-55          | Universal Spill Kit         | 24"Dia.x37"H       | n/a                   | 38                     | 57                 | 8           | 1/each   | 67     |
| SKA-55-R        | Universal Spill Kit Refill  | n/a                | n/a                   | 38                     | 37                 | 8           | 1/each   | 67     |
| SKA-55-TAA      | Universal Spill Kit         | 24"Dia.x37"H       | n/a                   | 38                     | 56                 | 8           | 1/each   | 67     |
| SKA-55W         | Universal Spill Kit Wheeled | 23"Dia.x37"H       | n/a                   | 38                     | 57                 | 8           | 1/each   | 67     |
| SKA-65          | Universal Spill Kit         | 31"Dia.x33.5"H     | n/a                   | 63                     | 100                | 3           | 1/each   | 68     |
| SKA-65-R        | Universal Spill Kit Refill  | n/a                | n/a                   | 63                     | 40                 | 3           | 1/each   | 68     |
| SKA-65-TAA      | Universal Spill Kit         | 31"Dia.x33.5"H     | n/a                   | 63                     | 100                | 3           | 1/each   | 68     |
| SKA-65W         | Universal Spill Kit         | 31"Dia.x42"H       | n/a                   | 63                     | 100                | 3           | 1/each   | 68     |
| SKA-95          | Universal Spill Kit         | 31.5"Dia.x35"H     | n/a                   | 75                     | 107                | 3           | 1/each   | 69     |
| SKA-95-R        | Universal Spill Kit Refill  | n/a                | n/a                   | 79                     | 60                 | 3           | 1/each   | 69     |
| SKA-95W         | Universal Spill Kit Wheeled | 31.5"Dia.x47"H     | n/a                   | 75                     | 107                | 2           | 1/each   | 69     |
| SKA-ATK         | Universal Spill Kit         | 20"Lx16"Wx4"H      | n/a                   | 7                      | 36.5               | 24          | 4/case   | 60     |
| SKA-ATK-TAA     | Universal Spill Kit         | 20"Lx16"Wx4"H      | n/a                   | 7                      | 36.5               | 24          | 4/case   | 60     |
| SKA-BKT         | Universal Spill Kit         | 14"Dia.x18"H       | n/a                   | 9                      | 9                  | 27          | 1/each   | 64     |
| SKA-BKTACID     | Acid Neutralizing Spill Kit | 13.5" Dia.x18"H    | n/a                   | 4.5                    | 16.5               | 48          | 1/each   | 64     |
| SKA-BKTBASE     | Base Neutralizer Spill Kit  | 13.5" Dia.x18"H    | n/a                   | 4.5                    | 16.5               | 48          | 1/each   | 64     |
| SKA-BKT-TAA     | Universal Spill Kit         | 14"Dia.x18"H       | n/a                   | 9                      | 9                  | 27          | 1/each   | 64     |
| SKA-BSC         | Universal Spill Kit         | 4.5"Lx15"Wx18"H    | n/a                   | 3                      | 7                  | 40          | 1/case   | 60     |
| SKA-CFB         | Universal Spill Kit         | 25.5"Lx17"Wx21.5"H | n/a                   | 15                     | 25                 | 24          | 1 each   | 61     |
| SKA-K2          | Universal Spill Kit         | 18"Lx17"Wx39"H     | n/a                   | 22                     | 42                 | 10          | 1/each   | 62     |
| SKA-K2R         | Universal Spill Kit Refill  | n/a                | n/a                   | 22                     | 25                 | 20          | 1/each   | 62     |
| SKA-LT          | Universal Spill Kit         | 47"Lx34"Wx43"H     | n/a                   | 134                    | 164                | 1           | 1/each   | 70     |
| SKA-PP          | Universal Spill Kit         | 20"Lx16"Wx4"H      | n/a                   | 5                      | 24                 | 20          | 4/case   | 61     |
| SKA-PP-TAA      | Universal Spill Kit         | 20"Lx16"Wx4"H      | n/a                   | 5                      | 24                 | 20          | 4/case   | 61     |
| SKA-TRK         | Universal Spill Kit         | 35"Hx16"Wx16"D     | n/a                   | 20                     | 40                 | 12          | 1/each   | 63     |
| SKA-SAK         | Universal Spill Kit         | 32"Lx20"Wx12"H     | n/a                   | 10                     | 10                 | 40          | 1/each   | 61     |
| SKA-SRP         | Universal Spill Kit         | 9.75"Dx10.5"H      | n/a                   | 4.5                    | 2.5                | 48          | 1/each   | 62     |
| SKA-XLT         | Universal Spill Kit         | 57.5"Lx40.5"Wx47"H | n/a                   | 184                    | 221                | 1           | 1/each   | 70     |
| SKCH-20         | BrightSorb Chemical Kit     | 21"Dia.x18"H       | n/a                   | 17                     | 26                 | 18          | 1/each   | 65     |
| SKCH-55         | BrightSorb Chemical Kit     | 24"Dia.x37"H       | n/a                   | 38                     | 52                 | 8           | 1/each   | 67     |
| SKCH-95         | BrightSorb Chemical Kit     | 31.5"Dia.x35"H     | n/a                   | 75                     | 104                | 3           | 1/each   | 69     |
| SKCH-BKT        | BrightSorb Chemical Kit     | 14"Dia.x18"H       | n/a                   | 9                      | 8                  | 60          | 1/each   | 64     |
| SKCH-PP         | BrightSorb Chemical Kit     | 20"Lx16"Wx4"H      | n/a                   | 5                      | 5                  | 20          | 4/case   | 61     |

# Reference

Index

| Catalog Numbers | Type                        | Size                     | Absorb. Factor (gl/g) | Absorb. Capacity (gal) | Shipping Wt. (lbs) | Pallet Qty. | Quantity | Page # |
|-----------------|-----------------------------|--------------------------|-----------------------|------------------------|--------------------|-------------|----------|--------|
| SKH-20          | Chemical Spill Kit          | 21" Dia. x 18"H          | n/a                   | 17                     | 26                 | 12          | 1/each   | 65     |
| SKH-20-R        | Chemical Spill Kit Refill   | n/a                      | n/a                   | 17                     | 13                 | 16          | 1/each   | 65     |
| SKH-20-RESCUE   | Chemical Spill Kit          | 21" Dia. x 18"H          | n/a                   | 20                     | 20                 | 12          | 1/each   | 65     |
| SKH-30          | Chemical Spill Kit          | 21.125" Dia. x 28.5"H    | n/a                   | 36                     | 41                 | 12          | 1/each   | 66     |
| SKH-30-R        | Chemical Spill Kit Refill   | n/a                      | n/a                   | 36                     | 28                 | 12          | 1/each   | 66     |
| SKH-55          | Chemical Spill Kit          | 24" Dia. x 37"H          | n/a                   | 38                     | 52                 | 8           | 1/each   | 67     |
| SKH-55-R        | Chemical Spill Kit Refill   | n/a                      | n/a                   | 55                     | 37                 | 8           | 1/each   | 67     |
| SKH-55W         | Chemical Spill Kit Wheeled  | 23" Dia. x 37"H          | n/a                   | 38                     | 52                 | 8           | 1/each   | 67     |
| SKH-65          | Chemical Spill Kit          | 31" Dia. x 33.5"H        | n/a                   | 63                     | 100                | 3           | 1/each   | 68     |
| SKH-65-R        | Chemical Spill Kit Refill   | n/a                      | n/a                   | 63                     | 40                 | 3           | 1/each   | 68     |
| SKH-65W         | Chemical Spill Kit Wheeled  | 31" Dia. x 42"H          | n/a                   | 63                     | 100                | 3           | 1/each   | 68     |
| SKH-95          | Chemical Spill Kit          | 31.5" Dia. x 35"H        | n/a                   | 75                     | 104                | 3           | 1/each   | 69     |
| SKH-95-R        | Chemical Spill Kit Refill   | n/a                      | n/a                   | 95                     | 60                 | 3           | 1/each   | 69     |
| SKH-95W         | Chemical Spill Kit Wheeled  | 31.5" Dia. x 47"H        | n/a                   | 75                     | 104                | 2           | 1/each   | 69     |
| SKH-ATK         | Chemical Spill Kit          | 20" L x 16" W x 4"H      | n/a                   | 7                      | 25                 | 24          | 4/case   | 60     |
| SKH-BKT         | Chemical Spill Kit          | 14" Dia. x 18"H          | n/a                   | 9                      | 8                  | 27          | 1/each   | 64     |
| SKH-CFB         | Chemical Spill Kit          | 25.5" L x 17" W x 21.5"H | n/a                   | 15                     | 25                 | 24          | 1 each   | 61     |
| SKH-K2          | Chemical Spill Kit          | 18" L x 17" W x 39"H     | n/a                   | 22                     | 42                 | 10          | 1/each   | 62     |
| SKH-K2R         | Chemical Spill Kit Refill   | n/a                      | n/a                   | 22                     | 25                 | 20          | 1/each   | 62     |
| SKH-LT          | Chemical Spill Kit          | 47" L x 34" W x 43"H     | n/a                   | 115                    | 158                | 1           | 1/each   | 70     |
| SKH-PP          | Chemical Spill Kit          | 20" L x 16" W x 4"H      | n/a                   | 5                      | 24                 | 20          | 4/case   | 61     |
| SKH-SAK         | Chemical Spill Kit          | 32" L x 20" W x 12"H     | n/a                   | 10                     | 10                 | 40          | 1/each   | 61     |
| SKH-SRP         | Chemical Spill Kit          | 9.75" D x 10.5"H         | n/a                   | 4.5                    | 2.5                | 48          | 1/each   | 62     |
| SKH-XLT         | Chemical Spill Kit          | 57.5" L x 40.5" W x 47"H | n/a                   | 160                    | 221                | 1           | 1/each   | 70     |
| SKM-LT          | Marine Spill Kit            | 47" L x 34" W x 43"H     | n/a                   | 169                    | 164                | 1           | 1/each   | 70     |
| SKM-XLT         | Marine Spill Kit            | 57.5" L x 40.5" W x 47"H | n/a                   | 282                    | 258                | 1           | 1/each   | 70     |
| SKMA-20         | Mixed Application Spill Kit | 21" Dia. x 18"H          | n/a                   | 15                     | 20                 | 12          | 1/each   | 65     |
| SKMA-30         | Mixed Application Spill Kit | 21.125" Dia. x 28.5"H    | n/a                   | 29                     | 41                 | 12          | 1/each   | 66     |
| SKMA-55         | Mixed Application Spill Kit | 24" Dia. x 37"H          | n/a                   | 46                     | 52                 | 8           | 1/each   | 67     |
| SKMA-55W        | Mixed Application Spill Kit | 23" Dia. x 37"H          | n/a                   | 46                     | 52                 | 8           | 1/each   | 67     |
| SKMA-65         | Mixed Application Spill Kit | 31" Dia. x 33.5"H        | n/a                   | 65                     | 100                | 3           | 1/each   | 68     |
| SKMA-65W        | Mixed Application Spill Kit | 31" Dia. x 42"H          | n/a                   | 65                     | 100                | 3           | 1/each   | 68     |
| SKMA-95         | Mixed Application Spill Kit | 31.5" Dia. x 35"H        | n/a                   | 77                     | 107                | 3           | 1/each   | 69     |
| SKMA-95W        | Mixed Application Spill Kit | 31.5" Dia. x 47"H        | n/a                   | 77                     | 107                | 2           | 1/each   | 69     |
| SKO-20          | Oil Only Spill Kit          | 21" Dia. x 18"H          | n/a                   | 17                     | 26                 | 12          | 1/each   | 65     |
| SKO-20-R        | Oil Only Spill Kit Refill   | n/a                      | n/a                   | 17                     | 13                 | 16          | 1/each   | 65     |
| SKO-20-RESCUE   | Oil Only Spill Kit          | 21" Dia. x 18"H          | n/a                   | 20                     | 20                 | 12          | 1/each   | 65     |
| SKO-30          | Oil Only Spill Kit          | 21.125" Dia. x 28.5"H    | n/a                   | 36                     | 41                 | 12          | 1/each   | 66     |
| SKO-30-R        | Oil Only Spill Kit Refill   | n/a                      | n/a                   | 36                     | 26                 | 12          | 1/each   | 66     |
| SKO-55          | Oil Only Spill Kit          | 24" Dia. x 37"H          | n/a                   | 38                     | 56                 | 8           | 1/each   | 67     |



# Reference

| Catalog Numbers | Type  | Size               | Absorb. Factor (g/gs) | Absorb. Capacity (gal) | Shipping Wt. (lbs) | Pallet Qty. | Quantity | Page # |
|-----------------|---|--------------------|-----------------------|------------------------|--------------------|-------------|----------|--------|
| SKO-55-R        | Oil Only Spill Kit Refill                   | n/a                | n/a                   | 55                     | 37                 | 8           | 1/each   | 67     |
| SKO-55W         | Oil Only Spill Kit Wheeled                  | 23"Dia.x37"H       | n/a                   | 38                     | 56                 | 8           | 1/each   | 67     |
| SKO-65          | Oil Only Spill Kit                          | 31"Dia.x33.5"H     | n/a                   | 63                     | 100                | 3           | 1/each   | 68     |
| SKO-65-R        | Oil Only Spill Kit Refill                   | n/a                | n/a                   | 63                     | 40                 | 3           | 1/each   | 68     |
| SKO-65W         | Oil Only Spill Kit Wheeled                  | 31"Dia.x42"H       | n/a                   | 63                     | 100                | 3           | 1/each   | 68     |
| SKO-95          | Oil Only Spill Kit                          | 31.5"Dia.x35"H     | n/a                   | 75                     | 107                | 3           | 1/each   | 69     |
| SKO-95-R        | Oil Only Spill Kit Refill                   | n/a                | n/a                   | 95                     | 60                 | 3           | 1/each   | 69     |
| SKO-95W         | Oil Only Spill Kit Wheeled                  | 31.5"Dia.x47"H     | n/a                   | 75                     | 107                | 2           | 1/each   | 69     |
| SKO-ATK         | Oil Only Spill Kit                          | 20"Lx16"Wx4"H      | n/a                   | 7                      | 23                 | 24          | 4/case   | 60     |
| SKO-BKT         | Oil Only Spill Kit                          | 14"Dia.x18"H       | n/a                   | 9                      | 9                  | 27          | 1/each   | 64     |
| SKO-BSC         | Oil Only Spill Kit                          | 4.5"Lx15"Wx18"H    | n/a                   | 3                      | 7                  | 40          | 1/case   | 60     |
| SKO-CFB         | Oil Only Spill Kit                          | 25.5"Lx17"Wx21.5"H | n/a                   | 15                     | 25                 | 24          | 1 each   | 61     |
| SKO-K2          | Oil Only Spill Kit                          | 18"Lx17"Wx39"H     | n/a                   | 22                     | 42                 | 10          | 1/each   | 62     |
| SKO-K2R         | Oil Only Spill Kit Refill                   | n/a                | n/a                   | 22                     | 25                 | 20          | 1/each   | 62     |
| SKO-LT          | Oil Only Spill Kit                          | 47"Lx34"Wx43"H     | n/a                   | 126                    | 185                | 1           | 1/each   | 70     |
| SKO-PP          | Oil Only Spill Kit                          | 20"Lx16"Wx4"H      | n/a                   | 5                      | 24                 | 20          | 4/case   | 61     |
| SKO-TRK         | Oil Only Spill Kit                          | 35"Hx16"Wx16"D     | n/a                   | 20                     | 40                 | 12          | 1/each   | 63     |
| SKO-SAK         | Oil Only Spill Kit                          | 32"Lx20"Wx12"H     | n/a                   | 10                     | 10                 | 40          | 1/each   | 61     |
| SKO-SRP         | Oil Only Spill Kit                          | 9.75"Dx10.5"H      | n/a                   | 4.5                    | 2.5                | 48          | 1/each   | 62     |
| SKO-XLT         | Oil Only Spill Kit                          | 57.5"Lx40.5"Wx47"H | n/a                   | 174                    | 221                | 1           | 1/each   | 70     |
| SKR-ATK         | Re-Form Spill Kit                           | 20"Lx16"Wx4"H      | n/a                   | 7                      | 36.5               | 24          | 4/case   | 60     |
| SKR-PP          | Re-Form Spill Kit                           | 20"Lx16"Wx4"H      | n/a                   | 5                      | 24                 | 20          | 4/case   | 61     |
| SPC10           | Pillow                                      | 14"x25"            | 12.5                  | 52                     | 30                 | 10          | 10/bale  | 49     |
| SPC50           | Heavy Wt. Pad                               | 33"x39"            | 18                    | 73                     | 33.5               | 10          | 50/bale  | 25     |
| SPC100          | Heavy Wt. Pad                               | 15"x19"            | 18                    | 35                     | 14                 | 30          | 100/bale | 25     |
| SPC105          | Heavy Wt. Pad<br>(1 side w/blue coverstock) | 15"x19"            | 18                    | 35                     | 14                 | 30          | 100/bale | 25     |
| SPC150          | Heavy Wt. Roll                              | 38"x144'           | 15                    | 70                     | 33                 | 18          | 1/bale   | 25     |
| SPC152          | Heavy Wt. Roll                              | 19"x144'           | 15                    | 70                     | 33                 | 18          | 2/bale   | 25     |
| SPC200          | Light Wt. Pad                               | 15"x19"            | 18                    | 51                     | 16                 | 24          | 200/bale | 25     |
| SPC300          | Medium Wt. Pad                              | 15"x19"            | 18                    | 30                     | 11                 | 30          | 100/bale | 25     |
| SPC318          | SPC Boom                                    | 3"x18"             | 9.5                   | 14                     | 10                 | 40          | 25/case  | 49     |
| SPC500          | Light Wt. Pad                               | 15"x19"            | 18                    | 20                     | 8.2                | 36          | 100/bale | 25     |
| SPC510          | SPC Boom                                    | 5"x10'             | 12.6                  | 32                     | 19                 | 20          | 4/bale   | 49     |
| SPC518          | SPC Boom                                    | 5"x18"             | 12.6                  | 12                     | 8                  | 36          | 10/case  | 49     |
| SPC810          | SPC Boom                                    | 8"x10'             | 13.3                  | 71                     | 40                 | 12          | 4/bale   | 49     |
| SPC818          | SPC Boom                                    | 8"x18"             | 12.5                  | 28                     | 17                 | 16          | 10/bale  | 49     |
| SPC1900         | Sweep                                       | 19"X100'           | 15                    | 26                     | 13                 | 30          | 1/bale   | 49     |
| SPC5510         | SPC Boom                                    | 5"x10'             | 12.1                  | 61                     | 38                 | 20          | 2/bale   | 49     |
| SPC-ACID        | 2lb Acid Neutralizing Shaker                | n/a                | n/a                   | 0.65                   | 2                  | 1200        | 1/each   | 51     |

# Reference

Index

| Catalog Numbers | Type                         | Size     | Absorb. Factor (g/g) | Absorb. Capacity (gal) | Shipping Wt. (lbs) | Pallet Qty. | Quantity | Page # |
|-----------------|------------------------------|----------|----------------------|------------------------|--------------------|-------------|----------|--------|
| SPC-BASE        | 2lb Base Neutralizing Shaker | n/a      | n/a                  | 0.65                   | 2                  | 1200        | 1/each   | 51     |
| SPCUN810        | Universal Boom               | 8"x10'   | 13.3                 | 71                     | 19                 | 9           | 4/bale   | 49     |
| SPCUN510        | Universal Boom               | 5"x10'   | 12.6                 | 32                     | 19                 | 20          | 4/bale   | 49     |
| SPCUN1019       | Medium Wt. Roll              | 15"x150' | 12.5                 | 39                     | 24                 | 12          | 2/case   | 35     |
| SPCUN1113       | Medium Wt. Pad               | 12"x12"  | 12.5                 | 20                     | 16                 | 30          | 200/case | 35     |
| SPCUN1113-50    | Medium Wt. Pad               | 12"x12"  | 12.5                 | 5.5                    | 4                  | 45          | 50/case  | 35     |
| SPCUN1719       | Medium Wt. Pad               | 15"x19"  | 12.5                 | 20.5                   | 14.5               | 30          | 100/case | 35     |
| SPCUN3800       | Medium Wt. Roll              | 30"x150' | 12.5                 | 39                     | 27                 | 12          | 1/case   | 35     |
| SR100           | Heavy Wt. Pad                | 15" x19" | 13                   | 26                     | 14.5               | 30          | 100/bale | 28     |
| SR3600          | Heavy Wt. Roll               | 30"x150' | 15                   | 44                     | 22                 | 18          | 1/bale   | 29     |
| SR3625          | Heavy Wt. Pad                | 30"x30"  | 13                   | 16                     | 9                  | 14          | 25/bale  | 28     |
| SRP75P          | Heavy Wt. Roll               | 7.5"x50' | 12.5                 | 3.3                    | 1.85               | 96          | 1/bale   | 14     |
| SRP100          | Heavy Wt. Pad                | 7.5"x10" | 12.5                 | 5.5                    | 4                  | 96          | 100/case | 14     |
| SRP200          | Heavy Wt. Pad                | 7.5"x10" | 12.5                 | 11.1                   | 7.5                | 48          | 200/case | 14     |
| SRPH75P         | Heavy Wt. Plus Roll          | 7.5"x50' | 12.5                 | 3.3                    | 1.85               | 96          | 1/bale   | 36     |
| SRPH100         | Heavy Wt. Plus Pad           | 7.5"x10" | 12.5                 | 5.5                    | 4                  | 96          | 100/case | 36     |
| SRPH200         | Heavy Wt. Plus Pad           | 7.5"x10" | 12.5                 | 11.1                   | 7.5                | 48          | 200/case | 36     |
| SRPO75P         | Heavy Wt. Roll               | 7.5"x50' | 12.5                 | 3.3                    | 1.85               | 96          | 1/bale   | 24     |
| SRPO100         | Heavy Wt. Pad                | 7.5"x10" | 12.5                 | 5.5                    | 4                  | 96          | 100/case | 24     |
| SRPO200         | Heavy Wt. Pad                | 7.5"x10" | 12.5                 | 11.1                   | 7.5                | 48          | 200/case | 24     |
| SW46            | Universal SOCs               | 3"x42"   | 3                    | 20                     | 50                 | 16          | 40/case  | 38     |
| SXT15P          | Heavy Wt. Roll               | 15"x150' | 12                   | 18                     | 14                 | 30          | 1/case   | 22     |
| SXT30DP         | Heavy Wt. Roll               | 30"x150' | 12                   | 37                     | 26.5               | 24          | 1/case   | 22     |
| SXT100          | Heavy Wt. Pad                | 15"x19"  | 12                   | 19.5                   | 14.5               | 30          | 100/case | 22     |
| SXT200          | Light Wt. Pad                | 15"x19"  | 12                   | 31.5                   | 18                 | 24          | 200/case | 22     |
| SXT300          | Medium Wt. Pad               | 15"x19"  | 12                   | 17                     | 10                 | 30          | 100/case | 22     |
| TM19            | Heavy Wt. Roll               | 19"x80'  | 9                    | 26                     | 32                 | 18          | 2/bale   | 46     |
| TM29            | Heavy Wt. Roll               | 29"x80'  | 9                    | 20                     | 24                 | 18          | 1/bale   | 46     |
| TM30            | Heavy Wt. Pad                | 29"x29"  | 9                    | 25                     | 15                 | 15          | 30/bale  | 46     |
| TM58            | Heavy Wt. Roll               | 58"x80'  | 9                    | 55                     | 34                 | 9           | 1/bale   | 46     |
| UXT15P          | Heavy Wt. Roll               | 15"x150' | 11                   | 17                     | 14.5               | 24          | 1/case   | 11     |
| UXT30DP         | Medium Wt. Roll              | 30"x150' | 11                   | 37                     | 27.5               | 12          | 1/case   | 11     |
| UXT100          | Heavy Wt. Pad                | 15"x19"  | 11                   | 19.5                   | 14.5               | 30          | 100/case | 11     |
| UXT200          | Light Wt. Pad                | 15"x19"  | 11                   | 31.5                   | 18.5               | 24          | 200/case | 11     |
| UXT300          | Medium Wt. Pad               | 15"x19"  | 11                   | 17                     | 12                 | 30          | 100/case | 11     |

In an effort to reduce shipping costs for our customers, pallet quantities may vary.

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.



# Product Index

Index

## Product Index

|  |    |
|--|----|
| 2-Gallon Spill Response Plus Spill Kit ..... | 60 |
| 6.5 Gallon Acid Neutralizer Spill Kit .....  | 62 |
| 6.5 Gallon Base Neutralizing Spill Kit.....  | 62 |
| 6.5-Gallon Spill Bucket Kit.....             | 62 |
| 20-Gallon Lab Pack Kit.....                  | 63 |
| 20-Gallon Mixed Application .....            | 63 |
| 20-Gallon RESCUE™ Spill Kit .....            | 63 |
| 30-Gallon Mixed Application .....            | 64 |
| 30-Gallon Spill Kit.....                     | 64 |
| 55-Gallon Drum Kit.....                      | 65 |
| 55-Gallon Mixed Application .....            | 65 |
| 65-Gallon Mixed Application .....            | 66 |
| 65-Gallon Spill Kit.....                     | 66 |
| 95-Gallon Mixed Application .....            | 67 |
| 95-Gallon Overpack Kit.....                  | 67 |

### A

|                            |    |
|----------------------------|----|
| Absorbent Storage .....    | 55 |
| Adhesive Mat.....          | 44 |
| Attack Pac Spill Kit ..... | 58 |

### B

|                                     |    |
|-------------------------------------|----|
| Barrier Spill Absorbents .....      | 44 |
| BASIC Chemical Absorbents .....     | 34 |
| Basic Oil Absorbents.....           | 27 |
| Basic Spill Kit.....                | 58 |
| Basic Universal Absorbents.....     | 16 |
| BattleMat Universal Absorbents..... | 10 |

### C

|                        |    |
|------------------------|----|
| Chemical Pads .....    | 30 |
| Chemical Pillows ..... | 41 |
| Chemical Rolls.....    | 30 |
| Chemical SOCs.....     | 41 |

### D

|                       |    |
|-----------------------|----|
| Drain Protection..... | 53 |
| Drum Covers .....     | 36 |

### E

|                               |    |
|-------------------------------|----|
| Economy Spill Kit.....        | 59 |
| Emergency Response Kit.....   | 59 |
| Emergency Spill Sak Kit ..... | 59 |
| ENV Oil Absorbents.....       | 26 |

### G

|                               |    |
|-------------------------------|----|
| GP Universal Absorbents ..... | 15 |
| Granular & Neutralizers ..... | 51 |

### H

|   |    |
|---|----|
| High Visibility Barrier-Backed Mat.....     | 45 |
| High Visibility Safety & Chemical Mat ..... | 32 |
| HT Barrier Backed Mat.....                  | 45 |
| HT Universal Absorbents .....               | 12 |

### M

|                                     |    |
|-------------------------------------|----|
| Marine Absorbents .....             | 49 |
| Marine Booms .....                  | 49 |
| Marine Containment Booms .....      | 49 |
| Mats.....                           | 42 |
| MAXX® Pack .....                    | 58 |
| Mobile Spill Kaddie Kit .....       | 60 |
| Mobile Spill Truck - Large.....     | 68 |
| Mobile Spill Truck - X-Large .....  | 68 |
| MRO Plus Universal Absorbents ..... | 13 |

### O

|                           |    |
|---------------------------|----|
| Oil Only Drum Covers..... | 40 |
| Oil Only Pads.....        | 20 |
| Oil Only Pillows.....     | 40 |
| Oil Only Rolls .....      | 20 |
| Oil Only SOCs .....       | 40 |
| Oil Plus Absorbents.....  | 23 |

### P

|   |    |
|---|----|
| Pillows.....                              | 36 |
| Poly-Edge Truck Mountable Spill Kit ..... | 63 |

### R

|  |    |
|--|----|
| Rag Rug Absorbents.....                  | 47 |
| Re-Form Oil Only Absorbents .....        | 29 |
| Re-Form Plus Universal Absorbents .....  | 19 |
| Re-Form Pro Plus Universal Absorbents..  | 17 |
| Re-Form Universal Absorbents .....       | 19 |
| Re-Form XPlus Universal Absorbents ..... | 18 |
| Rugs .....                               | 42 |

### S

|  |    |
|--|----|
| SIR Sorbent Industrial Absorbents .....  | 46 |
| SOCs .....                               | 36 |
| SPC Oil Absorbents.....                  | 25 |
| Spill Berms .....                        | 54 |
| Spill Decks.....                         | 54 |
| Spill Kits.....                          | 56 |
| Spill Pallets .....                      | 54 |
| Spill Response Plus Oil Only .....       | 24 |
| Spill Response Plus Universal.....       | 14 |
| Spill Response Plus Universal Plus ..... | 36 |
| Static Resistant Oil Absorbents.....     | 28 |
| SXT Oil Absorbents .....                 | 22 |

### T

|                           |    |
|---------------------------|----|
| TrackMat Absorbents ..... | 46 |
|---------------------------|----|

### U

|   |    |
|---|----|
| Universal Drum Covers .....             | 39 |
| Universal Pads .....                    | 8  |
| Universal Pillows.....                  | 39 |
| Universal Plus Chemical Absorbents..... | 35 |
| Universal Rolls.....                    | 8  |
| Universal SOCs .....                    | 38 |
| UXT Universal Absorbents .....          | 11 |

### V

|                          |    |
|--------------------------|----|
| Vehicle Spill Kits ..... | 61 |
|--------------------------|----|





## CONTACT US

Brady's global presence makes it easy for you to do business with us wherever you are. To find out more about Brady and our products, please visit us at [www.bradyid.com.sg](http://www.bradyid.com.sg) or email us at [ContactUs\\_SA@bradycorp.com](mailto:ContactUs_SA@bradycorp.com).

### APAC Offices

#### AUSTRALIA

Telephone: (612) 8717 6300

#### PHILIPPINES

Telephone: (65) 6477 7261

#### CHINA

Telephone: (86) 21 6100 6588

#### SINGAPORE

Telephone: (65) 6477 7261

#### HONG KONG

Telephone: (852) 2216 9283

#### SOUTH KOREA

Telephone: (02) 2192 0700

#### INDIA

Telephone: (91) 80 66582 900

#### TAIWAN

Telephone: (86) 2 2657 6108

#### INDONESIA

Telephone: (65) 6477 7261

#### THAILAND

Telephone: (66) 2 512 2400

#### JAPAN

Telephone: (81) 042 655 2535

#### VIETNAM

Telephone: (65) 6477 7261

#### MALAYSIA

Telephone: (60) 4 810 1688

### International Offices

#### EUROPE

Website: [www.bradyeurope.com](http://www.bradyeurope.com)

#### NORTH AMERICA

Website: [www.bradyid.com](http://www.bradyid.com)

