



## Bontrager tire pressures

### Road

---

continued

| Name               | Size   | Pressure Range (psi/bar) |
|--------------------|--------|--------------------------|
| AW1 Hard-Case Lite | 700x23 | 90-125/6.2-8.6           |
| AW1 Hard-Case Lite | 700x25 | 90-125/6.2-8.6           |
| AW1 Hard-Case Lite | 700x28 | 80-115/5.5-7.9           |
| AW1 Hard-Case Lite | 700x32 | 55-100/3.8-6.9           |
| AW2 Hard-Case Lite | 700x23 | 90-125/6.2-8.6           |
| AW2 Hard-Case Lite | 700x25 | 90-125/6.2-8.6           |
| AW2 Hard-Case Lite | 700x28 | 80-115/5.5-7.9           |
| AW3 Hard-Case Lite | 700x23 | 90-125/6.2-8.6           |
| AW3 Hard-Case Lite | 700x25 | 90-125/6.2-8.6           |
| CX0                | 700x34 | 60-80/4.1-5.5            |
| CX0                | 700x38 | 60-80/4.1-5.5            |
| CX3                | 700x32 | 45-70/3.1-4.8            |
| GR1 Comp           | 700x40 | 30-50/2.1-3.4            |
| GR1 Team Issue TLR | 700x35 | 30-50/2.1-3.4            |
| GR1 Team Issue TLR | 700x40 | 30-50/2.1-3.4            |
| GR2 Team Issue TLR | 700x40 | 30-50/2.1-3.4            |
| R1                 | 700x23 | 90-125/6.2-8.6           |
| R1                 | 700x25 | 90-125/6.2-8.6           |
| R1                 | 700x28 | 90-125/6.2-8.6           |
| R1 Hard-Case Lite  | 700x32 | 80-110/5.5-7.5           |
| R2 Hard-Case Lite  | 700x23 | 90-125/6.2-8.6           |
| R2 Hard-Case Lite  | 700x25 | 90-125/6.2-8.6           |
| R2 Hard-Case Lite  | 700x28 | 80-115/5.5-7.9           |
| R2 Hard-Case Lite  | 700x32 | 80-115/5.5-7.9           |
| R2 TLR             | 700x24 | 90-125/6.2-8.6           |
| R2 TLR             | 700x26 | 90-125/6.2-8.6           |
| R3 Hard-Case Lite  | 700x23 | 90-125/6.2-8.6           |
| R3 Hard-Case Lite  | 700x25 | 90-125/6.2-8.6           |

|                              |          |                 |
|------------------------------|----------|-----------------|
| R3 Hard-Case Lite            | 700x28   | 80-115/5.5-7.9  |
| R3 Hard-Case Lite Reflective | 700x25   | 90-125/6.2-8.6  |
| R3 Hard-Case Lite Reflective | 700x28   | 80-115/5.5-7.9  |
| R3 Hard-Case Lite TLR        | 700x32   | 70/4.8 Max      |
| R4 320                       | 700x25   | 90-180/6.2-12.4 |
| R4 320 Tubular               | 700x23   | 90-180/6.2-12.4 |
| R4 320 Tubular               | 700x25   | 90-180/6.2-12.4 |
| R4 Classics Hard-Case Lite   | 700x28   | 110/7.6 Max     |
| R4 Classics Tubular          | 700x28   | 90-180/6.2-12.4 |
| T1                           | 26x1-3/8 | 40-85/2.8-5.9   |
| T1                           | 27x1-1/4 | 70-100/4.8-6.8  |
| T1                           | 27x1-1/8 | 70-100/4.8-6.8  |
| T1                           | 700x23   | 80-115/5.5-7.9  |
| T1                           | 700x25   | 80-115/5.5-7.9  |
| T2                           | 27x1-1/4 | 70-100/4.8-6.8  |
| T2                           | 700x23   | 80-115/5.5-7.9  |
| T2                           | 700x25   | 80-115/5.5-7.9  |
| T2                           | 700x28   | 80-115/5.5-7.9  |
| T2                           | 700x32   | 55-85/3.8-5.9   |

## Bontrager tire pressures

### Mountain

| Name               | Size      | Pressure Range (psi/bar) |
|--------------------|-----------|--------------------------|
| XR0 Team Issue     | 27.5x2.0  | 30-50/2.1-3.4            |
| XR1 Comp           | 29x2.0    | 30-50/2.1-3.4            |
| XR1 Team Issue TLR | 27.5x2.0  | 30-50/2.1-3.4            |
| XR1 Team Issue TLR | 27.5x2.2  | 30-50/2.1-3.4            |
| XR1 Team Issue TLR | 29x2.0    | 30-50/2.1-3.4            |
| XR1 Team Issue TLR | 29x2.2    | 30-50/2.1-3.4            |
| XR2 Comp           | 26x2.2    | 30-50/2.1-3.4            |
| XR2 Comp           | 27.5x2.2  | 30-50/2.1-3.4            |
| XR2 Comp           | 29x2.2    | 30-50/2.1-3.4            |
| XR2 Team Issue TLR | 26x2.2    | 30-50/2.1-3.4            |
| XR2 Team Issue TLR | 27.5x2.2  | 30-50/2.1-3.4            |
| XR2 Team Issue TLR | 27.5x2.6  | 30-50/2.1-3.4            |
| XR2 Team Issue TLR | 27.5x2.8  | 30-50/2.1-3.4            |
| XR2 Team Issue TLR | 29x2.0    | 30-50/2.1-3.4            |
| XR2 Team Issue TLR | 29x2.2    | 30-50/2.1-3.4            |
| XR2 Team Issue TLR | 29x2.35   | 30-50/2.1-3.4            |
| XR2 Team Issue TLR | 29x2.6    | 30-50/2.1-3.4            |
| XR2 Team Issue TLR | 29x3.0    | 30-50/2.1-3.4            |
| XR3 Comp           | 26x2.2    | 30-50/2.1-3.4            |
| XR3 Comp           | 29x2.3    | 30-50/2.1-3.4            |
| XR3 Team Issue TLR | 26x2.2    | 30-50/2.1-3.4            |
| XR3 Team Issue TLR | 27.5x2.2  | 30-50/2.1-3.4            |
| XR3 Team Issue TLR | 27.5x2.35 | 30-50/2.1-3.4            |
| XR3 Team Issue TLR | 27.5x2.8  | 30-50/2.1-3.4            |
| XR3 Team Issue TLR | 29x2.2    | 30-50/2.1-3.4            |
| XR3 Team Issue TLR | 29x2.3    | 30-50/2.1-3.4            |
| XR3 Team Issue TLR | 29x2.4    | 30-50/2.1-3.4            |
| XR4 Team Issue TLR | 27.5x2.4  | 30-50/2.1-3.4            |
| XR4 Team Issue TLR | 27.5x2.6  | 30-50/2.1-3.4            |
| XR4 Team Issue TLR | 27.5x2.8  | 30-50/2.1-3.4            |
| XR4 Team Issue TLR | 29x2.4    | 30-50/2.1-3.4            |
| XR4 Team Issue TLR | 29x2.6    | 30-50/2.1-3.4            |
| XR4 Team Issue TLR | 29x3.0    | 30-50/2.1-3.4            |
| XR5 Team Issue TLR | 27.5x2.3  | 30-50/2.1-3.4            |
| XR5 Team Issue TLR | 27.5x2.6  | 30-50/2.1-3.4            |
| XR5 Team Issue TLR | 29x2.3    | 30-50/2.1-3.4            |
| XR5 Team Issue TLR | 29x2.6    | 30-50/2.1-3.4            |
| XR Mud TLR         | 27.5x2.0  | 30-50/2.1-3.4            |
| XR Mud TLR         | 29x2.0    | 30-50/2.1-3.4            |
| Connection Trail   | 26x2.0    | 40-65/2.8-4.5            |
| Connection Trail   | 27.5x2.0  | 30-50/2.1-3.4            |
| Connection Trail   | 29x2.0    | 30-50/2.1-3.4            |

continued

|                       |           |               |
|-----------------------|-----------|---------------|
| SE2 Team Issue TLR    | 27.5x2.3  | 30-50/2.1-3.4 |
| SE2 Team Issue TLR    | 27.5x2.6  | 30-50/2.1-3.4 |
| SE2 Team Issue TLR    | 29x2.6    | 30-50/2.1-3.4 |
| SE3 Team Issue TLR    | 27.5x2.35 | 30-50/2.1-3.4 |
| SE4 Team Issue TLR    | 27.5x2.4  | 30-50/2.1-3.4 |
| SE4 Team Issue TLR    | 27.5x2.6  | 30-50/2.1-3.4 |
| SE4 Team Issue TLR    | 27.5x2.8  | 30-50/2.1-3.4 |
| SE4 Team Issue TLR    | 29x2.4    | 30-50/2.1-3.4 |
| SE4 Team Issue TLR    | 29x2.6    | 30-50/2.1-3.4 |
| SE4 Team Issue TLR    | 29x3.0    | 30-50/2.1-3.4 |
| SE5 Team Issue TLR    | 27.5x2.3  | 30-50/2.1-3.4 |
| SE5 Team Issue TLR    | 27.5x2.6  | 30-50/2.1-3.4 |
| SE5 Team Issue TLR    | 29x2.3    | 30-50/2.1-3.4 |
| SE5 Team Issue TLR    | 29x2.6    | 30-50/2.1-3.4 |
| G Zero                | 26x2.2    | 30-50/2.1-3.4 |
| G4 Team Issue         | 26x2.35   | 30-50/2.1-3.4 |
| G4 Team Issue         | 27.5x2.35 | 30-50/2.1-3.4 |
| G4 Team Issue         | 27.5x2.4  | 30-50/2.1-3.4 |
| G5 Team Issue         | 26x2.35   | 30-50/2.1-3.4 |
| G5 Team Issue         | 27.5x2.5  | 30-50/2.1-3.4 |
| G5 Team Issue         | 29x2.5    | 30-50/2.1-3.4 |
| G Mud                 | 27.5x2.3  | 30-50/2.1-3.4 |
| Gnarwhal Fat Bike     | 26x3.8    | 5-25/ 0.3-1.7 |
| Gnarwhal Fat Bike     | 27.5x3.8  | 5-25/ 0.3-1.7 |
| Gnarwhal Fat Bike     | 27.5x4.5  | 5-25/ 0.3-1.7 |
| Hodag Fat Bike        | 26x3.8    | 5-25/ 0.3-1.7 |
| Hodag Fat Bike        | 27.5x3.8  | 5-25/ 0.3-1.7 |
| Rougarou Fat Bike     | 26x3.8    | 5-25/ 0.3-1.7 |
| Barbegazi Fat Bike    | 26x4.7    | 5-25/ 0.3-1.7 |
| Barbegazi Fat Bike    | 27.5x4.5  | 5-25/ 0.3-1.7 |
| XR1 Kids              | 12x2.25   | 30-50/2.1-3.4 |
| XR1 Kids              | 16x2.25   | 30-50/2.1-3.4 |
| XR1 Kids              | 20x2.25   | 30-50/2.1-3.4 |
| XR1 Kids              | 24x2.25   | 30-50/2.1-3.4 |
| XR1 Kids Comp         | 20x1.85   | 30-50/2.1-3.4 |
| XR1 Kids Comp         | 24x1.85   | 30-50/2.1-3.4 |
| Kids' Midfat          | 20x2.8    | 30-50/2.1-3.4 |
| Kids' Midfat          | 24x2.8    | 30-50/2.1-3.4 |
| Kids Connection Trail | 20x2.0    | 30-50/2.1-3.4 |
| Kids Connection Trail | 24x2.0    | 30-50/2.1-3.4 |
| Kids Dialed           | 12x1.75   | 30-50/2.1-3.4 |
| Kids Dialed           | 16x1.75   | 30-50/2.1-3.4 |
| Kids Dialed           | 20x1.8    | 30-50/2.1-3.4 |

## Bontrager tire pressures

### Pavement

continued

| Name                  | Size     | Pressure Range (psi/bar) |
|-----------------------|----------|--------------------------|
| Connection Hybrid     | 700x35   | 40-65/2.8-4.5            |
| E6 Hard-Case Lite     | 700x50   | 40-80/2.7-5.5            |
| E6 Hard-Case Lite     | 27.5x2.4 | 30-50/2.1-3.4            |
| H1 Hard-Case Lite     | 700x32   | 65-100/4.5-6.9           |
| H1 Hard-Case Lite     | 700x35   | 60-95/4.1-6.6            |
| H1 Hard-Case Lite     | 700x38   | 60-90/4.1-6.2            |
| H2                    | 24x1.5   | 60-80/4.1-5.5            |
| H2                    | 26x1.5   | 60-90/4.1-6.2            |
| H2                    | 26x1.75  | 45-75/3.1-5.2            |
| H2                    | 26x2.0   | 35-65/2.4-4.5            |
| H2                    | 700x28   | 85-115/5.5-7.9           |
| H2                    | 700x32   | 65-100/4.5-6.9           |
| H2                    | 700x35   | 60-95/4.1-6.6            |
| H2                    | 700x38   | 60-90/4.1-6.2            |
| H2 Hard-Case Lite     | 26x1.75  | 45-75/3.1-5.2            |
| H2 Hard-Case Lite     | 700x28   | 85-115/5.5-7.9           |
| H2 Hard-Case Lite     | 700x32   | 65-100/4.5-6.9           |
| H2 Hard-Case Lite     | 700x35   | 60-95/ 4.1-6.6           |
| H2 Hard-Case Lite     | 700x38   | 60-90/ 4.1-6.2           |
| H2 Hard-Case Ultimate | 26x1.5   | 60-90/4.1-6.2            |
| H2 Hard-Case Ultimate | 26x1.75  | 45-75/3.1-5.2            |
| H2 Hard-Case Ultimate | 26x2.0   | 45-75/3.1-5.3            |
| H2 Hard-Case Ultimate | 700x28   | 85-115/5.5-7.9           |
| H2 Hard-Case Ultimate | 700x32   | 65-100/4.5-6.9           |
| H2 Hard-Case Ultimate | 700x35   | 60-95/ 4.1-6.6           |
| H2 Hard-Case Ultimate | 700x38   | 60-90/ 4.1-6.2           |
| H5 Hard-Case Lite     | 26x1.5   | 60-80/4.1-5.5            |
| H5 Hard-Case Lite     | 26x1.75  | 60-80/4.1-5.5            |
| H5 Hard-Case Lite     | 26x2.0   | 60-80/4.1-5.5            |
| H5 Hard-Case Lite     | 700x32   | 60-80/4.1-5.5            |
| H5 Hard-Case Lite     | 700x35   | 60-80/4.1-5.5            |

|                        |          |               |
|------------------------|----------|---------------|
| H5 Hard-Case Lite      | 700x38   | 60-80/4.1-5.5 |
| H5 Hard-Case Lite      | 700x42   | 60-80/4.1-5.5 |
| H5 Hard-Case Lite      | 700x45   | 60-80/4.1-5.5 |
| H5 Hard-Case Ultimate  | 26x2.0   | 60-80/4.1-5.5 |
| H5 Hard-Case Ultimate  | 700x32   | 60-80/4.1-5.5 |
| H5 Hard-Case Ultimate  | 700x35   | 60-80/4.1-5.5 |
| H5 Hard-Case Ultimate  | 700x38   | 60-80/4.1-5.5 |
| H5 Hard-Case Ultimate  | 700x42   | 60-80/4.1-5.5 |
| H5 Hard-Case Ultimate  | 700x45   | 60-80/4.1-5.5 |
| LT2 Comp               | 26x1.5   | 60-80/4.1-5.5 |
| LT2 Comp               | 700x38   | 60-80/4.1-5.5 |
| LT2 Expert             | 700x38   | 60-80/4.1-5.5 |
| LT2 Team Issue TLR     | 700x32   | 60-80/4.1-5.5 |
| LT2 Team Issue TLR     | 700x38   | 60-80/4.1-5.5 |
| LT3                    | 26x2.0   | 30-60/2.1-4.1 |
| LT3                    | 700x38   | 60-80/4.1-5.5 |
| LT3 Hard-Case Ultimate | 26x2.0   | 30-60/2.1-4.1 |
| LT4                    | 27.5x2.4 | 30-50/2.1-3.4 |
| LT4                    | 29x2.4   | 30-50/2.1-3.4 |