

- Archdeacon, T. P., Iles, A. C., Kline, A. J., & Bonar, S. A. (2010). Asian fish tapeworm *Bothriocephalus acheilognathi* in the desert southwestern United States. *Journal of Aquatic Animal Health*, *22*(4), 274-279.
- Ariahu, C. C., Igyor, M. A., & Umeh, E. U. (2010). Growth kinetics of *Listeria monocytogenes* in soymilk of varying initial pH and sugar concentrations. *Journal of Food Quality*, *33*(5), 545-558.
- Arias, M. L., Monge-Rojas, R., Antillon, F., & Chaves, C. (2001). Growth and survival of *Escherichia coli* O157:H7 in meat, poultry and vegetables mixed with different concentrations of mayonnaise. *Revista De Biología Tropical*, *49*(3-4), 1207-1211.
- Arissetto, A. P., Vicente, E., & De Figueiredo Toledo, M. C. (2010). Determination of furan levels in commercial samples of baby food from Brazil and preliminary risk assessment. *Food Additives & Contaminants: Part A*, *27*(8), 1051-1059.
- Arkansas Game and Fish Commission. (2015). Black bars. Retrieved from http://www.agfc.com/resources/Publications/blackbear_factsheet.pdf Accessed: December 16, 2016.
- Arm & Hammer. (2015). Baking soda - clear balance. *Frequently Asked Questions*. Retrieved from <http://www.armandhammer.com/FAQ/BakingSoda.aspx> Accessed: December 16, 2016.
- Armorini, S., Altafini, A., Zaghini, A., & Roncada, P. (2015). Occurrence of aflatoxin B1 in conventional and organic flour in Italy and the role of sampling. *Food Control*, *50*, 858-863. doi:10.1016/j.foodcont.2014.10.031
- Arnold, T. C. (2013). Ciguatera toxicity. *Medscape*. Retrieved from <http://emedicine.medscape.com/article/813869-overview> Accessed: December 16, 2016.
- Arrese, E., & Arroyo-Izaga, M. (2012). Prevalence of *Listeria monocytogenes* in Idiazabal cheese. *Nutrición Hospitalaria*, *27*(6), 2139-2141.
- Arroyo-Abad, U., Pfeifer, M., Mothes, S., Staerk, H. J., Piechotta, C., Mattusch, J., & Reemtsma, T. (2016). Determination of moderately polar arsenolipids and mercury speciation in freshwater fish of the River Elbe (Saxony, Germany). *Environmental Pollution*, *208*, 458-466. doi:10.1016/j.envpol.2015.10.015
- Arthur, L., Jones, S., Fabri, M., & Odumeru, J. A. (2007). Microbial survey of selected Ontario-grown fresh fruits and vegetables. *Journal of Food Protection*, *70*(12), 2864-2867.
- Arumugaswamy, R. K., Proudford, R. W., & Eyles, M. J. (1988). The response of *Campylobacter jejuni* and *Campylobacter coli* in the Sydney Rock Oyster (*Crassostrea commercialis*), during depuration and storage. *International Journal of Food Microbiology*, *7*(3), 173-183. doi:10.1016/0168-1605(88)90035-9
- Aruscavage, D., Miller, S. A., Lewis Ivey, M. L., Lee, K., & Lejeune, J. T. (2008). Survival and dissemination of *Escherichia coli* O157:H7 on physically and biologically damaged lettuce plants. *Journal of Food Protection*, *71*(12), 2384-2388.
- Arvizu-Medrano, S. M., Iturriaga, M. H., & Escartin, E. F. (2001). Indicator and pathogenic bacteria in guacamole and their behavior in avocado pulp. *Journal of Food Safety*, *21*(4), 233-244.
- Aryani, D., Den Besten, H., Hazeleger, W., & Zwietering, M. (2015). Quantifying strain variability in modeling growth of *Listeria monocytogenes*. *International Journal of Food Microbiology*, *208*, 19-29.
- Aschfalk, A., Folkow, L., Rud, H., & Denzin, N. (2002). Apparent seroprevalence of *Salmonella* spp. in harp seals in the Greenland Sea as determined by enzyme-linked immunosorbent assay. *Veterinary Research Communications*, *26*(7), 523-530.
- Asghar, M. A., Iqbal, J., Ahmed, A., & Khan, M. A. (2014). Occurrence of aflatoxins contamination in brown rice from Pakistan. *Iranian Journal of Public Health*, *43*(3), 291-299.

- BA Products. (2000). Meals-ready-to-eat (MREs) long shelf life food supply. Retrieved from <http://www.baproducts.com/mreinfo.htm> Accessed: December 16, 2016.
- Bachmann, H. P., & Spahr, U. (1995a). The fate of potentially pathogenic bacteria in Swiss hard and semihard cheeses made from raw milk. *Journal of Dairy Science, 78*(3), 476-483. doi:[http://dx.doi.org/10.3168/jds.S0022-0302\(95\)76657-7](http://dx.doi.org/10.3168/jds.S0022-0302(95)76657-7)
- Bacio. (2015). Bacio shredded cheese. Retrieved from <http://www.baciocheese.com/products/shredded-cheese/> Accessed: December 16, 2016.
- Backpack Gear Test. (2007). Clif bar blueberry crisp. *Test Report by Ernie Elkins*. Retrieved from <http://www.backpackgearthest.org/reviews/Food/Energy%20Bars%20and%20Drinks/Clif%20Bar/Blueberry%20Crisp%20Bar/Test%20Report%20by%20Ernie%20Elkins/> Accessed: December 16, 2016.
- Baert, K., Devlieghere, F., Amiri, A., & De Meulenaer, B. (2012). Evaluation of strategies for reducing patulin contamination of apple juice using a farm to fork risk assessment model. *International Journal of Food Microbiology, 154*(3), 119-129. doi:10.1016/j.ijfoodmicro.2011.12.015
- Baert, L., Mattison, K., Loisy-Hamon, F., Harlow, J., Martyres, A., Lebeau, B., . . . Uyttendaele, M. (2011). Review: Norovirus prevalence in Belgian, Canadian and French fresh produce: A threat to human health? *International Journal of Food Microbiology, 151*(3), 261-269. doi:10.1016/j.ijfoodmicro.2011.09.013
- Baker, J. M., & Griffiths, M. W. (1993). Predictive modeling of psychrotrophic *Bacillus cereus*. *Journal of Food Protection, 56*(8), 684-688.
- Bakirdere, S., Yaroglu, T., Tirik, N., Demiroz, M., Fidan, A. K., Maruldali, O., & Karaca, A. (2013). Determination of As, Cd, and Pb in tap water and bottled water samples by using optimized GFAAS system with Pd-Mg and Ni as matrix modifiers. *Journal of Spectroscopy*. doi:10.1155/2013/824817
- Banach, J., Stratakou, I., Van der Fels-Klerx, H., Den Besten, H., & Zwietering, M. (2016). European alerting and monitoring data as inputs for the risk assessment of microbiological and chemical hazards in spices and herbs. *Food Control, 69*, 237-249.
- Banakar, V. (2010). Hindcast study: Predicting the distribution of *Vibrio vulnificus* in Chesapeake Bay. Retrieved from http://drum.lib.umd.edu/bitstream/1903/10970/1/Banakar_umd_0117N_11648.pdf Accessed: December 16, 2016.
- Bandyopadhyay, D., Chatterjee, T. K., Dasgupta, A., Lourduraja, J., & Dastidar, S. G. (2005). In vitro and in vivo antimicrobial action of tea: The commonest beverage of Asia. *Biological and Pharmaceutical Bulletin, 28*(11), 2125-2127.
- Barak, J. D., Whitehand, L. C., & Charkowski, A. O. (2002). Differences in attachment of *Salmonella enterica* serovars and *Escherichia coli* O157:H7 to alfalfa sprouts. *Applied and Environmental Microbiology, 68*(10), 4758-4763. doi: 10.1128/AEM.68.10.4758-4763.2002
- Baron, F., Gautier, M., & Brule, G. (1999). Rapid growth of *Salmonella* Enteritidis in egg white reconstituted from industrial egg white powder. *Journal of Food Protection, 62*(6), 585-591.
- Barrett, K. A., Nakao, J. H., Taylor, E. V., Eggers, C., & Gould, L. H. (2017). Fish-associated foodborne disease outbreaks: United States, 1998–2015. *Foodborne Pathogens and Disease, 14*(9), 537-543.
- Basanisi, M., Nobili, G., La Bella, G., Russo, R., Spano, G., Normanno, G., & La Salandra, G. (2016). Molecular characterization of *Staphylococcus aureus* isolated from sheep and goat cheeses in southern Italy. *Small Ruminant Research, 135*, 17-19.

- Buchanan, R. L., & Doyle, M. (1997). Foodborne disease significance of *Escherichia coli* O157:H7 and other enterohemorrhagic *E. coli*. *Food Technology Magazine*, 51, 69-76.
- Buchanan, R. L., & Phillips, J. G. (1990). Response surface model for predicting the effects of temperature pH, sodium chloride content, sodium nitrite concentration and atmosphere on the growth of *Listeria monocytogenes*. *Journal of Food Protection*, 53(5), 370-376.
- Buchholz, A. L., Davidson, G. R., Marks, B. P., Todd, E. C., & Ryser, E. T. (2012). Transfer of *Escherichia coli* O157: H7 from equipment surfaces to fresh-cut leafy greens during processing in a model pilot-plant production line with sanitizer-free water. *Journal of Food Protection*, 75(11), 1920-1929.
- Budtz-Jørgensen, E., Bellinger, D., Lanphear, B., & Grandjean, P. (2013). An international pooled analysis for obtaining a benchmark dose for environmental lead exposure in children. *Risk Analysis*, 33(3), 450-461.
- Burger, H. M., Shephard, G. S., Louw, W., Rheeder, J. P., & Gelderblom, W. C. A. (2013). The mycotoxin distribution in maize milling fractions under experimental conditions. *International Journal of Food Microbiology*, 165(1), 57-64. doi:10.1016/j.ijfoodmicro.2013.03.028
- Burlo, F., Ramirez-Gandolfo, A., Signes-Pastor, A. J., Haris, P. I., & Carbonell-Barrachina, A. A. (2012). Arsenic contents in Spanish infant rice, pureed infant foods, and rice. *Journal of Food Science*, 77(1), T15-T19. doi:10.1111/j.1750-3841.2011.02502.x
- Burnett, S. L., Gehm, E. R., Weissinger, W. R., & Beuchat, L. R. (2000a). Survival of *Salmonella* in peanut butter and peanut butter spread. *Journal of Applied Microbiology*, 89(3), 472-477.
- Burnett, S. L., Mertz, E. L., Bennie, B., Ford, T., & Starobin, A. (2005). Growth or survival of *Listeria monocytogenes* in ready-to-eat meat products and combination deli salads during refrigerated storage. *Journal of Food Science*, 70(6), M301-M304.
- Burnham, V. E., Janes, M. E., Jakus, L. A., Supan, J., DePaola, A., & Bell, J. (2009). Growth and survival differences of *Vibrio vulnificus* and *Vibrio parahaemolyticus* strains during cold storage. *Journal of Food Science*, 74(6), M314-M318. doi: 10.1111/j.1750-3841.2009.01227.x
- Busani, L., Cigliano, A., Tailoi, E., Caligiuri, V., Chiavacci, L., Di Bella, C., . . . Caprioli, A. (2005). Prevalence of *Salmonella enterica* and *Listeria monocytogenes* contamination in foods of animal origin in Italy. *Journal of Food Protection*, 68(8), 1729-1733.
- Buyer's Best Friend. (2015). Danielle crispy veggie chips - wild taro. *Producers list / New England Herbal Foods / Danielle Chips Product Line*. Retrieved from <http://www.bbfdirect.com/pp/neh/ne-ve-taro> Accessed: December 16, 2016.
- Buzrul, S., Alpas, H., Largeteau, A., & Demazeau, G. (2008). Inactivation of *Escherichia coli* and *Listeria innocua* in kiwifruit and pineapple juices by high hydrostatic pressure. *International Journal of Food Microbiology*, 124(10), 275-278.
- Bvenura, C., & Afolayan, A. J. (2012). Heavy metal contamination of vegetables cultivated in home gardens in the Eastern Cape. *South African Journal of Science*, 108(9-10), 57-62. doi:10.4102/sajs.v108i9/10.696
- Cai, L. M., Xu, Z. C., Qi, J. Y., Feng, Z. Z., & Xiang, T. S. (2015). Assessment of exposure to heavy metals and health risks among residents near Tonglushan mine in Hubei, China. *Chemosphere*, 127, 127-135. doi:10.1016/j.chemosphere.2015.01.027
- Calamity Janet. Packing Popcorn. *Calamity Cafe*. Retrieved from <http://www.calamityjanet.com/p-is-for-popcorn.html> Accessed: December 16, 2016.
- Calhoun, S., Post, L., Warren, B., Thompson, S., & Bontempo, A. R. (2013). Prevalence and concentration of *Salmonella* on raw shelled peanuts in the United States. *Journal of Food Protection*, 76(4), 575-579.

- Doan, C. H., & P.M., D. (2000). Microbiology of potatoes and potato products: A review. *Journal of Food Protection*, *63*(5), 668-683.
- Dodds, K. L. (1989). Combined effect of water activity and pH on inhibition of toxin production by *Clostridium botulinum* in cooked, vacuum-packed potatoes. *Applied and Environmental Microbiology*, *55*(3), 656-660.
- Doerge, D. R., Young, J. F., Chen, J. J., DiNovi, M. J., & Henry, S. H. (2008). Using dietary exposure and physiologically based pharmacokinetic/pharmacodynamic modeling in human risk extrapolations for acrylamide toxicity. *Journal of Agricultural and Food Chemistry*, *56*(15), 6031-6038. doi: 10.1021/jf073042g
- Does It Go Bad? (2015a). Does buttermilk go bad? Retrieved from <http://www.doesitgobad.com/does-buttermilk-go-bad/> Accessed: December 16, 2016.
- Does It Go Bad? (2015b). Does pasta go bad? Retrieved from <http://www.doesitgobad.com/does-pasta-go-bad/> Accessed: December 16, 2016.
- Does It Go Bad? (2015c). Does protein powder go bad? Retrieved from <http://www.doesitgobad.com/does-protein-powder-go-bad/> Accessed: December 16, 2016.
- Does It Go Bad? (2015d). Does soy sauce go bad? Retrieved from <http://www.doesitgobad.com/does-soy-sauce-go-bad/> Accessed: December 16, 2016.
- Does It Go Bad? (2015e). Does yogurt go bad? Retrieved from <http://www.doesitgobad.com/does-yogurt-go-bad/> Accessed: December 16, 2016.
- Dolan, L. C., Matulka, R. A., & Burdock, G. A. (2010). Naturally occurring food toxins. *Toxins*, *2*(9), 2289-2332. doi:10.3390/toxins2092289
- Dolan, S. P., Nortrup, D. A., Bolger, P. M., & Capar, S. G. (2003). Analysis of dietary supplements for arsenic, cadmium, mercury, and lead using inductively coupled plasma mass spectrometry. *Journal of Agricultural and Food Chemistry*, *51*(5), 1307-1312.
- Dole. (2015). Fresh vegetables. Retrieved from <http://www.dole.com/Products/Fresh-Vegetables> Accessed: February 12, 2018.
- Domino Sugar. (2015). Domino sugar product FAQs. *Baking Tips & How To's*. Retrieved from <http://www.dominosugar.com/baking-tips-how-tos/domino-sugar-product-faqs> Accessed: December 16, 2016.
- dos Santos, J. S., Franca, V. R., Katto, S., & Santana, E. H. W. (2015). Aflatoxin M-1 in pasteurized, UHT milk and milk powder commercialized in Londrina, Brazil and estimation of exposure. *Archivos Latinoamericanos De Nutricion*, *65*(3), 181-185.
- Dowrie, J. O., & Abramson, M. H. (1944). Comparative toxicities of sulfadiazine and sulfathiazole in children. *Journal of Pediatrics*, *24*(2), 176-181. doi:[http://dx.doi.org/10.1016/S0022-3476\(44\)80121-4](http://dx.doi.org/10.1016/S0022-3476(44)80121-4) Accessed: December 16, 2016.
- Doyle, M. E. (2007). Microbial food spoilage - losses and control strategies: A brief review of the literature. Retrieved from <http://www.scribd.com/doc/154060368/FRI-Brief-Microbial-Food-Spoilage-7-07-pdf#scribd> Accessed: December 16, 2016.
- Doyle, M. E., Mazzotta, A. S., Wang, T., Wiseman, D. W., & Scott, V. N. (2001). Heat resistance of *Listeria monocytogenes*. *Journal of Food Protection*, *64*(3), 410-429. doi:10.4315/0362-028x-64.3.410
- Doyle, M., & Roman, D. (1981). Growth and survival of *Campylobacter fetus* subsp. *jejuni* as a function of temperature and pH. *Journal of Food Protection*, *44*(8), 596-601.
- Doyle, M. P., & Schoeni, J. L. (1986). Isolation of *Campylobacter jejuni* from retail mushrooms. *Applied and Environmental Microbiology*, *51*(2), 449-450.

- Goetghebeur, M. M. (2011). Lessons learned from a multicriteria decision analysis (MCDA) framework. Workshop on Country-Level Decision Making for Control of Chronic Diseases. July 19-21, Institute of Medicine, Washington, DC. Retrieved from <http://iom.nationalacademies.org/activities/global/controlchronicdiseases/2011-jul-19.aspx>. Accessed: August 28, 2015.
- Goetz, G. (2012). *Salmonella* in smoked salmon sickens nearly 1,000 in Netherlands. Retrieved from <http://www.foodsafetynews.com/2012/10/nearly-1000-dutch-sickened-3-dead-from-salmonella-linked-to-smoked-salmon/>. Accessed: September 7, 2017.
- Golub, M. S., Germann, S. L., Han, B., & Keen, C. L. (2000). Lifelong feeding of a high aluminum diet to mice. *Toxicology*, 150(1-3), 107-117.
- Gombas, D. E. (1993). *Clostridium botulinum* ecology and control in foods. *Journal of Food Safety*, 13(3), 238-239.
- Gombas, D. E., Chen, Y., Clavero, R. S., & Scott, V. N. (2003). Survey of *Listeria monocytogenes* in ready-to-eat foods. *Journal of Food Protection*, 66(4), 559-569.
- Gómez-Aldapa, C., Torres-Vitela, M. R., Acevedo-Sandoval, O. A., Rangel-Vargas, E., Villarruel-López, A., & Castro-Rosas, J. (2013). Behaviour of four diarrheagenic *Escherichia coli* pathotypes on carrots and in unpasteurized carrot juice. *Letters in Applied Microbiology*, 57(6), 540-546.
- Gómez-Aldapa, C. A., del Refugio Torres-Vitela, M., Villarruel-López, A., & Castro-Rosas, J. (2012). The role of foods in *Salmonella* infections. In B. S. M. Mahmoud (ed.), *Salmonella - A Dangerous Foodborne Pathogen* (pp. 21-46). InTech, Croatia. Retrieved from <http://cdn.intechopen.com/pdfs-wm/26421.pdf> Accessed: December 16, 2016.
- Gómez-Aldapa, C. A., Rangel-Vargas, E., Gálvez, A. M. C., Román-Gutiérrez, A. D., & Castro-Rosas, J. (2013). Presence of coliform bacteria, fecal coliforms, *Escherichia coli* and *Salmonella* on corn tortillas in central Mexico. *Food Control*, 32(1), 31-34.
- Gomez-Aldapa, C. A., Rangel-Vargas, E., Torres-Vitela Mdel, R., Villarruel-Lopez, A., & Castro-Rosas, J. (2013). Behavior of non-O157 Shiga toxin-producing *Escherichia coli*, enteroinvasive *E. coli*, enteropathogenic *E. coli*, and enterotoxigenic *E. coli* strains on alfalfa sprouts. *Journal of Food Protection*, 76(8), 1429-1433. doi:10.4315/0362-028x.jfp-13-060
- Gonzalez-Fandos, E., Olarte, C., Gimenez, M., Sanz, S., & Simon, A. (2001). Behaviour of *Listeria monocytogenes* in packaged fresh mushrooms (*Agaricus bisporus*). *Journal of Applied Microbiology*, 91(5), 795-805.
- Good Hemp. (2015). FAQs. Retrieved from <http://www.goodhempfood.com/faqs/> Accessed: December 16, 2016.
- Gordillo, M. E., Reeve, G. R., Pappas, J., Mathewson, J. J., DuPont, H., & Murray, B. (1992). Molecular characterization of strains of enteroinvasive *Escherichia coli* O143, including isolates from a large outbreak in Houston, Texas. *Journal of Clinical Microbiology*, 30(4), 889-893.
- Gormley, T. R., & MacCanna, C. (1967). Prepackaging and shelf life of mushrooms. *Irish Journal of Agricultural Research*, 6(2), 255-265.
- Gougouli, M., Angelidis, A. S., & Koutsoumanis, K. (2008). A study on the kinetic behavior of *Listeria monocytogenes* in ice cream stored under static and dynamic chilling and freezing conditions. *Journal of Dairy Science*, 91(2), 523-530. doi:<http://dx.doi.org/10.3168/jds.2007-0255>
- Goulet, V., Hebert, M., Hedberg, C., Laurent, E., Vaillant, V., De Valk, H., & Desenclos, J.-C. (2012). Incidence of listeriosis and related mortality among groups at risk of acquiring listeriosis. *Clinical Infectious Diseases*, 54(5), 652-660.

- Little, C. L., Sagoo, S. K., Gillespie, I. A., Grant, K., & McLauchlin, J. (2009a). Prevalence and level of *Listeria monocytogenes* and other *Listeria* species in selected retail ready-to-eat foods in the United Kingdom. *Journal of Food Protection*, *72*(9), 1869-1877.
- Liu, C., Mou, J., & Su, Y. C. (2016). Behavior of *Salmonella* and *Listeria monocytogenes* in raw yellowfin tuna during cold storage. *Foods*, *5*(1), 16.
- Liu, J.-G., Lin, T.-S., & Lin, W.-Y. (2010). Evaluating the growth of *Listeria monocytogenes* that has been inoculated into tofu containing background microflora. *Food Control*, *21*(12), 1764-1768.
- Liu, J., & Lewis, G. (2014). Environmental toxicity and poor cognitive outcomes in children and adults. *Journal of Environmental Health*, *76*(6), 130.
- Liu, J. L., Xu, X. R., Yu, S., Cheng, H., Peng, J. X., Hong, Y. G., & Feng, X. B. (2014). Mercury contamination in fish and human hair from Hainan Island, South China Sea: Implication for human exposure. *Environmental Research*, *135*, 42-47. doi:10.1016/j.envres.2014.08.023
- Livestrong. (2011). What is the shelf life of soy milk? *Soy Milk*. Retrieved from <http://www.livestrong.com/article/432708-what-is-the-shelf-life-of-soy-milk/> Accessed: December 16, 2016.
- Livestrong. (2015a). Does oatmeal go bad and lose its nutritional value? *Food and Weight Loss*. Retrieved from <http://www.livestrong.com/article/547118-does-oatmeal-go-bad-and-lose-its-nutritional-value/> Accessed: December 16, 2016.
- Livestrong. (2015b). How to Keep Macadamia Nuts Fresh. Retrieved from <http://www.livestrong.com/article/556925-how-to-keep-macadamia-nuts-fresh/>
- Lobacz, A., & Kowalik, J. (2015). A predictive model for *Listeria monocytogenes* in UHT dairy products with various fat content during cold storage. *Journal of Food Safety*, *35*(1), 119-127.
- Lobsterhelp. (n.d.). Lobster facts and information. Retrieved from <http://lobsterhelp.com/lobster-facts.html> Accessed: December 16, 2016
- Loeffler, C. R., Robertson, A., Flores Quintana, H. A., Silander, M. C., Smith, T. B., & Olsen, D. (2018). Ciguatera prevalence in 4 commercial fish species along an oceanic exposure gradient in the US Virgin Islands. *Environmental Toxicology and Chemistry*, *37*(7), 1852-1863.
- Long, C., Jones, T. F., Vugia, D. J., Scheftel, J., Strockbine, N., & Ryan, P. (2010). *Yersinia pseudotuberculosis* and *Y. enterocolitica* Infections, FoodNet, 1996–2007. *Emerging Infectious Diseases*, *16*(3). doi: 10.3201/eid1603.091106
- Lopez-Rubira, V., Conesa, A., Allende, A., & Artes, F. (2005). Shelf life and overall quality of minimally processed pomegranate arils modified atmosphere packaged and treated with UV-C. *Postharvest Biology and Technology*, *37*(2), 174-185. doi:10.1016/j.postharvbio.2005.04.003
- Losikoff, M. E. (1978). Establishment of a heat inactivation curve for *Clostridium botulinum* 62A toxin in beef broth. *Applied and Environmental Microbiology*, *36*(2), 386-388.
- Louisiana State University Ag Center Research & Extension. Storage hints for pecans. Retrieved from <http://www.lsuagcenter.com/NR/rdonlyres/5B62B684-4576-4D98-A420-6B19FF5E9F0D/20289/STORAGEHINTSFORPECANS.pdf> Accessed: December 16, 2016.
- Loutreul, J., Cazeaux, C., Levert, D., Nicolas, A., Vautier, S., Le Sauvage, A. L., . . . Morin, T. (2014). Prevalence of human noroviruses in frozen marketed shellfish, red fruits and fresh vegetables. *Food and Environmental Virology*, *6*(3), 157-168. doi:10.1007/s12560-014-9150-8
- Lowther, J. A., Gustar, N. E., Powell, A. L., Hartnell, R. E., & Lees, D. N. (2012). Two-year systematic study to assess norovirus contamination in oysters from commercial harvesting areas in the United Kingdom. *Applied and Environmental Microbiology*, *78*(16), 5812-5817.

- Macovei, L., & Zurek, L. (2007). Influx of enterococci and associated antibiotic resistance and virulence genes from ready-to-eat food to the human digestive tract. *Applied and Environmental Microbiology*, 73(21), 6740-6747. doi:10.1128/AEM.01444-07
- Madsen, M. (1993). Microbial flora of frozen tail meat from captive Nile crocodiles (*Crocodylus niloticus*). *International Journal of Food Microbiology*, 18(1), 71-76.
- Madureira, A. R., Pintado, M. E., Gomes, A. M. P., & Malcata, F. X. (2011). Incorporation of probiotic bacteria in whey cheese: Decreasing the risk of microbial contamination. *Journal of Food Protection*, 74(7), 1194-1199.
- Mafra, L. L., Tavares, C. P. D., & Schramm, M. A. (2014). Diarrheic toxins in field-sampled and cultivated *Dinophysis* spp. cells from southern Brazil. *Journal of Applied Phycology*, 26(4), 1727-1739. doi:10.1007/s10811-013-0219-9
- Mahakarnchanakul, W., & Beuchat, L. R. (1999). Influence of temperature shifts on survival, growth, and toxin production by psychrotrophic and mesophilic strains of *Bacillus cereus* in potatoes and chicken gravy. *International Journal of Food Microbiology*, 47(3), 179-187. doi:10.1016/S0168-1605(99)00011-2
- Mahmoudi, R., Norian, R., & Pajohi-Alamoti, M. (2014). Antibiotic residues in Iranian honey by ELISA. *International Journal of Food Properties*, 17(10), 2367-2373. doi:10.1080/10942912.2013.809539
- Maifreni, M., Civilini, M., Domenis, C., Manzano, M., Di Prima, R., & Comi, G. (1993). Microbiological quality of artisanal ice cream. *Zentralblatt für Hygiene und Umweltmedizin*, 194(5-6), 553-570.
- Mailoa, M., Sabahannur, S., & Halid, I. (2013). Analysis total microbial and detection of *Salmonella* on smoked fish. *International Journal of Scientific and Technology Research*, 2(6), 29-31.
- Maklon, K., Minami, A., Kusumoto, A., Takeshi, K., Bich Thuy Nguyen, I., Makino, M., & Kawamoto, M. (2010). Isolation and characterization of *Listeria monocytogenes* from commercial asazuke (Japanese light pickles). *International Journal of Food Microbiology*, 139(3), 134-139.
- Malek, M. A., Curns, A. T., Holman, R. C., Fischer, T. K., Bresee, J. S., Glass, R. I., . . . Parashar, U. D. (2006). Diarrhea- and rotavirus-associated hospitalizations among children less than 5 Years of age: United States, 1997 and 2000. *Pediatrics*, 117(6), 1887-1892.
- Malhat, F., Hagag, M., Saber, A., & Fayz, A. E. (2012). Contamination of cows milk by heavy metal in Egypt. *Bulletin of Environmental Contamination and Toxicology*, 88(4), 611-613. doi:10.1007/s00128-012-0550-x
- Manani, T. A., Collison, E. K., & Mpuchane, S. (2006). Microflora of minimally processed frozen vegetables sold in Gaborone, Botswana. *Journal of Food Protection*, 69(11), 2581-2586.
- Mandell, L., & Tillotson, G. (2002). Safety of fluoroquinolones: An update. *Canadian Journal of Infectious Diseases and Medical Microbiology*, 13(1), 54-61.
- Maneevattanapinyo, P., Banlunara, W., Thammacharoen, C., Ekgasit, S., & Kaewamatawong, T. (2011). An evaluation of acute toxicity of colloidal silver nanoparticles. *Journal of Veterinary Medical Science*, 73(11), 1417-1423. doi:<http://doi.org/10.1292/jvms.11-0038>
- Mania, M., Wojciechowska-Mazurek, M., Starska, K., Rebeniak, M., Szytnal, T., Strzelecka, A., & Postupolski, J. (2015). Toxic elements in commercial infant food, estimated dietary intake, and risk assessment in Poland. *Polish Journal of Environmental Studies*, 24(6), 2525-2536.
- Manna, S. K., Das, R., & Manna, C. (2008). Microbiological quality of finfish and shellfish with special reference to Shiga toxin-producing *Escherichia coli* O157. *Journal of Food Science*, 73(6), M283-286.

- Neil, K. P., Biggerstaff, G., MacDonald, J. K., Trees, E., Medus, C., Musser, K. A., . . . Sotir, M. J. (2012). A novel vehicle for transmission of *Escherichia coli* O157:H7 to humans: Multistate outbreak of *E. coli* O157:H7 infections associated with consumption of ready-to-bake commercial prepackaged cookie dough--United States, 2009. *Clinical Infectious Diseases*, 54(4), 511-518.
- Nestle. (2011). Nestle Professional finished product specification - Maggi Classic Maridor seafood seasoning mix - 12041864. Retrieved from <https://www.nestleprofessional.com/australia/en/Documents/CULINARY%20PDFs/12041864-MAGGI-Classic-Maridor%20Seafood%20Seasoning%20Mix.pdf> Accessed: December 16, 2016.
- Nestle. (2013). Nestle sweetened condensed milk 395g. *Nestle Milks and Dairy*. Retrieved from http://www.nestleprofessional.com/australia/en/BrandsAndProducts/Brands/NESTLE_MILKS/Pages/Sweetened_Condensed_Milk_395g.aspx Accessed: December 16, 2016.
- Nestle. (2015). Minor's Hollandaise sauce gluten free. Retrieved from <https://www.nestleprofessional.us/minors/minors-hollandaise-sauce-gluten-free-12-x-15-pounds-pouch?UrlReferrer=https%3A//www.google.com/url%3Fsa%3Dt%26rct%3Dj%26q%3D%26escr%3Ds%26source%3Dweb%26cd%3D9%26ved%3D0CFQQFjAI%26> Accessed: February 12, 2018.
- Nestle Professional. (2013). Nestle Carnation hot chocolate rich 6(50x28g). *Nestle Carnation*. Retrieved from http://www.nestleprofessional.com/canada/en/BrandsAndProducts/Brands/NESTLE_CARNATION/Pages/11000939.aspx?UrlReferrer=https%3a%2f%2fwww.google.com%2f Accessed: December 16, 2016.
- Nevas, M., Hielm, S., Lindstrom, M., Horn, H., Koivulehto, K., & Korkeala, H. (2002). High prevalence of *Clostridium botulinum* types A and B in honey samples detected by polymerase chain reaction. *International Journal of Food Microbiology*, 72(2-Jan), 45-52.
- Nevas, M., Lindstrom, M., Hautamäki, K., Puoskaru, S., & Korkeala, H. (2005). Prevalence and diversity of *Clostridium botulinum* types A, B, E and F in honey produced in the Nordic countries. *International Journal of Food Microbiology*, 105(2), 145-151.
- New Directions. (2015). Soy lecithin organic raw material. Retrieved from <https://www.newdirectionsaromatics.com/products/raw-materials/soy-lecithin-organic.html> Accessed: February 12, 2018.
- New England Cheese Making Supply Company. (2015). Milk and cream. Retrieved from <http://www.cheesemaking.com/learn/faq/milk.html> Accessed: December 16, 2016.
- New Mexico State University. (2005). Guide H-620: Storing pecans. *NMSU > College of Agricultural, Consumer and Environmental Sciences > Publications & Videos > How-To Publications > Horticulture Publications > Guide H-620*. Retrieved from http://aces.nmsu.edu/pubs/_h/H620/ Accessed: December 16, 2016.
- New South Wales Food Authority. Shelf stable acid preserved foods: Factors affecting the shelf stability of acid foods Condiments, sauces and salad dressings (NSW/FA/FI035/0811). Retrieved from http://www.foodauthority.nsw.gov.au/Documents/scienceandtechnical/shelf_stable_acid_preserved_foods.pdf Accessed: December 16, 2016.
- New South Wales Food Authority. (2008a). Potentially hazardous foods: Foods that require temperature control for safety. Retrieved from <http://www.foodauthority.nsw.gov.au/Documents/scienceandtechnical/potentially-hazardous-foods.pdf> Accessed: December 16, 2016.
- New South Wales Food Authority. (2008b). Report on food handling practices and microbiological quality of sushi in Australia. Retrieved from

- Normanno, G., Firinu, A., Virgilio, S., Mula, G., Dambrosio, A., Poggiu, A., . . . Bolzoni, G. (2005). Coagulase-positive staphylococci and *Staphylococcus aureus* in food products marketed in Italy. *International Journal of Food Microbiology*, 98(1), 73-79.
- North Carolina State University. Fresh sliced apples for a growing market. Retrieved from <http://www.cals.ncsu.edu/agcomm/magazine/spring05/apples.htm> Accessed: December 16, 2016.
- Norton, G. J., Williams, P. N., Adomako, E. E., Price, A. H., Zhu, Y. G., Zhao, F. J., . . . Meharg, A. A. (2014). Lead in rice: Analysis of baseline lead levels in market and field collected rice grains. *Science of the Total Environment*, 485, 428-434. doi:10.1016/j.scitotenv.2014.03.090
- Norwegian Scientific Committee for Food Safety. (2011). Human pathogens in marine mammal meat. Opinion of the Panel on Biological Hazards, Doc. no. 08-108-final. Retrieved from <https://vkm.no/download/18.a665c1015c865cc85babc29/1501511523056/2d1eef41a7.pdf> Accessed: December 16, 2016.
- NSF International. (2015). Consumer newsletters. *Newsletters*. Retrieved from <http://www.nsf.org/newsroom/newsletter/> Accessed: December 16, 2016.
- Notermans, S., Dufrenne, J., Teunis, P., Beumer, R., Te Giffel, M., & Weem, P. P. (1997). A risk assessment study of *Bacillus cereus* present in pasteurized milk. *Food Microbiology*, 14(2), 143-151.
- Nowak, D., Gośliński, M., Przygoński, K., & Wojtowicz, E. (2018). The antioxidant properties of exotic fruit juices from acai, maqui berry and noni berries. *European Food Research and Technology*, 244(11), 1897-1905.
- Nutrition Facts. (2012). The true shelf-life of cooking oils. Retrieved from <http://nutritionfacts.org/video/the-true-shelf-life-of-cooking-oils/> Accessed: December 16, 2016.
- Nutter, F. B., Levine, J. F., Stoskopf, M. K., Gamble, H. R., & Dubey, J. P. (1998). Seroprevalence of *Toxoplasma gondii* and *Trichinella spiralis* in North Carolina black bears (*Ursus americanus*). *The Journal of Parasitology*, 84(5), 1048-1050.
- O'Brien, S., Healy, B., Negrodo, C., Anderson, W., Fanning, S., & Iverson, C. (2009). Prevalence of *Cronobacter* species (*Enterobacter sakazakii*) in follow-on infant formulae and infant drinks. *Letters in Applied Microbiology*, 48(5), 536-541. doi:10.1111/j.1472-765X.2009.02562.x
- OChef. (2006a). Refrigerated or not, how long does tahini last? Retrieved from <http://www.ochef.com/1285.htm> Accessed: December 16, 2016.
- OChef. (2006b). Shelf-life (or half-life) of corn syrup. Retrieved from <http://www.ochef.com/987.htm> Accessed: December 16, 2016.
- OChef. (2006c). What is the shelf-life of oil? Retrieved from <http://www.ochef.com/64.htm> Accessed: December 16, 2016.
- Office of Environmental Health Hazard Assessment. (2012). 4-Methylimidazole (4-MEI) a fact sheet. Retrieved from http://oehha.ca.gov/public_info/facts/pdf/4MEIfacts_021012.pdf Accessed: December 16, 2016.
- Offerman, S. R., & Bodle, E. E. (2013). Haff disease after eating buffalo fish: Report of a severe case in northern California and review of the literature. *Asia Pacific Journal of Medical Toxicology*, 2(1), 32-35.
- Okamura, M., Kikuchi, S., Suzuki, A., Tachizaki, H., Takehara, K., & Nakamura, M. (2008). Effect of fixed or changing temperatures during prolonged storage on the growth of *Salmonella enterica* serovar Enteritidis inoculated artificially into shell eggs. *Epidemiology & Infection*, 136(9), 1210-1216. doi:10.1017/S0950268807009612

- Pavoni, E., Consoli, M., Suffredini, E., Arcangeli, G., Serracca, L., Battistini, R., . . . Losio, M. N. (2013). Noroviruses in seafood: A 9-year monitoring in Italy. *Foodborne Pathogens and Disease, 10*(6), 533-539.
- Paydar, M., Teh, C. S. J., & Thong, K. L. (2013). Prevalence and characterisation of potentially virulent *Vibrio parahaemolyticus* in seafood in Malaysia using conventional methods, PCR and REP-PCR. *Food Control, 32*(1), 13-18.
- Paydar, M., & Thong, K. L. (2013). Prevalence and genetic characterization of *Vibrio vulnificus* in raw seafood and seawater in Malaysia. *Journal of Food Protection, 76*(10), 1797-1800.
- Peck, M. W., Plowman, J., Aldus, C. F., Wyatt, G. M., Penaloza Izurieta, W., Stringer, S. C., & Barker, G. C. (2010). Development and application of a new method for specific and sensitive enumeration of spores of nonproteolytic *Clostridium botulinum* types B, E, and F in foods and food materials. *Applied and Environmental Microbiology, 76*(19), 6607-6614.
- Pedron, T., Segura, F. R., da Silva, F. F., de Souza, A. L., Maltez, H. F., & Batista, B. L. (2016). Essential and non-essential elements in Brazilian infant food and other rice-based products frequently consumed by children and celiac population. *Journal of Food Composition and Analysis, 49*, 78-86. doi:10.1016/j.jfca.2016.04.005
- Peixoto, R. R. A., Devesa, V., Velez, D., Cervera, M. L., & Cadore, S. (2016). Study of the factors influencing the bioaccessibility of 10 elements from chocolate drink powder. *Journal of Food Composition and Analysis, 48*, 41-47. doi:10.1016/j.jfca.2016.02.002
- Pellet Smoking. (2010). Smoked cheese shelf life. Retrieved from <http://www.pelletsmoking.com/pellet-smoking-com-lounge-9/smoked-cheese-shelf-life-3349/>
Accessed: February 12, 2018.
- Peng, S., Hoffmann, W., Bockelmann, W., Hummerjohann, J., Stephan, R., & Hammer, P. (2013). Fate of Shiga toxin-producing and generic *Escherichia coli* during production and ripening of semihard raw milk cheese. *Journal of Dairy Science, 96*(2), 815-823.
doi:<http://dx.doi.org/10.3168/jds.2012-5865> Accessed: December 16, 2016.
- Penn State Extension. (2013a). Baked potatoes and botulism. Retrieved from <http://extension.psu.edu/food/preservation/faq/baked-potatoes-and-botulism> Accessed: December 16, 2016.
- Penn State Extension. (2013b). Water activity of foods table. *Home Food Preservation*. Retrieved from <http://extension.psu.edu/food/preservation/issues/water-activity-of-foods/water-activity-of-foods-table> Accessed: December 16, 2016.
- Penn State Extension. (2015a). Cantaloupe production. Retrieved from <http://extension.psu.edu/business/ag-alternatives/horticulture/melons-and-pumpkins/cantaloupe-production> Accessed: December 16, 2016.
- Penn State Extension. (2015b). Proper care and handling of fish from stream to table. Retrieved from http://extension.psu.edu/food/safety/educators/fact-sheets-brochures-books/game-meats/proper-care-and-handling-of-fish-from-stream-to-table/extension_publication_file
Accessed: December 16, 2016.
- Pennotti, R., Scallan, E., Backer, L., Thomas, J., & Angulo, F. J. (2013). Ciguatera and scombroid fish poisoning in the United States. *Foodborne Pathogens and Disease, 10*(12), 1059-1066.
- Penteado, A. L., Eblen, B. S., & Miller, A. J. (2004). Evidence of *Salmonella* internalization into fresh mangos during simulated postharvest insect disinfestation procedures. *Journal of Food Protection, 67*(1), 181-184.

- electrolyzed water and under modified atmosphere packaging. *International Journal of Food Microbiology*, 177, 1-8.
- Posada-Izquierdo, G. D., Pérez-Rodríguez, F., López-Gálvez, F., Allende, A., Selma, M. V., Gil, M. I., & Zurera, G. (2013). Modelling growth of *Escherichia coli* O157:H7 in fresh-cut lettuce submitted to commercial process conditions: chlorine washing and modified atmosphere packaging. *Food Microbiology*, 33(2), 131-138.
- Pozio, E., Pence, D. B., La Rosa, G., Casulli, A., & Henke, S. E. (2001). *Trichinella* infection in wildlife of the southwestern United States. *Journal of Parasitology*, 87(5), 1208-1210. doi: [http://dx.doi.org/10.1645/0022-3395\(2001\)087\[1208:TIWOT\]2.0.CO;2](http://dx.doi.org/10.1645/0022-3395(2001)087[1208:TIWOT]2.0.CO;2) Accessed: December 16, 2016.
- Prado, C. K., Ferreira, F. D., Bando, E., & Machinski, M. (2015). Oxytetracycline, tetracycline, chlortetracycline and doxycycline in pasteurised cow's milk commercialised in Brazil. *Food Additives & Contaminants: Part B-Surveillance*, 8(2), 81-84. doi:10.1080/19393210.2014.968881
- Prairie Moon Beverage Syrup. (2015). Prairie moon concentrate mixing directions. *Syrup Concentrate*. Retrieved from <http://www.prairiemoon.biz/comidi.html#storage> Accessed: December 16, 2016.
- Prazak, A. M., Murano, E. A., Mercado, I., & Acuff, G. R. (2002). Prevalence of *Listeria monocytogenes* during production and postharvest processing of cabbage. *Journal of Food Protection*, 65(11), 1728-1734.
- Preedy, V. R. (2009). *Beer in Health and Disease Prevention*. ed. Academic Press, London.
- Prencipe, V., Migliorati, G., Matteucci, O., Calistri, P., & Di Giannatale, E. (2010). Assessment of hygienic quality of some types of cheese sampled from retail outlets. *Veterinaria Italiana*, 46(2), 221-231.
- Preonas, D. L., Nelson, A. I., Ordal, Z. J., Steinberg, M. P., & Wei, L. S. (1969). Growth of *Staphylococcus aureus* MF31 on the top and cut surfaces of southern custard pies. *Applied Microbiology*, 18(1), 68-75.
- Procop, G. W. (2009). North American paragonimiasis (caused by *Paragonimus kellicotti*) in the context of global paragonimiasis. *Clinical Microbiology Review*, 22(3), 415-446. doi:10.1128/CMR.00005-08
- Psomas, A. N., & Skandamis, P. N. (2019). GroPIN ver.3. GroPIN Modelling DataBase. Growth and Inactivation Predictive software. Laboratory of Food Quality Control & Hygiene, Department of Food Science and Technology, Agricultural University of Athens, Athens (Greece). Retrieved from <https://www.aua.gr/psomas/gropin/>. Accessed: November 15, 2019.
- Pu, S., Beaulieu, J. C., Prinyawiwatkul, W., & Ge, B. (2009). Effects of plant maturity and growth media bacterial inoculum level on the surface contamination and internalization of *Escherichia coli* O157:H7 in growing spinach leaves. *Journal of Food Protection*, 72(11), 2313-2320.
- Puel, O., Galtier, P., & Oswald, I. P. (2010). Biosynthesis and toxicological effects of patulin. *Toxins*, 2(4), 613-631. doi:10.3390/toxins2040613
- Puerta-Gomez, A., Moreira, R., Kim, J., & Castell-Perez, E. (2013). Modeling the growth rates of *Escherichia coli* spp. and *Salmonella* Typhimurium LT2 in baby spinach leaves under slow cooling. *Food Control*, 29(1), 11-17.
- Pufall, E. L., Jones-Bitton, A., McEwen, S. A., Brown, T. M., Edge, V. L., Rokicki, J., . . . Simard, M. (2012). Prevalence of zoonotic anisakid nematodes in Inuit-harvested fish and mammals from the eastern Canadian Arctic. *Foodborne Pathogens and Disease*, 9(11), 1002-1009.
- Puupponen-Pimia, R., Nohynek, L., Hartmann-Schmidlin, S., Kahkonen, M., Heinonen, M., Maatta-Riihinen, K., & Oksman-Caldentey, K. M. (2005). Berry phenolics selectively inhibit the growth of

- Ryu, J. H., & Beuchat, L. R. (1998). Influence of acid tolerance responses on survival, growth, and thermal cross-protection of *Escherichia coli* O157:H7 in acidified media and fruit juices. *International Journal of Food Microbiology*, 45(3), 185-193. doi:doi:10.1016/S0168-1605(98)00165-2
- Sadler-Reeves, L., Aird, H., de Pinna, E., Elviss, N., Fox, A., Kaye, M., . . . McLauchlin, J. (2016). The occurrence of *Salmonella* in raw and ready-to-eat bean sprouts and sprouted seeds on retail sale in England and Northern Ireland. *Lett Appl Microbiol*, 62(2), 126-129. doi:10.1111/lam.12530
- Sado, P. N., Jinneman, K. C., Husby, G. J., Sorg, S. M., & Omiecinski, C. J. (1998). Identification of *Listeria monocytogenes* from unpasteurized apple juice using rapid test kits. *Journal of Food Protection*, 61(9), 1199-1202.
- Safari, R., & Yousefi, Z. (2010). Study of *Clostridium botulinum* by various formulations of salt and preservatives in Persian caviar. *Environmental Justice*, 3(1), 21-26.
- Safe Oysters. (2009). Safely storing oysters and other molluscan shellfish. *Vibrio vulnificus* Infection from Consumption of Raw Shellfish or Marine-Related Wounds. Retrieved from <http://safeoysters.org/consumers/storing.html>. Accessed December 16, 2016.
- Sagoo, S. K., Little, C. L., Ward, L., Gillespie, I. A., & Mitchell, R. T. (2003). Microbiological study of ready-to-eat salad vegetables from retail establishments uncovers a national outbreak of salmonellosis. *Journal of Food Protection*, 66(3), 403-409.
- Sakhale, B. K., & Kapse, B. M. (2012). Short communication studies on shelf life extension of sweet oranges (*Citrus sinensis* L.). *International Food Research Journal*, 19(2), 779-781.
- Salazar, J. K., Carstens, C. K., Bathija, V. M., Narula, S. S., Parish, M., & Tortorello, M. L. (2016). Fate of *Listeria monocytogenes* in fresh apples and caramel apples. *Journal of Food Protection*, 79(5), 696-702. doi:10.4315/0362-028x.jfp-15-442
- Salazar, J. K., Sahu, S. N., Hildebrandt, I. M., Zhang, L., Qi, Y., Liggins, G., Datta, A. R., & Tortorello, M. L. (2017). Growth kinetics of *Listeria monocytogenes* in cut produce. *Journal of Food Protection*, 80(8), 1328-1336.
- Saleem, M. T. S. (2011). Anti-microbial activity of sesame oil. *International Journal of Research in Phytochemistry & Pharmacology*, 1(1), 21-23.
- Salgado-Miranda, C., Palomares, E., Jurado, M., Marí, A., Vegaa, F., & Soriano-Vargasa, E. (2010). Isolation and distribution of bacterial flora in farmed rainbow trout from Mexico. *Journal of Aquatic Animal Health*, 22(4), 244-247.
- Samadpour, M., Barbour, M. W., Nguyen, T., Cao, T.-M., Buck, F., Depavia, G. A., . . . Stopforth, J. D. (2006). Incidence of Enterohemorrhagic *Escherichia coli*, *Escherichia coli* O157, *Salmonella*, and *Listeria monocytogenes* in retail fresh ground beef, sprouts, and mushrooms. *Journal of Food Protection*, 69(2), 441-443.
- Sampedro, F., Geveke, D., Fan, X., Rodrigo, D., & Zhang, H. (2009). Shelf-life study of an orange juice-milk based beverage after PEF and thermal processing. *Journal of Food Science*, 74(2), S107-S112.
- Sant'Ana, A., Barbosa, M. S., Destro, M. T., Landgraf, M., & Franco, B. D. G. M. (2012). Growth potential of *Salmonella* spp. and *Listeria monocytogenes* in nine types of ready-to-eat vegetables stored at variable temperature conditions during shelf-life. *International Journal of Food Microbiology*, 157(1), 52-58. doi:doi:10.1016/j.ijfoodmicro.2012.04.011
- Sant'Ana, A. S., Franco, B. D., & Schaffner, D. W. (2012). Modeling the growth rate and lag time of different strains of *Salmonella enterica* and *Listeria monocytogenes* in ready-to-eat lettuce. *Food Microbiology*, 30(1), 267-273.
- Sant'Ana, A. S., Landgraf, M., Destro, M. T., & Franco, B. D. (2013). Growth potential of *Salmonella* and *Listeria monocytogenes* in ready-to-eat lettuce and collard greens packaged under modified

- Swanepoel, M. L. (1987). *Salmonella* isolated from rooibos tea. *South African Medical Journal*, 71(21), 369-370.
- Swartzentruber, A., Payne, W. L., Wentz, B. A., Barnard, R. J., & Read, R. B. J. (1982). Microbiological quality of macaroni and noodle products obtained at retail markets. *Applied and Environmental Microbiology*, 44(3), 540-543.
- Sy, K. V., McWatters, K. H., & Beuchat, L. R. (2005). Efficacy of gaseous chlorine dioxide as a sanitizer for killing *Salmonella*, yeasts, and molds on blueberries, strawberries, and raspberries. *Journal of Food Protection*, 68(6), 1165-1175.
- Sy, K. V., Murray, M. B., Harrison, M. D., & Beuchat, L. R. (2005). Evaluation of gaseous chlorine dioxide as a sanitizer for killing *Salmonella*, *Escherichia coli* O157:H7, *Listeria monocytogenes*, and yeasts and molds on fresh and fresh-cut produce. *Journal of Food Protection*, 68(6), 1176-1187.
- Szabo, R., Jarvis, G., Weiss, K., Rayman, K., Lachapelle, G., & Jean, A. (1989). Microbiological quality of tofu and related products in Canada. *Journal of Food Protection*, 52(10), 727-730.
- Szczawiński, J., Szczawińska, M., Łobacz, A., & Jackowska-Tracz, A. (2016). Modeling the effect of temperature on survival rate of *Listeria monocytogenes* in yogurt. *Polish Journal of Veterinary Sciences*, 19(2), 317-324.
- Szewczuk, K., Pietracha, D., Zdziennicki, F., & Misiewicz, A. (2016). Comparison of the experimentally obtained growth model of *Listeria monocytogenes* on cucumber and zucchini with existing model generated by ComBase Predictor. *European Food Research and Technology*, 242(2), 289-293.
- Tabla, R., Marinez, B., Rebollo, J. E., Gonzalez, J., Ramierz, M. R., Roa, I., . . . Garcia, P. (2012). Bacteriophage performance against *Staphylococcus aureus* in milk is improved by high hydrostatic pressure treatments. *International Journal of Food Microbiology*, 156(3), 209-213. doi:10.1016/j.ijfoodmicro.2012.03.023
- Tacoma Farmers Market. How to store fruits and vegetables. Retrieved from <http://www.tacomafarmersmarket.com/media/static/pdf/Produce%20Storage%20Tips.pdf>
Accessed: December 16, 2016.
- Taheri, N., Semnani, S., Roshandel, G., Namjoo, M., Keshavarzian, H., Chogan, A. G., . . . Joshaghani, H. (2012). Aflatoxin contamination in wheat flour samples from Golestan province, northeast of Iran. *Iranian Journal of Public Health*, 41(9), 42-47.
- Takahashi, H., Takahashi, T., Miya, S., Yokoyama, H., Kuda, T., & Kimura, B. (2015). Growth inhibition effects of ferulic acid and glycine/sodium acetate on *Listeria monocytogenes* in coleslaw and egg salad. *Food Control*, 57, 105-109.
- Tamagnini, L. M., de Sousa, G. B., Gonzalez, R. D., Revelli, J., & Budde, C. E. (2005). Behavior of *Yersinia enterocolitica* and *Salmonella* Typhimurium in Crottin goat's cheese. *International Journal of Food Microbiology*, 99(2), 129-134. doi:10.1016/j.ijfoodmicro.2004.07.017
- Tammaing, S. K., Beumer, R. R., Kampelmacher, E. H., & van Leusden, F. M. (1976). Survival of *Salmonella* Eastbourne and *Salmonella* Typhimurium in chocolate. *Journal of Hygiene*, 76(1), 41-47.
- Tamura, M., Matsumoto, K., Watanabe, J., Iida, J., Nagatomi, Y., & Mochizuki, N. (2014). Minimization of carryover for high-throughput liquid chromatography with tandem mass spectrometry analysis of 14 mycotoxins in corn grits. *Journal of Separation Science*, 37(13), 1552-1560. doi:10.1002/jssc.201400099
- Taormina, P. J., & Beuchat, L. R. (1999). Behavior of enterohemorrhagic *Escherichia coli* O157:H7 on alfalfa sprouts during the sprouting process as influenced by treatments with various chemicals. *Journal of Food Protection*, 62(8), 850-856.

- Taormina, P. J., Beuchat, L. R., Erickson, M. C., Ma, L., Zhang, G., & Doyle, M. P. (2009). Transfer of *Escherichia coli* O157: H7 to iceberg lettuce via simulated field coring. *Journal of Food Protection*, 72(3), 465-472.
- Tassinari, A. R., Franco, B. D., & Landgraf, M. (1994). Incidence of *Yersinia* spp. in food in Sao Paulo, Brazil. *International Journal of Food Microbiology*, 21(3), 263-270.
- Taste the Dream. (2015). Soy dream shelf stable non-dairy beverages. *Shelf Stable Beverages*. Retrieved from <http://www.tastethedream.com/products/category/198.php> Accessed: December 16, 2016.
- Tatini, S. (1973). Influence of food environments on growth of *Staphylococcus aureus* and production of various enterotoxins. *Journal of Milk and Food Technology*, 36(11), 559-563.
- Tattibayeva, D., Nebot, C., Miranda, J. M., Abuova, A. B., Baibatyrov, T. A., Kizatova, M. Z., . . . Franco, C. M. (2016). A study on toxic and essential elements in wheat grain from the Republic of Kazakhstan. *Environmental Science and Pollution Research*, 23(6), 5527-5537. doi:10.1007/s11356-015-5728-4
- Taye, W., Ayalew, A., Chala, A., & Dejene, M. (2016). Aflatoxin B-1 and total fumonisin contamination and their producing fungi in fresh and stored sorghum grain in East Hararghe, Ethiopia. *Food Additives & Contaminants: Part B-Surveillance*, 9(4), 237-245. doi:10.1080/19393210.2016.1184190
- Taylor, R. H., Dunn, M. L., Ogden, L. V., Jefferies, L. K., Eggett, D. L., & Steele, F. M. (2013). Conditions associated with *Clostridium sporogenes* growth as a surrogate for *Clostridium botulinum* in nonthermally processed canned butter. *Journal of Dairy Science*, 96(5), 2754-2764. doi:10.3168/jds.2012-6209
- Taylor, S. L. (1986). Histamine food poisoning: Toxicology and clinical aspects. *Critical Reviews in Toxicology*, 17(2), 91-128.
- Taylor, T., & Lathrop, A. (2012). Poster P3-73, Survival of *Salmonella* during baking of peanut butter cookies. presented at the International Association for Food Protection (IAFP) Annual Meeting, July 22-25, Providence, Rhode Island. Retrieved from <https://iafp.confex.com/iafp/2012/webprogram/Paper2776.html>. Accessed: December 16, 2016.
- Tchounwou, P. B., Patlolla, A. K., & Centeno, J. A. (2003). Invited reviews: Carcinogenic and systemic health effects associated with arsenic exposure—a critical review. *Toxicologic Pathology*, 31(6), 575-588. doi: 10.1080/01926230390242007
- Technical University of Denmark. (2014). Food Spoilage and Safety Predictor (FSSP™) ver. 4.0. Retrieved from <http://fssp.food.dtu.dk/default.aspx>. Accessed: December 20, 2019.
- te Giffel, M. C., Beumer, R. R., Leijendekkers, S., & Rombouts, F. M. (1996). Incidence of *Bacillus cereus* and *Bacillus subtilis* in foods in the Netherlands. *Food Microbiology*, 13(1), 53-58. doi:10.1006/fmic.1996.0007
- Teitelbaum, J. S., Zatorre, R. J., Carpenter, S., Gendron, D., Evans, A. C., Gjedde, A., & Cashman, N. R. (1990). Neurologic sequelae of domoic acid intoxication due to the ingestion of contaminated mussels. *New England Journal of Medicine*, 322(25), 1781-1787.
- Tenenhaus-Aziza, F., Daudin, J. J., Maffre, A., & Sanaa, M. (2014). Risk-based approach for microbiological food safety management in the dairy industry: The case of *Listeria monocytogenes* in soft cheese made from pasteurized milk. *Risk Analysis*, 34(1), 56-74.
- Tenenhaus-Aziza, F., & Ellouze, M. (2015). Software for predictive microbiology and risk assessment: A description and comparison of tools presented at the ICPMF8 Software Fair. *Food Microbiology*, 45, 290-299.

- Tephly, T. R. (1991). The toxicity of methanol. *Life Sciences*, 48, 1031-1041.
- Terentjeva, M., Eizenberga, I., Valciņa, O., Novoslavskij, A., Strazdiņa, V., & Bērziņš, A. (2015). Prevalence of Foodborne pathogens in freshwater fish in Latvia. *Journal of Food Protection*, 78(11), 2093-2098.
- Teton Valley Ranch. Introducing new twice baked potatoes for foodservice. Retrieved from <http://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=28&ved=0CGUQFjAHOBQ&url=http%3A%2F%2Fwww.idahofrank.com%2Fproducts%2Fdownloads%2FTwiceBakedLoaded.php&ei=XZWPuu-JPOensQSR5IHIBw&usg=AFQjCNFZSqBf5sllkZmQa33j7Rms2bNjg&sig2=VD-3EViNEcaUijLQZ8bh4g> Accessed: December 16, 2016.
- Texas A&M University. Crucifer crops. Retrieved from <http://aggie-horticulture.tamu.edu/syllabi/325/schedule/Crops/Crucifer%20Crops/Crucifer%20Crops%20Handouts%206%20page.pdf> Accessed: December 16, 2016.
- Texas BBQ Rub. (2013). What are the keys to consistently great tasting BBQ? Retrieved from <http://texasbbqrub.com/bbqtips.htm> Accessed: December 16, 2016.
- Thayer, D. W., Muller, W. S., Buchanan, R. L., & Phillips, J. G. (1987). Effect of NaCl, pH, temperature, and atmosphere on growth of *Salmonella* Typhimurium in glucose-mineral salts medium. *Applied and Environmental Microbiology*, 53(6), 1311-1315.
- The Center for Food Security and Public Health. (2009). Bovine brucellosis: *Brucella abortus*. Retrieved from http://www.cfsph.iastate.edu/Factsheets/pdfs/brucellosis_abortus.pdf Accessed: December 16, 2016.
- The Chocolate Shoppe. (2015). Frequently asked questions. Retrieved from <http://www.chocolate-shoppe.com/pages/frequently-asked-questions> Accessed: December 16, 2016.
- The Epicenter. (2015). MRE meals ready to eat. Retrieved from http://theepicenter.com/mre_military_meal_ready_to_eat.html Accessed: December 16, 2016.
- The Express Tribune. (2010). Shelf life of mangoes extends to 46 days. Retrieved from <http://tribune.com.pk/story/28578/shelf-life-of-mangoes-extends-to-46-days/> Accessed: December 16, 2016.
- The Kitchn. (2015a). Smart tip: Keep berries fresh longer with this washing method. Retrieved from <http://www.thekitchn.com/smart-tip-keep-berries-fresh-longer-with-this-washing-method-172141> Accessed: December 16, 2016.
- The Kitchn. (2015b). What Is the shelf life of flavoring extracts? Retrieved from <http://www.thekitchn.com/what-is-the-shelf-life-of-flav-116330> Accessed: December 16, 2016.
- The Packer. (2015). Sun Rich salad kit gives new life to Waldorf. Retrieved from <http://www.thepacker.com/fruit-vegetable-news/Sun-Rich-salad-kit-gives-new-life-to-Waldorf-136073958.html> Accessed: December 16, 2016.
- The Rawtarian. (2015). The Rawtarian - recipe: Raw taco salad recipe. Retrieved from <http://www.therawtarian.com/raw-taco-salad-recipe> Accessed: December 16, 2016.
- The Stay at Home Chef. (2015). Acai-strawberry-pomegranate smoothie. Retrieved from <http://www.thestayathomechef.com/2013/04/acai-strawberry-pomegranate-smoothie.html> Accessed: December 16, 2016.
- The Suter Company. (2015). Suter products: Fresh & shelf-stable food. *Products*. Retrieved from <http://www.suterco.com/products> Accessed: December 16, 2016.
- The Synergy Company. (2015). Frequently asked questions - healing honey. Retrieved from <http://www.thesynergycompany.com/product-info/manuka-healing-honey/faqs> Accessed: December 16, 2016.

- The Vinegar Institute. (2015). Frequently asked questions. Retrieved from <http://www.versatilevinegar.org/faqs.html> Accessed: December 16, 2016.
- Theys, T. E., Geeraerd, A. H., Devlieghere, F., & Van Impe, J. F. (2010). On the selection of relevant environmental factors to predict microbial dynamics in solidified media. *Food Microbiology*, 27(2), 220-228.
- Thrive Life. (2015). Freeze dried chopped spinach. Retrieved from <http://www.thrivelife.com/freeze-dried-chopped-spinach-815.html> Accessed: December 16, 2016.
- Thunberg, R. L., Tran, T. T., Bennett, R. W., Matthews, R. N., & Belay, N. (2002). Microbial evaluation of selected fresh produce obtained at retail markets. *Journal of Food Protection*, 65(4), 677-682.
- Tian, J. Q., Bae, Y. M., Choi, N. Y., Kang, D. H., Heu, S., & Lee, S. Y. (2012). Survival and growth of foodborne pathogens in minimally processed vegetables at 4 and 15 °C. *Journal of Food Science*, 77(1), M48-M50. doi: 10.1111/j.1750-3841.2011.02457.x
- Tielkes Sandwiches. (2012). Refrigerated shelf life: Manufactured recommended refrigerated shelf life. Retrieved from <http://www.tielkesandwiches.com/about/refrigerated-shelf-life/> Accessed: December 16, 2016.
- Tirloni, E., Stella, S., Bernardi, C., Dalgaard, P., & Rosshaug, P. S. (2019). Predicting growth of *Listeria monocytogenes* in fresh ricotta. *Food Microbiology*, 78, 123-133. doi:https://doi.org/10.1016/j.fm.2018.10.004
- Tipnut. (2010). Molasses: Kitchen Q&A. *Food Tips*. Retrieved from <http://tipnut.com/molasses-kitchen/> Accessed: December 16, 2016.
- Tipparaju, S., Ravishankar, S., & Slade, P. J. (2004). Survival of *Listeria monocytogenes* in vanilla-flavored soy and dairy products stored at 8 °C. *Journal of Food Protection*, 67(2), 378-382.
- Tiwari, U., Walsh, D., Rivas, L., Jordan, K., & Duffy, G. (2014). Modelling the interaction of storage temperature, pH, and water activity on the growth behaviour of *Listeria monocytogenes* in raw and pasteurised semi-soft rind washed milk cheese during storage following ripening. *Food Control*, 42, 248-256.
- Todd, E. C. D. (1993). Domoic acid and amnesic shellfish poisoning - a review. *Journal of Food Protection*, 56(1), 69-83.
- Todd, E. C. D., Szabo, R. A., MacKenzie, J. M., Martin, A., Rahn, K., Gyles, C., . . . Yee, A. J. (1999). Application of a DNA hybridization–hydrophobic-grid membrane filter method for detection and isolation of verotoxigenic *Escherichia coli*. *Applied and Environmental Microbiology*, 65(11), 4775-4780.
- Tofurky. Food service products. Retrieved from <http://www.tofurky.com/support/foodservice.html> Accessed: December 16, 2016.
- Tofutti. (2013). Tofutti FAQs. Retrieved from <http://www.tofutti.ca/tofutti-faqs> Accessed: December 16, 2016.
- Tomas-Callejas, A., Lopez-Velasco, G., Camacho, A. B., Artes, F., Artes-Hernandez, F., & Suslow, T. V. (2011). Survival and distribution of *Escherichia coli* on diverse fresh-cut baby leafy greens under preharvest through postharvest conditions. *International Journal of Food Microbiology*, 151(2), 216-222. doi:10.1016/j.ijfoodmicro.2011.08.027
- Tompkin, R. B. (2002). Control of *Listeria monocytogenes* in the food-processing environment. *Journal of Food Protection*, 65(4), 709-725. doi:Doi 10.4315/0362-028x-65.4.709
- Torlak, E., Sert, D., Serin, P. (2013). Fate of *Salmonella* during sesame seeds roasting and storage of tahini. *International Journal of Food Microbiology*, 163(2-3), 214-217. doi: 10.1016/j.ijfoodmicro.2013.03.010

- Torres-Vitela, M. R., Mendoza-Bernardo, M., Castro-Rosas, J., Gomez-Aldapa, C. A., Garay-Martinez, L. E., Navarro-Hidalgo, V., & Villarruel-López, A. (2012). Verocytotoxin-producing *Escherichia coli* in foodstuffs of animal origin. *Journal of Food Protection*, 75(1), 79-84.
- Tra, V., Meng, L., Pichpol, D., Pham, N. H., Baumann, M., Alter, T., & Huehn, S. (2015). Prevalence and antimicrobial resistance of *Vibrio* spp. in retail shrimps in Vietnam. *Berliner und Munchener tierarztliche Wochenschrift*, 129(1-2), 48-51.
- TRAFFIC Europe. (2001). Monitoring progress in Norway's development of a DNA register as part of its domestic management system for whale meat, investigating local whale meat trade, and investigating reports of illegal trade in blubber. Retrieved from http://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=5&ved=0CEYQFjAE&url=http%3A%2F%2Fwww.traffic.org%2Fspecies-reports%2Ftraffic_species_mammals5.pdf&ei=CeucUqalk4u2kQe_5YCYDw&usg=AFQjCNGpy9sU9Ev6DooNvgMJQjREdfLpmg&sig2=SEhEABile1-3iedKmoHSQw&bvm Accessed: December 16, 2016.
- Trainer, V. L., Moore, L., Bill, B. D., Adams, N. G., Harrington, N., Borchert, J., . . . Eberhart, B. T. (2013). Diarrhetic shellfish toxins and other lipophilic toxins of human health concern in Washington State. *Marine Drugs*, 11(6), 1815-1835. doi:10.3390/md11061815
- Trandafir, I., Nour, V., & Ionica, M. E. (2012). Determination of tin in canned foods by inductively coupled plasma-mass spectrometry. *Polish Journal of Environmental Studies*, 21(3), 749-754.
- Trident Seafoods. (2015). Sea shells blue crab - salad style chunk & flake (6/2.5 lbs.) 425193. *Products*. Retrieved from http://www.tridentseafoods.com/food_service/products.php?id=307 Accessed: December 16, 2016.
- Tromp, S. O., Rijgersberg, H., & Franz, E. (2010). Quantitative microbial risk assessment for *Escherichia coli* O157:H7, *Salmonella enterica*, and *Listeria monocytogenes* in leafy green vegetables consumed at salad bars, based on modeling supply chain logistics. *Journal of Food Protection*, 73(10), 1830-1840.
- Tryland, M., Nesbakken, T., Robertson, L., Grahek-Ogden, D., & Lunestad, B. (2014). Human pathogens in marine mammal meat—a northern perspective. *Zoonoses and Public Health*, 61(6), 377-394.
- Tusevlijak, N., Rajic, A., Waddell, L., Dutil, L., Cernicchiaro, N., Greig, J., . . . McEwen, S. A. (2012). Prevalence of zoonotic bacteria in wild and farmed aquatic species and seafood: A scoping study, systematic review, and meta-analysis of published research. *Foodborne Pathogens and Disease*, 9(6), 487-497. doi: 10.1089/fpd.2011.1063
- Tvermoes, B. E., Banducci, A. M., Devlin, K. D., Kerger, B. D., Abramson, M. M., Bebenek, I. G., & Monnot, A. D. (2014). Screening level health risk assessment of selected metals in apple juice sold in the United States. *Food and Chemical Toxicology*, 71, 42-50. doi:10.1016/j.fct.2014.05.015
- Twiner, M. J., Rehmann, N., Hess, P., & Doucette, G. J. (2008). Azaspiracid shellfish poisoning: A review on the chemistry, ecology, and toxicology with an emphasis on human health impacts *Marine Drugs*, 6(2), 39-72. doi:10.3390/md6020039
- Uhlich, G. A., Luchansky, J. B., Tamplin, M. L., Molina-Corral, F. J., Anandan, S., & Porto-Fett, A. C. (2006). Effect of storage temperature on the growth of *Listeria monocytogenes* on Queso Blanco slices. *Journal of Food Safety*, 26(3), 202-214.
- U.S. Centers for Disease Control and Prevention. (1971). Botulism associated with commercially canned vichyssoise. *Morbidity and Mortality Weekly Report*, 20(1), 242.
- U.S. Centers for Disease Control and Prevention. (1991). Epidemiologic notes and reports paralytic shellfish poisoning -- Massachusetts and Alaska, 1990. Centers for Disease Control and Prevention, *Morbidity and Mortality Weekly Report*, 40(10), 157-161.

- U.S. Centers for Disease Control and Prevention. (1998a). Haff disease associated with eating Buffalo ish — United States, 1997. *Morbidity and Mortality Weekly Report*, 47(50), 1091-1093.
- U.S. Centers for Disease Control and Prevention. (1998b). *Plesiomonas shigelloides* and *Salmonella* serotype Hartford infections associated with a contaminated water supply -- Livingston County, New York, 1996. *Morbidity and Mortality Weekly Report*, 47(19), 394-396.
- U.S. Centers for Disease Control and Prevention. (2003). Outbreak of botulism type E associated with eating a beached whale --- Western Alaska, July 2002. *Morbidity and Mortality Weekly Report*, 52(2), 24-26.
- U.S. Centers for Disease Control and Prevention. (2007). Laboratory-confirmed non-O157 Shiga toxin-producing *Escherichia coli* --- Connecticut, 2000--2005. *Morbidity and Mortality Weekly Report*, 56(2), 29-31.
- U.S. Centers for Disease Control and Prevention. (2009). *Campylobacter jejuni* infection associated with unpasteurized milk and cheese --- Kansas, 2007. *Morbidity and Mortality Weekly Report*, 57(51-52), 1377-1379.
- U.S. Centers for Disease Control and Prevention. (2010). *Campylobacter* and drinking water from private wells. Retrieved from <http://www.cdc.gov/healthywater/drinking/private/wells/disease/campylobacter.html>
Accessed: December 16, 2016.
- U.S. Centers for Disease Control and Prevention. (2011a). Notes from the field: Botulism caused by consumption of commercially produced potato soups stored improperly --- Ohio and Georgia, 2011. *Morbidity and Mortality Weekly Report*, 60(26), 890.
- U.S. Centers for Disease Control and Prevention. (2011b). Vital signs: Incidence and trends of infection with pathogens transmitted commonly through food --- Foodborne Diseases Active Surveillance Network, 10 U.S. Sites, 1996--2010. *Morbidity and Mortality Weekly Report*, 60(22), 749-755.
- U.S. Centers for Disease Control and Prevention. (2012). Guidance for public health laboratories: Isolation and characterization of Shiga toxin-producing *Escherichia coli* (STEC) from clinical specimens. Retrieved from <http://stacks.cdc.gov/view/cdc/21592> Accessed: December 16, 2016.
- U.S. Centers for Disease Control and Prevention. (2013a). Multistate outbreak of *Salmonella* Chester infections associated with frozen meals -- 18 states, 2010. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/24304829> Accessed: December 16, 2016.
- U.S. Centers for Disease Control and Prevention. (2013b). Outbreak of staphylococcal food poisoning from a military unit lunch party — United States, July 2012. Retrieved from <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6250a2.htm> Accessed: December 16, 2016.
- U.S. Centers for Disease Control and Prevention. (2013c). Parasites - American trypanosomiasis (also known as Chagas disease). Retrieved from http://www.cdc.gov/parasites/chagas/gen_info/detailed.html Accessed: December 16, 2016.
- U.S. Centers for Disease Control and Prevention. (2013d). Multistate outbreak of hepatitis A infections linked to pomegranate seeds from Turkey (final update). Atlanta, GA: CDC; 28 Oct 2013. Retrieved from <https://www.cdc.gov/hepatitis/outbreaks/2013/a1b-03-31/index.html> Accessed: December 16, 2016.
- U.S. Centers for Disease Control and Prevention. (2014). *Campylobacter*. Retrieved from <http://www.cdc.gov/nczved/divisions/dfbmd/diseases/campylobacter/> Accessed: December 16, 2016.

- U.S. Centers for Disease Control and Prevention. (2015a). *Listeria* (Listeriosis). Retrieved from <http://www.cdc.gov/listeria/> Accessed: December 16, 2016.
- U.S. Centers for Disease Control and Prevention. (2015b). Multistate outbreak of *Salmonella* paratyphi B variant L(+) tartrate(+) and *Salmonella* Weltevreden infections linked to frozen raw tuna (final update). Retrieved from <http://www.cdc.gov/salmonella/paratyphi-b-05-15/index.html> Accessed: December 16, 2016.
- U.S. Centers for Disease Control and Prevention. (2015c). National Health and Nutrition Examination Survey (NHANES) 2011-2012. Retrieved from http://wwwn.cdc.gov/nchs/nhanes/search/nhanes11_12.aspx Accessed: December 16, 2016.
- U.S. Centers for Disease Control and Prevention. (2016a). Multistate outbreak of *Salmonella* Paratyphi B variant L(+) tartrate(+) infections linked to JEM Raw brand sprouted nut butter spreads (final update). Retrieved from <http://www.cdc.gov/salmonella/paratyphi-b-12-15/index.html> Accessed: December 16, 2016.
- U.S. Centers for Disease Control and Prevention. (2016b). Multistate outbreak of *Salmonella* Virchow infections linked to Garden of Life RAW Meal Organic Shake & Meal products (final update). Retrieved from <http://www.cdc.gov/salmonella/virchow-02-16/index.html> Accessed: December 16, 2016.
- U.S. Centers for Disease Control and Prevention. (2016c). Multistate outbreak of Shiga toxin-producing *Escherichia coli* infections linked to flour. Retrieved from <http://www.cdc.gov/ecoli/2016/o121-06-16/index.html> Accessed: December 16, 2016.
- U.S. Centers for Disease Control and Prevention. (2016d). National Health and Nutrition Examination Survey (NHANES) 2013-2014. Retrieved from https://wwwn.cdc.gov/nchs/nhanes/search/nhanes13_14.aspx Accessed: December 16, 2017.
- U.S. Centers for Disease Control and Prevention. (2017a). Blood lead levels in children: Reference level. Retrieved from https://www.cdc.gov/nceh/lead/acclpp/blood_lead_levels.htm Accessed: December 16, 2016.
- U.S. Centers for Disease Control and Prevention. (2017b). Foodborne Outbreak Online Database (FOOD), United States, 1998-2015. Retrieved from <http://wwwn.cdc.gov/foodborneoutbreaks/>. Accessed: August 4, 2017.
- U.S. Centers for Disease Control and Prevention. (2019a). National Health and Nutrition Examination Survey (NHANES) 2015-2016. Retrieved from <https://www.cdc.gov/nchs/nhanes/wweia.htm>. Accessed: October 16, 2019.
- U.S. Centers for Disease Control and Prevention. (2019b). National Outbreak Reporting System (NORS), United States, 1999-2017. Retrieved from <https://www.cdc.gov/nors/index.html>. Accessed: November 20, 2019.
- U.S. Department of Agriculture. (2008). USDA commodity requirements: SSB3 sunflower seed butter (peanut free) products for use in domestic programs. Retrieved from https://www.fsa.usda.gov/Internet/FSA_File/ssb3.pdf Accessed: December 16, 2016.
- U.S. Department of Agriculture Food Safety and Inspection Service. (2015a). Food product dating. *Topics > Food Safety Education > Get Answers > Food Safety Fact Sheets > Food Labeling Fact Sheets > Food Product Dating > Food Product Dating*. Retrieved from <http://www.fsis.usda.gov/wps/portal/fsis/topics/food-safety-education/get-answers/food-safety-fact-sheets/food-labeling/food-product-dating/food-product-dating> Accessed: December 16, 2016.

- U.S. Department of Agriculture Food Safety and Inspection Service. (2015b). Shelf-stable food safety. *Topics / Food Safety Education / Get Answers / Food Safety Fact Sheets / Safe Food Handling / Shelf Stable Food Safety / Shelf-Stable Food Safety*. Retrieved from http://www.fsis.usda.gov/wps/portal/fsis/topics/food-safety-education/get-answers/food-safety-fact-sheets/safe-food-handling/shelf-stable-food-safety/CT_Index Accessed: December 16, 2016.
- U.S. Department of Agriculture. (2019). Microbiological Data Program (MDP) 2001-2012. Retrieved from <https://www.ams.usda.gov/datasets/mdp>. Accessed: December 16, 2019.
- U.S. Department of Agriculture Agricultural Research Service. (2019). Pathogen Modeling Program (PMP) online. Retrieved from <https://pmp.errc.ars.usda.gov/PMPOnline.aspx>. Accessed: December 4, 2019.
- U.S. Department of Health and Human Services Food and Drug Administration and U.S. Department of Agriculture Food Safety and Inspection Service. (2003). Quantitative assessment of relative risk to public health from foodborne *Listeria monocytogenes* among selected categories of ready-to-eat foods. Retrieved from <https://www.fda.gov/food/cfsan-risk-safety-assessments/quantitative-assessment-relative-risk-public-health-foodborne-listeria-monocytogenes-among-selected>. Accessed: December 16, 2019.
- U.S. Environmental Protection Agency. (1998). Reregistration eligibility decision (RED): Methomyl. Retrieved from <http://archive.epa.gov/pesticides/reregistration/web/pdf/0028red.pdf> Accessed: December 16, 2016.
- U.S. Environmental Protection Agency. (2006). Report of the Food Quality Protection Act (FQPA): Tolerance reassessment progress and risk management decision (TRED) for oxytetracycline. Retrieved from <http://www.cdc.gov/drugresistance/pdf/EPA-HQ-OPP-2005-0492-0023.pdf> Accessed: December 16, 2016.
- U.S. Environmental Protection Agency. (2008). Polycyclic aromatic hydrocarbons (PAHs). Retrieved from <http://www.epa.gov/wastes/hazard/wastemin/minimize/factshts/pahs.pdf> Accessed: December 16, 2016.
- U.S. Environmental Protection Agency. (2014a). Integrated Risk Information System (IRIS). Benzene (CASRN 71-43-2). Retrieved from <http://www.epa.gov/iris/subst/0276.htm> Accessed: December 16, 2016.
- U.S. Environmental Protection Agency. (2014b). Integrated Risk Information System (IRIS). Cadmium (CASRN 7440-43-9). Retrieved from <http://www.epa.gov/iris/subst/0141.htm> Accessed: December 16, 2016.
- U.S. Environmental Protection Agency. (2014c). Integrated Risk Information System (IRIS). Chromium (VI) (CASRN 18540-29-9). Retrieved from <http://www.epa.gov/iris/subst/0144.htm> Accessed: December 16, 2016.
- U.S. Environmental Protection Agency. (2014d). Integrated Risk Information System (IRIS). Methanol (CASRN 67-56-1). Retrieved from <http://www.epa.gov/iris/subst/0305.htm> Accessed: December 16, 2016.
- U.S. Environmental Protection Agency. (2014e). Integrated Risk Information System (IRIS). Polychlorinated biphenyls (PCBs) (CASRN 1336-36-3). Retrieved from <http://www.epa.gov/iris/subst/0294.htm> Accessed: December 16, 2016.
- U.S. Environmental Protection Agency. (2014f). Integrated Risk Information System (IRIS). Selenium and compounds (CASRN 7782-49-2). Retrieved from <http://www.epa.gov/iris/subst/0472.htm> Accessed: December 16, 2016.

- U.S. Environmental Protection Agency. (2014g). Integrated Risk Information System (IRIS). Silver (CASRN 7440-22-4). Retrieved from <http://www.epa.gov/iris/subst/0099.htm> Accessed: December 16, 2016.
- U.S. Environmental Protection Agency. (2015). Integrated Risk Information System (IRIS). Lead and compounds (inorganic) quick view (CASRN 7439-92-1). Retrieved from http://cfpub.epa.gov/ncea/iris/index.cfm?fuseaction=iris.showQuickView&substance_nmbr=0277 Accessed: December 16, 2016.
- U.S. Food and Drug Administration. (1984). Water activity (a_w) in foods. *Inspection Technical Guides*. Retrieved from <https://www.fda.gov/inspections-compliance-enforcement-and-criminal-investigations/inspection-technical-guides/water-activity-aw-foods>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2001). Bacteriological Analytical Manual. Chapter 16, *Clostridium perfringens*. Retrieved from <https://www.fda.gov/food/laboratory-methods-food/bam-clostridium-perfringens>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2003). FDA survey of domestic fresh produce FY 2000-2001 field assignment. Retrieved from <http://wayback.archive-it.org/7993/20171114172340/https://www.fda.gov/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/ProducePlantProducts/ucm118306.htm>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2004). Guidance for industry: Juice HACCP hazards and controls guidance, first edition. Retrieved from <https://www.fda.gov/regulatory-information/search-fda-guidance-documents/guidance-industry-juice-hazard-analysis-critical-control-point-hazards-and-controls-guidance-first>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2005). Quantitative risk assessment on the public health impact of pathogenic *Vibrio parahaemolyticus* in raw oysters. Retrieved from <https://www.fda.gov/food/cfsan-risk-safety-assessments/quantitative-risk-assessment-public-health-impact-pathogenic-vibrio-parahaemolyticus-raw-oysters>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2008a). Guidance for industry: Control of *Listeria monocytogenes* in refrigerated or frozen ready-to-eat foods; Draft guidance. Retrieved from <http://www.fda.gov/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/FoodProcessingHACCP/ucm073110.htm>. Accessed: October 22, 2015.
- U.S. Food and Drug Administration. (2008b). Guidance for industry: Guide to minimize microbial food safety hazards of fresh-cut fruits and vegetables. Retrieved from <https://www.fda.gov/regulatory-information/search-fda-guidance-documents/guidance-industry-guide-minimize-microbial-food-safety-hazards-fresh-cut-fruits-and-vegetables>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2008c). Compliance policy guide (CPG): CPG Sec 555.320 *Listeria monocytogenes*. Retrieved from <https://www.fda.gov/regulatory-information/search-fda-guidance-documents/cpg-sec-555320-listeria-monocytogenes>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2009a). Exploratory data on furan in food (2004-2008). Retrieved from <https://www.fda.gov/food/chemicals/exploratory-data-furan-food>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2009b). Draft guidance for industry: Measures to address the risk for contamination by *Salmonella* species in food containing a peanut-derived product as an ingredient. Retrieved from <https://www.fda.gov/regulatory-information/search-fda-guidance->

- [documents/draft-guidance-industry-measures-address-risk-contamination-salmonella-species-food-containing](#). Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2010a). Leafy greens survey report (analysis of samples for *Salmonella*, *Shigella*, enterohemorrhagic *E. coli*, Shiga toxin-producing *E. coli* and other organisms). A report by the IEH Laboratories and Consulting Group. FDA unpublished data.
- U.S. Food and Drug Administration. (2010b). Tomatoes survey report (analysis of samples for *Salmonella*). A report by the IEH Laboratories and Consulting Group. FDA unpublished data.
- U.S. Food and Drug Administration. (2010c). Small entity compliance guide: Current good manufacturing practice in manufacturing, packaging, labeling, or holding operations for dietary supplements. Retrieved from <https://www.fda.gov/regulatory-information/search-fda-guidance-documents/small-entity-compliance-guide-current-good-manufacturing-practice-manufacturing-packaging-labeling>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2010d). Program information manual: Retail food protection storage and handling of tomatoes. Retrieved from <https://www.fda.gov/food/retail-food-industryregulatory-assistance-training/program-information-manual-retail-food-protection-storage-and-handling-tomatoes>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2011a). Draft guidance for industry: Measures to address the risk for contamination by *Salmonella* species in food containing a pistachio-derived product as an ingredient. Retrieved from <https://www.fda.gov/regulatory-information/search-fda-guidance-documents/draft-guidance-industry-measures-address-risk-contamination-salmonella-species-food-containing>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2011b). Leafy greens survey report (analysis of samples for *Salmonella*, *L. monocytogenes*, and enterohemorrhagic *E. coli*). A report by the IEH Laboratories and Consulting Group. FDA unpublished data.
- U.S. Food and Drug Administration. (2012). *Bad Bug Book: Handbook of Foodborne Pathogenic Microorganisms and Natural Toxins*, 2nd ed. Retrieved from <https://www.fda.gov/food/foodborne-pathogens/bad-bug-book-second-edition>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2014a). Proposed Rule: Standards for the Growing, Harvesting, Packing, and Holding of Produce for Human Consumption IV. Analysis of Economic Impacts. Retrieved from <http://www.fda.gov/downloads/Food/FoodSafety/FSMA/UCM334117.pdf>. Accessed: December 16, 2016.
- U.S. Food and Drug Administration. (2014b). FDA investigates presence of mucormycosis-causing mold in infant and children's probiotic supplement. Retrieved from <http://www.fda.gov/Food/RecallsOutbreaksEmergencies/Outbreaks/ucm423830.htm> Accessed: December 16, 2016.
- U.S. Food and Drug Administration. (2015a). Current Good Manufacturing Practice, Hazard Analysis, and Risk-Based Preventive Controls for Human Food; Final Rule. *Federal Register*, 80(180), 55908-56168.
- U. S. Food and Drug Administration. (2015b). Guidance for industry: Questions and answers regarding the final rule, Prevention of *Salmonella* Enteritidis in shell eggs during production, storage, and transportation. Available at: <https://www.fda.gov/regulatory-information/search-fda-guidance-documents/guidance-industry-questions-and-answers-regarding-final-rule-prevention-salmonella-enteritidis-shell>. Accessed December 16, 2019.
- U.S. Food and Drug Administration. (2015c). Standards for the Growing, Harvesting, Packing, and Holding of Produce for Human Consumption; Final Rule. *Federal Register*, 80(228), 74353-74568.

- U.S. Food and Drug Administration. (2015d). Summary of data submitted to Docket FDA-2013-N-0747 on contamination of *Salmonella* in different tree nuts by the Almond Board of California, California Walnut Board, Administrative Committee for Pistachios, and National Pecan Shellers Association.
- U.S. Food and Drug Administration. (2015e). Summary of preventive control regulations and guidance for FDA-regulated food commodities.
- U.S. Food and Drug Administration. (2015f). Survey of *L. monocytogenes* in refrigerated ready-to-eat food: smoked seafood, seafood salads, fresh crab meat and sushi (Seafood); low acid cut fruits, cut vegetables, sprouts (Produce); soft ripened and semi-soft cheese, artisanal cheese, raw milk, cultured milk product (Dairy); deli-type salad, sandwiches (Combination Foods); and eggs. Analysis of pH and a_w in selected samples. (FDA/ARS/FSIS Market Basket Survey, compiled data 2015). FDA unpublished data.
- U. S. Food and Drug Administration. (2015g). Multicriteria-based ranking model for risk management of animal drug residues in milk and milk products. Retrieved from <https://www.fda.gov/food/cfsan-risk-safety-assessments/multicriteria-based-ranking-model-risk-management-animal-drug-residues-milk-and-milk-products>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2015h). Chapter IV, Outbreaks associated with fresh and fresh-cut produce: Incidence, growth, and survival of pathogens in fresh and fresh-cut produce. *Analysis and Evaluation of Preventive Control Measures for the Control and Reduction/Elimination of Microbial Hazards on Fresh and Fresh-cut Produce*. FDA - Food Science & Research (Food)- Safe Practices for Food Processes. Retrieved from <http://www.fda.gov/Food/FoodScienceResearch/SafePracticesforFoodProcesses/ucm091265.htm> Accessed: December 16, 2016.
- U.S. Food and Drug Administration. (2015i). Final qualitative assessment of risk to public health from on-farm contamination of produce. Retrieved from <https://www.fda.gov/media/116766/download>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2015j). Bottled water and carbonated beverages. FDA > Food Foodborne Illness & Contaminants > Buy, Store & Serve Safe Food > Beverages & Juice. Retrieved from <http://www.fda.gov/Food/FoodborneIllnessContaminants/BuyStoreServeSafeFood/ucm2006729.htm> Accessed: December 16, 2016.
- U.S. Food and Drug Administration and Health Canada. (2015). Joint FDA / Health Canada quantitative assessment of the risk of listeriosis from soft-ripened cheese consumption in the United States and Canada. Retrieved from <https://www.fda.gov/food/cfsan-risk-safety-assessments/joint-fda-health-canada-quantitative-assessment-risk-listeriosis-soft-ripened-cheese-consumption>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2016a). Cumin & Undeclared Allergens. *Recalls, Market Withdrawals, & Safety Alerts*. Retrieved from <http://www.fda.gov/Safety/Recalls/> Accessed: December 16, 2016.
- U.S. Food and Drug Administration. (2016b). Recalls, Market Withdrawals & Safety Alerts (Archive for Recalls). Retrieved from <http://www.fda.gov/Safety/Recalls/ArchiveRecalls/default.htm> Accessed: December 16, 2016.
- U.S. Food and Drug Administration. (2016c). FDA investigates outbreak of hepatitis A illnesses linked to frozen strawberries. Retrieved from <https://www.fda.gov/food/outbreaks-foodborne-illness/fda-investigates-outbreak-hepatitis-illnesses-linked-frozen-strawberries> Accessed: December 16, 2019.

- U.S. Food and Drug Administration. (2016d). Survey data on acrylamide in food (2002-2015): Individual food products. Retrieved from <https://www.fda.gov/food/chemicals/survey-data-acrylamide-food>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2016e). Arsenic in rice and rice products risk assessment report. Retrieved from <https://www.fda.gov/food/cfsan-risk-safety-assessments/arsenic-rice-and-rice-products-risk-assessment>. Accessed: December 16, 2019.
- U. S. Food and Drug Administration. (2016f). FY 2014 – 2016 microbiological sampling assignment summary report: Raw milk cheese aged 60 days. Retrieved from <https://www.fda.gov/downloads/food/complianceenforcement/sampling/ucm512217.pdf>. Accessed: December 16, 2016.
- U.S. Food and Drug Administration. (2017a). Annex 3. Public health reasons/administrative guidelines. *Food Code 2013* (pp. 331-545). Retrieved from <https://www.fda.gov/downloads/Food/GuidanceRegulation/RetailFoodProtection/FoodCode/UCM374510.pdf>. Accessed: December 20, 2017.
- U.S. Food and Drug Administration. (2017b). Annex 6. Food processing criteria: Reduced oxygen packaging. *Food Code 2013* (pp. 621-641). Retrieved from <https://www.fda.gov/downloads/Food/GuidanceRegulation/RetailFoodProtection/FoodCode/UCM374510.pdf>. Accessed: December 20, 2017.
- U.S. Food and Drug Administration. (2017c). Import Alert 24-21. Detention without physical examination of parsley and cilantro from Agricola Herendira, Mexico Due to *Shigella sonnei*. Retrieved from https://www.accessdata.fda.gov/cms_ia/importalert_79.html Accessed: December 16, 2016.
- U.S. Food and Drug Administration. (2017d). Juice HACCP and the FDA Food Safety Modernization Act: Guidance for industry. Retrieved from <https://www.fda.gov/files/food/published/Guidance-for-Industry--Juice-HACCP-and-the-Food-Safety-Modernization-Act-%28PDF%29.pdf>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2017e). Draft guidance for industry: Control of *Listeria monocytogenes* in ready-to-eat foods. Retrieved from <https://www.fda.gov/regulatory-information/search-fda-guidance-documents/draft-guidance-industry-control-listeria-monocytogenes-ready-eat-foods>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2017f). FY 2014 – 2016 microbiological sampling assignment summary report: Sprouts. Retrieved from <https://www.fda.gov/regulatory-information/search-fda-guidance-documents/draft-guidance-industry-control-listeria-monocytogenes-ready-eat-foods>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2018a). Draft guidance for industry: Foreign supplier verification programs for importers of food for humans and animals. Retrieved from <https://www.fda.gov/regulatory-information/search-fda-guidance-documents/draft-guidance-industry-foreign-supplier-verification-programs-importers-food-humans-and-animals>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2018b). Draft guidance for industry: Hazard analysis and risk-based preventive controls for human food. Retrieved from <https://www.fda.gov/regulatory-information/search-fda-guidance-documents/draft-guidance-industry-hazard-analysis-and-risk-based-preventive-controls-human-food>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2018c). Draft guidance for industry: Standards for the growing, harvesting, packing, and holding of produce for human consumption. Retrieved from <https://www.fda.gov/regulatory-information/search-fda-guidance-documents/draft-guidance>

- [industry-standards-growing-harvesting-packing-and-holding-produce-human-consumption](#). Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2018d). What you need to know about food allergies. Retrieved from <https://www.fda.gov/food/buy-store-serve-safe-food/what-you-need-know-about-food-allergies>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2018e). Refrigerator & freezer storage chart. Retrieved from <http://www.fda.gov/downloads/Food/FoodborneIllnessContaminants/ucm109315.pdf>. Accessed: December 16, 2018.
- U.S. Food and Drug Administration. (2018f). FY 2016 – 2017 microbiological sampling assignment summary report: Hot peppers. <https://www.fda.gov/food/sampling-protect-food-supply/microbiological-surveillance-sampling-fy16-17-hot-peppers>. Accessed December 20, 2019.
- U.S. Food and Drug Administration. (2018g). FY 2014 – 2016 microbiological sampling assignment summary report: Whole fresh avocados. <https://www.fda.gov/food/sampling-protect-food-supply/microbiological-surveillance-sampling-fy14-16-whole-fresh-avocados>. Accessed December 20, 2019.
- U.S. Food and Drug Administration. (2019a). Coordinated Outbreak Response and Evaluation (CORE) Network: Outbreaks of foodborne illness - outbreak investigations by year. Retrieved from <https://www.fda.gov/food/recalls-outbreaks-emergencies/outbreaks-foodborne-illness>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2019b). The Electronic Laboratory Exchange Network (eLEXNET). Retrieved from <https://elexnet.fda.gov/elex/>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2019c). Microbiological surveillance sampling. Retrieved from <https://www.fda.gov/food/sampling-protect-food-supply/microbiological-surveillance-sampling>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2019d). Recalls, market withdrawals, and safety alerts. Retrieved from <https://www.fda.gov/safety/recalls-market-withdrawals-safety-alerts>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2019e). Reportable Food Registry for industry: Commodity definitions and annual report. Retrieved from <https://www.fda.gov/food/compliance-enforcement-food/reportable-food-registry-industry> and <https://www.fda.gov/media/78732/download> (RFR commodity definitions). Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2019f). Reportable Food Registry incidences of reportable food, September 2009 to August 2019. Center for Food Safety and Applied Nutrition, College Park, Maryland.
- U.S. Food and Drug Administration. (2019g). Total Diet Study data. Retrieved from <https://www.fda.gov/food/science-research-food/total-diet-study>. Accessed: December 16, 2019.
- U.S. Food and Drug Administration. (2019h). *Fish and Fishery Products Hazards and Controls Guidance*. 4th ed. Retrieved from <https://www.fda.gov/food/seafood-guidance-documents-regulatory-information/fish-and-fishery-products-hazards-and-controls> Accessed: December 20, 2019.
- U.S. Food and Drug Administration. (2019i). FY 2016 – 2017 microbiological sampling assignment summary report: Cucumbers. Retrieved from <https://www.fda.gov/food/sampling-protect-food-supply/microbiological-surveillance-sampling-fy16-17-cucumbers>. Accessed December 20, 2019.

- U.S. Food and Drug Administration Center for Food Safety and Applied Nutrition. (2007). Acidified and low acid canned foods: Approximate pH of foods and food products. Retrieved from <http://www.foodscience.caes.uga.edu/extension/documents/fdaapproximatephoffoodslacf-phs.pdf>. Accessed: December 16, 2016.
- U.S. Food and Drug Administration Center for Food Safety and Applied Nutrition, the Joint Institute for Food Safety and Applied Nutrition, and Risk Sciences International. (2017). FDA-iRISK® 4.0: Food Safety Modeling Tool Technical Document. Retrieved from <https://irisk.foodrisk.org/Documents/FDAiRISKTechnicalDocumentation.pdf>. Accessed: January 23, 2018.
- U.S. Food and Drug Administration Center for Food Safety and Applied Nutrition SMEs, & Versar. (2019). Expert review and expert elicitation to update scores for Criterion 5 in Risk-Ranking Model for Food Tracing. Report to FDA, December 6, 2019.
- U.S. National Institutes of Health. Query results for heterocyclic amines. *Toxicology Data Network*. Retrieved from <http://toxnet.nlm.nih.gov/index.html> Accessed: December 16, 2016.
- U.S. National Institutes of Health. (2005a). Aluminum, elemental. *Toxicology Data Network*. Retrieved from <http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/r?dbs+hsdb:@term+@DOCNO+507> Accessed: December 16, 2016.
- U.S. National Institutes of Health. (2005b). Okadaic acid. *Toxicology Data Network*. Retrieved from <https://toxnet.nlm.nih.gov/cgi-bin/sis/search2/r?dbs+hsdb:@term+@DOCNO+7243> Accessed: December 16, 2016.
- U.S. National Institutes of Health. (2006). Azaspiracid. *Toxicology Data Network*. Retrieved from <https://toxnet.nlm.nih.gov/cgi-bin/sis/search2/r?dbs+hsdb:@term+@DOCNO+7435> Accessed: December 16, 2016.
- U.S. National Institutes of Health. (2014a). Dioxins. *Environmental Agents*. Retrieved from <http://www.niehs.nih.gov/health/topics/agents/dioxins/> Accessed: December 16, 2016.
- U.S. National Institutes of Health. (2014b). Drug record: Fluoroquinolones. *LiverTox*. Retrieved from <http://livertox.nih.gov/Fluoroquinolones.htm> Accessed: December 16, 2016.
- U.S. National Institutes of Health. (2015). Nicotine poisoning. Retrieved from <https://www.nlm.nih.gov/medlineplus/ency/article/002510.htm> Accessed: December 16, 2016.
- U.S. National Institutes of Health. (2016a). 2,3,7,8-Tetrachlorodibenzo-p-dioxin. *Toxicology Data Network*. Retrieved from <http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/r?dbs+hsdb:@term+@DOCNO+4151> Accessed: December 16, 2016.
- U.S. National Institutes of Health. (2016b). Lead, elemental. *Toxicology Data Network*. Retrieved from <http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/r?dbs+hsdb:@term+@DOCNO+231> Accessed: December 16, 2016.
- Uesugi, A. R., Danyluk, M. D., & Harris, L. J. (2006). Survival of *Salmonella* Enteritidis phage type 30 on inoculated almonds stored at -20, 4, 23, and 35°C. *Journal of Food Protection*, 69(8), 1851-1857.
- Ukuku, D. O., Olanya, M., Geveke, D. J., & Sommers, C. H. (2012). Effect of native microflora, waiting period, and storage temperature on *Listeria monocytogenes* serovars transferred from cantaloupe rind to fresh-cut pieces during preparation. *Journal of Food Protection*, 75(11), 1912-1919.
- Ukuku, D. O., & Sapers, G. M. (2007). Effect of time before storage and storage temperature on survival of *Salmonella* inoculated on fresh-cut melons. *Food Microbiology*, 24(3), 288-295.
- Ukuku, D. O., Zhang, H., & Huang, L. H. (2009). Growth parameters of *Escherichia coli* O157:H7, *Salmonella* spp., *Listeria monocytogenes*, and aerobic mesophilic bacteria of apple cider

- amended with nisin-EDTA. *Foodborne Pathogens and Disease*, 6(4), 487-494.
doi:10.1089/fpd.2008.0233
- Ultimate Source. Soy lecithin. Retrieved from
http://www.ultimatesourceinc.com/product.php?g_intCID=1&g_intSID=1&g_intPID=1 Accessed:
December 16, 2016.
- Umeshaa, K. R., Bhavana, N. C., Venugopala, M. N., Karunasagara, I., Krohneb, G., & Karunasagara, I. (2008). Prevalence of human pathogenic enteric viruses in bivalve molluscan shellfish and cultured shrimp in south west coast of India. *International Journal of Food Microbiology*, 122(3), 279-286.
- University of Arizona. (1998). Facts about eggs and food safety. Retrieved from
<http://ag.arizona.edu/pubs/health/foodsafety/az1077.html> Accessed: December 16, 2016.
- University of California, Davis. (2011). Green onion production in California. Retrieved from
<http://anrcatalog.ucanr.edu/pdf/7243.pdf> Accessed: December 16, 2016.
- University of California, Davis. (2015). Herbs (fresh culinary): Recommendations for maintaining postharvest quality. *Postharvest Technology: Maintaining Produce Quality & Safety*. Retrieved from
<http://postharvest.ucdavis.edu/pfvegetable/Herbs/> Accessed: December 16, 2016.
- University of Florida IFAS Extension. (2002). Impact of temperature acclimation on *Vibrio vulnificus* content for Florida cultured clams during summer harvest. Retrieved from
<http://shellfish.ifas.ufl.edu/projects/shellfish-aquaculture-production-and-management/temperature-acclimation/> Accessed: December 16, 2016.
- University of Nebraska Cooperative Extension. (2005). Food safety. *Hospitality Institute of Technology and Management*. Retrieved from <http://www.foodsafety.unl.edu/> Accessed: December 16, 2016.
- University of Nebraska-Lincoln. (2014a). *Bacillus cereus*. *UNL Food*. Retrieved from
<http://food.unl.edu/bacillus-cereus> Accessed: December 16, 2016.
- University of Nebraska-Lincoln. (2014b). Food storage chart for cupboard/pantry, refrigerator and freezer. *UNL Food*. Retrieved from <http://food.unl.edu/safety/chart> Accessed: December 16, 2016.
- University of Nebraska - Lincoln. (2015a). *Escherichia coli* O157:H7. *UNL Food*. Retrieved from
<http://food.unl.edu/escherichinia-coli-o157h7-e-coli> Accessed: December 16, 2016.
- University of Nebraska - Lincoln. (2015b). *Listeria monocytogenes*. *UNL Food*. Retrieved from
<http://food.unl.edu/listeria-monocytogenes> Accessed: December 16, 2016.
- University of Nebraska - Lincoln. (2015c). *Shigella*. *UNL Food*. Retrieved from
<http://food.unl.edu/shigella> Accessed: December 16, 2016.
- Upper Crust Enterprises. (2015). FAQ & Nutrition. Retrieved from <http://uppercrustent.com/faq.asp>
Accessed: December 16, 2016.
- Urabe, Y., Minai, Y., Haga, M., Sugita-Konishi, Y., Ishiguro, A., & Hara-Kudo, Y. (2008). Survival of *Salmonella* in spices and growth in cooked food. *Shokuhin Eiseigaku Zasshi: Food Hygiene and Safety Science (Journal of the Food Hygienic Society of Japan)*, 49(2), 70-75.
- US Foods. (2017). Recall notices. list of recalls between 02-01-2017 to 10-31-2017. Retrieved from
<https://www.usfoods.com/recall-notices.html> Accessed: December 16, 2017.
- USA Emergency Supply. (2015a). All about textured vegetable protein. Retrieved from
<https://www.usaemergencysupply.com/information-center/all-about/all-about-textured-vegetable-protein> Accessed: December 16, 2016.

- USA Emergency Supply. (2015b). Infant formula. Retrieved from <https://www.usaemergencysupply.com/information-center/self-reliance/food-storage-frequently-asked-questions/infant-formula> Accessed: December 16, 2016.
- USA Emergency Supply. (2015c). Storage life of dry foods. *Self Reliance*. Retrieved from https://www.usaemergencysupply.com/information_center/storage_life_of_foods.htm Accessed: December 16, 2016.
- USA Emergency Supply. (2015d). Storing dry milk. *Food Storage Frequently Asked Questions*. Retrieved from https://www.usaemergencysupply.com/information_center/food_storage_faq/storing_dry_milk.htm Accessed: December 16, 2016.
- USA Emergency Supply. (2015e). Types of cane syrup. *Food Storage Frequently Asked Questions*. Retrieved from <https://www.usaemergencysupply.com/information-center/self-reliance/food-storage-frequently-asked-questions/types-of-cane-syrup> Accessed: December 16, 2016.
- Utah State University. (2015a). Dried milk. *How Do I Store...?* Retrieved from <http://extension.usu.edu/foodstorage/hdm/dried-milk> Accessed: December 16, 2016.
- Utah State University. (2015b). Dry beans. *Food Storage*. Retrieved from <http://extension.usu.edu/foodstorage/hdm/dry-beans> Accessed: December 16, 2016.
- Utah State University. (2015c). Sugars. *Food Storage*. Retrieved from <http://extension.usu.edu/foodstorage/hdm/sugars> Accessed: December 16, 2016.
- Utah State University. (2015d). White rice. *Food Storage*. Retrieved from <http://extension.usu.edu/foodstorage/hdm/white-rice> Accessed: December 16, 2016.
- Valero, M., Hernandez-Herrero, L. A., & Giner, M. J. (2007). Survival, isolation and characterization of a psychrotrophic *Bacillus cereus* strain from a mayonnaise-based ready-to-eat vegetable salad. *Food Microbiology*, 24(671-677). doi:10.1016/j.fm.2007.04.005
- Valik, L., & Gorner, F. (1993). Growth of *Staphylococcus aureus* in pasta in relation to its water activity. *International Journal of Food Microbiology*, 20(1), 45-48. doi:10.1016/0168-1605(93)90059-P
- Vallabhaneni, S., & Mody, R. K. (2015). Gastrointestinal mucormycosis in neonates: A review. *Current Fungal Infection Reports*, 9(4), 269-274.
- Vally, H., & Misso, N. L. (2012). Adverse reactions to the sulphite additives. *Gastroenterology and Hepatology from Bed to Bench*, 5(1), 16.
- Van den Berg, M., Birnbaum, L. S., Denison, M., De Vito, M., Farland, W., Feeley, M., . . . Peterson, R. E. (2006). The 2005 World Health Organization reevaluation of human and mammalian toxic equivalency factors for dioxins and dioxin-like compounds. *Toxicological Sciences*, 93(2), 223-241. doi:10.1093/toxsci/kfl055
- Van den Berg, M., De Jongh, J., Poiger, H., & Olson, J. R. (1994). The toxicokinetics and metabolism of polychlorinated dibenzo-p-dioxins (PCDDs) and dibenzofurans (PCDFs) and their relevance for toxicity. *Critical Reviews in Toxicology*, 24(1), 1-74.
- Van der Fels-Klerx, H., Van Asselt, E., Raley, M., Poulsen, M., Korsgaard, H., Bredsdorff, L., . . . Marvin, H. (2018). Critical review of methods for risk ranking of food-related hazards, based on risks for human health. *Critical Reviews in Food Science and Nutrition*, 58(2), 178-193.
- Van Doren, J. M., Blodgett, R. J., Pouillot, R., Westerman, A., Kleinmeier, D., Ziobro, G. C., . . . Fabbri, L. (2013a). Prevalence, level and distribution of *Salmonella* in shipments of imported capsicum and sesame seed spice offered for entry to the United States: Observations and modeling results. *Food Microbiology*, 36(2), 149-160.
- Van Doren, J. M., Kleinmeier, D., Hammack, T. S., & Westerman, A. (2013b). Prevalence, serotype diversity, and antimicrobial resistance of *Salmonella* in imported shipments of spice offered for

- entry to the United States, FY2007-FY2009. *Food Microbiology*, 34(2), 239-251.
doi:10.1016/j.fm.2012.10.002
- Van Doren, J. M., Neil, K. P., Parish, M. E., Gieraltowski, L., Gould, L. H., & Gombas, K. L. (2013c). Foodborne illness outbreaks from microbial contaminants in spices, 1973-2010. *Food Microbiology*, 36(2), 456-464. doi: 10.1016/j.fm.2013.04.014
- Van Egmond, H. P. (1989). Aflatoxin M1: Occurrence, toxicity, regulation. In H. P. Van Egmond (ed.), *Mycotoxins in Dairy Products*. Humana Press, New Jersey.
- Van Hulle, S. W. H., & Ciocci, M. C. (2012). Statistical evaluation and comparison of the chemical quality of bottled water and Flemish tap water. *Desalination and Water Treatment*, 40(1-3), 183-193. doi:10.5004/dwt.2012.2848
- Van Kooij, J., & De Boer, E. (1985). A survey of the microbiological quality of commercial tofu in the Netherlands. *International Journal of Food Microbiology*, 2(6), 349-354.
- Van Loo, E. J., Babu, D., Crandall, P. G., & Ricke, S. C. (2012). Screening of commercial and pecan shell-extracted liquid smoke agents as natural antimicrobials against foodborne pathogens. *Journal of Food Protection*, 75(6), 1148-1152.
- Vandamm, J. P., Li, D., Harris, L. J., Schaffner, D. W., & Danyluk, M. D. (2013). Fate of *Escherichia coli* O157:H7, *Listeria monocytogenes*, and *Salmonella* on fresh-cut celery. *Food Microbiology*, 34(1), 151-157. doi:10.1016/j.fm.2012.11.016
- Varma, J. K., Samuel, M. C., Marcus, R., Hoekstra, R. M., Medus, C., Segler, S., . . . Haubert, N. (2007). *Listeria monocytogenes* infection from foods prepared in a commercial establishment: A case-control study of potential sources of sporadic illness in the United States. *Clinical Infectious Diseases*, 44(4), 521-528.
- Vegetarian Gardens (2013b). Vegetable protein product. Retrieved from <http://www.vgiworld.com/index.php/main/products?lang=> Accessed: December 16, 2016.
- Velimirovic, D. S., Mitic, S. S., Tomic, S. B., Kalicanin, B. M., Pavlovic, A. N., & Mitic, M. N. (2013). Levels of major and minor elements in some commercial fruit juices available in Serbia. *Tropical Journal of Pharmaceutical Research*, 12(5), 805-811. doi:10.4314/tjpr.v12i5.22
- Vermeulen, A., Smigic, N., Rajkovic, A., Gysemans, K., Bernaerts, K., Geeraerd, A. H., . . . Devlieghere, F. (2007). Performance of a growth–no growth model for *Listeria monocytogenes* developed for mayonnaise-based salads: Influence of strain variability, food matrix, inoculation level, and presence of sorbic and benzoic acid. *Journal of Food Protection*, 70(9), 2118-2126.
- Verraes, C., Vlaemynck, G., Van Weyenberg, S., De Zutter, L., Daube, G., Sindic, M., . . . Herman, L. (2015). A review of the microbiological hazards of dairy products made from raw milk. *International Dairy Journal*, 50, 32-44.
- Veys, O., de Oliveira Elias, S., Sampers, I., & Tondo, E. C. (2016). Modelling the growth of *Salmonella* spp. and *Escherichia coli* O157 on lettuce. *Procedia Food Science*, 7, 168-172. doi:https://doi.org/10.1016/j.profoo.2016.10.003
- Vicente, E., Ariseto, A. P., Furlani, R. P. Z., Monteiro, V., Goncalves, L. M., Pereira, A. L. D., & Toledo, M. C. F. (2015). Levels of 3-monochloropropane-1,2-diol (3-MCPD) in selected processed foods from the Brazilian market. *Food Research International*, 77, 310-314. doi:10.1016/j.foodres.2015.03.035
- Vigil, K. J., Jiang, Z. D., Chen, J. J., Palumbo, K. L., Galbadage, T., Brown, E. L., . . . DuPont, H. L. (2009). Short report: Coliform and *Escherichia coli* contamination of desserts served in public restaurants from Guadalajara, Mexico, and Houston, Texas. *American Journal of Tropical Medicine and Hygiene*, 80(4), 606-608.

- Vigo Presses. (2015). How to preserve apple juice. Retrieved from <http://www.vigopresses.co.uk/AdditionalDepartments/Header-Content/Make-apple-juice/Storing-apple-juice/How-to-preserve-apple-juice-2> Accessed: December 16, 2016.
- Vision Pack. (2013). Vision Pack 2013 gift basket collection. Retrieved from http://www.visionpackbrands.com/pdf_products13/CandyConfecCakes2013.pdf Accessed: December 16, 2016.
- Viswanathan, P., & Kaur, R. (2001). Prevalence and growth of pathogens on salad vegetables, fruits and sprouts. *International Journal of Hygiene and Environmental Health*, 203(3), 205-213.
- Vromman, V., Waegeneers, N., Cornellis, C., De Boosere, I., Van Holderbeke, M., Vinkx, C., . . . L., P. (2010). Dietary cadmium intake by the Belgian adult population. *Food Additives & Contaminants: Part A*, 27(12), 1665-1673.
- Vuddhakul, V., Soboon, S., Sunghiran, W., Kaewpiboon, S., Chowdhury, A., Ishibashi, M., . . . Nishibuchi, M. (2006). Distribution of virulent and pandemic strains of *Vibrio parahaemolyticus* in three molluscan shellfish species (*Meretrix meretrix*, *Perna viridis*, and *Anadara granosa*) and their association with foodborne disease in southern Thailand. *Journal of Food Protection*, 69(11), 2615-2620.
- Wagley, S., Koofhethile, K., & Rangdale, R. (2009). Prevalence and potential pathogenicity of *Vibrio parahaemolyticus* in Chinese mitten crabs (*Eriocheir sinensis*) harvested from the River Thames estuary, England. *Journal of Food Protection*, 72(1), 60-66.
- Wagner, A. (2008). Bacterial food poisoning. Retrieved from <https://aggie-horticulture.tamu.edu/food-technology/bacterial-food-poisoning/> Accessed: February 12, 2018.
- Waizenegger, J., Winkler, G., Kuballa, T., Ruge, W., Kersting, M., Alexy, U., & Lachenmeier, D. W. (2012). Analysis and risk assessment of furan in coffee products targeted to adolescents. *Food Additives and Contaminants: Part A*, 29(1), 19-28. doi:10.1080/19440049.2011.617012
- Walker, G. C., & Harmon, L. G. (1965). The growth and persistence of *Staphylococcus aureus* in milk and broth substrates. *Journal of Food Science*, 30(2), 351-358. doi:10.1111/j.1365-2621.1965.tb00314.x
- Walker, M. (2011). Aluminum in imported noodles. Laboratory of the Government Chemist. Middlesex, United Kingdom. Retrieved from https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/317870/Aluminium_in_imported_noodles.pdf. Accessed December 16, 2019.
- Walking-Ribeiro, M., Noci, F., Cronin, D. A., Lyng, J. G., & Morgan, D. J. (2010). Shelf life and sensory attributes of a fruit smoothie-type beverage processed with moderate heat and pulsed electric fields. *LWT - Food Science and Technology*, 43, 1067-1073. doi:10.1016/j.lwt.2010.02.010
- Wallace, B. J., Guzewich, J. J., Cambridge, M., Altekruise, S., & Morse, D. L. (1999). Seafood-associated disease outbreaks in New York, 1980–1994. *American Journal of Preventive Medicine*, 17(1), 48-54.
- Walsh, K. A., Bennett, S. D., Mahovic, M., & Gould, L. H. (2014). Outbreaks associated with cantaloupe, watermelon, and honeydew in the United States, 1973–2011. *Foodborne Pathogens and Disease*, 11(12), 945-952.
- Wan Norhanaa, M. N., Poolec, S. E., C., H., Deetha, G., & Dykes, A. (2010). Prevalence, persistence and control of *Salmonella* and *Listeria* in shrimp and shrimp products: A review. *Food Control*, 21(4), 343-361. doi:10.1016/j.foodcont.2009.06.020
- Wang, F., Jiang, L., Yang, Q., Han, F., Chen, S., Pu, S., . . . Ge, B. (2011). Prevalence and antimicrobial susceptibility of major foodborne pathogens in imported seafood. *Journal of Food Protection*, 74(9), 1451-1461.

- Wang, M. E., Chen, W. P., & Peng, C. (2016). Risk assessment of Cd polluted paddy soils in the industrial and township areas in Hunan, Southern China. *Chemosphere*, *144*, 346-351. doi:10.1016/j.chemosphere.2015.09.001
- Wang, X.-M., Lü, X.-F., Yin, L., Liu, H.-F., Zhang, W.-J., Si, W., . . . Liu, S.-G. (2013). Occurrence and antimicrobial susceptibility of *Listeria monocytogenes* isolates from retail raw foods. *Food Control*, *32*(1), 153-158.
- Wang, Y., Liu, X., Xiao, C., Wang, Z., Wang, J., Xiao, H., . . . Yue, T. (2012). HPLC determination of aflatoxin M-1 in liquid milk and milk powder using solid phase extraction on OASIS HLB. *Food Control*, *28*(1), 131-134. doi:10.1016/j.foodcont.2012.04.037
- Warburton, D. W., Bowen, B., & Konkle, A. (1994). The survival and recovery of *Pseudomonas aeruginosa* and its effect upon salmonellae in water: Methodology to test bottled water in Canada. *Canadian Journal of Microbiology*, *40*(12), 987-992.
- Warren, B. R., Yuk, H. G., & Schneider, K. R. (2007). Survival of *Shigella sonnei* on smooth tomato surfaces, in potato salad and in raw ground beef. *International Journal of Food Microbiology*, *116*(3), 400-404. doi:10.1016/j.ijfoodmicro.2007.02.010
- Weber, J. V., & Sharypov, V. I. (2009). Ethyl carbamate in foods and beverages: A review. *Environmental Chemistry Letters*, *7*(3), 233-247.
- WebMD. (2015). Condiments: Dress up food with mustard and more. *Food & Recipes*. Retrieved from <http://www.webmd.com/food-recipes/healthtool-condiments-table> Accessed: December 16, 2016.
- Weight Watchers. (2015). This week: How can I keep my celery crisp and my broccoli from molding? *Food Q&A: Keeping Veggies Fresh*. Retrieved from http://www.weightwatchers.com/util/art/index_art.aspx?tabnum=1&art_id=7191&sc=126 Accessed: December 16, 2016.
- Weis, K., Hammond, R., Hutchinson, R., & Blackmore, C. (2011). *Vibrio* illness in Florida, 1998–2007. *Epidemiology & Infection*, *139*(4), 591-598.
- Weissinger, W. R., Chantarapanont, W., & Beuchat, L. R. (2000). Survival and growth of *Salmonella* baidon in shredded lettuce and diced tomatoes, and effectiveness of chlorinated water as a sanitizer. *International Journal of Food Microbiology*, *62*(1-2), 123-131. doi:10.1016/S0168-1605(00)00415-3
- Weller, D., Wiedmann, M., & Strawn, L. K. (2015). Irrigation is significantly associated with an increased prevalence of *Listeria monocytogenes* in produce production environments in New York State. *Journal of Food Protection*, *78*(6), 1132-1141.
- Wells, C. L., & Wilkins, T. D. (1996). Clostridia: Sporeforming anaerobic bacilli. In Baron, S. (ed.), *Medical Microbiology*, 4th ed. University of Texas Medical Branch at Galveston.
- Wemmenhove, E., Stampelou, I., Van Hooijdonk, A., Zwietering, M., & Wells-Bennik, M. (2013). Fate of *Listeria monocytogenes* in Gouda microcheese: No growth, and substantial inactivation after extended ripening times. *International Dairy Journal*, *32*(2), 192-198.
- Wemmenhove, E., van Valenberg, H. J., Zwietering, M. H., van Hooijdonk, T. C., & Wells-Bennik, M. H. (2016). Minimal inhibitory concentrations of undissociated lactic, acetic, citric and propionic acid for *Listeria monocytogenes* under conditions relevant to cheese. *Food Microbiology*, *58*, 63-67.
- Western Nut Company. (2011). Frequently asked questions. Retrieved from http://www.westernut.com/customer_faq.aspx Accessed: December 16, 2016.
- Wetzel, K., Lee, J., Lee, C. S., & Binkley, M. (2010). Comparison of microbial diversity of edible flowers and basil grown with organic versus conventional methods. *Canadian Journal of Microbiology*, *56*(11), 943-951.

- What's Cooking America. (2015). Shelf life of food - refrigerator and freezer storage chart. *Food Storage Chart - Food Storage Guidelines*. Retrieved from <http://whatscookingamerica.net/Information/FreezerChart.htm> Accessed: December 16, 2016.
- White, S. S., & Birnbaum, L. S. (2009). An overview of the effects of dioxins and dioxin-like compounds on vertebrates, as documented in human and ecological epidemiology. *Journal of Environmental Science and Health: Part C*, 27(4), 197-211. doi:10.1080/10590500903310047
- Whitwork, J. (2019). Dried fruit mix suspected as cause of Norway's ongoing *Salmonella* outbreak. Retrieved from <https://www.foodsafetynews.com/2019/03/dried-fruit-mix-suspected-as-cause-of-norways-ongoing-salmonella-outbreak/>. Accessed December 20, 2019.
- Whole Foods Market. (2012). Popcorn, Indiana recalls several items due to possible *Listeria monocytogenes* contamination. Retrieved from <https://www.wholefoodsmarket.com/content/popcorn-indiana-recalls-several-items-due-possible-listeria-monocytogenes-contamination> Accessed: December 16, 2016.
- Whyte, P., McGill, K., Cowley, D., Madden, R., Moran, L., Scates, P., . . . Collins, J. (2004). Occurrence of *Campylobacter* in retail foods in Ireland. *International Journal of Food Microbiology*, 95(2), 111-118.
- Widdowson, M.-A., Meltzer, M. I., Zhang, X., Bresee, J. S., Parashar, U. D., & Glass, R. I. (2007). Cost-effectiveness and potential impact of rotavirus vaccination in the United States. *Pediatrics*, 119(4), 684-697.
- Wiest, D. B., Cochran, J. B., & Tecklenburg, F. W. (2012). Chloramphenicol toxicity revisited: A 12-year-old patient with a brain abscess. *J Pediatr Pharmacol Ther.*, 17(2), 182-188. doi:10.5863/1551-6776-17.2.182
- Wijtes, T., McClure, P. J., Zwietering, M., & Roberts, T. A. (1993). Modelling bacterial growth of *Listeria monocytogenes* as a function of water activity, pH and temperature. *International Journal of Food Microbiology*, 18(2), 139-149. doi:10.1016/0168-1605(93)90218-6
- Wikipedia. (2015). Dried and salted cod. Retrieved from https://en.wikipedia.org/wiki/Dried_and_salted_cod Accessed: December 16, 2016.
- Wild Fermentation. (2011). Whey shelf life. *Dairy Ferments*. Retrieved from <http://www.wildfermentation.com/forum/viewtopic.php?f=3&t=2159> Accessed: December 16, 2016.
- Wild, C. P., & Gong, Y. Y. (2010). Mycotoxins and human disease: A largely ignored global health issue. *Carcinogenesis*, 31(1), 71-82. doi:10.1093/carcin/bgp264
- Willis, C., Little, C. L., Sagoo, S., De Pinna, E., & Threlfall, J. (2009). Assessment of the microbiological safety of edible dried seeds from retail premises in the United Kingdom with a focus on *Salmonella* spp. *Food Microbiology*, 26(8), 847-852. doi: 10.1016/j.fm.2009.05.007
- Wilson, D., Hooper, C., & Shi, X. Y. (2012). Arsenic and lead in juice: Apple, citrus, and apple-base. *Journal of Environmental Health*, 75(5), 14-20.
- Wilson, I. G. (1995). Occurrence of *Listeria* species in ready to eat foods. *Epidemiology & Infection*, 115(3), 519-526.
- Windrantz, P., & Arias, M. L. (2000). Evaluation of the bacteriological quality of ice cream sold at San Jose, Costa Rica. *Archivos Latinoamericanos de Nutrición*, 50(3), 301-303.
- Winiarska-Mieczan, A., & Kiczorowska, B. (2012). Determining the content of lead and cadmium in infant food from the Polish market. *International Journal of Food Sciences and Nutrition*, 63(6), 708-712. doi:10.3109/09637486.2011.644765

- Witthuhn, R. C., Engelbrecht, S., Joubert, E., & Britz, T. J. (2005). Microbial content of commercial South African high-moisture dried fruits. *Journal of Applied Microbiology*, 98(3), 722-726.
- Wong, H.-C., Jiang, H.-Y., Lin, H.-Y., & Wang, Y.-T. (2015). Microbiological quality of seafood marketed in Taiwan. *Journal of Food Protection*, 78(11), 1973-1979.
- Wong, H. C., Chen, M. C., Liu, S. H., & Liu, D. P. (1999). Incidence of highly genetically diversified *Vibrio parahaemolyticus* in seafood imported from Asian countries. *International Journal of Food Microbiology*, 52(3), 181-188. doi:10.1016/S0168-1605(99)00143-9
- Wong, W. C., Pui, C., Chai, L., Lee, H., Ghazali, F., Tang, J., . . . Son, R. (2011). Biosafety assessment of *Listeria monocytogenes* in vegetarian burger patties in Malaysia. *International Food Research Journal*, 18, 459-163.
- Woody, J. (2004). The use and re-use of dry breading mixtures in retail and foodservice establishments. Retrieved from <http://ehs.ncpublichealth.com/faf/docs/foodprot/DryBreading.pdf> Accessed: December 16, 2016.
- World Carrot Museum. (2015). The wonder of carrot juice. Retrieved from <http://www.carrotmuseum.co.uk/carrotjuice.html> Accessed: December 16, 2016.
- World Health Organization. (1998). Executive summary. Assessment of the health risk of dioxins: Reevaluation of the tolerable daily intake (TDI). Geneva, Switzerland.
- World Health Organization. (2006). Evaluation of certain food additives. Retrieved from http://apps.who.int/iris/bitstream/10665/43408/1/WHO_TRS_934_eng.pdf Accessed: December 16, 2016.
- World Health Organization. (2009). Toxicological and health aspects of melamine and cyanuric acid. Retrieved from http://www.who.int/foodsafety/publications/chem/Melamine_report09.pdf Accessed: December 16, 2016.
- World Health Organization. (2010). Exposure to cadmium: A major public health concern. Retrieved from <http://www.who.int/ipcs/features/cadmium.pdf>. Accessed: December 16, 2016.
- World Health Organization. (2011a). Enterohaemorrhagic *Escherichia coli* (EHEC). Retrieved from <http://www.who.int/mediacentre/factsheets/fs125/en/> Accessed: December 16, 2016.
- World Health Organization. (2011b). Evaluation of certain food additives and contaminants - severity, 3rd report of the Joint FAO/WHO Expert Committee on food additives. WHO technical report series No. 960. Retrieved from http://apps.who.int/iris/bitstream/10665/44515/1/WHO_TRS_960_eng.pdf Accessed: December 16, 2016.
- World Health Organization. (2013a). Data and statistics. Retrieved from <http://www.who.int/research/en>. Accessed: June 7, 2013.
- World Health Organization. (2013b). Publications. Retrieved from <http://www.who.int/publications/en>. Accessed: June 7, 2013.
- World Health Organization. (2013c). Botulism. Retrieved from <http://www.who.int/mediacentre/factsheets/fs270/en/> Accessed: December 16, 2016.
- World Health Organization. (2014). Dioxins and their effects on human health. Retrieved from <http://www.who.int/mediacentre/factsheets/fs225/en/> Accessed: December 16, 2016.
- World Health Organization. (2015). Foodborne trematodiasis. Retrieved from <http://www.who.int/mediacentre/factsheets/fs368/en/> Accessed: December 16, 2016.
- Wu, F., Narrod, C., Tiongco, M., & Liu, Y. (2011). The health economics of aflatoxin: Global burden of disease. Retrieved from http://programs.ifpri.org/afla/pdf/aflacontrol_wp04.pdf Accessed: February 12, 2018.

- Wu, F. M., Doyle, M. P., Beuchat, L. R., Wells, J. G., Mintz, E. D., & Swaminathan, B. (2000). Fate of *Shigella sonnei* on parsley and methods of disinfection. *Journal of Food Protection*, 63(5), 568-572.
- Wu, H., Yao, J., Guo, M., Tan, Z., Zhou, D., & Zhai, Y. (2015a). Distribution of marine lipophilic toxins in shellfish products collected from the Chinese market. *Marine Drugs*, 13(7), 4281-4295. doi:10.3390/md13074281
- Wu, S., Wu, Q., Zhang, J., Chen, M., & Hu, H. (2015). *Listeria monocytogenes* prevalence and characteristics in retail raw foods in China. *PLoS ONE*, 10(8), e0136682.
- Wyatt, C. J. (1981). The growth of *Salmonella* Typhimurium, *Staphylococcus aureus*, and *Bacillus cereus* in bakery products as related to the food distribution system. Oregon State University, Oregon State Scholars Archive. Retrieved from <https://ir.library.oregonstate.edu/xmlui/handle/1957/27469?show=full> Accessed: December 16, 2016.
- Xanthiakos, K., Simos, D., Angelidis, A., Nychas, G. E., & Koutsoumanis, K. (2006). Dynamic modeling of *Listeria monocytogenes* growth in pasteurized milk. *Journal of Applied Microbiology*, 100(6), 1289-1298.
- Xing, W. Q., Zhang, H. Y., Scheckel, K. G., & Li, L. P. (2016). Heavy metal and metalloid concentrations in components of 25 wheat (*Triticum aestivum*) varieties in the vicinity of lead smelters in Henan province, China. *Environmental Monitoring and Assessment*, 188(1). doi:10.1007/s10661-015-5023-3
- Xu, X., Wu, Q., Zhang, J., Cheng, J., Zhang, S., & Wu, K. (2014). Prevalence, pathogenicity, and serotypes of *Vibrio parahaemolyticus* in shrimp from Chinese retail markets. *Food Control*, 46, 81-85.
- Xu, X. M., Wu, H. W., He, H. L., Huang, B. F., Han, J. L., & Ren, Y. P. (2013). Study of chloropropanols in soy sauce by gas chromatography-triple quadrupole mass spectrometry with coupled column separation without derivatisation. *Food Additives and Contaminants: Part A*, 30(3), 421-429. doi:10.1080/19440049.2012.755646
- Yamani, M. I., & Al-Dababseh, B. A. (1994). Microbial quality of hoummos (chickpea dip) commercially produced in Jordan. *Journal of Food Protection*, 57(5), 431-435.
- Yang, E., Fan, L., Jiang, Y., Doucette, C., & Fillmore, S. (2012). Antimicrobial activity of bacteriocin-producing lactic acid bacteria isolated from cheeses and yogurts. *AMB Express*, 2. doi:10.1186/2191-0855-2-48
- Yang, X., Wu, Q., Zhang, J., Huang, J., Chen, L., Liu, S., . . . Cai, S. (2015). Prevalence, enumeration, and characterization of *Salmonella* isolated from aquatic food products from retail markets in China. *Food Control*, 57, 308-313.
- Yang, Z. Q., Jiao, X. A., Li, P., Pan, Z. M., Huang, J. L., Gu, R. X., . . . Chao, G. X. (2009). Predictive model of *Vibrio parahaemolyticus* growth and survival on salmon meat as a function of temperature. *Food Microbiology*, 26(6), 606-614.
- Yano, Y., Kaneniwa, M., Satomi, M., Oikawa, H., & Chen, S. S. (2006). Occurrence and density of *Vibrio parahaemolyticus* in live edible crustaceans from markets in China. *Journal of Food Protection*, 69(11), 2742-2746.
- Yano, Y., Yokoyama, M., Satomi, M., Oikawa, H., & Chen, S. S. (2004). Occurrence of *Vibrio vulnificus* in fish and shellfish available from markets in China. *Journal of Food Protection*, 67(8), 1617-1623.
- Yasunaga, H., Horiguchi, H., Kuwabara, K., Hashimoto, H., & Matsuda, S. (2010). Clinical features of bowel anisakiasis in Japan. *American Journal of Tropical Medicine and Hygiene*, 83(1), 104-105. doi: 10.4269/ajtmh.2010.09-0780

- Yazdanpanah, H., Shafaati, A., Foroutan, S. M., Zarghi, A., Aboul-Fathi, F., Khoddam, A., . . . Nazari, F. (2014). Occurrence of deoxynivalenol in foods for human consumption from Tehran, Iran. *Iranian Journal of Pharmaceutical Research*, *13*, 87-92.
- Yigeremu, B., Bogale, M., & Ashenafi, M. (2001). Fate of *Salmonella* species and *E. coli* in fresh-prepared orange, avocado, papaya and pine apple juices. *Ethiopian Journal of Health Sciences*, *11*(2).
- Yokoigawa, K., Takikawa, A., Okubo, Y., & Umeshiko, S. (2003). Acid tolerance and gad mRNA levels of *Escherichia coli* O157:H7 grown in foods. *International Journal of Food Microbiology*, *82*(3), 203-211. doi:10.1016/S0168-1605(02)00305-7
- Yong, R. Q., Cutmore, S. C., Miller, T. L., Adlard, R. D., & Cribb, T. H. (2013). The ghost of parasites past: Eggs of the blood fluke *Cardicola chaetodontis* (Aporocotylidae) trapped in the heart and gills of butterflyfishes (Perciformes: Chaetodontidae) of the Great Barrier Reef. *Parasitology*, *140*(9), 1186-1194.
- Yoon, C. Y., & Kang, K. J. (2006). Occurrence of *Vibrio parahaemolyticus* in fishery products from the southwestern coast of Korea. *Food Science and Biotechnology*, *15*(4), 578-581.
- Yoon, S. K., Kang, Y. S., Sohn, M. G., Kim, C. M., & Park, J. (2007). Prevalence of enterotoxigenic *Staphylococcus aureus* in retail ready-to-eat Korean kimbab rolls. *Food Science and Biotechnology*, *16*(4), 621-625.
- Young Pecan. (2015). Storage & handling. Retrieved from <http://www.youngpecan.com/default.asp?id=129> Accessed: December 16, 2016.
- Yu, K., Newman, M. C., Archbold, D. D., & Hamilton-Kemp, T. R. (2001). Survival of *Escherichia coli* O157:H7 on strawberry fruit and reduction of the pathogen population by chemical agents. *Journal of Food Protection*, *64*(9), 1334-1340.
- Yu, W.-T., Jong, K.-J., Lin, Y.-R., Tsai, S.-e., Tey, Y. H., & Wong, H.-c. (2013). Prevalence of *Vibrio parahaemolyticus* in oyster and clam culturing environments in Taiwan. *International Journal of Food Microbiology*, *160*(3), 185-192.
- Yucatan Guacamole. (2015). Yucatan Guacamole. Retrieved from <http://avocado.com/> Accessed: December 16, 2016.
- Yunis, A. A. (1989). Chloramphenicol toxicity: 25 years of research. *American Journal of Medicine*, *87*(3N), 44N-48N.
- Zahir, F., Rizwi, S. J., Haq, S. K., & Khan, R. H. (2005). Low dose mercury toxicity and human health. *Environmental Toxicology and Pharmacology*, *20*(2), 351-360. doi:10.1016/j.etap.2005.03.007
- Zaika, L. L., Moulden, E., Weimer, L., Phillips, J. G., & Buchanan, R. L. (1994). Model for the combined effects of temperature, initial pH, sodium chloride and sodium nitrite concentrations on anaerobic growth of *Shigella flexneri*. *International Journal of Food Microbiology*, *23*(3-4), 345-358.
- Zand, N., Chowdhry, B. Z., Wray, D. S., Pullen, F. S., & Snowden, M. J. (2012). Elemental content of commercial 'ready to-feed' poultry and fish based infant foods in the UK. *Food Chemistry*, *135*(4), 2796-2801. doi:10.1016/j.foodchem.2012.07.034
- Zarei, M., Maktabi, S., & Ghorbanpout, M. (2012). Prevalence of *Listeria monocytogenes*, *Vibrio parahaemolyticus*, *Staphylococcus aureus*, and *Salmonella* spp. in seafood products using multiplex polymerase chain reaction. *Foodborne Pathogens and Disease*, *9*(2), 108-112. doi:10.1089/fpd.2011.0989
- Zarnke, R. L., Gamble, R., Heckert, R. A., & Ver Hoef, J. (1997). Serologic survey for *Trichinella* spp. in grizzly bears from Alaska. *Journal of Wildlife Diseases*, *33*(3), 474-479. doi: <http://dx.doi.org/10.7589/0090-3558-33.3.474>

- Zeng, F. F., Wei, W., Li, M. S., Huang, R. X., Yang, F., & Duan, Y. Y. (2015). Heavy metal contamination in rice-producing soils of Hunan province, China and potential health risks. *International Journal of Environmental Research and Public Health*, *12*(12), 15584-15593. doi:10.3390/ijerph121215005
- Zeng, W., Vorst, K., Brown, W., Marks, B. P., Jeong, S., Pérez-Rodríguez, F., & Ryser, E. T. (2014). Growth of *Escherichia coli* O157:H7 and *Listeria monocytogenes* in packaged fresh-cut romaine mix at fluctuating temperatures during commercial transport, retail storage, and display. *Journal of Food Protection*, *77*(2), 197-206.
- Zewdie, T., Smith, C. M., Hutcheson, M., & West, C. R. (2010). Basis of the Massachusetts reference dose and drinking water standard for perchlorate. *Environmental Health Perspectives*, *118*(1), 42-48. doi:10.1289/ehp.0900635
- Zhang, G., Chen, Y., Hu, L., Melka, D., Wang, H., Laasri, A., . . . Bunning, V. K. (2018). Survey of foodborne pathogens, aerobic plate counts, total coliform counts, and *Escherichia coli* counts in leafy greens, sprouts, and melons marketed in the United States. *Journal of Food Protection*, *81*(3), 400-411.
- Zhang, G., Hu, L., Melka, D., Wang, H., Laasri, A., Brown, E. W., . . . Hammack, T. S. (2017). Prevalence of *Salmonella* in cashews, hazelnuts, macadamia nuts, pecans, pine nuts, and walnuts in the United States. *Journal of Food Protection*, *80*(3), 459-466. doi:10.4315/0362-028x.jfp-16-396
- Zhang, G., L. Hu, R. Pouillot, A. Tatavarthy, J.M. Van Doren, D. Kleinmeier, G.C. Ziobro, D. Melka, H. Wang, E.W. Brown, E. Strain, V.K. Bunning, S.M. Musser, and T.S. Hammack. (2017). Prevalence of *Salmonella* in 11 spices offered for sale from retail establishments and in imported shipments offered for entry to the United States. *Journal of Food Protection*, *80*(11), 1791-1805.
- Zhang, G., Ma, L., Patel, N., Swaminathan, B., Wedel, S., & Doyle, M. P. (2007). Isolation of *Salmonella* Typhimurium from outbreak-associated cake mix. *Journal of Food Protection*, *70*(4), 997-1001.
- Zhang, J., Yang, X., Kuang, D., Shi, X., Xiao, W., Zhang, J., . . . Meng, J. (2015). Prevalence of antimicrobial resistance of non-typhoidal *Salmonella* serovars in retail aquaculture products. *International Journal of Food Microbiology*, *210*, 47-52. doi:10.1016/j.ijfoodmicro.2015.04.019
- Zhang, S. H., Wu, Q. P., Zhang, J. M., Lai, Z. B., & Zhu, X. M. (2016). Prevalence, genetic diversity, and antibiotic resistance of enterotoxigenic *Escherichia coli* in retail ready-to-eat foods in China. *Food Control*, *68*, 236-243. doi:10.1016/j.foodcont.2016.03.051
- Zhang, X. X., Li, J. M., Zong, N., Zhou, Z. Y., & Ma, L. Y. (2014). Ochratoxin A in dried vine fruits from Chinese markets. *Food Additives & Contaminants: Part B-Surveillance*, *7*(3), 157-161. doi:10.1080/19393210.2013.867365
- Zhang, Y. D., Zheng, N., Han, R. W., Zheng, B. Q., Yu, Z. N., Li, S. L., . . . Wang, J. Q. (2014). Occurrence of tetracyclines, sulfonamides, sulfamethazine and quinolones in pasteurized milk and UHT milk in China's market. *Food Control*, *36*(1), 238-242. doi:10.1016/j.foodcont.2013.08.012
- Zhang, Y. H., & Caupert, J. (2012). Survey of mycotoxins in U.S. distiller's dried grains with solubles from 2009 to 2011. *Journal of Agricultural and Food Chemistry*, *60*(2), 539-543. doi:10.1021/jf203429f
- Zhao, R., Yan, S. S., Liu, M., Wang, B., Hu, D., Guo, D. B., . . . Fan, C. (2016). Seafood consumption among Chinese coastal residents and health risk assessment of heavy metals in seafood. *Environmental Science and Pollution Research*, *23*(16), 16834-16844. doi:10.1007/s11356-016-6817-8
- Zheng, N., Sun, P., Wang, J. Q., Zhen, Y. P., Han, R. W., & Xu, X. M. (2013). Occurrence of aflatoxin M1 in UHT milk and pasteurized milk in China market. *Food Control*, *29*(1), 198-201. doi:10.1016/j.foodcont.2012.06.020
- Zheng, R.-L., Li, H.-F., Jiang, R.-F., & Zhang, F.-S. (2008). Cadmium accumulation in the edible parts of different cultivars of radish, *Raphanus sativus* L., and carrot, *Daucus carota* var. sativa, grown in a Cd-contaminated soil. *Bulletin of Environmental Contamination and Toxicology*, *81*(1), 75-79.

- Zhu, H., Yan, B. X., Cao, H. C., & Wang, L. X. (2012). Risk assessment for methylmercury in fish from the Songhua River, China: 30 years after mercury-containing wastewater outfalls were eliminated. *Environmental Monitoring and Assessment*, *184*(1), 77-88. doi:10.1007/s10661-011-1948-3
- Zhu, Z., Liu, G. H., Chen, Y. H., & Cheng, J. Q. (2013). Assessment of aflatoxins in pigmented rice using a validated immunoaffinity column method with fluorescence HPLC. *Journal of Food Composition and Analysis*, *31*(2), 252-258. doi:10.1016/j.jfca.2013.05.011
- Zicari, G., Rivetti, D., Soardo, V., Cerrato, E., & Panata, M. (2011). The cultivation of the mushroom *Agaricus bisporus* (Champignon): Micro-organisms and preservability. *Igiene e Sanita Pubblica - Journal Database*, *67*(5), 647-657.
- Zicari, G., Rivetti, D., Soardo, V., Cerrato, E., & Panata, M. (2012). Edible mushrooms and chemical risk. *Progress in Nutrition*, *14*(2), 100-107.
- Zimmerman, A. M., DePaola, A., Bowers, J. C., Krantz, J. A., Nordstrom, J. L., Johnson, C. N., & Grimes, D. J. (2007). Variability of total and pathogenic *Vibrio parahaemolyticus* densities in northern Gulf of Mexico water and oysters. *Applied and Environmental Microbiology*, *73*(23), 7589-7596. doi: 10.1128/AEM.01700-07
- Zwietering, M., De Wit, J., & Notermans, S. (1996). Application of predictive microbiology to estimate the number of *Bacillus cereus* in pasteurised milk at the point of consumption. *International Journal of Food Microbiology*, *30*(1), 55-70.
- Zwietering, M., Stewart, C., & Whiting, R. (2010). Validation of control measures in a food chain using the FSO concept. *Food Control*, *21*(12), 1716-1722.
- Zwolak, I., & Zaporowska, H. (2012). Selenium interactions and toxicity: A review. *Cell Biology and Toxicology*, *28*(1), 31-46. doi:10.1007/s10565-011-9203-9
- 1-800-Caviar. Caviar shelf life. *Fine Foods Delicatessen*. Retrieved from <http://www.1-800-caviar.com/caviar-shelf-life.html> Accessed: December 16, 2016.
- 21 Food. (2015a). Appetizer sweet plantain. Retrieved from <http://www.21food.com/products/appetizer---sweet-plantain-480862.html> Accessed: December 16, 2016.
- 21 Food. Biscuits and wafers. Retrieved from <http://www.21food.com/products/biscuits-and-wafers-166725.html> Accessed: February 12, 2018.
- 21 Food. (2015b). Falafel balls - supermarket line. Retrieved from <http://www.21food.com/products/falafel-balls---supermarket-line-504805.html> Accessed: December 16, 2016.
- 21 Food. (2015c). Fish fry / curry recipe spice mix. *Products > Spices & Seasonings > Raw Spices*. Retrieved from <http://www.21food.com/products/fish-fry---curry-recipe-spice-mix-597864.html> Accessed: December 16, 2016.