



Cisco Meeting Server web app

User Guide

Version 3.3

August 24, 2021

Contents

1	Getting Started	4
2	Join a meeting	5
2.1	Customize meeting join links	6
3	Joining options	8
3.1	More ways to join	8
3.2	Settings	9
4	Sign into the web app	10
5	In meeting menu options	12
5.1	Meeting controls	12
5.2	View and manage participants in the meeting	13
5.2.1	View participants and status	13
5.2.2	Add Participants	14
5.2.3	Drop a participant	14
5.2.4	Change a participant's role	14
5.3	Change your layout for video and presentation	14
5.4	Resize the presentation and video pane	14
5.5	Open a presentation in new window	14
5.6	Pin presentation preview	15
5.7	Recording and streaming	15
5.8	Lock or unlock a meeting	15
5.9	Admit participants to a locked meeting	15
5.10	Manage other participants' audio and video in a meeting	15
5.11	View call information	16
5.12	Report an issue	16
5.13	View meeting in full screen mode	16
5.14	The self-view pane	17
5.14.1	Pin self-view	17
5.14.2	Change camera or microphone during a meeting	17
5.14.3	Mirror self-view	17
5.14.4	Enable HD mode	18
5.15	Active speaker label	18
5.16	In-call chat	18

5.17 Content magnification	19
6 Join a meeting while you are signed in to the app	20
7 Manage spaces	21
7.1 Why do I need to update the space passcode?	21
7.2 Create a space	22
7.3 View space joining information	22
7.4 Activate spaces	24
7.5 Edit a space	24
7.6 Invite people to your spaces	24
7.7 Add or remove members to a space	27
7.7.1 Add a member	27
7.7.2 Remove a member	27
7.8 Change space member roles and access methods	27
7.8.1 Change space member roles	27
7.8.2 Change space member access methods	28
7.9 Start a meeting in one of your spaces	29
7.9.1 More ways to join	30
7.9.2 Settings	30
7.10 Delete a space	31
7 Schedule a meeting on web app	32
7.11 Scheduling a meeting	32
7.12 Modify or delete a scheduled meeting	33
8 More Information	34
Accessibility Notice	35
Cisco Legal Information	36
Cisco Trademark	39

1 Getting Started

Cisco Meeting Server web app (web app) is a browser-based client for Cisco Meeting Server that lets users join meetings (audio and video).

In web app, spaces provide a way for you to maintain a record of all users, joining methods and default layout in a meeting.

If you have been invited to a meeting, see [Join a meeting using web app](#).

If you have a user ID and password, log in to web app, see [Sign into the web app](#).

A space is a virtual meeting room that users with access can use to start or join meetings and share screen or presentation during meetings. Others can be invited to a meeting using the joining details. Members can send chat messages during a call.

Users with credentials to log into web app can create, edit, delete spaces, change member roles and access methods, if they have permissions assigned by the administrator.

2 Join a meeting

When you are invited to a meeting via email or instant message, you can use the information sent to you to join your meeting from a computer, mobile device or a video system. Choose from one of the following ways depending on details you have been sent in the meeting invite:

Here is an sample email invite:

You are invited to join a meeting: Annual General Meeting

Meeting ID: 16684007

Meeting passcode: 1001

Join from a computer, mobile phone or tablet

<https://example.com/meeting/166849463?secret=5ibOoH9utNBv2ErWke5QcQ>

Join from a video conferencing system or application

Dial annual.general@example.com

Join from a meeting link

If you have an invitation with a meeting link, then you will be able to directly go to the **Join Meeting page**, see [Joining options](#) for more instructions. You may be asked for a passcode if the invite includes one.

Note: You can customize the join links with additional parameters to set preferences while joining calls. For more information, see [Customize join links](#).

Join using meeting ID or Video address (URL) and passcode

If you have received an invitation to join a meeting with meeting ID or URL (video address) and passcode (only if a meeting is passcode-protected), follow these steps:

1. From the web app, click **Join meeting**.
2. Enter a Meeting ID or video address (URI) and a Passcode (if one has been provided in the invite).
3. Optionally, you can edit the default name shown and enter your name. This name will appear in the participant's list when you join the meeting.
4. Click **Join meeting**, see [Joining options](#) for more information.

Note: Alternatively, you can use the video address (URL) to join from a video conferencing device or a third-party apps such as Skype or Lync. Enter the video address and follow the product's instructions to join a meeting.

2.1 Customize meeting join links

Users can customize the join links with additional parameters to set their preferences while joining calls. This can be useful for users who frequently join certain meetings. They can bookmark the join links with specific preferences. Listed below are the additional parameters supported in this version:

Parameter	Description	Values	Examples
mode	Use this parameter to specify the way a user can join the meeting: - Join with audio and video – audioVideo - Join with presentation only – presentationOnly - Dial in details – dialIn Default option is 'audioVideo'.	- audioVideo - presentationOnly - dialIn	&mode=audioVideo &mode=presentationOnly &mode=dialIn
name	If the user is not signed in, their display name will be automatically set to the name provided in this parameter. Web app will not prompt the user to enter their name. If the user is signed in, their name will not be changed by this parameter. However they can change the name from the UI or sign in with a different user ID and password before joining a call.	any URL encoded string	&name=Sally%20wood

audioMuted	• If this parameter is set to true, the audio will be muted • If this parameter is set to false, audio will be unmuted. Users can change this setting in the UI after joining the call.	• true • false • Set to "true" if no value is entered	• &audioMuted=true • &audioMuted=false • &audioMuted
videoDisabled	• If this parameter is true, the video will be disabled. • if this parameter is if false, the video will be enabled. Users can change this setting in the UI after joining the call.	• true • false • Set to "true" if no value is entered	• &videoDisabled=true • &videoDisabled=false • &videoDisabled
skipJoinOptions	If true, and if the name has been stored in the browser, or if the user has signed in, or if the "name" parameter is specified in the link, then the user will join call skipping the Join options screen. If false, the user will be taken to the Join options screen where they can optionally change their name or sign in.	• true • false • Set to "true" if no value is entered	• &skipJoinOptions=true • &skipJoinOptions=false • &skipJoinOptions

Example: User wants to set the meeting join name as "Sally" and automatically mute their audio while joining a meeting:

1. Copy the join link:
https://example.com/meeting/059893656?secret=zv9LGLqbZ0DiCo_86haJag
2. Edit the link to add the extra parameters "&name=Sally" and "&audioMuted" to the link:
https://example.com/meeting/059893656?secret=zv9LGLqbZ0DiCo_86haJag&name=Sally&audioMuted=true

3 Joining options

While joining a meeting, the **Joining options** screen allows you to choose how you want to join the meeting. You can see a preview of your video before joining.

Depending on how web app is configured by your administrator, you may be prompted to enter your name or sign in. Enter your name and click **Set display name**. This will appear in the participant list during the meeting and helps others to recognize you. Alternatively, if you have the User ID and password to sign in to web app, click **Sign in instead**.

If the browser remembers a previously entered name, or if the meeting join link has a name parameter included, the prompt to enter name will not be shown. If you have already signed in to web app, and are trying to join a meeting, your sign in name will be shown.

Note: Options on this page depend on how the administrator has configured your web app.

Note: If your administrator has configured single sign-on (SSO) for your web app account, you can use SSO to login to web app. To login using SSO, follow these steps:

1. Enter your user name and click **Sign in**.
2. You will be redirected to the web page of single-sign on provider to sign in. After signing in, you will be redirected back to web app.

Refer to Cisco Meeting Server documentation for more information on configuring Single-sign on.

Note: If SSO is enabled, after you log into web app, you will have a separate session on the web app application from the one with the identity provider. This means that if you logout / sign out from the web app application but not from the identity provider once you enter the same user name you will automatically be allowed into the web app application again. However, if you sign out from the identity provider it doesn't sign you out from web app and hence you have to also sign out from web app. To ensure that you cannot log in for this browser session again you must sign out from both the web app application and the identity provider.

Click **More ways to join** or **Settings** to choose from options below:

3.1 More ways to join

- **Join with audio and video** – use this option to join a meeting with audio and video, you can also share your screen or application during the meeting.
- **Join with presentation only** – use this option to join a meeting with presentation only. This is recommended if you want to share or view a presentation. You cannot send audio and camera video during the meeting.

- **Dial in details** – use this to see the dial in details for the meeting if you want to join from a video conferencing system or telephone. Select **More ways to join > Join with presentation** only if you want to share your screen or presentation in the meeting.

3.2 Settings

- Click **Settings** to select your camera or microphone. Make sure you have a working camera and microphone before choosing this option. If you think you have a faulty camera or microphone, then use the 'No camera' and 'No microphone' options. You can check your preview to see if the selection works. Select the speaker from your operating system's settings.
- Select **Mirror self view**, to see your self view video in mirror view for a more natural experience. In mirror view, your self-view video appears as if you were looking at your reflection in a mirror. The left and right sides of your image appear to be reversed. If you don't want your self-view video to appear reversed, you can stop showing it in mirror view. This choice will be saved for future meetings on the same camera device.
- Select **Enable HD** if you want to enable HD options. Click the toggle to disable it. This changes the camera resolution that is sent to save CPU power and battery.

Note: You can change your camera, microphone and self view settings during a meeting

After choosing your preferred options, click **Join meeting** to join the meeting. Use the  to

mute your audio and  to disable video if needed before joining the meeting. You can change these options whilst in the meeting.

During a meeting you can use the in-meeting menu options to control and manage your meeting.

4 Sign into the web app

Enter your *username* and *password*. When you sign into the app, you can see a list of spaces to which you are added as a member.

Note: If your administrator has configured single sign-on (SSO) for your web app account, you can use SSO to login to web app. To login using SSO, follow these steps:

1. Enter your user name and click **Sign in**.
2. You will be redirected to the web page of single-sign on provider to sign in. After signing in, you will be redirected back to web app.

Refer to Cisco Meeting Server documentation for more information on configuring Single-sign on.

Note: If SSO is enabled, after you log into web app, you will have a separate session on the web app application from the one with the identity provider. This means that if you logout / sign out from the web app application but not from the identity provider once you enter the same user name you will automatically be allowed into the web app application again. However, if you sign out from the identity provider it doesn't sign you out from web app and hence you have to also sign out from web app. To ensure that you cannot log in for this browser session again you must sign out from both the web app application and the identity provider.

The web app displays information about the most recent log in, including date and time when the account was last used. Click on the last login information to see the IP address used during the most recent login.

The UI On Desktops

The screenshot shows the Cisco Meeting Server web app interface. The header includes a 'Log out or select the Language' link. The main content area is titled 'Sally Wood's Home' and shows 'Last login 2021-06-16 at 10:16' with a 'See details' link. Below the header are two buttons: 'Join a meeting' and 'Schedule meeting'. The 'My scheduled meetings' section lists meetings for Monday, Tuesday, and Wednesday, June 21-23, 2021. Each meeting entry includes the time, name, space, and a 'Join' button. The 'My spaces' section lists three spaces: 'Annual All Hands Meeting', 'Annual General Meeting', and 'Automation tests', each with a 'Join' button. The left sidebar contains a list of spaces with a '+' icon at the top. Annotations with red dashed lines and dots point to various elements: 'Create a space using templates available to you' points to the '+' icon; 'Click on a space name to edit or view join information' points to a space name in the sidebar; 'Click to access Online help for web app' points to the 'Help' link at the bottom of the sidebar; 'Click to Schedule a meeting' points to the 'Schedule meeting' button; 'Click here to join a meeting you have been invited to. You need the meeting ID and passcode (only if invite includes one)' points to the 'Join a meeting' button; 'List of meetings you have scheduled, or you are invited to' points to the 'My scheduled meetings' section; 'Click Join to start a meeting in one of your spaces.' points to a 'Join' button in the 'My spaces' section; 'See list of your spaces where you can start a meeting from' points to the 'My spaces' section; and 'Click on a space name to edit or view join information' points to a space name in the 'My spaces' section.

On mobiles or tablets, you can access the spaces from the home page or side menu.

Click **Join** to start a meeting in one of your spaces.

To join a meeting you have been invited to see [Join a meeting you have been invited to](#)

For more information about what you can see and do during a meeting, See In-meeting menu options.

5 In meeting menu options

When you are in a meeting, the web app provides you with options to manage participants and control your meeting and audio and video from other participants. You can do the following:

[Meeting controls](#)

[View and manage participants in the meeting](#)

[Add Participants](#)

[Change layout for presentation and video](#)

[Open your presentation in a new window](#)

[Record or Stream a meeting](#)

[Manage other participants' audio and video in a meeting](#)

[Lock or unlock a meeting](#)

[Admit participants to a locked meeting](#)

[View call information](#)

[Report an issue in web app](#)

[View meeting in full screen mode](#)

[The self-view pane](#)

[In-call chat](#)

[Content magnification](#)

Note: The options shown in your app may depend on the permissions enabled for you by your administrator.

5.1 Meeting controls

Mute your microphone: Click  to mute your microphone during the meeting.

Raise your hand: Click  to raise your hand during the meeting to ask a question or make a comment. Once you raise your hand, the hand icon appears besides your name in the Participants list.

Note: The raise hand icon is available only when the feature is enabled on the Meeting Server.

Share an application or your screen: Click  to start sharing your screen or application. The browser may prompt you to allow screen sharing can click on the pin to keep it open whilst you are presenting in the meeting.

Leave or End meeting: Click  to leave the meeting. If you chose to leave the meeting, others in the meeting can still carry on. However, if you have the permissions, you can end the meeting for all participants.

5.2 View and manage participants in the meeting

You can do the following:

5.2.1 View participants and status

Click  to see the list of participants who are currently in the meeting. The number indicates the total number of participants who are currently in the meeting. The icons next to the participant's name in the list indicate the audio / video status of a participant. Here are a few examples:

-  - the participant is muted.
-  - the participant is speaking or their background audio can be heard.
-  - the participant's video is disabled.
-  - the participant is presenting or sharing content.
-  - the participant has raised hand.

Click on a participant's name in the Participants list to view the options available. Depending on the permissions available to you, you can do the following:

- Mute / Unmute audio - Mute or unmute the participant.
- Disable / Enable video - Enable or disable the participant's video.
- Make important - The important participant is displayed more prominently on the video layout.
- Drop a participant - Remove a participant.
- Change role - Change the role of a participant during a meeting.

5.2.2 Add Participants

To add a new participant to the meeting, do the following:

1. Click . The **Add participant** pane opens.
2. Search for a participant by first or last name and click on the name to add a participant, or dial SIP participants with their video address or number.

Note: Directory search applies only if you are signed in to web app.

5.2.3 Drop a participant

To remove a participant, click on the participant's name and select **Drop a participant**.

5.2.4 Change a participant's role

To change the role of a participant during a meeting, click on the participant's name -> **Change role** then select the role. When a participant's role is changed, the participant is notified with a pop up message.

These roles are defined in Meeting Management or through Meeting Server API.

5.3 Change your layout for video and presentation

Click  to select a different layout for video and presentation. This choice only affects what you see on your screen. If **Custom** layout button  is highlighted, it implies that the layout is assigned by the Meeting Server admin. Permission to change web app layout is enabled by Meeting Server admin.

5.4 Resize the presentation and video pane

You can increase or decrease the size of the shared content and the participants' video. Hover between the shared content and the participants video to see the resize icon . Drag the resize icon up or down to resize the shared content and the participants' video. Resizing the shared content resizes the participants' video proportionately.

5.5 Open a presentation in new window

During a meeting if another participant is sharing a presentation or screen, you can now open this in a new window. Click  to open the presentation or screen in a new window.

5.6 Pin presentation preview

If you are sharing a presentation or screen you will be able to pin the pane which shows the

preview of the content shared on your screen. Click  to pin your presentation. This prevents the pane from disappearing when you are not interacting with the app.

You can also click and drag the presentation pane and position it where ever you want on the screen.

5.7 Recording and streaming

Click  to open the **Call controls** pane to open the recording and streaming controls:

- Click  to start recording, the icon changes to blue. Click again to stop recording.
- Click  to start streaming, the icon changes to blue. Click again to stop streaming.

If a meeting is being recorded or streamed, recording and streaming notifications will be shown on the web app's screen.

5.8 Lock or unlock a meeting

You can lock a meeting for security purposes to temporarily restrict guest access. Restriction only applies for the duration of the meeting. Click  to open the **Call controls** side bar. Select **Meeting lock**.

5.9 Admit participants to a locked meeting

You can now admit participants to a locked meeting if you have the appropriate permissions. Participant trying to join a meeting will be waiting in a lobby and will see an onscreen message indicating the same.

Web app shows you a notification if there are some participants waiting to be admitted to the meeting. The participant icon shows a count of number of participants waiting in lobby. Click on a participant's name and select **Admit to meeting** to admit participants individually. To admit all participants, click **Admit all**.

5.10 Manage other participants' audio and video in a meeting

Click  to open the **Call controls** pane, you can mute or unmute the audio, and enable or disable video for all participants in the meeting.

Click **Mute**  to mute audio for all participants. Click **Allow**  to unmute audio for all participants.

To mute audio for individual participant, click on their name from the participant list and click **Mute audio**.

Click **Disable**  to disable video for all participants. Click **Allow**  to enable video for all participants.

To stop the video for individual participant, click on their name from the participant list and click **Disable video**.

5.11 View call information

During a meeting, you can click  to view the following information:

- Space name: Name of the space where the meeting is ongoing.
- Duration: Time since a participant joined the meeting.
- Join information: You can invite more participants to the meeting using one of the following ways:
 - Copy the join link to your clipboard.
 - Click  to open the preview of the invite, you can either click **Open email** to open your default email with the joining information embedded or click **Copy** to copy the invite with all details to your clipboard.

5.12 Report an issue

If you have a problem during the meeting, click  to send a report. This will collect all the diagnostics information which can be used to troubleshoot by support, optionally you can enter a description of your problem in more detail.

5.13 View meeting in full screen mode

Click  to switch to full screen mode during the meeting. To switch back, click . This option is only visible if your browser supports this function.

Note: Safari browser does not currently support this function.

5.14 The self-view pane

The self view pane shows a glimpse of how others see you during a meeting, web app allows you to manage:

5.14.1 Pin self-view

- You can pin the self-view so that its always visible. Click  to disable automatic hiding of the self-view window. This prevents the self-view pane from disappearing when you are not interacting with the app. The icon changes to blue, click again to enable automatic hiding of the self-view window. On mobiles or tablets, tap  >  to pin self-view.

5.14.2 Change camera or microphone during a meeting

- You can change the camera or microphone during a meeting. Click  from self-view pane to choose a different camera or microphone during the meeting.
- From mobiles or tables, tap  > **change camera** to change between the front and back cameras.

5.14.3 Mirror self-view

- Click  > **Mirror self-view**, to see your self-view video in mirror view for a more natural experience. In mirror view, your self-view video appears as if you were looking at your reflection in a mirror. The left and right sides of your image appear to be reversed. If you don't want your self-view video to appear reversed, you can stop showing it in mirror view. This choice will be saved for future meetings on the same device.
- On mobiles, tap  > **Mirror self-view** to use this option.

Note: Regardless of whatever you choose here, you video will appear as non-mirrored to other participants in the meeting.

5.14.4 Enable HD mode

- Select  > **Enable HD** if you want to enable HD option. Click the toggle to disable it. This changes the camera resolution that is sent and turning off HD can help save CPU power and battery. By default, the HD mode is enabled on desktop.
- From mobiles and tablets, tap  > **Enable HD** or **Disable HD** to disable HD. This changes the camera resolution that is sent and turning off HD can help save CPU power and battery. By default, the HD mode is disabled on mobiles and tablets.

5.15 Active speaker label

The active speaker label displays the name of the speaker. It is placed above the self-view pane and can be moved around the corners of the browser along with self-view. Click  to have the active speaker label visible all the time. The icon changes to blue, click  to allow it to hide after inactivity.

When none of the participants are speaking the active speaker label is displayed as **Nobody**. If the participant themselves are speaking, the self-view of the active speaker label is **You**.

5.16 In-call chat

Participants in a call can send chat messages to other participants in the same call.

1. Click  to start chatting with the participants in a call. Chat window will slide open.
2. Type your message and press enter.

The chat messages are visible to participants currently in the call. The old messages will disappear if you leave, refresh, or rejoin the call.

A red dot on the chat icon  indicates unread messages.

Note: If you are unable send messages on chat, it means that your chat permissions are disabled. Your meeting host can enable chat permission for you.

5.17 Content magnification


Participants can scroll, pinch, or click a button to zoom in and out on the content that is displayed on screen during a call.

- Click  to zoom in. Pinch in if you are using mobile or tablet devices.
- Click  to zoom out. Pinch out if you are using mobile or tablet devices.
- Click  to restore the magnified content to its original view.
- Drag the mouse or pointer to pan window around.

6 Join a meeting while you are signed in to the app

You can join a meeting in any space that you are not a member of if you have the meeting ID and passcode (optional) or the meeting link.

1. Click on the meeting link. Alternatively, from the home page, click the **Join a meeting** link.



2. Enter a Meeting ID or video address (URI) and a Passcode (if one has been provided in the invite).
3. Click **Join meeting**, go to Joining meeting screen instructions for more information.

7 Manage spaces

Web app allows you to manage your spaces. A space is a virtual meeting room that users with access can use to start or join meetings and share screen or presentation during meetings.

Users with credentials to log into Cisco Meeting Server web app can create, edit or delete spaces, and view the various joining methods available. Anyone added as a member can see the new space on their web app home page. Others can be invited to a meeting using the joining details.

Web app allows you can do the following:

- [Create space](#)
- [Activate space](#)
- [Edit space](#)
- [Delete a space](#)
- [Add or remove members to a space](#)
- [Change space member roles and access methods](#)

7.1 Why do I need to update the space passcode?

An administrator can specify a minimum passcode length for spaces or space templates. If a minimum passcode length has been enforced by the administrator for some of the existing spaces, then the web app shows you an on-screen message to indicate the passcode needs to be updated for those spaces.

Sally Wood's Home

[Join a meeting](#)

My Spaces

Annual General Meeting

annual.general@example.com



Automation tests

Passcode needs updating



Click **Configure space** to open the **Join information** and update the passcode.

Note: Only members with appropriate permissions will be able to update the space passcode. If a space passcode is out of compliance, you may not be able join a meeting in the space.

7.2 Create a space

To create a new space, follow these steps:

1. If you are using web app from desktop, Click  to create a space.
If you are using web app from a mobile or a tablet, click  from the top left side to open the side menu and Click  to create a space.
2. Enter a **Name** for your space. For example, this could be the project you are working on.
3. Select a template from the choices available. A space template is a combination of pre-configured settings that will be applied to new spaces created using this template.
4. Click **Create**. A new space is created. A space can have one or more ways to join a meeting based on the chosen template. You can include these details when you invite someone to join your meeting.

Note: If you are using web app from a mobile or a tablet, click  from the top left side to open the side menu.

Note: If you do not see this option, contact your administrator to enable permissions to create a space and assign space templates to your profile.

7.3 View space joining information

From the left navigation pane or from the list of spaces, click on one of the spaces to view the space join information. You can see all the methods to join a meeting separated into one or more joining methods.

The screenshot shows the 'Annual General Meeting' page in the Cisco Meeting Server web app. At the top, there's a back arrow, the meeting title, and icons for editing and deleting. Below this are 'Join' and 'Schedule meeting' buttons. The 'Scheduled meetings' section shows a meeting on 'Monday, Jun 21, 2021' from '10:00 AM - 11:00 AM' titled 'Annual General Meeting', organized by 'You' with '2 invited' participants. A 'See more' link is present. The 'Join information' section includes the 'Meeting ID' (166849463), 'Role 1' details (Join link, Passcode, Visibility, Video address), and 'Host' details (Join link). On the right, the 'Members (2)' list shows 'Lewis Hill' and 'Sally Wood' (You).

Each Joining method is a combination of video address, passcode, Meeting ID, Meeting link that can be used to access a space meeting. Each method gives a set of permissions to the user using the method to join meetings space. Contact your administrator to understand how the joining methods have been set up in your space templates. In the example above, each joining method can be used to assign roles such as host and guest to the meeting participants.

Each joining method refers to an Access Method which is a combination of URI, passcode, call ID and secret.

The joining methods contains a combination of the following:

- Meeting link – A link directly takes you to the joining page of the web app.
- Meeting ID – a unique number associated with the meeting. You can use this to join via the web app.
- Passcode – only shown if the space is passcode protected.
- Visibility – defines who can see the access methods. See change space member access methods to learn more.
- Video address – Use this to dial via the web app, any video conferencing systems or other apps such as Cisco Jabber, Skype.

You can have one or more joining methods depending on the space templates used to create your space. You can use this information to [invite people to your spaces](#).

7.4 Activate spaces

You will be able to activate a newly provisioned space from web app UI. A notification **activation required** will appear under the space name of the newly provisioned space.

Click **Activate space** to activate and create a space. Once activated you can use this space to start or join meetings.

You cannot start a meeting in a space unless it is activated.

Note: Administrators can provision spaces for users. Refer to Release Notes for Cisco Meeting Server for more information about space provisioning.

7.5 Edit a space

Select a space that you want to edit from the list. The app shows you all the details of the space such as space name, the joining methods available.

Click  to edit the space name. You can edit the following settings for any of the joining methods shown:

- Join link - You can generate a new meeting join link for the meeting.
- Passcode - Enter a numeric passcode to restrict access to the space for security purposes. This is optional and can be blank.
- Video address - Enter a video address of your choice. If already in use, the app suggests one that closely matches your choice.

Click **Save** to save the changes.

7.6 Invite people to your spaces

You can invite people to your spaces for a meeting. Depending on the space template used to create a space, you can have one or more joining methods. Each joining method gives a set of permissions to the user who joins via that method. Contact your administrator to understand how the joining methods have been set up in your space templates. In this example, you can have host and guest roles for your meeting participants.

To invite people to your space, follow these steps:

1. Open the space where you are planning to have a meeting from.

< Annual General Meeting

[Join](#) [Schedule meeting](#)

Scheduled meetings

Monday, Jun 21, 2021

10:00 AM - 11:00 AM Annual General Meeting

Organized by: You 2 invited

[See more](#)

Join information

Meeting ID 166849463

Role 1

Join link [https://... Copy](#)

Passcode ••••• [Copy](#)

Visibility Everyone

Video address [annual.general@...](#)

Host

Join link [https://... Copy](#)

Members (2)

[+](#)

LH Lewis Hill

SW Sally Wood
You

2. Click . The **Email or copy invite** dialog opens:

?

×

Email or copy invite

Language

English (English from United States) ▾

You are invited to join a meeting: Annual General Meeting

Meeting ID: 166849463

Join from a computer, mobile phone or tablet

<https://example.com/meeting/166849463?secret=5ibOoH9utNBv2ErWke5QcQ>

Join from a video conferencing system or application

Dial annual.general.meeting@example.com

Close

Copy

Open email

- Choose a language from the drop-down. Contact your administrator to customize your invite templates.
- Click **Copy** to copy the invite with all details to your clipboard. You can then paste it where you want to share it with others.
- Click **Open email** to open the email client configured on your device with the full meeting details embedded. The full details of the invite will be automatically populated in the body of a new email. You can customize, enter the email address and send the email to those you want to invite to your meeting.
- You can invite people with different joining methods as needed. Click  to close the **Email or copy invite** dialog.

Note: Sometimes the **Open email** button is disabled on Chrome browsers, click **Copy** to copy the details to your clipboard. You can paste details to your email or instant message. For more information, refer to "Cisco Meeting Server Customization guidelines".

Note: You can customize the join links with additional parameters to set preferences while joining calls. For more information, see [Customize join links](#).

7.7 Add or remove members to a space

You can add members to your space. Space members will be able to see the space listed on the homepage when they log-in to the web app

7.7.1 Add a member

1. Click on any space to open the space.
2. From the **Members** pane, click , the **Add members** pane opens.
3. Search for a person by first or last name and click **Add to space**.
4. Repeat the steps to add more members.

7.7.2 Remove a member

From the list of members in a space, click on a members name and select **Remove member**. When you remove a member from a space, the space will no longer appear in their home page. However, they will be able to join meetings if they have an invite.

Note: Members will be able to edit or delete a space if they have the permissions to do so.

7.8 Change space member roles and access methods

Members of a space can sign in to web app to change roles and permissions of a member. They can also change the access methods to provide different privileges to each member.

7.8.1 Change space member roles

You can change member roles and permissions from a space. Follow these steps to change space member roles and permissions:

1. From the list of members in a space, click on a member name to view the list of privileges.
2. In the drop-down list, select from the existing roles to assign roles and permissions of a space member.

Note: The permission settings are persistent and do not change for other spaces.

< Annual General Meeting

[Join](#) [Schedule meeting](#)

Scheduled meetings

Week Sun, Jun 20, 2021 - Sat, Jun 26, 2021 [Today](#)

☐ Show only meetings organized by you

Monday, Jun 21, 2021

10:00 AM - 11:00 AM Annual General Meeting
Organized by: You 2 invited

Join information

Meeting ID 166849463

Role 1

Join link [https://...g](#) [Copy](#)

Passcode •••••

Visibility Everyone

Video address annual.general@...

Members (2)

[+](#) [Q](#)

[LH](#) Lewis Hill
lh

[In-call role](#)

Role 1

This user can:

- Delete the space ☐
- Add/remove members ☒
- Change space name ☒
- Change dial in video address ☒
- Change dial in passcode ☒
- Change dial in visibility ☐
- Leave the space ☒

[Space membership](#)

[Remove member](#)

[SW](#) Sally Wood
You

Select the space member to assign permissions

Assign in-call member role from the drop-down list.

Assign permissions to space members.

7.8.2 Change space member access methods

If you have the required permission, you can view and control the access methods that are visible to guests, members, or owners from a drop-down list.

1. Click on a space member to view the list of privileges.
2. To change the access method, select from the drop-down list.

The visibility of the available access methods are:

- **Public:** Visible to all space members and call participants.
- **Private:** Visible only to the space owner.
- **Member:** Visible to all space members.
- **Directory:** In public directory, visible to all space members and call participants.

The screenshot displays the 'Join information' section of the Cisco Meeting Server web app. It is divided into two parts: 'Guest' and 'Host'. Each part lists 'Join link', 'Meeting ID', 'Passcode', 'Visibility', and 'Video address'. To the right of each link is a 'Copy' button. A red dashed box highlights a dropdown menu for 'Space default' with options 'Guest', 'Host', and 'Space default'. A red arrow points to this menu with the text 'Select space member access method'. Below the dropdown is a list of settings with checkboxes: 'Change space name', 'Change dial in video address', 'Change dial in passcode', 'Change dial in visibility', and 'Leave the space'. At the bottom are 'Space membership' and 'Remove member' options.


Note: In a meeting space, the joining information is based on the access method selected. Any added member will by default inherit the same access method of the person who added them.

7.9 Start a meeting in one of your spaces

To start a meeting in one of your spaces, follow these steps:

1. Click **Join** button next to the space name. The **Join meeting** screen opens. You can see a preview of your video before joining.

2. Click **More ways to join** or **Settings** to choose from options below:



7.9.1 More ways to join

- **Join with audio and video** – use this option to join a meeting with audio and video, you can also share your screen or application during the meeting.
- **Join with presentation only** – use this option to join a meeting with presentation only. This is recommended if you want to share or view a presentation. You cannot send audio and camera video during the meeting.
- **Dial in details** – use this to see the dial in details for the meeting if you want to join from a video conferencing system or telephone. Select **More ways to join > Join with presentation** only if you want to share your screen or presentation in the meeting.

7.9.2 Settings

- Click **Settings** to select your camera or microphone. Make sure you have a working camera and microphone before choosing this option. If you think you have a faulty

camera or microphone, then use the 'No camera' and 'No microphone' options. You can check your preview to see if the selection works. Select the speaker from your operating system's settings.

- Select **Mirror self view**, to see your self view video in mirror view for a more natural experience. In mirror view, your self-view video appears as if you were looking at your reflection in a mirror. The left and right sides of your image appear to be reversed. If you don't want your self-view video to appear reversed, you can stop showing it in mirror view. This choice will be saved for future meetings on the same camera device.
- Select **Enable HD** if you want to enable HD options. Click the toggle to disable it. This changes the camera resolution that is sent to save CPU power and battery.

Note: You can change your camera, microphone and self view settings during a meeting

After choosing your preferred options, click **Join meeting** to join the meeting. Use the



to mute your audio and



to disable video if needed before joining the meeting.

You can change these options whilst in the meeting.

During a meeting you can use the in-meeting menu options to control and manage your meeting.

To leave the meeting, click . Depending on permissions enabled for you, you can: **Leave Call** or **End call for everyone**. Note that **End call for everyone** will end the meeting for all participants currently in the meeting.


7.10 Delete a space

Members with appropriate permissions can delete their spaces. The steps to delete a space are:

1. In the home page, click on the space name.
2. Click  to delete the space. The space is deleted.

7 Schedule a meeting on web app

You can schedule meetings on web app, modify the scheduled meetings, and notify participants via email. Use the **Schedule meeting** button on the home page or in one of your spaces. You can schedule meetings in a persistent space or in a space that is created specifically for a meeting or meeting series.



7.11 Scheduling a meeting

Follow these steps to schedule a meeting:

1. Click **Schedule Meeting** on the home page or in one of your spaces.
2. Enter a **Name** for the meeting and select an existing space or **Create a space for this meeting**, then click **Next**.

If you selected **Create a space for this meeting**, select the **Template** for the space.

Note: The temporary spaces created at the time of scheduling the meeting are deleted 24 hours after the end of the scheduled meeting, whilst taking meeting recurrences into account. A meeting participant or space member can dial in to this space at any time during the lifetime of the space, even if it is outside the hours of the scheduled meeting.

3. Select the **Date** and time for the meeting. You can choose to **Repeat** the meeting **Daily**, **Weekly**, **Monthly**, or **Yearly**.
4. Click **Next** and select your **Role**.
5. Enter the name of the **Attendee** and configure their **Role**, then click **Add**. Repeat this step to add all participants.

If the participant is a web app user, you can add them with their user name or user ID.

6. Click **Create**. The meeting is created and displayed in the **My scheduled meetings** list for web app users.

To view the joining details, click on the scheduled meeting. On the **Dial in** info tab, the meeting ID, passcode, video address, and the join link are displayed for all user roles.

An email invitation is sent to all participants with the conference join information. The meeting details are attached to this email in an industry standard iCalendar (.ics) file, which the participant can add to their calendar.

7.12 Modify or delete a scheduled meeting

To modify a scheduled meeting, click on the scheduled meeting. On the **General** tab, click **Edit** and make the necessary changes and click **Save changes**.

To modify only the participants list, click on the scheduled meeting. On the **Attendee** tab, add or delete the participants or modify their role.

An email invitation or a cancellation is sent to the newly added participants or the participants who were removed from the meeting.

To delete a scheduled meeting, click on the scheduled meeting then click **Delete**.

8 More Information

For more information about new features in any release of web app, see [Cisco Meeting Server web app Important Information](#) document.

In addition to this help, for information about how to use the app in PDF format, see the [End user guides for Cisco Meeting Server web app](#).

For information about what's new in the Cisco Meeting Server see [Cisco Meeting Server Release Notes](#).

More Cisco Meeting Server documentation is available here: [Cisco Meeting Server other documents](#).

Accessibility Notice

Cisco is committed to designing and delivering accessible products and technologies.

The Voluntary Product Accessibility Template (VPAT) for Cisco Meeting Server web app is available here:

http://www.cisco.com/web/about/responsibility/accessibility/legal_regulatory/vpats.html#telepresence

You can find more information about accessibility here:

www.cisco.com/web/about/responsibility/accessibility/index.html

Cisco Legal Information

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

All printed copies and duplicate soft copies of this document are considered uncontrolled. See the current online version for the latest version.

Cisco has more than 200 offices worldwide. Addresses and phone numbers are listed on the Cisco website at www.cisco.com/go/offices.

© 2021 Cisco Systems, Inc. All rights reserved.

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The following information is for FCC compliance of Class A devices: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio-frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference, in which case users will be required to correct the interference at their own expense.

The following information is for FCC compliance of Class B devices: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If the equipment causes interference to radio or television reception, which can be determined by turning the equipment off and on, users are encouraged to try to correct the interference by using one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Modifications to this product not authorized by Cisco could void the FCC approval and negate your authority to operate the product.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved.

Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

All printed copies and duplicate soft copies of this document are considered uncontrolled. See the current online version for the latest version.

Cisco has more than 200 offices worldwide. Addresses and phone numbers are listed on the Cisco website at www.cisco.com/go/offices.

© 2021 Cisco Systems, Inc. All rights reserved.

Cisco Trademark

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL:

www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1721R)