

CDC Worksite Health ScoreCard Scoring Methodology

Evidence and Impact Ratings and Supporting Citations



Centers for Disease Control and Prevention National Center for Chronic Disease Prevention and Health Promotion

Updated January 2019

CDC Worksite Health ScoreCard Scoring Methodology

Evidence and Impact Ratings and Supporting Citations

Updated January 2019

U.S. Department of Health and Human Services Centers for Disease Control and Prevention National Center for Chronic Disease Prevention and Health Promotion

Division of Population Health

Web site addresses of nonfederal organizations are provided solely as a service to readers. Provision of an address does not constitute an endorsement of this organization by CDC or the federal government and none should be inferred. CDC is not responsible for the content of other organization's Web pages.

See the 2019 CDC Worksite Health ScoreCard Manual's acknowledgements page for the names and affiliations of all SMEs that contributed to the tool's update.

Suggested Citation

Centers for Disease Control and Prevention. CDC Worksite Health ScoreCard Scoring Methodology, Evidence and Impact Ratings and Supporting Citations. Atlanta: U.S. Department of Health and Human Services; 2019.

Foreword

The purpose of this document is to help employers understand the methodology and scoring system in the *Centers for Disease Control and Prevention (CDC) Worksite Health ScoreCard (CDC ScoreCard)*. CDC believes worksite health promotion and wellness programs are essential to maintaining a healthy workforce.

This document contains CDC guidance only. It does not establish or affect legal or administrative rights or obligations. References within this manual to any specific commercial products, processes, services by trade names, trademarks, or manufacturers do not constitute an endorsement or recommendation by CDC.

Both the CDC ScoreCard manual and tool, in their current forms, may be updated and revised at any time.

Jason E. Lang, MPH, MS

Team Lead Workplace Health Programs National Center for Chronic Disease Prevention and Health Promotion Centers for Disease Control and Prevention

Dyann M. Matson-Koffman, DrPH, MPH, CHES

Health Scientist (Policy) Guidelines and Recommendations Activity, Office of Science Quality Office of the Associate Director for Science Centers for Disease Control and Prevention

If you have any questions concerning the *CDC ScoreCard*, contact: 1-800-CDC-INFO (1-800-232-4636) TTY: 1-888-232-6348 <u>cdcinfo@cdc.gov</u>

Methodology and Citations Contents

Introduction	
Overview of the Methodology for the 2019 CDC ScoreCard Update: Scoring Questions in the 2019 CDC ScoreCard	
2019 CDC ScoreCard Questions by Module	
References. 32	

Introduction

This document describes the methods underlying the 2019 update to the *CDC Worksite Health ScoreCard (CDC ScoreCard)* and provides the citations for the evidence-base underlying each item in the 154 question survey.

An approach similar to the original method was followed to update the *CDC ScoreCard*. For the current version, the CDC Workplace Health Program in the National Center for Chronic Disease Prevention and Health Promotion office collaborated IBM Watson Health; the Johns Hopkins University Institute for Health and Productivity Studies (IHPS); and an expert panel of federal, state, academic, and private sector representatives.

To update the CDC ScoreCard, the team conducted the following activities:

- Held interviews with industry experts and surveyed the literature to identify new modules and questions on topics that were not included in previous versions of the CDC ScoreCard. This step was conducted to ensure that the tool remains timely and addresses the current and emerging needs of the American workforce.
- Examined the literature base underlying all questions in the 2014 *CDC ScoreCard*; documented recommendations for modifying the text, evidence rating, and impact rating of existing questions and for adding new questions within the original modules.
- Reviewed the questions for each module with a module-specific subject matter expert (SME) panel composed of federal, state, academic, and private sector representatives, and pretested the tool with nine employers.
- Revised the tool on the basis of feedback from these groups.
- Weighted each question on the basis of expert ratings of the level of scientific evidence and health impact of items on intended health behavior.
- Field tested the tool with a new sample of 93 worksites of various sizes for validity and reliability and determined the feasibility of adopting the strategies highlighted in the tool.
- Revised the tool again on the basis of feedback from the 14 worksites who participated in cognitive interviews and site visits to provide in-depth information.
- Edited and submitted the final tool for public release.

The next section of this document describes the process for scoring each item in the survey tool. Finally, each question is listed in turn with its accompanying evidence base.

Overview of the Methodology for the 2019 CDC ScoreCard Update: Scoring Questions in the 2019 CDC ScoreCard

The evidence review process began by holding in-depth interviews with experts in workplace health promotion to identify new or emerging health topics and strategies for potential inclusion in the updated *CDC ScoreCard*. This process resulted in the identification of several potential new modules and questions reflecting emerging topics relevant to workplace health promotion and the creation of lists of key search terms to guide subsequent literature reviews. During this planning stage, relevant search terms were also identified for each of the existing *CDC ScoreCard* modules and original questions.

Team members from IBM Watson Health and the Johns Hopkins University Institute for Health and Productivity Studies (IHPS) conducted systematic literature reviews using databases such as PubMed, Web of Science, and Google Scholar to identify relevant peer-reviewed studies describing workplace health interventions and strategies. The team also leveraged Cochrane reports, Community Guide summaries, and U.S. Preventive Services Task Force Recommendations for additional supporting information.

The team created a summary of the literature for each of the 18 different health topics (modules) proposed for inclusion in the updated *CDC ScoreCard*. The module summaries included an annotated bibliography for each individual question, in addition to draft question text and proposed evidence and impact rating (see below for more detail). In August 2016 module-specific panels of subject matter experts (SMEs) were convened to review the module summaries in detail.¹ SMEs were asked to provide feedback on the draft questions, studies related to each individual strategy and program, and evidence and impact ratings. These recommendations were incorporated into a draft version of the tool which was then vetted by CDC and piloted with 93 employers.

Each question in the *CDC ScoreCard* is assigned an evidence and impact rating which are combined to create a weighted score for each recommended strategy in the tool.

Step 1: Evidence Rating

To establish the evidence base for each of the strategies, researchers from IBM Watson Health and Johns Hopkins University's Institute for Health and Productivity Studies (IHPS) conducted systematic literature reviews using databases such as PubMed, Web of Science, and Google Scholar to identify relevant peer-reviewed studies describing workplace health interventions and strategies. Additional information came from Cochrane reports, Community Guide summaries, and U.S. Preventive Services Task Force recommendations.

During this phase, the team also developed new questions for existing modules, as well as entirely new modules, based on the recommendations from industry experts and the findings from the literature searches for existing questions. Preliminary evidence ratings were assigned by the project team based on the initial literature review.

Module-specific panels of subject matter experts (SMEs) were convened in 2016 to review the scientific evidence and preliminary evidence ratings for each item using a 4-point scale (from 1=Weak to 4=Strong). Evidence ratings were subsequently revised as appropriate. The definition of each rating category is provided in Table 1, below.

Evidence Rating	Definition of the Rating Categories
Weak (1)	Research evidence supporting the relationship is fragmentary, non-experimental, or poorly operationalized. There is debate among experts in the field as to whether a causal impact is plausible or exists.
Suggestive (2)	Two or more studies (e.g., pre-post evaluations) support the relationship, but no studies reported using control groups (e.g., randomized control groups, quasi-experimental studies). Most experts believe that causal impact is plausible and consistent with knowledge in related areas, but some experts see the support as limited or acknowledge plausible alternative explanations.
Sufficient (3)	The relationship is supported by at least two well-designed, quasi-experimental studies containing comparison groups, but no randomized control groups. Experts believe that that the relationship is likely causal, and studies have eliminated most alternative confounding variables or alternative explanations.
Strong (4)	A cause-effect relationship is supported by at least one well-designed study with randomized control groups or three or more well-designed, quasi-experimental studies. There is little or no debate among experts regarding a causal relationship.

Table 1. Evidence Rating Categories and Definitions

¹ Please see the 2019 CDC Worksite Health ScoreCard Manual's acknowledgements page for the names and affiliations of all SMEs that contributed to the tool's update.

Step 2: Impact Score

Based on the evidence-base determined during Step 1, the project team assigned a preliminary impact score to each item reflecting the information identified during the literature review and in consideration of the impact ratings assigned by SMEs in prior versions of the *CDC ScoreCard*. Impact scores reflect the estimated impact on health outcomes or behaviors (i.e., effect size) using a 3-point scale: 1=Small, 2=Sufficient, and 3=Large.

SMEs with health topic-specific expertise met to discuss the preliminary impact scores. The impact scores were subsequently revised as appropriate. The definition of each impact score category is provided in Table 2, below.

Table 2. Impact Score Categories and Definitions

Impact Rating	Definition of the Rating Categories
Small (1)	0 to 1 percentage point improvement in 1 year
Sufficient (2)	>1 to 2 percentage point improvement in 1 year
Large (3)	>2 or more percentage point improvement in 1 year

Step 3: Assigning a Weighted Score to Each Survey Item

Once the evidence ratings and impact scores were finalized by the SMEs, the project team assigned a final weighed score to each item. The weighted score was calculated by adding the item's Evidence Rating to the item's Impact Score and adjusting the value based on the criteria in Table 3.

Table 3. Weighted Score Calculation

Evidence Base	PLUS	Impact Score	EQUALS	Adjusted Value	Final Weighted Point Value
1=Weak	Plus	1=Small	Equals	Total Pts.=2, 3 Value=1	1=Good
2=Suggestive	Plus	2=Sufficient	Equals	Total Pts.=4, 5 Value=2	2=Better
3=Sufficient	Plus	3=Large	Equals	Total Pts.=6, 7 Value=3	3=Best
4=Strong	 				

Each item in the *CDC ScoreCard* was assigned a final weighted point value ranging between 1 and 3, where 1=Good, 2-Better, and 3=Best. This point value reflects the level of impact (i.e., observable change elicited over 12 calendar months) that the strategy has on health outcomes or behaviors and the strength of the scientific evidence supporting this impact. The final weighted point values reflect the combination of efforts from the literature reviews, SME panels, and guidance from CDC.

The following section contains the evidence ratings and impact scores and final weighted point values for each item in the updated 2019 *CDC ScoreCard*. The citations for the evidence underlying these values is provided in the References section.

2019 CDC ScoreCard Questions by Module



Organizational Supports





During the past 12 months, did your worksite:	Evidence Base 1-4	ltem Impact 1-3	Total	Adjusted Value
 Demonstrate organizational commitment and support of worksite health promotion at all levels of management?¹⁻¹⁴ Answer "yes" if, for example, all levels of management participate in activities, send communications to employees, or have performance objectives related to a healthy workforce. 	2	3	5	2
2. Include references to improving or maintaining employee health and safety in the business objectives, core values, or organizational mission statement? ^{1,3,7,15,16}	1	2	3	1
 Have a strategic plan that includes goals and measurable organizational objectives for the health promotion program?^{1,3,17} Answer "yes" if, for example, your organization identifies SMART (i.e., specific, measurable, achievable, realistic, time-bound) goals and objectives. 	2	2	4	2
4. Have an annual budget or receive dedicated funding for health promotion programs? ^{7, 12, 18}	2	2	4	2
5. Have an active and diverse health promotion committee? ^{7, 12, 17-22} Answer "yes" if, for example, your health promotion committee is routinely engaged in planning and implementing programs, and includes workers from all levels of the organization, various departments, as well as representatives from special groups (e.g., remote workers, organized labor).	2	2	4	2
 Have a paid health promotion coordinator whose job (either part-time or full-time) is to manage the worksite health promotion program?^{2, 12, 18, 19, 23, 24} Answer "yes" if the staff member is located on or off site and has responsibility for health promotion as part of his or her job description or performance expectations. 	2	2	4	2

Measurement and Evaluation

During the past 12 months, did your worksite:	Evidence Base 1-4	ltem Impact 1-3	Total	Adjusted Value
 Conduct an employee needs and interest survey for planning health promotion activities? ^{17, 19} Answer "yes" if, for example, your organization administers surveys or conducts focus groups to assess your employees' readiness, motivation, or preferences for health promotion programs. 	2	1	3	1
 Conduct employee health risk appraisals (HRAs) or health assessments (HAs) <i>and</i> provide individual feedback <i>plus</i> health education resources for follow-up action?^{1,7,17,25-27} Answer "yes" if, for example, your organization conducts HRAs through vendors, on site staff, or health plans and provides individual feedback through written reports, letters, or one-on-one counseling. 	4	2	6	3

Dur	ing the past 12 months, did your worksite:	Evidence Base 1-4	ltem Impact 1-3	Total	Adjusted Value
9.	Conduct ongoing evaluations of health promotion programming that use multiple data sources to inform decision-making? ^{3,7,17,22,28} Answer "yes" if, for example, your organization routinely measures the quality and impact of health promotion programs. This may be measured using data on employee health risks, medical claims, employee satisfaction, or organizational climate surveys.	3	2	5	2
St	rategic Communications				
Dur	ing the past 12 months, did your worksite:	Evidence Base 1-4	ltem Impact 1-3	Total	Adjusted Value
10.	Promote and market health promotion programs to employees? ^{2,8,11,17,18,29–33} Answer "yes" if, for example, your worksite's health promotion program has a brand name or logo or uses multiple channels of communication to inspire and connect employees to health promotion resources. These may include sharing employees' health-related "success stories."	3	1	4	2
11.	Use tailored health promotion communications to ensure that they are accessible and appealing to employees of different ages, genders, education levels, job categories, cultures, languages, or literacy levels? ^{2, 3, 7, 11, 18, 20, 26, 34–46}	4	3	7	3
Ра	rticipation and Engagement				
Dur	ing the past 12 months, did your worksite:	Evidence Base 1-4	ltem Impact 1-3	Total	Adjusted Value
12.	Have an employee champion or network of champions who actively publicize health promotion programs? ^{17, 18, 20, 21, 47, 48}	2	2	4	2
13.	Use and combine incentives with other strategies to increase participation in health promotion programs? ^{2,3,7,17,29,30,49–65} Answer "yes" if, for example, your organization offers incentives such as gift certificates, cash, paid time off, product or service discounts, reduced health insurance premiums, employee recognition, or prizes.	3	2	5	2
14.	Use individual or team competitions or challenges in combination with additional interventions to support employees making behavior changes? ^{11,60,66,67} Answer "yes" if, for example, your organization offers physical activity competitions.	2	3	5	2
15.	Promote <i>and</i> support employee volunteerism? ^{68–70} Answer "yes "if, for example, your organization encourages participation in volunteer activities, and allows employees the flexibility to participate during typical work hours. This may include time organizing food drives or participating in corporate walks or community clean-up days.	1	1	2	1
16.	Provide a working environment that features healthy building design principles? ^{5,48,71-74} Answer "yes" if, for example, your workspaces have access to natural light, exposure to plants and nature, communal spaces, good ventilation and air quality, comfortable temperature, or no excessive noise.	2	1	3	1
17.	Extend access to key components of the program to all workers, including hard to reach workers (e.g., telecommuters, contract workers, night shift workers, part-time workers)? ^{75, 76} Answer "yes" if, for example, your organization offers alternative options for participating in programs or services, such as 24-hour gym access or virtual access to lectures.	1	2	3	1

Programs, Policies, and Environmental Supports						
During the past 12 months, did your worksite:	Evidence Base 1-4	ltem Impact 1-3	Total	Adjusted Value		
 Provide an employee assistance program (EAP)?^{77–82} Answer "yes" if, for example, employees have access to an EAP that offers services addressing financial health, depression, stress management, grief counseling, substance use, and other mental and emotional health issues. 	3	2	5	2		
 Implement educational programming to improve health care consumerism?^{83–88} Answer "yes" if, for example, your organization provides employees with written or interactive guidance on improving doctor-patient relationships, promoting patient- centered care, and appropriate use of medical resources. 	2	1	3	1		
 Educate employees about preventive services and benefits covered by their health insurance plan on an ongoing basis, above and beyond what occurs during annual health insurance enrollment?⁸⁹⁻⁹¹ Answer "yes" if, for example, your worksite communicates information about benefits such as smoking cessation medication and counseling, weight management tools, or flu vaccinations through emails or newsletters that are distributed across the calendar year. 	1	1	2	1		
 Provide and support flexible work scheduling policies?^{33,92-99} Answer "yes" if, for example, policies allow for flextime schedules, the option to work at home, or allowing time during the day for employees to engage in health promotion activities. 	2	2	4	2		
 Provide work-life balance programming and resources?^{100–103} Answer "yes" if, for example, your worksite provides resources related to elder care, child care, tuition reimbursement or financial counseling. 	4	2	6	3		
23. Make some or all company-specific health promotion programs available to family members? ^{11, 33, 96, 104–108} Answer "yes" if your organization allows employees' family members to access health promotion resources and programming, above and beyond what is provided by the health insurance plan. These resources may include fitness facilities, on site medical clinics, health fairs, or wellness competitions.	1	1	2	1		
24. Offer all benefits-eligible employees paid time off for days or hours absent due to illness, vacation, or other personal reasons (including family illness or bereavement)? ¹⁰⁹⁻¹¹⁴ Answer "yes" if, for example, paid time off, not including paid parental leave, is provided to all benefits-eligible employees.	1	2	3	1		
25. Coordinate programs for occupational health and safety <i>with</i> programs for health promotion and wellness? ^{17,24,115–119} Answer "yes" if, for example, these departments have common strategies, routine data sharing, regular meetings across functions, or warm handoff referrals.	2	2	4	2		
Maximum Organizational Supports Score						

	Tobacco Use	cility is free.			
Dui	ring the past 12 months, did your worksite:	Evidence Base 1-4	ltem Impact 1-3	Total	Adjusted Value
1.	Have and promote a written policy banning tobacco use at your worksite? ^{90, 120–130} Answer "yes" if, for example, your policy bans cigarettes and/or other tobacco products and is communicated to employees regularly through emails, newsletters, or signage in public places.	3	3	6	3
2.	Provide educational materials that address tobacco cessation? ^{131–137} Answer "yes" if, for example, your worksite offers brochures, videos, posters, web-based programs, or newsletters on tobacco cessation, including referral to 1-800-QUIT-NOW or smokefree.gov, either as a single health topic or along with other health topics.	2	1	3	1
3.	Provide and promote <u>interactive educational programming</u> on tobacco cessation? ^{45, 133, 134, 136, 138, 139} Answer "yes" if, for example, your worksite offers "lunch and learns," seminars, workshops, or classes on tobacco cessation. These programs may be provided in group or individual settings; in-person or virtually (online, telephonically, mobile app); on or off site; through vendors, on site staff, health insurance plans/programs, community groups, or other practitioners.	3	2	5	2
4.	Provide <i>and</i> promote free or subsidized <u>lifestyle coaching/counseling or self-management</u> <u>programs</u> that equip employees with skills and motivation to quit using tobacco? ^{132, 136, 140–143} Answer "yes" if these programs are provided in group or individual settings; in-person or virtually (online, telephonically, mobile app); on or off site; through vendors, on site staff, health insurance plans/programs, community groups, or other practitioners. This may include referral to 1-800-QUIT-NOW or smokefree.gov.	3	3	6	3
5.	Prohibit the sale of tobacco products on worksite premises? ^{137, 144, 145}	1	2	3	1
6.	Provide financial incentives for being a current nonsmoker and for current smokers who are actively trying to quit tobacco by participating in a free or subsidized, evidence-based cessation program? ^{52, 60, 118, 146, 147} Answer "yes" if, for example, your organization provides discounts on health insurance, additional life insurance for nonsmokers, or other benefits for nonsmokers and smokers who are actively trying to quit.	4	2	6	3
7.	Provide health insurance coverage with free or subsidized out-of-pocket costs for FDA- approved <u>prescription</u> tobacco cessation medications? ^{91, 127, 132, 136, 148} Answer "yes" if, for example, your organization provides coverage for inhalers, nasal sprays, bupropion (e.g., Zyban) or varenicline (e.g., Chantix).	4	3	7	3
8.	Provide health insurance coverage with free or subsidized out-of-pocket costs for FDA- approved <u>over-the-counter</u> nicotine replacement products? 132, 136, 140, 149 Answer "yes" if, for example, your organization provides coverage for nicotine replacement gum, patches, or lozenges.	3	2	5	2
	Maxi	i <mark>mum Tob</mark> a	acco Use	Score	18

	High Blood Pressure				
Du	ring the past 12 months, did your worksite:	Evidence Base 1-4	ltem Impact 1-3	Total	Adjusted Value
1.	Provide free or subsidized blood pressure screening (beyond self-report) followed by directed feedback and clinical referral when appropriate? ^{25, 150–159}	4	2	6	3
2.	Provide educational materials on preventing and controlling high blood pressure? ^{21, 151, 153, 160–165} Answer "yes" if, for example, your worksite offers brochures, videos, posters, or newsletters that address high blood pressure/pre-hypertension, either as a single health topic or along with other health topics.	2	1	3	1
3.	Provide <i>and</i> promote <u>interactive educational programming</u> on preventing and controlling high blood pressure? ^{151, 153–156, 158, 163, 166–171} Answer "yes" if, for example, your worksite offers "lunch and learns," seminars, workshops, or classes that address high blood pressure/pre-hypertension. These programs may be provided in group or individual settings; in-person or virtually (online, telephonically, mobile app); on or off site; through vendors, on site staff, health insurance plans/programs, community groups, or other practitioners.	4	2	6	3
4.	Provide <i>and</i> promote free or subsidized <u>lifestyle coaching/counseling or self-management</u> <u>programs</u> that equip employees with skills and motivation to set and meet their personal blood pressure management goals? ^{25, 150, 151, 157, 161–168, 170–176} Answer "yes" if these programs are provided in group or individual settings; in-person or virtually (online, telephonically, mobile app); on or off site; through vendors, on site staff, health insurance plans/programs, community groups, or other practitioners.	4	3	7	3
5.	Make blood pressure monitoring devices available with instructions for employees to conduct their own self assessments? ^{161,174,176-178}	3	3	6	3
6.	Provide health insurance coverage with free or subsidized out-of-pocket costs for blood pressure control medications? ^{152, 179–182}	3	3	6	3
	Maximum Hig	gh Blood F	Pressure	Score	16

	High Cholesterol				
Du	ring the past 12 months, did your worksite:	Evidence Base 1-4	ltem Impact 1-3	Total	Adjusted Value
1.	Provide free or subsidized cholesterol screening (beyond self-report) followed by directed feedback and clinical referral when appropriate? ^{25, 155, 171, 183}	4	2	6	3
2.	Provide educational materials on preventing and controlling high cholesterol? ^{21,184,185} Answer "yes" if, for example, your worksite offers brochures, videos, posters, or newsletters that address high cholesterol, either as a single health topic or along with other health topics.	2	1	3	1
3.	Provide <i>and</i> promote <u>interactive educational programming</u> on preventing and controlling high cholesterol? ^{25, 153–155, 163, 168, 171, 185–187} Answer "yes" if, for example, your worksite offers "lunch and learns," seminars, workshops, or classes that address high cholesterol. These programs may be provided in group or individual settings; in-person or virtually (online, telephonically, mobile app); on or off site; through vendors, on site staff, health insurance plans/programs, community groups, or other practitioners.	4	2	6	3
4.	Provide <i>and</i> promote free or subsidized <u>lifestyle coaching/counseling or self-management</u> <u>programs</u> that equip employees with skills and motivation to set and meet their personal cholesterol management goals? ^{21, 25, 166, 171, 185, 186, 188–190} Answer "yes" if these programs are provided in group or individual settings; in-person or virtually (online, telephonically, mobile app); on or off site; through vendors, on site staff, health insurance plans/programs, community groups, or other practitioners.	4	3	7	3
5.	Provide health insurance coverage with free or subsidized out-of-pocket costs for cholesterol or lipid control medications? ^{179, 191–193}	4	2	6	3
	Maximum	h High Cho	lesterol	Score	13

	Physical Activity	Evidence	Item		Adjusted
Du	ring the past 12 months, did your worksite:	Base 1-4	Impact 1-3	Total	Value
1.	Provide educational materials that address the benefits of physical activity? ^{194–196} Answer "yes" if, for example, your worksite offers brochures, videos, posters, or newsletters that address the benefits of physical activity, either as a single health topic or along with other health topics.	1	1	2	1
2.	Provide <i>and</i> promote <u>interactive educational programming</u> on physical activity? ^{196–200} Answer "yes" if, for example, your worksite offers timely reminders/prompts to move, or "lunch and learns," seminars, workshops, or classes that teach and promote physical activity. These programs may be provided in group or individual settings; in-person or virtually (online, telephonically, mobile app); on or off site; through vendors, on site staff, health insurance plans/programs, community groups, or other practitioners.	3	2	5	2
3.	Provide <i>and</i> promote free or subsidized <u>lifestyle coaching/counseling or self-management</u> <u>programs</u> that equip employees with skills and motivation to set and meet their personal physical activity goals? ^{25, 199–204} Answer "yes" if these programs are provided in group or individual settings; in-person or virtually (online, telephonically, mobile app); on or off site; through vendors, on site staff, health insurance plans/programs, community groups, or other practitioners.	4	3	7	3
4.	Provide an exercise facility on site? ^{174, 201}	1	1	2	1
5.	Subsidize or discount the cost of on or off site exercise facilities? ^{196,201}	2	1	3	1
6.	Provide or promote other environmental supports for recreation or physical activity? ^{174,201,205–208} Answer "yes" if, for example, your worksite provides trails or a track for walking/jogging, maps of suitable walking routes, a basketball court, treadmill workstations, sit-stand workstations, lockers, a shower, or changing facility.	4	3	7	3
7.	Encourage stair use by posting signs and making stairwells more inviting to use? ^{201, 209–214} Answer "yes" if, for example, signs encouraging stair use are posted at elevators, stairwells, and other key locations; enhancements such as artwork or music are available; and stairwells are kept clean and well-lit.	4	3	7	3
8.	Provide <i>and</i> promote organized physical activity programs for employees (other than the use of an exercise facility)? ^{201, 202, 215, 216} Answer "yes" if, for example, your worksite organizes walking groups, stretching programs, group exercise classes, recreational leagues, or buddy systems to create supportive social networks for physical activity.	4	2	6	3
9.	Promote the use of activity trackers to support physical activity? ^{217–219} Answer "yes" if, for example, your worksite provides or subsidizes the cost of pedometers, wearable trackers, online tools, or mobile apps.	2	2	4	2
					Continued

During the past 12 months, did your worksite:	Evidence Base 1-4	ltem Impact 1-3	Total	Adjusted Value
 Encourage active transportation to and from work? ²²⁰⁻²²⁷ Answer "yes" if, for example, your worksite subsidizes public transportation; subsidizes a bike share program; provides secure bicycle storage, lockers and shower facilities for employees; allows for a flexible dress code; and/or organizes workplace challenges, employee recognition programs, or community events to increase active transportation. 	3	3	6	3

Maximum Physical Activity Score 22

	Weight Management		- 39 - 39	37 38 3	a, 49, 43, 44, 49
Du	ring the past 12 months, did your worksite:	Evidence Base 1-4	ltem Impact 1-3	Total	Adjusted Value
1.	Provide free or subsidized body composition measurement (beyond self-report) followed by directed feedback and clinical referral when appropriate? ^{25, 228, 229} Answer "yes" if, for example, your worksite offers periodic height and weight measurement, body mass index (BMI) scores, or other body fat assessments (beyond HRAs), plus follow-up recommendations. This may be offered as part of an occasional health fair or routine care at an on site clinic.	1	1	2	1
2.	Provide educational materials that address the health risks of overweight or obesity? ^{194, 195, 230} Answer "yes" if, for example, your worksite offers brochures, videos, posters, or newsletters that address the risks of overweight or obesity, either as a single health topic or along with other health topics.	1	1	2	1
3.	Provide <i>and</i> promote <u>interactive educational programming</u> on weight management? ^{194, 195, 199, 200, 228, 230–232} Answer "yes" if, for example, your worksite offers "lunch and learns," seminars, workshops, or classes that teach and promote weight management. These programs may be provided in group or individual settings; in-person or virtually (online, telephonically, mobile app); on or off site; through vendors, on site staff, health insurance plans/programs, community groups, or other practitioners.	4	2	6	3
4.	Provide <i>and</i> promote free or subsidized <u>lifestyle coaching/counseling or self-management</u> <u>programs</u> that equip employees with skills and motivation to set and meet their personal weight management goals? ^{194, 199, 200, 230, 231, 233-237} Answer "yes" if these programs are provided in group or individual settings; in-person or virtually (online, telephonically, mobile app); on or off site; through vendors, on site staff, health insurance plans/programs, community groups, or other practitioners.	4	3	7	3
	Maximum We	ight Mana	gement	Score	8

	Nutrition				
Du	ring the past 12 months, did your worksite:	Base 1-4	Impact 1-3	Total	Adjusted Value
1.	Provide places to purchase food and beverages? Answer "yes" if, for example, your worksite provides vending machines, cafeterias, snack bars, or other purchase points. IF NO, PLEASE SKIP TO QUESTION 8	N/A	N/A	N/A	0
2.	Have and promote a written policy that makes healthier food and beverage choices available in cafeterias or snack bars? ²³⁸⁻²⁴⁵ Answer "yes" if, for example, your worksite has a policy or contract that makes vegetables, fruit, fish, whole grain items, nuts, and legumes available in cafeterias and limits sugary beverages, unhealthy fats (saturated or trans fats), and highly-processed or high-sodium foods. This policy can be promoted to employees regularly through emails, newsletters, or signage in public places.	2	2	4	2
3.	Have <i>and</i> promote a written policy that makes healthier food and beverage choices available in vending machines or other vending outlets? ^{238,244–247} Answer "yes" if, for example, your worksite has a policy or contract that makes nuts, whole grain items, trans fat-free/low-sodium snacks, vegetables, fruit, or unsweetened beverages available in vending machines. This policy can be promoted to employees regularly through emails, newsletters, or signage in public places.	1	1	2	1
4.	Make most (more than 50%) of the food and beverage choices available at the worksite (in vending machines, cafeterias, snack bars, or other purchase points) healthy food items? ^{174, 246, 248, 249} Answer "yes" if the healthy foods and beverages are items such as vegetables, fruit, unsweetened beverages, or low-sodium snacks.	3	3	6	3
5.	Provide visible nutritional information (beyond standard food labels) on sodium, calories, trans fats, or saturated fats for the food and beverages available at the worksite (in vending machines, cafeterias, snack bars, or other purchase points)? ^{250–253}	3	3	6	3
6.	Identify healthier (or less healthy) food and beverage choices with signs or symbols? ^{248, 252, 254-257} Answer "yes" if, for example, your worksite puts a heart (♥) next to a healthy item or uses red-yellow-green color-coding to indicate the healthfulness of items in vending machines, cafeterias, snack bars, or other purchase points.	3	3	6	3
7.	Subsidize or provide discounts on healthy food and beverage choices available at the worksite (in vending machines, cafeterias, snack bars, or other purchase points)? ^{249, 258–260}	4	3	7	3
8.	Have <i>and</i> promote a written policy making healthy food and beverage choices available in break rooms, during meetings, conferences, or company sponsored events when food is served? ^{244,245,261,262} Answer "yes" if, for example, the policy makes vegetables, fruits, unsweetened beverages, whole grain items, or trans fat-free/low-sodium snacks available during meetings. This policy can be promoted to employees regularly through emails, newsletters, or signage in public places.	1	1	2	1
					Continued

During the past 12 months, did your worksite:	Evidence Base 1-4	ltem Impact 1-3	Total	Adjusted Value	
 Offer or promote an on site or nearby farmers market or other arrangement where fresh fruits and vegetables are sold? ²⁶³⁻²⁶⁵ This may include coordinating Community Supported Agriculture (CSA) or vendors/venues that are or are not operated by farmers. 	, 1	1	2	1	
 Provide educational materials that address healthy eating?^{194,266,267} Answer "yes" if, for example, your worksite offers brochures, videos, posters, or newsletters that teach and promote healthy eating, either as a single health topic of along with other health topics. 	r ¹	1	2	1	
11. Provide <i>and</i> promote <u>interactive educational programming</u> on nutrition? ^{194,234,266,267} Answer "yes" if, for example, your worksite offers "lunch and learns," seminars, workshops, or classes that teach and promote healthy eating. These sessions can be provided in-person or virtually (online, telephonically, mobile app); on or off site; in group or individual settings; through vendors, on site staff, health insurance plans/ programs, community groups, or other practitioners.	3	2	5	2	
 Provide <i>and</i> promote free or subsidized <u>lifestyle coaching/counseling or self-management</u> programs that equip employees with skills and motivation to set and meet their personal nutrition goals?^{25, 166, 266–268} Answer "yes" if these programs are provided in group or individual settings; in-person or virtually (online, telephonically, mobile app); on or off site; in group or individual settings; through vendors, on site staff, health insurance plans/programs, communi groups, or other practitioners. 	ent al on 3 ty	2	5	2	
 Provide employees with food preparation/storage facilities and a place to eat?^{269,270} Answer "yes" if, for example, your worksite provides a microwave oven, sink, refriger and a place for employees to eat other than at their workstations. 	ator, 1	1	2	1	
14. Promote <i>and</i> provide access for increased water consumption? ^{271–273} Answer "yes" if, for example, your worksite uses promotional materials and provides easy access through water bottle filling stations, water fountains, break rooms, or vending machines.	1	1	2	1	
Maximum Nutrition Score					

Heart Attack and Stroke	es an analyse as a the base, arree, or lag per kings read, or has at helence. mb horem case. -1-1 immedia 2.gow/DHDSP	t		
During the past 12 months, did your worksite:	Evidence Base 1-4	ltem Impact 1-3	Total	Adjusted Value
 Provide educational materials that address signs, symptoms, and emergency response to <u>heart attack</u>?²⁷⁴⁻²⁷⁷ Answer "yes" if, for example, your worksite offers employees brochures, videos, or newsletters, or posts flyers in the common areas of your worksite that teach the signs and symptoms and appropriate response to heart attack. 	2	2	4	2
 Provide educational materials that address signs, symptoms, and emergency response to stroke? ^{275–279} Answer "yes" if, for example, your worksite offers employees brochures, videos, or newsletters, or posts flyers in the common areas of your worksite that teach the signs and symptoms and appropriate response to stroke. 	2	2	4	2
3. Provide <i>and</i> promote <u>interactive educational programming</u> that addresses signs, symptoms, and emergency response to <u>heart attack</u> ? ^{274–276} Answer "yes" if, for example, your worksite offers "lunch and learns," seminars, workshops, or classes that teach the signs and symptoms and appropriate response to heart attack. These programs may be provided in group or individual settings; in-person or virtually (online, telephonically, mobile app); on or off site; through vendors, on site staff, health insurance plans/programs, community groups, or other practitioners.	2	2	4	2
4. Provide <i>and</i> promote <u>interactive educational programming</u> that addresses signs, symptoms, and emergency response to <u>stroke</u> ? ^{275, 280, 281} Answer "yes" if, for example, your worksite offers "lunch and learns," seminars, workshops, or classes that teach the signs and symptoms and appropriate response to stroke. These programs may be provided in group or individual settings; in-person or virtually (online, telephonically, mobile app); on or off site; through vendors, on site staff, health insurance plans/programs, community groups, or other practitioners.	2	1	3	1
5. Have an emergency response plan to address acute heart attack and stroke events? ^{282–285}	1	2	3	1
 Have an emergency response team trained to respond to acute heart attack and stroke events?^{282–284} Answer "yes" if, for example, a formal or informal team is trained to respond. 	2	2	4	2
7. Offer access to a nationally-recognized training course on Cardiopulmonary Resuscitation (CPR) that includes training on Automated External Defibrillator (AED) usage? ^{277, 282–284, 286, 287}	3	2	5	2
 Have <i>and</i> promote a written policy that requires an adequate number of employees per floor, work unit, or shift, in accordance with pertinent state and federal laws, to be certified in CPR/AED? ^{282–284} This policy can be promoted to employees regularly through emails, newsletters, or signage in public places. 	2	2	4	2
 Have one or more functioning AEDs in place? 282–285, 288 IF NO, PLEASE SKIP TO END OF MODULE 	1	1	2	1

Continued

During the past 12 months, did your worksite:	Evidence Base 1-4	ltem Impact 1-3	Total	Adjusted Value		
10. Have an adequate number of AED units so that a person can be reached within 3-5 minutes of collapse? ^{282–285}	3	2	5	2		
11. Identify the location of AEDs with posters, signs, markers, or other forms of communication other than on the AED itself? ^{282–284}	1	1	2	1		
12. Perform maintenance or testing on all AEDs in alignment with manufacturer recommendations? ^{282, 283}	1	2	3	1		
Maximum Heart Attack and Stroke Score						

	Prediabetes and Diabetes				
Du	ring the past 12 months, did your worksite:	Evidence Base 1-4	ltem Impact 1-3	Total	Adjusted Value
1.	Provide free or subsidized prediabetes and diabetes health risk assessment (beyond self-report) and feedback, followed by blood screening (fasting glucose or A1c) and clinical referral when appropriate? ^{289–295}	4	3	7	3
2.	Provide educational materials on prediabetes and diabetes? ^{296,297} Answer "yes" if, for example, your worksite offers brochures, videos, posters, or newsletters that address prediabetes and diabetes, including topics such as diet modification, physical activity, foot exams, and eye exams, either as a single health topic or along with other health topics.	1	1	2	1
3.	Provide <i>and</i> promote <u>interactive educational programming</u> on preventing and controlling diabetes? ²⁹⁸⁻³⁰⁰ Answer "yes" if, for example, your worksite offers "lunch and learns," seminars, workshops, or classes that address prediabetes and diabetes control and prevention. These programs may be provided in group or individual settings; in-person or virtually (online, telephonically, mobile app); on or off site; through vendors, on site staff, health insurance plans/programs, community groups, or other practitioners.	3	3	6	3
4.	Provide <i>and</i> promote free or subsidized intensive <u>lifestyle coaching/counseling</u> and follow- up monitoring for employees with prediabetes or diabetes? ^{289,290,292,293,301-312} Answer "yes" if these programs are provided in group or individual settings; in-person or virtually (online, telephonically, mobile app); on or off site; through vendors, on site staff, health insurance plans/programs, community groups, or other practitioners.	4	3	7	3
5.	Provide <i>and</i> promote self-management programs for diabetes control? ^{303,304,311} Answer "yes" if these programs are provided in group or individual settings; in-person or virtually (online, telephonically, mobile app); on or off site; through vendors, on site staff, health insurance plans/programs, community groups, or other practitioners.	4	3	7	3
6.	Provide health coverage with free or subsidized out-of-pocket costs for diabetes medications as well as supplies for diabetes management (e.g., glucose test strips, needles, monitoring kits)? ^{179, 191, 313–316}	3	2	5	2
	Maximum Prediab	etes and D	Diabetes	Score	15

	Depression				
Du	ring the past 12 months, did your worksite:	Evidence Base 1-4	Item Impact 1-3	Total	Adjusted Value
1.	Provide free or subsidized clinical assessment for depression by a provider followed by directed feedback and clinical referral when appropriate? ^{79,90,295} Answer "yes" if these services are provided directly through your organization or indirectly through a health insurance plan.	4	3	7	3
2.	Provide access to a self-administered depression screening tool that provides a feedback report with recommendations for clinical action as needed? ^{295,317,318} Answer "yes" if, for example, these services are provided through a health risk assessment (HRA), health insurance plan, or employee assistance program (EAP).	3	2	5	2
3.	Provide educational materials on preventing, detecting, and treating depression? ³¹⁹⁻³²¹ Answer "yes" if, for example, your worksite offers brochures, videos, posters, or newsletters that address depression or depressive symptoms, either as a single health topic or along with other health topics.	2	1	3	1
4.	Provide <i>and</i> promote <u>interactive educational programming</u> on preventing, detecting, and treating depression? ³²¹⁻³²⁹ Answer "yes" if, for example, your worksite offers "lunch and learns," seminars, workshops, or classes focused on reducing the risk factors for depression and reducing the stigma surrounding depression. These programs may be provided in group or individual settings; in-person or virtually (online, telephonically, mobile app); on or off site; through vendors, on site staff, health insurance plans/programs, community groups, or other practitioners.	3	2	5	2
5.	Provide <i>and</i> promote free or subsidized <u>lifestyle coaching/counseling or self-management</u> <u>programs</u> that equip employees with skills and motivation to set and meet their personal goals for managing depression? ^{79, 154, 317, 330-334} Answer "yes" if these programs are provided in group or individual settings; in-person or virtually (online, telephonically, mobile app); on or off site; through vendors, on site staff, health insurance plans/programs, community groups, or other practitioners.	4	3	7	3
6.	Provide training for managers that improves their ability to recognize depression and refer employees to company/community resources for managing depression? ^{335, 336} Note: Managers are not in a position to diagnosis depression, only to recognize depressive symptoms and encourage employee to seek professional assistance.	2	2	4	2
7.	Provide health insurance coverage with free or subsidized out-of-pocket costs for depression medications? ^{90, 148, 191, 330, 337}	4	3	7	3
	Max	imum Dep	oression	Score	16

	Stress Management				
Du	ring the past 12 months, did your worksite:	Evidence Base 1-4	ltem Impact 1-3	Total	Adjusted Value
1.	Provide educational materials on stress management? ^{322, 338, 339} Answer "yes" if, for example, your worksite offers brochures, videos, posters, or newsletters that address aspects of stress management, including coping skills and relaxation techniques, either as a single health topic or along with other health topics.	1	1	2	1
2.	Provide <i>and</i> promote <u>interactive educational programming</u> on stress management? ^{322, 338, 339} Answer "yes" if, for example, your worksite offers "lunch and learns," seminars, workshops, or classes on topics such as assertiveness, coping, and relaxation techniques. Answer "yes" if these programs are provided in group or individual settings; in-person or virtually (online, telephonically, mobile app); on or off site; through vendors, on site staff, health insurance plans/programs, community groups, or other practitioners.	2	2	4	2
3.	Provide <i>and</i> promote free or subsidized <u>lifestyle coaching/counseling or self-management</u> <u>programs</u> that equip employees with skills and motivation to set and meet their personal stress management goals? ^{154, 321, 340-342} Answer "yes" if these programs are provided in group or individual settings; in-person or virtually (online, telephonically, mobile app); on or off site; through vendors, on site staff, health insurance plans/programs, community groups, or other practitioners.	4	3	7	3
4.	Provide dedicated space that is quiet where employees can engage in relaxation activities, such as deep breathing exercises? ^{343, 344}	1	1	2	1
5.	Sponsor or organize social activities designed to improve engagement with others, and provide opportunities for interaction and social support? ³⁴⁵⁻³⁵⁰ Answer "yes" if, for example, your worksite sponsors or organizes team building events, company picnics, holiday parties, or employee sports teams.	1	1	2	1
6.	Provide training for managers that improves their ability to recognize and reduce workplace stress-related issues? ^{351–353} Answer "yes" if, for example, your worksite provides training on performance reviews, communication, personnel management, assertiveness, time management, or conflict resolution.	3	3	6	3
7.	Provide opportunities for employee participation in organizational decisions regarding workplace issues that affect job stress? ^{354–359} Answer "yes" if, for example, your worksite provides opportunities for employees to participate in decisions about work processes and environment, work schedules, participative problem-solving, and management of work demands.	4	3	7	3
		ress Mana	gement	Score	14

	<section-header>Alcohol and Other Substance Use</section-header>				
Du	ring the past 12 months, did your worksite:	Evidence Base 1-4	ltem Impact 1-3	Total	Adjusted Value
1.	Have and promote a written policy banning alcohol and other substance use at the worksite? ^{360–365} Answer "yes" if, for example, your worksite has a written policy that bans alcohol and other substance use (including opioids) at the worksite or while operating a motor vehicle, requires universal drug testing (in appropriate safety-sensitive industries), or indicates options offered for assistance and referral to behavioral health services. This policy can be communicated to employees regularly through emails, newsletters, or signage in public places.	1	1	2	1
2.	Provide access to alcohol and other substance use screening followed by brief intervention and referral for treatment when appropriate? ^{365–373} Answer "yes" if, for example, these services are provided through a health risk assessment (HRA), health insurance plan, and/or employee assistance program (EAP).	3	3	6	3
3.	Provide educational materials that help workers understand the risks of alcohol and other substance use and guide them to receive help? ^{340,374} Answer "yes" if, for example, your worksite offers brochures, videos, posters, or newsletters that address alcohol and other substance use such as prescription or illicit opioids, either as a single health topic or along with other health topics.	1	1	2	1
4.	Provide <i>and</i> promote <u>interactive educational programming</u> that integrates health promotion with substance use prevention? ^{363,375-382} Answer "yes" if, for example, your worksite offers health promotion "lunch and learns", seminars, workshops, or classes. These may address alcohol and other substance use either directly or indirectly through topics such as stress management, conflict resolution, managing multiple priorities, personal finance planning, and team-building.	3	2	5	2
5.	Discourage or limit access to alcohol or use of company funds for alcohol at work- sponsored events? ^{360, 365, 383, 384} Answer "yes" if, for example, your worksite limits (e.g., through tickets) the consumption of alcohol at on and off site meetings and events.	1	1	2	1
6.	Provide a health plan with insurance benefits that include substance use disorder prevention and treatment? ³⁸⁵⁻³⁸⁷ Answer "yes" if, for example, your worksite health plan offers coverage for medication- assisted treatment without prior authorization and lifetime limits, while preventing overuse of addictive substances such as use of prescription opioids, use of illicit opioids, and use of illicitly-manufactured fentanyl (e.g., reimbursement for non-drug treatments for pain relief as a results of an injury such as exercise, physical therapy, and psychological therapies, use of drug utilization review, and pharmacy lock-in).	1	1	2	1

Maximum Alcohol and Other Substance Use Score 9

	Sleep and Fatigue				4
Du	ring the past 12 months, did your worksite:	Evidence Base 1-4	ltem Impact 1-3	Total	Adjusted Value
1.	Have and promote a written policy related to the design of work schedules that aims to reduce employee fatigue? ³⁸⁸⁻³⁹¹ Answer "yes" if, for example, your worksite has a policy related to self-scheduling, limiting the number of consecutive days or hours allowed to be worked, or specifying a minimum time interval between shifts.	2	2	4	2
2.	Provide access to a self-administered sleep screening tool that provides a feedback report with recommendations for clinical action, as needed? ^{392–395} Answer "yes" if, for example, these services are provided through a health risk assessment (HRA), health insurance plan, or employee assistance program (EAP).	2	2	4	2
3.	Provide educational materials that address sleep habits and treatment of common sleep disorders? ³⁹⁶⁻³⁹⁹ Answer "yes" if, for example, your worksite offers brochures, videos, posters, or newsletters that address topics such as recommended sleep schedules, recognizing the signs and symptoms of fatigue or daytime sleepiness, and appropriate use of caffeine.	1	1	2	1
4.	Provide <i>and</i> promote <u>interactive educational programming</u> that addresses sleep habits and treatment of common sleep disorders? ^{396–404} Answer "yes" if, for example, your worksite offers seminars, workshops, or classes that teach and promote appropriate sleep habits. These sessions can be provided in-person or online; on or off site; in group or individual settings; through vendors, on site staff, health insurance plans or programs, community groups, or other practitioners.	3	2	5	2
5.	Provide training for managers to improve their understanding of the safety and health risks associated with poor sleep and their skills for organizing work to reduce the risk of employee fatigue? 400, 405	1	1	2	1
6.	Offer solutions to discourage distracted or drowsy driving? ^{406–411} Answer "yes" if, for example, employees are given realistic expectations for mileage, adequate rest breaks, overnight stays after long trips, and limited distractions and work demands (e.g., phone calls/email) while driving.	1	1	2	1
	Maximum	Sleep and	Fatigue	Score	9

Musculoskeletal Disorders Evidence Item Adjusted During the past 12 months, did your worksite: Base Impact Total Value 1-4 1-3 1. Have **and** promote a written policy that requires regular evaluation of the design of work spaces and job requirements?^{412–416} Answer "yes" if, for example, the policy includes assessments of workstations, 2 1 3 1 workloads, or repetitive tasks. This may be promoted to employees regularly through emails, newsletters, or signage in public places. 2. Conduct ergonomic assessments of work space design and equipment when problems are identified, or anticipated, to reduce the risk of musculoskeletal disorders?^{413,415–417} Answer "yes" if, for example, the policy includes assessments of workstations, 2 1 3 1 equipment, tools, manually-handled loads, or repetitive tasks conducted either on a schedule or when requested on an as-needed basis. 3. Make organizational changes to job design, when appropriate, to reduce the risk of musculoskeletal disorders?^{416, 418, 419} Answer "yes" if, for example, your worksite has adjusted work routines and 2 2 Δ 2 workloads, implemented job rotation, or automated previously manual tasks that pose increased risk. Provide educational materials on musculoskeletal disorders? 306, 419, 420 4 Answer "yes" if, for example, your worksite offers brochures, videos, posters, or newsletters that teach and promote strategies that minimize the incidence of 1 1 2 1 musculoskeletal disorders such as ergonomic design, stretching, regular breaks, and weight management, either as a single health topic or along with other health topics. 5. Provide and promote interactive educational programming on musculoskeletal disorders? 412, 418, 421, 422 Answer "yes" if, for example, your worksite offers "lunch and learns," seminars, workshops, or classes that teach strategies that minimize the risk of musculoskeletal disorders 2 1 1 3 such as ergonomic design, stretching, regular breaks, and weight management. These programs may be provided in group or individual settings; in-person or virtually (online, telephonically, mobile app); on or off site; through vendors, on site staff, health insurance plans/programs, community groups, or other practitioners. 6. Provide training for managers that improves their ability to recognize potential risks for 2 1 3 1 musculoskeletal disorders and refer employees to company/community resources?^{306,416,423–425} 7. Provide health insurance that includes appropriate access to therapies and treatment for musculoskeletal disorders?^{426, 427} Answer "yes" if, for example, coverage options are aligned with best practices 2 2 2 recommended by the Occupational Safety & Health Administration (OSHA), American College of Occupational & Environmental Medicine (ACOEM), or American College of Rheumatology.

Maximum Musculoskeletal Disorders Score 9

	Occupational Health and Safety				
Dui	ring the past 12 months, did your worksite:	Evidence Base 1-4	ltem Impact 1-3	Total	Adjusted Value
1.	Have and promote a written policy on injury prevention and occupational health and safety? ^{7,428–430} This policy could be promoted to employees regularly through emails, newsletters, or signage in public places.	2	2	4	2
2.	Provide opportunities for employee input on hazards and solutions, and implement these solutions when appropriate? ^{7,431–436} Answer "yes" if, for example, there were all-hands meetings, surveys, or focus groups for discovering and solving job health and/or safety issues.	4	3	7	3
3.	Encourage employees to report uncomfortable, unsafe, or hazardous working conditions to a supervisor, occupational health and safety professional or through another reporting channel? ^{428, 433, 434, 436-440} Answer "yes" if, for example, employees are directed to report workplace injuries, bullying, or sexual harassment using a designated hotline.	2	3	5	2
4.	Carefully investigate the primary cause of any reported work-related illnesses or injuries and take specific actions to prevent similar events in the future? ^{7, 432, 434, 436, 441}	4	3	7	3
5.	Provide educational materials about health and safety at work? ^{428,432} Answer "yes" if, for example, your worksite provides brochures, videos, posters, newsletters, or timely reminders for issues such as hand washing, taking breaks to reduce eye strain, or wearing personal protective equipment.	1	1	2	1
6.	Provide <i>and</i> promote <u>interactive educational programming</u> on how to avoid accidents or injury on the job? ^{115,442-445} Answer "yes" if, for example, your worksite offers "lunch and learns," seminars, workshops, or classes that address injury prevention. These sessions can be provided inperson or virtually (online, telephonically, mobile app); on or off site; through vendors, on site staff, or other practitioners.	1	2	3	2
7.	Have a process in place for measuring <i>and</i> , if necessary, improving worksite air quality? ^{434,446–449} Answer "yes" if, for example, your worksite routinely tests heating, ventilation, and air conditioning (HVAC) systems, vacuums carpets, and controls moisture levels to prevent mold growth.	3	2	5	2
8.	Make adjustments or provide resources where necessary to reduce the risk of eye injury or vision impairment? ⁴⁵⁰⁻⁴⁵³ Answer "yes" if, for example, your worksite provides proper lighting to work areas, protective eyewear in hazardous environments (e.g., factories, construction sites) or ergonomic setup at work stations.	2	2	4	2
9.	Proactively support employees returning to work after illness or injury? ⁴⁵⁴⁻⁴⁶⁰ Answer "yes" if, for example, your organization provides temporary job modifications or phased return-to-work options.	2	1	3	1
	Maximum Occupational	Health an	a Safety	Score	18

Vaccine- Preventable Diseases						
During the past 12 months, did your worksite:	Evidence Base 1-4	ltem Impact 1-3	Total	Adjusted Value		
1. Provide health insurance coverage with free or subsidized influenza (flu) vaccinations? ^{461–465}	4	3	7	3		
 Provide free or subsidized <u>influenza</u> vaccinations at your worksite?^{464,466-473} Answer "yes" if this is offered to employees on site, through a temporary vaccine clinic run by an outside organization, internal occupational health staff, or other arrangement. 	4	3	7	3		
 Conduct a seasonal influenza vaccination campaign that includes educational materials or programming? ^{464, 469, 473–477} Answer "yes" if, for example, your worksite offers brochures, videos, posters, newsletters, timely reminders, or sessions that address the benefits of flu vaccinations, either as a single health topic or along with other health topics. 	1	1	2	1		
 Provide health insurance coverage with free or subsidized vaccinations for <u>illnesses other</u> <u>than influenza</u>?^{461–463,465,478,479} Answer "yes" if, for example, your worksite provides coverage for pneumococcal; tetanus, diphtheria, and pertussis (Tdap); or Zoster (shingles) vaccines. 	4	3	7	3		
 Provide free or subsidized vaccinations at your worksite for <u>illnesses other</u> <u>than influenza</u>?⁴⁷⁹⁻⁴⁸¹ Answer "yes" if, for example, your worksite offers employees pneumococcal; tetanus, diphtheria, and pertussis (Tdap); or Zoster (shingles) vaccines through a temporary vaccine clinic run by an outside organization, internal occupational health staff, or other arrangement. 	2	2	4	2		
 6. Promote <u>vaccinations other than influenza</u> with educational materials or educational programming?^{479, 482} Answer "yes" if, for example, your worksite offers brochures, videos, posters, newsletters, timely reminders, or sessions that provide information on adult vaccine requirements and benefits, either as a single health topic or along with other health topics. 	1	1	2	1		
 Promote good hand hygiene in the worksite?⁴⁸³⁻⁴⁸⁶ Answer "yes" if, for example, your worksite provides soap, water, hand sanitizer, and educational materials in strategic workplace locations such as bathrooms, breakrooms, doors, elevators, or other strategic workplace locations. 	2	1	3	1		
Maximum Vaccine-Preventable Diseases Score						

Maternal Health and Lactation Support



-....

Dui	ring the past 12 months, did your worksite:	Evidence Base 1-4	ltem Impact 1-3	Total	Adjusted Value	
1.	Have and promote a written policy on breastfeeding for employees? ^{487–490} Answer "yes" if, for example, this policy is communicated at the time of hiring and/or at the time of maternity leave planning.	2	1	3	1	
2.	Provide a private space (other than a restroom) that may be used by employees to express breast milk? ^{488,489,491–494} Answer "yes" if, for example, your worksite has a private space with an electrical outlet, comfortable chair, and sink.	2	2	4	2	
3.	Provide flexible break times to allow employees to pump breast milk? ^{488,493,494}	2	1	3	1	
4.	Provide access to a breast pump at the worksite? ^{489–491,495} Answer "yes" if, for example, your worksite provides on site access to a breast pump or offers insurance coverage that subsidizes the purchase of a pump for personal use.	2	2	4	2	
5.	Provide and promote maternal health and breastfeeding support groups, educational classes, or consultations? ^{490,495-501} Answer "yes" if these programs are provided in-person or virtually (online, telephonically, mobile app); on or off site; through vendors, peer and/or professional consultants, on site staff, or health insurance plans/programs.	4	3	7	3	
6.	Offer paid parental leave, separate from any accrued sick leave, annual leave, or vacation time? 502-506	3	3	6	3	
7.	Offer health insurance coverage with no or subsidized out-of-pocket costs for pre- and postnatal care? ^{507, 508}	3	3	6	3	
Maximum Maternal Health and Lactation Support Score						

Cancer



During the past 12 months, did your worksite:	Evidence Base 1-4	ltem Impact 1-3	Total	Adjusted Value
 Offer free or subsidized cancer screenings on site?⁵⁰⁹⁻⁵¹¹ Answer "yes" if, for example, your worksite offered cancer screenings (e.g., stool test kits, mobile mammography vans, or skin cancer screenings) as part of a health campaign or as part of routine care at an on site clinic. 	2	2	4	2
 Provide educational materials that address skin, breast, cervical, or colorectal cancer prevention?⁵¹²⁻⁵¹⁷ Answer "yes" if, for example, your worksite offers brochures, videos, posters, reminders, or newsletters that promote sun protection, evidence-based vaccinations, or evidence-based cancer screenings, either as a single health topic or along with other health topics. 	3	1	4	2
3. Provide <i>and</i> promote <u>interactive educational programming</u> on cancer prevention? ^{509, 518, 519} Answer "yes" if, for example, your worksite offers "lunch and learns," seminars, workshops, or classes that address prevention, early identification, and survivorship. These programs may be provided in group or individual settings; in-person or virtually (online, telephonically, mobile app); on or off site; through vendors, on site staff, health insurance plans/programs, community groups, or other practitioners.	3	1	4	2
 Monitor <i>and</i> take action to reduce employee exposure to known carcinogens within the workplace?^{520, 521} Answer "yes" if, for example, your worksite takes action to limit exposures to radon, asbestos, and other carcinogens that may exist at the worksite, and uses alternative materials (i.e., "green chemistry") wherever possible. 	1	2	3	1
 Provide health insurance coverage with free or subsidized evidence-based cancer screenings and vaccinations?⁵²²⁻⁵²⁴ Answer "yes" if, for example, your insurance covers the cost of breast, cervical, and colorectal cancer screening, and HPV and Hepatitis B vaccines. 	2	3	5	2
 Do you have outdoor workers? IF NO, PLEASE SKIP TO THE END OF THE MODULE. 	N/A	N/A	N/A	0
 Have <i>and</i> promote a written policy that includes measures to reduce sun exposure for outdoor workers? ^{517, 525} Answer "yes" if, for example, the policy encourages rotation of workers in ultraviolet (UV) intense positions, scheduling of tasks to avoid high-exposure periods, and the use of sun protective clothing, hats, and sunscreen. This policy can be promoted to employees regularly through emails, newsletters, or signage in public places. 	1	2	3	1
8. Provide employees working outdoors with supports for sun protection, such as shade, hats, or sunscreen? ^{518, 526–528}	1	2	3	1
	Maxímum Cancer Score			11

References

- 9. Goetzel, R.Z., et al., Second-year results of an obesity prevention program at the Dow Chemical Company. J Occup Environ Med, 2010. **52**(3): p. 291-302.
- 10. Terry, P.E., et al., Association Between Nine Quality Components and Superior Worksite Health Management Program Results. Journal of Occupational and Environmental Medicine, 2008. **50**(6): p. 633-641.
- 11. Goetzel, R.Z., et al., *Promising Practices in Employer Health and Productivity Management Efforts: Findings From a Benchmarking Study*. Journal of Occupational and Environmental Medicine, 2007. **49**(2): p. 111-130.
- 12. Ozminkowski, R.J., et al., Long-Term Impact of Johnson & Johnson???s Health & Wellness Program on Health Care Utilization and Expenditures. Journal of Occupational and Environmental Medicine, 2002. **44**(1): p. 21-29.
- 13. Musich S, Schubiner H, and McDonald TJ, ACSM's worksite health handbook, in ACSM's Worksite Health Handbook. 2nd ed. Champaign (IL): Human Kinetics, Inc, N. Pronk, Editor. 2009, Human Kinetics: Champaign, IL. p. 196-205.
- 14. Pronk, N. and C. Allen, A culture of health: creating and sustaining supportive organizational environments for health, in ACSM's Worksite Health Handbook. 2nd ed. Champaign (IL): Human Kinetics, Inc. 2009. p. 224.
- 15. National Institute of Occupational Safety and Health (NIOSH). *Essential Elements of Effective Workplace Programs and Policies for Improving Worker Health and Wellbeing*. 2008 November 22, 2011]; Available from: <u>http://www.cdc.gov/niosh/docs/2010-140/pdfs/2010-140.pdf</u>.
- 16. Lemon, S., *Perceptions of Worksite Support and Employee Obesity, Activity, and Diet*. American Journal of Health Behavior, 2009. **33**(3).
- 17. Milner, K., et al., *The relationship between leadership support, workplace health promotion and employee wellbeing in South Africa*. Health Promotion International, 2013. **30**(3): p. 514-522.
- 18. Kaspin, L.C., K.M. Gorman, and R.M. Miller, *Systematic Review of Employer-Sponsored Wellness Strategies and their Economic and Health-Related Outcomes*. Population Health Management, 2013. **16**(1): p. 14-21.
- 19. Kent, K., et al., *Promoting Healthy Workplaces by Building Cultures of Health and Applying Strategic Communications*. Journal of Occupational and Environmental Medicine, 2016. **58**(2): p. 114-122.
- 20. McLellan, D.L., et al., Organizational Characteristics Influence Implementation of Worksite Health Protection and Promotion Programs. Journal of Occupational and Environmental Medicine, 2015. **57**(9): p. 1009-1016.
- 21. Watson, G.W., et al., *Dimensions Of Interpersonal Relationships And Safety In The Steel Industry*. Journal of Business and Psychology, 2005. **19**(3): p. 303-318.
- 22. World Health Organization. Preventing Noncommunicable Diseases in the Workplace through Diet and Physical Activity WHO/World Economic Forum Report of a Joint Event. 2008; Available from: <u>http://whqlibdoc.who.int/publications/2008/9789241596329_eng.pdf</u>
- 23. Noeldner, S., *Connecting the program to core business objectives*. ACSM's Worksite Health Handbook. 2nd ed. Champaign (IL): Human Kinetics, 2009.
- 24. *Program Measurement and Evaluation Guide: Core Metrics for Employee Health Management*. 2015, Health Enhancement Research Organization & Population Health Alliance.
- 25. Consensus Statement of the Health Enhancement Research, O., et al., *Guidance for a reasonably designed, employer-sponsored wellness program using outcomes-based incentives*. J Occup Environ Med, 2012. **54**(7): p. 889-96.
- 26. Kruse, M., *From the basics to comprehensive programming, in ACSM's worksite health handbook*, N. Pronk, Editor. 2009, Human Kinetics: Champaign, IL. p. 296-307.
- 27. Naydeck, B.L., et al., *The Impact of the Highmark Employee Wellness Programs on 4-Year Healthcare Costs*. Journal of Occupational and Environmental Medicine, 2008. **50**(2): p. 146-156.

- 28. Pronk, N.P., A Culture of Health: Creating and Sustaining Supportive Organizational Environments for Health, in ACSM's Worksite Health Handbook 2nd Edition: A Guide to Building Healthy and Productive Companies, N.P. Pronk, Editor. 2009, Human Kinetics.
- 29. Matson-Koffman, D., et al., *Heart Healthy and Stroke Free: Successful Business Strategies to Prevent Cardiovascular Disease*. American Journal of Preventive Medicine, 2005. **29**(5): p. 113-121.
- 30. Hunnicutt, D., WELCOA's 7 Benchmarks of Success, in Absolute Advantage: The Workplace Wellness Magazine. 2006, Wellness Councils of America p. 2.
- 31. Linnan, L., et al., *Results of the 2004 national worksite health promotion survey*. American Journal of Public Health, 2008. **98**(8): p. 1503-1509.
- 32. Schult, T.M., et al., *Management Support, Worksite Culture, and Local Resources for Healthier Employees*. Journal of Occupational and Environmental Medicine, 2013. **55**(3): p. 310-317.
- 33. Soler, R.E., et al., *A Systematic Review of Selected Interventions for Worksite Health Promotion*. American Journal of Preventive Medicine, 2010. **38**(2): p. S237-S262.
- 34. Goetzel, R.Z. and R.J. Ozminkowski, *The Health and Cost Benefits of Work Site Health-Promotion Programs*. Annual Review of Public Health, 2008. **29**(1): p. 303-323.
- 35. Ozminkowski, R.J., et al., *The Savings Gained From Participation in Health Promotion Programs for Medicare Beneficiaries*. Journal of Occupational and Environmental Medicine, 2006. **48**(11): p. 1125-1132.
- 36. Short, M.E., et al., *How Accurate are Self-Reports? Analysis of Self-Reported Health Care Utilization and Absence When Compared With Administrative Data.* Journal of Occupational and Environmental Medicine, 2009. **51**(7): p. 786-796.
- 37. Taitel, M.S., et al., *Incentives and Other Factors Associated With Employee Participation in Health Risk Assessments*. Journal of Occupational and Environmental Medicine, 2008. **50**(8): p. 863-872.
- 38. Seaverson, E.L., et al., *The role of incentive design, incentive value, communications strategy, and worksite culture on health risk assessment participation*. Am J Health Promot, 2009. **23**(5): p. 343-52.
- 39. Lewis, S.D., et al., *Using Success Stories to Share Knowledge and Lessons Learned in Health Promotion*. Journal of Women's Health, 2004. **13**(5): p. 616-624.
- 40. Lavinghouze, R., A. Webb Price, and K.-A. Smith, *The Program Success Story: A Valuable Tool for Program Evaluation*. Health Promotion Practice, 2007. **8**(4): p. 323-331.
- 41. Aldana, S.G., et al., *A Review of the Knowledge Base on Healthy Worksite Culture*. Journal of Occupational and Environmental Medicine, 2012. **54**(4): p. 414-419.
- 42. Campbell, M.K., et al., *Effects of a Tailored Health Promotion Program for Female Blue-Collar Workers: Health Works for Women*. Preventive Medicine, 2002. **34**(3): p. 313-323.
- 43. Lorig, K.R., et al., Long-Term Randomized Controlled Trials of Tailored-Print and Small-Group Arthritis Self-Management Interventions. Medical Care, 2004. **42**(4): p. 346-354.
- 44. Yancey, A., A.J. Tomiyama, and N. Keith, *Addressing diversity and health literacy at the worksite, in ACSM'S worksite health handbook: A guide to building healthy and productive companies (2nd ed.).* Champaign, IL: Human Kinetics. 2009.
- 45. Marcus, A.C., et al., *The Efficacy of Tailored Print Materials in Promoting Colorectal Cancer Screening: Results From a Randomized Trial Involving Callers to the National Cancer Institute's Cancer Information Service*. Journal of Health Communication, 2005. **10**(sup1): p. 83-104.
- 46. Prochaska, J.O., C.C. DiClemente, and J.C. Norcross, *In search of how people change: Applications to addictive behaviors*. American Psychologist, 1992. **47**(9): p. 1102-1114.
- 47. Strecher, V., et al., *The Role of Engagement in a Tailored Web-Based Smoking Cessation Program: Randomized Controlled Trial.* Journal of Medical Internet Research, 2008. **10**(5): p. e36.

- 48. Resnicow, K., et al., *Tailoring a Fruit and Vegetable Intervention on Novel Motivational Constructs: Results of a Randomized Study*. Annals of Behavioral Medicine, 2008. **35**(2): p. 159-169.
- 49. Rothert, K., et al., Web-based Weight Management Programs in an Integrated Health Care Setting: A Randomized, Controlled Trial*. Obesity, 2006. **14**(2): p. 266-272.
- 50. Noar, S.M., *An Audience-Channel-Message-Evaluation (ACME) Framework for Health Communication Campaigns*. Health Promotion Practice, 2012. **13**(4): p. 481-488.
- 51. Noar, S.M., C.N. Benac, and M.S. Harris, *Does tailoring matter? Meta-analytic review of tailored print health behavior change interventions*. Psychological Bulletin, 2007. **133**(4): p. 673-693.
- 52. Spittaels, H., et al., *Effectiveness of an online computer-tailored physical activity intervention in a real-life setting*. Health Education Research, 2006. **22**(3): p. 385-396.
- 53. Sorensen, G., et al., *Tools for health: the efficacy of a tailored intervention targeted for construction laborers*. Cancer Causes & Control, 2007. **18**(1): p. 51-59.
- 54. Oenema, A., F. Tan, and J. Brug, *Short-term efficacy of a web-based computer-tailored nutrition intervention: Main Effects and Mediators*. Annals of Behavioral Medicine, 2005. **29**(1): p. 54-63.
- 55. Wieneke, K.C., et al., *Development and Impact of a Worksite Wellness Champions Program*. American Journal of Health Behavior, 2016. **40**(2): p. 215-220.
- 56. HERO and Mercer, *Employee health management best practices scorecard: In collaboration with Mercer.* 2014.
- 57. Volpp, K.G., et al., Financial Incentive–Based Approaches for Weight Loss. JAMA, 2008. 300(22): p. 2631.
- 58. VanWormer, J. and N. Pronk, *Rewarding change: principles for implementing worksite incentive programs, in ACSM's worksite health handbook*, P. NP, Editor. 2009, Human Kinetics: Champaign, IL. p. 239-247.
- 59. Finkelstein, E.A., et al., *A randomized study of financial incentives to increase physical activity among sedentary older adults*. Preventive Medicine, 2008. **47**(2): p. 182-187.
- 60. Volpp, K.G., et al., *A Randomized, Controlled Trial of Financial Incentives for Smoking Cessation*. New England Journal of Medicine, 2009. **360**(7): p. 699-709.
- 61. Mitchell, M.S., et al., *Financial Incentives for Exercise Adherence in Adults*. American Journal of Preventive Medicine, 2013. **45**(5): p. 658-667.
- 62. Patel, M.S., et al., *Premium-Based Financial Incentives Did Not Promote Workplace Weight Loss In A 2013–15 Study*. Health Affairs, 2016. **35**(1): p. 71-79.
- 63. Patel, M.S., D.A. Asch, and K.G. Volpp, *Framing Financial Incentives to Increase Physical Activity Among Overweight and Obese Adults*. Annals of Internal Medicine, 2016. **165**(8): p. 600.
- 64. Huang, H., et al., *Incentives, Program Configuration, and Employee Uptake of Workplace Wellness Programs*. Journal of Occupational and Environmental Medicine, 2016. **58**(1): p. 30-34.
- 65. Kullgren, J.T., et al., *Individual- Versus Group-Based Financial Incentives for Weight Loss*. Annals of Internal Medicine, 2013. **158**(7): p. 505.
- 66. Haisley, E., et al., *The Impact of Alternative Incentive Schemes on Completion of Health Risk Assessments*. American Journal of Health Promotion, 2012. **26**(3): p. 184-188.
- 67. Halpern, S.D., et al., *Randomized Trial of Four Financial-Incentive Programs for Smoking Cessation*. New England Journal of Medicine, 2015. **372**(22): p. 2108-2117.
- 68. Leeks, K.D., et al., *Worksite-Based Incentives and Competitions to Reduce Tobacco Use*. American Journal of Preventive Medicine, 2010. **38**(2): p. S263-S274.
- 69. Becker, N.V., et al., *Stages of Change and Patient Activation Measure Scores in the Context of Incentive-Based Health Interventions*. American Journal of Health Promotion, 2015. **30**(2): p. 133-135.

- 70. Giles, E.L., et al., *The Effectiveness of Financial Incentives for Health Behaviour Change: Systematic Review and Meta-Analysis*. PLoS ONE, 2014. **9**(3): p. e90347.
- 71. Haff, N., et al., *The Role of Behavioral Economic Incentive Design and Demographic Characteristics in Financial Incentive-Based Approaches to Changing Health Behaviors: A Meta-Analysis.* American Journal of Health Promotion, 2015. **29**(5): p. 314-323.
- 72. Batorsky, B., et al., Understanding the Relationship Between Incentive Design and Participation in U.S. Workplace Wellness Programs. American Journal of Health Promotion, 2016. **30**(3): p. 198-203.
- 73. Horwitz, J.R., B.D. Kelly, and J.E. DiNardo, *Wellness Incentives In The Workplace: Cost Savings Through Cost Shifting To Unhealthy Workers*. Health Affairs, 2013. **32**(3): p. 468-476.
- 74. Cahill, K. and R. Perera, *Competitions and incentives for smoking cessation, in Cochrane Database of Systematic Reviews*. 2008, Wiley-Blackwell.
- 75. Hector, D., et al., *A Review of Available Information on Workplace Physical Activity and Nutrition Challenges. 2012*, Prevention Research Collaboration.
- 76. Terry, P.E., et al., *Analyzing Best Practices in Employee Health Management*. Journal of Occupational and Environmental Medicine, 2013. **55**(4): p. 378-392.
- 77. Jones, D.A., Does serving the community also serve the company? Using organizational identification and social exchange theories to understand employee responses to a volunteerism programme. Journal of Occupational and Organizational Psychology, 2010. **83**(4): p. 857-878.
- 78. Jenkinson, C.E., et al., *Is volunteering a public health intervention? A systematic review and meta-analysis of the health and survival of volunteers*. BMC Public Health, 2013. 13(1).
- 79. De Croon, E.M., et al., *The effect of office concepts on worker health and performance: a systematic review of the literature.* Ergonomics, 2005. **48**(2): p. 119-34.
- 80. Velarde, M.D., G. Fry, and M. Tveit, *Health effects of viewing landscapes—Landscape types in environmental psychology*. Urban Forestry & Urban Greening, 2007. **6**(4): p. 199-212.
- 81. Vischer, J.C., *The effects of the physical environment on job performance: towards a theoretical model of workspace stress*. Stress and Health, 2007. **23**(3): p. 175-184.
- 82. Jancey, J.M., et al., *Workplace building design and office-based workers' activity: a study of a natural experiment*. Aust N Z J Public Health, 2016. **40**(1): p. 78-82.
- 83. Gajendran, R.S. and D.A. Harrison, *The good, the bad, and the unknown about telecommuting: Meta-analysis of psychological mediators and individual consequences.* Journal of Applied Psychology, 2007. **92**(6): p. 1524-1541.
- 84. Ng, M.K., et al., *Effectiveness of health promotion programmes for truck drivers: A systematic review*. Health Education Journal, 2015. **74**(3): p. 270-286.
- 85. Richmond, M.K., et al., *Impact of Employee Assistance Services on Depression, Anxiety, and Risky Alcohol Use*. Journal of Occupational and Environmental Medicine, 2016. **58**(7): p. 641-650.
- 86. Richmond, M.K., et al., Associations Between Substance Use, Depression, and Work Outcomes: An Evaluation Study of Screening and Brief Intervention in a Large Employee Assistance Program. Journal of Workplace Behavioral Health, 2014.
 29(1): p. 1-18.
- 87. Wang, P.S., et al., *Telephone Screening*, *Outreach*, *and Care Management for Depressed Workers and Impact on Clinical and Work Productivity Outcomes*. JAMA, 2007. **298**(12): p. 1401.
- 88. Csiernik, R., *The Glass Is Filling: An Examination of Employee Assistance Program Evaluations in the First Decade of the New Millennium*. Journal of Workplace Behavioral Health, 2011. **26**(4): p. 334-355.
- 89. Hargrave, G.E., et al., *EAP Treatment Impact on Presenteeism and Absenteeism: Implications for Return on Investment*. Journal of Workplace Behavioral Health, 2008. **23**(3): p. 283-293.

- 90. Jacobson, J.M., A.L. Jones, and N. Bowers, *Using Existing Employee Assistance Program Case Files to Demonstrate Outcomes*. Journal of Workplace Behavioral Health, 2011. **26**(1): p. 44-58.
- 91. Hibbard, J.H., J. Greene, and V. Overton, *Patients With Lower Activation Associated With Higher Costs; Delivery Systems Should Know Their Patients' 'Scores'*. Health Affairs, 2013. **32**(2): p. 216-222.
- 92. Chapman, L.S., *Enhancing consumer health skills through worksite health promotion*. Am J Health Promot, 2008. **22**(5): p. suppl 1-9.
- 93. Lorig, K., Patient-Centered Care. Health Education & Behavior, 2012. 39(5): p. 523-525.
- 94. Greene, J., et al., *When Patient Activation Levels Change, Health Outcomes And Costs Change, Too.* Health Affairs, 2015. **34**(3): p. 431-437.
- 95. Terry, P.E., et al., *The ACTIVATE Study: Results From a Group-Randomized Controlled Trial Comparing a Traditional Worksite Health Promotion Program With an Activated Consumer Program.* American Journal of Health Promotion, 2011. **26**(2): p. e64-e73.
- 96. Terry, P.E., J.B. Fowles, and L. Harvey, *Employee Engagement Factors that Affect Enrollment Compared with Retention in Two Coaching Programs—The ACTIVATE Study*. Population Health Management, 2010. **13**(3): p. 115-122.
- 97. Prevention, C.f.D.C.a. *Best practices for comprehensive tobacco control programs*. 2007 December 7, 2011]; Available from: <u>http://www.cdc.gov/tobacco/stateandcommunity/best_practices/index.htm</u>.
- 98. Matson-Koffman, D., A. Lanza, and K.P. Campbell, *A purchaser's guide to clinical preventive services: a tool to improve health care coverage for prevention*. Preventing chronic disease, 2008. **5**(2).
- 99. Burns, M.E., M.A. Rosenberg, and M.C. Fiore, *Use and Employer Costs of a Pharmacotherapy Smoking-Cessation Treatment Benefit*. American Journal of Preventive Medicine, 2007. **32**(2): p. 139-142.
- 100. Joyce, K., et al., *Flexible working conditions and their effects on employee health and wellbeing, in Cochrane Database of Systematic Reviews.* 2010, Wiley-Blackwell.
- 101. Kruger, J., et al., Selected Barriers and Incentives for Worksite Health Promotion Services and Policies. American Journal of Health Promotion, 2007. **21**(5): p. 439-447.
- 102. von Thiele Schwarz, U. and H. Hasson, *Employee Self-rated Productivity and Objective Organizational Production Levels: Effects of Worksite Health Interventions Involving Reduced Work Hours and Physical Exercise.* Journal of occupational and environmental medicine, 2011. **53**(8): p. 838.
- 103. Casey, P.R. and J.G. Grzywacz, *Employee health and well-being: The role of flexibility and work-family balance*. The Psychologist-Manager Journal, 2008. **11**(1): p. 31-47.
- 104. Sorensen, G., et al., *Preventing Chronic Disease in the Workplace: A Workshop Report and Recommendations*. American Journal of Public Health, 2011. **101**(S1): p. S196-S207.
- 105. Henke, R.M., et al., *The Effects of Telecommuting Intensity on Employee Health*. Am J Health Promot, 2016. **30**(8): p. 604-612.
- 106. Kelly, E.L., P. Moen, and E. Tranby, *Changing Workplaces to Reduce Work-Family Conflict*. American Sociological Review, 2011. **76**(2): p. 265-290.
- 107. Moen, P., E.L. Kelly, and J. Lam, *Healthy work revisited: Do changes in time strain predict well-being?* Journal of Occupational Health Psychology, 2013. **18**(2): p. 157-172.
- 108. Butts, M.M., W.J. Casper, and T.S. Yang, *How important are work–family support policies? A meta-analytic investigation of their effects on employee outcomes*. Journal of Applied Psychology, 2013. **98**(1): p. 1-25.
- 109. Beauregard, T.A. and L.C. Henry, *Making the link between work-life balance practices and organizational performance*. Human Resource Management Review, 2009. **19**(1): p. 9-22.

- 110. Laharnar, N., et al., *A Training Intervention for Supervisors to Support a Work-Life Policy Implementation*. Safety and Health at Work, 2013. **4**(3): p. 166-176.
- 111. Hira, T.K. and C. Loibl, *Understanding the impact of employer-provided financial education on workplace satisfaction*. Journal of Consumer Affairs, 2005. **39**(1): p. 173-194.
- 112. Christakis, N.A. and J.H. Fowler, *The Spread of Obesity in a Large Social Network over 32 Years*. New England Journal of Medicine, 2007. **357**(4): p. 370-379.
- 113. Christakis, N.A. and J.H. Fowler, *The Collective Dynamics of Smoking in a Large Social Network*. New England Journal of Medicine, 2008. **358**(21): p. 2249-2258.
- 114. Franks, M.M., et al., / Will If You Will. Health Education & Behavior, 2012. 39(3): p. 324-331.
- 115. Holahan, C.K., C.J. Holahan, and X. Li, *Living with a smoker and physical inactivity: An unexplored health behavior pathway*. American Journal of Health Promotion, 2015. **30**(1): p. 19-21.
- 116. Allen, J., et al., Cross-Generational Health Promotion and Engaging Families. 2013.
- 117. Asfaw, A., R. Pana-Cryan, and R. Rosa, *Paid Sick Leave and Nonfatal Occupational Injuries*. American Journal of Public Health, 2012. **102**(9): p. e59-e64.
- 118. Wilson, F.A., Y. Wang, and J.P. Stimpson, *Universal paid leave increases influenza vaccinations among employees in the U.S. Vaccine*, 2014. **32**(21): p. 2441-2445.
- 119. Cook, W.K., *Paid sick days and health care use: An analysis of the 2007 national health interview survey data*. American Journal of Industrial Medicine, 2011. **54**(10): p. 771-779.
- 120. Peipins, L.A., et al., *The lack of paid sick leave as a barrier to cancer screening and medical care-seeking: results from the National Health Interview Survey.* BMC Public Health, 2012. **12**(1).
- 121. Clemans-Cope, L., et al., Access to and Use of Paid Sick Leave Among Low-Income Families With Children. PEDIATRICS, 2008. **122**(2): p. e480-486.
- 122. Applebaum, E., et al., Good for business? Connecticut's paid sick leave law. 2014.
- 123. Robson, L.S., et al., *A systematic review of the effectiveness of occupational health and safety training*. Scandinavian Journal of Work, Environment & Health, 2012. **38**(3): p. 193-208.
- Caspi, C.E., et al., *Results of a pilot intervention to improve health and safety for healthcare workers*. Journal of occupational and environmental medicine/American College of Occupational and Environmental Medicine, 2013.
 55(12): p. 1449.
- 125. Henning, R., et al., *Workplace health protection and promotion through participatory ergonomics: an integrated approach*. Public Health Reports, 2009. **124**(4_suppl1): p. 26-35.
- 126. Okechukwu, C.A., et al., *MassBuilt: effectiveness of an apprenticeship site-based smoking cessation intervention for unionized building trades workers*. Cancer Causes & Control, 2009. **20**(6): p. 887-894.
- 127. von Thiele Schwarz, U., et al., *Promoting employee health by integrating health protection, health promotion, and continuous improvement: a longitudinal quasi-experimental intervention study*. Journal of Occupational and Environmental medicine, 2015. **57**(2): p. 217-225.
- 128. Gadomski, A.M., et al., *Implementing a smoke-free medical campus: Impact on inpatient and employee outcomes*. Journal of Hospital Medicine, 2010. **5**(1): p. 51-54.
- 129. Lin, D., et al., *Employee attitudes and smoking behavior at the City of Hope National Medical Center smoke-free campus*. Journal of the National Comprehensive Cancer Network, 2006. **4**(6): p. 535-542.
- 130. Sheffer, C., M. Stitzer, and J.G. Wheeler, *Smoke-free medical facility campus legislation: Support, resistance, difficulties and cost.* International Journal of Environmental Research and Public Health, 2009. **6**(1): p. 246-258.

- 131. Wheeler, J.G., et al., *Impact of a smoke-free hospital campus policy on employee and consumer behavior*. Public Health Reports, 2007. **122**(6): p. 744.
- 132. Tobacco Control Legal Consortium. *Adopting Tobacco-free Policies on Campuses*. 2016. Accessed January 30, 2019. Available from: <u>https://www.publichealthlawcenter.org/sites/default/files/resources/adopting-tobacco-free-campus-policies-2016.pdf</u>.
- 133. Osinubi, O.Y.O., et al., *Efficacy of tobacco dependence treatment in the context of a "smoke-free grounds" worksite policy: A case study*. American journal of industrial medicine, 2004. **46**(2): p. 180-187.
- 134. Hopkins, D.P., et al., *Smokefree Policies to Reduce Tobacco Use*. American Journal of Preventive Medicine, 2010. **38**(2): p. S275-S289.
- 135. Burns, M.E., M.A. Rosenberg, and M.C. Fiore, *Use of a new comprehensive insurance benefit for smoking-cessation treatment*. Prev Chronic Dis, 2005. **2**(4): p. A15.
- 136. Bauer, J.E., et al., *A Longitudinal Assessment of the Impact of Smoke-Free Worksite Policies on Tobacco Use*. American Journal of Public Health, 2005. **95**(6): p. 1024-1029.
- 137. Best Practice: Communicating Health-Care Benefits to Employees and Retirees. 2009 April 2016; Available from: <u>http://www.gfoa.org/communicating-health-care-benefits-employees-and-retirees</u>
- 138. Pierce, J., Evaluating the Effectiveness of Smoke-free Policies, vol. 13. Lyon, France: IARC (International Agency for Research on Cancer Prevention). Tobacco Control, 2009.
- 139. Schiebel, N. and J. Ebbert, *Quitline referral vs. self-help manual for tobacco use cessation in the Emergency Department: a feasibility study.* BMC Emergency Medicine, 2007. 7(15).
- 140. Fiore, M., et al., *Treating Tobacco Use and Dependence: 2008 Update*. Clinical Practice Guideline. Rockville, MD: U.S. Department of Health and Human Services. Public Health Service, May 2008.
- 141. Muramoto, M.L., et al., *Helpers Program*. American Journal of Preventive Medicine, 2010. **38**(3): p. S319-S326.
- 142. Stead, L.F., R. Perera, and T. Lancaster, *Telephone counselling for smoking cessation*. The Cochrane Library, 2006.
- 143. Hughes, M.C., et al., *Promoting tobacco cessation via the workplace: opportunities for improvement*. Tobacco Control, 2011. **20**(4): p. 305-308.
- Patnode, C.D., et al., Behavioral Counseling and Pharmacotherapy Interventions for Tobacco Cessation in Adults, Including Pregnant Women: A Review of Reviews for the U.S. Preventive Services Task Force. Annals of Internal Medicine, 2015.
 163(8): p. 608.
- 145. Best practices for comprehensive tobacco control programs. 2014, Centers for Disease Control and Prevention (CDC)
- 146. Graham, A.L., et al., *Effectiveness of an Internet-Based Worksite Smoking Cessation Intervention at 12 Months*. Journal of Occupational and Environmental Medicine, 2007. **49**(8): p. 821-828.
- 147. Terry, P.E., et al., *The Effectiveness of a Telephone-Based Tobacco Cessation Program Offered as Part of a Worksite Health Promotion Program*. Population Health Management, 2011. **14**(3): p. 117-125.
- 148. University of Wisconsin Center for Tobacco Research and Intervention. Summary of Selected Tobacco, Prevention, and Public Health Provisions from H.R. 3590 and H.R. 4872. Available from: <u>https://ctri.wiscweb.wisc.edu/wp-content/uploads/sites/240/2017/09/hcrtobacco2010.pdf</u>.
- 149. Lancaster, T. and L.F. Stead, *Individual behavioural counselling for smoking cessation, in Cochrane Database of Systematic Reviews.* 2005, Wiley-Blackwell.
- Mayer, C., et al., Smoking Relapse Prevention Programs and Factors That Predict Abstinence: A Controlled Study Comparing the Efficacy of Workplace Group Counselling and Proactive Phone Counselling. The Journal of Smoking Cessation 2010.
 5(1): p. 83-94.
- Stolz, D., et al., Predictors of Success for Smoking Cessation at the Workplace: A Longitudinal Study. Respiration, 2014.
 87(1): p. 18-25.

- 152. Proctor, R.N., Why ban the sale of cigarettes? The case for abolition. Tobacco Control, 2013. 22(suppl 1): p. i27-i30.
- 153. Reitzel, L.R., et al., *The Effect of Tobacco Outlet Density and Proximity on Smoking Cessation*. American Journal of Public Health, 2011. **101**(2): p. 315-320.
- 154. Volpp, K.G., *A Randomized Controlled Trial of Financial Incentives for Smoking Cessation*. Cancer Epidemiology Biomarkers & Prevention, 2006. **15**(1): p. 12-18.
- 155. Cahill, K. and R. Perera, *Competitions and incentives for smoking cessation, in Cochrane Database of Systematic Reviews*. 2011, Wiley-Blackwell.
- 156. Luiza, V.L., et al., *Pharmaceutical policies: effects of cap and co-payment on rational use of medicines, in Cochrane Database of Systematic Reviews.* 2015, Wiley-Blackwell.
- 157. Land, T., et al., *Medicaid Coverage for Tobacco Dependence Treatments in Massachusetts and Associated Decreases in Smoking Prevalence*. PLoS ONE, 2010. **5**(3): p. e9770.
- 158. Chobanian, A.V., et al., Seventh report of the joint national committee on prevention, detection, evaluation, and treatment of high blood pressure. Hypertension, 2003. **42**(6): p. 1206-1252.
- Erfurt, J.C., A. Foote, and M.A. Heirich, Worksite Wellness Programs: Incremental Comparison of Screening and Referral Alone, Health Education, Follow-Up Counseling, and Plant Organization. American Journal of Health Promotion, 1991.
 5(6): p. 438-448.
- 160. Matson-Koffman, D. and C. Ayala, *Hypertension evidence-statement: screening, counseling, and treatment, in National Business Group on Health; A Purchaser's Guide to Clinical Preventive Services: Moving Science into Coverage*, L.A. Campbell KP, Dixon R, Chattopadhyay S, Molinari N, Finch RA, Editor. 2011: Washington, DC.
- 161. Shi, L., *The Impact of Increasing Intensity of Health Promotion Intervention on Risk Reduction*. Evaluation & the Health Professions, 1992. **15**(1): p. 3-25.
- 162. Milani, R.V. and C.J. Lavie, *Impact of Worksite Wellness Intervention on Cardiac Risk Factors and One-Year Health Care Costs*. The American Journal of Cardiology, 2009. **104**(10): p. 1389-1392.
- 163. Racette, S.B., et al., *Worksite Opportunities for Wellness (WOW): Effects on cardiovascular disease risk factors after 1 year*. Preventive Medicine, 2009. **49**(2-3): p. 108-114.
- 164. Eng, J.Y., F.M. Moy, and A. Bulgiba, *Impact of a Workplace Health Promotion Program on Employees' Blood Pressure in a Public University*. PLOS ONE, 2016. **11**(2): p. e0148307.
- 165. White, J.C., S. Hartley, and R.J. Ozminkowski, Association Between Corporate Wellness Program Participation and Changes in Health Risks. Journal of Occupational and Environmental Medicine, 2015. **57**(10): p. 1119-1126.
- 166. Masur-Levy, P., D. Tavris, and L. Elsey-Pica, *Cardiovascular risk changes in a work-site health promotion program*. Journal of the American Dietetic Association, 1990. 90.
- 167. *Hypertension in Adults: Screening and Home Monitoring (Final Recommendation Statement).* 2015, U.S. Preventative Services Task Force.
- 168. Gemson, D.H., et al., *Promoting Weight Loss and Blood Pressure Control at Work: Impact of an Education and Intervention Program*. Journal of Occupational and Environmental Medicine, 2008. **50**(3): p. 272-281.
- 169. Glynn, L.G., et al., Interventions used to improve control of blood pressure in patients with hypertension, in Cochrane Database of Systematic Reviews. 2010, Wiley-Blackwell.
- 170. Aldana, S.G., et al., *A video-based lifestyle intervention and changes in coronary risk*. Health education research, 2008.
 23(1): p. 115-124.
- 171. Henke, R.M., et al., *Recent Experience In Health Promotion At Johnson & Johnson: Lower Health Spending, Strong Return On Investment*. Health Affairs, 2011. **30**(3): p. 490-499.

- 172. Chung, M., et al., *Worksite Health Promotion: The Value of the Tune Up Your Heart Program*. Population Health Management, 2009. **12**(6): p. 297-304.
- 173. Jackson, J., et al., *Blood Pressure Success Zone: You Auto Know A Worksite-Based Program to Improve Blood Pressure Control Among Auto Workers*. Population Health Management, 2011. **14**(5): p. 257-263.
- 174. Aldana, S.G., et al., *The Effects of a Worksite Chronic Disease Prevention Program*. Journal of Occupational and Environmental Medicine, 2005. **47**(6): p. 558-564.
- 175. Bertera, R.L., *Behavioral Risk Factor and Illness Day Changes with Workplace Health Promotion: Two-Year Results*. American Journal of Health Promotion, 1993. **7**(5): p. 365-373.
- 176. Goetzel, R.Z., et al., *The Long-Term Impact of Johnson & Johnson???s Health & Wellness Program on Employee Health Risks*. Journal of Occupational and Environmental Medicine, 2002. **44**(5): p. 417-424.
- 177. Henritze, J., H.L. Brammell, and J. McGloin, *LIFECHECK: A Successful, Low Touch, Low Tech, In-Plant, Cardiovascular Disease Risk Identification and Modification Program.* American Journal of Health Promotion, 1992. **7**(2): p. 129-136.
- 178. Larsen, P. and N. Simons, *Evaluating a federal health and fitness program: indicators of improving health*. AAOHN journal: official journal of the American Association of Occupational Health Nurses, 1993. **41**(3): p. 143.
- 179. Nilsson, P.M., E.B. Klasson, and P. Nyberg, *Life-style intervention at the worksite-reduction of cardiovascular risk factors in a randomized study*. Scandinavian Journal of Work Environment and Health, 2001. **27**(1): p. 57-62.
- 180. Gomel, M., et al., Work-site cardiovascular risk reduction: a randomized trial of health risk assessment, education, counseling, and incentives. American journal of public health, 1993. **83**(9): p. 1231.
- 181. John, E.J., et al., *Workplace-Based Cardiovascular Risk Management by Community Pharmacists: Impact on Blood Pressure, Lipid Levels, and Weight.* Pharmacotherapy, 2006. **26**(10): p. 1511-1517.
- Matson-Koffman, D.M., et al., A Site-specific Literature Review of Policy and Environmental Interventions that Promote Physical Activity and Nutrition for Cardiovascular Health: What Works? American Journal of Health Promotion, 2005.
 19(3): p. 167-193.
- 183. Ozminkowski, R.J., et al., *The Impact of the Citibank, NA, Health Management Program on Changes in Employee Health Risks Over Time*. Journal of Occupational and Environmental Medicine, 2000. **42**(5): p. 502-511.
- 184. Watson, A.J., et al., *Evaluating a web-based self-management program for employees with hypertension and prehypertension: A randomized clinical trial.* American Heart Journal, 2012. **164**(4): p. 625-631.
- 185. Kelly, J.T., Evaluating Employee Health Risks Due to Hypertension and Obesity: Self-Testing Workplace Health Stations. Postgraduate Medicine, 2009. **121**(1): p. 152-158.
- 186. Uhlig, K., et al., *Self-Measured Blood Pressure Monitoring in the Management of Hypertension*. Annals of Internal Medicine, 2013. **159**(3): p. 185.
- 187. Choudhry, N.K., et al., *At Pitney Bowes, Value-Based Insurance Design Cut Copayments And Increased Drug Adherence*. Health Affairs, 2010. **29**(11): p. 1995-2001.
- 188. Rein, D.B., et al., *Peer Reviewed: A Cost Evaluation of the Georgia Stroke and Heart Attack Prevention Program*. Preventing chronic disease, 2006. **3**(1).
- 189. Musich, S., S. Wang, and K. Hawkins, *The Impact of a Value-Based Insurance Design Plus Health Coaching on Medication Adherence and Medical Spending*. Population Health Management, 2015. **18**(3): p. 151-158.
- 190. Farley, J.F., et al., *Medication adherence changes following value-based insurance design*. The American journal of managed care, 2012. **18**(5): p. 265-274.
- 191. Byrd, K., K. Silliman, and M.N. Morris, *Impact of a three-year worksite wellness program on employee blood lipid levels*. Californian J. Health Promotion, 2008. 6: p. 49-56.
- 192. Engbers, L.H., M.N.M. van Poppel, and W. van Mechelen, *Modest effects of a controlled worksite environmental intervention on cardiovascular risk in office workers*. Preventive Medicine, 2007. **44**(4): p. 356-362.

- 193. Bloch, M.J., et al., Partners in Lowering Cholesterol: Comparison of a Multidisciplinary Educational Program, Monetary Incentives, or Usual Care in the Treatment of Dyslipidemia Identified Among Employees. Journal of Occupational and Environmental Medicine, 2006. **48**(7): p. 675-681.
- 194. Hochart, C. and M. Lang, *Impact of a Comprehensive Worksite Wellness Program on Health Risk, Utilization, and Health Care Costs.* Population Health Management, 2011. **14**(3): p. 111-116.
- 195. Hartman, T.J., et al., *Effects of a Low-Fat, Worksite Intervention on Blood Lipids and Lipoproteins*. Journal of Occupational and Environmental Medicine, 1995. **37**(6): p. 690-696.
- 196. Clark, M.I.A., et al., *Development and Evaluation of a Computer-Based System for Dietary Management of Hyperlipidemia*. Journal of the American Dietetic Association, 1997. **97**(2): p. 146-150.
- 197. Angotti, C.M. and M.S. Levine, *Review of 5 years of a combined dietary and physical fitness intervention for control of serum cholesterol*. Journal of the American Dietetic Association, 1994. **94**(6): p. 634-638.
- 198. Fielding, J.E., et al., *A randomized trial of the IMPACT worksite cholesterol reduction program*. Am J Prev Med, 1995. **11**(2): p. 120-3.
- 199. Austvoll-Dahlgren, A., et al., *Pharmaceutical policies: effects of cap and co-payment on rational drug use, in Cochrane Database of Systematic Reviews*. 2008, Wiley-Blackwell.
- 200. Njie, G.J., *Reducing medication costs to prevent cardiovascular disease: a Community Guide systematic review*. Preventing chronic disease, 2015. 12.
- 201. Matson-Koffman, D. and S. Dai, *Lipid disorders evidence-statement: screening, counseling, and treatment. A Purchaser's Guide to Clinical Preventive Services: Moving Science into Coverage*, L.A. Campbell KP, Dixon R, Chattopadhyay S, Molinari N, Finch RA, Editor. 2006: National Business Group on Health, Washington, DC.
- 202. Benedict, M.A. and D. Arterburn, *Worksite-Based Weight Loss Programs: A Systematic Review of Recent Literature*. American Journal of Health Promotion, 2008. **22**(6): p. 408-416.
- 203. Archer, W.R., et al., *Promising Practices for the Prevention and Control of Obesity in the Worksite*. American Journal of Health Promotion, 2011. **25**(3): p. e12-e26.
- 204. Gazmararian, J.A., et al., *A Randomized Prospective Trial of a Worksite Intervention Program to Increase Physical Activity*. American Journal of Health Promotion, 2013. **28**(1): p. 32-40.
- 205. Cook, C., B. Swinburn, and J. Stewart, *Changing risk behaviours for non-communicable disease in New Zealand working men-is workplace intervention effective?* New Zealand Medical Journal, 2001. **114**(1130): p. 175-178.
- 206. Hallam, J. and R. Petosa, *A Worksite Intervention to Enhance Social Cognitive Theory Constructs to Promote Exercise Adherence*. American Journal of Health Promotion, 1998. **13**(1): p. 4-7.
- 207. Flores Mateo, G., et al., *Mobile Phone Apps to Promote Weight Loss and Increase Physical Activity: A Systematic Review and Meta-Analysis.* Journal of Medical Internet Research, 2015. **17**(11): p. e253.
- 208. Stephens, J. and J. Allen, *Mobile Phone Interventions to Increase Physical Activity and Reduce Weight*. The Journal of Cardiovascular Nursing, 2013. **28**(4): p. 320-329.
- 209. Kahn, E.B., et al., *The effectiveness of interventions to increase physical activity: A systematic review*. American Journal of Preventive Medicine, 2002. **22**(4): p. 73-107.
- 210. Faghri, P.D., et al., *E-technology and Pedometer Walking Program to Increase Physical Activity at Work*. The Journal of Primary Prevention, 2008. **29**(1): p. 73-91.
- 211. Herman, C.W., et al., *Effectiveness of an Incentive-Based Online Physical Activity Intervention on Employee Health Status*. Journal of Occupational and Environmental Medicine, 2006. **48**(9): p. 889-895.
- 212. Sternfeld, B., et al., *Improving Diet and Physical Activity with ALIVE*. American Journal of Preventive Medicine, 2009. **36**(6): p. 475-483.

- 213. Goetzel, R.Z., et al., *First-Year Results of an Obesity Prevention Program at The Dow Chemical Company*. Journal of Occupational and Environmental Medicine, 2009. **51**(2): p. 125-138.
- 214. Vuori, I.M., P. Oja, and O. Paronen, *Physically active commuting to work???testing its potential for exercise promotion*. Medicine & Science in Sports & Exercise, 1994. **26**(7): p. 844???850.
- 215. Neuhaus, M., et al., *Reducing occupational sedentary time: a systematic review and meta-analysis of evidence on activity-permissive workstations*. Obesity Reviews, 2014. **15**(10): p. 822-838.
- 216. Torbeyns, T., et al., Active Workstations to Fight Sedentary Behaviour. Sports Medicine, 2014. 44(9): p. 1261-1273.
- 217. Eckhardt, M.R., J. Kerr, and W.C. Taylor, *Point-of-Decision Signs and Stair Use in a University Worksite Setting: General Versus Specific Messages*. American Journal of Health Promotion, 2015. **29**(5): p. 291-293.
- 218. Kwak, L., et al., *A poster-based intervention to promote stair use in blue- and white-collar worksites*. Preventive Medicine, 2007. **45**(2-3): p. 177-181.
- 219. Boutelle, K.N., et al., *Using Signs, Artwork, and Music to Promote Stair Use in a Public Building*. American Journal of Public Health, 2001. **91**(12): p. 2004-2006.
- 220. Soler, R.E., et al., *Point-of-Decision Prompts to Increase Stair Use*. American Journal of Preventive Medicine, 2010. **38**(2): p. S292-S300.
- 221. Ruff, R.R., et al., Associations between building design, point-of-decision stair prompts, and stair use in urban worksites. Preventive Medicine, 2014. 60: p. 60-64.
- 222. Kerr, N.A., et al., *Increasing Stair Use in a Worksite Through Environmental Changes*. American Journal of Health Promotion, 2004. **18**(4): p. 312-315.
- 223. Barr-Anderson, D.J., et al., *Integration of Short Bouts of Physical Activity Into Organizational Routine*. American Journal of Preventive Medicine, 2011. **40**(1): p. 76-93.
- 224. MacKinnon, D., Long-term Effects of a Worksite Health Promotion Program for Firefighters. American Journal of Health Behavior, 2010. **34**(6).
- 225. Shih, P.C., et al., Use and adoption challenges of wearable activity trackers. iConference 2015 Proceedings, 2015.
- 226. Glance, D.G., et al., Impact of a Digital Activity Tracker-Based Workplace Activity Program on Health and Wellbeing, in Proceedings of the 6th International Conference on Digital Health Conference—DH '16. 2016, Association for Computing Machinery (ACM).
- 227. Poirier, J., et al., *Effectiveness of an Activity Tracker- and Internet-Based Adaptive Walking Program for Adults: A Randomized Controlled Trial.* Journal of Medical Internet Research, 2016. **18**(2): p. e34.
- 228. Petrunoff, N., et al., *Carrots and sticks vs carrots: Comparing approaches to workplace travel plans using disincentives for driving and incentives for active travel.* Journal of Transport & Health, 2015. **2**(4): p. 563-567.
- 229. Petrunoff, N., et al., *The effect of active travel interventions conducted in work settings on driving to work: A systematic review.* Journal of Transport & Health, 2015.
- 230. Scheepers, C.E., et al., *Shifting from car to active transport: A systematic review of the effectiveness of interventions*. Transportation Research Part A: Policy and Practice, 2014. 70: p. 264-280.
- 231. Audrey, S., S. Procter, and A.R. Cooper, *The contribution of walking to work to adult physical activity levels: a cross sectional study*. International Journal of Behavioral Nutrition and Physical Activity, 2014. **11**(1): p. 37.
- 232. Besser, L. and A. Dannenberg, *Walking to Public TransitSteps to Help Meet Physical Activity Recommendations*. American Journal of Preventive Medicine, 2005. **29**(4): p. 273-280.
- 233. Kaczynski, A.T., M.J. Bopp, and P. Wittman, *Association of workplace supports with active commuting*. Prev Chronic Dis, 2010. **7**(6): p. A127.

- 234. Martin, A., et al., *Impact of changes in mode of travel to work on changes in body mass index: evidence from the British Household Panel Survey*. Journal of Epidemiology and Community Health, 2015. **69**(8): p. 753-761.
- 235. Brockman, R. and K.R. Fox, *Physical activity by stealth? The potential health benefits of a workplace transport plan.* Public Health, 2011. **125**(4): p. 210-216.
- 236. Anderson, L.M., et al., *The Effectiveness of Worksite Nutrition and Physical Activity Interventions for Controlling Employee Overweight and Obesity: A Systematic Review.* American Journal of Preventive Medicine, 2009. **37**(4): p. 340-357.
- 237. Final Recommendation Statement: Obesity in Adults, Screening and Management. 2012 February 2, 2017]; Available from: <u>https://www.uspreventiveservicestaskforce.org/Page/Document/RecommendationStatementFinal/obesity-in-adults-screening-and-management</u>.
- 238. Morgan, P.J., et al., *The Impact of a Workplace-Based Weight Loss Program on Work-Related Outcomes in Overweight Male Shift Workers*. Journal of Occupational and Environmental Medicine, 2012. **54**(2): p. 122-127.
- 239. Zinn, C., G.M. Schofield, and W.G. Hopkins, *A "Small-Changes" Workplace Weight Loss and Maintenance Program*. Journal of Occupational and Environmental Medicine, 2012. **54**(10): p. 1230-1238.
- 240. Christensen, J.R., et al., Weight loss among female health care workers- a 1-year workplace based randomized controlled trial in the FINALE-health study. BMC Public Health, 2012. **12**(1).
- 241. Anderson, L.M., et al., *The Effectiveness of Worksite Nutrition and Physical Activity Interventions for Controlling Employee Overweight and Obesity*. American Journal of Preventive Medicine, 2009. **37**(4): p. 340-357.
- 242. Davis, J., et al., *The Impact of a Worksite Weight Management Program on Obesity: A Retrospective Analysis*. Population Health Management, 2014. **17**(5): p. 265-271.
- 243. Carpenter, K.M., et al., *Outcomes and Utilization of a Low Intensity Workplace Weight Loss Program*. Journal of Obesity, 2014. 2014: p. 1-7.
- 244. Terry, P.E., et al., *Effectiveness of a Worksite Telephone-Based Weight Management Program*. American Journal of Health Promotion, 2011. **25**(3): p. 186-189.
- 245. Anderson, J. and L. Dusenbury, *Worksite cholesterol and nutrition: an intervention project in Colorado*. AAOHN journal: official journal of the American Association of Occupational Health Nurses, 1999. **47**(3): p. 99.
- 246. Story, M., et al., *Creating Healthy Food and Eating Environments: Policy and Environmental Approaches*. Annual Review of Public Health, 2008. **29**(1): p. 253-272.
- 247. Geaney, F., et al., *The impact of a workplace catering initiative on dietary intakes of salt and other nutrients: a pilot study*. Public Health Nutrition, 2011. **14**(08): p. 1345-1349.
- 248. Thorsen, A.V., et al., *Long-term sustainability of a worksite canteen intervention of serving more fruit and vegetables*. Public Health Nutrition, 2010. **13**(10): p. 1647-1652.
- 249. Serra-Majem, L., B. Roman, and R. Estruch, *Scientific Evidence of Interventions Using the Mediterranean Diet: A Systematic Review*. Nutrition Reviews, 2006. 64: p. S27-S47.
- 250. Eckel, R.H., et al., 2013 AHA/ACC Guideline on Lifestyle Management to Reduce Cardiovascular Risk. Journal of the American College of Cardiology, 2014. **63**(25): p. 2960-2984.
- 251. Lloyd-Jones, D.M., et al., *Defining and Setting National Goals for Cardiovascular Health Promotion and Disease Reduction: The American Heart Association's Strategic Impact Goal Through 2020 and Beyond.* Circulation, 2010. **121**(4): p. 586-613.
- 252. Centers for Disease Control and Prevention *Improving the Food Environment Through Nutrition Standards: A Guide for Government Procurement*. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Division for Heart Disease and Stroke Prevention, February 2011.

- 253. Office of Personnel Management. *Health and Sustainability Guidelines for Federal Concessions and Vending Operation*. 2012; Available from: <u>https://www.cdc.gov/obesity/downloads/guidelines for federal concessions and vending operations-2012.pdf</u>.
- 254. Gorton, D., C.R. Bullen, and C.N. Mhurchu, *Environmental influences on food security in high-income countries*. Nutrition Reviews, 2010. **68**(1): p. 1-29.
- 255. Grech, A. and M. Allman-Farinelli, *A systematic literature review of nutrition interventions in vending machines that encourage consumers to make healthier choices*. Obesity Reviews, 2015. **16**(12): p. 1030-1041.
- 256. Engbers, L.H., et al., *Worksite Health Promotion Programs with Environmental Changes*. American Journal of Preventive Medicine, 2005. **29**(1): p. 61-70.
- 257. Jeffery, R.W., et al., *An Environmental Intervention to Increase Fruit and Salad Purchases in a Cafeteria*. Preventive Medicine, 1994. **23**(6): p. 788-792.
- 258. Burton, S., et al., Attacking the Obesity Epidemic: The Potential Health Benefits of Providing Nutrition Information in *Restaurants*. American Journal of Public Health, 2006. **96**(9): p. 1669-1675.
- 259. Roberto, C.A., et al., *Evaluating the Impact of Menu Labeling on Food Choices and Intake*. American Journal of Public Health, 2010. **100**(2): p. 312-318.
- 260. Vanderlee, L. and D. Hammond, *Does nutrition information on menus impact food choice? Comparisons across two hospital cafeterias*. Public Health Nutrition, 2013. **17**(06): p. 1393-1402.
- 261. Chu, Y.H., et al., *Improving Patrons' Meal Selections Through the Use of Point-of-Selection Nutrition Labels*. American Journal of Public Health, 2009. **99**(11): p. 2001-2005.
- 262. Lassen, A.D., et al., *Effectiveness of offering healthy labelled meals in improving the nutritional quality of lunch meals eaten in a worksite canteen*. Appetite, 2014. 75: p. 128-134.
- 263. Arsenault, J.E., M.C. Singleton, and L.K. Funderburk, *Use of the Go-for-Green Nutrition Labeling System in Military Dining Facilities Is Associated with Lower Fat Intake*. Journal of the Academy of Nutrition and Dietetics, 2014. **114**(7): p. 1067-1071.
- 264. Hersey, J.C., et al., *Effects of front-of-package and shelf nutrition labeling systems on consumers*. Nutrition Reviews, 2013.
 71(1): p. 1-14.
- 265. Thorndike, A.N., et al., *A 2-Phase Labeling and Choice Architecture Intervention to Improve Healthy Food and Beverage Choices*. American Journal of Public Health, 2012. **102**(3): p. 527-533.
- 266. French, S.A., et al., *Pricing Strategy to Promote Fruit and Vegetable Purchase in High School Cafeterias*. Journal of the American Dietetic Association, 1997. **97**(9): p. 1008-1010.
- 267. French, S.A., et al., *Pricing and promotion effects on low-fat vending snack purchases: the CHIPS Study*. American journal of public health, 2001. **91**(1): p. 112.
- 268. Horgen, K.B. and K.D. Brownell, *Comparison of price change and health message interventions in promoting healthy food choices*. Health Psychology, 2002. **21**(5): p. 505-512.
- 269. Centers for Disease Control and Prevention. *Strategies to Prevent Obesity and Other Chronic Diseases: The CDC Guide to Strategies to Increase the Consumption of Fruits and Vegetables*. Atlanta: U.S. Department of Health and Human Services; 2011. Available from: <u>https://www.cdc.gov/obesity/downloads/strategies-fruits-and-vegetables.pdf</u>.
- 270. Centers for Disease Control and Prevention. *Healthy Food at Meetings Guide*. 2006; Available from: <u>http://www.cdc.gov/nccdphp/dnpa/pdf/Healthy_Worksite_food.pdf</u>.
- 271. Brown, C. and S. Miller, *The Impacts of Local Markets: A Review of Research on Farmers Markets and Community Supported Agriculture (CSA)*. American Journal of Agricultural Economics, 2008. **90**(5): p. 1296-1302.
- 272. Cromp, D., et al., *Kaiser Permanente's Farmers' Market Program: Description, Impact, and Lessons Learned*. Journal of Agriculture, Food Systems, and Community Development, 2012: p. 29-36.

- 273. Thi, C.A., et al., Farm to Work: Development of a Modified Community-Supported Agriculture Model at Worksites, 2007–2012. Preventing Chronic Disease, 2015. 12.
- 274. Glanz, K., G. Sorensen, and A. Farmer, *The Health Impact of Worksite Nutrition and Cholesterol Intervention Programs*. American Journal of Health Promotion, 1996. **10**(6): p. 453-470.
- 275. Anderson, L.M., et al., *The effectiveness of worksite nutrition and physical activity interventions for controlling employee overweight and obesity: a systematic review.* American journal of preventive medicine, 2009. **37**(4): p. 340-357.
- 276. Gans, K.M., et al., *Innovative video tailoring for dietary change: final results of the Good for you! cluster randomized trial.* International Journal of Behavioral Nutrition and Physical Activity, 2015. **12**(1).
- 277. Larson, N.I., et al., *Food Preparation by Young Adults Is Associated with Better Diet Quality*. Journal of the American Dietetic Association, 2006. **106**(12): p. 2001-2007.
- 278. Blanck, H.M., et al., *Factors Influencing Lunchtime Food Choices Among Working Americans*. Health Education & Behavior, 2009. **36**(2): p. 289-301.
- 279. Stookey, J.D., et al., *Replacing Sweetened Caloric Beverages with Drinking Water Is Associated with Lower Energy Intake***. Obesity, 2007. **15**(12): p. 3013-3022.
- 280. Kenney, E.L., et al., *Grab a Cup, Fill It Up! An Intervention to Promote the Convenience of Drinking Water and Increase Student Water Consumption During School Lunch.* American Journal of Public Health, 2015. **105**(9): p. 1777-1783.
- 281. Elbel, B., et al., A Water Availability Intervention in New York City Public Schools: Influence on Youths' Water and Milk Behaviors. American Journal of Public Health, 2015. **105**(2): p. 365-372.
- 282. Fogle, C.C., et al., *Increasing employee awareness of the signs and symptoms of heart attack and the need to use 911 in a state health department*. Prev Chronic Dis, 2004. **1**(3): p. A07.
- 283. Oser, C.S., et al., Cooperative Strategies to Develop Effective Stroke and Heart Attack Awareness Messages in Rural American Indian Communities, 2009–2010. Preventing Chronic Disease, 2013. 10.
- 284. Titus-Howard, T., et al., A survey of employees' knowledge and attitudes about cardiovascular health and their employees' roles in employee health improvement: Implications for worksite engagement. Journal of Health and Productivity, 2009.
 4(2): p. 7-18.
- 285. Lynch, B., et al., *Effectiveness of a 30-min CPR self-instruction program for lay responders: a controlled randomized study*. Resuscitation, 2005. **67**(1): p. 31-43.
- 286. Tadros, A., et al., *Emergency Medical Services-Based Community Stroke Education: Pilot Results From a Novel Approach*. Stroke, 2009. **40**(6): p. 2134-2142.
- 287. Davis, S.M., et al., The Impact of the Extended Parallel Process Model on Stroke Awareness: Pilot Results From a Novel Study * Supplemental Text. Stroke, 2009. **40**(12): p. 3857-3863.
- 288. Fogle, C.C., et al., *Impact of Media on Community Awareness of Stroke Warning Signs: A Comparison Study*. Journal of Stroke and Cerebrovascular Diseases, 2010. **19**(5): p. 370-375.
- 289. Silver, F.L., et al., Advertising Strategies to Increase Public Knowledge of the Warning Signs of Stroke. Stroke, 2003. **34**(8): p. 1965-1968.
- 290. Starr, L.M., *Automated External Defibrillation in the Occupational Setting*. Journal of Occupational and Environmental Medicine, 2012. **54**(9): p. 1170-1176.
- 291. Sasson, C., et al., *Predictors of Survival From Out-of-Hospital Cardiac Arrest*. Circulation: Cardiovascular Quality and Outcomes, 2010. **3**(1): p. 63-81.
- 292. Hallstrom, A.P., et al., *Public-access defibrillation and survival after out-of-hospital cardiac arrest*. The New England journal of medicine, 2004. **351**(7): p. 637.

- 293. Kilaru, A.S., et al., *Use of Automated External Defibrillators in US Federal Buildings*. Journal of Occupational and Environmental Medicine, 2014. **56**(1): p. 86-91.
- 294. Page, R.L., et al., *Use of automated external defibrillators by a US airline*. New England Journal of Medicine, 2000. **343**(17): p. 1210-1216.
- 295. Mancini, M.E., et al., *Improving workplace safety training using a self-directed CPR-AED learning program*. Aaohn Journal, 2009. **57**(4): p. 159-169.
- 296. Page, R.L., et al., *Use of Automated External Defibrillators by a U.S. Airline*. New England Journal of Medicine, 2000. **343**(17): p. 1210-1216.
- 297. Orchard, T.J., *The Effect of Metformin and Intensive Lifestyle Intervention on the Metabolic Syndrome: The Diabetes Prevention Program Randomized Trial*. Annals of Internal Medicine, 2005. **142**(8): p. 611.
- 298. Herman, W.H., The Cost-Effectiveness of Lifestyle Modification or Metformin in Preventing Type 2 Diabetes in Adults with Impaired Glucose Tolerance. Annals of Internal Medicine, 2005. **142**(5): p. 323.
- 299. Oberlinner, C., et al., *Screening for pre-diabetes and diabetes in the workplace*. Occupational Medicine, 2008. **58**(1): p. 41-45.
- 300. Aldana, S.G., et al., *The diabetes prevention program: a worksite experience*. AAOHN journal: official journal of the American Association of Occupational Health Nurses, 2005. **53**(11): p. 499.
- 301. Rouseff, M., et al., One-year outcomes of an intense workplace cardio-metabolic risk reduction program among high-risk employees: The My Unlimited Potential. Obesity, 2015. **24**(1): p. 71-78.
- 302. Chatterjee, R., et al., Screening Adults for Pre-Diabetes and Diabetes May Be Cost-Saving. Diabetes Care, 2010. **33**(7): p. 1484-1490.
- 303. Siu, A.L., Screening for Depression in Children and Adolescents: US Preventive Services Task Force Recommendation Statement. PEDIATRICS, 2016. **137**(3): p. e20154467-e20154467.
- 304. Baba, M., et al., *A comparison of two methods of foot health education: The Fremantle Diabetes Study Phase II.* Primary Care Diabetes, 2015. **9**(2): p. 155-162.
- 305. Selea, A., et al., *The effects of education with printed material on glycemic control in patients with diabetes type 2 treated with different therapeutic regimens.* Vojnosanitetski pregled, 2011. **68**(8): p. 676-683.
- 306. Deakin, T.A., et al., *Group based training for self-management strategies in people with type 2 diabetes mellitus, in Cochrane Database of Systematic Reviews.* 2005, Wiley-Blackwell.
- 307. Ruiz-González, I., et al., *Long-term effects of an intensive-practical diabetes education program on HbA1c and self-care*. Applied Nursing Research, 2016. 31: p. 13-18.
- 308. North, S.L. and G.A. Palmer, *Outcome Analysis of Hemoglobin A1c, Weight, and Blood Pressure in a VA Diabetes Education Program.* Journal of Nutrition Education and Behavior, 2015. **47**(1): p. 28-35.
- 309. Ackermann, R.T., et al., *An Evaluation of Cost Sharing to Finance a Diet and Physical Activity Intervention to Prevent Diabetes*. Diabetes Care, 2006. **29**(6): p. 1237-1241.
- 310. Finch, E.A., et al., *Training YMCA Wellness Instructors to Deliver an Adapted Version of the Diabetes Prevention Program Lifestyle Intervention*. The Diabetes Educator, 2009. **35**(2): p. 224-232.
- 311. Chrvala, C.A., D. Sherr, and R.D. Lipman, *Diabetes self-management education for adults with type 2 diabetes mellitus: A systematic review of the effect on glycemic control*. Patient Education and Counseling, 2016. **99**(6): p. 926-943.
- 312. Pal, K., et al., *Computer-based diabetes self-management interventions for adults with type 2 diabetes mellitus*. The Cochrane Library, 2013.
- 313. Weinhold, K.R., et al., A Randomized Controlled Trial Translating the Diabetes Prevention Program to a University Worksite, Ohio, 2012–2014. Preventing Chronic Disease, 2015. 12.

- 314. Chou, R., *Diagnosis and Treatment of Low Back Pain: A Joint Clinical Practice Guideline from the American College of Physicians and the American Pain Society.* Annals of Internal Medicine, 2007. **147**(7): p. 478.
- 315. Group, D.P.P.R., 10-year follow-up of diabetes incidence and weight loss in the Diabetes Prevention Program Outcomes Study. The Lancet, 2009. **374**(9702): p. 1677-1686.
- 316. Ali, M.K., J.B. Echouffo-Tcheugui, and D.F. Williamson, *How Effective Were Lifestyle Interventions In Real-World Settings That Were Modeled On The Diabetes Prevention Program?* Health Affairs, 2012. **31**(1): p. 67-75.
- 317. Mudaliar, U., et al., *Cardiometabolic Risk Factor Changes Observed in Diabetes Prevention Programs in US Settings: A Systematic Review and Meta-analysis.* PLOS Medicine, 2016. **13**(7): p. e1002095.
- 318. Li, R., et al., *Economic Evaluation of Combined Diet and Physical Activity Promotion Programs to Prevent Type 2 Diabetes Among Persons at Increased Risk: A Systematic Review for the Community Preventive Services Task Force.* Annals of Internal Medicine, 2015. **163**(6): p. 452.
- 319. Diabetes Prevention and Control: Combined Diet and Physical Activity Promotion Programs to Prevent Type 2 Diabetes Among People at Increased Risk. 2015, Community Preventive Services Task Force.
- 320. Tice, J.A., et al., *Diabetes Prevention Programs: Effectiveness and Value*. 2016, Institute for Clinical and Economic Review.
- 321. Mahoney, J.J., *Reducing patient drug acquisition costs can lower diabetes health claims*. Am J Manag Care, 2005. **11**(5 suppl): p. S170-S176.
- 322. Karter, A.J., et al., Out-of-Pocket Costs and Diabetes Preventive Services: The Translating Research Into Action for Diabetes (TRIAD) study. Diabetes Care, 2003. **26**(8): p. 2294-2299.
- 323. Tseng, C.W., et al., *Race/ethnicity and economic differences in cost-related medication underuse among insured adults with diabetes*. Diabetes Care, 2008. **31**(2): p. 261.
- 324. Elliott, D.J., et al., *Patient-Centered Outcomes of a Value-Based Insurance Design Program for Patients with Diabetes*. Population Health Management, 2013. **16**(2): p. 99-106.
- 325. Lerner, D., et al., A Randomized Clinical Trial of a Telephone Depression Intervention to Reduce Employee Presenteeism and Absenteeism. Psychiatric Services, 2015. **66**(6): p. 570-577.
- 326. Couser, G.P., Challenges and Opportunities for Preventing Depression in the Workplace: A Review of the Evidence Supporting Workplace Factors and Interventions. Journal of Occupational and Environmental Medicine, 2008. **50**(4): p. 411-427.
- 327. Hammer, J.H. and D.L. Vogel, *Men's Help Seeking for Depression: The Efficacy of a Male-Sensitive Brochure About Counseling*. The Counseling Psychologist, 2010. **38**(2): p. 296-313.
- 328. Highet, N. and G. Culjak, *Are mailouts an effective health promotion strategy? If so, for whom?* International Journal of Mental Health Promotion, 2012. **14**(1): p. 13-22.
- 329. Evers, K.E., et al., *A randomized clinical trial of a population- and transtheoretical model-based stress-management intervention*. Health Psychology, 2006. **25**(4): p. 521-529.
- 330. Corbière, M., et al., A systematic review of preventive interventions regarding mental health issues in organizations. Work (Reading, Mass.), 2009. **33**(1): p. 81.
- 331. Martin, A., K. Sanderson, and F. Cocker, *Meta-analysis of the effects of health promotion intervention in the workplace on depression and anxiety symptoms*. Scandinavian journal of work, environment & health, 2009: p. 7-18.
- 332. Mino, Y., et al., *Can Stress Management at the Workplace Prevent Depression? A Randomized Controlled Trial*. Psychotherapy and Psychosomatics, 2006. **75**(3): p. 177-182.
- 333. Kawakami, N., et al., *Effects of work-related stress reduction on depressive symptoms among Japanese blue-collar workers*. Scandinavian journal of work, environment & health, 1997. **23**(1): p. 54-59.

- 334. Kuoppala, J., A. Lamminpää, and P. Husman, *Work health promotion, job well-being, and sickness absences-a systematic review and meta-analysis.* Journal of occupational and environmental medicine, 2008. **50**(11): p. 1216.
- 335. Koertge, J., et al., *Effects of a stress management program on vital exhaustion and depression in women with coronary heart disease: a randomized controlled intervention study.* Journal of internal medicine, 2008. **263**(3): p. 281-293.
- 336. Kitchener, B.A. and A.F. Jorm, *Mental health first aid training in a workplace setting: A randomized controlled trial [ISRCTN13249129]*. BMC Psychiatry, 2004. 4(1).
- 337. Vuori, J., S. Toppinen-Tanner, and P. Mutanen, *Effects of resource-building group intervention on career management and mental health in work organizations: Randomized controlled field trial*. Journal of Applied Psychology, 2012. **97**(2): p. 273-286.
- 338. Lo Sasso, A.T., K. Rost, and A. Beck, *Modeling the Impact of Enhanced Depression Treatment on Workplace Functioning and Costs*. Medical Care, 2006. **44**(4): p. 352-358.
- 339. Hargrave, G.E. and D. Hiatt, *The EAP Treatment of Depressed Employees*. Employee Assistance Quarterly, 2005. **19**(4): p. 39-49.
- 340. Roman, P. and T. Blum, *Employee assistance programs and other workplace preventive strategies*. The textbook of substance abuse treatment, 2004: p. 423-435.
- 341. McLeod, J. and J. McLeod, *How effective is workplace counselling? A review of the research literature*. Counselling and Psychotherapy Research, 2001. **1**(3): p. 184-190.
- 342. Adler, D.A., et al., *Improving work outcomes of dysthymia (persistent depressive disorder) in an employed population*. General Hospital Psychiatry, 2015. **37**(4): p. 352-359.
- 343. Szeto, A.C.H. and K.S. Dobson, *Reducing the stigma of mental disorders at work: A review of current workplace anti-stigma intervention programs*. Applied and Preventive Psychology, 2010. **14**(1-4): p. 41-56.
- 344. Burton, W.N. and D.J. Conti, *Depression in the Workplace: The Role of the Corporate Medical Director*. Journal of Occupational and Environmental Medicine, 2008. **50**(4): p. 476-481.
- 345. Campbell, K., et al., *A purchaser's guide to clinical preventive services: moving science into coverage*. Washington (DC): National Business Group on Health, 2006.
- 346. McCraty, R., M. Atkinson, and D. Tomasino, *Impact of a Workplace Stress Reduction Program on Blood Pressure and Emotional Health in Hypertensive Employees*. The Journal of Alternative and Complementary Medicine, 2003. **9**(3): p. 355-369.
- 347. Lucini, D., et al., *Stress Management at the Worksite: Reversal of Symptoms Profile and Cardiovascular Dysregulation*. Hypertension, 2007. **49**(2): p. 291-297.
- 348. Billings, D.W., et al., A Web-Based Approach to Managing Stress and Mood Disorders in the Workforce. Journal of Occupational and Environmental Medicine, 2008. **50**(8): p. 960-968.
- 349. Bazarko, D., et al., *The Impact of an Innovative Mindfulness-Based Stress Reduction Program on the Health and Well-Being of Nurses Employed in a Corporate Setting.* Journal of Workplace Behavioral Health, 2013. **28**(2): p. 107-133.
- 350. Limm, H., et al., *Stress management interventions in the workplace improve stress reactivity: a randomised controlled trial.* Occupational and Environmental Medicine, 2010. **68**(2): p. 126-133.
- 351. Krajewski, J., M. Sauerland, and R. Wieland, *Relaxation-induced cortisol changes within lunch breaks—an experimental longitudinal worksite field study*. Journal of Occupational and Organizational Psychology, 2011. **84**(2): p. 382-394.
- 352. McDaniel, C., et al., *Encouraging Relaxation for Patients and Staff in a High-Tech Environment*. Journal of Radiology Nursing, 2011. **30**(4): p. 150-152.
- 353. Tews, M.J., J.W. Michel, and K. Stafford, *Does Fun Pay? The Impact of Workplace Fun on Employee Turnover and Performance*. Cornell Hospitality Quarterly, 2013. **54**(4): p. 370-382.

- 354. Plester, B. and A. Hutchison, *Fun times: the relationship between fun and workplace engagement*. Employee Relations, 2016. **38**(3): p. 332-350.
- 355. Karl, K., et al., *Attitudes Toward Workplace Fun: A Three Sector Comparison*. Journal of Leadership & Organizational Studies, 2005. **12**(2): p. 1-17.
- 356. Klein, C., et al., Does Team Building Work? Small Group Research, 2009. 40(2): p. 181-222.
- 357. Avey, J.B., F. Luthans, and S.M. Jensen, *Psychological capital: A positive resource for combating employee stress and turnover*. Human Resource Management, 2009. **48**(5): p. 677-693.
- 358. Holt-Lunstad, J., T.B. Smith, and J.B. Layton, *Social Relationships and Mortality Risk: A Meta-analytic Review*. PLoS Medicine, 2010. **7**(7): p. e1000316.
- 359. Boyas, J., L.H. Wind, and S.-Y. Kang, *Exploring the relationship between employment-based social capital, job stress, burnout, and intent to leave among child protection workers: An age-based path analysis model.* Children and Youth Services Review, 2012. **34**(1): p. 50-62.
- 360. Kossek, E.E. and L.B. Hammer, Supervisor Work/Life Training Gets Results. harvard business review, 2008. 2008: p. 36-36.
- Kossek, E.E., et al., *Designing Work, Family & Health Organizational Change Initiatives*. Organizational Dynamics, 2014.
 43(1): p. 53-63.
- Tsutsumi, A., et al., Participatory Intervention for Workplace Improvements on Mental Health and Job Performance Among Blue-Collar Workers: A Cluster Randomized Controlled Trial. Journal of Occupational and Environmental Medicine, 2009.
 51(5): p. 554-563.
- 363. Bourbonnais, R., *Development and implementation of a participative intervention to improve the psychosocial work environment and mental health in an acute care hospital*. Occupational and Environmental Medicine, 2006. **63**(5): p. 326-334.
- 364. MacKay, C.J., et al., 'Management Standards' and work-related stress in the UK: Policy background and science. Work & Stress, 2004. **18**(2): p. 91-112.
- 365. Kim, S.-A., et al., *Effectiveness of a Comprehensive Stress Management Program to Reduce Work-Related Stress in a Medium-Sized Enterprise*. Annals of Occupational and Environmental Medicine, 2014. **26**(1).
- 366. Nyberg, A., et al., *Managerial leadership and ischaemic heart disease among employees: the Swedish WOLF study*. Occupational and Environmental Medicine, 2009. **66**(1): p. 51-55.
- 367. Westerlund, H., et al., Managerial leadership is associated with employee stress, health, and sickness absence independently of the demand-control-support model. Work, 2010. **37**(1): p. 71-79.
- 368. Pidd, K., R. Boeckmann, and M. Morris, *Adolescents in transition: The role of workplace alcohol and other drug policies as a prevention strategy*. Drugs: Education, Prevention and Policy, 2006. **13**(4): p. 353-365.
- 369. Pidd, K., V. Kostadinov, and A. Roche, *Do workplace policies work? An examination of the relationship between alcohol and other drug policies and workers' substance use*. International Journal of Drug Policy, 2016. 28: p. 48-54.
- 370. Carpenter, C.S., Workplace Drug Testing and Worker Drug Use. Health Services Research, 2007. 42(2): p. 795-810.
- 371. Bennett, J.B., et al., *Team Awareness, Problem Drinking, and Drinking Climate: Workplace Social Health Promotion in a Policy Context*. American Journal of Health Promotion, 2004. **19**(2): p. 103-113.
- 372. Pidd, K. and A.M. Roche, *How effective is drug testing as a workplace safety strategy? A systematic review of the evidence.* Accident Analysis & Prevention, 2014. 71: p. 154-165.
- 373. Ames, G.M., J.W. Grube, and R.S. Moore, *Social control and workplace drinking norms: a comparison of two organizational cultures*. Journal of Studies on Alcohol, 2000. **61**(2): p. 203-219.
- 374. Whitlock, E.P., *Behavioral Counseling Interventions in Primary Care To Reduce Risky/Harmful Alcohol Use by Adults: A Summary of the Evidence for the U.S. Preventive Services Task Force*. Annals of Internal Medicine, 2004. **140**(7): p. 557.

- 375. Babor, T.F., et al., Screening, Brief Intervention, and Referral to Treatment (SBIRT). Substance Abuse, 2007. 28(3): p. 7-30.
- 376. Doumas, D.M. and E. Hannah, *Preventing high-risk drinking in youth in the workplace: A web-based normative feedback program*. Journal of Substance Abuse Treatment, 2008. **34**(3): p. 263-271.
- 377. Hermansson, U., et al., Screening and Brief Intervention for Risky Alcohol Consumption in the Workplace: Results of a 1-Year Randomized Controlled Study. Alcohol and Alcoholism, 2010. **45**(3): p. 252-257.
- 378. McPherson, T.L., et al., *Telephonic screening and brief intervention for alcohol misuse among workers contacting the employee assistance program: A feasibility study*. Drug and Alcohol Review, 2010. **29**(6): p. 641-646.
- 379. Webb, G., et al., A systematic review of work-place interventions for alcohol-related problems. Addiction, 2009. **104**(3): p. 365-377.
- Schneider, R.J., J. Casey, and R. Kohn, *Motivational versus confrontational interviewing: A comparison of substance abuse assessment practices at employee assistance programs*. The Journal of Behavioral Health Services & Research, 2000.
 27(1): p. 60-74.
- 381. Preventing Excessive Alcohol Consumption: Electronic Screening and Brief Interventions (e-SBI) Task Force Finding and Rationale Statement. 2012, Community Preventive Services Task Force.
- 382. Matano, R.A., et al., *A pilot study of an interactive web site in the workplace for reducing alcohol consumption*. Journal of Substance Abuse Treatment, 2007. **32**(1): p. 71-80.
- 383. Spicer, R.S. and T.R. Miller, *The Evaluation of a Workplace Program to Prevent Substance Abuse: Challenges and Findings.* The Journal of Primary Prevention, 2016. **37**(4): p. 329-343.
- 384. Bennett, J.B. and W.E.K. Lehman, *Workplace substance abuse prevention and help seeking: Comparing team-oriented and informational training*. Journal of Occupational Health Psychology, 2001. **6**(3): p. 243-254.
- 385. Reynolds, G.S. and J.B. Bennett, A Cluster Randomized Trial of Alcohol Prevention in Small Businesses: A Cascade Model of Help Seeking and Risk Reduction. American Journal of Health Promotion, 2015. **29**(3): p. 182-191.
- 386. Patterson, C.R., J.B. Bennett, and W.L. Wiitala, *Healthy and Unhealthy Stress Unwinding: Promoting Health in Small Businesses*. Journal of Business and Psychology, 2005. **20**(2): p. 221-247.
- 387. Bennett, J.B., et al., *Team resilience for young restaurant workers: Research-to-practice adaptation and assessment*. Journal of Occupational Health Psychology, 2010. **15**(3): p. 223-236.
- 388. Broome, K.M. and J.B. Bennett, *Reducing Heavy Alcohol Consumption in Young Restaurant Workers**. Journal of Studies on Alcohol and Drugs, 2011. **72**(1): p. 117-124.
- 389. Cook, R.F., et al., Integrating substance abuse prevention into health promotion programs in the workplace: A social cognitive intervention targeting the mainstream user, in Preventing workplace substance abuse: Beyond drug testing to wellness. 2003, American Psychological Association (APA). p. 97-133.
- 390. Galvin, D.M., *Workplace managed care: Collaboration for substance abuse prevention*. The Journal of Behavioral Health Services & Research, 2000. **27**(2): p. 125-130.
- 391. Frone, M.R. and J.R. Trinidad, *Perceived physical availability of alcohol at work and workplace alcohol use and impairment: testing a structural model*. Psychology of Addictive Behaviors, 2014. **28**(4): p. 1271.
- 392. Hodgins, D.C., R. Williams, and G. Munro, *Workplace Responsibility, Stress, Alcohol Availability and Norms as Predictors of Alcohol Consumption-Related Problems Among Employed Workers*. Substance Use & Misuse, 2009. **44**(14): p. 2062-2069.
- 393. Haegerich, T.M., et al., What we know, and don't know, about the impact of state policy and systems-level interventions on prescription drug overdose. Drug and Alcohol Dependence, 2014. 145: p. 34-47.
- 394. Cummings, J.R., et al., *Health Insurance Coverage and the Receipt of Specialty Treatment for Substance Use Disorders Among U.S. Adults*. Psychiatric Services, 2014. **65**(8): p. 1070-1073.
- 395. Wen, H., et al., *State Parity Laws and Access to Treatment for Substance Use Disorder in the United States*. JAMA Psychiatry, 2013. **70**(12): p. 1355.

- 396. Hours of Service of Drivers, F.M.C.S.A. Department of Transportation, Editor. 2011.
- 397. Federal Regulation. Title 14, Chapter 1, Subchapter F, Part 91, F.A. Administration, Editor. 2017.
- 398. Second Interim Statement of Agency Policy and Interpretation on the Hours of Service Laws as Amended in 2008, F.R. Administration, Editor. 2013.
- 399. Nasca, T.J., S.H. Day, and E.S. Amis, *The New Recommendations on Duty Hours from the ACGME Task Force*. New England Journal of Medicine, 2010. **363**(2): p. e3.
- 400. Berger, M.B., et al. *A corporate driven sleep apnea detection and treatment program: Results and challenges*. in Final Proceedings: International Truck and Bus Safety and Security Symposium. 2005. Alexandria, Virginia.
- 401. Berger, M., et al., *Employer-Mandated Sleep Apnea Screening and Diagnosis in Commercial Drivers*. Journal of Occupational and Environmental Medicine, 2012. **54**(8): p. 1017-1025.
- 402. Parks, P.D., et al., *Screening for Obstructive Sleep Apnea During Commercial Driver Medical Examinations*. Journal of Occupational and Environmental Medicine, 2009. **51**(3): p. 275-282.
- 403. Burks, S.V., et al., Nonadherence with employer-mandated sleep apnea treatment and increased risk of serious truck crashes. Sleep, 2016. **39**(5): p. 967.
- 404. Garde, A.H., K. Nabe-Nielsen, and B. Aust, *Influence on working hours among shift workers and effects on sleep quality— An intervention study*. Applied Ergonomics, 2011. **42**(2): p. 238-243.
- 405. Arora, V., *The Effects of On-Duty Napping on Intern Sleep Time and Fatigue*. Annals of Internal Medicine, 2006. **144**(11): p. 792.
- 406. Holbrook, M.I., M.H. White, and M.J. Hutt, *Increasing awareness of sleep hygiene in rotating shift workers: arming law*enforcement officers against impaired performance. Perceptual and motor skills, 1994. **79**(1): p. 520-522.
- 407. Wozniak, D.R., T.J. Lasserson, and I. Smith, *Educational, supportive and behavioural interventions to improve usage of continuous positive airway pressure machines in adults with obstructive sleep apnoea*, in Cochrane Database of Systematic Reviews. 2014, Wiley-Blackwell.
- 408. Lerman, S.E., et al., *Fatigue Risk Management in the Workplace. Journal of Occupational and Environmental Medicine,* 2012. **54**(2): p. 231-258.
- 409. Cappuccio, F.P., et al., Implementing a 48 h EWTD-compliant rota for junior doctors in the UK does not compromise patients' safety: assessor-blind pilot comparison. QJM, 2009. **102**(4): p. 271-282.
- 410. Goldberg, L., et al., *Healthy Team Healthy U: A Prospective Validation of an Evidence-Based Worksite Health Promotion and Wellness Platform*. Frontiers in Public Health, 2015. 3.
- 411. Kuehl, K.S., et al., *The Safety and Health Improvement: Enhancing Law Enforcement Departments Study: Feasibility and Findings*. Frontiers in Public Health, 2014. 2.
- 412. Carter, P.A., K.A. Dyer, and S.Q. Mikan, *Sleep Disturbance, Chronic Stress, and Depression in Hospice Nurses: Testing the Feasibility of an Intervention*. Oncology Nursing Forum, 2013. **40**(5): p. E368-E373.
- 413. Gander, P., et al., *Fatigue risk management: Organizational factors at the regulatory and industry/company level*. Accident Analysis & Prevention, 2011. **43**(2): p. 573-590.
- 414. Rosekind, M.R., Awakening a nation: A call to action. Sleep Health, 2015. 1(1): p. 9-10.
- 415. Barger, L.K., et al., *Extended Work Shifts and the Risk of Motor Vehicle Crashes among Interns*. New England Journal of Medicine, 2005. **352**(2): p. 125-134.
- 416. Swanson, L.M., C. Drake, and J.T. Arnedt, *Employment and Drowsy Driving: A Survey of American Workers*. Behavioral Sleep Medicine, 2012. **10**(4): p. 250-257.
- 417. Scott, L.D., et al., *The relationship between nurse work schedules, sleep duration, and drowsy driving*. Sleep, 2007. **30**(12): p. 1801.

- 418. Control, C.f.D. and Prevention, *Effect of short sleep duration on daily activities--United States, 2005-2008*. MMWR. Morbidity and mortality weekly report, 2011. **60**(8): p. 239.
- 419. *Fatigue Management and Mitigation Statement of Policy*. 2014, Accreditation Council for Graduate Medical Education (ACGME).
- 420. Yazdani, A., et al., *How compatible are participatory ergonomics programs with occupational health and safety management systems?* Scandinavian journal of work, environment & health, 2015. **41**(2): p. 111-123.
- 421. Ho, W.-Y., et al., *Effectiveness of computerized risk assessment system on enhancing workers' occupational health and attitudes towards occupational health*. Work, 2014. **48**(4): p. 471-484.
- 422. Engkvist, I.-L., *Evaluation of an intervention comprising a No Lifting Policy in Australian hospitals*. Applied Ergonomics, 2006. **37**(2): p. 141-148.
- 423. Smith, M.L., et al., *Typing performance and body discomfort among overweight and obese office workers: A pilot study of keyboard modification*. Applied Ergonomics, 2015. 46: p. 30-37.
- 424. Goetzel, R.Z., et al., *Measuring the Prevalence and Incidence of Low Back Pain Disorders Among American Workers in the Aerospace and Defense Industry*. Journal of Occupational and Environmental Medicine, 2015. **57**(9): p. 998-1003.
- 425. Hoe, V.C., et al., *Ergonomic design and training for preventing work-related musculoskeletal disorders of the upper limb and neck in adults*. The Cochrane Library, 2012.
- 426. Rivilis, I., et al., *Evaluation of a participatory ergonomic intervention aimed at improving musculoskeletal health*. American journal of industrial medicine, 2006. **49**(10): p. 801-810.
- 427. Shaw, W.S., C.J. Main, and V. Johnston, *Addressing Occupational Factors in the Management of Low Back Pain: Implications for Physical Therapist Practice*. Physical Therapy, 2011. **91**(5): p. 777-789.
- 428. Policy Statement: Musculoskeletal disorders as a public health concern. 2011, American Public Health Association (APHA).
- 429. Burgess-Limerick, R., et al., *Implementation of the Participative Ergonomics for Manual tasks (PErforM) programme at four Australian underground coal mines*. International Journal of Industrial Ergonomics, 2007. **37**(2): p. 145-155.
- 430. Ewert, T., et al., *The Comparative Effectiveness of a Multimodal Program Versus Exercise Alone for the Secondary Prevention of Chronic Low Back Pain and Disability*. PM&R, 2009. **1**(9): p. 798-808.
- 431. Liu, X., et al., Utilization and Payments of Office-Based Physical Rehabilitation Services Among Individuals With Commercial Insurance in New York State. Physical Therapy, 2016. **96**(2): p. 202-211.
- 432. Pendergast, J., et al., A Comparison of Health Care Use for Physician-Referred and Self-Referred Episodes of Outpatient Physical Therapy. Health Services Research, 2012. **47**(2): p. 633-654.
- 433. Allen, H., et al., *Tracking Low Back Problems in a Major Self-Insured Workforce*. Journal of Occupational and Environmental Medicine, 2014. **56**(6): p. 604-620.
- 434. Lipscomb, H.J., et al., *Workers' compensation claims for musculoskeletal disorders and injuries of the upper extremity and knee among union carpenters in Washington State, 1989–2008.* American journal of industrial medicine, 2015. **58**(4): p. 428-436.
- 435. Dale, A.M., et al., *Comparison of musculoskeletal disorder health claims between construction floor layers and a general working population*. Occupational and environmental medicine, 2015. **72**(1): p. 15-20.
- 436. Robson, L.S., et al., *The effectiveness of occupational health and safety management system interventions: A systematic review.* Safety Science, 2007. **45**(3): p. 329-353.
- 437. DeJoy, D.M., et al., *Creating safer workplaces: assessing the determinants and role of safety climate*. Journal of safety research, 2004. **35**(1): p. 81-90.
- 438. Lindsley, M. and M. Cadorette, *Preventing Heat-Related Illness in the Workplace*. Workplace Health & Safety, 2015. **63**(4): p. 192-192.

- 439. Geldart, S., et al., Organizational practices and workplace health and safety: A cross-sectional study in manufacturing companies. Safety Science, 2010. **48**(5): p. 562-569.
- 440. Malchaire, J. and Piette, A., *Co-ordinated strategy of prevention and control of the biomechanical factors associated with the risk of musculoskeletal disorders*. International Archives of Occupational and Environmental Health, 2002. **75**(7): p. 459-467.
- 441. Yassi, A., et al., *Effectiveness of joint health and safety committees: A realist review*. American Journal of Industrial Medicine, 2012. **56**(4): p. 424-438.
- 442. Haas, E.J., D. Willmer, and A.B. Cecala, *Formative research to reduce mine worker respirable silica dust exposure: a feasibility study to integrate technology into behavioral interventions*. Pilot and Feasibility Studies, 2016. 2(1).
- 443. Kines, P., et al., *Improving construction site safety through leader-based verbal safety communication*. Journal of Safety Research, 2010. **41**(5): p. 399-406.
- 444. Morse, T., et al., *Characteristics of Effective Job Health and Safety Committees*. NEW SOLUTIONS: A Journal of Environmental and Occupational Health Policy, 2008. **18**(4): p. 441-457.
- 445. Probst, T.M. and A.X. Estrada, Accident under-reporting among employees: Testing the moderating influence of psychological safety climate and supervisor enforcement of safety practices. Accident Analysis & Prevention, 2010. **42**(5): p. 1438-1444.
- 446. Taylor Moore, J., et al., *Construction Workers' Reasons for Not Reporting Work-Related Injuries: An Exploratory Study.* International Journal of Occupational Safety and Ergonomics, 2013. **19**(1): p. 97-105.
- 447. Conchie, S.M., P.J. Taylor, and I.J. Donald, "Promoting safety voice with safety-specific transformational leadership: The mediating role of two dimensions of trust": Correction to Conchie, Taylor, and Donald (2011). Journal of Occupational Health Psychology, 2012. **17**(1): p. 115-115.
- 448. OSHA Injury and Illness Recordkeeping and Reporting Requirements. n.d. February 2, 2017]; Available from: <u>https://www.osha.gov/recordkeeping/</u>.
- 449. Incident [Accident] Investigations: A Guide for Employers, U.S.D.o. Labor, Editor. 2015, Occupational Safety and Health Administration (OSHA).
- 450. Burke, M.J., et al., *The dread factor: How hazards and safety training influence learning and performance*. Journal of Applied Psychology, 2011. **96**(1): p. 46-70.
- 451. Clemmensen, K.K.B., et al., *Evidence-based training as primary prevention of hand eczema in a population of hospital cleaning workers*. Contact Dermatitis, 2014. **72**(1): p. 47-54.
- 452. Namian, M., et al., *Improving Hazard-Recognition Performance and Safety Training Outcomes: Integrating Strategies for Training Transfer*. Journal of Construction Engineering and Management, 2016. **142**(10): p. 04016048.
- 453. Yu, W., et al., *Effectiveness of participatory training for prevention of musculoskeletal disorders: a randomized controlled trial*. International Archives of Occupational and Environmental Health, 2013. **86**(4): p. 431-440.
- 454. Hamilton, M., et al., *Perceptions in the U.S. building industry of the benefits and costs of improving indoor air quality*. Indoor Air, 2015. **26**(2): p. 318-330.
- 455. Allen, J.G., et al., Green Buildings and Health. Current Environmental Health Reports, 2015. 2(3): p. 250-258.
- 456. *Care for Your Air: A Guide to Indoor Air Quality*, E.P. Agency, Editor. 2008.
- 457. Indoor Air Quality in Commercial and Institutional Buildings, O.S.a.H.A. (OSHA), Editor. 2011.
- 458. Anshel, J.R., Visual Ergonomics in the Workplace. Workplace Health & Safety, 2007. 55(10): p. 414-420.
- 459. Connell, P.P., et al., *Construction-related eye injuries in Irish nationals and non-nationals: attitudes and strategies for prevention*. Irish Journal of Medical Science, 2007. **176**(1): p. 11-14.

- 460. Blackburn, J., et al., *A Case-Crossover Study of Risk Factors for Occupational Eye Injuries*. Journal of Occupational and Environmental Medicine, 2012. **54**(1): p. 42-47.
- 461. Menéndez, C.C., et al., A replicated field intervention study evaluating the impact of a highly adjustable chair and office ergonomics training on visual symptoms. Applied Ergonomics, 2012. **43**(4): p. 639-644.
- 462. Bardos, M., H. Burak, and Y. Ben-Shalom, *Assessing the Costs and Benefits of Return-to-Work Programs*. Submitted to the US Department of Labor, Office of Disability Employment Policy. Washington, DC: Mathematica Policy Research, 2015.
- 463. Franche, R.-L., et al., *Workplace-Based Return-to-Work Interventions: A Systematic Review of the Quantitative Literature.* Journal of Occupational Rehabilitation, 2005. **15**(4): p. 607-631.
- 464. Waddell, G., A.K. Burton, and N.A. Kendall, *Vocational rehabilitation—what works, for whom, and when?* (Report for the Vocational Rehabilitation Task Group). 2008: TSO.
- 465. Schartz, H.A., D. Hendricks, and P. Blanck, *Workplace accommodations: Evidence based outcomes*. Work, 2006. **27**(4): p. 345-354.
- 466. Brewer, S., et al., *A systematic review of injury/illness prevention and loss control programs (IPC)*. Toronto: Institute for Work & Health, 2007.
- 467. Tompa, E., et al., *A Systematic Review of Disability Management Interventions with Economic Evaluations*. Journal of Occupational Rehabilitation, 2008. **18**(1): p. 16-26.
- 468. Taimela, S., et al., *The effectiveness of two occupational health intervention programmes in reducing sickness absence among employees at risk*. Two randomised controlled trials. Occupational and Environmental Medicine, 2008. **65**(4): p. 236-241.
- 469. Singer, D.C., et al., *Underinsurance for Recently Recommended Vaccines in Private Health Plans*. Journal of Community Health, 2012. **37**(6): p. 1164-1167.
- 470. Lu, P.-j., A. O'Halloran, and W.W. Williams, *Impact of Health Insurance Status on Vaccination Coverage Among Adult Populations*. American Journal of Preventive Medicine, 2015. **48**(6): p. 647-661.
- 471. Lu, P.-j. and G.L. Euler, *Influenza, hepatitis B, and tetanus vaccination coverage among health care personnel in the United States.* American Journal of Infection Control, 2011. **39**(6): p. 488-494.
- 472. Ofstead, C.L., et al., *Effectiveness of Worksite Interventions to Increase Influenza Vaccination Rates Among Employees and Families*. Journal of Occupational and Environmental Medicine, 2013. **55**(2): p. 156-163.
- 473. Walker, K.O., et al., *The Vulnerability of Middle-Aged and Older Adults in a Multiethnic, Low-Income Area: Contributions of Age, Ethnicity, and Health Insurance.* Journal of the American Geriatrics Society, 2010. **58**(12): p. 2416-2422.
- 474. Hood, J. and A. Smith, *Developing a "Best Practice" Influenza Vaccination Program for Health Care Workers—An Evidence-Based, Leadership-Modeled Program.* Workplace Health & Safety, 2009. **57**(8): p. 308-312.
- 475. Hollmeyer, H.G., et al., Influenza vaccination of health care workers in hospitals—A review of studies on attitudes and predictors. Vaccine, 2009. **27**(30): p. 3935-3944.
- 476. Shroufi, A., et al., *Influenza vaccine uptake among staff in care homes in Nottinghamshire: A random cluster sample survey*. Public Health, 2009. **123**(10): p. 645-649.
- 477. Kimura, A.C., et al., *The Effectiveness of Vaccine Day and Educational Interventions on Influenza Vaccine Coverage Among Health Care Workers at Long-Term Care Facilities*. American Journal of Public Health, 2007. **97**(4): p. 684-690.
- 478. Lee, I., et al., *Effect of Accessibility of Influenza Vaccination on the Rate of Childcare Staff Vaccination*. Infection Control and Hospital Epidemiology, 2008. **29**(5): p. 465-467.
- 479. Milkman, K., et al., *Using Implementation Intentions Prompts to Enhance Influenza Vaccination Rates*. 2011, National Bureau of Economic Research.
- 480. Nowalk, M.P., et al., *Improving Influenza Vaccination Rates in the Workplace*. American Journal of Preventive Medicine, 2010. **38**(3): p. 237-246.

- 481. Ofstead, Cori L., et al., Influenza Vaccination Among Registered Nurses: Information Receipt, Knowledge, and Decision-Making at an Institution With a Multifaceted Educational Program. Infection Control and Hospital Epidemiology, 2008.
 29(2): p. 99-106.
- 482. Bautista, D., et al., *Predisposing, Reinforcing, and Enabling Factors Influencing Influenza Vaccination Acceptance Among Healthcare Workers*. Infection Control and Hospital Epidemiology, 2006. **27**(1): p. 73-77.
- 483. Lam, P.P., et al., *Seasonal influenza vaccination campaigns for health care personnel: systematic review*. Canadian Medical Association Journal, 2010. **182**(12): p. E542-E548.
- 484. Lugo, N.R., *Will carrots or sticks raise influenza immunization rates of health care personnel?* American Journal of Infection Control, 2007. **35**(1): p. 1-6.
- 485. Cheryl Strunk RN, C., Innovative workplace influenza program: boosting employee immunization rates. Workplace Health & Safety, 2005. **53**(10): p. 432.
- 486. Mortensen, G.L., Drivers and barriers to acceptance of human-papillomavirus vaccination among young women: a qualitative and quantitative study. BMC Public Health, 2010. 10(1).
- 487. Calderon, M., et al., Implementation of a pertussis immunization program in a teaching hospital: An argument for federally mandated pertussis vaccination of health care workers. American Journal of Infection Control, 2008. **36**(6): p. 392-398.
- 488. Postema, A. and R. Breiman, *Adult immunization programs in nontraditional settings: quality standards and guidance for program evaluation*. MMWR. Recommendations and reports: Morbidity and mortality weekly report. Recommendations and reports/Centers for Disease Control, 2000. **49**(RR-1): p. 1-13.
- 489. Dardis, M.R., L.S. Koharchik, and S. Dukes, *Using the Health Belief Model to Develop Educational Strategies to Improve Pertussis Vaccination Rates Among Preschool Staff*. NASN School Nurse, 2015. **30**(1): p. 20-25.
- 490. Top, K.A., et al., *Pertussis immunization in paediatric healthcare workers: Knowledge, attitudes, beliefs, and behaviour*. Vaccine, 2010. **28**(10): p. 2169-2173.
- 491. Aiello, A.E., et al., *Effect of hand hygiene on infectious disease risk in the community setting: a meta-analysis*. American journal of public health, 2008. **98**(8): p. 1372-1381.
- 492. Arbogast, J.W., et al., *Impact of a comprehensive workplace hand hygiene program on employer health care insurance claims and costs, absenteeism, and employee perceptions and practices.* Journal of occupational and environmental medicine, 2016. **58**(6): p. e231.
- 493. Stedman-Smith, M., et al., Outcomes of a pilot hand hygiene randomized cluster trial to reduce communicable infections among US office-based employees. Journal of occupational and environmental medicine, 2015. **57**(4): p. 374.
- 494. Wong, V.W., B.J. Cowling, and A.E. Aiello, *Hand hygiene and risk of influenza virus infections in the community: a systematic review and meta-analysis*. Epidemiology & Infection, 2014. **142**(5): p. 922-932.
- 495. Dabritz, H.A., B.G. Hinton, and J. Babb, *Evaluation of Lactation Support in the Workplace or School Environment on* 6-Month Breastfeeding Outcomes in Yolo County, California. Journal of Human Lactation, 2009. **25**(2): p. 182-193.
- 496. Ortiz, J., K. McGilligan, and P. Kelly, *Duration of breast milk expression among working mothers enrolled in an employer*sponsored lactation program. Pediatric nursing, 2004. **30**(2): p. 111.
- 497. Bai, Y. and S.M. Wunderlich, *Lactation Accommodation in the Workplace and Duration of Exclusive Breastfeeding*. Journal of Midwifery & Women's Health, 2013. **58**(6): p. 690-696.
- 498. Spatz, D.L., G.S. Kim, and E.B. Froh, *Outcomes of a Hospital-Based Employee Lactation Program*. Breastfeeding Medicine, 2014. **9**(10): p. 510-514.
- 499. Cohen, R. and M.B. Mrtek, *The Impact of Two Corporate Lactation Programs on the Incidence and Duration of Breast-Feeding by Employed Mothers*. American Journal of Health Promotion, 1994. **8**(6): p. 436-441.

- 500. Eidelman, A.I., et al., Breastfeeding and the use of human milk. Pediatrics, 2012. **129**(3): p. e827-e841.
- 501. Waite, W.M. and D. Christakis, *Relationship of Maternal Perceptions of Workplace Breastfeeding Support and Job Satisfaction.* Breastfeeding Medicine, 2015. **10**(4): p. 222-227.
- 502. Kozhimannil, K.B., et al., Access to workplace accommodations to support breastfeeding after passage of the Affordable Care Act. Women's Health Issues, 2016. **26**(1): p. 6-13.
- 503. Whaley, S.E., et al., *Predictors of Breastfeeding Duration for Employees of the Special Supplemental Nutrition Program for Women, Infants, and Children (WIC)*. Journal of the American Dietetic Association, 2002. **102**(9): p. 1290-1293.
- 504. Balkam, J.A.J., K. Cadwell, and S.B. Fein, *Effect of Components of a Workplace Lactation Program on Breastfeeding* Duration Among Employees of a Public-Sector Employer. Maternal and Child Health Journal, 2010. **15**(5): p. 677-683.
- 505. Dyson, L., F.M. McCormick, and M.J. Renfrew, *Interventions for promoting the initiation of breastfeeding, in Cochrane Database of Systematic Reviews*. 2005, Wiley-Blackwell.
- 506. Rosen, I.M., et al., *Prenatal Breastfeeding Education and Breastfeeding Outcomes*. MCN, The American Journal of Maternal/Child Nursing, 2008. **33**(5): p. 315-319.
- 507. Abdulwadud, O.A. and M.E. Snow, *Interventions in the workplace to support breastfeeding for women in employment*. Cochrane Database of Systematic Reviews, 2012(10).
- 508. Haroon, S., et al., *Breastfeeding promotion interventions and breastfeeding practices: a systematic review*. BMC Public Health, 2013. **13**(Suppl 3): p. S20.
- 509. Patel, S. and S. Patel, *The Effectiveness of Lactation Consultants and Lactation Counselors on Breastfeeding Outcomes*. Journal of Human Lactation, 2016. **32**(3): p. 530-541.
- 510. Guendelman, S., et al., Juggling Work and Breastfeeding: Effects of Maternity Leave and Occupational Characteristics. PEDIATRICS, 2009. **123**(1): p. e38-e46.
- 511. Kurinij, N., et al., *Does maternal employment affect breast-feeding?* American Journal of Public Health, 1989. **79**(9): p. 1247-1250.
- 512. Roe, B., et al., Is There Competition between Breast-Feeding and Maternal Employment? Demography, 1999. 36(2): p. 157.
- 513. Mirkovic, K.R., et al., Maternity Leave Duration and Full-time/Part-time Work Status Are Associated with US Mothers' Ability to Meet Breastfeeding Intentions. Journal of Human Lactation, 2014. **30**(4): p. 416-419.
- 514. Mandal, B., B.E. Roe, and S.B. Fein, *The differential effects of full-time and part-time work status on breastfeeding*. Health Policy, 2010. **97**(1): p. 79-86.
- 515. DiBari, J.N., et al., Use of Postpartum Care: Predictors and Barriers. Journal of Pregnancy, 2014. 2014: p. 1-8.
- 516. Kozhimannil, K., et al., *High-deductible health plans and costs and utilization of maternity care*. The American journal of managed care, 2011. **17**(1): p. e17-25.
- 517. Hannon, P.A., et al., *Implementation and Process Evaluation of a Workplace Colorectal Cancer Screening Program in Eastern Washington*. Health Promotion Practice, 2013. **14**(2): p. 220-227.
- 518. Hannon, P.A. and J.R. Harris, *Interventions to Improve Cancer Screening*. American Journal of Preventive Medicine, 2008. **35**(1): p. S10-S13.
- 519. Reuben, D.B., et al., A Randomized Clinical Trial to Assess the Benefit of Offering On-Site Mobile Mammography in Addition to Health Education for Older Women. American Journal of Roentgenology, 2002. **179**(6): p. 1509-1514.
- 520. Sabatino, S.A., et al., *Effectiveness of Interventions to Increase Screening for Breast, Cervical, and Colorectal Cancers*. American Journal of Preventive Medicine, 2012. **43**(1): p. 97-118.
- 521. Saraiya, M., et al., Interventions to prevent skin cancer by reducing exposure to ultraviolet radiationA systematic review. American Journal of Preventive Medicine, 2004. **27**(5): p. 422-466.

- 522. Scott, M.D., et al., Go Sun Smart. Communication Education, 2008. 57(4): p. 423-433.
- 523. Szabó, C., et al., A randomised trial to demonstrate the effectiveness of electronic messages on sun protection behaviours. Journal of Photochemistry and Photobiology B: Biology, 2015. 149: p. 257-264.
- 524. Jensen, J.D., et al., *Comparing tailored and narrative worksite interventions at increasing colonoscopy adherence in adults* 50–75: A randomized controlled trial. Social Science & Medicine, 2014. 104: p. 31-40.
- 525. Rye, S., et al., *Changes in Outdoor Workers- Sun-Related Attitudes, Beliefs, and Behaviors*. Journal of Occupational and Environmental Medicine, 2014. **56**(9): p. e62-e72.
- 526. Reinau, D., et al., Outdoor workers' sun-related knowledge, attitudes and protective behaviours: a systematic review of cross-sectional and interventional studies. British Journal of Dermatology, 2013. **168**(5): p. 928-940.
- 527. Baron, R.C., et al., *Client-directed interventions to increase community demand for breast, cervical, and colorectal cancer screening: a systematic review.* American journal of preventive medicine, 2008. **35**(1): p. S34-S55.
- 528. Hutchings, S., et al., *Intervening to Reduce the Future Burden of Occupational Cancer in Britain: What Could Work?* Cancer Prevention Research, 2012. **5**(10): p. 1213-1222.
- 529. Espina, C., et al., *Environmental and Occupational Interventions for Primary Prevention of Cancer: A Cross-Sectorial Policy Framework*. Environmental Health Perspectives, 2013.
- 530. Ward, E., et al., *Association of Insurance with Cancer Care Utilization and Outcomes*. CA: A Cancer Journal for Clinicians, 2008. **58**(1): p. 9-31.
- 531. Harris, J.R., et al., Employer adoption of evidence-based chronic disease prevention practices: a pilot study. 2008.
- 532. Henke, R., et al., *Employers' Role in Cancer Prevention and Treatment—Developing Success Metrics for Use by the CEO Roundtable on Cancer*. Population Health Management, 2013. **16**(5): p. 296-305.
- 533. Woolley, t., *Workplace Sun Protection Policies and Employees' Sun-related Skin Damage*. American Journal of Health Behavior, 2008. **32**(2).
- 534. Horsham, C., et al., Interventions to decrease skin cancer risk in outdoor workers: update to a 2007 systematic review. BMC Research Notes, 2014. **7**(1): p. 10.
- 535. Glanz, K., D.B. Buller, and M. Saraiya, *Reducing ultraviolet radiation exposure among outdoor workers: State of the evidence and recommendations*. Environmental Health, 2007. **6**(1).
- 536. Hammond, V., A.I. Reeder, and A. Gray, *Patterns of real-time occupational ultraviolet radiation exposure among a sample of outdoor workers in New Zealand*. Public Health, 2009. **123**(2): p. 182-187.