



Car/bike price list

Ver. 21g
November 2021



Index

LCD/TFT DASH LOGGERS

MXm	1
MX UTV	1
MXS 1.2	2
MXP	3
MXG 1.2	4

P&P DASH LOGGERS

MXK10 (Kawasaki)	5
MX2E (Lotus)	5

TFT DASHES

MXS 1.2 Strada	6
MXP Strada	7
MXG 1.2 Strada	8

LOGGERS

EVO4S	9
EVO5	11

DASHES

GS-Dash	11
---------	----

BRIDGES

ECU Bridge	12
RPM Bridge	12

GPS LAP TIMERS

Solo 2	13
Solo 2 DL	14

CAMERAS

SmartyCam HD Rev. 2.1	15
SmartyCam GP HD Rev. 2.2	17

POWER DISTRIBUTION MODULES

PDM32	21
PDM08	21

STEERING WHEELS

SW4	33
-----	----

EXPANSIONS

Channel Expansion	38
Data Hub	38
GPS09 Module	39
LCU-One Lambda controllers	40
Memory Module	41
MemoryKey	41
Shift Light Module	41
Strada Kit	42
TC hub	42

SENSORS & CABLES

Sensors	43
Cables and extension cables	44

STOPWATCHES

MultiChron	45
------------	----



MXm

Type	Description	Part number	Price
Dash logger	Key features High contrast LCD, 7 configurable RGB backlight colors, ambient light sensor, 2 configurable RGB alarm LEDs, 5 configurable RGB shift light LEDs, 2 CAN connections, connection to 1,000+ industry leading ECUs, 4 fully configurable analog inputs, 3 digital inputs, 2 digital high-side outputs, integrated GPS, inertial platform, 4 GB internal memory, IP65. In the box MXm, USB cable, 37 pins connector harness, DTP 06-4S EE01 4 pins connector with pins, Race Studio 3 software, user manual.		
	MXm	X87MXM0000	1,093.00



MX UTV

Type	Description	Part number	Price
Dash logger	Key features High contrast LCD, display resolution 268 x 128 pixels, backlight: 7 configurable RGB colors, shift lights: 5 configurable RGB LEDs, alarm LEDs: 2 configurable RGB LEDs, CAN connection, ECU connection, integrated GPS, external modules: Lambda Controller and SmartyCam HD, Wi-Fi connection, Internal memory 4 GB, 3 Binder connectors, IP65 In the box MX UTV, CAN + power cable 1.5 m, extension cable 300 cm, IR single point sensor, fixing kit, IR temperature sensor fixing kit, Race Studio 3 software, user manual.		
	MX UTV	X85MXUTV001	575.00



MXS 1.2

Type	Description	Part number	Price
Dash logger	Key features		
	5" high contrast 1,100 lumen TFT display, 6 configurable RGB alarm LEDs, integrated 10 RGB LED shift light array, 2 Motorsport connectors + 1 Binder connector, 3 CAN connections, CAN, RS232, K-Line connection to 1,000+ industry leading ECUs, inertial platform, 8 analog inputs at a max of 1,000 Hz each, 4 digital speed inputs, coil RPM input, lap signal input, 2 digital outputs, fully configurable math channels, 802.11 Wi-Fi connection, IP65.		
	In the box		
	MXS 1.2, GPS Module with cable, USB cable, 37 pins standard harness, Race Studio 3 software.		
	MXS 1.2 + 1,3 m GPS Module cable length	XA2MXS12A13G1	2,185.00
	MXS 1.2 + 4 m GPS Module cable length	XA2MXS12A40G1	2,185.00
	MXS 1.2 + 2 m GPS Module Roof version cable length	XA2MXS12A20R1	2,185.00
	MXS 1.2 + 4 m GPS Module Roof version cable length	XA2MXS12A40R1	2,185.00
	Accessories		
	Remote buttons interface	X08RTN010	115.00
	22 pins harness	V02573020	345.00
	22 pin female Deutsch connector	5CN822F00	98.00
	37 pin female Deutsch connector	5CN837F00	138.00
	Mirror camera	XB1ZCAMHD00	138.00
	Single RearMaster mirror camera patch cable	V02573390	75.00
	Double RearMaster mirror camera patch cable	V02573400	86.00
	Single AiM mirror camera patch cable	V02551170	58.00
	Double AiM mirror camera patch cable	V02573410	75.00
	Spare parts		
	USB cable	V02573200	40.00
	37 pins standard harness	V02573010	403.00



MXP

Type	Description	Part number	Price
Dash logger	Key features 6" high contrast 1,100 lumen TFT display, 5 configurable RGB alarm LEDs, integrated 10 RGB LED shift light array, 2 Motorsport connectors + 1 Binder connector, 3 CAN connections, connection with 1,000+ industry leading ECUs, inertial platform, 8 analog inputs at a max of 1,000 Hz each, 4 digital speed inputs, coil RPM input, lap signal input, 2 digital outputs, realtime fully configurable math channels, 802.11 Wi-Fi connection, IP65. In the box MXP, GPS Module with cable, USB cable, 37 pins standard harness, Race Studio 3 software.		
	MXP + 1.3 m GPS Module + 37 pins standard harness	XA6MXP13G1	2,300.00
	MXP + 2 m GPS Module + 37 pins standard harness	XA6MXP20G1	2,300.00
	MXP + 4 m GPS Module + 37 pins standard harness	XA6MXP40G1	2,300.00
	MXP + 2 m GPS Module Roof version + 37 pins standard harness	XA6MXP20R1	2,300.00
	MXP + 4 m GPS Module Roof version + 37 pins standard harness	XA6MXP40R1	2,300.00
	Accessories Remote buttons interface	X08RTN010	115.00
	22 pins harness	V02573020	345.00
	22 pin female Deutsch connector	5CN822F00	98.00
	37 pin female Deutsch connector	5CN837F00	138.00
	Mirror camera	XB1ZCAMHD00	138.00
	Single RearMaster mirror camera patch cable	V02573390	75.00
	Double RearMaster mirror camera patch cable	V02573400	86.00
	Single AiM mirror camera patch cable	V02551170	58.00
	Double AiM mirror camera patch cable	V02573410	75.00
	Spare parts USB cable	V02573200	40.00
	37 pins standard harness	V02573010	403.00



MXG 1.2

Type	Description	Part number	Price
Dash logger	Key features Extra wide 7" high contrast 1,100 lumen TFT display, 8 configurable RGB alarm LEDs, integrated 10 RGB LED shift light array, 2 Motorsport connectors + 1 Binder connector, three CAN connections, connection with 1,000+ industry leading ECUs, inertial platform, 8 analog inputs at a max of 1,000 Hz each, 4 digital speed inputs, coil RPM input, lap signal input, 2 digital outputs, realtime fully configurable math channels, 802.11 Wi-Fi connection, IP65. In the box MXG 1.2, GPS Module with cable, USB cable, 37 pins standard harness, Race Studio 3 software. MXG 1.2 + 1,3 m GPS cable length MXG 1.2 + 4 m GPS cable length MXG 1.2 + 2 m GPS Roof version cable length MXG 1.2 + 4 m GPS Roof version cable length Accessories Remote buttons interface 22 pins harness 22 pin female Deutsch connector 37 pin female Deutsch connector Mirror camera Single RearMaster mirror camera patch cable Double RearMaster mirror camera patch cable Single AiM mirror camera patch cable Double AiM mirror camera patch cable Spare parts USB cable 37 pins standard harness	XA4MXG12A13001 XA4MXG12A40001 XA4MXG12A20R02 XA4MXG12A40R01 X08RTN010 V02573020 5CN822F00 5CN837F00 XB1ZCAMHD00 V02573390 V02573400 V02551170 V02573410 V02573200 V02573010	2,530.00 2,530.00 2,530.00 2,530.00 115.00 345.00 98.00 138.00 138.00 75.00 86.00 58.00 75.00 40.00 403.00



MXK10

Type	Description	Part number	Price
Plug & Play dash logger	Key features Plug & Play Dash Logger kit specifically designed for Kawasaki Ninja ZX-10R*. 5" high contrast 1,100 lumen TFT display, 6 status information LEDs, 10 shift lights LEDs, 2 CAN connections, 802.11 Wi-Fi connection, 4 GB internal memory, anodized aluminum body, 1 JAE connector + 2 Binder connectors, IP65. In the box MXK10 dash logger with screws and washers, 50 cm dedicated GPS Module with anodized plate fixing kit and screws. * Two kits are available: Ninja ZX-10R 2011-2015 (4th gen) and Ninja ZX-10R 2016-2019 (5th gen).		
	MXK10-Gen4	XA2MXS12A05R0KN1	1,139.00
	MXK10-Gen5	XA2MXS12A05R0KN	1,139.00



MX2E

Type	Description	Part number	Price
Plug & Play dash logger	Key features Plug & Play Dash Logger kit specifically designed for Lotus Elise/Exige 2011-2019. 6" high contrast 1,100 lumen TFT display, 6 status information LEDs, 10 shift lights LEDs, 2 turn indicators, 2 CAN connections, 802.11 Wi-Fi connection, 4 GB internal memory, anodized aluminum body, 1 Delphi 12040722 connector + 4 Binder 712 connectors, IP65. In the box MX2E dash logger with cluster, dedicated GPS Module, screws and washers.		
	MX2E	XA6MXPLEE2	1,725.00



MXS 1.2 Strada

Type	Description	Part number	Price
Dash	Key features 5" TFT display, resolution 800x480 pixels, contrast 600:1, ambient light sensor, 6 RGB freely configurable alarms LEDs, 10 integrated freely configurable RGB LEDs shift lights, 2 CAN connections, CAN, RS232, K-Line connection to 1,000+ industry leading ECUs, 4 fully configurable analog inputs, 1 speed digital input, coil RPM input, 1 digital output, anodized aluminum body, metallic pushbuttons, 2 AMP connectors + 1 Binder connector, IP65.		
	In the box MXS 1.2 Strada, USB cable, 14 pins standard harness, 23 pin connector + contacts, Race Studio 3 software.		
	MXS 1.2 Strada with CAN harness (ECU)	XA3MXSST12A010	1,035.00
	MXS 1.2 Strada with OBD harness CAN+K (ECU)	XA3MXSST12A020	1,035.00
	MXS 1.2 Strada Street icons version with CAN harness (ECU)	XA3MXSST12I010	1,035.00
	MXS 1.2 Strada Street icons version with OBD harness CAN+K (ECU)	XA3MXSST12I020	1,035.00
	Accessories Strada Kit (to switch a Strada dash to a logger)		See dedicated page
	23 pins AMP connector wiring - Standard version	V02573330	173.00
	Remote buttons interface	X08RTN010	115.00
	Infrared optical receiver 90 cm length	X41RX19090	92.00
	Infrared optical receiver 3 m length	X41RX19300	92.00
	Mirror camera	XB1ZCAMHD00	138.00
	Single RearMaster mirror camera patch cable	V02573390	75.00
	Double RearMaster mirror camera patch cable	V02573400	86.00
	Single AiM mirror camera patch cable	V02551170	58.00
	Double AiM mirror camera patch cable	V02573410	75.00
	Spare parts USB cable	V02573200	40.00
	14 pins standard harness	V02573320	173.00
	14 pin OBD harness	V02573340	138.00
	14 pin connector + contacts	5CND7762732 + 5CT0770520	32.00
	23 pin connector + contacts	5CND7706802 + 5CT0770520	40.00



MXP Strada

Type	Description	Part number	Price
Dash	Key features 6" TFT display, resolution 800x480 pixels, contrast 600:1, ambient light sensor, 5 RGB freely configurable alarms LEDs, 10 integrated freely configurable RGB LEDs shift lights, 3 CAN connections, CAN, RS232, K-Line connection to 1,000+ industry leading ECUs, 8 fully configurable analog inputs, 1 speed digital input, coil RPM input, 1 digital output, anodized aluminum body, metallic pushbuttons, 2 AMP connectors + 1 Binder connector, IP65.		
	In the box MXP Strada, USB cable, 14 pins standard harness, 23 pin connector + contacts, Race Studio 3 software.		
	MXP Strada with CAN harness (ECU)	XA5MXPSTRA010	1,093.00
	MXP Strada with OBD harness CAN+K (ECU)	XA5MXPSTRA020	1,093.00
	MXP Strada Street icons version with CAN harness (ECU)	XA5MXPSTRI010	1,093.00
	MXP Strada Street icons version with OBD harness CAN+K (ECU)	XA5MXPSTRI020	1,093.00
	Accessories		
	Strada Kit (to switch a Strada dash to a logger)	See dedicated page	
	23 pins AMP connector wiring for MXP Strada - Standard version	V02573330	173.00
	Remote buttons interface	X08RTN010	115.00
	Infrared optical receiver 90 cm length	X41RX19090	92.00
	Infrared optical receiver 3 m length	X41RX19300	92.00
	Mirror camera	XB1ZCAMHD00	138.00
	Single RearMaster mirror camera patch cable	V02573390	75.00
	Double RearMaster mirror camera patch cable	V02573400	86.00
	Single AiM mirror camera patch cable	V02551170	58.00
	Double AiM mirror camera patch cable	V02573410	75.00
	Spare parts		
	USB cable	V02573200	40.00
	14 pins standard harness	V02573320	173.00
	14 pin OBD harness	V02573340	138.00
	14 pin connector + contacts	5CND776273 + 5CT0770520	35.00
	23 pin connector + contacts	5CND770680 + 5CT0770520	40.00



MXG 1.2 Strada

Type	Description	Part number	Price
Dash	Key features Extra wide 7" high contrast 1,100 lumen TFT display, 8 configurable RGB alarm LEDs, integrated 10 RGB LED shift light array, three CAN connections, connection with 1,000+ industry leading ECUs, inertial platform, 8 analog inputs at a max of 1,000 Hz each, 4 digital speed inputs, coil RPM input, lap signal input, 2 digital outputs, realtime fully configurable math channels, 2 AMP connectors + 1 Binder connector, IP65.		
	In the box MXG 1.2 Strada, USB cable, 14 pins standard wiring, 23 pins connector + contacts, Race Studio 3 software.		
	MXG 1.2 Strada with CAN harness (ECU)	XA8MXGST12A010	1,265.00
	MXG 1.2 Strada with OBD harness CAN+K (ECU)	XA8MXGST12A020	1,265.00
	MXG 1.2 Strada Street icons version with CAN harness (ECU)	XA8MXGST12I010	1,265.00
	MXG 1.2 Strada Street icons version with OBD harness CAN+K (ECU)	XA8MXGST12I020	1,265.00
	Accessories Strada Kit (to switch a Strada dash to a logger)		See dedicated page
	23 pins AMP connector wiring - Standard version	V02573330	173.00
	Remote buttons interface	X08RTN010	115.00
	Infrared optical receiver 90 cm length	X41RX19090	92.00
	Infrared optical receiver 3 m length	X41RX19300	92.00
	Mirror camera	XB1ZCAMHD00	138.00
	Single RearMaster mirror camera patch cable	V02573390	75.00
	Double RearMaster mirror camera patch cable	V02573400	86.00
	Single AiM mirror camera patch cable	V02551170	58.00
	Double AiM mirror camera patch cable	V02573410	75.00
	Spare parts USB cable	V02573200	40.00
	14 pins standard harness	V02573320	173.00
	14 pin OBD harness	V02573340	138.00
	14 pin connector + contacts	5CND7762732 + 5CT0770520	35.00
	23 pin connector + contacts	5CND7706802 + 5CT0770520	40.00



EVO4S

Type	Description	Part number	Price
Data logger	Key features 13 Binder connectors, 2 CAN connections, CAN, RS232 or K-Line ECU connections, CAN protocol for external expansion modules, 5 fully configurable analog inputs, digital inputs (2 Speed inputs, lap signal, coil RPM input), 1 digital output, integrated three-axial $\pm 5G$ + three-axial gyroscope, internal memory 4 GB, anodized aluminum body, IP65. In the box Two kits are available: Kit 1 EVO4S, GPS09 Module (different lengths, see below), 1 power cable, 1 digital output + RPM cable, 1 CAN cable, 1 USB cable, mounting bracket, Race Studio 3 software CD. EVO4S with GPS09 Module 1.3 m cable length X61E4S1301 1,265.00 EVO4S with GPS09 Module 4 m cable length X61E4S4001 1,265.00 EVO4S with GPS09 Module Roof version 2 m cable length X61E4S20R1 1,265.00 EVO4S with GPS09 Module Roof version 4 m cable length X61E4S40R1 1,265.00 Kit 2 EVO4S, GPS09 Module (different lengths, see below), 1 power cable, 1 digital output + RPM cable, 1 OBD2 cable (CAN + K-Line), 1 USB cable, mounting bracket, Race Studio 3 software CD. EVO4S with GPS09 Module 1.3 m cable length X61E4S1302 1,265.00 EVO4S with GPS09 Module 4 m cable length X61E4S4002 1,265.00 EVO4S with GPS09 Module Roof version 2 m cable length X61E4S20R2 1,265.00 EVO4S with GPS09 Module Roof version 4 m cable length X61E4S40R2 1,265.00 Accessories RS232 cable V02585060 46.00 CAN + power cable V02585010 46.00 Spare parts Power cable V02551200 46.00 Digital output + RPM cable V02585020 46.00 CAN cable V02585040 46.00 OBD2 (CAN + K-Line) cable V02585030 46.00 USB cable V02563030 40.00		

Sports bikes connection kits for EVO4S

AiM designs specific applications to allow easy connection of EVO4S on sports bikes.
The available kits for several Ducati, Kawasaki and Suzuki models* are:

■ Cable for Ducati 848, 1098, 1198 Ducati 899, 959, 1199, 1299 Panigale Ducati Hypermotard 796, Multistrada 1200	V02569170	69.00
■ Cable for Kawasaki ZX-10R	V02569220	69.00
■ Cable for Suzuki GSX-R	V02569140	69.00

* **Please note:** check on our web site details about compatibility with models and years.



EVO5

Type	Description	Part number	Price
Data logger	Key features 8 fully configurable analog inputs, digital inputs (coil RPM and 4 speed inputs), 2 digital outputs, second CAN, integrated 3 axis $\pm 5G$ accelerometer + 3 axis gyro, CAN, RS232 or K Line ECU connections, CAN protocol for external expansion modules, Wi-Fi connection, SD card (not included), anodized aluminum body, IP65. In the box EVO5, 37 pin harness, USB cable, GPS09 Module, mounting bracket, Race Studio 3 software CD. EVO5 with GPS09 Module with 1.30 m cable length EVO5 with GPS09 Module with 4 m cable length EVO5 with GPS09 Module Roof version 2 m cable length EVO5 with GPS09 Module Roof version 4 m cable length Accessories 22 pin harness 22 pins connector 37 pins connector Spare parts USB cable 37 pin harness	X62EVO5130 X62EVO5400 X62EVO520R X62EVO540R V02586030 5CN822F00 5CN837F00 V02573200 V02586020	1,668.00 1,668.00 1,668.00 1,668.00 345.00 98.00 138.00 40.00 403.00



GS-Dash

Type	Description	Part number	Price
Dash	Key features Display for EVO4S and EVO5, resolution 268 x 128 pixels, 7 configurable RGB colors backlights, ambient light sensor, 5 configurable RGB LEDs shift lights, 4 configurable RGB LEDs alarms, fully configurable pages, aluminum body, IP65. In the box GS-Dash with spiral cable.	X55GSDASH0	460.00



ECU Bridge

Type	Description	Part number	Price
Interface module	Key features Interface module connecting directly SmartyCam to ECUs compatible with AiM protocols (check AiM web site).	See below	
	Available kits ECU Bridge with CAN/RS232 communication cable	X90BRIDGE00	288.00
	ECU Bridge with CAN/K Line communication cable - OBDII standard connector	X90BRIDGE01	288.00
	Spare parts USB cable	V02563030	40.00



RPM Bridge

Type	Description	Part number	Price
Interface module	Key features Interface designed to allow RPM overlay on SmartyCam videos when the car has got no ECU.	X90BRIDGE02	288.00
	In the box RPM Bridge, USB cable.		
	Spare parts USB cable	V02563030	40.00



Solo 2

Type

GPS lap timer

Description

Key features

GPS Lap Timer with integrated track database, internal 3 axis $\pm 5G$ accelerometer + 3 axis gyro + 3 axis magnetometer, Wi-Fi connection, 4 GB memory, internal rechargeable lithium battery, magnetic support, IP67.

In the box

Solo 2, power cable with car lighter socket, battery charger with AC adapter, mounting bracket with screws, user manual, CD for software installation.

Spare parts

Power cable with wired car lighter socket

V02566700

46.00

Mounting bracket with screws

X47KPFSOLO2R0

23.00

Battery charger with AC adapter

X06A12VBM

58.00

Adapters: substitute ☐ with **E** for Europe, **G** for UK, **U** for USA, **A** for Australia

Accessories

Roll-bar kit

X46KSTG00

69.00

In the box: Handlebar bracket, 90 mm arm, clamp base with ball, locknut, washers and screws

U-bolt kit

X46KSTP00

69.00

In the box: U-bolt, 90 mm arm, clamp base with ball, locknut, washers and screws

Suction cup kit

X46KSVS00

69.00

In the box: suction cup, 90 mm arm, clamp base with ball, locknut, washers and screws

Solo Bar Pad Motocross for handle bars with cross brace

X47KPSOLO2T20

92.00

In the box: Bar Pad, transparent protection cover, mounting bracket, 4 12 mm M3 screws, installation guide

Solo Bar Pad Motocross for handle bars without cross brace

X47KPSOLO2T10

92.00

In the box: Bar Pad, transparent protection cover, mounting bracket, 4 12 mm M3 screws, installation guide



Solo 2 DL

Type	Description	Part number	Price
GPS lap timer and datalogger	Key features GPS Lap Timer with integrated track database and datalogger connectable to the ECU. internal 3 axis $\pm 5G$ accelerometer + 3 axis gyro + 3 axis magnetometer, 4 GB memory, internal rechargeable lithium battery, magnetic support. Connectable to the ECU via CAN/RS232 and OBDII-K Line, IP67.		
	In the box Solo 2 DL, battery charger with AC adapter, mounting bracket with screws, user manual, software installation CD, AiM sticker. Concerning the cables you can choose among:		
	■ CAN/K-Line + external power cable with OBDII connector	X47SOLO2DL01□0	633.00
	■ CAN/RS232 + external power cable	X47SOLO2DL02□0	633.00
	■ RPM + external power cable	X47SOLO2DL03□0	633.00
	Adapters: substitute □ with E for Europe, G for UK, U for USA, A for Australia		
	Spare parts		
	Mounting bracket with screws	X47KPFSOLO2R0	23.00
	Battery charger with AC adapter	X06A12VBM□	58.00
	Adapters: substitute □ with E for Europe, G for UK, U for USA, A for Australia		
	Accessories		
	CAN/K-Line + external power cable 2 m with OBDII connector	V02589040	46.00
	RCAN/RS232 + external power cable 2 m	V02589050	46.00
	RPM + external power cable	V02589020	46.00
	Power cable with wired car lighter socket	V02566700	46.00
	Roll-bar kit In the box: Handlebar bracket, 90 mm arm, clamp base with ball, locknut, washers and screws	X46KSTG00	69.00
	U-bolt kit In the box: U-bolt, 90 mm arm, clamp base with ball, locknut, washers and screws	X46KSTP00	69.00
	Suction cup kit In the box: suction cup, 90 mm arm, clamp base with ball, locknut, washers and screws	X46KSVS00	69.00
	Solo Bar Pad Motocross for handle bars with cross brace In the box: Bar Pad, transparent protection cover, mounting bracket, 4 12 mm M3 screws, installation guide	X47KPSOLO2T20	92.00
	Solo Bar Pad Motocross for handle bars without cross brace In the box: Bar Pad, transparent protection cover, mounting bracket, 4 12 mm M3 screws, installation guide	X47KPSOLO2T10	92.00

Note: all prices are in Euro and VAT excluded

14



SmartyCam HD Rev. 2.1

Type	Description	Part number	Price
On-board camera	Key features The camera designed for motorsports recording videos with real time data overlay, integrated three-axial accelerometer, telecentric lens with 6 elements, 67°, 84° or 120° lens, CMOS Global shutter, automatic start&stop, dimensions 87x63x49 mm, display resolution 128x128 pixels, weight 280 g (rechargeable lithium battery included), video format H.264 1280x720 pixels @ 30 fps, 9-15 Volt external power, file storage on SD card (not included), Waterproof IP67.		
	In the box SmartyCam HD with 67°, 84° or 120° lens, CAN cable or external power cable, USB/AC power adapter, Battery charger, CD for software installation, User manual.		
	Available versions With 67° lens		
	■ SmartyCam HD with 2 m CAN Bus + 67° lens	X99SHD6707	920.00
	■ SmartyCam HD with 2 m CAN Bus + 67° lens + Integrated external microphone harness	X99SHD6710	978.00
	■ SmartyCam HD with 2 m CAN Bus + 67° lens + Integrated 3.5 female Jack for external microphone harness	X99SHD6729	920.00
	■ SmartyCam HD with 4 m CAN Bus + 67° lens	X99SHD6706	920.00
	■ SmartyCam HD with 4 m CAN Bus + 67° lens + Integrated external microphone harness	X99SHD6724	978.00
	■ SmartyCam HD with 4 m CAN Bus + 67° lens + Integrated 3.5 female Jack for external microphone harness	X99SHD6730	920.00
	■ SmartyCam HD with 2 m external power cable + 67° lens	X99SHD6715	920.00
	■ SmartyCam HD with 2 m external power cable + 67° lens + Integrated external microphone harness	X99SHD6708	978.00
	■ SmartyCam HD with 2 m external power cable + 67° lens + Integrated 3.5 female Jack for external microphone harness	X99SHD6731	920.00
	■ SmartyCam HD with 4 m external power cable + 67° lens + Integrated external microphone harness	X99SHD6723	978.00
	■ SmartyCam HD with 4 m external power cable + 67° lens + Integrated 3.5 female Jack for external microphone harness	X99SHD6732	920.00
	Adapters: substitute □ with E for Europe, G for UK, U for USA, A for Australia		
	With 84° lens		
	■ SmartyCam HD with 2 m CAN Bus + 84° lens	X99SHD8407	920.00
	■ SmartyCam HD with 2 m CAN Bus + 84° lens + Integrated external microphone harness	X99SHD8410	978.00
	■ SmartyCam HD with 2 m CAN Bus + 84° lens + Integrated 3.5 female Jack for external microphone harness	X99SHD8429	920.00

Note: all prices are in Euro and VAT excluded

15

AiM car/bike price list

Ver. 21g
November 2021

■ SmartyCam HD with 4 m CAN Bus + 84° lens	X99SHD8406□	920.00
■ SmartyCam HD with 4 m CAN Bus + 84° lens + Integrated external microphone harness	X99SHD8424□	978.00
■ SmartyCam HD with 4 m CAN Bus + 84° lens + Integrated 3.5 female Jack for external microphone harness	X99SHD8430□	920.00
■ SmartyCam HD with 2 m external power cable + 84° lens	X99SHD8415□	920.00
■ SmartyCam HD with 2 m external power cable + 84° lens + Integrated external microphone harness	X99SHD8408□	978.00
■ SmartyCam HD with 2 m external power cable + 84° lens + Integrated 3.5 female Jack for external microphone harness	X99SHD8431□	920.00
■ SmartyCam HD with 4 m external power cable + 84° lens + Integrated external microphone harness	X99SHD8423□	978.00
■ SmartyCam HD with 4 m external power cable + 84° lens + Integrated 3.5 female Jack for external microphone harness	X99SHD8432□	920.00

Adapters: substitute □ with **E** for Europe, **G** for UK, **U** for USA, **A** for Australia

With 120° lens

■ SmartyCam HD with 2 m CAN Bus + 120° lens	X99SHD1207□	920.00
■ SmartyCam HD with 2 m CAN Bus + 120° lens + Integrated external microphone harness	X99SHD1210□	978.00
■ SmartyCam HD with 2 m CAN Bus + 120° lens + Integrated 3.5 female Jack for external microphone harness	X99SHD1229□	920.00
■ SmartyCam HD with 4 m CAN Bus + 120° lens	X99SHD1206□	920.00
■ SmartyCam HD with 4 m CAN Bus + 120° lens + Integrated external microphone harness	X99SHD1224□	978.00
■ SmartyCam HD with 4 m CAN Bus + 120° lens + Integrated 3.5 female Jack for external microphone harness	X99SHD1230□	920.00
■ SmartyCam HD with 2 m external power cable + 120° lens	X99SHD1215□	920.00
■ SmartyCam HD with 2 m external power cable + 120° lens + Integrated external microphone harness	X99SHD1208□	978.00
■ SmartyCam HD with 2 m external power cable + 120° lens + Integrated 3.5 female Jack for external microphone harness	X99SHD1231□	920.00
■ SmartyCam HD with 4 m external power cable + 120° lens + Integrated external microphone harness	X99SHD1223□	978.00
■ SmartyCam HD with 4 m external power cable + 120° lens + Integrated 3.5 female Jack for external microphone harness	X99SHD1232□	920.00

Adapters: substitute □ with **E** for Europe, **G** for UK, **U** for USA, **A** for Australia



SmartyCam GP HD Rev. 2.2

Type	Description	Part number	Price
On-board camera with bullet cam			

Key features

SmartyCam HD version with remoted cam. With its module and bullet cam, it provides the same overlayed videos as SmartyCam HD and is easier to position within the vehicle. Video format H.264 1280x720 pixels @ 30 fps, external power 9-15 Volt, file storage on SD card (not included), 67°, 84° or 120° lens, connectors: 3 Binder 712 female connectors + 1 SMA female connector, main unit dimensions: 104.6 x 79.6 x 26.6 mm, bullet diameter: 24 mm, length 48.2 mm, main unit weight: 320 g, bullet weight: 45 g, IP67.

In the box

SmartyCam GP HD Rev. 2.2 main unit (recording module) + bullet cam with 67°, 84° or 120° lens, 2 m bullet cam connection harness (the same for all versions), Mini B – USB adapter cable, battery charger, CD with software, user manual.

Available versions

Bullet cam HFOV 67° lens

■ SmartyCam GP HD + 67° lens + 2 m CAN Bus	XB1SGPH22B67L200 □	1,093.00
■ SmartyCam GP HD + 67° lens + 4 m CAN Bus	XB1SGPH22B67L201 □	1,093.00
■ SmartyCam GP HD + 67° lens + 2 m CAN Bus + integrated 3.5 female Jack for external microphone harness	XB1SGPH22B67L200J □	1,093.00
■ SmartyCam GP HD + 67° lens + 4 m CAN Bus + integrated 3.5 female Jack for external microphone harness	XB1SGPH22B67L201J □	1,093.00
■ SmartyCam GP HD + 67° lens + 2 m CAN Bus + integrated external microphone harness	XB1SGPH22B67L200M □	1,150.00
■ SmartyCam GP HD + 67° lens + 4 m CAN Bus + integrated external microphone harness	XB1SGPH22B67L201M □	1,150.00
■ SmartyCam GP HD + 67° lens + 2 m external power cable + integrated 3.5 female Jack for external microphone harness	XB1SGPH22B67L231 □	1,093.00
■ SmartyCam GP HD + 67° lens + 4 m external power cable + integrated 3.5 female Jack for external microphone harness	XB1SGPH22B67L232 □	1,093.00
■ SmartyCam GP HD + 67° lens + 2 m external power cable + integrated external microphone harness	XB1SGPH22B67L208 □	1,150.00
■ SmartyCam GP HD + 67° lens + 4 m external power cable + integrated external microphone harness	XB1SGPH22B67L223 □	1,150.00
■ SmartyCam GP HD + 67° lens + 2 m external power cable	XB1SGPH22B67L215 □	1,093.00

Adapters: substitute □ with **E** for Europe, **G** for UK, **U** for USA, **A** for Australia

Bullet cam HFOV 84° lens

■ SmartyCam GP HD + 84° lens + 2 m CAN Bus	XB1SGPH22B84L200 □	1,093.00
■ SmartyCam GP HD + 84° lens + 4 m CAN Bus	XB1SGPH22B84L201 □	1,093.00
■ SmartyCam GP HD + 84° lens + 2 m CAN Bus + integrated 3.5 female Jack for external microphone harness	XB1SGPH22B84L200J □	1,093.00

AiM car/bike price list

Ver. 21g
November 2021

■ SmartyCam GP HD + 84° lens + 4 m CAN Bus + integrated 3.5 female Jack for external microphone harness	XB1SGPH22B84L201J	1,093.00
■ SmartyCam GP HD + 84° lens + 2 m CAN Bus + integrated external microphone harness	XB1SGPH22B84L200M	1,150.00
■ SmartyCam GP HD + 84° lens + 4 m CAN Bus + integrated external microphone harness	XB1SGPH22B84L201M	1,150.00
■ SmartyCam GP HD + 84° lens + 2 m external power cable + integrated 3.5 female Jack for external microphone harness	XB1SGPH22B84L231	1,093.00
■ SmartyCam GP HD + 84° lens + 4 m external power cable + integrated 3.5 female Jack for external microphone harness	XB1SGPH22B84L232	1,093.00
■ SmartyCam GP HD + 84° lens + 2 m external power cable + integrated external microphone harness	XB1SGPH22B84L208	1,150.00
■ SmartyCam GP HD + 84° lens + 4 m external power cable + integrated external microphone harness	XB1SGPH22B84L223	1,150.00
■ SmartyCam GP HD + 84° lens + 2 m external power cable	XB1SGPH22B84L215	1,093.00

Adapters: substitute □ with **E** for Europe, **G** for UK, **U** for USA, **A** for Australia

Bullet cam HFOV 120° lens

■ SmartyCam GP HD + 120° lens + 2 m CAN Bus	XB1SGPH22B12L200	1,093.00
■ SmartyCam GP HD + 120° lens + 4 m CAN Bus	XB1SGPH22B12L201	1,093.00
■ SmartyCam GP HD + 120° lens + 2 m CAN Bus + integrated 3.5 female Jack for external microphone harness	XB1SGPH22B12L200J	1,093.00
■ SmartyCam GP HD + 120° lens + 4 m CAN Bus + integrated 3.5 female Jack for external microphone harness	XB1SGPH22B12L201J	1,093.00
■ SmartyCam GP HD + 120° lens + 2 m CAN Bus + integrated external microphone harness	XB1SGPH22B12L200M	1,150.00
■ SmartyCam GP HD + 120° lens + 4 m CAN Bus + integrated external microphone harness	XB1SGPH22B12L201M	1,150.00
■ SmartyCam GP HD + 120° lens + 2 m external power cable + integrated 3.5 female Jack for external microphone harness	XB1SGPH22B12L231	1,093.00
■ SmartyCam GP HD + 120° lens + 4 m external power cable + integrated 3.5 female Jack for external microphone harness	XB1SGPH22B12L232	1,093.00
■ SmartyCam GP HD + 120° lens + 2 m external power cable + integrated external microphone harness	XB1SGPH22B12L208	1,150.00
■ SmartyCam GP HD + 120° lens + 4 m external power cable + integrated external microphone harness	XB1SGPH22B12L223	1,150.00
■ SmartyCam GP HD + 120° lens + 2 m external power cable	XB1SGPH22B12L215	1,093.00

Adapters: substitute □ with **E** for Europe, **G** for UK, **U** for USA, **A** for Australia

Accessories

GPS09 Module (See dedicated page)

Cables & Harnesses

2 m external power cable	V02566150	46.00
2 m bullet cam connection cable	V02566980	92.00
2 m CAN Bus cable	V02554820	46.00
4 m CAN Bus cable	V02554830	46.00
2 m external power + integrated external microphone harness	V02566080	92.00
4 m external power + integrated external microphone harness	V02566230	92.00
2 m external power + integrated 3.5 female Jack for external microphone harness	V02566310	58.00
4 m external power + integrated 3.5 female Jack for external microphone harness	V02566320	58.00
1 m external microphone cable	V02584030	46.00
1 m external 3.5 female Jack for external microphone cable	V02584040	46.00
2 m ECU CAN + external power harness	V02566930	58.00
4 m ECU CAN + external power harness	V02566940	58.00
2 m ECU CAN + external microphone + external power harness	V02584120	92.00
4 m ECU CAN + external microphone + external power harness	V02584130	92.00
2 m ECU CAN + integrated 3.5 female Jack for external microphone + external power harness	V02584140	81.00
4 m ECU CAN + integrated 3.5 female Jack for external microphone + external power harness	V02584150	81.00

Record unit bracket kits

Roll-bar kit In the box: mounting bracket, handlebar bracket, 90 mm arm, clamp base with ball, locknuts, washers and screws	X90KSGPRB	92.00
U-bolt kit In the box: mounting bracket, U-bolt, 90 mm arm, clamp base with ball, locknuts, washers and screws	X90KSGPTP	92.00
Suction cup In the box: mounting bracket, suction cup, 90 mm arm, clamp base with ball, locknuts, washers and screws	X90KSGPVS	92.00

Bullet cam bracket kits

Roll-bar kit In the box: handlebar bracket, 60 mm arm, ball head, bullet-cam bracket	X90KSBLRB	92.00
--	------------------	-------

AiM car/bike price list

Ver. 21g
November 2021

U-bolt kit In the box: U-bolt, 60 mm arm, ball head, bullet-cam bracket	X90KSBLTP	92.00
Suction cup In the box: suction cup, 60 mm arm, ball head, bullet-cam bracket	X90KSBLV0	92.00
Spare parts		
USB cable	X90TMPC002	12.00
Bullet cam SmartyCam GP HD 67°	XB1SGPH22B67	345.00
Bullet cam SmartyCam GP HD 84°	XB1SGPH22B84	345.00
Bullet cam SmartyCam GP HD 120°	XB1SGPH22B120	345.00
Bullet replacement front glass kit 67°	X96KVBGPHD6	35.00
Bullet replacement front glass kit 84°	X96KVBGPHD84	35.00
Bullet replacement front glass kit 120°	X96KVBGPHD	35.00



PDM32/08

Type	Description	Part number	Price
Power distribution module	Key features PDM32 and PDM08 Power Distribution Modules are designed to distribute power to multiple circuits on your vehicle, easily replacing traditional fuse and relay systems. Our PDMs, housed in an anodized billet aluminum case, are designed to handle the rigors of motorsport and include a complete professional data logger and internal dash controller. An AiM PDM at the center of vehicle electronics will greatly simplify your wiring harness and electronics installation while providing much more control.		
	 Kit PDM32 1 With Icons PDM32 D 10" Icons GPS 50 cm PDM32 D 10" Icons GPS 130 cm PDM32 D 10" Icons GPS 200 cm PDM32 D 10" Icons GPS 400 cm PDM32 D 10" Icons GPS Roof 200 cm PDM32 D 10" Icons GPS Roof 400 cm PDM32 D 6" Icons GPS 50 cm PDM32 D 6" Icons GPS 130 cm PDM32 D 6" Icons GPS 200 cm PDM32 D 6" Icons GPS 400 cm PDM32 D 6" Icons GPS Roof 200 cm PDM32 D 6" Icons GPS Roof 400 cm Without Icons PDM32 D 10" No Icons GPS 50 cm PDM32 D 10" No Icons GPS 130 cm PDM32 D 10" No Icons GPS 200 cm PDM32 D 10" No Icons GPS 400 cm PDM32 D 10" No Icons GPS Roof 200 cm PDM32 D 10" No Icons GPS Roof 400 cm PDM32 D 6" No Icons GPS 50 cm PDM32 D 6" No Icons GPS 130 cm PDM32 D 6" No Icons GPS 200 cm PDM32 D 6" No Icons GPS 400 cm PDM32 D 6" No Icons GPS Roof 200 cm PDM32 D 6" No Icons GPS Roof 400 cm	XC1PDM32D10G050C2 XC1PDM32D10G130C2 XC1PDM32D10G200C2 XC1PDM32D10G400C2 XC1PDM32D10R200C2 XC1PDM32D10R400C2 XC1PDM32D06G050C2 XC1PDM32D06G130C2 XC1PDM32D06G200C2 XC1PDM32D06G400C2 XC1PDM32D06R200C2 XC1PDM32D06R400C2 XC1PDM32D10G050C2NI XC1PDM32D10G130C2NI XC1PDM32D10G200C2NI XC1PDM32D10G400C2NI XC1PDM32D10R200C2NI XC1PDM32D10R400C2NI XC1PDM32D06G050C2NI XC1PDM32D06G130C2NI XC1PDM32D06G200C2NI XC1PDM32D06G400C2NI XC1PDM32D06R200C2NI XC1PDM32D06R400C2NI	2,415.00 2,415.00 2,415.00 2,415.00 2,415.00 2,415.00 2,185.00 2,185.00 2,185.00 2,185.00 2,185.00 2,185.00 2,415.00 2,415.00 2,415.00 2,415.00 2,415.00 2,415.00 2,185.00 2,185.00 2,185.00 2,185.00 2,185.00 2,185.00

Note: all prices are in Euro and VAT excluded

21

PDM32 with GPS and LVDS cable. No display ②

PDM32 with display connector + GPS 50 cm	XC1PDM3201G050	1,840.00
PDM32 with display connector + GPS 130 cm	XC1PDM3201G130	1,840.00
PDM32 with display connector + GPS 200 cm	XC1PDM3201G200	1,840.00
PDM32 with display connector + GPS 400 cm	XC1PDM3201G400	1,840.00
PDM32 with display connector + GPS Roof 200 cm	XC1PDM3201R200	1,840.00
PDM32 with display connector + GPS Roof 400 cm	XC1PDM3201R400	1,840.00

PDM32 with LVDS cable. No GPS and no display ③

PDM32 with display connector and LVDS Cable	XC1PDM3201	1,553.00
---	-------------------	----------

LVDS Cable for PDM32

LVDS Cable for PDM32 2 m	FCCA682000	173.00
--------------------------	-------------------	--------



Kit PDM08 ④

With Icons

PDM08 D 10" Icons GPS 50 cm	XC1PDM08D10G050C2	1,955.00
PDM08 D 10" Icons GPS 130 cm	XC1PDM08D10G130C2	1,955.00
PDM08 D 10" Icons GPS 200 cm	XC1PDM08D10G200C2	1,955.00
PDM08 D 10" Icons GPS 400 cm	XC1PDM08D10G400C2	1,955.00
PDM08 D 10" Icons GPS Roof 200 cm	XC1PDM08D10R200C2	1,955.00
PDM08 D 10" Icons GPS Roof 400 cm	XC1PDM08D10R400C2	1,955.00
PDM08 D 6" Icons GPS 50 cm	XC1PDM08D06G050C2	1,725.00
PDM08 D 6" Icons GPS 130 cm	XC1PDM08D06G130C2	1,725.00
PDM08 D 6" Icons GPS 200 cm	XC1PDM08D06G200C2	1,725.00
PDM08 D 6" Icons GPS 400 cm	XC1PDM08D06G400C2	1,725.00
PDM08 D 6" Icons GPS Roof 200 cm	XC1PDM08D06R200C2	1,725.00
PDM08 D 6" Icons GPS Roof 400 cm	XC1PDM08D06R400C2	1,725.00

Without Icons

PDM08 D 10" No Icons GPS 50 cm	XC1PDM08D10G050C2NI	1,955.00
PDM08 D 10" No Icons GPS 130 cm	XC1PDM08D10G130C2NI	1,955.00
PDM08 D 10" No Icons GPS 200 cm	XC1PDM08D10G200C2NI	1,955.00
PDM08 D 10" No Icons GPS 400 cm	XC1PDM08D10G400C2NI	1,955.00
PDM08 D 10" No Icons GPS Roof 200 cm	XC1PDM08D10R200C2NI	1,955.00
PDM08 D 10" No Icons GPS Roof 400 cm	XC1PDM08D10R400C2NI	1,955.00
PDM08 D 6" No Icons GPS 50 cm	XC1PDM08D06G050C2NI	1,725.00
PDM08 D 6" No Icons GPS 130 cm	XC1PDM08D06G130C2NI	1,725.00

AiM car/bike price list

Ver. 21g
November 2021

PDM08 D 6" No Icons GPS 200 cm	XC1PDM08D06G200C2NI	1,725.00
PDM08 D 6" No Icons GPS 400 cm	XC1PDM08D06G400C2NI	1,725.00
PDM08 D 6" No Icons GPS Roof 200 cm	XC1PDM08D06R200C2NI	1,725.00
PDM08 D 6" No Icons GPS Roof 400 cm	XC1PDM08D06R400C2NI	1,725.00

PDM08 with GPS and LVDS cable. No display ⑤

PDM08 with display connector + GPS 50 cm	XC1PDM0801G050	1,380.00
PDM08 with display connector + GPS 130 cm	XC1PDM0801G130	1,380.00
PDM08 with display connector + GPS 200 cm	XC1PDM0801G200	1,380.00
PDM08 with display connector + GPS 400 cm	XC1PDM0801G400	1,380.00
PDM08 with display connector + GPS Roof 200 cm	XC1PDM0801R200	1,380.00
PDM08 with display connector + GPS Roof 400 cm	XC1PDM0801R400	1,380.00

PDM08 with LVDS cable. No GPS and no display ⑥

PDM08 with display connector and LVDS Cable	XC1PDM0801	1,093.00
---	-------------------	----------

PDM08 without LVDS cable. No GPS and no display ⑦

PDM08 with display connector	XC1PDM0802	920.00
------------------------------	-------------------	--------

LVDS Cable for PDM08

LVDS Cable for PDM08 2 m	FCCA692000	173.00
--------------------------	-------------------	--------



SAP32 Module ⑧

Stand Alone Power Module	XC1SAP3202	1,495.00
--------------------------	-------------------	----------



SAP08 Module ⑨

Stand Alone Power Module	XC1SAP0802	1,035.00
--------------------------	-------------------	----------



EPM08 Module ⑩

Expansion Power Module	XC1EPM0801	1,035.00
------------------------	-------------------	----------

PDM dashes



Dash 6" Icons	XC1D06000	345.00
---------------	------------------	--------

Dash 6" No Icons	XC1D06000NI	345.00
------------------	--------------------	--------



Dash 10" Icons	XC1D10000	575.00
----------------	------------------	--------

Dash 10" No Icons	XC1D10000NI	575.00
-------------------	--------------------	--------

AiM car/bike price list

Ver. 21g
November 2021

1 Kit PDM32

Quantity	Description	Part number		
N. 1	PDM32 Module	XC1PDM3200		
N. 1	Display	XC1D06000	Dash 6" Icons	
		XC1D06000NI	Dash 6" No Icons	
		XC1D10000	Dash 10" Icons	
		XC1D10000NI	Dash 10" No Icons	
N. 1	GPS Module	X40GPS090050	GPS 50 cm	
		X40GPS090130	GPS 130 cm	
		X40GPS090200	GPS 200 cm	
		X40GPS090400	GPS 400 cm	
		X40GPS09R200	GPS Roof 200 cm	
		X40GPS09R400	GPS Roof 400 cm	
N. 1	LVDS cable 2 m	FCCA682000		
N. 1	Heavy Duty Amphenol connector	5CNM010000		
N. 1	USB cable	V02563030		
N. 1	35 pin free plug black AMP	5CND7761641		
N. 1	35 pin free plug gray AMP	5CND7761644		
N. 70	Gold plated pin for AMP	5CT07705203		
N. 1	CAN Exp female Binder cable 1.5 m	V02579030		

Note: all prices are in Euro and VAT excluded

24

AiM car/bike price list

Ver. 21g
November 2021

2 PDM32 with GPS and LVDS cable. No display

Quantity	Description	Part number		
N. 1	PDM32 Module	XC1PDM3200		
N. 1	GPS Module	X40GPS090050	GPS 50 cm	
		X40GPS090130	GPS 130 cm	
		X40GPS090200	GPS 200 cm	
		X40GPS090400	GPS 400 cm	
		X40GPS09R200	GPS Roof 200 cm	
		X40GPS09R400	GPS Roof 400 cm	
N. 1	LVDS cable 2 m	FCCA682000		
N. 1	Heavy Duty Amphenol connector	5CNM010000		
N. 1	USB cable	V02563030		
N. 1	35 pin free plug black AMP	5CND7761641		
N. 1	35 pin free plug gray AMP	5CND7761644		
N. 70	Gold plated pin for AMP	5CT07705203		
N. 1	CAN Exp female Binder cable 1.5 m	V02579030		

Note: all prices are in Euro and VAT excluded

25

AiM car/bike price list

Ver. 21g
November 2021

③ PDM32 with LVDS cable. No GPS and no display

Quantity	Description	Part number	
N. 1	PDM32 Module	XC1PDM3200	
N. 1	LVDS cable 2 m	FCCA682000	
N. 1	Heavy Duty Amphenol connector	5CNM010000	
N. 1	USB cable	V02563030	
N. 1	35 pin free plug black AMP	5CND7761641	
N. 1	35 pin free plug gray AMP	5CND7761644	
N. 70	Gold plated pin for AMP	5CT07705203	
N. 1	CAN Exp female Binder cable 1.5 m	V02579030	

Note: all prices are in Euro and VAT excluded

26

AiM car/bike price list

Ver. 21g
November 2021

4 Kit PDM08

Quantity	Description	Part number		
N. 1	PDM08 Module	XC1PDM0800		
N. 1	Display	XC1D06000	Dash 6" Icons	
		XC1D06000NI	Dash 6" No Icons	
		XC1D10000	Dash 10" Icons	
		XC1D10000NI	Dash 10" No Icons	
N. 1	GPS Module	X40GPS090050	GPS 50 cm	
		X40GPS090130	GPS 130 cm	
		X40GPS090200	GPS 200 cm	
		X40GPS090400	GPS 400 cm	
		X40GPS09R200	GPS Roof 200 cm	
		X40GPS09R400	GPS Roof 400 cm	
N. 1	LVDS cable for PDM08 2 m	FCCA692000		
N. 1	Heavy Duty Amphenol connector	5CNM010000		
N. 1	USB cable	V02563030		
N. 1	35 pin free plug black AMP	5CND7761641		
N. 35	Gold plated pin for AMP	5CT07705203		
N. 1	CAN Exp female Binder cable 1.5 m	V02579030		

Note: all prices are in Euro and VAT excluded

27

AiM car/bike price list

Ver. 21g
November 2021

9 PDM08 with GPS and LVDS cable. No display

Quantity	Description	Part number		
N. 1	PDM08 Module	XC1PDM0800		
N. 1	GPS Module	X40GPS090050	GPS 50 cm	
		X40GPS090130	GPS 130 cm	
		X40GPS090200	GPS 200 cm	
		X40GPS090400	GPS 400 cm	
		X40GPS09R200	GPS Roof 200 cm	
		X40GPS09R400	GPS Roof 400 cm	
N. 1	LVDS cable for PDM08 2 m	FCCA692000		
N. 1	Heavy Duty Amphenol connector	5CNM010000		
N. 1	USB cable	V02563030		
N. 1	35 pin free plug black AMP	5CND7761641		
N. 35	Gold plated pin for AMP	5CT07705203		
N. 1	CAN Exp female Binder cable 1.5 m	V02579030		

Note: all prices are in Euro and VAT excluded

28

AiM car/bike price list

Ver. 21g
November 2021

⑥ PDM08 with LVDS cable. No GPS and no display

Quantity	Description	Part number	
N. 1	PDM08 Module	XC1PDM0800	
N. 1	LVDS cable for PDM08 2 m	FCCA692000	
N. 1	Heavy Duty Amphenol connector	5CNM010000	
N. 1	USB cable	V02563030	
N. 1	35 pin free plug black AMP	5CND7761641	
N. 35	Gold plated pin for AMP	5CT07705203	
N. 1	CAN Exp female Binder cable 1.5 m	V02579030	

Note: all prices are in Euro and VAT excluded

29

AiM car/bike price list

Ver. 21g
November 2021

🔗 PDM08 without LVDS cable. No GPS and no display

Quantity	Description	Part number	
N. 1	PDM08 Module	XC1PDM0800	
N. 1	Heavy Duty Amphenol connector	5CNM010000	
N. 1	USB cable	V02563030	
N. 1	35 pin free plug black AMP	5CND7761641	
N. 35	Gold plated pin for AMP	5CT07705203	
N. 1	CAN Exp female Binder cable 1.5 m	V02579030	

Note: all prices are in Euro and VAT excluded

30

AiM car/bike price list

Ver. 21g
November 2021

8 SAP32 Module

Quantity	Description	Part number	
N. 1	SAP32 Module	XC1SAP3200	
N. 1	Heavy Duty Amphenol connector	5CNM010000	
N. 1	USB cable	V02563030	
N. 1	35 pin free plug black AMP	5CND7761641	
N. 1	35 pin free plug gray AMP	5CND7761644	
N. 70	Gold plated pin for AMP	5CT07705203	

9 SAP08 Module

Quantity	Description	Part number	
N. 1	SAP08 Module	XC1SAP0800	
N. 1	Heavy Duty Amphenol connector	5CNM010000	
N. 1	USB cable	V02563030	
N. 1	35 pin free plug black AMP	5CND7761641	
N. 35	Gold plated pin for AMP	5CT07705203	

Note: all prices are in Euro and VAT excluded

31

AiM car/bike price list

Ver. 21g
November 2021

10 EPM08 Module

Quantity	Description	Part number	
N. 1	EPM08 Module	XC1EPM0800	
N. 1	Heavy Duty Amphenol connector	5CNM010000	
N. 1	USB cable	V02563030	
N. 1	35 pin free plug black AMP	5CND7761641	
N. 35	Gold plated pin for AMP	5CT07705203	

Note: all prices are in Euro and VAT excluded

32



SW4

Type

Steering wheels

Description

Key features

SW4 is one of the most versatile steering wheels in the market, compatible with a long list of ECU protocols, to meet any driver's need. Four sizes: SW4 270, SW4 280, SW4 320 and SW4 350, compatible with more than 2,000 ECU protocols, TFT display with freely configurable pages, individually configurable pushbuttons, rotary switches, one by one configurable LEDs, GPS09 Module (optional), clutch and paddle shifts (optional), ergonomic & replaceable handle grips, easy configuration & analysis with Race Studio 3.

SW4 Steering Wheels

Description	Part number	Price	
SW4 270 mm	X07SW42700	2,530.00	
SW4 280 mm	X07SW42800	2,530.00	
SW4 320 mm	X07SW43200	2,875.00	
SW4 350 mm	X07SW43500	2,875.00	

AiM car/bike price list

Ver. 21g
November 2021

SW4 Accessories

Description	Part number	Price	
SW4 Gear Paddles set 270/280	X07SW4PADSGRL	437,00	
SW4 Gear Paddles set 320/350	X07SW4PADSGRL1	437,00	
SW4 Clutch Paddles set	X07SW4PADSCRL	483,00	
Car side Harness	XSM559200	290,00	

Kit 1 SW4 + Car Side Harness

Description	Part number	Price	
SW4 270 + Car Side Harness	X07SW42700H0	2,818.00	 
SW4 280 + Car Side Harness	X07SW42800H0	2,818.00	
SW4 320 + Car Side Harness	X07SW43200H0	3,163.00	
SW4 350 + Car Side Harness	X07SW43500H0	3,163.00	

Note: all prices are in Euro and VAT excluded

34

AiM car/bike price list

Ver. 21g
November 2021

Kit 2 SW4 + Gear Paddle Shift

Description	Part number	Price		
SW4 270 + Gear Paddle Shift	X07SW42700PSG	2,967.00		
SW4 280 + Gear Paddle Shift	X07SW42800PSG	2,967.00		
SW4 320 + Gear Paddle Shift	X07SW43200PSG	3,312.00		
SW4 350 + Gear Paddle Shift	X07SW43500PSG	3,312.00		

Kit 3 SW4 + Gear Paddle Shift + Car Side Harness

Description	Part number	Price		
SW4 270 + Gear Paddle Shift + Car Side Harness	X07SW42700PSGH0	3,255.00		
SW4 280 + Gear Paddle Shift + Car Side Harness	X07SW42800PSGH0	3,255.00		
SW4 320 + Gear Paddle Shift + Car Side Harness	X07SW43200PSGH0	3,600.00		
SW4 350 + Gear Paddle Shift + Car Side Harness	X07SW43500PSGH0	3,600.00		


Note: all prices are in Euro and VAT excluded

35

AiM car/bike price list

Ver. 21g
November 2021

Kit 4 SW4 + Gear and Clutch Paddle Shift

Description	Part number	Price		
SW4 270 + Gear and Clutch Paddle Shift	X07SW42700PSCG	3,450.00		
SW4 280 + Gear and Clutch Paddle Shift	X07SW42800PSCG	3,450.00		
SW4 320 + Gear and Clutch Paddle Shift	X07SW43200PSCG	3,795.00		
SW4 350 + Gear and Clutch Paddle Shift	X07SW43500PSCG	3,795.00		

Kit 5 SW4 + Gear and Clutch Paddle Shift + Car Side Harness

Description	Part number	Price		
SW4 270 + Gear and Clutch Paddle Shift + Car Side Harness	X07SW42700PSCGH0	3,738.00		 
SW4 280 + Gear and Clutch Paddle Shift + Car Side Harness	X07SW42800PSCGH0	3,738.00		
SW4 320 + Gear and Clutch Paddle Shift + Car Side Harness	X07SW43200PSCGH0	4,083.00		
SW4 350 + Gear and Clutch Paddle Shift + Car Side Harness	X07SW43500PSCGH0	4,083.00		

Note: all prices are in Euro and VAT excluded

36

AiM car/bike price list

Ver. 21g
November 2021

SW4 Spare Parts

Description	Part number	Price	
SW4 Handle Grips Set	X07SW4HBR0	92.00	
SW4 Standard Adesive Pushbuttons Set	X07SW4KVT0	23.00	

Note: all prices are in Euro and VAT excluded

37



Channel Expansion

Type	Description	Part number	Price
CAN connection multiplier	Key features Channel Expansion is the new CAN connection multiplier that makes your datalogger still more powerful, adding 4 analog channels through one simple cable. In the box Channel Expansion with 150 cm cable.	X08CHANEXP0	253.00



Data Hub

Type	Description	Part number	Price
Data Hub 4 CAN inputs	Key features Data Hub is the new CAN connection multiplier that works as interface between AiM data loggers (MXL/EVO3 Pro) and their peripherals. Short cable - In the box Data Hub with 40 cm cable Long cable - In the box Data Hub with 150 cm cable	X08HUB010 X08HUB150	69.00 69.00
Data Hub 2 CAN inputs	Key features Hub CAN with two inputs and integrated external power	X08HB2GK0	69.00



GPS09 Module

Type	Description	Part number	Price
GPS	Key features GPS09 Module with integrated antenna, CAN cable.		
	In the box GPS09 Module with cable (see the lengths below).		
	Available versions		
	GPS09 Module car/bike with 50 cm cable length	X40GPS090050	288.00
	GPS09 Module car/bike with 1.3 m cable length	X40GPS090130	288.00
	GPS09 Module car/bike with 2 m cable length	X40GPS090200	288.00
	GPS09 Module car/bike with 4 m cable length	X40GPS090400	288.00
	GPS09 Module Roof version with 1 m cable length	X40GPS09R100	345.00
	GPS09 Module Roof version with 2 m cable length	X40GPS09R200	345.00
	GPS09 Module Roof version with 4 m cable length	X40GPS09R400	345.00
	GPS09 Module for Kawasaki MXK10-Gen4 with 50 cm cable length	X40GPS09005G4	345.00
	GPS09 Module for Kawasaki MXK10-Gen5 with 50 cm cable length	X40GPS09005G5	345.00



LCU-One Lambda Controller Units

LCU-One CAN

Type	Description	Part number	Price
Lambda controller unit CAN interface	Key features LCU-One CAN works with wide band Bosch LSU 4.9 lambda probe and provides a punctual detection from 0.65 to 1.6 lambda value. In the box LCU-One CAN, wide band Bosch LSU 4.9 lambda probe, thread iron ring for installation, 90 cm CAN connection, Race Studio 2 software.	X08LCU05CAN0	380.00

LCU-One Analog

Type	Description	Part number	Price
Lambda controller unit Analog interface	Key features LCU-One Analog works with wide band Bosch LSU 4.9 lambda probe and provides a punctual detection from 0.65 to 1.6 lambda value. In the box (kit #1) LCU-One Analog, wide band Bosch LSU 4.9 lambda probe, thread iron ring for installation, RS232 cable for analog programming, analog adapter (male 712 metallic connector, male 719 plastic connector), Race Studio 2 software. In the box (kit #2) LCU-One Analog, wide band Bosch LSU 4.9 Probe, thread iron ring for installation, RS232 cable for analog programming, analog adapter (male 712 metallic connector, male 712 metallic connector), Race Studio 2 software.	X08LCU04AN23 X08LCU04AN22	380.00 380.00



Memory Module

Type	Description	Part number	Price
Memory expansion	Key features The Memory Module is a small SD Card holder that can be connected via CAN bus to your AiM logger in order to record the data during your tests: the data will be saved simultaneously both in the logger and on the SD Card (not included). In the box Memory Module with 40 cm cable.	X08MMD040	207.00



MemoryKey

Type	Description	Part number	Price
Removable memory device	Key features MemoryKey allows an immediate memorization of data sampled during test or race sessions. Download wait, then, is no more needed for data analysis. In the box MemoryKey, Race Studio 2 software.	X50MEPC00	173.00



Shift Light Module

Type	Description	Part number	Price
Compact RGB LEDs array	Key features The Shift Light Module is a compact array of ten RGB LEDs which help monitoring RPM thresholds, alerts and other indicators.	X08EGF010	184.00



Strada Kit

Type	Description	Part number	Price
Strada -> Pista expansion	Key features		
	The Strada Kit switches a Strada dash to a logger.		
	In the box		
	Strada Logger, GPS09 Module, Data Hub.		
	Strada Logger 40 cm, GPS09 Module 1,3 m, Data Hub 40 cm	X08MMD04G13DH04	1,220.00
	Strada Logger 40 cm, GPS09 Module 2 m, Data Hub 40 cm	X08MMD04G2DH04	1,220.00
	Strada Logger 40 cm, GPS09 Module 4 m, Data Hub 40 cm	X08MMD04G4DH04	1,220.00
	Strada Logger with 20 cm cable	X08MMD020SL	863.00
	Strada Logger with 40 cm cable	X08MMD040SL	863.00



TC Hub

Type	Description	Part number	Price
Thermocouples multiplier	Key features	X08TCHUB000	253.00
	TC Hub is the thermocouples multiplier, connectable to MXL Pista/Pro 05 and EVO3 Pro/Pista, acquiring all needed temperatures without engaging any analog channel.		
	In the box		
	TC Hub with 150 cm cable.		

Sensors

Description	Connector/ Thread	Cable length	Travel	Part number	Price
Temperature sensors					
Exhaust Gas K type Thermocouple	M5	30 cm		3CVGAS807	85.00
Tire temperature sensor	Binder 719	25 cm		X05TTS01B0	115.00
Water PT 100 thermoresistor	M5	30 cm		X05TRM05A4514BPR	85.00
Water PT 100 thermoresistor	M10	30 cm		X05TRM10A4512BPRS	85.00
Water PT 100 thermoresistor	1/8 NPTV	30 cm		X05NPTA4513BPRS	85.00
Inline water fitting	M5	--		LAA541100	14.00
Inline water fitting	M10	--		LAA54120R	14.00
Pressure sensors					
AiM pressure sensor 0-5 bar	M10	40 cm		X05PSA00005B10K	224.00
AiM pressure sensor 0-5 bar	3/8 24	40 cm		X05PSA00005B38K	224.00
AiM pressure sensor 0-5 bar Absolute	M10	40 cm		X05PSA00005B10AK	224.00
AiM pressure sensor 0-5 bar Absolute	3/8 24	40 cm		X05PSA00005B38AK	224.00
AiM pressure sensor 0-10 bar	M10	40 cm		X05PSA00010B10K	224.00
AiM pressure sensor 0-10 bar	1/8 NPT	40 cm		X05PSA00010B18K	224.00
AiM pressure sensor 0-10 bar	3/8 24	40 cm		X05PSA00010B38K	224.00
AiM pressure sensor 0-100 bar	M10	40 cm		X05PSA00100B10K	224.00
AiM pressure sensor 0-100 bar	3/8 24	40 cm		X05PSA00100B38K	224.00
AiM pressure sensor 0-160 bar	M10	40 cm		X05PSA00160B10K	224.00
AiM pressure sensor 0-160 bar	3/8 24	40 cm		X05PSA00160B38K	224.00
AiM pressure sensor 0-50 PSI	1/8 NPT	40 cm		X05PSA00050P18K	224.00
AiM pressure sensor 0-50 PSI Absolute	1/8 NPT	40 cm		X05PSA00050P18AK	224.00
AiM pressure sensor 0-150 PSI	1/8 NPT	40 cm		X05PSA00150P18K	224.00
AiM pressure sensor 0-300 PSI	1/8 NPT	40 cm		X05PSA00300P18K	224.00
AiM pressure sensor 0-2000 PSI	1/8 NPT	40 cm		X05PSA02000P18K	224.00
Position sensors					
Car/bike rotary potentiometer		30 cm		X05SNST10G	138.00
Car/bike linear potentiometer 9.5		30 cm	75 mm	X05SNPJ075	368.00
Car/bike linear potentiometer 9.5		30 cm	150 mm	X05SNPJ150	437.00
Car/bike linear potentiometer 13		30 cm	50 mm	X05LPAIM050	368.00
Car/bike linear potentiometer 13		30 cm	75 mm	X05LPAIM075	368.00
Car/bike linear potentiometer 13		30 cm	100 mm	X05LPAIM100	391.00
Car/bike linear potentiometer 13		30 cm	150 mm	X05LPAIM150	437.00
Car/bike throttle potentiometer		30 cm		X05SNRP972	138.00

Note: all prices are in Euro and VAT excluded

43

Sensors

Description	Connector/ Thread	Cable length	Travel	Part number	Price
Speed sensors					
Car speed sensor Honeywell	Binder 719	25 cm		X05SNVS00	124.00
Car inductive speed sensor Contrinex	Binder 719	170 cm		X05SNVDW0	81.00
Car inductive speed sensor Contrinex	Binder 712	170 cm		X05SNVDW712	81.00
Car/bike magnetic speed sensor	Binder 719	170 cm		X02SNVM00	81.00
Car/bike magnetic speed sensor	Binder 712	170 cm		X05SNVB301	81.00
Beacon equipments					
Optical lap receiver	Binder 719	90 cm		X41RX19090	92.00
Optical lap receiver	Binder 719	300 cm		X41RX19300	92.00
Optical lap receiver	Binder 712	90 cm		X41RX12090	92.00
Optical lap receiver	Binder 712	140 cm		X41RX12140	92.00
Optical lap receiver	Binder 712	300 cm		X41RX12300	92.00
RPM adapters					
RPM-ECU Coil adapter - ARP03				X05ADRPMM30	86.00
RPM coil adapter for EVO4 - ARP04				X50AARP040	86.00
Spark plug inductive RPM adapter - ARP05				X10ADRPMM000	86.00

Cables and extension cables

Extension cables					
Extension cable 712M4C - 719F4C	50 - 100 - 150 - 200 - 250 cm				46.00
Extension cable 719M4C - 719F4C	50 - 100 - 150 - 200 - 250 cm				46.00
CAN extensions					
CAN extension 712M 5 Pins - 712F 5 Pins	50 - 100 - 150 - 200 - 250 cm				46.00



MultiChron

Type	Description	Part number	Price
Stopwatch	Key features It tracks up to four different racers simultaneously with single or multiple start - 1/100 sec. precision - Wide (25.5 x 29 mm) display - Up to 99 lap times, up to 9 splits per lap - Data recall while saving - Automatic turn-off after inactivity - Weight: 100 g, batteries included. In the box MultiChron, neck lanyard, batteries.	X02CHRN05	124.00



AiM Tech Srl

Via G. Cavalcanti, 8

20063 Cernusco sul Naviglio (MI)

Italia

Tel. (+39) 02.9290571

info@aim-sportline.com

aim-sportline.com