

# **POLYMER MAGAZINES** NEW

## **KIT UP YOUR FIREARMS**

New polymer magazine additions include a 25 round .308/7.62X51 windowed magazine, 10 round 5.56/.223 magazine, and a 33 round GLOCK® 9mm double-stack magazine. After the many requests from our customers who enjoy building from the ground up and in addition to our well-received 6 position tube kits, new A2 rifle extension tube build kits will be added to our product line. Coming out of our Michigan UTG PRO® manufacturing is the addition of a ½"-28 9mm stubby muzzle brake and a new series of iron sights starting out with a pair of low profile mechanical flip-up back up iron sights.

## JUMP TO A SERIES

•	Polymer Magazines	Page 132
•	Front & Rear Sights	Page 130
•	Fixed Stocks & Assemblies	Page 140
•	Pistol Grips	Page 140
•	AR Control Components	•
	AR Platform Armorer's Wrenches	_
•	Index Mounts & Handstops	Page 150
•	-	-
•	Pistol Magazine Base Pads	Page 15!
•	_	•
•	Miscellaneous Accessories	_

THE BEST NEVER REST LIFETIME WARRANTY

(Third party trademarks may be used in this catalog for the convenience of customers to indicate the fit or compatibility of the applicable Leapers items.)




## **AR PLATFORM POLYMER MAGAZINES**




Black







Full-auto Reliability Testing



Adverse Temperature Testing



**Drop Testing** 



Cutout for Attaching Pull Tabs or Loops



Four-way Anti-tilt High Visibility Blue Follower and High Longevity Stainless Steel Spring for Reliable Feeding



Removable Flared Floor Plate

RBT-AM30





#### RBT-AM10

#### 30 Round Windowed .223/5.56 Polymer Magazine

- Durable and Impact Resistant Glass Fiber Reinforced Matte Black Polymer Construction
- · Four-way Anti-tilt High Visibility Blue Follower and High Longevity Stainless Steel Spring for
- Aggressively Molded Grip Textured with Left and Right Side Windowed Main Body with Remaining Round Count Indicators, Over-insertion Stop, and Removable Flared Floor Plate

#### 10 Round .223/5.56 Polymer Magazine

- Impact and Heat Resistant Glass Fiber Reinforced Matte Black Polymer Construction
- Four-way Anti-tilt High Visibility Blue Follower, High Longevity Stainless Steel Spring, and Over Travel Stop for Reliable Feeding
- · Removable Flared Floor Plate for Cleaning







#### UTG PRO® 30 Round .223/5.56 Polymer Magazine

- Impact and Heat Resistant Glass Fiber Reinforced Matte Black Polymer Construction
- Four-way Anti-tilt High Visibility Blue Follower, High Longevity Stainless Steel Spring, and Over Travel Stop for Reliable Feeding
- · Aggressively Molded Grip Texture on the Magazine's Forward and Rearward Spine
- · Magazine Side Walls Feature Open Surface Areas for User Applied Grip Tape or Stippling
- · Removable Flared Plate for Cleaning




#### 25 Round Windowed LR/SR .308/7.62X51 Polymer Magazine

RBT-DM25

- Durable and Impact Resistant Glass Fiber Reinforced Matte Black Polymer Construction
- Four-way Anti-tilt High Visibility Blue Follower and High Longevity Stainless Steel Spring for Reliable Feeding
- Features Positive Grip Texturing, Left and Right Side Windowed Main Body with Remaining Round Count Indicators, Over-insertion Stop, and Removable Flared Floor Plate
- Not Compatible with AR-10B, SCAR 17S, LAR8, HK417, or Rifles that Use M14, FAL, or HK G3/91 Patterned Magazines

# **GL933, 33 ROUND 9MM DOUBLE-STACK POLYMER MAGAZINE - GLOCK®**





Adverse Temperature Testing



**Drop Testing** 



Left and Right Side Capacity Indicator Holes Durable and Impact Resistant Glass Fiber Reinforced Matte Black Polymer Construction

Easily Removable Base Plate for Cleaning





## **AR15 FLIP-UP FRONT & REAR SIGHTS**



· Dual Aperture Tool-free Windage Adjustment

· Lightweight at 1.52 oz.

Manual Flip-up Sight Tower Locks into Place when Deployed, Unlocks via Spring-loaded Push Button, Low Profile 0.55" Stowed Height

· Lightweight at 1.3 oz.

Low Profile 0.55" Stowed Height

· Designed for the AR Platform and Fits Most Picatinny Rails

· Utilizes Standard Elevation Adjustable A2 Front Sight Post

· Manual Flip-up Sight Tower Locks into Place when Deployed, Unlocks via Spring-loaded Push Button,



US PAT. 10030935









#### **ACCU-SYNC® 45 Degree Flip-up Front Sight**

- Precision Machined from Aircraft Aluminum with a Matte Black Finish
- 45 Degree Angled Offset Allows Access to Iron Sights Simultaneously with Primary Mounted Magnified Optics
- · Posi-lock Retention Plunger Locks Sight in Deployed Position
- · Tool-free Front Sight Post Elevation Adjustment Wheel
- Utilizes a Single Locking Torx Screw and Squared Recoil stops for a Secure Zero Hold and Return to Zero on Picatinny Rails





US PAT. D852920



Primary Mounted Magnified Optics





#### **ACCU-SYNC® 45 Degree Flip-up Rear Sight**

- Precision Machined from Aircraft Aluminum with a Matte Black Finish
   45 Degree Angled Offset Allows Access to Iron Sights Simultaneously with
- · Posi-lock Retention Plunger Locks Sight in Deployed Position
- Dual Aperture Rear Sight with Tool-free Windage Adjustment Wheel
- Utilizes a Single Locking Torx Screw and Squared Recoil Stops for a Secure Zero Hold and Return to Zero on Picatinny Rails



US PAT. 10119784



US PAT. D863490





#### ACCU-SYNC® Spring-loaded Flip-up Front Sight

- · Precision Machined from Aircraft Aluminum with a Matte Black Finish
- Lightweight, Space Saving, Fold Over Design Uses Minimal Rail Space, 0.51" Stowed Height
- Posi-lock Push Button Automatically Deploys the Spring Loaded Sight and Prevents Sight from Collapsing when Deployed
- Utilizes a Single Locking Torx Screw and Squared Recoil Stops for a Secure Zero Hold and Return to Zero on Picatinny Rails



US PAT. 10119784



US PAT. D863489



MNT-957

#### **ACCU-SYNC® Spring-loaded Flip-up Rear Sight**

- Precision Machined from Aircraft Aluminum with a Matte Black Finish
- Lightweight, Space Saving, Fold Over Design Uses Minimal Rail Space, 0.63" Stowed Height
- Posi-lock Push Button Automatically Deploys the Spring Loaded Sight and Prevents Sight from Collapsing when Deployed
- · Dual Aperture Rear Sight with Tool-free Windage Adjustment Wheel
- Utilizes a Single Locking Torx Screw and Squared Recoil Stops for a Secure Zero Hold and Return to Zero on Picatinny Rails





#### **Super Slim Flip-up Front Sight**

- Aluminum/Steel Construction with a Matte Black Finish
- Standard A2 Front Sight Post with Precise Elevation Adjustment
- Low Profile 3mm Locking Bolt and Mounting Deck Securely Attaches to any Picatinny Rail, 0.55" Stowed Height



MNT-955

#### Super Slim Flip-up Rear Sight

- Aluminum/Steel Construction with a Matte Black Finish
- Dual Aperture Rear Sight with Tool-free Windage Adjustment Wheel
- Low Profile 3mm Locking Bolt and Mounting Deck Securely Attaches to any Picatinny Rail, 0.55" Stowed Height

## **AR15 FIXED FRONT & REAR SIGHTS**





LOW PROFILE SIGHT
FOR SAME PLANE APPLICATIONS



(Designed to Match MT-950RS03 Rear Sight)



## **Low Profile Super Slim Front Sight**

- Low Profile Front Sight with Adjustable A2 Front Sight Post, Fits on Picatinny Handguard or High Profile Gas Block Leveled with Flat Top Upper Receiver
- Utilizes a Locking Torx Screw Side Plate and Squared Recoil Stop to Ensure a Secure Zero Hold
- CNC Machined 6061-T6 Aircraft Aluminum and Steel Construction with a Matte Black Finish





HIGH PROFILE SIGHT
FOR LOWERED OFFSET GAS BLOCK APPLICATIONS



(Designed to Match MT-950RS03 Rear Sight)



## **High Profile Super Slim Front Sight**

- High Profile Front Sight with Adjustable A2 Front Sight Post, Fits Lowered Offset Picatinny Railed Gas Blocks
- Utilizes a Locking Torx Screw Side Plate and ISquared Recoil Stop to Ensure a Secure Zero Hold
- CNC Machined 6061-T6 Aircraft Aluminum and Steel Construction with a Matte Black Finish







(Designed to Match MT-754X & MT-750X Front Sight)



#### **Super Slim Rear Sight**

- Precision CNC Machined 6061-T6 Aircraft Aluminum Base with Steel A2 Sight Assembly
- Slim and Lightweight Profile with a Durable Wear Resistant Matte Black Finish
- · Tool-free Windage and Elevation Adjustment with Dual Apertures
- Utilizes a Single Locking Torx Screw and Squared Recoil Stop for a Secure Zero Hold and Return to Zero on MIL-STD-1913 Picatinny Rails



## **AR15 CARRY HANDLE SIGHTS**



# **SHOTGUN SIGHTS**



#### **UTG PRO® Mil-spec Forged Carry Handle Sight**

- · Mil-spec Match Grade Detachable Carry Handle with A2 Sight Assembly
- · Picatinny Mounting Base with Full Length Locking Plate and Dual Oversized Locking Thumb Wheels
- Forged 7075-T6 Aluminum and Steel Construction Finished in a Matte Black Anodization
- Steel A2 Sight Assembly Provides Precise and Reliable Windage/Elevation Adjustment, Complete with Dual Aiming Apertures



#### **Enhanced Carry Handle Rear Sight**

- Utilizes a Full Length Two Point Locking Side Plate with Low Profile Thumb Wheels and Four Integral Recoil Stops to Ensure a Secure Zero Hold
- CNC Machined 6061-T6 Aluminum and Steel Construction with a Matte Black Finish







#### 12 GA. Shotgun Sub-compact Rear Sight

- Precision Machined from Aircraft Aluminum and Finished in a Matte Black Anodization
- Unobtrusive Low Profile Picatinny Mounting Deck
- Complete Windage and Elevation Adjustment in a Super Compact Size
- Optimally Sized Aperture for Quick Target Acquisition while Minimizing View Obstruction
- Designed to Match 12 Ga. Shotgun Front Sight, MNT-722





#### MNT-722

#### 12 GA. Shotgun Clamp-on Front Sight

- Compatible with Mossberg® 12 Ga. Shotguns
   Equipped with a Front Bead Sight and Other
   Shotguns with Equivalent Barrel Diameter and Sight
   Arrangement
- Precision Machined from Aircraft Aluminum and Finished in a Matte Black Anodization
- · Complete with 2-in-1 Steel Sight Adjustment Tool
- Designed to Match UTG® 12 Ga. Shotgun Sub-Compact Rear Sight, MNT-910



## **AR15 OPS READY S5 FIXED STOCK**




## **A2 RECEIVER EXTENSION TUBE KIT**











#### UTG PRO® AR15 Ops Ready S5 Fixed Stock

- · Proudly Designed and Made in USA
- · Stock Molded from Impact Resistant High Strength Matte Black Polymer
- · Built for Heavy Duty Use with the Tightest Tolerance Controls to Provide the Most Secure Fit and Function
- · Compatible with Rifle-length Receiver Extension Tube, Does Not Require A2 Buttstock
- · Overall Length with Ergonomic Slanted Cheek Rest and Steel Reinforced Rubberized
- Integral Picatinny Rail Attaches Included 0.23" Cheek Riser and Other Accessories
- · Reversible Quick Detach Sling Swivel Housing for Left or Right Handed Shooters and Standard Sling Swivel Stud for Traditional Slings

Model #	RBUS5BMS-A
Туре	Stock Only
Color	Black
Dimensions	10.5"x 2.0"x 5.6"
Weight	14.8oz



#### **A2 Receiver Extension Tube Kit**


- · Rifle-length Extension Tube Precision Machined from 6061-T6 Aluminum and Finished in a Matte Black Anodization
- · Includes Rifle-length Extension Tube, Buffer, and Spring, A2 Stock Spacer, and Stock Screw


Model #	TLT-A2KT
Platform	AR15
Туре	Fixed A2 / Stock Assembly
Color	Black
Dimensions	10.15" x1.3" x1.3"
Weight	10.5oz

**S**2



# **AR15 | AR308 FIXED STOCK ASSEMBLIES**










## 

**Buffer Spring** 



Rifle Length Extension Tube









## AR15 A2 Fixed Butt Stock Assembly

Stock Molded from Impact Resistant High Strength Polymer



#### **AR308 A2 Fixed Butt Stock Assembly**


- · Stock Molded from Impact Resistant High Strength Polymer
- Compatible with Armalite® AR-10®, DPMS® LR-308, S&W M&P®10, and Other Clones

Model #	RB-T469B	RB-T469D	RB-T308FB		
Platform	AR15		AR308		
Туре	Fixed A2 / Stock Assembly				
Color	Black	FDE	Black		
Dimensions	10.8" x1.6" x5.1"				
Weight	26.	25.5oz			



## **AR15 COLLAPSIBLE STOCKS & ASSEMBLIES**













6 Position Mil-spec Extension Tube







Receiver End Plate Castle Nut



**Dual Storage Compartments** 

#### UTG PRO® AR15 S1 6 Position Stocks & Assemblies

- · Stock Molded from Impact Resistant High Strength Polymer
- Extended 8" Length for Increased Length of Pull
- Built for Heavy Duty Use with the Tightest Tolerance Controls to Provide the Most Secure Fit and Function



#### UTG PRO® AR15 S2 6 Position Stocks & Assemblies

- · Stock Molded from Impact Resistant High Strength Polymer
- Lightweight Slim Profile with Extended 7.50" Length for Increased Length of Pull
- Built for Heavy Duty Use with the Tightest Tolerance Controls to Provide the Most Secure Fit and Function

Model #	RBUS1BM	RBUS1DM	RBUS1BMS	RBUS1DMS	RBUS2BM	RBUS2DM	RBUS2BMS	RBUS2DMS
Туре	Mil-spec							
	Stock Assembly		Stock Only		Stock Assembly		Stock Only	
Color	Black	FDE	Black	FDE	Black	FDE	Black	FDE
Dimensions		8.5"x2.3"x5.5"			8.0"x1.5"x5.3"			
Weight	23.1oz		12.6oz		19.7oz		9.9oz	





#### UTG PRO® AR15 S3 6 Position Stocks & Assemblies

- Stock Molded from Impact Resistant High Strength Polymer
- Sub-compact Profile for Lightweight, Comfortable Performance
- Built for Heavy Duty Use with the Tightest Tolerance Controls to Provide the Most Secure Fit and Function







- Stock and Cheek Rest Molded from Impact Resistant High Strength Polymer
- Lightweight, Ultra Sub-compact Profile, Ideal for Compact Applications
- Built for Heavy Duty Use with the Tightest Tolerance Controls to Provide the Most Secure Fit and Function
- Included Removable Cheek Rest for Improved Shooting Stability and Comfort




#### UTG PRO® AR15 U6 6 Position Stock Assemblies

- Stock Molded from Impact Resistant Polymer with Reinforced Stress Points for Maximum Durability
- Built for Heavy Duty Use with the Tightest Tolerance Controls to Provide the Most Secure Fit and Function
- · Dual Standard Sling Loop Attachment Points
- · Lightweight Design with a Classic Look and Feel

Model #	RBUS3BM	RBUS3DM	RBUS3BMS	RBUS3DMS	RBUS4BM	RBUS4DM	RBUS4BMS	RBUS4DMS	RBU6BM	RBU6DM
Туре					Mil-spec					
	Stock Assembly		Stock Only		Stock Assembly		Stock Only		Stock Assembly	
Color	Black	FDE	Black	FDE	Black	FDE	Black	FDE	Black	FDE
Dimensions		6.1"x1.5" x4.8"		4.3" x1.7" x4.8"				6.9" x1.7" x5.2"		
Weight	16.9oz		7.0oz		15.5oz		5.7oz		16.9oz	17.0oz



# **AR15 | AR308 6 POSITION RECEIVER EXTENSION TUBES & KITS**





Matte Blue Anodization
Matte Red Anodization

Commercial-spec

Matte Bronze Anodization





## 

Buffer Spring



Recoil Buffer





Receiver End Plate



#### UTG PRO® AR15 & AR308 6 Position Receiver Extension Tubes & Kits

- Extension Tube CNC Machined from 7075-T6 or 6061-T6 Aircraft Aluminum with Precisely Rolled Threads for Durable Thread Engagement with Lower Receiver
- Tightest Tolerance Controls for a Secure Fit and Function with Various Collapsible Stocks
- Finished in a Matte Black/Blue/Red/Bronze Hard Coat Anodization or FDE CERAKOTE®



075-T6 → ⊢ 606

#### AR15 Mil-spec 6 Position Receiver Extension Tubes

BLACK BLUE RED BRONZE FDE TLU001MS TLU001B TLU001R TLU001Z TLU001D

AR15 Mil-spec 6 Position
Receiver Extension Tube Kits

BLACK FDE TLU001-KIT TLU001D-KIT AR15 Commercial-spec 6 Position Receiver Extension Tube

BLACK TLU006 AR308 6 Position Receiver Extension Tube

BLACK TLU002

Model #	TLU001-KIT	TLU001D-KIT	TLU001MS	TLU001	TLU001R	TLU001B	TLU001Z	TLU001D	TLU006	TLU002
Platform	AR15						AR308			
Туре	Mil-spec Commercial-spec Mil-						Mil-spec			
	Tub	e Kit	Tube Only							
Material	608	61-T6	7075-T6	6061-T6						
Color	Black	FDE	Black	Black	Red	Blue	Bronze	FDE	Black	Black
Dimensions	7.3"x1.1"x1.4" 7.8"x1.2"x1.5" 7.9"x1.1"x1.4						7.9"x1.1"x1.4"			
Weight	9.	3oz		4.0oz			5.0oz	4.0oz		



## AR PISTOL RECEIVER EXTENSION TUBES & KITS

#### UTG PRO® AR Pistol Receiver Extension Tube & Kits

- 1.2" OD Receiver Extension Tube Compatible with AR15 Lower Receivers
- Precision Machined from 7075-T6 Aircraft Aluminum with a Dry Film Lube Coated Interior for Smoother and More Reliable Cycling
- Finished in a Matte Black Type III Class II Hard Coat Anodized Finish
- · Compatible with Standard AR15 Type Buffers and Springs
- · Compatible with Most AR Pistol Receiver Extension Tube Covers



# **AR Pistol Receiver Extension Tube**BLACK TLU008

#### AR Pistol Receiver Extension Tube Kit BLACK TLU008-KIT

Model #	TLU008	TLU008-KIT	TLU009	TLU009-KIT	
Platform		Pistol			
Туре	Tube Only	Tube Kit	Tube Only	Tube Kit	
Material	7075-T6				
Color	Black				
Dimensions	OD 1.2	2"x7.2"	OD 1.3"x8.5"		
Weight	4.0oz	9.9oz	6.2oz	12.2oz	

#### **UTG PRO® AR Pistol Extended Receiver Extension Tube & Kits**

- Precision Machined from 7075-T6 Aircraft Aluminum with a Dry Film Lube Coated Interior for Smoother and More Reliable Cycling
- Finished in a Matte Black Type III Class II Hard Coat Anodized Finish
- Compatible with Standard AR15 Type Buffers and Springs
- 8.5" Extended Length and Compatible with Gear Head Works® Tailhook™ Mod 1 Brace and or Most AR Pistol Receiver Extension Tube Covers





#### AR Pistol Extended Receiver Extension Tube BLACK TLU009

DE AR Pistol Extended Receiver Extension Tube Kit BLACK

BLACK TLU009-KIT

#### **OPTIONAL ACCESSORIES**



#### **H3 Recoil Buffer**

- · 3 Heavy Tungsten Weights
- Potentially Increases Dwell Time, Eases Extraction, and Reduces Felt Recoil
- Total Weight 5.4 oz



RB-T6BFH2

#### H2 Recoil Buffer

- 2 Heavy Tungsten Weights and 1 Steel Weight
- Potentially Increases Dwell Time, Eases Extraction, and Reduces Felt Recoil
- Total Weight 4.6 oz



#### Carbine Recoil Buffer

- · 3 Steel Weights
- · Total Weight 3.0 oz

## **AR15 PISTOL GRIPS**



	Model #	RBUPG01B	RBUPG01D				
	Color	Black	FDE				
	Material	Polymer					
	Height	4.6"					
	Weight	3.7oz					
Compatible with Most Ambidextrous Safety Leve							

Other Accessories

0

--Compatible with Most Ambidextrous Safety Levers
---Ergonomic Finger Grooves with Nonslip Textured
Grip Serrations Provide a Solid and Repeatable Grip
---Ergonomic Symmetrical Palm Swells Reduce Fatigue
and Improve Handling Comfort
---Built-in Storage Compartment with Removable
End Cap for Small Parts, Batteries, and or

0



и							
ĺ	Model #	RB-TPG172B	RB-TPG172D	RB-TPG269B			
Z	Color	Black	FDE	Black			
ı	Material	Polymer with Rubberized Coating					
	Height	4.8"	4.6"				
	Weight	5.1oz	4.8oz				

--- Nonslip Textured Finger Grooves Provide a Solid and Repeatable Grip

 ${\bf Ergonomic\ Symmetrical\ Palm\ Swells\ Reduce\ Fatigue\ and\ Improve\ Handling\ Comfort}$ 

Built-in Storage Compartment with Removable End Cap for Small Parts, Batteries, and or Other Accessories

## **AR LOWER COMPONENTS**







Oversized Bolt Catch

TLT-TKS01

Oversized Trigger Guard





Ambidextrous 45/90 Safety Selector

Ambidextrous Extended Magazine Release

**AR15 Lower Upgrade Kit** 







#### TLT-TKSBC **Oversized Bolt Catch**

- · Serrated and Oversized Bolt Release and Extended Catch for Easier Reach and Manipulation
- · Steel Construction Finished in Matte Black Anodization
- · Includes Installation Hardware



#### **Ambidextrous 45/90 Safety Selector**

- Reversible Short and Long Oversized Levers Finished in a Matte Black Anodization
- · Aluminum and Steel Construction
- 45 or 90 Degree Throw Configurable
- · Includes Installation Tool and Hardware. Detent. and Detent Spring



#### **Oversized Trigger Guard**

- Enlarged Open Geometry Provides Easier and Safer Access to Trigger Particularly when Wearing Gloves
- · Aluminum Construction Finished in Matte Black Anodization
- · Includes Installation Tool and Hardware



#### **Ambidextrous Extended Magazine Release**

- Features Oversized and Extended Left and Right Side Releases for Easier Reach and Manipulation
- Aluminum and Steel Construction Finished in Matte Black Anodization
- · Includes Installation Tool and Hardware

## AR UPPER COMPONENTS



#### **Extended Charging Handle Latch**

- · Larger Surface Area for Faster Manipulation
- · Durable Steel Construction with Wear Resistant Finish
- Compatible with Standard Mil-spec AR15 Charging Handles



#### **Quick Install Dust Cover**

- · Matte Black Impact and Heat Resistant Polymer Construction with Steel Spring-loaded Detent
- · Patented Tool-free Design Quickly Installs Without Having to Remove The Handguard Prior
- and Most Billet Upper Receivers



#### **UTG PRO® AR15 Adjustable Micro Gas Block**

- · 12 Position Gas Port Adjustments
- Low Profile, Fits Underneath Most Free Float Handquards
- · Precision Machined Steel to Exacting Tolerances for .750" Diameter Barrels at the Gas Port
- Durable and Corrosion Resistant Manganese Phosphate Finish
- · Includes Gas Tube Roll Pin, Serrated Self-locking Set Screws, and Adjustment and Installation Tool



#### AR15 Micro Gas Block

- · Low Profile, Fits Underneath Most Free Float Handguards
- Precision Machined Steel to Exacting Tolerances for .750" Diameter Barrels at the Gas Port
- · Durable and Corrosion Resistant Manganese Phosphate Finish
- Includes Gas Tube Roll Pin, Serrated Self-locking Set Screws. and Installation Tool



12 Position Gas Port Adjustment



Low Profile, Fits Underneath Most Free Float Handguards



Compatible with Direct Impingement Systems



Precision Machined Steel to Exacting Tolerances



Low Profile. Fits Underneath Most Free Float Handguards



Compatible with Direct Impingement Systems



#### UTG PRO® Stubby Muzzle Brake - 9MM

- · Steel Construction Finished in Black Nitride
- ½"-28 UNEF Thread Compatible and Includes Crush Washer
- · Gas Dispersion Porting Lessens Felt Recoil and Muzzle Rise
- 1.75" Length Model



#### TLUMD01 **UTG PRO® Stubby Muzzle Brake - 5.56**

- Steel Construction Finished in a Matte Black Manganese Phosphate Surface Treatment for Corrosion Resistance
- 1/2"-28 UNEF Thread Compatible, Crush Washer Included
- 1.75" Length with Three Left and Right Sided Gas Dispersion Ports for Improved Recoil Reduction and



#### UTG PRO® Muzzle Brake - 5.56

- · Steel Construction Finished in a Matte Black Manganese Phosphate Surface Treatment for Corrosion Resistance
- 1/2"-28 UNEF Thread Compatible, Crush Washer Included
- 2.25" Length with Four Left and Right Sided Gas Dispersion Ports for Improved Recoil Reduction and







## **AR PLATFORM ARMORER'S WRENCHES**



Lasting Durability



1. Delta Ring Barrel Nut



3. Jam Nut - YHM® Compatible



5. AR15 Muzzle Device



7. AR308 Muzzle Device



9. 3-prong Muzzle Device



2. 1/2" and or 3/8" Socket Adaptor



4. UTG PRO® Super Slim Barrel Nut



6. A2 Stock Extension Tube



8. Castle Nut



10. Flat Head Screw Driver



# **ANGLED FOREGRIPS, INDEX MOUNTS & HANDSTOPS**



## M-LOK®, Keymod & Picatinny Angled Foregrips

- 6061-T6 Aluminum Construction Available in Matte Black, Blue, or Red Anodization, and Available for M-LOK®, Keymod, and Picatinny Modular Systems
- Weight Reduction Lightening Cuts, Ergonomic Contours, and Serrated Front, Bottom, and Rear Faces for Added Grip Retention
- Promotes Proper Support Hand Memory Placement and Retention





Reversible Design for Installation at the 3 or 9 O'clock Handguard Positions



#### M-LOK® & Keymod Angled Index Mounts

- Precision Machined from 6061-T6 Aluminum and Finished in a Matte Black Anodization
- · Provides an Additional Support Hand Indexing and Retention Point
- Reversible Design for Installation at the 3 or 9 O'clock Handguard Positions
- · Compatible with the Majority of Octago nal Handguards
- · Thumb Indexing Deck Configurable for Forward or Rearward Cant
- · Spacer Included for Adjusting Clearance with 12 O'clock Mounted Accessories and Pressure Switches

Model # Matte Black	MT-AFGP01	MT-AFGM01	MT-AFGK01	TL-TRM01	TL-TRK01
AB=Matte Blue	N/A	MT-AFGM01B	MT-AFGK01B	TL-TRM01B	TL-TRK01B
AR=Matte Red	N/A	MT-AFGM01R	MT-AFGK01R	TL-TRM01R	TL-TRK01R
Туре	PICATINNY	M-LOK®	KEYMOD	M-LOK®	KEYMOD








Reversible Design is Customizable to the User's Specific Requirements



#### M-LOK® & Keymod Ultra Slim Hand Stops

- 6061-T6 Aluminum Construction Available in Matte Black, Blue, or Red Anodization for M-LOK® or Keymod Modular Systems
- Weight Reduction Lightening Cuts, Ergonomic Contours, and Serrated Front, Bottom, and Rear Faces for Added Grip Retention
- Promotes Proper Support Hand Memory Placement and Retention

Model # Matte Black	TL-HSM01	TL-HSK01
AB=Matte Blue	TL-HSM01B	TL-HSK01B
AR=Matte Red	TL-HSM01R	TL-HSK01R
Туре	M-LOK®	KEYMOD







Mount as a Barricade Rest to Provide Stable Support for more Accurate Shooting

Promotes Proper Support Hand Memory Placement and Retention





#### **Keymod Hand Stop/Barricade Rest**

- 6061-T6 Aircraft Aluminum Construction with a Matte Black Finish
- Compatible with UTG PRO® Super Slim AR15/AK Keymod Handguards
- Ergonomic Contour Improves Firearm Handling and Speeds Up Transitions
- · Promotes Proper Support Hand Memory Placement and Retention

Model # Matte Black	TL-HS02B
Туре	KEYMOD



# **COMPACT POLYMER VERTICAL FOREGRIPS**



· Lightening Cuts Reduce Overall Weight

# **ALUMINUM FOREGRIPS**





#### Removable Red & Blue Anodized Inserts Included

(For M-LOK® & Keymod Only)





MT-FGM01





3.5"









#### **Super Slim Aluminum Foregrips**

- · Precision Machined from Aircraft Aluminum Finished in a Matte Black Anodization
- Removable Red and Blue Anodized Inserts for M-LOK® and Keymod Models Adds a Level of Personalization
- Slim, lightweight, ergonomic, with dehorned corners and melted contours for a comfortable support hand grip




Model #	MT-FGM01X	MT-FGP01X	MT-FGM01	MT-FGK01	MT-FGP01
Туре	M-LOK®	PICATINNY	M-LOK®	KEYMOD	PICATINNY
Width	0.7"	1.11"	1.5"	1.5"	1.5"
Saddle Height	2.4"	2.4"	3.5"	3.5"	3.5"
Weight	1.4oz	1.5oz	4.3oz	4.2oz	4.6oz



## **CLASSIC FOREGRIPS**





#### **Aluminum QD Foldable Foregrip**

- · Precision Machined from Aircraft Aluminum with a Matte Black Finish
- · Quick Detachable Picatinny Lever Lock Mounting Base
- · Posi-lock Cross Bolt and Spring Tensioned Locking Plate with Steel Insert for a Secure Installation
- · Removable End Cap with Waterproof Storage within Foregrip
- · Ergonomic Knurled Surface




Side Inserts Allow for Use of Pressure Switch



Heavy Duty Full Metal Locking and Folding Mechanism



Ergonomic Finger Grooves



Compartment

BLACK RB-FGRP170B



**5 POSITION FOLDABLE** 

#### **5 Position Foldable Foregrip**

- End Cap Provides Battery Storage and Mount Tension
- · Side Inserts Allow for Use of Pressure Switch
- · Simple Slide-on Mounting Deck
- · Reinforced Locking Mechanism for Added Durability
- · 5 Position Adjustable



Nonslip Textured Finger Grooves and Back Strap



**Built-in Storage Compartment** with Removable End Cap





#### **Ambidextrous Contoured Foregrip**

- · Contoured Finger Grooves for a Solid and Repeatable Grip
- · Symmetrically Shaped Palm Swell with Nonslip Texture
- · Removable End Cap with Storage Compartment within Foregrip
- · Molded from Impact Resistant Polymer





Built-in Battery Storage Compartment

Side Inserts Allow for Use of Pressure Switch

BLACK RB-FGRP168B

#### **Ambidextrous Foregrip**

- End Cap Provides Battery Storage and Mount Tension
- · Side Inserts Allow for Use of Pressure Switch
- · Simple Slide-on Mounting Deck
- Ergonomic Finger Grooves and Nonslip Grip Texture
- · Molded from Impact Resistant Polymer



Model #	MNT-GRP002SQ	RB-FGRP170B	RB-FGRP168B	RB-FGRP172B	
Operation	Foldable		Fixed		
Color	Black	Black	Black	Black	
Width	1.4"	1.6"	1.7"	2.3"	
Saddle Height	4.6"	5.6"	5.4"	4.5"	
Weight	9.7oz	6.9oz	6.8oz	6.0oz	



## **PISTOL MAGAZINE BASE PADS**



# **AK | SKS ACCESSORIES**



# **CZ® CONTROL COMPONENTS**



#### **Ak Steel Side Plate**

- · Durable Steel Construction with a Matte Black Finish
- · Fits Both Milled and Stamped AK Receivers and Accepts a Wide Variety of Side Optic Mounts
- · Permanent Modification Required



#### TL-K7FAD01

#### **AK Side Folding Stock Adaptor**

- · Requires UTG AK Stock Adaptor (TL-A68747-AD1) for Conversion, Compatible with Most 4/6 Position AR15 Stocks and Extension Tubes
- · Heavy Duty Steel Construction with a Matte Black Finish



Windage Adjustment SCP-WEA05

- Compatible with AK, SKS, MAK, and SLR95 Pattern Rifles



#### RB-K7BTP01 **AK Butt Pad**

- · Ergonomic Slip-on Design with Reinforced Outer Lip
- 1" LOP Extension






#### **Charging Handle** for CZ® Scorpion™ EVO 3

- Reversible for Left or Right Side Drop-in Installation
- · Extended and Partially Serrated Handle with Dehorned Corners and Melted Contours
- · Steel Guide with 6061-T6 Aluminum Handle Finished in a Matte Black, Red, or Blue Anodization
- · Compatible with Both Pistol and Carbine Models









#### Safety Selectors for CZ® Scorpion™ EVO 3

- Machined from 6061-T6 Aluminum Finished in a Matte Black, Red, or Blue Anodization
- Drop-in Installation, No Permanent Modification Required
- · Compatible with Both Pistol and Carbine Models
- · Extended and Partially Serrated Selectors with Dehorned Corners and Melted Contours
- · Ergonomic Thumb Index for Ease of Manipulating Safety On and Off



An Essential Tool for Making Fine Front Sight Post Windage and Elevation Adjustments

## **RAIL PANEL COVERS**





US PAT. 9989328



Bidirectional to Accommodate Installation around Other Mounted Accessories

RB-HP25B (Set of 7)



Snap-on Installation



#### **Low Profile Keymod Rail Panel Covers**

- 5.5" in Length, Slim, Lightweight, and Securely Fits Into Standard Keymod Rail Slots
- · Unique Aggressive Honeycomb Nonslip Textured Design Provides a Sure Grip Every Time
- Heat Resistant Polymer Construction







#### Low Profile M-LOK® Rail Panel Covers

- 3.15" in Length, Slim, lightweight, and Securely Installs via Two M-LOK® Screws and Nuts
- Unique Aggressive Nonslip Textured Design Provides a Sure Grip Every Time
- · Molded from Durable Impact and Heat Resistant Polymer with a Rubberized Overmold for Added Grip Traction





2.7" in Length, Slim, Lightweight, and Securely Fits into Any Picatinny Rail



Simple and Secure Snap-on Installation with Posi-lock Stop Bar to Prevent Shifting



RB-HP27B (Set of 6)

#### **Low Profile Picatinny Panel Covers**

- · Molded from Durable Impact and Heat Resistant Polymer
- 2.7" in Length, Slim, Lightweight, and Securely Fits into Any Picatinny Rail
- Unique Scalloped Design Provides a Comfortable Nonslip Gripping Surface While Protecting the Rail Underneath it





2" in Length, Slim, Lightweight, and Securely Fits into Any Picatinny Rail

BLACK RB-HP12B-B (Set of 12)



Simple and Secure Snap-on Installation with Posi-lock Stop Bar to Prevent Shifting



US PAT. 6725594 US PAT. D730474

#### **Low Profile Picatinny Rubber Rail Guards**

- · Provides a More Comfortable Gripping Surface
- · Easily Snaps onto Picatinny Rails Without Shifting due to Integral Stop Bar
- · Protects the User from Sharp Rail Edges While Protecting the Rail Itself



# **QUICK DETACH SLING SWIVEL ADAPTORS & PLATE**

TL-SWKM01







- · Innovative, Compact, and Lightweight Design Adaptable for Installation on Both Picatinny or Keymod Rails
- · Accepts Any Standard Quick Detach Sling Swivel with 0.37" Diameter Swivel Stud
- · Precision Machined from Aircraft Aluminum with a Matte Black Finish





#### **Keymod QD Sling Swivel Adaptor**

- · Compact, Lightweight, Super Low Profile Keymod Base
- Accepts Any Standard Quick Detach Sling Swivel with 0.37" Diameter Swivel Stud
- · Precision Machined from Aircraft Aluminum with a Matte Black Finish



#### **Angled QD Sling Swivel Picatinny Adaptor**

- Accepts Any Standard Quick Detach Sling Swivel with 0.37" Diameter
- · Precision Machined from Aircraft Aluminum with a Matte Black Finish
- · Low Profile and Lightweight Design with 45 Degree Offset
- · Designed with Quarter-turn Rotational Over Travel Stops to Restrict Swivel Movement and Prevent Sling Tangling











#### UTG PRO® M-LOK® QD Sling Swivel Adaptor

- Precision Machined from 6061-T6 Aircraft Aluminum with a Matte Black Anodization or FDE CERAKOTE®
- Lightweight, Low Profile Design Requires Minimal M-LOK® Rail Space while Retaining Optimum Mount Performance
- · Bidirectionally Mounts and Efficiently Utilizes Rail Real Estate by Mounting Either in One Slot or In-between Adjacent Slots on the Same Track
- · Accepts Any Standard Quick Detach Sling Swivel with 0.37" Diameter Swivel Stud
- · Designed with Quarter Turn Rotational Over Travel Stops to Restrict Swivel Movement and Prevent Sling Tangling





## UTG PRO® Keymod QD Sling Swivel Adaptor

- Precision Machined from 6061-T6 Aircraft Aluminum with a Matte Black Anodization
- · Accepts Any Standard Quick Detach Sling Swivel with 0.37" Diameter Swivel Stud
- · Designed with Quarter Turn Rotational Over Travel Stops to Restrict Swivel Movement and Prevent Sling Tangling





#### **AR15 QD Receiver End Plate**

- Compatible with Standard Mil-spec AR15 Lower Receiver
- · Solid Steel Construction with a Matte Black Finish
- · Accepts Any Standard Quick Detach Sling Swivel with 0.37" Diameter Swivel Stud
- Designed with Quarter Turn Rotational Over Travel Stops to Restrict Swivel Movement and Prevent Binding Against the Buffer Tube and Sling Tangling







## **QUICK DETACH SLING SWIVELS**





## Picatinny Sling Swivel Mount with 1.25" Loop

- Precision Machined Aircraft Aluminum and Steel Construction with a Matte Black Finish
- Solid Steel 1.25" Sling Loop Compatible with Most Slings on the Market



TL-QDSW08A





· High Strength Steel Construction with a Matte Black Finish





# Push Button QD Sling Swivel with 1.41" Loop

High Strength Steel Construction with a Matte Black Finish





## Standard Push Button QD Sling Swivel with 1.25" Loop

High Strength Steel Construction with a Matte Black Finish





· High Strength Steel Construction with a Matte Black Finish




TL-QDSW08C



## Standard Push Button QD Sling Swivel with 1.29" C-Shape Loop

High Strength Steel Construction with a Matte Black Finish

Model #	TL-QDSW38	TL-QDSW18	TL-QDSW08A	TL-QDSW08B	TL-QDSW08C
A-Loop Width	1.41"	1.38"	1.09"	1.25"	1.29"
B-Loop Thickness	0.18"	0.17"	0.13"	0.13"	0.13"
C- Push Button Diameter	0.64"	0.60"	0.47"	0.47"	0.47"
D-Stud Diameter	0.37"	0.37"	0.37"	0.37"	0.37"
E-Stud Height	0.35"	0.37"	0.35"	0.35"	0.35"



## **MISCELLANEOUS FIREARM ACCESSORIES**



#### **Broken Shell Extractor**

- · Removes Broken Shell Casings from a Jammed Chamber
- · Threaded Two-piece Design to Adjust Overall Length, Compatible with Bolt Action and Semi-automatic Rifles
- · Precision Machined from Steel

TL-GLK01

Guns and Pistols

**California DOJ Approved** 

· Certified by California Department of Justice

· Universal Design Compatible with Most Long

Locking Cable is 0.21"(5.3mm) in Diameter and 15"(381mm) in Length

Plastic Wrap Prevents Cable from

Scratching Firearm Finishes

Firearm Cable Lock

· Keep One with Your Shooting Gear, in Your Tool Kit, or Gun Case



#### TL-SHWR01 **Universal Shotgun Forend Wrench**

- · Nickel Plated Steel Construction
- · User Friendly with Ergonomic Handles for Easy Forend Removal and Installation
- Compatible with Remington® 870™, Mossberg® 500A/C, 835, and Other Clones





- Bright Red for High Visibility and Reliable Confirmation of an Unloaded Firearm
- · Molded from Impact Resistant Polymer with Reinforced Head for Maximum Durability
- Ideal for Cold Range Use and Mass Produced Firearms







RB-A005

#### **AR15 Receiver Wedge**

- · Snugly Fits Behind Rear Take Down Pin
- · Keeps the Upper Snug and Tight Against the Lower
- · Prevents Upper and Lower Receiver Rattle





### MNT-16AD2-C

## **AR15 Blank Firing Adaptor**

- · Precision Machined High Strength Steel Construction
- · Color Coated for Protection and Discernibility
- · Reinforced Frame Surpasses Military Standards
- · Ideal for Law Enforcement and Military Training
- · User Friendly Bolt Ring for Simple Installation and Removal



160



## **CLEANING KITS, MAT & FRONT SIGHT TOOL**



Nylon Brush

Patch Loop



## .223/5.56mm Cleaning Kit

Bore Brush Brush

- Includes a 5-piece Extension Steel Cleaning Rod with Adaptor, Patch Loop, Bronze Bore Brush, Chamber Brush, Double-Ended Nylon Utility Brush, 1/2 oz Oil Bottle, and Cleaning Patches
- All Parts Conveniently Store within the Included OD Green Nylon Pouch with Belt Loop and ALICE Clip Attachment Point and Featuring Two Hook-and-loop Closure Pockets and External Snap Button Flap



- · Conveniently Stows Away in Any Range Bag in Its Compact Polymer Case (4.63"x2.88"x1.50")
- Kit Includes an 8-32 Threaded Copper Alloy Cleaning Rod with the Following Threaded Cleaning Accessories: Patch Loop, Bronze and Nylon Brush, and a Cotton Mop









#### **Dual A2 Front Sight Tool**

- · Machined Steel with Knurled Surface Texture
- · For Use on Both 4 and 5-prong Front Sight



## **Universal Firearm Cleaning Mat**

- 14.75"x52" Universal Firearm Cleaning Mat with Nonslip Rubberized Backing
- 4" Wide Side Pocket with Zipper Closure for Cleaning Tools and Small Parts
- · Durable Solvent and Chemical Resistant Material for Long Lasting Performance [Also Refer to P.187]

