



Office Product Guide

Xerox® Printers and Multifunction Printers
for Your Business

Colour Printers

A 4



	Xerox® Phaser® 6020	Xerox® Phaser® 6022	Xerox® Phaser® 6510	Xerox® VersaLink® C400	Xerox® VersaLink® C500	Xerox® VersaLink® C600
Performance						
Print Speed (up to)	10 ppm colour 12 ppm black	18 ppm colour 18 ppm black	28 ppm colour 28 ppm black	35 ppm colour 35 ppm black	43 ppm colour 43 ppm black	53 ppm colour 53 ppm black
First-page-out Time	As fast as 19 seconds colour	As fast as 13 seconds colour	As fast as 12 seconds colour	As fast as 13 seconds colour	As fast as 10 seconds colour	As fast as 8 seconds colour
Memory (std / max)	128 MB / 128 MB	256 MB / 256 MB	1 GB / 1 GB	2 GB / 2 GB	2 GB / 2 GB	2 GB / 2 GB
Processor	525 MHz	525 MHz	733 MHz	1.05 GHz Dual-core	1.05 GHz Dual-core	1.05 GHz Dual-core
Duty Cycle (max)	30,000 pages/month	30,000 pages/month	50,000 pages/month	80,000 pages/month	120,000 pages/month	120,000 pages/month
Recommended Monthly Print Volume	Up to 1,500 pages	Up to 1,500 pages	Up to 3,000 pages	Up to 5,000 pages	Up to 8,000 pages	Up to 15,000 pages
Print Quality						
Print Resolution (max)	1200 x 2400 dpi enhanced image quality	1200 x 2400 dpi enhanced image quality	1200 x 2400 dpi	600 x 600 x 8 dpi (enhanced)	1200 x 2400 dpi	1200 x 2400 dpi
Paper Handling						
Two-sided Output	Manual	Manual	Automatic ¹	Automatic ¹	Automatic ¹	Automatic ¹
Paper Input (std / max)	150 sheets	150 / 150 sheets	300 / 850 sheets	700 / 1,250 sheets	700 / 3,250 sheets	700 / 3,250 sheets
Paper Output (std / max)	100 sheets	100 sheets	150 sheets	250 sheets	500 sheets	500 sheets
Media Sizes	76 x 127 mm to 216 x 356 mm	76 x 127 mm to 216 x 356 mm	76 x 127 mm to 216 x 356 mm	76 x 127 mm to 216 x 356 mm	76 x 127 mm to 216 x 356 mm	76 x 127 mm to 216 x 356 mm
Media Weights	60-163 gsm	60-163 gsm	60-220 gsm	60-220 gsm	60-220 gsm	60-220 gsm
Networking						
Connectivity	High speed USB 2.0, Wi-Fi b/g/n, Wi-Fi Direct	10/100 Base-TX Ethernet, Wi-Fi b/g/n, Wi-Fi Direct, High speed USB 2.0	USB 3.0, 10/100/1000 Base-TX Ethernet	10/100/1000 Base-T Ethernet, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	10/100/1000 Base-T Ethernet, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	10/100/1000 Base-T Ethernet, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair
Page Description Languages	GDI	PostScript 3 compatible, PCL® 5c, 6, PDF Direct	Adobe® PostScript® 3™, PCL® 5e, 6, PDF, TIFF	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3
Productivity						
Options ¹	NA	NA	Wireless Print Solutions Adapter, 550-sheet feeder	550-sheet feeder, Stand, Wireless Network Adapter, Productivity Kit with 320 GB HDD, USB Card Reader	Up to four 550-sheet trays, High Capacity Feeder, Cabinet, Casters, Wireless Network Adapter, Productivity Kit with 250 GB HDD, USB Card Reader	Up to four 550-sheet trays, High Capacity Feeder, Cabinet, Casters, Wireless Network Adapter, Productivity Kit with 250 GB HDD, USB Card Reader, Finisher, Mailbox
Colour Standards	PANTONE® Colour approved solid-colour simulations	PANTONE® Colour approved solid-colour simulations	PANTONE® Colour approved solid-colour simulations	PANTONE® Colour calibrated solid-colour simulations, Xerox® Colour Corrections**	PANTONE® Colour calibrated, Xerox® Colour Corrections**	PANTONE® Colour calibrated, Xerox® Colour Corrections**
Print Technology	Single-pass colour LED	Single-pass colour LED	Single-pass colour LED	Single-pass colour laser	Single-pass colour laser	Single-pass colour laser
Warranty	One-year on-site	One-year on-site	One-year on-site	One-year on-site ²	One-year on site	One-year on site

¹ Standard on certain configurations or available as an option.

² Products purchased under a "PagePack" and/or "eClick" agreement do not carry a warranty. Refer to your service agreement for full details of your enhanced service package.

* Hard drive enables additional functionality including Personal/Proof/Secure/Saved print and collation printing.

** Xerox® Colour Corrections: Automatic, SWOP, Euroscale, Commercial Press, SNAP Press, Japan Colour, ISO Coated, ISO Uncoated, sRGB Display, sRGB Vivid, LCD Display.

Colour Printers (cont'd)

A 3



ConnectKey[®]
Technology



	Xerox [®] VersaLink [®] C7000	Xerox [®] Phaser [®] 7500	Xerox [®] Phaser [®] 7800
Performance			
Print Speed (up to)	35 ppm colour / 35 ppm black	35 ppm colour / 35 ppm black	45 ppm colour / 45 ppm black
First-page-out Time	As fast as 7.6 seconds colour	As fast as 7 seconds colour	As fast as 9 seconds colour
Memory (std / max)	2 GB / 2 GB	512 MB / 2 GB	2 GB / 160 GB
Processor	1.05 GHz Dual-core	1 GHz Freescale Power GUICC™ III	1.33 GHz
Duty Cycle (max)	Up to 153,000 pages/month	150,000 pages/month	225,000 pages/month
Recommended Monthly Print Volume	Up to 10,000 pages	Up to 15,000 pages	Up to 30,000 pages
Print Quality			
Print Resolution (max)	1200 x 2400 dpi	1200 x 1200 dpi	1200 x 2400 x1 dpi
Paper Handling			
Two-sided Output	Automatic ¹	Automatic ¹	Automatic
Paper Input (std / max)	620 / 2,180 sheets	600 / 2,100 sheets	620 / 3,140 sheets
Paper Output (std / max)	500 sheets	400 sheets	500 / 4,250 sheets
Media Sizes	88.9 x 98.4 mm to 297 x 431.8 mm	A3, SRA3, 89 x 99 mm to 320 x 1200 mm	A3, 88 x 99 mm to 320 x 1,219 mm
Media Weights	60-256 gsm	67-280 gsm	75-350 gsm (300 gsm duplex)
Networking			
Connectivity	10/100/1000 Base-T Ethernet, High-speed USB 3.0, Wi-Fi and Wi-Fi Direct with optional Wi-Fi Kit, NFC Tap-to-Pair	USB 2.0, 10/1000Base-TX Ethernet	USB 2.0, 10/100/1000Base-TX Ethernet
Page Description Languages	PCL 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe PostScript 3	Adobe PostScript 3, PCL 5c	Adobe PostScript 3, Adobe PDF-Direct, PCL 6/5c emulation
Productivity			
Options ¹	320 GB HDD (optional on Desktop model), Single Tray Module, Single Tray Module with Stand, Three Tray Module, Envelope Tray, Integrated Office Finisher, Wi-Fi Direct with Optional Wireless Adapter, RFID Kit	Hard drive: Personal / Personal saved / Secure / Proof / Saved print, Disk collation, Print-With, PDF-direct printing, Extended font storage	2,000-sheet feeder, 2,500-sheet feeder, Advanced Finisher, Professional Finisher/Booklet Maker, Extra Heavy Duty Media Kit, wireless network adaptor
Colour Standards	Automatic Colour, ICC profile, Colour Adjustments, (Lightness, Contrast/Saturation/Colour Sliders)	Xerox [®] Colour Corrections, Colour By Words, PANTONE [®] Colour approved solid-colour simulations	PANTONE [®] calibrated solid-colour simulations, Adobe [®] PostScript [®] device-independent colour, CIE International colour standards, and support for ICC, ICM and Apple ColorSync colour management systems, PhaserMatch [®] 5.0 ¹ PhaserCal [®]
Print Technology	Single-pass colour LED	Single-pass colour LED	Single-pass colour laser
Warranty	One-year on-site, earn free service coverage with Xerox eConcierge [®] service, Xerox Total Satisfaction Guarantee	One-year on-site ²	One-year on-site ²

¹ Standard on certain configurations or available as an option.

² Products purchased under a 'PagePack' and/or 'eClick' agreement do not carry a warranty. Refer to your service agreement for full details of your enhanced service package.

* Hard drive enables additional functionality including Personal/Proof/Secure/Saved print and collation printing.

** Xerox[®] Colour Corrections: Automatic, SWOP, Euroscale, Commercial Press, SNAP Press, Japan Colour, ISO Coated, ISO Uncoated, sRGB Display, sRGB Vivid, LCD Display.

Black-and-white Printers

A 4



ConnectKey[®]
Technology



ConnectKey[®]
Technology



ConnectKey[®]
Technology



A 3



	Xerox [®] Phaser [®] 3260	Xerox [®] Phaser [®] 3330	Xerox [®] Phaser [®] 3610	Xerox [®] VersaLink [®] B400	Xerox [®] VersaLink [®] B600	Xerox [®] VersaLink [®] B610	Xerox [®] Phaser [®] 5550
Performance							
Print Speed (up to)	28 ppm	40 ppm	45 ppm	45 ppm	55 ppm	63 ppm	50 ppm
First-page-out Time	As fast as 8.5 sec.	As fast as 6.5 seconds (printing from USB). As fast as 9.5 seconds (from print driver.)	As fast as 6.5 sec.	As fast as 8 sec.	As fast as 6.3 sec.	As fast as 7.1 sec.	As fast as 6.5 sec.
Memory (std / max)	256 MB / 256 MB	512 MB	512 MB / 1 GB	2 GB / 2 GB	2 GB / 2 GB	2 GB / 2 GB	256 MB / 1 GB
Processor	600 MHz	1 GHz	400 MHz	1.05 GHz Dual-core	1.05 GHz Dual-core	1.05 GHz Dual-core	500 MHz
Duty Cycle (max)	30,000 pgs/mo	80,000 pgs/mo	110,000 pgs/mo	110,000 pgs/mo	250,000 pgs/mo	275,000 pgs/mo	300,000 pgs/mo
Recommended Monthly Print Volume	Up to 4,000 pages	Up to 4,500 pages	Up to 12,000 pages	Up to 12,000 pages	Up to 20,000 pages	Up to 25,000 pages	Up to 50,000 pages
Print Quality							
Print Resolution (max)	600 x 600 dpi (Up to 4800 x 600 enhanced image quality)	Up to 1200 x 1200 dpi image quality	True 1200 x 1200 dpi	1200 x 1200 dpi (enhanced)	1200 x 1200 dpi	1200 x 1200 dpi	True 1200 x 1200 dpi
Paper Handling							
Two-sided Output	Automatic	Automatic	Automatic ¹	Automatic ¹	Automatic	Automatic	Automatic ¹
Paper Input (std / max)	251 / 251 sheets	300 / 850 sheets	700 / 2,350 sheets	700 / 2,350 sheets	700 / 3,250 sheets	700 / 3,250 sheets	1,100 / 4,100 sheets
Paper Output (std / max)	150 sheets	150 sheets	250 sheets	250 sheets	500 sheets (without finishing options)	500 sheets (without finishing options)	500 / 4,000 sheets
Media Sizes	76 x 127 mm to 216 x 356 mm	76 x 127 mm to 216 x 356 mm	76 x 127 mm to 216 x 356 mm	76 x 127 mm to 216 x 356 mm	76 x 127 mm to 216 x 356 mm	76 x 127 mm to 216 x 356 mm	89 x 98 mm to 297 x 432 mm (A3)
Media Weights	60-163 gsm	60-220 gsm	60-216 gsm	60-220 gsm	60-220 gsm	60-220 gsm	60-215 gsm
Networking Connectivity	USB 2.0, 10/100Base-TX Ethernet	USB 2.0, 10/100/1000Base-T Ethernet, Wi-Fi	10/100/1000Base-T Ethernet, USB 2.0, optional Wi-Fi, Parallel	10/100/1000Base-T Ethernet, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	10/100/1000Base-T Ethernet, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	10/100/1000Base-T Ethernet, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	10/100/1000Base-TX Ethernet ¹ , USB 2.0, Parallel
Page Description Languages	PostScript [®] 3 [™] emulations, PCL [®] 6 / 5e emulations	Adobe [®] PostScript [®] 3 [™] compatible, PCL [®] 5e, 6, PDF Direct, TIFF, JPEG	PostScript 3 emulation, PCL [®] 5e and 6 emulations, PDF emulation, TIFF	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	Adobe PostScript 3, PCL 6/5e emulation, Direct PDF (with optional hard drive)
Productivity Options¹	NA	1 x 550-sheet tray, NFC Tap-to-Pair, USB Card Reader	512 MB Memory, Productivity kit (with 4GB SD card), 3 x 550-sheet feeder	550-sheet tray, Stand, Productivity Kit with 16 GB SSD, Wireless Network Adapter, USB Card Reader	Up to four 550-sheet trays, High Capacity Feeder ¹ , Cabinet, Casters, Wireless Network Adapter, Productivity Kit with 250 GB HDD, RFID Kit, Finisher ¹ , Mailbox ¹	Up to four 550-sheet trays, High Capacity Feeder ¹ , Cabinet, Casters, Wireless Network Adapter, Productivity Kit with 250 GB HDD, RFID Kit, Finisher ¹ , Mailbox ¹	Productivity Kit with hard drive ² , 1,000-sheet feeder, 2,000-sheet feeder, 3,500-sheet stacker, 3,500-sheet finisher, Envelope tray, wireless network adaptor ²
Print Technology	Laser	Laser	Laser	Laser	Laser	Laser	Laser
Warranty	One-year on-site	One-year on-site ³	One-year on-site	One-year on-site	One-year on-site, earn free service coverage with Xerox eConcierge [®] service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge [®] service, Xerox Total Satisfaction Guarantee	One-year on-site ³

¹ Standard on certain configurations or available as an option.

² Available only on certain configurations.

³ Products purchased under a "PagePack" and/or "eClick" agreement do not carry a warranty. Refer to your service agreement for full details of your enhanced service package.

* Hard drive enables additional functionality including Personal/Proof/Secure/Saved print and collation printing.

** Xerox[®] Colour Corrections: Automatic, SWOP, Euroscale, Commercial Press, SNAP Press, Japan Colour, ISO Coated, ISO Uncoated, sRGB Display, sRGB Vivid, LCD Display.

Colour Multifunction Printers

A4



	Xerox® WorkCentre® 6025	Xerox® WorkCentre® 6027	Xerox® WorkCentre® 6515	Xerox® VersaLink® C405	Xerox® WorkCentre® 6655i	Xerox® VersaLink® C505
Performance						
Engine Speed (up to)	10 ppm colour 12 ppm black	18 ppm colour 18 ppm black	28 ppm colour 28 ppm black	35 ppm colour 35 ppm black	35 ppm colour 35 ppm black	43 ppm colour 43 ppm black
Memory (std / max)	256 MB	512 MB	2 GB	2 GB / 2 GB	4 GB / 4 GB	4 GB
Processor	525 MHz	525 MHz	733 MHz	1.05 GHz Dual-core	1 GHz Dual-core	1.05 GHz Dual-core
Duty Cycle (max)	30,000 pages/month	30,000 pages/month	50,000 pages/month	80,000 pages/month	100,000 pages/month	120,000 pages/month
Recommended Monthly Print Volume	Up to 1,500 pages	Up to 1,500 pages	Up to 3,000 pages	Up to 5,000 pages	Up to 10,000 pages	Up to 8,000 pages
Print						
Resolution	1200 x 2400 dpi enhanced image quality	1200 x 2400 dpi enhanced image quality	Up to 1200 x 2400 dpi	600 x 600 x 8 dpi (enhanced)	Up to 2400 x 600 dpi	1200 x 2400 dpi
Page Description Languages	GDI	PostScript 3 compatible, PCL® 5c, 6, PDF Direct	Adobe® PostScript® 3™, PCL 5e, 6, PDF, TIFF	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	Adobe PostScript 3, PCL 5c, PCL6, XPS, PDF, JPEG, TIFF	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3
Connectivity	High speed USB 2.0, Wi-Fi b/g/n, Wi-Fi Direct	10/100Base-TX Ethernet, Wi-Fi b/g/n, Wi-Fi Direct, High speed USB 2.0	USB 3.0, 10/100/ 1000Base-TX Ethernet	10/100/1000 Base-T Ethernet, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap- to-Pair	USB 2.0, 10/100/ 1000 Base-T Ethernet, optional Wi-Fi (with Wireless Connectivity Kit)	10/100/1000 Base-T Ethernet, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap- to-Pair
Copy						
Resolution (max)	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi	Up to 600 x 600 dpi	600 x 400 dpi
First-copy-out Time (as fast as)	40 seconds colour 24 seconds black	30 seconds colour 20 seconds black	As fast as 12 seconds from the platen	11 seconds colour 8 seconds black	16 seconds colour 15 seconds black	7 seconds colour 5 seconds black
Fax						
Speed	NA	33.6 Kbps	33.6 Kbps	33.6 Kbps	33.6 Kbps	33.6 Kbps
Resolution (max)	NA	Up to 400 x 400 dpi	Up to 400 x 400 dpi	600 x 600 dpi	Up to 600 x 600 dpi	600 x 600 dpi
Scan						
Resolution (max)	Up to 1200 x 1200 dpi (TWAIN only)	Up to 1200 x 1200 dpi (TWAIN only)	Up to 600 x 600 dpi	600 x 600 dpi	Up to 600 x 600 dpi	600 x 600 dpi
Scan Destinations	Scan to Network Computer (SMB/ FTP), Scan to Email, WSD, Application (TWAIN USB/Network), WIA (USB/WSD Scan), Mac 10.6 or later (USB/ Network/MacICA), USB	Scan to Network Computer (SMB/ FTP), Email, WSD, Application (TWAIN USB/Network), WIA (USB/WSD Scan), Mac 10.6 or later (USB/ Network/MacICA), USB	Scan to Email (local address book or LDAP integration), Scan to Network (via FTP/SMB), Scan to USB Memory Device, Scan to Email (SMTP) Scan to WSD, Scan to Application (TWAIN Network), Scan to WIA (WSD Scan), Scan to Mac 10.9 or later (Network/Mac ICA), Scan to Network Computer (SMB/ FTP), Scan to Multiple Destinations in a Single Scan Job	Scan to USB, Email, Network (FTP or Browse SMB)	Email, USB, Mailbox, Network	Scan to USB, Email, Network (FTP or Browse SMB)
Paper Handling						
Document Feeder Type	NA	15-sheet ADF	50-sheet DADF	50-sheet Single-pass DADF	60-sheet DADF	100-sheet Single-pass DADF
Two-sided Output	Manual	Manual	Automatic ¹	Automatic ¹	Automatic	Automatic
Paper Input (std / max)	160 sheets	150 / 150 sheets	300 / 850 sheets	700 / 1,250 sheets	700 / 1,250 sheets	700 / 3,250 sheets
Media Sizes	76 x 127 mm to 216 x 356 mm	76 x 127 mm to 216 x 356 mm	76 x 127 mm to 216 x 356 mm	76 x 127 mm to 216 x 356 mm	76 x 127 mm to 216 x 356 mm	76 x 127 mm to 216 x 356 mm
Media Weights	60-163 gsm	60-163 gsm	60-220 gsm	60-220 gsm	60-220 gsm	60-220 gsm
Productivity						
Options ¹	NA	NA	Xerox® Wireless Print Solutions Adapter, 550- sheet feeder	550-sheet feeder, Stand, Wireless Network Adapter, Productivity Kit with 320 GB HDD, USB Card Reader	550-sheet feeder, wireless connectivity kit, secure access kits, scanning and mobile solutions, McAfee® integrity control	Up to four 550-sheet trays, High Capacity Feeder, Cabinet, Casters, Wireless Network Adapter, Productivity Kit with 250 GB HDD, USB Card Reader
Warranty						
	One-year on-site	One-year on-site	One-year on-site	One-year on-site ²	One-year on-site ²	One-year on-site

¹ Standard on certain configurations or available as an option.

² Products purchased under a "PagePack" and/or "eClick" agreement do not carry a warranty. Refer to your service agreement for full details of your enhanced service package.

Colour Multifunction Printers (cont'd)

A4 (CONT'D)

A3



	Xerox® VersaLink® C605	Xerox® VersaLink® C7020/C7025/C7030	Xerox® AltaLink® C8030/C8035/C8045/C8055/C8070
Performance			
Engine Speed (up to)	53 ppm colour 53 ppm black	20 / 25 / 30 ppm colour 20 / 25 / 30 ppm black	30 / 35 / 45 / 50 / 70 ppm colour 30 / 35 / 45 / 55 / 70 ppm black
Memory (std / max)	4 GB / 4 GB	4 GB / 4 GB	2 MB Cache / 8 GB system memory / 2 MB Cache / 8 GB system memory
Processor	1.05 GHz Dual-core	1.05 GHz Dual-core	1.91 GHz Quad-core
Duty Cycle (max)	120,000 pages/month	87,000 / 107,000 / 129,000 pages/month	90,000 / 110,000 / 200,000 / 300,000 / 300,000 pages/month
Recommended Monthly Print Volume	Up to 15,000 pages	Up to 5,500 to 7,000 pages	Up to 5,000 to 40,000 pages
Print			
Resolution	1200 x 2400 dpi	1200 x 2400 dpi	1200 x 2400 dpi
Page Description Languages	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	PCL 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/ optional Adobe PostScript 3	Adobe PostScript 3, PDF, PCL 5c / PCL 6, XPS (optional)
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections)	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi and Wi-Fi Direct with optional Wi-Fi Kit, NFC Tap-to-Pair	10/100/1000Base-T Ethernet, USB 2.0 Direct Print, Wi-Fi Direct with Optional USB Wireless Adapter, NFC Tap-to-Pair
Copy			
Resolution (max)	600 x 400 dpi	600 x 600 dpi	600 x 600 dpi
First-copy-out Time (as fast as)	7 seconds colour 5 seconds black	9.0 / 9.0 / 7.2 seconds colour 6.9 / 6.9 / 5.8 seconds black	8.1 / 8.1 / 7.8 / 7.2 / 5.2 seconds colour 6.7 / 6.7 / 6.4 / 5.7 / 4.9 seconds black
Fax			
Speed	33.6 Kbps	33.6 Kbps ¹	33.6 Kbps
Resolution (max)	600 x 600 dpi	600 x 600 dpi ¹	400 x 200 dpi
Scan			
Resolution (max)	600 x 600 dpi	600 x 600 dpi ¹	600 x 600 dpi
Scan Destinations	Scan to USB, Email, Network (FTP or Browse SMB)	Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF, Optical Character Recognition (OCR)	Scan to USB / Email / Network (FTP/SMB); File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF / XPS / TIFF, Password Protected PDF, Unified Address Book, Optical Character Recognition (OCR)
Paper Handling			
Document Feeder Type	100-sheet Single-pass DADF	110-sheet DADF	130-sheet single-pass DADF
Two-sided Output	Automatic	Automatic	Automatic
Paper Input (std / max)	700 / 3,250 sheets	620 / 5,140 sheets	2,180 / 5,140 sheets
Media Sizes	76 x 127 mm to 216 x 356 mm	88.9 x 98.4 mm to 297 x 431.8 mm	89 x 98 mm to 320 x 483 mm
Media Weights	60-220 gsm	60-256 gsm	60-300 gsm
Productivity Options¹	Up to four 550-sheet trays, High Capacity Feeder, Cabinet, Casters, Wireless Network Adapter, Productivity Kit with 250 GB HDD, USB Card Reader, Finisher, Mailbox	320 GB HDD (optional on Desktop model), Single Tray Module, Single Tray Module with Stand, Three Tray Module, High Capacity Tandem Tray Module, 2,000-sheet High Capacity Feeder, Envelope Tray, Integrated Office Finisher, Office Finisher LX, Convenience Stapler and Work Surface, Walk up Fax (One- or Two-line options, optional Fax over IP Kit, includes LAN Fax), Wi-Fi Direct with Optional USB Wireless Adapter, RFID Kit	High Capacity Feeder (HCF), Envelope Tray, Integrated Office Finisher, Office Finisher LX, Booklet Maker for Office Finisher LX, Hole Punch for Office Finisher LX, Convenience Stapler, Smart Card, Enablement Kit, Xerox® EX-c C8000 Print Server Powered by Fiery®, Walk up Fax (One- or Two-line options, includes LAN Fax), Wi-Fi Direct with Optional USB Wireless Adapter, XPS Print Option Kit, McAfee® Integrity Control Enablement Kit
Warranty	One-year on site	90-day on-site, Xerox Total Satisfaction Guarantee	90-day on-site, Xerox Total Satisfaction Guarantee

¹ Standard on certain configurations or available as an option.

Black-and-white Multifunction Printers

A 4



	Xerox® WorkCentre® 3225	Xerox® WorkCentre® 3335	Xerox® WorkCentre® 3345	Xerox® VersaLink® B405	Xerox® WorkCentre® 3655i
Performance					
Engine Speed (up to)	28 ppm	33 ppm	40 ppm	45 ppm	45 ppm
Memory (std / max)	256 MB / 256 MB	1.5 GB	1.5 GB	2 GB / 2 GB	2 GB / 2 GB
Processor	600 MHz	1 GHz	1 GHz	1.05 GHz Dual-core	1 GHz Dual-core
Duty Cycle (max)	30,000 page/month	50,000 pages/month	80,000 pages/month	110,000 pages/month	150,000 pages/month
Recommended Monthly Print Volume	Up to 3,000 pages	Up to 2,500 pages	Up to 4,500 pages	Up to 12,000 pages (enhanced)	Up to 15,000 pages
Print					
Resolution	600 x 600 dpi (up to 4800 x 600 enhanced image quality)	Up to 1200 x 1200 dpi image quality	Up to 1200 x 1200 dpi image quality	1200 x 1200 dpi (enhanced)	Up to 1200 x 1200 dpi
Page Description Languages	PCL 5e and 6 emulations, PostScript 3 emulation	Adobe® PostScript® 3™ compatible, PCL® 5e, 6, PDF Direct, TIFF, JPEG	Adobe® PostScript® 3™ compatible, PCL® 5e, 6, PDF Direct, TIFF, JPEG	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	Adobe PostScript 3, PCL 5c, PCL6, XPS, PDF, JPEG, TXT, TIFF, PS, PCL
Connectivity	10/100Base-T Ethernet, Wi-Fi b/g/n, USB 2.0	10/100/1000Base-T Ethernet, USB 2.0 (front and rear ports), Wi-Fi	10/100/1000Base-T Ethernet, USB 2.0 (front and rear ports), Wi-Fi	10/100/1000 Base-T Ethernet, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	10/100/1000Base-T Ethernet, USB 2.0, optional Wi-Fi (with Wireless Connectivity Kit)
Copy					
Resolution (max)	Up to 1200 x 1200 dpi enhanced image quality	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi
First-copy-out Time (as fast as)	10 seconds	13 seconds	13 seconds	6 seconds	12 seconds
Fax					
Speed	33.6 Kbps	33 Kbps	33 Kbps	33.6 Kbps	33.6 Kbps
Resolution (max)	300 x 300 dpi	300 x 300 dpi	300 x 300 dpi	600 x 600 dpi	600 x 600 dpi
Scan					
Resolution (max)	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
Scan Destinations	Scan via TWAIN/WIA, Scan to PC, WSD, Email	Scan to Network Computer (SMB/ FTP), Scan to Email (SMTP/POP3), WSD, Application (TWAIN USB/ Network), WIA (USB/WSD Scan), Mac® 10.9 or later (USB/Network/Mac ICA), USB	Scan to Network Computer (SMB/ FTP), Scan to Email (SMTP/POP3), WSD, Application (TWAIN USB/ Network), WIA (USB/WSD Scan), Mac® 10.9 or later (USB/Network/ Mac ICA), USB	Scan to Home, USB, Email, Network (FTP or Browse SMB)	Email, USB, Mailbox, Network
Paper Handling					
Document Feeder Type	40-sheet ADF	50-sheet ADF	50-sheet RADF	60-sheet RADF	60-sheet RADF
Two-sided Output	NA	Automatic	Automatic	Automatic	Automatic
Paper Input (std / max)	251 / 251 sheets	300 / 820 sheets	300 / 820 sheets	700 / 2,350 sheets	700 / 2,350 sheets
Media Sizes	76 x 127 mm to 216 x 356 mm	76 x 127 mm to 216 x 356 mm	76 x 127 mm to 216 x 356 mm	76 x 127 mm to 216 x 356 mm	76 x 127 mm to 216 x 356 mm
Media Weights	60-163 gsm	60-220 gsm	60-220 gsm	60-220 gsm	60-216 gsm
Productivity Options¹					
Options ¹	256 MB memory, 250-sheet paper tray	1 x 550-sheet tray, NFC Tap-to-Pair, USB Card Reader	550-sheet tray	550-sheet feeder, Stand, Productivity Kit with 16 GB SSD, Wireless Network Adapter, USB Card Reader	3 x 550-sheet feeder, wireless connectivity kit, secure access kits, scanning and mobile solutions, McAfee® integrity control
Warranty					
Warranty	One-year on-site	One-year on-site ²	One-year on-site ²	One-year on-site	One-year on-site ²

¹ Standard on certain configurations or available as an option.

² Products purchased under a "PagePack" and/or "eClick" agreement do not carry a warranty. Refer to your service agreement for full details of your enhanced service package.

Black-and-white Multifunction Printers (cont'd)

A4 (CONT'D)



A3



	Xerox® VersaLink® B605	Xerox® VersaLink® B615	Xerox® VersaLink® B7025/B7030/B7035	Xerox® AltaLink® B8045/B8055/B8065/B8075/B8090
Performance				
Engine Speed (up to)	55 ppm	63 ppm	25 / 30 / 35 ppm	45 / 55 / 65 / 75 / 90 ppm
Memory (std / max)	2 GB / 2 GB	2 GB / 2 GB	2 GB / 2 GB	4 GB / 4 GB
Processor	1.05 GHz Dual-core	1.05 GHz Dual-core	1.05 GHz Dual-core	1.8 GHz Quad-core
Duty Cycle (max)	250,000 pages/month	275,000 pages/month	107,000 / 129,000 / 153,000 pages/month	175,000 / 200,000 / 250,000 / 300,000 / 400,000 pages/month
Recommended Monthly Print Volume	Up to 20,000 pages	Up to 25,000 pages	13,000 / 15,000 / 17,000 pages/month	Up to 15,000 to 150,000 pages
Print				
Resolution	1200 x 1200 dpi	1200 x 1200 dpi	1200 x 1200 dpi	1200 x 1200 dpi, 256 shades of gray
Page Description Languages	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	PCL 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/optional Adobe PostScript 3	Adobe PostScript 3, PDF, PCL 5c / PCL 6, XPS (optional)
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi and Wi-Fi Direct with optional Wi-Fi Kit, NFC Tap-to-Pair	10/100/1000Base-T Ethernet, High Speed USB 2.0 Direct Print, Wi-Fi Direct with Optional USB Wireless Adapter, NFC Tap-to-Pair
Copy Resolution (max)	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
First-copy-out Time (as fast as)	5.8 seconds	5.4 seconds	6.8 / 5.4 / 5.4 seconds	B8045/B8055: 3.8 seconds from the platen/7.4 seconds from the DADF B8065: 3.3 seconds from the platen/7.2 seconds from the DADF B8075: 2.9 seconds from the platen/6.9 seconds from the DADF B8090: 4.9 seconds from the platen/8.7 seconds from the DADF
Fax Speed	33.6 Kbps	33.6 Kbps	33.6 Kbps	33.6 Kbps
Resolution (max)	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi	400 x 200 dpi
Scan Resolution (max)	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
Scan Destinations	Scan to USB, Email, Network (FTP or Browse SMB)	Scan to USB, Email, Network (FTP or Browse SMB)	Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF, Optical Character Recognition (OCR)	Scan to USB / Email / Network (FTP/SMB); File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF / XPS / TIFF, Password Protected PDF, Unified Address Book, Optical Character Recognition (OCR)
Paper Handling				
Document Feeder Type	100-sheet single-pass DADF	100-sheet single-pass DADF	110-sheet DADF	200-sheet single-pass DADF
Two-sided Output	Automatic	Automatic	Automatic	Automatic
Paper Input (std / max)	700 / 3,250 sheets	700 / 3,250 sheets	620 / 5,140 sheets	4,700 / 8,000 sheets
Media Sizes	76 x 127 mm to 216 x 356 mm	76 x 127 mm to 216 x 356 mm	88.9 x 98.4 mm to 297 x 431.8 mm	107.95 x 139.7 mm to 279.4 x 431.8 mm
Media Weights	60-220 gsm	60-220 gsm	60-256 gsm	60-216 gsm
Productivity Options¹	Up to four 550-sheet trays, High Capacity Feeder ¹ , Cabinet, Casters, Wireless Network Adapter, RFID Kit, Finisher ¹ , Mailbox ¹	Up to four 550-sheet trays, High Capacity Feeder ¹ , Cabinet, Casters, Wireless Network Adapter, RFID Kit, Finisher ¹ , Mailbox ¹	320 GB HDD (optional on Desktop model), Single Tray Module, Single Tray Module with Stand, Three Tray Module, High Capacity Tandem Tray Module, 2,000-sheet High Capacity Feeder, Envelope Tray, Integrated Office Finisher, Office Finisher LX, Convenience Stapler and Work Surface, Walk up Fax (One- or Two-line options, optional Fax over IP Kit, includes LAN Fax), Wi-Fi Direct with Optional USB Wireless Adapter, RFID Kit	High Capacity Feeder (HCF), HCF Kits, Envelope Tray, Offset Catch Tray, Office Finisher, Office Finisher with Booklet Maker, High Volume Finisher (HVF), HVF with Booklet Maker, C-Fold/Z-Fold Unit for HVF, Post Process Inserter for HVF, Convenience Stapler, Smart Card, Enablement Kit, Walk up Fax (One- or Two-line options, includes LAN Fax), Wi-Fi Direct with Optional USB Wireless Adapter, XPS Print Option Kit, Keyboard Kit, McAfee® Integrity Control Enablement Kit
Warranty	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	90-day on-site, Xerox Total Satisfaction Guarantee	90-day on-site, Xerox Total Satisfaction Guarantee

¹ Standard on certain configurations or available as an option.

www.xerox.com