AquaContour automatic
Art. 1559**DE Betriebsanleitung**

Vielflächen-Versenkregner

EN Operator's manual

Large-Area Pop-up Irrigation

FR Mode d'emploi

Arroseur escamotable multisurfaces

NL Gebruiksaanwijzing

Verzonken multi-instelbare sproeier

SV Bruksanvisning

AquaContour automatic Pop-up

DA Brugsanvisning

AquaContour automatic Pop-up

IT Istruzioni per l'uso

Irrigatore Pop-up per superfici irregolari

ES Instrucciones de empleo

Aspersor emergente de múltiples superficies

PT Manual de instruções

Aspersores embutidos de grandes superfícies

PL Instrukcja obsługi

Zraszacz wynurzalny

HU Használati utasítás

Süllyesztett sokfelület-esőztető

CS Návod k obsluze

Víceplošný výsuvný zadešťovač

SK Návod na obsluhu

Viacplošný výsuvný zadaždovač

EL Οδηγίες χρήσης

Αυτόματο Ποτιστικό Pop-up μεγάλων επιφανειών ανεξαρτήτου σχήματος

RU Инструкция по эксплуатации

Дождеватель выдвижной многоконтурный автоматический

SL Navodilo za uporabo

Talni razpršilnik za več površin

HR Upute za uporabu













Turbinska dubinska naprava za stvaranje umjetne kiše na više površina

UK Інструкція з експлуатації

Багатоповерхневий прихований зрошувач

RO Instrucțiuni de utilizare

Aspersor îngropat pentru suprafețe poligonale



GARDENA Large-Area Pop-Up Irrigation

AquaContour automatic

1. SAFETY	10
2. FUNCTION	11
3. INITIAL OPERATION	11
4. OPERATION	11
5. MAINTENANCE	12
6. STORAGE	13
7. TROUBLESHOOTING	13
8. TECHNICAL DATA	14
9. ACCESSORIES	14
10. SERVICE/WARRANTY	14

physical or mental abilities may use the product only if they are supervised or instructed by a responsible person. Children must be supervised to ensure that they do not play with the product. Never operate the product when you are tired, ill or under the influence of alcohol, drugs or medicine.

Translation of the original instructions.



For safety reasons, children and young people under 16 as well as anyone who is not familiar with these operating instructions should not use the product. Persons with reduced

Intended use:

The GARDENA Large-Area Pop-Up Irrigation forms part of the GARDENA Irrigation System and is designed to be used solely outdoors in domestic and private gardens to water lawns and garden areas.

DANGER! It is not permitted to use the large-area pop-up irrigation for industrial or commercial applications and in conjunction with chemicals, food-stuffs, highly combustible or explosive substances.

1. SAFETY

IMPORTANT!

Read the operator's manual carefully before use and keep for future reference.

Rechargeable battery:

The large-area pop-up irrigation unit contains rechargeable lithium-ion batteries, which are automatically charged via a built-in solar cell.

When the rechargeable battery is almost flat (e.g. due to soiling of the protective panel of the solar cell), irrigation will only cover a minimal range.

To fully charge the flat rechargeable battery it will take approx. 4 days of sunshine (8 hours each) or some 10 days with cloudy weather until the battery is fully charged again.

Information about usage:

The large-area pop-up irrigation should not be combined with other sprinklers in one irrigation line.

If there is a change in the range of the largearea pop-up irrigation, the pressure conditions will change in the irrigation line, so altering the range of the other sprinkler.

→ Only use separate individual water channels for watering. Do not install in series with other sprinklers.

The ranges selected may vary with major fluctuations in pressure in the water pipe.

Pressure Tank Units (with pressure chamber) to supply water to the sprinkler are not recommended as they cause fluctuations in pressure with the switch-on/off pressure.

Sand and other abrasive substances in the water will result in faster wear and reduced output.

→ With water containing sand a Central Filter (e.g. GARDENA Central Filter Art. 1510) should be used.

Do not run over sprinklers installed level with ground with a lawn rake or aerator.



DANGER! Cardiac arrest!

This product makes an electromagnetic field while it operates. This field may under some conditions interfere with active or passive medical implants. To decrease the risk of conditions that can possibly injure or kill, we recommend persons with medical implants to speak with their physician and the medical implant manufacturer before you operate the product.



DANGER! Risk of suffocation!

Small parts can be easily swallowed. There is also a risk that the polybag can suffocate toddlers. Keep toddlers away when you assemble the product.

2. FUNCTION

Control panel [Fig. F1]:

The GARDENA Large-Area Pop-up Irrigation AquaContour automatic can be used to water individual garden areas. A jet of water slowly turns in a circle to the end of the programmed sector, stops, and turns back again, altering the spray range depending on the ranges programmed. The control panel is used to programme the irrigation contour points.

- ① **Menu button:** Choose between programming mode (Set) and operating mode (Auto).
- ② **“+” button:** Increases irrigation range.
- ③ **“-” button:** Decreases irrigation range.
- ④ **OK button:** Stores the irrigation range selected.
- ⑤ **Set LED:** Indicates programming mode.
- ⑥ **Auto LED:** Indicates automatic operating mode. The LED flashes every 10 seconds.

3. INITIAL OPERATION

Select correct location for Large-Area Pop-Up Irrigation [Fig. I1/I2]:

Correct location:

A Circle water distribution:

- With circle water distribution the large-area pop-up irrigation should be positioned as centrally as possible in the watering area to ensure that the irrigation width is not greatly affected by external influences such as wind.

B Sector water distribution:

- With sector water distribution the large-area pop-up irrigation should be positioned right at the edge of the watering area (e. g. at the corner of the house).
- The large-area pop-up irrigation must be positioned at a point in the watering sector from which it is possible to water the entire garden area required. The maximum range is 9 m (with 2 bar flow pressure at the irrigation unit).
- The large-area pop-up irrigation must be installed in a position which is sunny all year round to ensure the solar cell receives sufficient light.

Incorrect location:

- 1: No obstacles (e. g. walls, trees, etc.) should be located in the watering sector. It must be possible to access every contour point of the areas to be watered in a straight line. With the maximum range the spray height can reach approx. 5 m.
- 2: The minimum range is 2.5 m (at 2 bar). With circle water distribution the large-area pop-up irrigation must therefore be located 2.5 m from the edge in all directions (A). If this is not possible the large-area pop-up irrigation

should be positioned at the edge and the watering area will be a circle sector (B).

- 3: Erratic spray-range changes must be avoided. The smaller the angle α , the greater the deviation from the programmed contour is.

Install Large-Area Pop-Up Irrigation [Fig. I3]:

Before installing the large-area pop-up irrigation, you must set up an above-ground test to check whether the large-area pop-up irrigation can actually water the required area at this location.

The large-area pop-up irrigation has a 3/4" female thread and is connected to the 25 mm Connecting Pipe ⑥ Art. 2700/2701/2718 using the GARDENA L-piece ⑦ Art. 2781.

1. Install the above-ground test set-up and check whether the large-area pop-up irrigation can water the required area (see 4. OPERATION).
2. If the large-area pop-up irrigation has watered the required area in the test, install a pack of coarse gravel ⑧ approx. 20 cm x 20 cm x 20 cm in size underneath the unit.
This ensures proper functioning of the drain valve.
3. Install the upper edge of the large-area pop-up irrigation level with the turf.
This prevents any damage when mowing the lawn.

Remove protective plastic film of solar cell:

- Take off transportation protective plastic film from the protective panel of the solar cell.

4. OPERATION

Select watering sector [Fig. O1]:

A watering sector from 25° to 360° can be selected. To prevent areas being watered unintentionally (e. g. house), the sector should first be selected roughly (slightly too small).

Roughly select sector:

1. Close water supply.
2. Turn the nozzle head ⑩ by hand to the middle of the watering sector (e. g. P4).

3. Roughly select watering sector: turn right sector stop ⑪ to right-hand side (e. g. P9) and left sector stop ⑫ to left-hand side (e. g. P2).

Note: When the water supply is open, the sector-stop is shifted during switching of the turn direction to its end position.

Re-adjust sector:

1. Open water supply.
2. Watch watering sector and re-adjust the sector-stops ⑬ and ⑭ according to the sector limits (P1 and P10) until

the change in direction matches the required irrigation limits. If watering in a complete circle, the two sector stops ① and ② must be completely pushed together between P1 and P10.

Anti-vandal device:

If the nozzle head is violently turned over the sector-stops then the vandalism protection is triggered. As soon as the water supply is open, the sprinkler moves in one direction until the set sector has been achieved again.

Programme contour points of irrigation sector [Fig. O2/F1/O3]:

The watering sector has to be selected before programming. Up to 50 contour points can be programmed with the large-area pop-up irrigation. The more points that are programmed, the more precisely the contour will be described (e.g. with a circular arc P7 – P10).

1. Open the two locks ⑪ and raise the cover ⑫.
2. Open water supply.
When using for the first time, the minimum range (2.5 m with a flow pressure of 2 bar at the sprinkler) is selected.
3. Press **OK** button ④.
The green Auto LED ⑥ lights up.
4. Press **Menu** button ①.
The red Set LED ⑤ lights up.
5. Turn the nozzle head ⑩ on the orange ring **by hand** to the left-hand sector limit (in the example P1) and hold.
6. Use the two buttons “+” button ② and “-” button ③ to set the range so that it reaches P1.
7. Press **OK** button ④.
The green Auto LED ⑥ lights up for 1 second and the first point P1 has been stored.
8. Turn the nozzle head ⑩ on the orange ring **by hand** to the next irrigation point (e.g. P2) and hold.
9. Use the two buttons “+” button ② and “-” button ③ to set the range so that it reaches P2 for example.

10. Press **OK** button ④.
The green Auto LED ⑥ lights up for 1 second and the point has been stored.
11. Repeat the process from step 8 to 10 until the right-hand sector limit is reached (in the example P10).
12. Press **Menu** button ①.
The red Set LED ⑤ goes out, programming is complete, and the green Auto LED ⑥ lights up for 1 minute. The red Set LED then flashes every 8 seconds.
13. Release nozzle head ⑩ and check contour area watered.
14. If the contour is watered correctly, close the water supply.
15. Close cover ⑫ and both locks ⑪.

Information about programming:

As soon as the first point is programmed, any existing programme will be deleted. After programming has been completed, no further points can be deleted or added later on. If the contour has not been set as required, reprogramming with more points will have to be carried out. If no button is pressed for 60 seconds during programming, programming will be automatically ended and the contour stored.

Start/end watering:

Before irrigation can be started, the large-area pop-up irrigation must have been programmed.

Start watering:

→ Fully open water supply.
Watering will start automatically and the contour of the watering sector previously programmed will be watered.

End watering:

→ Close water supply.
Watering will end. The programme remains unchanged.
If no irrigation or programming is being made, the sprinkler goes into “sleep mode” (the green Auto-LED ⑥ does not light up and the red Set-LED blinks every 8 seconds).

5. MAINTENANCE

Clean dirt filter [Fig. M1]:

1. Open both locks ⑪ and raise the cover ⑫.
2. Turn the dirt filter ⑬ anticlockwise **1** and pull out carefully **2** (bayonet coupling).
3. Clean dirt filter ⑬ under clean running water.
4. Refit dirt filter ⑬ in reverse order.
5. Close cover ⑫ and both locks ⑪.

Clean nozzles [Fig. M2/M3]:

If the watering pattern is no longer even, the nozzles can be cleaned using the cleaning needle provided.

1. Open both locks ⑪ and raise the cover ⑫.
2. Turn the cleaning needle ⑭ (e.g. with a coin) anticlockwise through 180° **1** and pull out carefully **2** (bayonet coupling).

3. Clean nozzles ⑮ with cleaning needle ⑭.
4. Refit cleaning needle ⑭ in reverse order.
5. Close cover ⑫ and both locks ⑪.

Clean protective panel of solar cell:

To make sure that the rechargeable battery is always sufficiently charged, the protective panel of the solar cell has to be cleaned if soiled.

No caustic/abrasive cleaning agents or hard objects should be used.

→ Clean protective panel of solar cell with a damp cloth.

6. STORAGE

To put into storage/Overwintering:



The large-area pop-up irrigation is frostproof is frostproof so it can be left in the ground during winter.

1. Close cover and both locks.
2. Close water supply.
The large-area pop-up irrigation is automatically emptied via the built-in drain valve.

Disposal:

(in accordance with RL2012/19/EC)

The product must not be disposed of to normal household waste. It must be disposed of in line with local environmental regulations.



IMPORTANT!

Dispose of the product through or via your municipal recycling collection centre.

Disposal of the battery:

The GARDENA battery contains lithium-ion cells that should not be disposed of with normal household waste at the end of its life.



IMPORTANT!

→ Dispose of the batteries through or via your municipal recycling collection centre.

1. Discharge the lithium-ion cells completely (contact the GARDENA Service).
2. Protect the contacts on the lithium-ion cells against short circuits.
3. Dispose of the lithium-ion cells properly.

7. TROUBLESHOOTING

Problem	Possible Cause	Remedy
Irrigation width smaller than on initial start-up	Dirt filter soiled.	→ Clean dirt filter.
	Tap not opened sufficiently.	→ Open tap further.
	Water pressure too low.	→ Increase water pressure/water supply.
	Rechargeable batteries almost flat (Auto and Set LED flashing)/ protective panel of solar cells soiled.	→ Ensure solar cells are exposed to sufficient sunlight/ clean protective panel. If the rechargeable battery is almost flat, the range is reduced to the min. level.
	Large-area pop-up irrigation is in energy-saving mode (4 weeks without energy supply or operation).	→ Press OK button.
	Irrigation range is programmed incorrectly.	→ Reprogramme irrigation range.
Watering pattern uneven	Nozzles soiled.	→ Clean nozzles.
	Nozzle head soiled.	→ Clean nozzle head.
	Nozzle head damaged.	→ Contact GARDENA Service.
Auto and Set LED flashing simultaneously	Rechargeable batteries almost discharged.	→ Ensure solar cell is exposed to sufficient sunlight.
No LED flashing	Large-area pop-up irrigation is in energy-saving mode.	→ Press OK button.
	Rechargeable battery defective.	→ Contact GARDENA Service.
Nozzle head leaking	Soiling on nozzle head.	→ Press down nozzle head several times during operation.



NOTE: For any other malfunctions please contact the GARDENA service department. Repairs must only be done by GARDENA service departments or specialist dealers approved by GARDENA.

8. TECHNICAL DATA

<i>Large-Area Pop-Up Irrigation</i>	Unit	Value AquaContour automatic (Art. 1559)
Rechargeable battery		Lithium-ion cells 2150 mAh (charged via solar cell)
Operating life of rechargeable battery (approx.)	years	5
Connection		3/4" female thread
Operating temperature range	°C	5 – 60
Pressure range	bar	1 – 6
Irrigation width	m	2,5 – 9 (at 2 bar) / 4 – 10,5 (at 4 bar)
Watering area	m ²	255 (at 2 bar) / 350 (at 4 bar)
Watering sector		25 – 360°
Water flow rate with max. range (approx.)	l/h	600 (at 2 bar) / 800 (at 4 bar)

9. ACCESSORIES

[Fig. A1]:

GARDENA Water Computer	For automatic watering control	Art. 1825, 1830, 1835, 1860, 1862, 1864, 1874
GARDENA L-piece	For connection to below-ground water supply	Art. 2781
GARDENA Connecting Pipe 25 mm	For below-ground installation of water supply	Art. 2700, 2701, 2718
GARDENA Connector	For below-ground installation of water supply	Art. 2761
GARDENA Connecting Point	For below-ground installation of water supply	Art. 2722
GARDENA Drainage Valve	For below-ground installation of water supply	Art. 2760
GARDENA T-piece	For below-ground installation of water supply	Art. 2790

10. SERVICE/WARRANTY

Service:

Please contact the address on the back page.

Warranty statement:

In the event of a warranty claim, no charge is levied to you for the services provided.

GARDENA Manufacturing GmbH grants a warranty for all original GARDENA new products for two years from the date of original purchase from the retailer, provided that the devices have been for private use only. This manufacturer's warranty does not apply to products acquired second hand. This warranty includes all significant defects of the product that can be proved to be material or manufacturing faults. This warranty is fulfilled by supplying a fully functional replacement product or by repairing the faulty product sent to us free of charge; we reserve the right to choose between these options. This service is subject to the following provisions:

- The product has been used for its intended purpose as per the recommendations in the operating instructions.
- Neither the purchaser nor a third party has attempted to open or repair the product.

- Only Original GARDENA replacement parts and wear parts have been used for operation.

- Presentation of the receipt.

Normal wear and tear of parts and components (such as blades, blade fixing parts, turbines, light bulbs, V-belts/toothed belts, impellers, air filters, spark plugs), visual changes, wear parts and consumables are excluded from the warranty.

This manufacturer's warranty is limited to replacement and repair of products in accordance with the abovementioned conditions. The manufacturer's warranty does not constitute an entitlement to lodge other claims against us as a manufacturer, such as for damages. This manufacturer's warranty does **not**, of course, affect statutory and contractual warranty claims against the dealer/retailer.

The manufacturer's warranty is governed by the law of the Federal Republic of Germany.

In case of a warranty claim, please return the faulty product, together with a copy of the receipt and a description of the fault, with postage paid to the service address.

Consumables:

As a wear part the dirt filter is not covered by the guarantee.

DE Produkthaftung

Wir weisen ausdrücklich darauf hin, dass wir in Übereinstimmung mit dem Produkthaftungsgesetz nicht für Schäden haften, die durch unsere Produkte entstehen, wenn diese unsachgemäß und nicht durch einen von uns autorisierten Servicepartner repariert wurden oder wenn keine Original GARDENA Teile oder von uns zugelassene Teile verwendet wurden.

EN Product liability

In accordance with the German Product Liability Act, we hereby expressly declare that we accept no liability for damage incurred from our products where said products have not been properly repaired by a GARDENA-approved service partner or where original GARDENA parts or parts authorised by GARDENA were not used.

FR Responsabilité

Conformément à la loi relative à la responsabilité du fait des produits défectueux, nous déclarons expressément par la présente que nous déclinons toute responsabilité pour les dommages résultant de nos produits, si lesdits produits n'ont pas été correctement réparés par un partenaire d'entretien agréé GARDENA ou si des pièces d'origine GARDENA ou des pièces agréées GARDENA n'ont pas été utilisées.

NL Productaansprakelijkheid

Conform de Duitse wet inzake productaansprakelijkheid verklaren wij hierbij uitdrukkelijk dat wij geen aansprakelijkheid aanvaarden voor schade ontstaan uit onze producten waarbij deze producten niet zijn gerepareerd door een GARDENA-erkende servicepartner of waarbij geen originele GARDENA-onderdelen of onderdelen die door GARDENA zijn goedgekeurd zijn gebruikt.

SV Produktsvar

I enlighet med tyska produktsvarslagar förklarar vi härmed uttryckligen att vi inte åtar oss något ansvar för skador som orsakas av våra produkter där produkterna inte har genomgått korrekt reparation från en GARDENA-godkänd servicepartner eller där originaldelar från GARDENA eller delar godkända av GARDENA inte använts.

DA Produktsvar

I overensstemmelse med den tyske produktsvarslov erklærer vi hermed udtrykkeligt, at vi ikke påtager os noget ansvar for skader på vores produkter, hvis de pågældende produkter ikke er blevet repareret korrekt af en GARDENA-godkendt servicepartner, eller hvor der ikke er brugt originale GARDENA-reservedele eller godkendte reservedele fra GARDENA.

IT Responsabilità del prodotto

In conformità con la Legge tedesca sulla responsabilità del prodotto, con la presente dichiariamo espressamente che decliniamo qualsiasi responsabilità per danni causati dai nostri prodotti qualora non siano stati correttamente riparati presso un partner di assistenza approvato GARDENA o laddove non siano stati utilizzati ricambi originali o autorizzati GARDENA.

ES Responsabilidad sobre el producto

De acuerdo con la Ley de responsabilidad sobre productos alemana, por la presente declaramos expresamente que no aceptamos ningún tipo de responsabilidad por los daños ocasionados por nuestros productos si dichos productos no han sido reparados por un socio de mantenimiento aprobado por GARDENA o si no se han utilizado piezas originales GARDENA o piezas autorizadas por GARDENA.

PT Responsabilidade pelo produto

De acordo com a lei alemã de responsabilidade pelo produto, declaramos que não nos responsabilizamos por danos causados pelos nossos produtos, caso os tais produtos não tenham sido devidamente reparados por um parceiro de assistência GARDENA aprovado ou se não tiverem sido utilizadas peças GARDENA originais ou peças autorizadas pela GARDENA.

PL Odpowiedzialność za produkt

Zgodnie z niemiecką ustawą o odpowiedzialności za produkt, niniejszym wyraźnie oświadczamy, że nie ponosimy żadnej odpowiedzialności za szkody poniesione na skutek użytkowania naszych produktów, w przypadku gdy naprawa tych produktów nie była odpowiednio przeprowadzana przez zatwierdzonego przez firmę GARDENA partnera serwisowego lub nie stosowano oryginalnych części GARDENA albo części autoryzowanych przez tę firmę.

HU Termékszavatosság

A németországi termékszavatossági törvénnyel összhangban ezennel nyomatékosan kijelentjük, hogy nem vállalunk felelősséget a termékeinkben keletkezett olyan károkért, amelyek valamely GARDENA által jóváhagyott szervizpartner által nem megfelelően végzett javításból adódtak, vagy amely során nem eredeti GARDENA alkatrészeket vagy a GARDENA által jóváhagyott alkatrészeket használtak fel.

CS Odpovědnost za výrobek

V souladu s německým zákonem o odpovědnosti za výrobek tímto výslovně prohlašujeme, že nepřijímáme žádnou odpovědnost za poškození vzniklá na našich výrobcích, kdy zmíněné výrobky nebyly řádně opraveny schváleným servisním partnerem GARDENA nebo kdy nebyly použity originální náhradní díly GARDENA nebo náhradní díly autorizované společností GARDENA.

SK Zodpovednosť za produkt

V súlade s nemeckými právnymi predpismi upravujúcimi zodpovednosť za výrobok týmto výslovne prehlasujeme, že nenesieme žiadnu zodpovednosť za škody spôsobené našimi výrobkami, v prípade ktorých neboli náležite opravy vykonané servisným partnerom schváleným spoločnosťou GARDENA alebo neboli použité diely spoločnosti GARDENA alebo diely schválené spoločnosťou GARDENA.

EL Ευθύνη προϊόντος

Σύμφωνα με τον γερμανικό νόμο περί Ευθύνης για τα Προϊόντα, με το παρόν δηλώνουμε ρητώς ότι δεν αποδεχόμαστε καμία ευθύνη για τυχόν ζημιές που προκύπτουν από τα προϊόντα μας εάν αυτά δεν έχουν επισκευαστεί σωστά από κάποιον εγκεκριμένο συνεργάτη επισκευών της GARDENA ή εάν δεν έχουν χρησιμοποιηθεί αυθεντικά εξαρτήματα GARDENA ή εξαρτήματα εγκεκριμένα από την GARDENA.

SL Odgovornost proizvajalca

V skladu z nemškimi zakoni o odgovornosti za izdelke, izrecno izjavljajo, da ne sprejemamo nobene odgovornosti za škodo, ki jo povzročijo naši izdelki, če teh niso ustrezno popravili GARDENINI odobreni servisni partnerji ali pri tem niso bili uporabljeni originalni GARDENINI nadomestni deli ali GARDENINIMI homologiranimi nadomestnimi deli.

HR Pouzdanost proizvoda

Sukladno njemačkom zakonu o pouzdanosti proizvoda, ovime izričito izjavljujemo kako ne prihvaćamo nikakvu odgovornost za oštećenja na našim proizvodima nastala uslijed neispravnog popravka od strane servisnog partnera kojeg odobrava GARDENA ili uslijed nekorištenja originalnih GARDENA dijelova ili dijelova koje odobrava GARDENA.

RO Răspunderea pentru produs

În conformitate cu Legea germană privind răspunderea pentru produs, declarăm în mod expres prin prezentul document că nu acceptăm nicio răspundere pentru defecțiunile suferite de produsele noastre atunci când acestea nu au fost reparate în mod corect de un atelier de service partener, aprobat de GARDENA, sau când nu au fost utilizate piese GARDENA originale sau piese autorizate de GARDENA.

<p>DE EU-Konformitätserklärung Der Unterzeichner, GARDENA Germany AB, PO Box 7454, S-103 92 Stockholm, Schweden, bescheinigt hiermit, dass die nachstehend aufgeführten Geräte bei Verlassen des Werks die harmonisierten EU-Leitlinien, EU-Normen für Sicherheit und besondere Normen erfüllen. Dieses Zertifikat verliert seine Gültigkeit, wenn die Geräte ohne unsere Genehmigung verändert werden.</p>	<p>PT Declaração de conformidade CE O abaixo-assinado, GARDENA Germany AB, PO Box 7454, S-103 92 Stockholm, Suécia, certifica por este meio que, ao sair da nossa fábrica, as unidades indicadas acima estão em conformidade com as diretrizes uniformizadas da UE, os padrões de segurança da UE e os padrões específicos do produto. Este certificado deixa de ser válido se as unidades forem modificadas sem a nossa aprovação.</p>
<p>EN EC Declaration of Conformity The undersigned, GARDENA Germany AB, PO Box 7454, S-103 92 Stockholm, Sweden, hereby certifies that, when leaving our factory, the units indicated below are in accordance with the harmonised EU guidelines, EU standards of safety and product specific standards. This certificate becomes void if the units are modified without our approval.</p>	<p>PL Deklaracja zgodności WE Niżej podpisany przedstawiciel firmy GARDENA Germany AB, PO Box 7454, S-103 92 Stockholm, Szwecja, niniejszym oświadczam, że podane poniżej wyroby opuszczające fabrykę są zgodne ze zharmonizowanymi normami UE oraz z obowiązującymi w UE przepisami bezpieczeństwa i normami dotyczącymi danego produktu. Modyfikacja wyrobów bez naszej zgody powoduje unieważnienie niniejszego certyfikatu.</p>
<p>FR Déclaration de conformité CE Le constructeur, soussigné : GARDENA Germany AB, PO Box 7454, S-103 92 Stockholm, Suède, déclare qu'à la sortie de ses usines le matériel neuf désigné ci-dessous était conforme aux prescriptions des directives européennes énoncées ciaprès et conforme aux règles de sécurité et autres règles qui lui sont applicables dans le cadre de l'Union européenne. Toute modification apportée à cet appareil sans notre accord annule la validité de ce certificat.</p>	<p>HU EK megfelelési nyilatkozat Alulírott GARDENA Germany AB, PO Box 7454, S-103 92 Stockholm, Svédország ezzel tanúsítja, hogy az alábbiakban leírt egységek a gyár elhagyásakor megfeleltek a harmonizált uniós előírásoknak és biztonsági és termékspecifikus szabványoknak. Ez a tanúsítvány érvényét veszti, ha az egységeket jóváhagyásunk nélkül átalakítják.</p>
<p>NL EG-conformiteitsverklaring De ondergetekende, GARDENA Germany AB, PO Box 7454, S-103 92 Stockholm, Zweden, verklaart hierbij dat de producten die hieronder staan vermeld, wanneer ze onze fabriek verlaten, in overeenstemming zijn met de geharmoniseerde Europese richtlijnen, EU-normen voor veiligheid en productspecifieke normen. Dit certificaat vervalt als de producten worden aangepast zonder onze toestemming.</p>	<p>CS Prohlášení o shodě ES Niže uvedená společnost GARDENA Germany AB, PO Box 7454, S-103 92 Stockholm, Švédsko, tímto potvrzuje, že při opuštění naší továrny jsou jednotky uvedené níže v souladu s harmonizovanými pokyny EU, standardy EU ohledně bezpečnosti a specifickými produktovými standardy. Tento certifikát pozbývá platnosti, pokud dojde k úpravě jednotek bez našeho schválení.</p>
<p>SV EG-försäkran om överensstämmelse Undertecknad firma GARDENA Germany AB, PO Box 7454, S-103 92 Stockholm, Sverige, intygar härmed att nedan nämnda produkter, när de lämnar vår fabrik, överensstämmer med EU:s riktlinjer, EU:s säkerhetsstandarder och produktspecifika standarder. Detta intyg skall ogiltigförklaras om produkten ändras utan vårt godkännande.</p>	<p>SK EÚ vyhlásenie o zhode Dolu podpísaná spoločnosť GARDENA Germany AB, PO Box 7454, S-103 92 Stockholm, Švédsko týmto osvedčuje, že nižšie uvedené jednotky boli v súlade s harmonizovanými usmerneniami EÚ, normami EÚ v oblasti bezpečnosti a špecifickými normami týkajúcimi sa produktu v čase opustenia výrobného závodu. Toto osvedčenie stráca platnosť, ak boli jednotky zmenené bez nášho súhlasu.</p>
<p>DA EU-overensstemmelseserklæring Undertegnede, GARDENA Germany AB, PO Box 7454, S-103 92 Stockholm, Sverige erklærer hermed, at nedenfor anførte enheder er i overensstemmelse med de harmoniserede EUretningsslinjer, EU-standarder for sikkerhed og produktspecifikke standarder, når de forlader fabrikknen. Denne erklæring ugyldiggøres, hvis enhederne ændres uden vores godkendelse.</p>	<p>EL Δήλωση Συμμόρφωσης EK Η υπογραμμισμένη εταιρεία, GARDENA Germany AB, PO Box 7454, S-103 92 Stockholm, Σουηδία, πιστοποιεί ότι, κατά την έξοδο από το εργοστάσιο, οι μονάδες που αναφέρονται κατωτέρω συμμορφώνονται με τις αναρμονισμένες οδηγίες ΕΕ, τα πρότυπα ασφαλείας της ΕΕ και τα συγκεκριμένα πρότυπα προϊόντος. Αυτό το πιστοποιητικό καθίσταται άκυρο εάν οι μονάδες έχουν τροποποιηθεί χωρίς την έγκρισή μας.</p>
<p>IT Dichiarazione di conformità CE La sottoscritta GARDENA Germany AB, PO Box 7454, S-103 92 Stockholm, Svezia, certifica che il prodotto qui di seguito indicato, nei modelli da noi commercializzati, è conforme alle direttive armonizzate UE nonché agli standard di sicurezza UE e agli standard specifici di prodotto. Qualunque modifica apportata al prodotto senza nostra specifica autorizzazione invalida la presente dichiarazione.</p>	<p>SL Izjava ES o skladnosti Spodaj podpisana, GARDENA Germany AB, PO Box 7454, S-103 92 Stockholm, Švedska, s to izjavo potrjuje, da je bila spodaj navedena enota ob izhodu iz tovarne skladna z usklajenimi smernicami EU, standardi EU za varnost in standardi, specifičnimi za izdellek. Izjava postane neveljavna v primeru neodobrene spremembe enote.</p>
<p>ES Declaración de conformidad CE El abajo firmante, GARDENA Germany AB, PO Box 7454, S-103 92 Stockholm, Suecia, certifica por la presente que, cuando salen de la fábrica, las unidades indicadas a continuación cumplen las normas de armonización de la UE, las normas de la UE sobre seguridad y las normas específicas del producto. Este certificado quedará sin efecto si se modifican las unidades sin nuestra autorización.</p>	<p>HR Izjava o uskladenosti EZ Niže potpisana GARDENA Germany AB, PO Box 7454, S-103 92 Stockholm, Švedska, ovime potvrđuje kako su u nastavku navedene jedinice prilikom napuštanja tvornice bile u skladu s uskladenim smjernicama EU, EU sigurnosnim standardima i standardima specifičnima za proizvod. Ova certifikacija poništava se ako se jedinice izmjenjuju bez odobrenja.</p>
<p>RO Declarație de conformitate CE Subscrisa, GARDENA Germany AB, PO Box 7454, S-103 92 Stockholm, Suedia, certifică prin prezenta că, la momentul ieșirii din fabrica noastră, unitățile indicate mai jos sunt în conformitate cu directivele UE armonizate, cu standardele UE de siguranță și cu standardele specifice ale produsului. Prezentul certificat devine nul dacă unitățile sunt modificate fără aprobarea noastră.</p>	<p>RO Declarație de conformitate CE Subscrisa, GARDENA Germany AB, PO Box 7454, S-103 92 Stockholm, Suedia, certifică prin prezenta că, la momentul ieșirii din fabrica noastră, unitățile indicate mai jos sunt în conformitate cu directivele UE armonizate, cu standardele UE de siguranță și cu standardele specifice ale produsului. Prezentul certificat devine nul dacă unitățile sunt modificate fără aprobarea noastră.</p>

Produktbezeichnung: Description of the product: Désignation du produit : Beschrijving van het product: Beskrivning av produkten: Beskrivelse af produktet: Descrizione del prodotto: Descripción del producto: Descrição do produto: Opis produktu: A termék leírása: Popis výrobku: Popis produktu: Περιγραφή του προϊόντος: Opis izdelka: Opis proizvoda: Descrierea produsului:		Vielflächen-Versenkregner Large-Area Pop-up Irrigation Arroseur escamotable multisurfaces Verzonken multi-instelbare sproeier AquaContour automatic Pop-up AquaContour automatic Pop-up Irrigatore Pop-up per superfici irregolari Aspersor emergente de múltiples superficies Aspersores embutidos de grandes superficies Zraszacz wynurzalny Süllyesztett sokfelület-esztető Víceplošný výsuvný zadržovač Viacplošný výsuvný zadržovač Αυτόματο Ποτιστικό Pop-up με μεγάλες επιφανειών ανεξαρτήτου σχήματος Talni razpršilnik za več površin Turbinska dubinska naprava za stvaranje umjetne kiše na više površina Aspersor îngropat pentru suprafețe poligonale		
Produkttyp: Product type: Type de produit : Producttype: Produkttyp: Produkttype: Tipo di prodotto: Tipo de pro- ducto: Tipo de produto: Typ produktu: Terméktípus: Druh výrobku: Typ produktu: Τύπος προϊόντος:	Vrsta izdelka: Vrsta proizvoda: Tip produs:	Artikelnummer: Article number: Référence : Artikelnummer: Artikelnummer: Artikelnummer: Codice articolo: Referencia: Número de referência: Numer katalogowy: Cikkszámok: Objednací číslo: Objednávacie číslo: Κωδικός είδους:	Številka izdelka: Kataloški broj: Cod articol:	Anbringungsjaar der CE-Kennzeichnung: Year of CE marking: Année d'apposition du marquage CE : Installatiejaar van de CE-aanduiding: Märkningsår: CE-Mærkningsår: Anno di applicazione della certificazione CE: Colocación del distintivo CE: Ano de marcação pela CE: Rok nadenia oznakowania CE: CE-jelzés elhelyezésének éve: Rok umístění značky CE: Rok udelenia značky CE: Έτος σήματος CE: Leto namesitve CE-oznake: Godina dobivanja CE oznake: Anul de marcare CE:
AquaContour automatic		1559		
EU-Richtlinien: EC-Directives: Directives CE : EG-richtlijnen: EU-direktiv: EF-direktiver: Direttive UE: Directiva CE: Diretivas CE: Dyrektywy WE: EK-irányelvek: Předpisy ES: Smernice EÚ: Οδηγίες EK: Direktive EU: EC directive: Directive CE:		2011/65/EG 2006/42/EG 2014/30/EG		
Harmonisierte EN-Normen / Harmonised EN:		EN ISO 12100		
Hinterlegte Dokumentation:	GARDENA-Technische Dokumentation, M. Kugler 89079 Ulm			
Deposited Documentation:	GARDENA Technical Documentation, M. Kugler 89079 Ulm			
Documentation déposée:	Documentation technique GARDENA, M. Kugler 89079 Ulm			
		Reinhard Pompe Vice President		

2006

Ulm, den 25.11.2015
 Ulm, 25.11.2015
 Fait à Ulm, le 25.11.2015
 Ulm, 25.11-2015
 Ulm, 2015.11.25.
 Ulm, 25.11.2015
 Ulm, 25.11.2015
 Ulm, 25.11.2015
 Ulm, 25.11.2015
 Ulm, 25.11.2015
 Ulm, dnia 25.11.2015
 Ulm, 25.11.2015
 Ulm, 25.11.2015
 Ulm, 25.11.2015
 Ulm, 25.11.2015
 Ulm, 25.11.2015
 Ulm, 25.11.2015
 Ulm, dana 25.11.2015
 Ulm, 25.11.2015

Der Bevollmächtigte
 Authorised representative
 Le mandataire
 De gevolmachtigde
 Auktoriserad representant
 Autoriseret repræsentant
 Persona delegata
 La persona autorizada
 O reprezentante
 Pełnomocnik
 Meghatalmazott
 Zplnomocněnec
 Spłnomocnený
 Ο εξουσιοδοτημένος
 Pooblaščenec
 Ovlaštena osoba
 Conducerea tehnică

Deutschland / Germany

GARDENA
Manufacturing GmbH
Central Service
Hans-Lorenser-Straße 40
D-89079 Ulm
Produktfragen:
(+49) 731 490-123
Reparaturen:
(+49) 731 490-290
service@gardena.com

Albania

COBALT Sh.p.k.
Rr. Siri Kodra
1000 Tirana

Argentina

Husqvarna Argentina S.A.
Av.del Libertador 5954 -
Piso 11 - Torre B
(C1428ARP) Buenos Aires
Phone: (+54) 11 5194 5000
info.gardena@
ar.husqvarna.com

Armenia

Garden Land Ltd.
61 Tigran Mets
0005 Yerevan

Australia

Husqvarna Australia Pty. Ltd.
Locked Bag 5
Central Coast BC
NSW 2252
Phone: (+61) (0) 2 4352 7400
customer.service@
husqvarna.com.au

Austria / Österreich

Husqvarna Austria GmbH
Industriezeile 36
4010 Linz
Tel.: (+43) 732 7701 01-485
service.gardena@
husqvarnagroup.com

Azerbaijan

Firm Progress
a. Aliyev Str. 26A
1052 Baku

Belgium

Husqvarna België nv/sa
Gardena Division
Rue Egide Van Opheim 111
1180 Uccle / Ukkel
Tel.: (+32) 2 720 92 12
info@gardena.be

Bosnia / Hercegovina

SILK TRADE d.o.o.
Industrijska zona Bukva bb
74260 Tešanj

Brazil

Husqvarna do Brasil Ltda
Av. Francisco Matarazzo,
1400 - 19º andar
São Paulo - SP
CEP: 05001-903
Tel: 0800-112252
marketing.br.husqvarna@
husqvarna.com.br

Bulgaria

AGROLAND България АД
бул. 8 Декември, №13
Офис 5
1700 Студентски град
София
Тел.: (+359) 24666910
info@agroland.eu

Canada / USA

GARDENA Canada Ltd.
100 Summerlea Road
Brampton, Ontario L6T 4X3
Phone: (+1) 905 792 9330
info@gardenacanada.com

Chile

Maquinarias Agroforestales
Ltda. (Maga Ltda.)
Santiago, Chile
Avda. Chesterton
8355 comuna Las Condes
Phone: (+56) 2 202 4417
Dalton@мага.cl
Zipcode: 7560330

China

Husqvarna (Shanghai)
Management Co., Ltd.
富世华 (上海) 管理有限公司
3F, Beng Square B,
No207, Song Hong Rd.,
Chang Ning District,
Shanghai, PRC. 200335
上海市长宁区沁虹路207号明
基广场B座3楼, 邮编: 200335

Colombia

Husqvarna Colombia S.A.
Calle 18 No. 68 D-31, zona
Industrial de Montevideo
Bogotá, Cundinamarca
Tel. 571 2922700 ext. 105
jairo.salazar@
husqvarna.com.co

Costa Rica

Compania Exim
EuroIberoamericana S.A.
Los Colegios, Moravia,
200 metros al Sur del Colegio
Saint Francis - San José
Phone: (+506) 297 68 83
exim_euro@racsa.co.cr

Croatia

Husqvarna Austria GmbH
Industriezeile 36
4010 Linz
Tel.: (+43) 732 77 01 01-485
service.gardena@
husqvarnagroup.com

Cyprus

Med Marketing
17 Digeni Akritia Ave
P.O. Box 27017
1641 Nicosia

Czech Republic

Husqvarna Česko s.r.o.
Türkova 2319/5b
149 00 Praha 4 - Chodov
Bezplatná infolinka:
800 100 425
servis@cz.husqvarna.com

Denmark

GARDENA DANMARK
Lejrvvej 19, st.
3500 Værløse
Tlf.: (+45) 70264770
husqvarna@husqvarna.dk
www.gardena.com/dk

Dominican Republic

BOSQUESA, S.R.L
Carretera Santiago Licey
Km. 5 1/2
Escuina Copal II.
Santiago
Dominican Republic
Phone: (+809) 736-0333
joserbosquesa@claro.net.do

Ecuador

Husqvarna Ecuador S.A.
Arujos E1-181 y 10 de
Agosto Quito, Pichincha
Tel. (+593) 22800739
francisco.jacom@
husqvarna.com.ec

Estonia

Husqvarna Eesti OÜ
Valdeku 132
EE-11216 Tallinn
info@gardena.ee

Finland

Oy Husqvarna Ab
Gardena Division
Lautatarhankatu 8 B / PL 3
00581 HELSINKI
www.gardena.fi

France

Husqvarna France
9/11 Allée des pierres mayettes
92635 Gennevilliers Cedex
France
http://www.gardena.com/fr
N° AZUR: 0 810 00 78 23
(Prix d'un appel local)

Georgia

Transporter LLC
8/157 Balashvili street
0159 Tbilisi, Georgia
Phone: (+995) 322 14 71 71

Great Britain

Husqvarna UK Ltd
Preston Road
Aycliffe Industrial Park
Newton Aycliffe
County Durham
DL5 6UP
info.gardena@
husqvarna.co.uk

Greece

Π. ΠΑΠΑΔΟΠΟΥΛΟΣ ΑΕΒΕ
Λεωφ. Αθηνών 92
Αθήνα
Τ.Κ. 104 42
Ελλάδα
Τηλ. (+30) 210 5193100
info@papadopoulou.com.gr

Hungary

Husqvarna Magyarorszáig Kft.
Ezred u. 1-3
1044 Budapest
Telefon: (+36) 1 251-4161
vevozsolgalat.husqvarna@
husqvarna.hu

Iceland

O. Johnson & Kaaber
Tunguhsali 1
110 Reykjavik
oj@ojk.is

India

Husqvarna UK Ltd
Preston Road
Aycliffe Industrial Park
Newton Aycliffe
County Durham
DL5 6UP
info.gardena@
husqvarna.co.uk

Italy

Husqvarna Italia S.p.A.
Via Santa Vecchia 15
23868 VALMADRERA (LC)
Phone: (+39) 0341.203.111
assistenza.italia@
it.husqvarna.com

Japan

KAKUICHI Co. Ltd.
Sumitomo Realty &
Development Kojimachi
BLDG., 8F
5-1 Nibanncyo
Chiyoda-ku
Tokyo 102-0084
Phone: (+81) 33 264 4721
m_ishihara@kaku-ichi.co.jp

Kazakhstan

LAMED Ltd.
155/1, Tazhibayevoi Str.
050060 Almaty
IP Schmidt
Abayavenue 3B
110 005 Kostanay

Korea

Kyung Jin Trading CO.,LTD.
107-4, SunDuk Bld.,
YangJae-dong,
Seocho-gu,
Seoul, (zipcode: 137-891)
Phone: (+82) (0)2 574-6300

Kyrgyzstan

Alye Maki
Mo. Malodaya Guardir J 3
720014
Bishkek

Latvia

Husqvarna Latvija SIA
Ulbrokas 19A
LV-1021 Rīga
info@gardena.lv

Lithuania

UAB Husqvarna Lietuva
Ateiles pl. 77C
LT-52104 Kaunas
info@gardena.lt

Luxembourg

Magasins Jules Neuberg
39, rue Jacques Stas
Luxembourg-Gasperich 2549
Case Postale No. 12
Luxembourg 2010
Phone: (+352) 40 14 01
api@neuberg.lu

Mexico

AFOSA
Av. Lopez Mateos Sur # 5019
Col. La Calma 45070
Zapopan, Jalisco
Mexico
Phone: (+52) 33 3818-3434
icorneje@afosa.com.mx

Moldova

Convel S.R.L.
290A Muncesti St.
2002 Chisinau

Netherlands

Husqvarna Nederland B.V.
GARDENA Division
Postbus 50131
1305 AC ALMERE
Phone: (+31) 36521 00 10
info@gardena.nl

Neth. Antilles

Jonka Enterprises N.V.
Sta. Rosa Weg 196
P.O. Box 8200
Curaçao
Phone: (+599) 9 767 66 55
pjm@jonka.com

New Zealand

Husqvarna New Zealand Ltd.
PO Box 76-437
Manukau City 2241
Phone: (+64) (0) 9 9202410
support.nz@husqvarna.co.nz

Norway

Husqvarna Norge AS
Gardena Division
Traskenveien 36
1708 Sarpsborg
info@gardena.no

Peru

Husqvarna Perú S.A.
Jr. Ramón Cárcamo 710
Lima 1
Tel: (+51) 1 3320400 ext.416
juan.remuzgo@
husqvarna.com

Poland

Husqvarna
Poland Spółka z o.o.
ul. Wysockiego 15 b
03-371 Warszawa
Phone: (+48) 22 330 96 00
gardena@husqvarna.com.pl

Portugal

Husqvarna Portugal, SA
Lagoa - Albarraque
2635 - 595 Rio de Mouro
Tel.: (+351) 21 922 85 30
Fax: (+351) 21 922 85 36
info@gardena.pt

Romania

Madex International Srl
Soseaua Odaii 117-123,
RO 013603 Bucuresti, S 1
Phone: (+40) 21 352.76 30
madex@ines.ro

Russia / Россия

ООО „Хускварна“
141400, Московская обл.,
г. Химки,
улица Ленинградская,
владение 39, стр.6
Бизнес Центр
„Химки Бизнес Парк“,
помещение 0B02_04
http://www.gardena.ru

Serbia

Domel d.o.o.
Autoput za Novi Sad bb
11273 Belgrade
Phone: (+381) 11 848 88 12
miroslav.vejina@domel.rs

Singapore

Hi-Ray PRIVATE LIMITED
40 Jalan Pemimpin
#02-08 Tat Ann Building
Singapore 577185
Phone: (+65) 6253 2277
shying@hrray.com.sg

Slovak Republic

Husqvarna Cesko s.r.o.
Türkova 2319/5b
149 00 Praha 4 - Chodov
Bezplatná infolinka:
800 154 044
servis@sk.husqvarna.com

Slovenia

Husqvarna Austria GmbH
Industriezeile 36
4010 Linz
Tel.: (+43) 732 77 01 01-485
service.gardena@
husqvarnagroup.com

South Africa

Husqvarna
Husqvarna (Pty) Ltd
Postnet Suite 250
Private Bag X6,
Cascades, 3202
South Africa
Phone: (+27) 33 846 9700
info@gardena.co.za

Spain

Husqvarna España S.A.
Calle de Rivas nº 10
28052 Madrid
Phone: (+34) 91 708 05 00
atencioncliente@gardena.es

Suriname

Agrofix n.v.
Verlengde Hogestraat # 22
Phone: (+597) 472426
agrofix@sr.net
Pobox: 2006
Paramaribo
Suriname - South America

Sweden

Husqvarna AB
Gardena Division
S-561 82 Huskvarna
gardenaorder@husqvarna.se

Switzerland / Schweiz

Husqvarna Schweiz AG
Consumer Products
Industriestrasse 10
5506 Mägenwil
Phone: (+41) (0) 62 887 37 90
info@gardena.ch

Turkey

Dost Bağcı Diş Ticaret
Müessesilik A.Ş.
Yunus Mah. Adil Sok. No:3
İc Kapı No: 1 Kartal
34873 İstanbul
Phone: (+90) 216 38 93 939
info@dosbahe.com.tr

Ukraine / Україна

ТОВ „Хускварна Україна“
вул. Васильківська, 34,
офіс 204-г
03022, м. Київ
Тел. (+38) 044 498 39 02
info@gardena.ua

Uruguay

FELI SA
Entre Ríos 1083 CP 11800
Montevideo - Uruguay
Tel: (+598) 22 03 18 44
info@felisa.com.uy

Venezuela

Corporación Casa y Jardín C.A.
Av. Caroní, Edif. Trezmen, PB.
Colinas de Bello Monte,
1050 Caracas.
Tlf: (+58) 212 992 33 22
info@casayjardin.net.ve

1559-29.960.11/0319
© GARDENA
Manufacturing GmbH
D-89070 Ulm
http://www.gardena.com