



## Architectural Door Pulls



## Table of Contents

2. Standards (1" diameter pulls)
4. Tubular (1½" & 1¾" diameter pulls)
6. NeoMetrix™ (with GripZone™)
8. RightAngles™ (with or without GripZone™)
10. PostMount (straight & offset pulls)
12. NeoTek™ (post mounted GripZone™)
14. MegaTek™ (long door pulls)
16. NeoMax™ (long pulls with GripZone™)
18. MegaCurve™ (long curved pulls)
20. MezzoTek™ (necked post pulls)
22. BandWidth™ (collar mount pulls)
24. OvalTek™ (true oval grip)
26. OvalTek™ (flat oval grip)
28. NeoMitre™ (with or without GripZone™)
30. NeoCylinder™ (with or without GripZone™)
32. LineaMet™ (contrasting grooved pulls)
34. LineaTek™ (fully grooved pulls)
36. LineaMax™ (long grooved pulls)
38. NoirMet™ (black anodized grip)
40. NoirTek™ (black anodized grip)
42. ArborMet™ (wood grip pulls)
44. ArborTek™ (wood grip pulls)
46. SoftMet™ (Santoprene™ grip)
48. SoftTek™ (Santoprene™ grip)
50. IberMet™ (cork grips)
52. BronzeAge™ (copper rich grip)
54. SkewTek™ (angled end pulls & big pulls)
56. CenTek™ (1" radius pulls)
58. CenTrex™ (1" radius pulls)
60. CenTrex™ (large radius pulls)
62. GeoMetek™ (narrow profile pulls)
64. PlanTek™ (flat front pulls)
66. SculptTrex™ (shaped cast pulls)
68. SculptTrex™ (shaped cast pulls)
70. Infinitrix™ (shaped cast pulls)
72. Traditional (decorative pulls & plates)
74. Classic (finial door pulls)
76. Edge Pulls (for closet doors)
77. Small Pulls (for cabinets, casework and closet doors)
78. Small PostMount Pulls (for cabinets, casework and closet doors)
79. Small PostMount Pulls (for cabinets, casework and closet doors)
80. Coat Hooks
81. Coat Hooks
82. Door Stops
83. Push Plates, Pull Plates & Signage
84. Custom Pivots
85. Custom Capabilities
86. Leather Craftsmanship General Information
88. English Bridal Leather (straight & offset pulls)
90. Upholstery Leather (straight & offset pulls)
92. Flush Leather (straight & offset pulls)
94. Leather Oval (ergonomic pulls)
96. Small Leather Pulls (for cabinets, casework and closet doors)
97. Custom Leather Applications



Copyright notices throughout the catalog refer to the proprietary designs on noted pages – all rights reserved.



**Company Focus:** Rockwood is a leading manufacturer of architectural door trim hardware. Our main focus since our 1946 founding has been the design and fabrication of door pulls and other door trim products for commercial and fine residential buildings. These years of experience have been spent improving designs and efficiency so we are able to offer you outstanding product quality and value.

**LEEDS Statement:** When you select a Rockwood stainless steel door pull for your LEEDS certified building project you are using a product that is made from a minimum 75% post industrial waste and is 100% recyclable. Additionally these pulls can usually be refinished to their original appearance any time in the life of the building, eliminating the need for replacement when a renovation is conducted.


**Finishes:** Most products shown in our catalog are available in a wide variety of finishes. The photographs generally show only one finish for aesthetic reasons, but we make all traditional architectural finishes. The base metal from which we produce each product is indicated throughout the catalog and dictates what finishes are available.

Stainless Steel is one of the most durable materials used in architecture. However, there are many types of stainless steel with different properties and varying levels of corrosion resistance. In most indoor (except chlorine and other harsh chemical exposure locations) and many outdoor (mildly corrosive) environments our standard type 303/304 stainless steel will perform exceedingly well. It is best maintained with periodic water washing. If your job site has road salt, marine salt air, industrial or urban pollution, we recommend the use of molybdenum bearing 316 alloy stainless steel which is available on select products. Molybdenum significantly improves corrosion resistance, particularly resistance to salt corrosion. For more information see the International Molybdenum Association web site [www.imoa.info](http://www.imoa.info). Specify Rockwood's US32316 or US32D316 for the very best performance.

In addition to stainless steel alloy selection, the surface finish of stainless steel has a big impact on its corrosion resistance. Minute particles of dirt and debris can lodge in the microscopic crevices of a satin finish (US32D/630) more readily than on a smooth surface (US32/629) therefore promoting corrosion. To enhance the corrosion resistance of any stainless steel, specify the polished version over the satin finish.

**Fastening Systems:** Three basic fastening systems are shown below. Most pulls are available in any of these three configurations. A specific bolt diameter and length will be provided for your particular application. The important aspect of a fastening system is that it attaches the pull solidly to the door and does not allow "play" between the pull and the door. Rockwood's mounting systems firmly attach the pull and are guaranteed for the life of the building.

#### Standard Mounting Details



Optional base plates are an aesthetic and functional addition to most door pulls. The larger "foot print" of a base plate makes for added stability for the fastening system which is particularly important on glass and wood door mounted pulls. To add a base plate to any pull, suffix the product number with "Y" (example: RM3301Y); a base plate slightly larger than the pull diameter will be provided.

**Custom Manufacturing:** Rockwood can make the door hardware you want. Please don't hesitate to ask for minor design and size change to existing products or a completely custom creation. Our engineering department will work with you to create a solution to your requirement.





These one inch diameter push and pulls are the industry standard for contemporary design. Rockwood sets the benchmark for quality and value in this product category. Our offset pulls come with a 2½" clearance for enhanced ADA compliance. Use two or three push bars on a door as an attractive design element and increased usability for people of all heights.

Standards  
1" diameter pulls



Straight Pulls

| Pull No. | CTC |
|----------|-----|
| 110      | 8"  |
| 111A     | 9"  |
| 111      | 10" |
| 112      | 12" |
| 118      | 18" |





90° Offset Pulls

| Pull No. | CTC |
|----------|-----|
| BF156    | 8"  |
| BF157A   | 9"  |
| BF157    | 10" |
| BF158    | 12" |
| BF159    | 18" |



45° Offset Pulls

| Pull No. | CTC |
|----------|-----|
| 166      | 8"  |
| 167A     | 9"  |
| 167      | 10" |
| 168      | 12" |
| 169      | 18" |



Push Bars (shown with optional base plate)\*

| Pull No. | Pull CTC | Base Plate |
|----------|----------|------------|
| 47       | Specify  | No         |
| BP47     | Specify  | Yes        |




Single Projection Push Bar

| Pull No. | CTC     |
|----------|---------|
| SP47     | Specify |



Straight Push Pull Sets\*

| Pull No. | Pull CTC | Bar CTC |
|----------|----------|---------|
| 11047    | 8"       | Specify |
| 111A47   | 9"       | Specify |
| 11147    | 10"      | Specify |
| 11247    | 12"      | Specify |



Offset Push Pull Sets\*

| Pull No. | Pull CTC | Bar CTC |
|----------|----------|---------|
| BF15647  | 8"       | Specify |
| BF157A47 | 9"       | Specify |
| BF15747  | 10"      | Specify |
| BF15847  | 12"      | Specify |

Base Metals: Aluminum, brass, bronze, stainless steel

\*To specify multi-bar sets suffix -2 or -3 to pull number (example: BF15647-3).  
Note: Phantom lines depict optional multi-bar sets.



Our 1¼" and 1½" diameter tubular pulls and pushes are made from rugged 16-gauge wall tubing with solid brass end inserts. These large diameter pulls provide a greater door contact area (1¼" pulls have 60% larger and 1½" pulls have 125% larger mounting area) than 1" pulls, which ensures that Rockwood's guaranteed fastening system will provide a tight permanent installation. Our RM257 series is made from solid 1¼" rod and its 30° angle cut provides a mounting footprint 80% larger than 1" pulls.

## Tubular

1¼" & 1½" diameter pulls



### Straight Pulls

| Pull No. | Diameter | CTC |
|----------|----------|-----|
| RM301    | 1¼"      | 12" |
| RM302    | 1¼"      | 18" |
| RM303    | 1¼"      | 24" |
| RM304    | 1¼"      | 36" |
| RM321    | 1½"      | 12" |
| RM322    | 1½"      | 18" |
| RM323    | 1½"      | 24" |
| RM324    | 1½"      | 36" |




### Angle Pulls - Solid

| Pull No. | Diameter | CTC |
|----------|----------|-----|
| RM257    | 1¼"      | 10" |
| RM258    | 1¼"      | 12" |
| RM259    | 1¼"      | 18" |




### Offset Pulls

| Pull No. | Diameter | CTC |
|----------|----------|-----|
| RM201    | 1¼"      | 12" |
| RM202    | 1¼"      | 18" |
| RM203    | 1¼"      | 24" |
| RM204    | 1¼"      | 36" |
| RM221    | 1½"      | 12" |
| RM222    | 1½"      | 18" |
| RM223    | 1½"      | 24" |
| RM224    | 1½"      | 36" |




### Push Bars\*

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM350    | 1¼"      | Specify |
| RM370    | 1½"      | Specify |



### Straight Push Pull Sets\*

| Pull No. | Diameter | Pull CTC | Bar CTC |
|----------|----------|----------|---------|
| RM351    | 1¼"      | 12"      | Specify |
| RM352    | 1¼"      | 18"      | Specify |
| RM371    | 1½"      | 12"      | Specify |
| RM372    | 1½"      | 18"      | Specify |



### Offset Push Pull Sets\*

| Pull No. | Diameter | Pull CTC | Bar CTC |
|----------|----------|----------|---------|
| RM251    | 1¼"      | 12"      | Specify |
| RM252    | 1¼"      | 18"      | Specify |
| RM271    | 1½"      | 12"      | Specify |
| RM272    | 1½"      | 18"      | Specify |

**Base Metals:** Aluminum, brass, bronze, stainless steel

\*To specify multi-bar sets suffix -2 or -3 to pull number (example: RM350-3).

**Note:** Phantom lines depict optional multi-bar sets.



# **ROCKWOOD**

The NeoMetrix line features GripZone — a satin finished grip area contrasting to the bright mirror finish at the ends. Not only visually appealing, this winning design is practical as well. The satin finish contact area hides small marks and scratches caused by rings, jewelry, and keys. On push bars, the GripZone identifies which side of the door swings open.

## **NeoMetrix™** with GripZone™



### **Straight Pulls**

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3010   | 1"       | 12", 18"      |
| RM3020   | 1 1/4"   | 12", 18", 24" |
| RM3030   | 1 1/2"   | 12", 18", 24" |




### **Offset Pulls**

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3040   | 1"       | 12", 18"      |
| RM3050   | 1 1/4"   | 12", 18", 24" |
| RM3060   | 1 1/2"   | 12", 18", 24" |




### **Push Bars\***

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM3012   | 1"       | Specify |
| RM3022   | 1 1/4"   | Specify |
| RM3032   | 1 1/2"   | Specify |



### **Straight Push Pull Sets\***

| Pull No. | Diameter | Pull CTC | Bar CTC |
|----------|----------|----------|---------|
| RM3015   | 1"       | 12"      | Specify |
| RM3025   | 1 1/4"   | 12"      | Specify |
| RM3035   | 1 1/2"   | 12"      | Specify |



### **Offset Push Pull Sets\***

| Pull No. | Diameter | Pull CTC | Bar CTC |
|----------|----------|----------|---------|
| RM3045   | 1"       | 12"      | Specify |
| RM3055   | 1 1/4"   | 12"      | Specify |
| RM3065   | 1 1/2"   | 12"      | Specify |

**Base Metals:** Brass, bronze, stainless steel

\*To specify multi-bar sets suffix -2 or -3 to pull number (example: RM3015-2).


**Note:** Phantom lines depict optional multi-bar sets.

© 2001 Rockwood Manufacturing Company




These right angle push and pulls offer a solution to matching glass door exit devices as well as being a design statement of their own. The extra gripping area provided by the horizontal and vertical sections make it a universally usable pull and push bar. Standard diameter is 1¼"; other diameters are available.

**RightAngles™**  
*with or without GripZone™*




**Angle Pull**

| Pull No. | CTC |
|----------|-----|
| RM405-15 | 15" |




**Angle Pull with GripZone**

| Pull No. | CTC |
|----------|-----|
| RM415-15 | 15" |




**Short Angle Push Pulls**

| Pull No.         | CTC                    |
|------------------|------------------------|
| RM410 (leg up)   | Specify Height x Width |
| RM411 (leg down) | Specify Height x Width |




**Short Angle Push Pulls with GripZone**

| Pull No.         | CTC                    |
|------------------|------------------------|
| RM420 (leg up)   | Specify Height x Width |
| RM421 (leg down) | Specify Height x Width |



**Long Angle Push Pulls**


| Pull No.         | CTC                    |
|------------------|------------------------|
| RM412 (leg up)   | Specify Height x Width |
| RM413 (leg down) | Specify Height x Width |



**Long Angle Push Pulls with GripZone**

| Pull No.         | CTC                    |
|------------------|------------------------|
| RM422 (leg up)   | Specify Height x Width |
| RM423 (leg down) | Specify Height x Width |

**Application Suggestion**





Post mounted pulls are smart, clean designs for all kinds of doors. Offset mounting bases allow this group to be used on narrow style doors. Square and round end versions are available as well as custom lengths. The simplicity of this group is an attribute that adds contemporary beauty to even standard entrance doors. See the price list for push pull sets.

## PostMount

*straight & offset pulls*




**Straight Pulls - Square Ends**

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3100   | 1"       | 8", 10", 12"  |
| RM3110   | 1½"      | 8", 11", 16"  |
| RM3120   | 1½"      | 11", 16", 20" |




**Straight Pulls - Round Ends**

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3104   | 1"       | 8", 10", 12"  |
| RM3114   | 1½"      | 8", 11", 16"  |
| RM3124   | 1½"      | 11", 16", 20" |



**Push Bars - Square Ends\***

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM3102   | 1"       | Specify |
| RM3112   | 1½"      | Specify |
| RM3122   | 1½"      | Specify |




**Offset Pulls - Square Ends**

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3130   | 1"       | 8", 10", 12"  |
| RM3140   | 1½"      | 8", 11", 16"  |
| RM3150   | 1½"      | 11", 16", 20" |



**Offset Pulls - Round Ends**

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3134   | 1"       | 8", 10", 12"  |
| RM3144   | 1½"      | 8", 11", 16"  |
| RM3154   | 1½"      | 11", 16", 20" |



**Push Bars - Round Ends\***

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM3106   | 1"       | Specify |
| RM3116   | 1½"      | Specify |
| RM3126   | 1½"      | Specify |

**Base Metals:** Aluminum (except offset pulls), brass, bronze, stainless steel

\*To specify multi-bar sets suffix -2 or -3 to pull number (example: RM3112-3).



NeoTek post mounted door pulls and push bars meld the durable and attractive GripZone finish with a contemporary post mounted style. Both straight and offset pulls in square and round end versions are available in three diameters. Custom lengths are readily available. See price list for push pull sets.

## NeoTek™ post mounted GripZone™



Straight Pulls - Square Ends

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3200   | 1"       | 8", 10", 12"  |
| RM3210   | 1 1/4"   | 8", 11", 16"  |
| RM3220   | 1 1/2"   | 11", 16", 20" |




Straight Pulls - Round Ends

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3204   | 1"       | 8", 10", 12"  |
| RM3214   | 1 1/4"   | 8", 11", 16"  |
| RM3224   | 1 1/2"   | 11", 16", 20" |




Push Bars - Square Ends\*

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM3202   | 1"       | Specify |
| RM3212   | 1 1/4"   | Specify |
| RM3222   | 1 1/2"   | Specify |



Offset Pulls - Square Ends

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3230   | 1"       | 8", 10", 12"  |
| RM3240   | 1 1/4"   | 8", 11", 16"  |
| RM3250   | 1 1/2"   | 11", 16", 20" |



Offset Pulls - Round Ends

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3234   | 1"       | 8", 10", 12"  |
| RM3244   | 1 1/4"   | 8", 11", 16"  |
| RM3254   | 1 1/2"   | 11", 16", 20" |



Push Bars - Round Ends\*

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM3206   | 1"       | Specify |
| RM3216   | 1 1/4"   | Specify |
| RM3226   | 1 1/2"   | Specify |

Base Metals: Brass, bronze, stainless steel

Note: See price list for information on ordering push pull sets.

\*To specify multi-bar sets suffix -2 or -3 to pull number (example: RM3202-3).



Long door pulls are an artful and functional solution for any door. We offer both straight and offset versions. Most often used as full height, these pulls are available in three diameters and any length from 3 feet to over 8 feet long; see price list for more information. Specify a mid-post on full height pulls to provide the most rigid grip where heavy doors or high wind loads are present.

**MegaTek™**  
long door pulls



Straight Pulls - Square Ends

| Pull No. | Diameter | CTC        |
|----------|----------|------------|
| RM3300   | 1"       | 36" to 96" |
| RM3301   | 1 1/4"   | 36" to 96" |
| RM3302   | 1 1/2"   | 36" to 96" |



Straight Pulls - Round Ends

| Pull No. | Diameter | CTC        |
|----------|----------|------------|
| RM3320   | 1"       | 36" to 96" |
| RM3321   | 1 1/4"   | 36" to 96" |
| RM3322   | 1 1/2"   | 36" to 96" |



Straight Pulls - Bent Ends

| Pull No. | Diameter | CTC        |
|----------|----------|------------|
| RM3340   | 1"       | 36" to 96" |
| RM3341   | 1 1/4"   | 36" to 96" |
| RM3342   | 1 1/2"   | 36" to 96" |

**Base Metals:** Aluminum (except offset models), brass, bronze, stainless steel

**Options:** • For optional mid-post, suffix the product number with "MP" (example: RM3301MP).  
• Over 96" available on select finishes.



Offset Pulls - Square Ends


| Pull No. | Diameter | CTC        |
|----------|----------|------------|
| RM3310   | 1"       | 36" to 96" |
| RM3311   | 1 1/4"   | 36" to 96" |
| RM3312   | 1 1/2"   | 36" to 96" |



Offset Pulls - Round Ends

| Pull No. | Diameter | CTC        |
|----------|----------|------------|
| RM3330   | 1"       | 36" to 96" |
| RM3331   | 1 1/4"   | 36" to 96" |
| RM3332   | 1 1/2"   | 36" to 96" |

Application Suggestions



© 2001 Rockwood Manufacturing Company



The beauty of long door pulls is enhanced with the contrasting finish of our NeoMax line. This smart, visually appealing GripZone design makes a welcome addition to any door. Any length may be made to order from 3 feet to over 8 feet long; see price list for more information. Specify a mid-post on full height pulls to provide the most rigid grip where heavy doors or high wind loads are present.

## NeoMax™ long pulls with GripZone™



Straight Pulls - Square Ends

| Pull No. | Diameter | CTC        |
|----------|----------|------------|
| RM3400   | 1"       | 36" to 96" |
| RM3401   | 1 1/4"   | 36" to 96" |
| RM3402   | 1 1/2"   | 36" to 96" |



Straight Pulls - Round Ends

| Pull No. | Diameter | CTC        |
|----------|----------|------------|
| RM3420   | 1"       | 36" to 96" |
| RM3421   | 1 1/4"   | 36" to 96" |
| RM3422   | 1 1/2"   | 36" to 96" |



Straight Pulls - Bent Ends

| Pull No. | Diameter | CTC        |
|----------|----------|------------|
| RM3440   | 1"       | 36" to 96" |
| RM3441   | 1 1/4"   | 36" to 96" |
| RM3442   | 1 1/2"   | 36" to 96" |

**Base Metals:** Brass, bronze, stainless steel

**Options:** • For optional mid-post, suffix the product number with "MP" (example: RM3401MP).  
• Over 96" available on select finishes.



Offset Pulls - Square Ends



| Pull No. | Diameter | CTC        |
|----------|----------|------------|
| RM3410   | 1"       | 36" to 96" |
| RM3411   | 1 1/4"   | 36" to 96" |
| RM3412   | 1 1/2"   | 36" to 96" |



Offset Pulls - Round Ends

| Pull No. | Diameter | CTC        |
|----------|----------|------------|
| RM3430   | 1"       | 36" to 96" |
| RM3431   | 1 1/4"   | 36" to 96" |
| RM3432   | 1 1/2"   | 36" to 96" |


Application Suggestions






Ever since the discovery of calculus by Sir Isaac Newton and Gottfried Leibniz in the 17th century, man has been fascinated with the building of precise curved surfaces. Rockwood is eager to build the curved pull you envision. Select from the standard shapes shown here in 1½" diameter or send a drawing of your own.

**MegaCurve™**  
long curved pulls




Mid Bow Pulls

| Pull No. | End    | Diameter | CTC        |
|----------|--------|----------|------------|
| RM2000   | Square | 1½"      | 72" to 96" |
| RM2004   | Round  | 1½"      | 72" to 96" |




Long Bow Pulls

| Pull No. | End    | Diameter | CTC        |
|----------|--------|----------|------------|
| RM2010   | Square | 1½"      | 72" to 96" |
| RM2014   | Round  | 1½"      | 72" to 96" |



45 Degree Pulls

| Pull No. | End    | Diameter | CTC        |
|----------|--------|----------|------------|
| RM2020   | Square | 1½"      | 72" to 96" |
| RM2024   | Round  | 1½"      | 72" to 96" |




Triangle Pulls

| Pull No. | End    | Diameter | CTC        |
|----------|--------|----------|------------|
| RM2030   | Square | 1½"      | 72" to 96" |
| RM2034   | Round  | 1½"      | 72" to 96" |



Application Suggestions



**Base Metals:** Brass, bronze, stainless steel  
**Options:** Over 96" available on select finishes.



MezzoTek pulls appear to float on necked posts yet are made with Rockwood's unique sturdy construction. Available in most architectural finishes in 1¼" and 1½" diameter pulls and push bars. Full height pulls are available as well. Our popular GripZone contrasting finish is available as shown in the drawings and detail photograph.


MezzoTek™  
with or without GripZone™



Straight Pulls

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM2110   | 1¼"      | 8", 11", 16"  |
| RM2120   | 1½"      | 11", 16", 20" |


Up to 96" CTC available.



Straight Pulls

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM2130   | 1¼"      | 8", 11", 16"  |
| RM2140   | 1½"      | 11", 16", 20" |

Up to 96" CTC available.



Push Bars\*


| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM2112   | 1¼"      | Specify |
| RM2122   | 1½"      | Specify |



Push Bars\*

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM2132   | 1¼"      | Specify |
| RM2142   | 1½"      | Specify |

Application Suggestions



**Base Metals:** Brass, bronze, stainless steel  
**Options:** • For optional mid-post, suffix the product number with "MP" (example: RM2120MP).  
 • Over 96" available on select finishes.

\*To specify multi-bar sets suffix -2 or -3 to pull number (example: RM2132-3).





BandWidth design features a collar that attaches the grip section to the mounting posts. The collar can be furnished in a matching finish and base metal, or any combination of contrasting finishes of similar or dissimilar metals. Black anodized aluminum grips create a visual effect similar to our NoirMet pulls. The detail photo shows an un-lacquered bronze grip that provides the rich copper color and patina potential associated with copper alloys. Round end versions add an extra element of interest.


**BandWidth™**  
collar mount pulls



**Straight Pulls - Square Ends**

| Pull No. | Diameter | CTC          |
|----------|----------|--------------|
| RM2200   | 1"       | 8", 10", 12" |
| RM2210   | 1 1/4"   | 8", 11", 16" |


Up to 96" CTC available.



**Straight Pulls - Round Ends**


| Pull No. | Diameter | CTC          |
|----------|----------|--------------|
| RM2204   | 1"       | 8", 10", 12" |
| RM2214   | 1 1/4"   | 8", 11", 16" |

Up to 96" CTC available.




**Push Bars - Square Ends**

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM2202   | 1"       | Specify |
| RM2212   | 1 1/4"   | Specify |



**Push Bars - Round Ends**


| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM2206   | 1"       | Specify |
| RM2216   | 1 1/4"   | Specify |



**Offset Pulls - Square Ends**

| Pull No. | Diameter | CTC          |
|----------|----------|--------------|
| RM2230   | 1"       | 8", 10", 12" |
| RM2240   | 1 1/4"   | 8", 11", 16" |

Up to 96" CTC available.




**Offset Pulls - Round Ends**

| Pull No. | Diameter | CTC          |
|----------|----------|--------------|
| RM2234   | 1"       | 8", 10", 12" |
| RM2244   | 1 1/4"   | 8", 11", 16" |

Up to 96" CTC available.

**Application Suggestions**




**Other Length Ordering Options**  
Full length BandWidth pulls are available in both straight and offset versions from 3 feet to over 8 feet long.

**Base Metals:** Aluminum (grip only), brass, bronze, stainless steel  
**Options:** • For optional mid-post, suffix the product number with "MP" (example: RM2210MP).  
• Over 96" available on select finishes.



The grip of our oval shape conforms to the natural contour of one's hand, defining the standard in comfort for the user. The design is complimented by the oval shaped mounting posts. The pulls are available in regular and full height lengths. The push bar features oval tubing practically positioned to expose the broad pushing surface. Available in two cross section sizes, the oval pulls and push bars are the most ergonomically correct door hardware.


OvalTek™  
with true oval grip



**Straight Oval Pulls**

| Pull No. | Size     | CTC           |
|----------|----------|---------------|
| RM2300   | 1" x 1½" | 8", 11", 16"  |
| RM2310   | 1" x 1¼" | 11", 16", 20" |


Up to 96" CTC available.



**Push Bars**

| Pull No. | Size     | CTC     |
|----------|----------|---------|
| RM2302   | 1" x 1½" | Specify |
| RM2312   | 1" x 1¼" | Specify |


**Application Suggestions**



Oval Detail


**Base Metal:** Stainless steel

**Options:** • For optional mid-post, suffix the product number with "MP" (example: RM2310MP).  
• Over 96" available on select finishes.



The comfortable and attractive  $\frac{3}{8}$ " x  $1\frac{1}{2}$ " flat oval shape is available with three styles of mounting posts and in full-length versions. This sturdy, sleek shape creates a beautiful pull and is available with a leather cover shown on page 95. Flat oval combines the ergonomics of the true oval with the trim lines of rectangular tubing.


**OvalTek™**  
with flat oval grip



**Straight Pull -  $\frac{1}{2}$ " Round Post**

| Pull No. | Size                               | CTC          |
|----------|------------------------------------|--------------|
| RM2400   | $\frac{3}{8}$ " x $1\frac{1}{2}$ " | 8", 11", 16" |

Up to 96" CTC available.



**Straight Pull - Oblong Post**

| Pull No. | Size                               | CTC          |
|----------|------------------------------------|--------------|
| RM2420   | $\frac{3}{8}$ " x $1\frac{1}{2}$ " | 8", 11", 16" |


Up to 96" CTC available.



**Straight Pull - 1" Round Post**

| Pull No. | Size                               | CTC          |
|----------|------------------------------------|--------------|
| RM2410   | $\frac{3}{8}$ " x $1\frac{1}{2}$ " | 8", 11", 16" |




Up to 96" CTC available.



**Push Bar**

| Pull No. | Size                               | CTC     |
|----------|------------------------------------|---------|
| RM2402   | $\frac{3}{8}$ " x $1\frac{1}{2}$ " | Specify |

**Application Suggestions**



**Base Metal:** Stainless steel

**Options:** • For optional mid-post, suffix the product number with "MP" (example: RM2420MP).  
• Over 96" available on select finishes.



## ROCKWOOD

Rockwood miter pulls are fabricated by a precise process that accomplishes the joint without any sign of welding residue. The GripZone feature of NeoMitre adds appeal to the design. Beyond providing an attractive contrast, the satin finish contact area conceals small scratches caused by routine use. Available in three diameters and custom lengths.

**NeoMitre™**  
with or without GripZone™



### Straight Pulls

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM7300   | 1"       | 8", 11", 16"  |
| RM7310   | 1½"      | 11", 16", 20" |
| RM7320   | 1¾"      | 11", 16", 20" |

Up to 36" CTC available.



### Offset Pulls

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM7330   | 1"       | 8", 11", 16"  |
| RM7340   | 1½"      | 11", 16", 20" |
| RM7350   | 1¾"      | 11", 16", 20" |

Up to 36" CTC available.



### Push Bars\*

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM7302   | 1"       | Specify |
| RM7312   | 1½"      | Specify |
| RM7322   | 1¾"      | Specify |

**Base Metal:** Stainless steel

\*To specify multi-bar sets suffix -2 or -3 to pull number (example: RM7302.2).



### Straight Pulls

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM7400   | 1"       | 8", 11", 16"  |
| RM7410   | 1½"      | 11", 16", 20" |
| RM7420   | 1¾"      | 11", 16", 20" |

Up to 36" CTC available.



### Offset Pulls

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM7430   | 1"       | 8", 11", 16"  |
| RM7440   | 1½"      | 11", 16", 20" |
| RM7450   | 1¾"      | 11", 16", 20" |


Up to 36" CTC available.



### Push Bars\*

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM7402   | 1"       | Specify |
| RM7412   | 1½"      | Specify |
| RM7422   | 1¾"      | Specify |

### Application Suggestions




© 2006 Rockwood Manufacturing Company



The fresh design of our Cylinder Pull is available in straight and offset versions. The 1½" tubing blends seamlessly into the terminating flat end posts. NeoCylinder Pulls are available with our popular GripZone finish.

## NeoCylinder™ with or without GripZone™



### Straight Pull

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM7210   | 1½"      | 11", 16", 20" |


Up to 36" CTC available.



### Offset Pull


| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM7220   | 1½"      | 11", 16", 20" |

Up to 36" CTC available.



### Push Bar


| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM7212   | 1½"      | Specify |



### Straight Pull

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM7230   | 1½"      | 11", 16", 20" |

Up to 36" CTC available.



### Offset Pull

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM7240   | 1½"      | 11", 16", 20" |

Up to 36" CTC available.



### Push Bar

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM7232   | 1½"      | Specify |

Base Metal: Stainless steel

© 2006 Rockwood Manufacturing Company



## ROCKWOOD

The LineaMet design group utilizes Rockwood's grooved tubing in a unique contemporary fashion. Precisely fitted joints make a smooth transition between the solid ends and the grooved tubing. Available in two diameters and a variety of lengths and finishes.

### LineaMet™ contrasting grooved pulls



Straight Pulls - Square Ends

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3510   | 1½"      | 8", 11", 16"  |
| RM3520   | 1½"      | 11", 16", 20" |




Straight Pulls - Round Ends

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3514   | 1½"      | 8", 11", 16"  |
| RM3524   | 1½"      | 11", 16", 20" |




Push Bars - Square Ends\*

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM3512   | 1½"      | Specify |
| RM3522   | 1½"      | Specify |



Offset Pulls - Square Ends

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3540   | 1½"      | 8", 11", 16"  |
| RM3550   | 1½"      | 11", 16", 20" |




Offset Pulls - Round Ends

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3544   | 1½"      | 8", 11", 16"  |
| RM3554   | 1½"      | 11", 16", 20" |



Push Bars - Round Ends\*

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM3516   | 1½"      | Specify |
| RM3526   | 1½"      | Specify |



Tube Detail

**Base Metals:** Brass, bronze, stainless steel  
**Note:** See price list for information on ordering push pull sets.

\*To specify multi-bar sets suffix -2 or -3 to pull number  
(example: RM3512-3).



LineaTek pulls feature grooved tubular material that differentiates these pulls from all others on the market. The material is similar to fluted tubing but with a streamlined defined surface. These post mount pulls and push bars make a smart contemporary statement.

## LineaTek™ fully grooved pulls



### Straight Pulls - Square Ends

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3610   | 1/4"     | 8", 11", 16"  |
| RM3620   | 1/2"     | 11", 16", 20" |




### Straight Pulls - Round Ends

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3614   | 1/4"     | 8", 11", 16"  |
| RM3624   | 1/2"     | 11", 16", 20" |




### Push Bars - Square Ends\*

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM3612   | 1/4"     | Specify |
| RM3622   | 1/2"     | Specify |



### Offset Pulls - Square Ends

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3640   | 1/4"     | 8", 11", 16"  |
| RM3650   | 1/2"     | 11", 16", 20" |




### Offset Pulls - Round Ends

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3644   | 1/4"     | 8", 11", 16"  |
| RM3654   | 1/2"     | 11", 16", 20" |



### Push Bars - Round Ends\*

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM3616   | 1/4"     | Specify |
| RM3626   | 1/2"     | Specify |



Tube Detail

**Base Metals:** Brass, bronze, stainless steel  
**Note:** See price list for information on ordering push pull sets.


\*To specify multi-bar sets suffix -2 or -3 to pull number  
(example: RM3612-2).



## ROCKWOOD

The crisp appearance of LineaMax creates a beautiful long door pull. Two post mounted styles — one with solid smooth ends and the other fully grooved are available in both straight and offset versions with any length required.

### LineaMax™ long grooved pulls




#### Straight Pulls - Square Ends

| Pull No. | Diameter | CTC        |
|----------|----------|------------|
| RM3701   | 1 1/2"   | 36" to 96" |
| RM3702   | 1 1/2"   | 36" to 96" |

#### Offset Pulls - Square Ends

| Pull No. | Diameter | CTC        |
|----------|----------|------------|
| RM3711   | 1 1/2"   | 36" to 96" |
| RM3712   | 1 1/2"   | 36" to 96" |




#### Straight Pulls - Round Ends

| Pull No. | Diameter | CTC        |
|----------|----------|------------|
| RM3721   | 1 1/2"   | 36" to 96" |
| RM3722   | 1 1/2"   | 36" to 96" |

#### Offset Pulls - Round Ends

| Pull No. | Diameter | CTC        |
|----------|----------|------------|
| RM3731   | 1 1/2"   | 36" to 96" |
| RM3732   | 1 1/2"   | 36" to 96" |



#### Straight Pulls - Round Ends

| Pull No. | Diameter | CTC        |
|----------|----------|------------|
| RM3751   | 1 1/2"   | 36" to 96" |
| RM3752   | 1 1/2"   | 36" to 96" |

#### Offset Pulls - Round Ends

| Pull No. | Diameter | CTC        |
|----------|----------|------------|
| RM3761   | 1 1/2"   | 36" to 96" |
| RM3762   | 1 1/2"   | 36" to 96" |





#### Straight Pulls - Round Ends

| Pull No. | Diameter | CTC        |
|----------|----------|------------|
| RM3771   | 1 1/2"   | 36" to 96" |
| RM3772   | 1 1/2"   | 36" to 96" |

#### Offset Pulls - Round Ends

| Pull No. | Diameter | CTC        |
|----------|----------|------------|
| RM3781   | 1 1/2"   | 36" to 96" |
| RM3782   | 1 1/2"   | 36" to 96" |

#### Application Suggestions



#### Tube Detail

**Base Metal:** Brass, bronze, stainless steel

**Options:**

- For optional mid-post, suffix the product number with "MP" (example: RM3721MP).
- Over 96" available on select finishes.

© 2001 & 2006 Rockwood Manufacturing Company



The becoming subtle luster of the satin black hard coat anodized aluminum grip forms a striking contrast to the selected finish of the end sections. We show mirror polished stainless steel, but many alternative finishes are available. This compelling design is also practical due to its durability and high visibility. Available in three diameters and a variety of lengths.

**NoirMet™**  
*black anodized grip*



**Straight Pulls - Square Ends**

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3800   | 1"       | 8", 10", 12"  |
| RM3810   | 1 1/4"   | 8", 11", 16"  |
| RM3820   | 1 1/2"   | 11", 16", 20" |

Up to 36" CTC available.



**Straight Pulls - Round Ends**


| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3804   | 1"       | 8", 10", 12"  |
| RM3814   | 1 1/4"   | 8", 11", 16"  |
| RM3824   | 1 1/2"   | 11", 16", 20" |

Up to 36" CTC available.



**Push Bars - Square Ends\***


| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM3802   | 1"       | Specify |
| RM3812   | 1 1/4"   | Specify |
| RM3822   | 1 1/2"   | Specify |



**Offset Pulls - Square Ends**

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3830   | 1"       | 8", 10", 12"  |
| RM3840   | 1 1/4"   | 8", 11", 16"  |
| RM3850   | 1 1/2"   | 11", 16", 20" |

Up to 36" CTC available.



**Offset Pulls - Round Ends**

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3834   | 1"       | 8", 10", 12"  |
| RM3844   | 1 1/4"   | 8", 11", 16"  |
| RM3854   | 1 1/2"   | 11", 16", 20" |

Up to 36" CTC available.



**Push Bars - Round Ends\***

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM3806   | 1"       | Specify |
| RM3816   | 1 1/4"   | Specify |
| RM3826   | 1 1/2"   | Specify |

**Base Metals:** Aluminum, brass, bronze, stainless steel  
**Note:** See price list for information on ordering push pull sets.

\*To specify multi-bar sets suffix -2 or -3 to pull number (example: RM3802-2).



NoirTek pulls stand out on light colored entrances for a quick identity and bold statement. The durable black hard coat anodized grips compliment many design schemes and are an appealing finish on their own. Choose from an array of contrasting finishes for the mounting posts. Available in three diameters and a variety of lengths.

## NoirTek™ black anodized grip



Straight Pulls - Square Ends

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3900   | 1"       | 8", 10", 12"  |
| RM3910   | 1½"      | 8", 11", 16"  |
| RM3920   | 1½"      | 11", 16", 20" |




Straight Pulls - Round Ends

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3904   | 1"       | 8", 10", 12"  |
| RM3914   | 1½"      | 8", 11", 16"  |
| RM3924   | 1½"      | 11", 16", 20" |




Push Bars - Square Ends\*

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM3902   | 1"       | Specify |
| RM3912   | 1½"      | Specify |
| RM3922   | 1½"      | Specify |



Offset Pulls - Square Ends

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3930   | 1"       | 8", 10", 12"  |
| RM3940   | 1½"      | 8", 11", 16"  |
| RM3950   | 1½"      | 11", 16", 20" |



Offset Pulls - Round Ends

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM3934   | 1"       | 8", 10", 12"  |
| RM3944   | 1½"      | 8", 11", 16"  |
| RM3954   | 1½"      | 11", 16", 20" |



Push Bars - Round Ends\*

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM3906   | 1"       | Specify |
| RM3916   | 1½"      | Specify |
| RM3926   | 1½"      | Specify |

**Base Metals (for Posts):** Brass, bronze, stainless steel  
**Note:** See price list for information on ordering push pull sets.

\*To specify multi-bar sets suffix -2 or -3 to pull number (example: RM3902-2).



## ROCKWOOD

The ArborMet group combines the alluring warmth of wood with the unrivaled strength of solid brass and stainless steel. The exceptionally sturdy wood grip consists of select dyed hardwood veneers impregnated with resin and laminated to produce a strong wood element. The gripping surface actually feels warmer to the touch than metal based pulls. A variety of natural wood species is available on special order; please contact the factory with your requirement.

**ArborMet™**  
wood grip pulls



### Straight Pulls - Square Ends

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM4000   | 1"       | 8", 10", 12"  |
| RM4010   | 1 1/4"   | 8", 11", 16"  |
| RM4020   | 1 1/2"   | 11", 16", 20" |

Up to 96" CTC available with mid-post.



### Straight Pulls - Round Ends


| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM4004   | 1"       | 8", 10", 12"  |
| RM4014   | 1 1/4"   | 8", 11", 16"  |
| RM4024   | 1 1/2"   | 11", 16", 20" |

Up to 96" CTC available with mid-post.



### Push Bars - Square Ends\*


| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM4002   | 1"       | Specify |
| RM4012   | 1 1/4"   | Specify |
| RM4022   | 1 1/2"   | Specify |



### Offset Pulls - Square Ends

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM4030   | 1"       | 8", 10", 12"  |
| RM4040   | 1 1/4"   | 8", 11", 16"  |
| RM4050   | 1 1/2"   | 11", 16", 20" |

Up to 96" CTC available with mid-post.




### Offset Pulls - Round Ends

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM4034   | 1"       | 8", 10", 12"  |
| RM4044   | 1 1/4"   | 8", 11", 16"  |
| RM4054   | 1 1/2"   | 11", 16", 20" |

Up to 96" CTC available with mid-post.

### Application Suggestions



**Base Metals:** Brass, bronze, stainless steel

**Options:** Over 96" available on select finishes.

**Note:** See price list for information on ordering push pull sets.

\*To specify multi-bar sets suffix -2 or -3 to pull number (example: RM4012-3).

© 2001 & 2006 Rockwood Manufacturing Company



ArborTek pulls and push bars are made from select dyed hardwood veneers that are impregnated with resin and laminated to produce a rugged wood element. Just as in nature, each has its unique markings and tone. Solid brass and stainless steel mounting posts provide attachment strength and a simple contrast. Available in three diameters. A variety of natural wood species is available on special order; please contact the factory with your requirement.

**ArborTek™**  
wood grip pulls



**Straight Pulls - Square Pulls**

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM41100  | 1"       | 8", 10", 12"  |
| RM41110  | 1½"      | 8", 11", 16"  |
| RM41120  | 1½"      | 11", 16", 20" |

Up to 48" overall available.



**Straight Pulls - Round Ends**


| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM41104  | 1"       | 8", 10", 12"  |
| RM41114  | 1½"      | 8", 11", 16"  |
| RM41124  | 1½"      | 11", 16", 20" |

Up to 48" overall available.



**Push Bars - Straight Pulls\***


| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM41112  | 1½"      | Specify |
| RM41122  | 1½"      | Specify |



**Offset Pulls - Square Pulls**

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM41130  | 1"       | 8", 10", 12"  |
| RM41140  | 1½"      | 8", 11", 16"  |
| RM41150  | 1½"      | 11", 16", 20" |

Up to 48" overall available.



**Offset Pulls - Round Ends**

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM41134  | 1"       | 8", 10", 12"  |
| RM41144  | 1½"      | 8", 11", 16"  |
| RM41154  | 1½"      | 11", 16", 20" |

Up to 48" overall available.



**Push Bars - Round Ends\***

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM41116  | 1½"      | Specify |
| RM41126  | 1½"      | Specify |

**Base Metals:** Brass, bronze, stainless steel

**Note:** See price list for information on ordering push pull sets.

\*To specify multi-bar sets suffix -2 or -3 to pull number (example: RM4122-2).



## ROCKWOOD

The SoftMet pulls feature durable weather resistant black 1½" diameter Santoprene™ grips sandwiched between metal fittings. Santoprene™ is a high performance engineered thermoplastic elastomer used for many consumer goods grip applications. The comfortable feel of this material is widely proven; even on cold exterior applications. Straight and offset pulls as well as push bars are available in all architectural finishes.

### SoftMet™ with Santoprene™ grip



#### Straight Pull - Square End

| Pull No. | Diameter | CTC          |
|----------|----------|--------------|
| RM2510   | 1½"      | 8", 11", 16" |

Up to 36" CTC available.



#### Offset Pull - Square End

| Pull No. | Diameter | CTC          |
|----------|----------|--------------|
| RM2540   | 1½"      | 8", 11", 16" |

Up to 36" CTC available.



#### Straight Pull - Round End

| Pull No. | Diameter | CTC          |
|----------|----------|--------------|
| RM2514   | 1½"      | 8", 11", 16" |

Up to 36" CTC available.



#### Offset Pull - Round End

| Pull No. | Diameter | CTC          |
|----------|----------|--------------|
| RM2544   | 1½"      | 8", 11", 16" |

Up to 36" CTC available.



#### Push Bar - Square End\*

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM2512   | 1½"      | Specify |



#### Push Bar - Round End\*

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM2516   | 1½"      | Specify |

**Base Metals:** Brass, bronze, stainless steel

\*To specify multi-bar sets suffix -2 or -3 to pull number (example: RM2512-2).

Santoprene™ is a trademark of Santoprene™ Specialty Products

© 2006 Rockwood Manufacturing Company



# **ROCKWOOD**

The SoftTek pulls feature a durable weather resistant black 1½" diameter Santoprene™ grip that provides a soft, warm feeling gripping surface. They are suitable for both interior and exterior applications. These grips are comfortable to touch even in cold temperature extremes. Available in straight and offset pulls and push bars in all architectural finishes.


## SoftTek™ with Santoprene™ grip



### Straight Pull

| Pull No. | Diameter | CTC          |
|----------|----------|--------------|
| RM2610   | 1½"      | 8", 11", 16" |

Up to 36" CTC available.



### Offset Pull

| Pull No. | Diameter | CTC          |
|----------|----------|--------------|
| RM2640   | 1½"      | 8", 11", 16" |


Up to 36" CTC available.



### Push Bar\*

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM2612   | 1½"      | Specify |

### Application Suggestions



**Base Metals:** Brass, bronze, stainless steel

\*To specify multi-bar sets suffix -2 or -3 to pull number (example: RM2612-2).

© 2006 Rockwood Manufacturing Company



Cork is a renewable resource harvested on farms in the Iberian Peninsula. Its unique qualities arise from a structure of air filled watertight flexible cells, which make it a superior insulating medium. Therefore, IberMet pulls are ideal for use in high and low temperature locations. Our natural cork is aesthetically attractive, preserved with a sealer to maintain its surface finish. We also offer a rubber cork compound featuring an attractive and very durable composite cork grip.

**IberMet™**  
with cork grips



**Straight Pulls - Square Ends**

| Pull No. | Cork            | Diameter | CTC          |
|----------|-----------------|----------|--------------|
| RM2710N  | Natural         | 1½"      | 8", 11", 16" |
| RM2710R  | Rubber Compound | 1½"      | 8", 11", 16" |

Up to 22" CTC available.



**Offset Pulls - Square Ends**

| Pull No. | Cork            | Diameter | CTC          |
|----------|-----------------|----------|--------------|
| RM2740N  | Natural         | 1½"      | 8", 11", 16" |
| RM2740R  | Rubber Compound | 1½"      | 8", 11", 16" |


Up to 22" CTC available.



**Straight Pulls - Round Ends**

| Pull No. | Cork            | Diameter | CTC          |
|----------|-----------------|----------|--------------|
| RM2714N  | Natural         | 1½"      | 8", 11", 16" |
| RM2714R  | Rubber Compound | 1½"      | 8", 11", 16" |

Up to 22" CTC available.



**Offset Pulls - Round Ends**

| Pull No. | Cork            | Diameter | CTC          |
|----------|-----------------|----------|--------------|
| RM2744N  | Natural         | 1½"      | 8", 11", 16" |
| RM2744R  | Rubber Compound | 1½"      | 8", 11", 16" |

Up to 22" CTC available.



**Base Metals:** Brass, bronze, stainless steel

© 2006 Rockwood Manufacturing Company



The BronzeAge pulls are composed of a 90% copper alloy uncoated grip section with stainless steel ends and mounting posts. This combination provides the beautiful effects of copper with the low maintenance of stainless steel. Repeated contact with the grip section will prevent extreme tarnishing and allow a soft patina to develop while the ends and mounting posts stay bright and shiny with little maintenance. Clear coating is available if natural patina is not desired.

## BronzeAge™ with copper rich grip



### Straight Pulls - Square Ends

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM2810   | 1 1/4"   | 8", 11", 16"  |
| RM2820   | 1 1/2"   | 11", 16", 20" |

Up to 36" CTC available.



### Straight Pulls - Round Ends


| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM2814   | 1 1/4"   | 8", 11", 16"  |
| RM2824   | 1 1/2"   | 11", 16", 20" |

Up to 36" CTC available.



### Push Bars - Square Ends\*

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM2812   | 1 1/4"   | Specify |
| RM2822   | 1 1/2"   | Specify |



### Offset Pulls - Square Ends

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM2840   | 1 1/4"   | 8", 11", 16"  |
| RM2850   | 1 1/2"   | 11", 16", 20" |

Up to 36" CTC available.



### Offset Pulls - Round Ends

| Pull No. | Diameter | CTC           |
|----------|----------|---------------|
| RM2844   | 1 1/4"   | 8", 11", 16"  |
| RM2854   | 1 1/2"   | 11", 16", 20" |

Up to 36" CTC available.



### Push Bars - Round Ends\*

| Pull No. | Diameter | CTC     |
|----------|----------|---------|
| RM2816   | 1 1/4"   | Specify |
| RM2826   | 1 1/2"   | Specify |

**Base Metals:** Stainless steel, bronze (brass available).

**Options:** For optional clear coated grip, suffix the product number with "L" (example: RM2812L).

\*To specify multi-bar sets suffix -2 or -3 to pull number (example: RM2812.3).

© 2006 Rockwood Manufacturing Company



Thirty-degree end cuts on 1½" diameter tubular pulls generate an interesting design element that distinguishes these pulls from the ordinary. We formulate many modifications to these basic designs. Because these are made to order, we can accomplish variations to suit your particular whim. Larger 2" diameter pulls with square ends are perfect for extra large entrances.


**SkewTek™**  
angled end pulls & big pulls



**Straight Pull**

| Pull No. | Diameter | CTC |
|----------|----------|-----|
| RM4200   | 1½"      | 11" |


Up to 96" CTC available.



**Straight Pulls - Rectangle Post**

| Pull No.  | Diameter | CTC |
|-----------|----------|-----|
| RM4270-12 | 2"       | 12" |
| RM4270-24 | 2"       | 24" |


Up to 96" CTC available.



**Straight Pulls - Round Post**

| Pull No.  | Diameter | CTC |
|-----------|----------|-----|
| RM4274-12 | 2"       | 12" |
| RM4274-24 | 2"       | 24" |


Up to 96" CTC available.



**Offset Pulls**

| Pull No.  | Diameter | CTC |
|-----------|----------|-----|
| RM4210LH* | 1½"      | 11" |
| RM4210RH* | 1½"      | 11" |

Up to 96" CTC available.




**Offset Pulls - Rectangle Post**

| Pull No.  | Diameter | CTC |
|-----------|----------|-----|
| RM4272-12 | 2"       | 12" |
| RM4272-24 | 2"       | 24" |


Up to 96" CTC available.

**Application Suggestions**



**Base Metals:** Aluminum, brass, bronze, stainless steel (select products - see price list for availability)  
**Options:** Over 96" available on select finishes.

\* Handing illustrated for PULL side of door





The CenTek Series is a collection of 1" diameter pulls for entry doors. The shapes create an attractive symmetry at an entrance and will work in conjunction with standard 1" diameter push bars. Custom center to center and diameters are available.

**CenTek™**  
1" radius pulls



Pull No. CTC  
RM4300 42"



Pull No. CTC  
RM4301 42"



Pull No. CTC  
RM4302 42"



Pull No. CTC  
RM4303 42"



Pull No. CTC  
RM4304 42"



Pull No. CTC  
RM4305 42"

**Base Metals:** Aluminum, brass, bronze, stainless steel



CentTrex Door Pulls and Push Bars are gracefully curved 1" diameter solid rods that provide a subtly distinctive look to any door. The shapes are sleek and comfortable to grasp. Combine pulls with bars to make a unique set.

**CentTrex™**  
1" radius pulls



Curved Pulls

| Pull No.  | CTC |
|-----------|-----|
| RM4400-12 | 12" |
| RM4400-20 | 20" |



Double Curved Pulls

| Pull No.  | CTC |
|-----------|-----|
| RM4402LH* | 12" |
| RM4402RH* | 12" |



Straight Pull

| Pull No. | CTC           |
|----------|---------------|
| RM4410   | 12", 18", 24" |




Offset Pull

| Pull No. | CTC           |
|----------|---------------|
| RM4412   | 12", 18", 24" |




Semi-Circular Pulls

| Pull No. | CTC |
|----------|-----|
| RM4420   | 9"  |
| RM4422   | 12" |




Push Bar

| Pull No.   | CTC     |
|------------|---------|
| RM4440LH** | Specify |




Push Bar

| Pull No.   | CTC     |
|------------|---------|
| RM4440RH** | Specify |



Push Bar

| Pull No.   | CTC     |
|------------|---------|
| RM4450LH** | Specify |



Push Bar

| Pull No.   | CTC     |
|------------|---------|
| RM4450RH** | Specify |

**Base Metals:** Aluminum, brass, bronze, stainless steel

\*Handing illustrated for PULL side of door.

\*\*Handing illustrated for PUSH side of door.



These CenTrex Door Pulls and Push Bars are composed of sturdy 1½" tubes, rods or heavy castings. The smooth expanse of metal in a pair of these circular shape pulls creates an inviting focal point to an entrance. Large radius pulls provide comfortable gripping. All pulls can be used in conjunction with push bars from this or other groups. Specify the pull number x the push bar number.

**CenTrex™**  
large radius pulls



Semi-Circular Pull

| Pull No. | CTC |
|----------|-----|
| RM4500   | 11" |



Semi-Circular Pull

| Pull No. | CTC |
|----------|-----|
| RM4502   | 11" |



Semi-Circular Pull

| Pull No. | CTC |
|----------|-----|
| RM4506   | 12" |




Offset Pull

| Pull No. | CTC |
|----------|-----|
| RM4510   | 12" |




Straight Pull

| Pull No. | CTC |
|----------|-----|
| RM4512   | 12" |



Push Bar

| Pull No.  | CTC     |
|-----------|---------|
| RM4516LH* | Specify |



Push Bar

| Pull No.  | CTC     |
|-----------|---------|
| RM4516RH* | Specify |



Semi-Circular Pull

| Pull No. | CTC |
|----------|-----|
| RM4550   | 12" |




Semi-Circular Pull

| Pull No. | CTC |
|----------|-----|
| RM4552   | 14" |

**Base Metals:** Aluminum, brass, bronze, stainless steel (select products - see price list for availability)

\*Handing illustrated for PULL side of door.



These tubular square and rectangular pulls offer a narrow profile and clean lines. Two shapes in two designs allow one to scale a pull to any size opening. Custom sizes available.

**GeoMetek™**  
narrow profile pulls



**Square End Pull**

| Pull No. | Material    | CTC              |
|----------|-------------|------------------|
| RM7900   | 3/4" x 3/4" | 6", 8", 11", 16" |

Up to 48" CTC available.



**Rectangular End Pull**

| Pull No. | Material      | CTC           |
|----------|---------------|---------------|
| RM7910   | 3/4" x 1 1/2" | 11", 16", 20" |

Up to 96" CTC available.



**Square Bridge Pull**

| Pull No. | Material    | CTC              |
|----------|-------------|------------------|
| RM7902   | 3/4" x 3/4" | 6", 8", 11", 16" |

Up to 48" CTC available.






**Rectangular Bridge Pull**

| Pull No. | Material      | CTC           |
|----------|---------------|---------------|
| RM7912   | 3/4" x 1 1/2" | 11", 16", 20" |

Up to 96" CTC available.

**Application Suggestions**



**Base Metal:** Stainless steel  
**Options:** • For optional mid-post, suffix the product number with MP\* (example: RM7910MP).  
 • Over 96" available on select finishes.



The PlanTek group consists of pulls made from a range of sizes of flat and rectangular bar stock or castings. The cast pulls feature a contour area underneath the grip for a comfortable ergonomic feel. Pulls made from bar stock are available in any length to order. A large variety of bar, rod, and tubing sizes are stocked so alternative designs may be readily made.

**PlanTek™**  
flat front pulls



**Straight Cast Pulls**

| Pull No.  | CTC | Width |
|-----------|-----|-------|
| RM5200-7  | 7"  | 1"    |
| RM5200-12 | 12" | 1"    |
| RM5202    | 12" | 1½"   |



**Offset Cast Pulls**

| Pull No.  | CTC | Width |
|-----------|-----|-------|
| RM5204-8  | 8"  | 1"    |
| RM5204-12 | 12" | 1"    |



**Radius End Pulls**

| Pull No.  | Material | CTC |
|-----------|----------|-----|
| RM5210-10 | ½" x 1½" | 10" |
| RM5210-12 | ½" x 1½" | 12" |
| RM5220-12 | ¾" x 1½" | 12" |
| RM5220-18 | ¾" x 1½" | 18" |



**Square End Pulls**

| Pull No.  | Material | CTC |
|-----------|----------|-----|
| RM5230-10 | ½" x 1½" | 10" |
| RM5230-12 | ½" x 1½" | 12" |
| RM5240-12 | ¾" x 1½" | 12" |
| RM5240-18 | ¾" x 1½" | 18" |




**Bent End Pulls**

| Pull No.  | Material | CTC |
|-----------|----------|-----|
| RM5250-10 | ½" x 1½" | 10" |
| RM5250-12 | ½" x 1½" | 12" |
| RM5260-12 | ¾" x 1½" | 12" |
| RM5260-18 | ¾" x 1½" | 18" |




**Straight Cast Pull**

| Pull No. | Material | CTC |
|----------|----------|-----|
| RM5280   | ½" x ½"  | 9"  |



**Radius End Push Bars**

| Pull No. | Material | CTC     |
|----------|----------|---------|
| RM5212   | ½" x 1½" | Specify |
| RM5222   | ¾" x 1½" | Specify |



**Square End Push Bars**

| Pull No. | Material | CTC     |
|----------|----------|---------|
| RM5232   | ½" x 1½" | Specify |
| RM5242   | ¾" x 1½" | Specify |


**Base Metals:** Brass, bronze, stainless steel (select products - see price list for availability)




## ROCKWOOD

Convey a sense of sophisticated quality with a SculptTrex pull. The group consists of flowing designs in cast brass and bronze. The inviting shapes are as comfortable to the hand as they are appealing to the eye. A variety of finishes are available.


### SculptTrex™ shaped cast pulls




Pull No. CTC  
RM5000 12"




Pull No. CTC  
RM5002 20"



Pull No. CTC  
RM5010 12"



Pull No. CTC  
RM5012 20"



Pull No. CTC  
RM5020LH\* 20"  
RM5020RH\* 20"

**Base Metal:** Brass, bronze, white bronze

\*Handing illustrated for PULL side of door.



The SculpTrex group includes these graceful curved designs that feel as good as they look. Cast in brass and bronze, they are available in a variety of finishes. Please refer to the price list for further details.

**SculpTrex™**  
*shaped cast pulls*



Pull No. CTC  
RM5030 12"



Pull No. CTC  
RM5040 12"



Pull No. CTC  
RM5050LH\* 20"  
RM5050RH\* 20"



Pull No. CTC  
RM5032 20"



Pull No. CTC  
RM5042 20"



**Base Metal:** Brass, bronze, white bronze

\*Handing illustrated for PULL side of door.



These striking designs are distinctive in their all metal version and stately in the granite inlay model. Base metals of brass and bronze provide a variety of finishes. Use either symmetrical or asymmetrical pairs on a pair of doors as illustrated when you want to denote an entrance of prominence.

**InfiniTriX™**  
shaped cast pulls




Both RH




RH LH

**Solid Cast**

| Pull No.  | CTC |
|-----------|-----|
| RM5100LH* | 10" |
| RM5100RH* | 10" |




Both RH



RH LH

**Roseate Granite Inlay**

| Pull No.  | CTC |
|-----------|-----|
| RM5110LH* | 10" |
| RM5110RH* | 10" |



Both RH



RH LH

**Ebony Granite Inlay**

| Pull No.  | CTC |
|-----------|-----|
| RM5112LH* | 10" |
| RM5112RH* | 10" |



**Base Metal:** Brass, bronze, white bronze

\*Handing illustrated for PULL side of door.




These are cast pulls and thick metal push plates — traditional style pulls and plates, but made to commercial quality standards. Heavy gauge material and high quality castings are the basis for this group. Choose from a variety of finishes shown in our price list.

**Traditional**  
*decorative pulls & plates*



Cast Pulls

| Pull No. | Base Plate | CTC     |
|----------|------------|---------|
| RM5500   | No         | 6"      |
| RM5502   | Yes        | 6 1/4"  |
| RM5510   | No         | 12"     |
| RM5512   | Yes        | 12 1/4" |



Cast Pulls

| Pull No. | Base Plate | CTC |
|----------|------------|-----|
| RM5520   | No         | 8"  |
| RM5522   | Yes        | 8"  |



Cast Pulls

| Pull No. | CTC    |
|----------|--------|
| RM5530   | 5 1/2" |
| RM5532   | 7 1/2" |
| RM5534   | 12"    |



Rope Border Cast Plates

| Plate No. | Size         |
|-----------|--------------|
| RM5596A   | 3" x 12"     |
| RM5596B   | 3 1/2" x 15" |



Plain Cast Plate - 1/8" Thick

| Plate No. | Size         |
|-----------|--------------|
| RM5598B   | 3 1/2" x 15" |



Heavy Plates - .090" Thick

| Plate No. | Size         |
|-----------|--------------|
| RM5590A   | 3" x 12"     |
| RM5590B   | 3 1/2" x 15" |
| RM5590C   | 4" x 16"     |



Heavy Plates - .090" Thick

| Plate No. | Size         |
|-----------|--------------|
| RM5592A   | 3" x 12"     |
| RM5592B   | 3 1/2" x 15" |
| RM5592C   | 4" x 16"     |



Heavy Plate - .090" Thick


| Plate No. | Size         |
|-----------|--------------|
| RM5594B   | 3 1/2" x 15" |



Create a unique pull by combining any of the three grip styles with one of the four finial styles. Grips are available in  $\frac{3}{8}$ " diameter with 6" center to center and 1" diameter with 10" center to center with appropriately sized finials in all designs. Standard lengths are shown, but custom lengths are readily available. Add base plates for an extra decorative feature. These traditional styles incorporate our commercial quality mounting systems that will endure heavy traffic.

## Classic


*finial door pulls*



Plain Grip

| Pull No. | Diameter        | CTC | Base Plate |
|----------|-----------------|-----|------------|
| RM5600   | $\frac{3}{8}$ " | 6"  | No         |
| RM5610   | $\frac{3}{8}$ " | 6"  | Yes        |
| RM5650   | 1"              | 10" | No         |
| RM5660   | 1"              | 10" | Yes        |


Up to 36" CTC available.



Rope Grip

| Pull No. | Diameter        | CTC | Base Plate |
|----------|-----------------|-----|------------|
| RM5602   | $\frac{3}{8}$ " | 6"  | No         |
| RM5612   | $\frac{3}{8}$ " | 6"  | Yes        |
| RM5652   | 1"              | 10" | No         |
| RM5662   | 1"              | 10" | Yes        |


Up to 36" CTC available.



Fluted Grip

| Pull No. | Diameter        | CTC | Base Plate |
|----------|-----------------|-----|------------|
| RM5604   | $\frac{3}{8}$ " | 6"  | No         |
| RM5614   | $\frac{3}{8}$ " | 6"  | Yes        |
| RM5654   | 1"              | 10" | No         |
| RM5664   | 1"              | 10" | Yes        |

Up to 36" CTC available.



Plain Offset


| Pull No. | Diameter | CTC |
|----------|----------|-----|
| RM5670   | 1"       | 10" |

Up to 36" CTC available.



Finial Style Number (example: RM5650-4)

| Suffix | Finial Style |
|--------|--------------|
| 1      | Plain        |
| 2      | Urn          |
| 3      | Berry        |
| 4      | Pinecone     |



Optional Base Plate

| Diameter          |
|-------------------|
| 1 $\frac{1}{2}$ " |



Many finishes available


### Specifying Information

1. Select style pull number
  2. Suffix finial style number to pull number
- Example: RM5660-2

Base Metal: Brass


These practical and attractive edge pulls are made to order in our factory. There are three rod diameters with a variety of lengths and configurations. Available in most architectural finishes.

Edge Pulls  
for closet doors




Edge Pulls - Square Edge Door

| Pull No. | Return | Rod Size |
|----------|--------|----------|
| RM751    | No     | Specify  |
| RM752    | Yes    | Specify  |



Edge Pulls - Bevel Edge Door

| Pull No. | Return | Rod Size |
|----------|--------|----------|
| RM753    | No     | Specify  |
| RM754    | Yes    | Specify  |



Double Edge Pull - Square Edge

| Pull No. | Rod Size |
|----------|----------|
| RM755    | Specify  |




Concealed Edge Pull

| Pull No. | Size        |
|----------|-------------|
| RM760    | 1" x 4 1/4" |

Base Metals: Brass, bronze, stainless steel (RM750 series only)

Application Suggestion





Specifying Information

1. Select style pull number
2. Suffix size letter to pull number  
Rod Size: A = 5/16"  
B = 3/8"  
C = 1/2"
3. Select standard length:  
2", 2 1/2", 3", 4", 5", 6"
4. Specify door thickness.  
Example: RM752B-4" US32D 1 1/4" door



Our small pulls are made from larger diameter rod than commonly available "wire" pulls. A range of finishes and sizes is available or made to order. Our cast flush pulls are an attractive solution where protruding pulls are not desired.


Small Pulls  
for cabinets, casework and closet doors



Closet Door Pulls

| Pull No. | Diameter | CTC        | Base Plate |
|----------|----------|------------|------------|
| RM710    | 3/8"     | 4", 5", 6" | No         |
| RM715    | 3/8"     | 4", 5", 6" | Yes        |
| RM720    | 1/2"     | 4", 5", 6" | No         |
| RM725    | 1/2"     | 4", 5", 6" | Yes        |
| RM730    | 5/8"     | 4", 5", 6" | No         |
| RM735    | 5/8"     | 4", 5", 6" | Yes        |

Up to 18" CTC available.





Flush Pulls

| Pull No. | Size               | Opening         | Depth |
|----------|--------------------|-----------------|-------|
| RM780    | 2 1/8" x 3 1/4"    | 7/8" x 2 1/8"   | 3/4"  |
| RM782    | 2 11/16" x 4 3/16" | 1 1/8" x 3 1/2" | 3/4"  |
| RM785    | 3 1/2" dia.        | 2 3/8" x 1 1/8" | 7/8"  |

Base Metals: Brass, stainless steel (select products - see price list for availability)  
Closet Door Pull Mounting: 8-32 x 1 THMS (Standard drawer thickness is 3/4"; advise if other than 3/4")  
Flush Pull Mounting: #8 x 3/4 OHSMS (Minimum door thickness is 1")


Straight and offset post mount pulls are available in most architectural finishes including stainless steel. Custom sizes are readily available. RM1200 and RM1300 Series are available with our inorganic BioGuard® antimicrobial finish US32DBIO. GripZone design is practical and attractive.

Small **PostMount Pulls**  
*for cabinets, casework and closet doors*



**Small Pulls**

| Pull No. | Post     | End    | Diameter | CTC*                     |
|----------|----------|--------|----------|--------------------------|
| RM1200   | Straight | Square | ½"       | 4", 5", 6", 8", 10", 12" |
| RM1210   | Straight | Square | ¾"       | 5", 6", 7", 8", 10", 12" |
| RM1230   | Offset   | Square | ¾"       | 5", 6", 7", 8", 10", 12" |
| RM1240   | Straight | Round  | ½"       | 4", 5", 6", 8", 10", 12" |
| RM1250   | Straight | Round  | ¾"       | 5", 6", 7", 8", 10", 12" |
| RM1270   | Offset   | Round  | ¾"       | 5", 6", 7", 8", 10", 12" |



**Small GripZone Pulls**

| Pull No. | Post     | End    | Diameter | CTC*                     |
|----------|----------|--------|----------|--------------------------|
| RM1300   | Straight | Square | ½"       | 4", 5", 6", 8", 10", 12" |
| RM1310   | Straight | Square | ¾"       | 5", 6", 7", 8", 10", 12" |
| RM1330   | Offset   | Square | ¾"       | 5", 6", 7", 8", 10", 12" |
| RM1340   | Straight | Round  | ½"       | 4", 5", 6", 8", 10", 12" |
| RM1350   | Straight | Round  | ¾"       | 5", 6", 7", 8", 10", 12" |
| RM1370   | Offset   | Round  | ¾"       | 5", 6", 7", 8", 10", 12" |

**Base Materials:** Brass, stainless steel  
**Mounting:** 8-32 x 1 THMS (Standard drawer thickness is ¾"; advise if other than ¾")  
**Options:** Long lengths with multiple posts available made to order.




\* Any size to order

© 2006 Rockwood Manufacturing Company




Rockwood applies its full size pull design to these small pulls. The attractive features and textures make an interesting addition to the small pull range. Custom sizes and grips are available on special order.

Small **PostMount Pulls**  
*for cabinets, casework and closet doors*



**NoirMet Pulls (Black Aluminum Grip)**


| Pull No. | Post     | End    | Diameter | CTC    |
|----------|----------|--------|----------|--------|
| RM1410   | Straight | Square | ¾"       | 5", 6" |
| RM1430   | Offset   | Square | ¾"       | 5", 6" |
| RM1450   | Straight | Round  | ¾"       | 5", 6" |
| RM1470   | Offset   | Round  | ¾"       | 5", 6" |



**IberMet Pulls (Rubber Cork Compound Grip)**


| Pull No. | Post     | End    | Diameter | CTC    |
|----------|----------|--------|----------|--------|
| RM1610R  | Straight | Square | ¾"       | 5", 6" |
| RM1630R  | Offset   | Square | ¾"       | 5", 6" |
| RM1650R  | Straight | Round  | ¾"       | 5", 6" |
| RM1670R  | Offset   | Round  | ¾"       | 5", 6" |

**Base Metals:** Brass, stainless steel  
**Mounting:** 8-32 x 1 THMS (Standard drawer thickness is ¾"; advise if other than ¾")  
**Options:** Custom sizes made to order.



**ArborMet Pulls (Wood Grip)**

| Pull No. | Post     | End    | Diameter | CTC    |
|----------|----------|--------|----------|--------|
| RM1510   | Straight | Square | ¾"       | 5", 6" |
| RM1530   | Offset   | Square | ¾"       | 5", 6" |
| RM1550   | Straight | Round  | ¾"       | 5", 6" |
| RM1570   | Offset   | Round  | ¾"       | 5", 6" |




**IberMet Pulls (Natural Cork Grip)**

| Pull No. | Post     | End    | Diameter | CTC    |
|----------|----------|--------|----------|--------|
| RM1610N  | Straight | Square | ¾"       | 5", 6" |
| RM1630N  | Offset   | Square | ¾"       | 5", 6" |
| RM1650N  | Straight | Round  | ¾"       | 5", 6" |
| RM1670N  | Offset   | Round  | ¾"       | 5", 6" |

© 2006 Rockwood Manufacturing Company

Our collection of coat hooks is a sturdy alternative to more common fare. Most architectural finishes are available. Standard attachment hardware is for wood doors. Specify if you are using on metal or glass doors.

Coat Hooks



Coat Hooks

| Hook No. | Size      |
|----------|-----------|
| RM801    | 1½" x 1½" |
| RM802    | 1½" x 2½" |

| Hook No. | Size    |
|----------|---------|
| RM803    | 1" x 2" |
| RM804    | 1" x 3" |

| Hook No. | Size     |
|----------|----------|
| RM805    | 1" x 1½" |
| RM806    | 1" x 3"  |

| Hook No. | Size      |
|----------|-----------|
| RM807    | 1½" x 2½" |
| RM808    | 1½" x 3½" |





| Hook No. | Size      |
|----------|-----------|
| RM809    | 1½" x 1½" |
| RM810    | 1½" x 2½" |

| Hook No. | Size     |
|----------|----------|
| RM811    | ¾" x 1½" |

| Hook No. | Size      |
|----------|-----------|
| RM812    | 1½" x 2½" |

Base Metals: Brass, stainless steel (select products - see price list for availability)

Coat Hooks



Coat Hooks

| Hook No. | Size     |
|----------|----------|
| RM820    | ¾" x 1½" |
| RM821    | ¾" x 2½" |

| Hook No. | Size     |
|----------|----------|
| RM822    | ¾" x 1½" |
| RM823    | ¾" x 2"  |

| Hook No. | Size      |
|----------|-----------|
| RM824    | 1" x 1½"  |
| RM825    | 1½" x 2½" |

| Hook No. | Size      |
|----------|-----------|
| RM826    | 1" x 1½"  |
| RM827    | 1½" x 3½" |

| Hook No. | Size      |
|----------|-----------|
| RM828    | ¾"W x 2½" |
| RM829    | ¾"W x 1½" |

Base Metals: Brass, stainless steel (select products - see price list for availability)

Our collection of door stops features our DuraFlex bumper material that outlasts other manufacturers' rubber bumpers many times over. It stays resilient and colorfast for years. These new styles offer solutions for wall, floor and baseboard stops. The door stops are made from solid brass and available in most architectural finishes.

### Door Stops



Floor Mounted Stops

| Stop No. | Description      | Base   | Projection |
|----------|------------------|--------|------------|
| RM850    | Short-Square Top | 1 1/4" | 1 1/2"     |
| RM851    | Tall-Square Top  | 1 1/4" | 2 1/2"     |
| RM855    | Short-Round Top  | 1 1/4" | 1 1/2"     |
| RM856    | Tall-Round Top   | 1 1/4" | 2 1/2"     |



Wall Mounted Stops

| Stop No. | Bumper  | Base   | Projection |
|----------|---------|--------|------------|
| RM860    | Convex  | 1 1/4" | 1 1/2"     |
| RM861    | Concave | 1 1/4" | 1 1/2"     |



Base Board Mounted Stops


| Stop No. | Base Plate | Base | Projection |
|----------|------------|------|------------|
| RM870    | No         | 1/2" | 1 1/2"     |
| RM871    | No         | 3/4" | 3 1/4"     |
| RM872    | No         | 1"   | 3 3/4"     |
| RM875    | Yes        | 1"   | 1 1/2"     |
| RM876    | Yes        | 1"   | 3 3/4"     |
| RM877    | Yes        | 1"   | 3 3/4"     |

Base Materials: Brass, stainless steel



Rockwood offers a selection of push and pull plates hand finished in our factory to match our pulls. All plates are .050" thick and available in screw or adhesive mounting. Custom engraved signs and plates are readily available.


### Push Plates, Pull Plates & Signage



Push and Pull Plates – Square Corners  
Adhesive Mount

| Plate No. | Engraved | Size     |
|-----------|----------|----------|
| RM1010    | Blank    | 4" x 22" |
| RM1010H   | PUSH     | 4" x 22" |
| RM1010L   | PULL     | 4" x 22" |


Add pull # to completely specify pull plate.  
Any size made to order.



Push and Pull Plates – Square Corners  
Screw Mount

| Plate No. | Engraved | Size     |
|-----------|----------|----------|
| RM1020    | Blank    | 4" x 22" |
| RM1020H   | PUSH     | 4" x 22" |
| RM1020L   | PULL     | 4" x 22" |


Add pull # to completely specify pull plate.  
Any size made to order.



Push and Pull Plates – Radius Ends  
Adhesive Mount

| Plate No. | Engraved | Size     |
|-----------|----------|----------|
| RM1030    | Blank    | 4" x 22" |
| RM1030H   | PUSH     | 4" x 22" |
| RM1030L   | PULL     | 4" x 22" |

Add pull # to completely specify pull plate.  
4" width by any length made to order.



Push and Pull Plates – Radius Ends  
Screw Mount

| Plate No. | Engraved | Size     |
|-----------|----------|----------|
| RM1040    | Blank    | 4" x 22" |
| RM1040H   | PUSH     | 4" x 22" |
| RM1040L   | PULL     | 4" x 22" |

Add pull # to completely specify pull plate.  
4" width by any length made to order.



Indicator Plates - Adhesive Mount

| Plate No. | Engraved | Diameter |
|-----------|----------|----------|
| RM1110H   | PUSH     | 1"       |
| RM1110L   | PULL     | 1"       |
| RM1120H   | PUSH     | 2 1/2"   |
| RM1120L   | PULL     | 2 1/2"   |

Base Materials: Brass, bronze, stainless steel




Indicator Plates

| Plate No. | Engraved | Size        | Mounting |
|-----------|----------|-------------|----------|
| RM1150M   | MEN      | 2" x 4"     | Adhesive |
| RM1150W   | WOMEN    | 2" x 5 1/2" | Adhesive |
| RM1150M   | MEN      | 2" x 4"     | Screw    |
| RM1150W   | WOMEN    | 2" x 5 1/2" | Screw    |

Matching custom signs readily available.

Our offset pivots are precision manufactured for smooth operation and durability. They are available in standard duty or heavy duty versions in configurations for most applications. See our Architectural Hardware catalog for more styles and ordering information.


Custom Pivots



Standard Head Pivots

| Pull No. | Material Size                       |
|----------|-------------------------------------|
| CP10     | 3/8" thick for doors up to 200 lbs. |
| CP10HD   | 1/2" thick for doors over 200 lbs.  |

Base Materials: Brass



Standard Floor Pivots

| Pull No. | Material Size                       |
|----------|-------------------------------------|
| CP40     | 3/8" thick for doors up to 200 lbs. |
| CP40HD   | 1/2" thick for doors over 200 lbs.  |

Custom Capabilities

Custom Bending



Custom Casting



Corporate Identity



Custom Machining



## Leather Craftsmanship

## Leather Craftsmanship General Information

**Custom Manufacturing:** The leather craftsmanship shown in the photographs opposite expresses our capabilities in leather covering. We apply equal expertise to our door pull fabrication. Rockwood is dedicated to making the door hardware you want. Please don't hesitate to ask for minor design or size changes to existing products or completely custom creations.

**Maintenance:** All pulls leave our factory with an initial coating of leather dressing. We recommend periodic application of a good leather conditioner such as Mermac Mink Oil ([www.mermacminkoil.com](http://www.mermacminkoil.com)). Frequency of maintenance depends on exposure to weather and wear. Mermac will darken the leather about the same as a drop of water. Test a small spot prior to using to verify the slight color change that naturally occurs is appealing.

**Finishes:** This catalog features product photographs of leather wrapped stainless steel door pulls. We also make many of these products in brass and bronze base material with a variety of architectural finishes.

### Standard Color Selections

#### English Bridle Leather



**B-LBRN**  
(Light Brown)



**B-BUR**  
(Burgundy)



**B-MBRN**  
(Medium Brown)



**B-DBRN**  
(Dark Brown)



**B-BLK**  
(Black)

#### Upholstery Leather



**U-DBRN**  
(Dark Brown)



**U-BLK**  
(Black)

**Leather:** Rockwood uses Bridle leather produced by J & E Sedgwick & Co., Ltd., Walsall, England. Founded in 1900, Sedgwick is renowned for its high quality leather products. Their 8-ounce hand-colored vegetable tanned English Bridle leather enjoys the reputation of being the finest in the world; you can be assured of a beautiful, durable leather door pull. For more information on Sedgwick leathers visit their website at [www.je-sedgwick.co.uk](http://www.je-sedgwick.co.uk).


In addition to our selection of fine English Bridle and Upholstery leathers, you may specify a custom leather application. We recommend Spinneybeck as a source for custom leather applications; see [www.spinneybeck.com](http://www.spinneybeck.com). Minimum charges apply for special order leather.



English Bridle leather pulls are beautifully crafted in a variety of colors and styles. Detail end stitching compliments the tight fitting leather cover. The sewn seam on the back of the pull is a work of art itself. Typically used for saddles and other equestrian products, this smooth durable leather is suitable for both interior and exterior applications. A full wrap version is available on square end pulls. See page 86 for leather color selection and more information.


## English Bridle Leather

*straight & offset pulls*




Pulls - Square Ends

| Pull No. | Post     | Diameter* | CTC      |
|----------|----------|-----------|----------|
| RM6000   | Straight | 1"        | 10", 12" |
| RM6010   | Straight | 1 1/4"    | 12", 16" |
| RM6020   | Straight | 1 1/2"    | 12", 16" |
| RM6030   | Offset   | 1"        | 10", 12" |
| RM6040   | Offset   | 1 1/4"    | 12", 16" |
| RM6050   | Offset   | 1 1/2"    | 12", 16" |




Pulls - Round Ends

| Pull No. | Post     | Diameter* | CTC      |
|----------|----------|-----------|----------|
| RM6004   | Straight | 1"        | 10", 12" |
| RM6014   | Straight | 1 1/4"    | 12", 16" |
| RM6024   | Straight | 1 1/2"    | 12", 16" |
| RM6034   | Offset   | 1"        | 10", 12" |
| RM6044   | Offset   | 1 1/4"    | 12", 16" |
| RM6054   | Offset   | 1 1/2"    | 12", 16" |



Long Pulls - Square Ends

| Pull No. | Post     | Diameter* | Overall    |
|----------|----------|-----------|------------|
| RM6060   | Straight | 1"        | 36" to 96" |
| RM6061   | Straight | 1 1/4"    | 36" to 96" |
| RM6062   | Straight | 1 1/2"    | 36" to 96" |
| RM6070   | Offset   | 1"        | 36" to 96" |
| RM6071   | Offset   | 1 1/4"    | 36" to 96" |
| RM6072   | Offset   | 1 1/2"    | 36" to 96" |



Long Offset Pulls - Round Ends

| Pull No. | Post     | Diameter* | Overall    |
|----------|----------|-----------|------------|
| RM6080   | Straight | 1"        | 36" to 96" |
| RM6081   | Straight | 1 1/4"    | 36" to 96" |
| RM6082   | Straight | 1 1/2"    | 36" to 96" |
| RM6090   | Offset   | 1"        | 36" to 96" |
| RM6091   | Offset   | 1 1/4"    | 36" to 96" |
| RM6092   | Offset   | 1 1/2"    | 36" to 96" |



Optional FW

**Base Metal:** Brass, bronze, stainless steel

**Options:** • For optional mid-post, suffix the product number with "MP" (example: RM6061MP).

• Full wrap option is available up to 72" long (example: RM6061FW).

• Over 96" available on select finishes.

**Note:** Maximum leather length is 72".


\* Diameter of metal grip, leather thickness is about 1/4" additional.



Upholstery leather pulls are available in two standard colors or from a universe of custom leather. We use 3 to 4 ounce chrome tanned leather, tightly wrapped and neatly sewn along the back. Detail end stitching compliments this glove soft leather which is suitable for interior applications. See page 86 for leather color selection and more information.


## Upholstery Leather

*straight & offset pulls*




Pulls - Square Ends

| Pull No. | Post     | Diameter* | CTC      |
|----------|----------|-----------|----------|
| RM6100   | Straight | 1"        | 10", 12" |
| RM6110   | Straight | 1 1/4"    | 12", 16" |
| RM6120   | Straight | 1 1/2"    | 12", 16" |
| RM6130   | Offset   | 1"        | 10", 12" |
| RM6140   | Offset   | 1 1/4"    | 12", 16" |
| RM6150   | Offset   | 1 1/2"    | 12", 16" |




Pulls - Round Ends

| Pull No. | Post     | Diameter* | CTC      |
|----------|----------|-----------|----------|
| RM6104   | Straight | 1"        | 10", 12" |
| RM6114   | Straight | 1 1/4"    | 12", 16" |
| RM6124   | Straight | 1 1/2"    | 12", 16" |
| RM6134   | Offset   | 1"        | 10", 12" |
| RM6144   | Offset   | 1 1/4"    | 12", 16" |
| RM6154   | Offset   | 1 1/2"    | 12", 16" |



Long Pulls - Square Ends

| Pull No. | Post     | Diameter* | Overall    |
|----------|----------|-----------|------------|
| RM6160   | Straight | 1"        | 36" to 96" |
| RM6161   | Straight | 1 1/4"    | 36" to 96" |
| RM6162   | Straight | 1 1/2"    | 36" to 96" |
| RM6170   | Offset   | 1"        | 36" to 96" |
| RM6171   | Offset   | 1 1/4"    | 36" to 96" |
| RM6172   | Offset   | 1 1/2"    | 36" to 96" |



Long Offset Pulls - Round Ends

| Pull No. | Post     | Diameter* | Overall    |
|----------|----------|-----------|------------|
| RM6180   | Straight | 1"        | 36" to 96" |
| RM6181   | Straight | 1 1/4"    | 36" to 96" |
| RM6182   | Straight | 1 1/2"    | 36" to 96" |
| RM6190   | Offset   | 1"        | 36" to 96" |
| RM6191   | Offset   | 1 1/4"    | 36" to 96" |
| RM6192   | Offset   | 1 1/2"    | 36" to 96" |


**Base Metal:** Brass, bronze, stainless steel


**Options:** • For optional mid-post, suffix the product number with "MP" (example: RM6161MP).

• Over 96" available on select finishes.

**Note:** Maximum leather length is 72".


\* Diameter of metal grip, leather thickness is about 1/8" additional.





Our expertly fitted and sewn leather is available in a flush wrap style. The clean lines of this model create a classic design shown here in black English Bridle leather. The leather fits neatly into the surface of the metal grip providing a smooth transition to solid metal ends and the comfortable feel of genuine leather. It is available in both English Bridle and Upholstery leather in a variety of colors. See page 86 for leather color selection and more information.


**Flush Leather**  
*straight & offset pulls*



**Pulls - Square Ends**

| Pull No. | Post     | Diameter | CTC*     |
|----------|----------|----------|----------|
| RM6300   | Straight | 1"       | 10", 12" |
| RM6310   | Straight | 1¼"      | 12", 16" |
| RM6320   | Straight | 1½"      | 12", 16" |
| RM6330   | Offset   | 1"       | 10", 12" |
| RM6340   | Offset   | 1¼"      | 12", 16" |
| RM6350   | Offset   | 1½"      | 12", 16" |

Up to 96" CTC available with mid-post.




**Pulls - Round Ends**


| Pull No. | Post     | Diameter | CTC*     |
|----------|----------|----------|----------|
| RM6304   | Straight | 1"       | 10", 12" |
| RM6314   | Straight | 1¼"      | 12", 16" |
| RM6324   | Straight | 1½"      | 12", 16" |
| RM6334   | Offset   | 1"       | 10", 12" |
| RM6344   | Offset   | 1¼"      | 12", 16" |
| RM6354   | Offset   | 1½"      | 12", 16" |

Up to 96" CTC available with mid-post.

**Application Suggestions**



**Base Metal:** Brass, bronze, stainless steel  
**Options:** Over 96" available on select finishes.



Our smooth durable English Bridle leather and glove soft Upholstery leather are available on our ergonomically agreeable oval and flat oval shape pulls. We make these pulls in both standard and full height sizes. Leather wrapping options include partial and full wrap. See page 86 for leather color selection and more information.

## Leather Oval

*ergonomic pulls*



### Straight Oval

| Pull No. | Post | Grip Size* | CTC**    |
|----------|------|------------|----------|
| RM6200   | oval | 1" x 1½"   | 12", 16" |

Up to 96" CTC available.



### Flat Oval - Small Post

| Pull No. | Post | Grip Size* | CTC**    |
|----------|------|------------|----------|
| RM6220   | ¾"   | ¾" x 1½"   | 12", 16" |

Up to 96" CTC available.



### Flat Oval - Oblong Post

| Pull No. | Post     | Grip Size* | CTC**    |
|----------|----------|------------|----------|
| RM6240   | ¾" x 1½" | ¾" x 1½"   | 12", 16" |

Up to 96" CTC available.




### Flat Oval - Large Post

| Pull No. | Post | Grip Size* | CTC**    |
|----------|------|------------|----------|
| RM6230   | 1"   | ¾" x 1½"   | 12", 16" |

Up to 96" CTC available.

### Application Suggestions



Oval Detail



Flat Oval Detail

### Other Length Ordering Options

Specify a mid-post on full height pulls to provide the most rigid grip where heavy doors or high wind loads are present.

**Base Metal:** Stainless steel




**Options:** Over 96" available on select finishes.

\* Size of metal grip, leather thickness is about ⅛" additional.

\*\* Standard overall length is 4" greater than CTC for pulls up to 36" CTC, and 6" greater than CTC for pulls 36" CTC and larger. Maximum leather length is 72".

The glove soft Upholstery Leather and durable smooth English Bridle Leather (shaved thin to fit small diameter grips) provide a refined finish detail beyond comparison. Available in a variety of colors, see page 86 for color specifications.

**Small Leather Pulls**  
*for cabinets, casework and closet doors*




**Surface Wrapped**

| Pull No. | Post     | End    | Diameter | CTC*   |
|----------|----------|--------|----------|--------|
| RM6500   | Straight | Square | ½"       | 4", 5" |
| RM6510   | Straight | Square | ¾"       | 5", 6" |
| RM6530   | Offset   | Square | ¾"       | 5", 6" |
| RM6540   | Straight | Round  | ½"       | 4", 5" |
| RM6550   | Straight | Round  | ¾"       | 5", 6" |
| RM6570   | Offset   | Round  | ¾"       | 5", 6" |

**Flush Wrapped**

| Pull No. | Post     | End    | Diameter | CTC*   |
|----------|----------|--------|----------|--------|
| RM6610   | Straight | Square | ¾"       | 5", 6" |
| RM6630   | Offset   | Square | ¾"       | 5", 6" |
| RM6650   | Straight | Round  | ¾"       | 5", 6" |
| RM6670   | Offset   | Round  | ¾"       | 5", 6" |



**Full Wrapped - Square End (Bridle Leather only)**


| Pull No. | Post     | Diameter | CTC*   |
|----------|----------|----------|--------|
| RM6700   | Straight | ½"       | 4", 5" |
| RM6710   | Straight | ¾"       | 5", 6" |
| RM6730   | Offset   | ¾"       | 5", 6" |

**Base Metal:** Brass, stainless steel  
**Mounting:** 8-32 x 1 THMS (Standard drawer thickness is ¾"; advise if other than ¾")  
\*Any size made to order.



There are limitless varieties of leather designs and colors. This photo shows a only few examples. Most door pulls from our Architectural Door Pull catalog can be leather covered as well. Our experienced staff is available to work with you to create a pull that meets the needs of your situation. Please call our office with your inquiry.

**Custom Leather Applications**



## Numeric Index

|                   |                                               |    |                 |                                               |    |
|-------------------|-----------------------------------------------|----|-----------------|-----------------------------------------------|----|
| 47                | Standards (push bar) . . . . .                | 3  | RM3010 - RM3065 | NeoMetrix™ (GripZone™ pulls) . . . . .        | 7  |
| 110 - 118         | Standards (straight pulls) . . . . .          | 3  | RM3100 - RM3154 | PostMount (straight & offset pulls) . . . . . | 11 |
| 166 - 169         | Standards (45° offset pulls) . . . . .        | 3  | RM3200 - RM3254 | NeoTek™ (post mounted GripZone™ pulls) .      | 13 |
| 11047 - 11247     | Standards (straight push pull sets) . . . . . | 3  | RM3300 - RM3342 | MegaTek™ (long door pulls) . . . . .          | 15 |
| BF156 - BF159     | Standards (90° offset pulls) . . . . .        | 3  | RM3400 - RM3442 | NeoMax™ (long pulls w/GripZone™) . . . . .    | 17 |
| BF15647 - BF15847 | Standards (offset push pull sets) . . . . .   | 3  | RM3510 - RM3554 | LineaMet™ (contrasting grooved pulls) . .     | 33 |
| BP47              | Standards (push bar) . . . . .                | 3  | RM3610 - RM3654 | LineaTek™ (fully grooved pulls) . . . . .     | 35 |
| CP10 - CP40       | Custom Pivots . . . . .                       | 84 | RM3701 - RM3782 | LineaMax™ (long grooved pulls) . . . . .      | 37 |
| RM201 - RM372     | Tubular (1¼" & 1½" diameter pulls) . . . . .  | 5  | RM3800 - RM3854 | NoirMet™ (black anodized grip) . . . . .      | 39 |
| RM405 - RM423     | RightAngles™ (GripZone™ pulls) . . . . .      | 9  | RM3900 - RM3954 | NoirTek™ (black anodized grip) . . . . .      | 41 |
| RM710 - RM735     | Small Pulls (wire pulls) . . . . .            | 77 | RM4000 - RM4054 | ArborMet™ (wood grip pulls) . . . . .         | 43 |
| RM751 - RM760     | Edge Pulls (for closet doors) . . . . .       | 76 | RM4100 - RM4154 | ArborTek™ (wood grip pulls) . . . . .         | 45 |
| RM780 - RM785     | Small Pulls (flush pulls) . . . . .           | 77 | RM4200 - RM4274 | SkewTek™ (angled end & big pulls) . . . . .   | 55 |
| RM801 - RM812     | Coat Hooks . . . . .                          | 80 | RM4300 - RM4305 | CenTek™ (1" radius pulls) . . . . .           | 57 |
| RM820 - RM829     | Coat Hooks . . . . .                          | 81 | RM4400 - RM4450 | CenTrex™ (1" radius pulls) . . . . .          | 59 |
| RM850 - RM877     | Door Stops . . . . .                          | 82 | RM4500 - RM4552 | CenTrex™ (large radius pulls) . . . . .       | 61 |
| RM1010 - RM1040   | Push Pull Plates . . . . .                    | 83 | RM5000 - RM5020 | SculpTrex™ (shaped cast pulls) . . . . .      | 67 |
| RM1110 - RM1160   | Indicator Plates . . . . .                    | 83 | RM5030 - RM5050 | SculpTrex™ (shaped cast pulls) . . . . .      | 69 |
| RM1200 - RM1270   | Small PostMount Pulls . . . . .               | 78 | RM5100 - RM5112 | InfiniTrix™ (shaped cast pulls) . . . . .     | 71 |
| RM1300 - RM1370   | Small PostMount GripZone™ Pulls . . . . .     | 78 | RM5200 - RM5280 | PlanTek™ (flat front pulls) . . . . .         | 65 |
| RM1410 - RM1470   | NoirMet™ Small PostMount Pulls . . . . .      | 79 | RM5500 - RM5598 | Traditional Decorative Pulls & Plates . . .   | 73 |
| RM1510 - RM1570   | ArborMet™ Small PostMount Pulls . . . . .     | 79 | RM5600 - RM5670 | Classic Finial Door Pulls . . . . .           | 75 |
| RM1610N - RM1670N | IberMet™ Small PostMount Pulls . . . . .      | 79 | RM6000 - RM6092 | English Bridle Leather Pulls . . . . .        | 89 |
| RM1610R - RM1670R | IberMet™ Small PostMount Pulls . . . . .      | 79 | RM6100 - RM6192 | Upholstery Leather Pulls . . . . .            | 91 |
| RM2000 - RM2034   | MegaCurve™ (long curved pulls) . . . . .      | 19 | RM6200 - RM6240 | Leather Oval Ergonomic Pulls . . . . .        | 95 |
| RM2110 - RM2142   | MezzoTek™ (necked post pulls) . . . . .       | 21 | RM6300 - RM6354 | Flush Leather Pulls . . . . .                 | 93 |
| RM2200 - RM2244   | BandWidth™ (collar mount pulls) . . . . .     | 23 | RM6500 - RM6570 | Small Surface Wrapped Leather Pulls . .       | 96 |
| RM2300 - RM2312   | OvalTek™ (true oval grip pulls) . . . . .     | 25 | RM6610 - RM6670 | Small Flush Wrapped Leather Pulls . . .       | 96 |
| RM2400 - RM2420   | OvalTek™ (flat oval grip pulls) . . . . .     | 27 | RM6700 - RM6730 | Small Full Wrapped Leather Pulls . . . . .    | 96 |
| RM2510 - RM2544   | SoftMet™ (Santoprene™ grip pulls) . . . . .   | 47 | RM7210 - RM7240 | NeoCylinder™ (with or without GripZone™) .    | 31 |
| RM2610 - RM2640   | SoftTek™ (Santoprene™ grip pulls) . . . . .   | 49 | RM7300 - RM7450 | NeoMitre™ (with or without GripZone™) . .     | 29 |
| RM2710N - RM2744N | IberMet™ (natural cork grip pulls) . . . . .  | 51 | RM7900 - RM7912 | GeoMetek™ (narrow profile pulls) . . . . .    | 63 |
| RM2710R - RM2744R | IberMet™ (rubber cork grip pulls) . . . . .   | 51 | SP47            | Standards (Single Projection Push Bar) . .    | 3  |
| RM2810 - RM2854   | BronzeAge™ (copper rich grip pulls) . . . . . | 53 |                 |                                               |    |



P.O. Box 79  
Rockwood, Pennsylvania 15557  
[www.rockwoodmfg.com](http://www.rockwoodmfg.com)  
[info@rockwoodmfg.com](mailto:info@rockwoodmfg.com)