## **NEW YORK STATE**

# **MEDICAID PROGRAM**

**PHYSICIAN - PROCEDURE CODES** 

**SECTION 4 - RADIOLOGY** 

# **Table of Contents**

GENERAL INSTRUCTIONS	3
GENERAL RULES AND INFORMATION	5
MMIS RADIOLOGY MODIFIERS	7
DIAGNOSTIC RADIOLOGY (DIAGNOSTIC IMAGING)	8
DIAGNOSTIC ULTRASOUND	24
RADIOLOGIC GUIDANCE	30
BREAST, MAMMOGRAPHY	31
BONE/JOINT STUDIES	31
RADIATION ONCOLOGY	32
NUCLEAR MEDICINE	37
POSITRON EMISSION TOMOGRAPHY (PET) SERVICES	44

## **GENERAL INSTRUCTIONS**

Fees listed in the Radiology Fee Schedule represent maximum allowances for reimbursement purposes in the Medical Assistance Program and include the administrative, technical and professional components of the service provided. (See below for further reference to the administrative, technical and professional components of a radiology fee item.)

Fees are to be considered as payment for the complete radiological procedure, unless otherwise indicated. In order to be paid for both the professional and the technical and administrative components of the radiology service, qualified practitioners who provide radiology services in their offices must perform the professional component of radiology services and own or directly lease the equipment and must supervise and control the radiology technician who performs the radiology procedures; or be the employees of physicians who own or directly lease the equipment and must supervise and control the radiology technician who performs the radiology procedures. **NY Medicaid does not enroll offsite radiologists for the sole purpose of professional component billing.** 

Each State agency may determine, on an individual basis, fees for services or procedures not included in this fee schedule. Such fee determinations should be reported promptly to the Division of Health Care Financing of the State Department of Health for review by the Interdepartmental Committee on Health Economics for possible incorporation in the Radiology Fee Schedule.

#### RADIOLOGY PRIOR APPROVAL (underlined procedure codes)

#### Information for Ordering Providers-

If you are **ordering** a CT, CTA, MRI, MRA, Cardiac Nuclear, or PET procedure, you or your office staff are required to obtain an approval number through the RadConsult program. Requests will be reviewed against guidelines, and a prior approval number will be issued.

If you also provide in-office radiology imaging, you are asked to confirm that RadConsult has processed and approved the procedure request before scheduling an appointment. This will ensure payment of the claims you submit for services.

Using a secure login, you will have the ability to access RadConsult Online or call the RadConsult contact center to check the status of procedure requests.

Beneficiaries who are eligible for both Medicaid and Medicare (dual eligible) or beneficiaries who are enrolled in a managed care plan are not included.

#### Information for Radiology Providers-

If you are **performing** a CT, CTA, MRI, MRA, Cardiac Nuclear, or PET procedure, you must verify that an approval has been obtained before performing these diagnostic imaging services for New York Medicaid FFS. Approvals will be required for claims

payment. Failure to obtain an approval number may delay or prevent payment of a claim.

Additional information is available at

http://www.emedny.org/ProviderManuals/Radiology/index.html

# TECHNICAL, ADMINISTRATIVE AND PROFESSIONAL RADIOLOGY COMPONENTS

The professional component (see modifier -26) for radiological services is intended to cover professional services, when applicable, as listed below:

- 1. Determination of the problem, including interviewing the patient, obtaining the history and making appropriate physical examination to determine the method of performing the radiologic procedure.
- 2. Study and evaluation of results obtained in diagnostic or therapeutic procedures, interpretation of radiographs or radioisotope data estimation resultant from treatment.
- 3. Dictating report of examination or treatment.
- 4. Consultation with referring physician regarding results of diagnostic or therapeutic procedures.

The technical or administrative component (see modifier -TC) includes items such as: cost or charges for technologists, clerical staff, films, opaques, radioactive materials, chemicals, drugs or other materials, purchase, rental use or maintenance of space, equipment, telephone services or other facilities or supplies.

Certain radiological procedures require the performance of a medical or surgical procedure (eg, studies necessitating an injection of radiopaque media, fluoroscopy, consultation) which must be performed by the radiologist and is not separable into technical and professional components for billing purposes. In these instances, the total fee listed in the Medicine or Surgery Services Fee Schedule is applicable.

## **GENERAL RULES AND INFORMATION**

General rules which apply to all procedure codes in the Radiology Services Fee Schedule sections of Diagnostic Radiology, Diagnostic Ultrasound, Radiation Oncology and Nuclear Medicine are as follows:

- Dollar values include usual contrast media, equipment and materials. An additional charge may be warranted when special surgical trays and materials are provided by the physician.
- 2. Dollar values include consultation and a written report to the referring physician.
- 3. When multiple X-ray examinations are performed during the same visit, reimbursement shall be limited to the greater fee plus 60% of the lesser fee(s). When more than one part of the body is included in a single X-ray for which reimbursement is claimed, the charge shall be only for a single X-ray. When bilateral X-ray examinations are performed during the same visit, reimbursement shall be limited to 160% of the procedure value (see modifier -50). The above provisions regarding fee reductions for multiple X-rays are applicable to X-rays taken of all parts of the body.
- 4. When repeat X-ray examinations of the same part and for the same illness are required because of technical or professional error in the original X-rays, such repeat X-rays are not eligible for payment. (See Rule 5 below.)
- 5. When repeat X-ray examination of the same part and for the same illness is required for reasons other than technical or professional error in the original X-ray. It should be identified by use of modifier -76.
- 6. RADIOLOGICAL SUPERVISION AND INTERPRETATION CODES: The Maximum fee is applicable when the physician incurs the costs of both the technical /administrative and professional components of the imaging procedure. (For the professional component of radiologic procedures, see modifier -26). When a procedure is performed by two physicians, the radiologic portion of the procedure is designated as "radiological supervision and interpretation." When a physician performs both the procedure and provides imaging supervision and interpretation, a combination of procedure codes outside the 70000 series and imaging supervision and interpretation codes are to be used.
- 7. <u>BY REPORT</u>: A service that is rarely provided, unusual, variable, or new may require a special report in determining medical appropriateness of the service. Pertinent information should include an adequate definition or description of the nature, extent, and need for the procedure, and the time, effort and equipment necessary to provide the service. Additional items which may be included are:

complexity of symptoms, final diagnosis, pertinent physical findings (such as size, locations, and number of lesion(s), if appropriate), diagnostic and therapeutic procedures including major and supplementary surgical procedures, if appropriate), concurrent problems, and follow-up care.

When the value of a procedure is to be determined "By Report" (BR), information concerning the nature, extent and need for the procedure or service must be furnished in addition to the time, skill and equipment necessitated. Appropriate documentation (eg, procedure description, itemized invoices, etc) should accompany all claims submitted.

Itemized invoices must document acquisition cost, the line item cost from a manufacturer or wholesaler net of any rebates, discounts or other valuable considerations.

- 8. <u>SEPARATE PROCEDURES</u>: Some of the listed procedures are commonly carried out as an integral part of a total service, and as such, do not warrant a separate identification. When, however, such a procedure is performed independently of, and is not immediately related to, other services, it may be listed as a "separate procedure." Thus, when a procedure that is ordinarily a component of a larger procedure is performed alone for a specific purpose, it may be reported as a separate procedure.
- 9. <u>FEES</u>: The fees are listed in the Physician Radiology Fee Schedule, available at <a href="http://www.emedny.org/ProviderManuals/Physician/index.html">http://www.emedny.org/ProviderManuals/Physician/index.html</a>
  Listed fees are the maximum reimbursable Medicaid fees. Fees for the MOMS Program can be found in the Enhanced Program fee schedule.
- 10. For additional general billing guidelines see the current CTP manual.

## **MMIS RADIOLOGY MODIFIERS**

Note: NCCI associated modifiers are recognized for NCCI code pairs/related edits. For additional information please refer to the CMS website:

http://www.cms.hhs.gov/NationalCorrectCodInitEd/

- -26 <u>Professional Component</u>: Certain procedures are a combination of a physician component and a technical component. When the physician component is reported separately, the service may be identified by adding the modifier -26 to the usual procedure number.
- -50 <u>Bilateral Procedures (X-ray)</u>: Unless otherwise identified in the listing, when bilateral X-ray examinations are performed at the same time, the service will be identified by adding the modifier -50 to the usual procedure code number. (Reimbursement will not exceed 160% of the maximum State Medical Fee Schedule amount. One claim line is to be billed representing the bilateral procedure. Amount billed should reflect total amount due.)
- -76 Repeat Procedure by Same Physician: The physician may need to indicate that a procedure or service was repeated subsequent to the original procedure or service. (When a repeat X-ray examination of the same part and for the same illness is required for reasons other than technical or professional error in the original X-ray, it will be identified by adding modifier -76.) (Reimbursement will not exceed 100% of the maximum State Medical Fee Schedule amount.)
- -AQ Physician Providing a Service in an Unlisted Health Professional Shortage Area (HPSA)
- -FP Service Provided as Part of Family Planning Program: All Family Planning Services will be identified by adding the modifier -FP to the usual procedure code number. (Reimbursement will not exceed 100% of the maximum State Medical Fee Schedule amount.)
- -LT <u>Left Side</u> (used to identify procedures performed on the left side of the body):
  Add modifier –LT to the usual procedure code number. (Reimbursement will not exceed 100% of the Maximum Fee Schedule amount. One claim line should be billed.) (Use modifier –50 when both sides done at same operative session.)
- -RT Right Side (used to identify procedures performed on the right side of the body):
  Add modifier –RT to the usual procedure code number. (Reimbursement will not exceed 100% of the Maximum Fee Schedule amount. One claim line should be billed.) (Use modifier –50 when both sides done at same operative session.)
- -TC Technical Component: Under certain circumstances, a charge may be made for the technical component alone. Under those circumstances the technical component charge is identified by adding modifier -TC to the usual procedure number. Technical component charges are institutional charges and not billed separately by physicians.

## **DIAGNOSTIC RADIOLOGY (DIAGNOSTIC IMAGING)**

## **HEAD AND NECK**

70010	Myelography, posterior fossa, radiological supervision and interpretation	
70015	Cisternography, positive contrast, radiological supervision and interpretation	
70030	Radiologic examination, eye, for detection of foreign body	
70100	Radiologic examination, mandible; partial, less than four views	
70110	complete, minimum of four views	
70120	Radiologic examination, mastoids; less than three views per side	
70130	complete, minimum of three views per side	
70134	Radiologic examination, internal auditory meati, complete	
70140	Radiologic examination, facial bones; less than three views	
70150	complete, minimum of three views	
70160	Radiologic examination, nasal bones, complete, minimum of three views	
70170		
	interpretation	
70190	Radiologic examination; optic foramina	
70200	orbits, complete, minimum of four views	
70210	Radiologic examination, sinuses, paranasal, less than three views	
70220	complete, minimum of three views	
70240	Radiologic examination, sella turcica	
70250	Radiologic examination, skull; less than four views	
70260	complete, minimum of four views	
70300	Radiologic examination, teeth; single view	
70310	partial examination, less than full mouth	
70320	complete, full mouth	
70328	Radiologic examination, temporomandibular joint, open and closed mouth; unilateral	
70330	bilateral	
70332	Temporomandibular joint arthrography, radiological supervision and interpretation	
	(Do not report 70332 in conjunction with 77002)	
70336	Magnetic resonance (eg, proton) imaging, temporomandibular joint(s)	
70350	Cephalogram, orthodontic	
70355	Orthopantogram (eg, panoramic x-ray)	
70360	Radiologic examination; neck, soft tissue	
70370	pharynx or larynx, including fluoroscopy and/or magnification technique	
70371	Complex dynamic pharyngeal and speech evaluation by cine or video recording	
70373	Laryngography, contrast, radiological supervision and interpretation	
70380	Radiologic examination, salivary gland for calculus	
70390	Sialography, radiological supervision and interpretation	
<u>70450</u>	Computed tomography, head or brain; without contrast material	
70460	with contrast material(s)	

<u>70470</u>	without contrast material, followed by contrast material(s) and further sections
<u>70480</u>	Computed tomography, orbit, sella, or posterior fossa or outer, middle, or inner ear; without contrast material
<u>70481</u>	with contrast material(s)
<u>70482</u>	without contrast material, followed by contrast material(s) and further sections
<u>70486</u>	Computed tomography, maxillofacial area; without contrast material
<u>70487</u>	with contrast material(s)
<u>70488</u>	without contrast material, followed by contrast material(s) and further sections
70490 70491	Computed tomography, soft tissue neck; without contrast material with contrast material(s)
<u>70492</u>	without contrast material followed by contrast material(s) and further sections
<u>70496</u>	Computed tomographic angiography, head, with contrast material(s), including noncontrast images, if performed, and image postprocessing
70498	Computed tomographic angiography, neck, with contrast material(s), including
	non-contrast images, if performed, and image postprocessing
<u>70540</u>	Magnetic resonance (eg, proton) imaging, orbit, face, and/or neck; without contrast material(s)
70542	with contrast material(s)
70543	without contrast material(s), followed by contrast material(s) and further sequences
<u>70544</u>	Magnetic resonance angiography, head; without contrast material(s)
<u>70545</u>	with contrast material(s)
<u>70546</u>	without contrast material(s), followed by contrast material(s) and further sequences
<u>70547</u>	Magnetic resonance angiography, neck; without contrast material(s)
<u>70548</u>	with contrast material(s)
<u>70549</u>	without contrast material(s), followed by contrast material(s) and further
	sequences
<u>70551</u>	Magnetic resonance (eg, proton) imaging, brain (including brain stem); without contrast material
<u>70552</u>	with contrast material(s)
<u>70553</u>	without contrast material, followed by contrast material(s) and further sequences
<u>70555</u>	Magnetic resonance imaging, brain, functional MRI; including test selection and administration of repetitive body part movement and/or visual stimulation, requiring physician or psychologist administration of entire neurofunctional testing (BR)

70557 Magnetic resonance (eg, proton) imaging, brain (including brain stem and skull base), during open intracranial procedure (eg, to assess for residual tumor or residual vascular malformation); without contrast material

70558 with contrast material(s)

70559 without contrast material(s), followed by contrast material(s) and further sequences

(70557, 70558 or 70559 may be reported only if a separate report is generated. Report only one of the above codes once per operative session. Do not use these codes in conjunction with 61751, 77021, 77022)

#### **CHEST**

71010	Radiologic examination, chest, single view, frontal
71015	stereo, frontal
71020	Radiologic examination, chest, two views, frontal and lateral;
71021	with apical lordotic procedure
71022	with oblique projections
71023	with fluoroscopy
71030	Radiologic examination, chest, complete, minimum of four views;
71034	with fluoroscopy
71035	Radiologic examination, chest, special views, (eg, lateral decubitus, Bucky
	studies)
71100	Radiologic examination, ribs, unilateral; two views
71101	including posteroanterior chest, minimum of three views
71110	Radiologic examination, ribs, bilateral; three views
71111	including posteroanterior chest, minimum of four views
71120	Radiologic examination; sternum, minimum of two views
71130	sternoclavicular joint or joints, minimum of three views
<u>71250</u>	Computed tomography, thorax; without contrast material
<u>71260</u>	with contrast material(s)
<u>71270</u>	without contrast material, followed by contrast material(s) and further
	sections
<u>71275</u>	Computed tomographic angiography, chest (noncoronary), with contrast
	material(s), including noncontrast images, if performed, and image
= 4 = = 0	postprocessing
<u>71550</u>	Magnetic resonance (eg, proton) imaging, chest (eg, for evaluation of hilar and
74554	mediastinal lymphadenopathy); without contrast material(s)
<u>71551</u>	with contrast material(s)
<u>71552</u>	without contrast material(s), followed by contrast material(s) and further
74555	sequences
<u>71555</u>	Magnetic resonance angiography, chest (excluding myocardium), with or
	without contrast material(s)

## SPINE AND PELVIS

(IV injection of contrast material is part of the CT procedure)

72010	Radiologic examination, spine, entire, survey study, anteroposterior and lateral
72020	Radiologic examination, spine, single view, specify level
72040	Radiologic examination, spine, cervical; 2 or 3 views
72050	4 or 5 views
72052	6 or more views
72069	Radiologic examination, spine, thoracolumbar, standing (scoliosis)
72070	Radiologic examination, spine; thoracic, two views
72072	thoracic, three views
72074	thoracic, minimum of four views
72080	thoracolumbar, two views
72090	scoliosis study, including supine and erect studies
72100	Radiologic examination, spine, lumbosacral; two or three views
72110	minimum of four views
72114	complete, including bending views, minimum of 6 views
72120	bending views only, 2 or 3 views
<u>72125</u>	Computed tomography, cervical spine; without contrast material
<u>72126</u>	with contrast material(s)
<u>72127</u>	without contrast material, followed by contrast material(s) and further sections
<u>72128</u>	Computed tomography, thoracic spine; without contrast material
72129	with contrast material(s)
<u>72130</u>	without contrast material, followed by contrast material(s) and further sections
<u>72131</u>	Computed tomography, lumbar spine; without contrast material
<u>72132</u>	with contrast material(s)
<u>72133</u>	without contrast material, followed by contrast material(s) and further sections
<u>72141</u>	Magnetic resonance (eg, proton) imaging, spinal canal and contents, cervical;
	without contrast material
<u>72142</u>	with contrast material(s)
<u>72146</u>	Magnetic resonance (eg, proton) imaging, spinal canal and contents, thoracic;
	without contrast material
<u>72147</u>	with contrast material(s)
<u>72148</u>	Magnetic resonance (eg, proton) imaging, spinal canal and contents, lumbar;
	without contrast material
<u>72149</u>	with contrast material(s)

<u>72156</u>	Magnetic resonance (eg, proton) imaging, spinal canal and contents, without contrast material, followed by contrast material(s) and further sequences;
	cervical
<u>72157</u>	thoracic
<u>72158</u>	lumbar
<u>72159</u>	Magnetic resonance angiography, spinal canal and contents, with or without contrast material(s)
72170	Radiologic examination, pelvis; one or two views
72190	complete, minimum of three views
<u>72191</u>	Computed tomographic angiography, pelvis, with contrast material(s), including non-contrast images, if performed, and image postprocessing
<u>72192</u>	Computed tomography, pelvis; without contrast material
<u>72193</u>	with contrast material(s)
<u>72194</u>	without contrast material, followed by contrast material(s) and further sections
<u>72195</u>	Magnetic resonance (eg, proton) imaging, pelvis; without contrast material(s)
<u>72196</u>	with contrast material(s)
<u>72197</u>	without contrast material(s), followed by contrast material(s) and further sequences
72198	Magnetic resonance angiography, pelvis, with or without contrast material(s)
72200	Radiologic examination, sacroiliac joints; less than three views
72202	three or more views
72220	Radiologic examination, sacrum and coccyx, minimum of two views
72240	Myelography, cervical, radiological supervision and interpretation
72255	Myelography, thoracic, radiological supervision and interpretation
72265	Myelography, lumbosacral, radiological supervision and interpretation
72270	Myelography, two or more regions (eg, lumbar/thoracic, cervical/ thoracic,
	lumbar/cervical, lumbar/thoracic/cervical), radiological supervision and interpretation
72275	Epidurography, radiological supervision and interpretation (72275 includes 77003)
	(Use 72275 only when an epidurogram is performed, images documented and a formal radiologic report is issued)
72285	Discography, cervical or thoracic, radiological supervision and interpretation
72295	Discography, lumbar, radiological supervision and interpretation

## **UPPER EXTREMITIES**

73000 73010	Radiologic examination; clavicle, complete	
73010	scapula, complete	
73020	Radiologic examination, shoulder; one view	
73040	complete, minimum of two views Radiologic examination, shoulder, arthrography, radiological supervision and	
73040	interpretation	
	(Do not report 77002 in conjunction with 73040)	
73050	Radiologic examination; acromioclavicular joints, bilateral, with or without	
70000	weighted distraction	
73060	humerus, minimum of two views	
73070	Radiologic examination, elbow; two views	
73080	complete, minimum of three views	
73085	Radiologic examination, elbow, arthrography, radiological supervision and	
	interpretation	
	(Do not report 77002 in conjunction with 73085)	
73090	Radiologic examination; forearm, two views	
73092	upper extremity, infant, minimum of two views	
73100	Radiologic examination, wrist; two views	
73110	complete, minimum of three views	
73115	Radiologic examination, wrist, arthrography, radiological supervision and	
	interpretation	
	(Do not report 77002 in conjunction with 73115)	
73120	Radiologic examination, hand; two views	
73130	minimum of three views	
73140	Radiologic examination, finger(s), minimum of two views	
<u>73200</u>	Computed tomography, upper extremity; without contrast material	
<u>73201</u>	with contrast material(s)	
<u>73202</u>	without contrast material, followed by contrast material(s) and further	
	sections	
<u>73206</u>	Computed tomographic angiography, upper extremity, with contrast material(s),	
	including noncontrast images, if performed, and image postprocessing	
<u>73218</u>	Magnetic resonance (eg, proton) imaging, upper extremity, other than joint;	
	without contrast material(s)	
<u>73219</u>	with contrast material(s)	
<u>73220</u>	without contrast material(s), followed by contrast material(s) and further	
70004	sequences	
<u>73221</u>	Magnetic resonance (eg, proton) imaging, any joint of upper extremity; without	
70000	contrast material(s)	
73222	with contrast material(s)	
<u>73223</u>	without contrast material(s), followed by contrast material(s) and further	
72225	Sequences Magnetic resonance angiography, upper extremity, with or without contrast	
<u>73225</u>	Magnetic resonance angiography, upper extremity, with or without contrast	
	material(s)	

## **LOWER EXTREMITIES**

73500	Radiologic examination, hip; unilateral, one view
73510	complete, minimum of two views
73520	Radiologic examination, hips, bilateral, minimum of two views of each hip, including anteroposterior view of pelvis
73525	Radiologic examination, hip, arthrography, radiological supervision and interpretation
	(Do not report 77002 in conjunction with 73525)
73530	Radiologic examination, hip, during operative procedure
73540	Radiologic examination, pelvis and hips, infant or child, minimum of two views
73550	Radiologic examination, femur, two views
73560	Radiologic examination, knee; one or two views
73562	three views
73564	complete, four or more views
73565	both knees, standing, anteroposterior
73580	Radiologic examination, knee, arthrography, radiological supervision and interpretation
	(Do not report 77002 in conjunction with 73580)
73590	Radiologic examination; tibia and fibula, two views
73592	lower extremity, infant, minimum of two views
73600	Radiologic examination, ankle; two views
73610	complete, minimum of three views
73615	Radiologic examination, ankle, arthrography, radiological supervision and
	interpretation
	(Do not report 77002 in conjunction with 73615)
73620	Radiologic examination, foot; two views
73630	complete, minimum of three views
73650	Radiologic examination; calcaneus, minimum of two views
73660	toe(s), minimum of two views
<u>73700</u>	Computed tomography, lower extremity; without contrast material
<u>73701</u>	with contrast material(s)
<u>73702</u>	without contrast material, followed by contrast material(s) and further sections
<u>73706</u>	Computed tomographic angiography, lower extremity, with contrast material(s),
	including noncontrast images, if performed, and image postprocessing
<u>73718</u>	Magnetic resonance (eg, proton) imaging, lower extremity other than joint; without
	contrast material(s)
<u>73719</u>	with contrast material(s)
<u>73720</u>	without contrast material(s), followed by contrast material(s) and further sequence
73721	Magnetic resonance (eg, proton) imaging, any joint of lower extremity; without
	contrast material
73722	with contrast material(s)
<u>73723</u>	without contrast material(s), followed by contrast material(s) and further sequences
<u>73725</u>	Magnetic resonance angiography, lower extremity, with or without contrast material(s)

## <u>ABDOMEN</u>

74000 74010 74020	Radiologic examination, abdomen; single anteroposterior view anteroposterior and additional oblique and cone views complete, including decubitus and/or erect views
74022	complete, including decubitus and/or creet views complete acute abdomen series, including supine, erect, and/or decubitus views, single view chest
74150 74160	Computed tomography, abdomen; without contrast material with contrast material(s)
<u>74100</u> <u>74170</u>	without contrast material, followed by contrast material(s) and further sections
<u>74174</u>	Computed tomographic angiography, abdomen and pelvis, with contrast material(s), including noncontrast images, if performed, and image postprocessing
<u>74175</u>	Computed tomographic angiography, abdomen, with contrast material(s), including noncontrast images, if performed, and image postprocessing
74176 74177	Computed tomography, abdomen and pelvis; without contrast material with contrast material
74178	without contrast material in one or both body regions, followed by contrast material(s) and further sections in one or both body regions (Do not report 74176-74178 in conjunction with 72192-72194, 74150-74170) (Report 74176, 74177, or 74178 only once per CT abdomen and pelvis examination)
<u>74181</u>	Magnetic resonance (eg, proton) imaging, abdomen; without contrast material(s)
<u>74182</u>	with contrast material(s)
<u>74183</u>	without contrast material(s), followed by contrast material(s) and further sequences
<u>74185</u>	Magnetic resonance angiography, abdomen; with or without contrast material(s)
74190	Peritoneogram (eg, after injection of air or contrast), radiological supervision and interpretation

## **GASTROINTESTINAL TRACT**

74210	Radiologic examination; pharynx and/or cervical esophagus
74220	esophagus
74230	Swallowing function, with cineradiography/videoradiography
74235	Removal of foreign body(s), esophageal, with use of balloon catheter,
	radiological supervision and interpretation
74240	Radiologic examination, gastrointestinal tract, upper; with or without delayed
	films, without KUB
74241	with or without delayed films, with KUB,
74245	with small intestine, includes multiple serial films

74246 Radiological examination, gastrointestinal tract, upper, air contrast, with specific high density barium, effervescent agent, with or without glucagon; with or without delayed films, without KUB with or without delayed films, with KUB 74247 74249 with small intestine follow-through 74250 Radiologic examination, small intestine, includes multiple serial films; 74251 via enteroclysis tube 74260 Duodenography, hypotonic Radiologic examination, colon; contrast (eg, barium) enema, with or without 74270 **KUB** 74280 air contrast with specific high density barium, with or without glucagon 74283 Therapeutic enema, contrast or air, for reduction of intussusception or other intraluminal obstruction (eg, meconium ileus) Cholecystography, oral contrast; 74290 74300 Cholangiography and/or pancreatography; intraoperative, radiological supervision and interpretation 74301 additional set intraoperative, radiological supervision and interpretation (List separately in addition to primary procedure) (Use 74301 in conjunction with 74300) through existing catheter, radiological supervision and interpretation 74305 74320 Cholangiography, percutaneous, transhepatic, radiological supervision and interpretation 74327 Postoperative biliary duct calculus removal, percutaneous via T-tube tract, basket or snare (eg, Burhenne technique), radiological supervision and interpretation 74328 Endoscopic catheterization of the biliary ductal system, radiological supervision and interpretation 74329 Endoscopic catheterization of the pancreatic ductal system, radiological supervision and interpretation 74330 Combined endoscopic catheterization of the biliary and pancreatic ductal systems, radiological supervision and interpretation 74340 Introduction of long gastrointestinal tube (eg. Miller-Abbott), including multiple fluoroscopies and films, radiological supervision and interpretation 74355 Percutaneous placement of enteroclysis tube, radiological supervision and interpretation 74360 Intraluminal dilation of strictures and/or obstructions (eg, esophagus), radiological supervision and interpretation 74363 Percutaneous transhepatic dilation of biliary duct stricture with or without

placement of stent, radiological supervision and interpretation

#### **URINARY TRACT**

- 74400 Urography (pyelography), intravenous, with or without KUB, with or without tomography;
- 74410 Urography, infusion, drip technique and/or bolus technique;
- 74415 with nephrotomography
- 74420 Urography, retrograde, with or without KUB
- 74425 Urography, antegrade, (pyelostogram, nephrostogram, loopogram), radiological supervision and interpretation
- 74430 Cystography, minimum of three views, radiological supervision and interpretation
- 74440 Vasography, vesiculography, or epididymography, radiological supervision and interpretation
- 74445 Corpora cavernosography, radiological supervision and interpretation
- 74450 Urethrocystography, retrograde, radiological supervision and interpretation
- 74455 Urethrocystography, voiding, radiological supervision and interpretation
- 74470 Radiologic examination, renal cyst study, translumbar, contrast visualization, radiological supervision and interpretation
- 74475 Introduction of intracatheter or catheter into renal pelvis for drainage and/or injection, percutaneous, radiological supervision and interpretation
- 74480 Introduction of ureteral catheter or stent into ureter through renal pelvis for drainage and/or injection, percutaneous, radiological supervision and interpretation
- 74485 Dilation of nephrostomy, ureters or urethra, radiological supervision and interpretation

#### **GYNECOLOGICAL AND OBSTETRICAL**

- 74710 Pelvimetry, with or without placental localization
- 74740 Hysterosalpingography, radiological supervision and interpretation
- 74742 Transcervical catheterization of fallopian tube, radiological supervision and interpretation
- 74775 Perineogram (eg, vaginogram, for sex determination or extent of anomalies)

#### **HEART**

Cardiac magnetic imaging differs from traditional magnetic resonance imaging (MRI) in its ability to provide a physiologic evaluation of cardiac function. Traditional MRI relies on static images to obtain clinical diagnoses based upon anatomic information. Improvement in spatial and temporal resolution has expanded the application from an anatomic test and includes physiologic evaluation of cardiac function. Flow and velocity assessment for valves and intracardiac shunts is performed in addition to a function and morphologic evaluation. Use 75559 with 75565 to report flow with pharmacologic wall motion stress evaluation without contrast. Use 75563 with 75565 to report flow with pharmacologic perfusion stress with contrast.

Listed procedures may be performed independently or in the course of overall medical care. If the physician providing these services is also responsible for diagnostic workup and/ or follow-up care of the patient, see appropriate sections also. Only one procedure in the series 75557-75563 is appropriately reported per session. Cardiac MRI studies may be performed at rest and/or during pharmacologic stress. Therefore, the appropriate stress testing code from the 93015-93018 series should be reported in addition to 75559 or 75563.

<u>75557</u>	Cardiac magnetic resonance imaging for morphology and function without
	contrast material;

75550	141 4	
75559	with stress	imaging

<u>75561</u>	Cardiac magnetic resonance imaging for morphology and function without
	contrast material(s), followed by contrast material(s) and further sequences;

75563 with stress imaging

75565 Cardiac magnetic resonance imaging for velocity flow mapping (List separately in addition to code) (Use 75565 in conjunction with 75557, 75559, 75561, 75563) (Do not report 75557, 75559, 75561, 75563, 75565 in conjunction with 76376, 76377)

#### **VASCULAR PROCEDURES**

#### **AORTA AND ARTERIES**

Selective vascular catheterizations should be coded to include introduction and all lesser order selective catheterizations used in the approach (eg, the description for a selective right middle cerebral artery catheterization includes the introduction and placement catheterization of the right common and internal carotid arteries).

Additional second and/or third order arterial catheterizations within the same family of arteries supplied by a single first order artery should be expressed by 36218 or 36248. Additional first order or higher catheterizations in vascular families supplied by a first

order vessel different from a previously selected and coded family should be separately coded using the conventions described above.

- 75600 Aortography, thoracic, without serialography, radiological supervision and interpretation
- 75605 Aortography, thoracic, by serialography, radiological supervision and interpretation
- 75625 Aortography, abdominal, by serialography, radiological supervision and interpretation
- 75630 Aortography, abdominal plus bilateral iliofemoral lower extremity, catheter, by serialography, radiological supervision and interpretation
- <u>75635</u> Computed tomographic angiography, abdominal aorta and bilateral iliofemoral lower extremity runoff, with contrast material(s), including noncontrast images, if performed, and image postprocessing
- 75658 Angiography, brachial, retrograde, radiological supervision and interpretation
- 75705 Angiography, spinal, selective, radiological supervision and interpretation
- 75710 Angiography, extremity, unilateral, radiological supervision and interpretation
- 75716 Angiography, extremity, bilateral, radiological supervision and interpretation
- 75726 Angiography, visceral; selective or supraselective, (with or without flush aortogram), radiological supervision and interpretation
- 75731 Angiography, adrenal, unilateral, selective, radiological supervision and interpretation
- 75733 Angiography, adrenal, bilateral, selective, radiological supervision and interpretation
- 75736 Angiography, pelvic, selective or supraselective, radiological supervision and interpretation
- 75741 Angiography, pulmonary, unilateral, selective, radiological supervision and interpretation
- 75743 Angiography, pulmonary, bilateral, selective, radiological supervision and interpretation
- 75746 Angiography, pulmonary, by nonselective catheter or venous injection, radiological supervision and interpretation
- 75756 Angiography, internal mammary, radiological supervision and interpretation
- 75774 Angiography, selective, each additional vessel studied after basic examination, radiological supervision and interpretation (List separately in addition to primary procedure) (Use 75774 in addition to code for specific initial vessel studied)
- 75791 Angiography, arteriovenous shunt (eg, dialysis patient fistula/graft), complete evaluation of dialysis access, including fluoroscopy, image documentation and report (includes injections of contrast and all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava), radiological supervision and interpretation

(Do not report 75791 in conjunction with 36147, 36148) (Use 75791 only if radiological evaluation is performed through an already existing access into the shunt or from an access that is not a direct puncture of the shunt)

#### **VEINS AND LYMPHATICS**

75801 Lymphangiography, extremity only, unilateral, radiological supervision and interpretation 75803 Lymphangiography, extremity only, bilateral, radiological supervision and interpretation 75805 Lymphangiography, pelvic/abdominal, unilateral, radiological supervision and interpretation 75807 Lymphangiography, pelvic/abdominal, bilateral, radiological supervision and interpretation 75809 Shuntogram for investigation of previously placed indwelling nonvascular shunt (eg, LeVeen shunt, ventriculoperitoneal shunt, indwelling infusion pump), radiological supervision and interpretation 75810 Splenoportography, radiological supervision and interpretation 75820 Venography, extremity, unilateral, radiological supervision and interpretation Venography, extremity, bilateral, radiological supervision and interpretation 75822 Venography, caval, inferior, with serialography, radiological supervision and 75825 interpretation 75827 Venography, caval, superior, with serialography, radiological supervision and interpretation 75831 Venography, renal, unilateral, selective, radiological supervision and interpretation 75833 Venography, renal, bilateral, selective, radiological supervision and interpretation 75840 Venography, adrenal, unilateral, selective, radiological supervision and interpretation 75842 Venography, adrenal, bilateral, selective, radiological supervision and interpretation 75860 Venography, venous sinus (eg, petrosal and inferior sagittal) or jugular, catheter, radiological supervision and interpretation 75870 Venography, superior sagittal sinus, radiological supervision and interpretation 75872 Venography, epidural, radiological supervision and interpretation 75880 Venography, orbital, radiological supervision and interpretation Percutaneous transhepatic portography with hemodynamic evaluation, 75885 radiological supervision and interpretation

Percutaneous transhepatic portography without hemodynamic evaluation,

radiological supervision and interpretation

75887

- 75889 Hepatic venography, wedged or free, with hemodynamic evaluation, radiological supervision and interpretation
- 75891 Hepatic venography, wedged or free, without hemodynamic evaluation, radiological supervision and interpretation
- 75893 Venous sampling through catheter, with or without angiography (eg, for parathyroid hormone, renin), radiological supervision and interpretation

#### TRANSCATHETER PROCEDURES

- 75894 Transcatheter therapy, embolization, any method, radiological supervision and interpretation
- 75896 Transcatheter therapy, infusion, other than for thrombolysis, radiological supervision and interpretation
- 75898 Angiography through existing catheter for follow-up study for transcatheter therapy, embolization or infusion, other than for thrombolysis
- 75901 Mechanical removal of pericatheter obstructive material (eg, fibrin sheath) from central venous device via separate venous access, radiologic supervision and interpretation
- 75902 Mechanical removal of intraluminal (intracatheter) obstructive material from central venous device through device lumen, radiologic supervision and interpretation
- 75945 Intravascular ultrasound (non-coronary vessel), radiological supervision and interpretation; initial vessel
- 75946 each additional non-coronary vessel
  (List separately in addition to primary procedure)
  (Use 75946 in conjunction with 75945)
- 75952 Endovascular repair of infrarenal abdominal aortic aneurysm or dissection, radiological supervision and interpretation
- 75953 Placement of proximal or distal extension prosthesis for endovascular repair of infrarenal aortic or iliac artery aneurysm, pseudoaneurysm, or dissection, radiological supervision and interpretation
- 75954 Endovascular repair of iliac artery aneurysm, pseudoaneurysm, arteriovenous malformation, or trauma, using ilio-iliac tube endoprosthesis, radiological supervision and interpretation (**Report required**)
- 75956 Endovascular repair of descending thoracic aorta (eg, aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption); involving coverage of left subclavian artery origin, initial endoprosthesis plus descending thoracic aortic extension(s), if required, to level of celiac artery origin, radiological supervision and interpretation
- not involving coverage of left subclavian artery origin, initial endoprosthesis plus descending thoracic aortic extension(s), if required, to level of celiac artery origin, radiological supervision and interpretation

- 75958 Placement of proximal extension prosthesis for endovascular repair of descending thoracic aorta (eg, aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption), radiological supervision and interpretation (Report 75958 for each proximal extension)
- 75959 Placement of distal extension prosthesis(s) (delayed) after endovascular repair of descending thoracic aorta, as needed, to level of celiac origin, radiological supervision and interpretation (Do not report 75959 in conjunction with 75956, 75957) (Report 75959 once, regardless of number of modules deployed)
- 75962 Transluminal balloon angioplasty, peripheral artery other than renal, or other visceral artery, iliac or lower extremity, radiological supervision and interpretation
- 75964 Transluminal balloon angioplasty, each additional peripheral artery other than renal, or other visceral artery, iliac or lower extremity, radiological supervision and interpretation
  (List separately in addition to primary procedure)
  (Use 75964 in conjunction with 75962)
- 75966 Transluminal balloon angioplasty, renal or other visceral artery, radiological supervision and interpretation
- each additional visceral artery, radiological supervision and interpretation (List separately in addition to primary procedure) (Use 75968 in conjunction with 75966)
- 75970 Transcatheter biopsy, radiological supervision and interpretation
- 75978 Transluminal balloon angioplasty, venous (eg, subclavian stenosis), radiological supervision and interpretation
- 75980 Percutaneous transhepatic biliary drainage with contrast monitoring, radiological supervision and interpretation
- 75982 Percutaneous placement of drainage catheter for combined internal and external biliary drainage or of a drainage stent for internal biliary drainage in patients with an inoperable mechanical biliary obstruction, radiological supervision and interpretation
- 75984 Change of percutaneous tube or drainage catheter with contrast monitoring (eg, genitourinary system, abscess), radiological supervision and interpretation
- 75989 Radiological guidance (ie, fluoroscopy, ultrasound or computed tomography), for percutaneous drainage (eg, abscess or specimen collection), with placement of catheter, radiological supervision and interpretation

#### **OTHER PROCEDURES**

- 76000 Fluoroscopy (separate procedure), up to 1 hour physician or other qualified health care professional time, other than 71023 or 71034 (eg, cardiac fluoroscopy)
- 76001 Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)
- 76010 Radiologic examination from nose to rectum for foreign body, single view, child
- 76080 Radiologic examination, abscess, fistula or sinus tract study, radiological supervision and interpretation
- 76098 Radiological examination, surgical specimen
- 76100 Radiological examination, single plane body section (eg, tomography), other than with urography
- 76101 Radiologic examination, complex motion (ie, hypercycloidal) body section (eg, mastoid polytomography), other than with urography; unilateral
- 76102 bilateral
- 76120 Cineradiography/videoradiography, except where specifically included
- 76125 Cineradiography/videoradiography, to complement routine examination (List separately in addition to primary procedure)
- 76140 Consultation on X-ray examination made elsewhere, written report
- 76376 3D rendering with interpretation and reporting of computed tomography, magnetic resonance imaging, ultrasound, or other tomographic modality with image postprocessing under concurrent supervision; not requiring image postprocessing on an independent workstation (Use 76376 in conjunction with code[s] for base imaging procedure[s]) (Do not report 76376 in conjunction with 70496, 70498, 70544-70549, 71275, 71555, 72159, 72191, 72198, 73206, 73225, 73706, 73725, 74175, 74175,
- 76377 requiring image postprocessing on an independent workstation (Use 76377 in conjunction with code(s) for base imaging procedure[s]) (Do not report 76377 in conjunction with 70496, 70498, 70544-70549, 71275, 71555, 72159, 72191, 72198, 73206, 73225, 73706, 73725, 74174, 74175, 74185, 74261-74263, 75557, 75559, 75561, 75563, 75565,

74185, 74261-74263, 75557, 75559, 75561, 75563, 75565, 75571-75574,

- 75571-75574, 75635, 76376, 78012-78999, 0159T)
  76380 Computed tomography, limited or localized follow-up study
- 76496 Unlisted fluoroscopic procedure (eg, diagnostic, interventional)
- 76497 Unlisted computed tomography procedure (eg, diagnostic, interventional)
- 76498 Unlisted magnetic resonance procedure (eg, diagnostic, interventional)
- 76499 Unlisted diagnostic radiographic procedure

75635, 76377, 78012-78999, 0159T)

**S8032** Low-dose computer tomography for lung cancer screening

#### **DIAGNOSTIC ULTRASOUND**

All diagnostic ultrasound examinations require permanently recorded images with measurements, when such measurements are clinically indicated. For those codes whose sole diagnostic goal is a biometric measure (ie, 76514, 76516, and 76519), permanently recorded images are not required. A final, written report should be issued for inclusion in the patient's medical record. The prescription form for the intraocular lens satisfies the written report requirement for 76519.

For those anatomic regions that have "complete" and "limited" ultrasound codes, note the elements that comprise a "complete" exam. The report should contain a description of these elements or the reason that an element could not be visualized (eg, obscured by bowel gas, surgically absent).

If less than the required elements for a "complete" exam are reported (eg, limited number of organs or limited portion of region evaluated), the "limited" code for that anatomic region should be used once per patient exam session. A "limited" exam of an anatomic region should not be reported for the same exam session as a "complete" exam of that same region.

Evaluation of vascular structures using both color and spectral Doppler is separately reportable. To report, see noninvasive vascular diagnostic studies (93875-93990). However, color Doppler alone, when performed for anatomic structure identification in conjunction with a real-time ultrasound examination, is not reported separately.

Ultrasound guidance procedures also require permanently recorded images of the site to be localized, as well as a documented description of the localization process, either separately or within the report of the procedure for which the guidance is utilized.

Use of ultrasound, without thorough evaluation of organ(s) or anatomic region, image documentation, and final, written report, is not separately reportable.

#### **DEFINITIONS**:

**A MODE**: Implies a one-dimensional ultrasonic measurement procedure.

**M MODE**: Implies a one-dimensional ultrasonic measurement procedure with movement of the trace to record amplitude and velocity of moving echo-producing structures.

**B SCAN**: Implies a two-dimensional ultrasonic scanning procedure with a two-dimensional display.

**REAL-TIME SCAN**: Implies a two-dimensional ultrasonic scanning procedure with display of both two-dimensional structure and motion with time.

#### **HEAD AND NECK**

76506 Echoencephalography, real time with image documentation (gray scale) (for determination of ventricular size, delineation of cerebral contents, and detection of fluid masses or other intracranial abnormalities), including A-mode encephalography as secondary component where indicated 76510 Ophthalmic ultrasound, diagnostic; B-scan and quantitative A-scan performed during the same patient encounter 76511 quantitative A-scan only 76512 B-scan (with or without superimposed non-quantitative A-scan) anterior segment ultrasound immersion (water bath) B-scan or high 76513 resolution biomicroscopy 76514 corneal pachymetry, unilateral or bilateral (determination of corneal thickness) 76516 Ophthalmic biometry by ultrasound echography, A-scan; 76519 with intraocular lens power calculation 76529 Ophthalmic ultrasonic foreign body localization

## **CHEST**

76604 Ultrasound, chest, (includes mediastinum) real time with image documentation

76536 Ultrasound, soft tissues of head and neck (eg, thyroid, parathyroid, parotid),

- **76641** Ultrasound, breast, unilateral, real time with image documentation including axilla when performed; complete
- **76642** limited

#### ABDOMEN AND RETROPERITONEUM

real time with image documentation

Use of ultrasound, without thorough evaluation of organ(s) or anatomic region, image documentation and final, written report, is not separately reportable.

- 76700 Ultrasound, abdominal, real time with image documentation; complete
- 76705 limited (eg, single organ, quadrant, follow-up)
- 76770 Ultrasound, retroperitoneal (eg, renal, aorta, nodes), real time with image documentation; complete
- 76775 limited
- 76776 Ultrasound, transplanted kidney, real time and duplex Doppler with image documentation
  - (Do not report 76776 in conjunction with 93975, 93976)

#### SPINAL CANAL

76800 Ultrasound, spinal canal and contents



#### **OBSTETRICAL**

Codes 76801 and 76802 include determination of the number of gestational sacs and fetuses, gestational sac/fetal measurements appropriate for gestation (<14 weeks 0 days), survey of visible fetal and placental anatomic structure, qualitative assessment of amniotic fluid volume/gestational sac shape and examination of the maternal uterus and adnexa.

Codes 76805 and 76810 include determination of number of fetuses and amniotic/chorionic sacs, measurements appropriate for gestational age (> or =14 weeks 0 days), survey of intracranial/spinal/abdominal anatomy, 4 chambered heart, umbilical cord insertion site, placenta location and amniotic fluid assessment and, when visible, examination of maternal adnexa.

Codes 76811 and 76812 include all elements of codes 76805 and 76810 plus detailed anatomic evaluation of the fetal brain/ventricles, face, heart/outflow tracts and chest anatomy, abdominal organ specific anatomy, number/length/architecture of limbs and detailed evaluation of the umbilical cord and placenta and other fetal anatomy as clinically indicated.

Patient record should document the results of the evaluation of each element described above or the reason for non-visualization.

Code 76815 represents a focused "quick look" exam limited to the assessment of one or more of the elements listed in code 76815.

Code 76816 describes an examination designed to reassess fetal size and interval growth or reevaluate one or more anatomic abnormalities of a fetus previously demonstrated on ultrasound, and should be coded once regardless of the number of fetus. (Bill on one line indicating the number of fetus in the units field)

Code 76817 describes a transvaginal obstetric ultrasound performed separately or in addition to one of the transabdominal examinations described above. For transvaginal examinations performed for non-obstetrical purposes, use code 76830.

Reimbursement amounts for the Medicaid Obstetrical and Maternal Services Program (MOMS) are noted in the Fee Schedule under column 'FEE MOMS'. For information on the MOMS Program, see Policy Section.

76801 Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, first trimester (<14 weeks 0 days), transabdominal approach (complete fetal and maternal evaluation); single or first gestation 76802 each additional gestation (List separately in addition to primary procedure) (Use 76802 in conjunction with 76801) Ultrasound, pregnant uterus, real time with image documentation, fetal and 76805 maternal evaluation, after first trimester (> or = 14 weeks 0 days), transabdominal approach (complete fetal and maternal evaluation); single or first gestation 76810 each additional gestation (List separately in addition to primary procedure) (Use 76810 in conjunction with 76805) Ultrasound, pregnant uterus, real time with image documentation, fetal and 76811 maternal evaluation plus detailed fetal anatomic examination, transabdominal approach (complete fetal and maternal evaluation); single or first gestation 76812 each additional gestation (List separately in addition to primary procedure) (Use 76812 in conjunction with 76811) 76813 Ultrasound, pregnant uterus, real time with image documentation, first trimester fetal nuchal translucency measurement, transabdominal or transvaginal approach; single or first gestation 76814 each additional gestation (List separately in addition to primary procedure) 76815 Ultrasound, pregnant uterus, real time with image documentation, limited (eg. fetal heart beat, placental location, fetal position and/or qualitative amniotic fluid volume), one or more fetuses (Use 76815 only once per exam and not per element) (Use **ONLY** code 76815 to report ultrasound services provided in conjunction with procedure codes 59812-59857. Procedure code 76815 should be billed regardless of the approach used to perform the ultrasound procedure (eg, transvaginal)) 76816 Ultrasound, pregnant uterus, real time with image documentation, follow-up (eg, re-evaluation of fetal size by measuring standard growth parameters and amniotic fluid volume, re-evaluation of organ system(s) suspected or confirmed to be abnormal on a previous scan), transabdominal approach, per fetus 76817 Ultrasound, pregnant uterus, real time with image documentation, transvaginal (If transvaginal examination is done in addition to transabdominal obstetrical

ultrasound exam, use 76817 in addition to appropriate transabdominal exam

code)

76819

76818 Fetal biophysical profile; with non-stress testing without non-stress testing

76820 Doppler velocimetry, fetal; umbilical artery

(Billable with a diagnosis of polyhydramnios, oligohydramnios, placental transfusion syndromes or poor fetal growth) 76821 middle cerebral artery (Billable with a diagnosis of rhesus isoimmunization, placental transfusion syndromes or viral diseases complicating pregnancy (e.g. parvovirus B-19 infection)) 76825 Echocardiography, fetal, cardiovascular system, real time with image documentation (2D), with or without M mode recording; 76826 follow-up or repeat study Doppler echocardiography, fetal, pulsed wave and/or continuous wave with 76827 spectral display; complete 76828 follow-up or repeat study

#### **NON OBSTETRICAL**

76830 Ultrasound, transvaginal

 (If transvaginal examination is done in addition to transabdominal non-obstetrical ultrasound exam, use 76830 in addition to appropriate transabdominal exam code)

 76831 Saline infusion sonohysterography (SIS), including color flow Doppler, when performed
 76856 Ultrasound, pelvic (nonobstetric), real time with image documentation; complete limited or follow-up (eg, for follicles)

#### **GENITALIA**

76870 Ultrasound, scrotum and contents
 76872 Ultrasound, transrectal;
 76873 prostate volume study for brachytherapy treatment planning (separate procedure)

## **EXTREMITIES**

76881

complete
76882 limited, anatomic specific
76885 Ultrasound, infant hips, real time with imaging documentation; dynamic (requiring physician or other qualified health care professional manipulation)
76886 limited, static (not requiring physician or other qualified health care professional manipulation)

Ultrasound, extremity, nonvascular, real-time with image documentation;

#### **VASCULAR STUDIES**

(For vascular studies, see 93875-93990)

#### **ULTRASONIC GUIDANCE PROCEDURES**

- 76930 Ultrasonic guidance for pericardiocentesis, imaging supervision and interpretation
- 76932 Ultrasonic guidance for endomyocardial biopsy, imaging supervision and interpretation
- 76936 Ultrasound guided compression repair of arterial pseudo-aneurysm or arteriovenous fistulae (includes diagnostic ultrasound evaluation, compression of lesion and imaging)
- 76937 Ultrasound guidance for vascular access requiring ultrasound evaluation of potential access sites, documentation of selected vessel patency, concurrent realtime ultrasound visualization of vascular needle entry, with permanent recording and reporting

  (List separately in addition to primary procedure)

  (Do not use 76937 in conjunction with 76942)
- 76940 Ultrasound guidance for, and monitoring of, parenchymal tissue ablation (Do not report 76940 in conjunction with 76998)
- 76941 Ultrasonic guidance for intrauterine fetal transfusion or cordocentesis, imaging supervision and interpretation
- 76942 Ultrasonic guidance for needle placement (eg, biopsy, aspiration, injection, localization device), imaging supervision and interpretation (Do not report 76942 in conjunction with 43232, 43237, 43242, 45341, 45342 or 76975)
- 76945 Ultrasonic guidance for chorionic villus sampling, imaging supervision and interpretation
- 76946 Ultrasonic guidance for amniocentesis, imaging supervision and interpretation
- 76965 Ultrasonic guidance for interstitial radioelement application

#### **OTHER PROCEDURES**

- 76975 Gastrointestinal endoscopic ultrasound, supervision and interpretation (Do not report 76975 in conjunction with 43231, 43232, 43237, 43238, 43242, 43259, 45341, 45342, or 76942)
- 76977 Ultrasound bone density measurement and interpretation, peripheral site(s), any method
- 76998 Ultrasonic guidance, intraoperative (Do not report 76998 in conjunction with 47370-47382)
- 76999 Unlisted ultrasound procedure (eg, diagnostic, interventional)

#### RADIOLOGIC GUIDANCE

#### **FLUOROSCOPIC GUIDANCE**

77001 Fluoroscopic guidance for central venous access device placement, replacement (catheter only or complete), or removal (includes fluoroscopic guidance for vascular access and catheter manipulation, any necessary contrast injections through access site or catheter with related venography radiologic supervision and interpretation, and radiographic documentation of final catheter position)

(List separately in addition to primary procedure)

(Do not use 77001 in conjunction with 77002)

77002 Fluoroscopic guidance for needle placement (eg, biopsy, aspiration, injection, localization device)

(77002 includes all radiographic arthrography with the exception of supervision and interpretation for CT and MR arthrography)

(Do not report 77002 in addition to 70332, 73040, 73085, 73115, 73525, 73580, 73615)

(77002 is included in the organ/anatomic specific radiological supervision and interpretation procedures 49440, 74320, 74355, 74445, 74470, 74475, 75809, 75810, 75885, 75887, 75980, 75982, 75989)

77003 Fluoroscopic guidance and localization of needle or catheter tip for spine or paraspinous diagnostic or therapeutic injection procedures (epidural or subarachnoid)

(Injection of contrast during fluoroscopic guidance and localization [77003] is included in 22526, 22527, 62263, 62264, 62267, 62270-62282, 62310-62319) (Do not report 77003 in conjunction with 64479-64484, 64490-64495)

#### **COMPUTED TOMOGRAPHY GUIDANCE**

- 77011 Computed tomography guidance for stereotactic localization
- 77012 Computed tomography guidance for needle placement (eg, biopsy, aspiration, injection, localization device), radiological supervision and interpretation
- 77013 Computerized tomography guidance for, and monitoring of, parenchymal tissue ablation

(Do not report 77013 in conjunction with 20982)

77014 Computed tomography guidance for placement of radiation therapy fields

#### **MAGNETIC RESONANCE GUIDANCE**

77021 Magnetic resonance guidance for needle placement (eg, for biopsy, needle aspiration, injection, or placement of localization device) radiological supervision and interpretation

77022 Magnetic resonance guidance for, and monitoring of, parenchymal tissue ablation

#### **BREAST, MAMMOGRAPHY**

- 77051 Computer-aided detection (computer algorithm analysis of digital image data for lesion detection) with further review for interpretation, with or without digitization of film radiographic images; diagnostic mammography (List separately in addition to primary procedure)
  - (Use 77051 in conjunction with 77055, 77056)
- 77052 screening mammography

(List separately in addition to primary procedure)

(Use 77052 in conjunction with 77057)

- 77053 Mammary ductogram or galactogram, single duct, radiological supervision and interpretation
- 77054 Mammary ductogram or galactogram, multiple ducts, radiological supervision and interpretation
- 77055 Mammography; unilateral
- 77056 bilateral
- 77057 Screening mammography, bilateral (2-view film study of each breast)
- <u>77058</u> Magnetic resonance imaging, breast, without and/or with contrast material(s); unilateral
- 77059 bilateral
- G0202 Screening mammography, producing direct digital image, bilateral, all views
- G0204 Diagnostic mammography, producing direct 2-d digital image, bilateral, all views
- G0206 Diagnostic mammography, producing direct 2-d digital image, unilateral, all views

## **BONE/JOINT STUDIES**

- 77071 Manual application of stress performed by physician or other qualified health care professional for joint radiography, including contralateral joint if indicated
- 77072 Bone age studies
- 77073 Bone length studies (orthoroentgenogram, scanogram)
- 77074 Radiologic examination, osseous survey; limited (eg, for metastases)
- 77075 complete (axial and appendicular skeleton)
- 77076 Radiologic examination, osseous survey, infant
- 77077 Joint survey, single view, 2 or more joints (specify)
- 77078 Computed tomography, bone mineral density study, 1 or more sites; axial skeleton (eg, hips, pelvis, spine)
- 77080 Dual-energy x-ray absorptiometry (DXA), bone density study, 1 or more sites; axial skeleton (eg, hips, pelvis, spine)
- appendicular skeleton (peripheral) (eg, radius, wrist, heel)

77084 Magnetic resonance (eg, proton) imaging, bone marrow blood supply

#### RADIATION ONCOLOGY

Listings for Radiation Oncology provide for teletherapy and brachytherapy to include initial consultation, clinical treatment planning, simulation, medical radiation physics, dosimetry, treatment devices, special services, and clinical treatment management procedures. They include normal follow-up care during course of treatment and for three months following its completion.

For treatment by injectable or ingestible isotopes, see subsection **Nuclear Medicine**.

## **CONSULTATION: CLINICAL MANAGEMENT**

Preliminary consultation, evaluation of patient prior to decision to treat, or full medical care (in addition to treatment management) when provided by the therapeutic radiologist may be identified by the appropriate procedure codes from Evaluation and Management, Medicine or Surgery sections.

#### CLINICAL TREATMENT PLANNING (EXTERNAL AND INTERNAL SOURCES)

The clinical treatment planning process is a complex service including interpretation of special testing, tumor localization, treatment volume determination, treatment time/dosage determination, choice of treatment modality, determination of number and size of treatment ports, selection of appropriate treatment devices, and other procedures.

#### **DEFINITIONS**:

**SIMPLE** - planning requiring single treatment area of interest encompassed in a single port or simple parallel opposed ports with simple or no blocking.

**INTERMEDIATE** - planning requiring three or more converging ports, two separate treatment areas, multiple blocks, or special time dose constraints.

**COMPLEX** - planning requiring highly complex blocking, custom shielding blocks, tangential ports, special wedges or compensators, three or more separate treatment areas, rotational or special beam considerations, combination of therapeutic modalities.

Reimbursement for procedure codes 77261, 77262 & 77263 is for the global fee.

77261 Therapeutic radiology treatment planning; simple

77262 intermediate 77263 complex

#### **DEFINITIONS**:

**SIMPLE** - simulation of a single treatment area with either a single port or parallel opposed ports. Simple or no blocking.

**INTERMEDIATE** - simulation of three or more converging ports, two separate treatment areas, multiple blocks.

**COMPLEX** - simulation of tangential portals, three or more treatment areas, rotation or arc therapy, complex blocking, custom shielding blocks, brachytherapy source verification, hyperthermia probe verification, any use of contrast materials.

Three-dimensional (3D) computer-generated 3D reconstruction of tumor volume and surrounding critical normal tissue structures from direct CT scans and/or MRI data in preparation for non-coplanar or coplanar therapy. The stimulation utilizes documented 3D beam's eye view volume-dose displays of multiple or moving beams. Documentation with 3D volume reconstruction and dose distribution is required.

Simulation may be carried out on a dedicated simulator, a radiation therapy treatment unit, or diagnostic X-ray machine.

77280	Therapeutic radiology simulation-aided field setting; simple
77285	intermediate
77290	complex
77293	Respiratory motion management simulation (List separately in addition to code
	for primary procedure)
77299	Unlisted procedure, therapeutic radiology clinical treatment planning

# MEDICAL RADIATION PHYSICS, DOSIMETRY, TREATMENT DEVICES AND SPECIAL SERVICES

77295 77300	3-dimensional radiotherapy plan, including dose-volume histograms Basic radiation dosimetry calculation, central axis depth dose, TDF, NSD, gap calculation, off axis factor, tissue inhomogeneity factors, calculation of non- ionizing radiation surface and depth dose, as required during course of
	treatment, only when prescribed by the treating physician
77301	Intensity modulated radiotherapy plan, including dose-volume histograms for
	target and critical structure partial tolerance specifications
77306	Teletherapy isodose plan, simple (1 or 2 unmodified ports directed to a single
	area of interest), includes basic dosimetry calculation(s)
77307	complex (multiple treatment areas, tangential ports, the use of
	wedges, blocking, rotational beam, or special beam considerations),
	includes basic dosimetry calculation(s)
77316	Brachytherapy isodose plan; simple (calculation(s) made from 1 to 4 sources,

or remote afterloading brachytherapy, 1 channel), includes basic dosimetry

calculation(s)

- intermediate (calculation(s) made from 5 to 10 sources, or remote afterloading brachytherapy, 2-12 channel(s), includes basic dosimetry calculation(s)
- 77318 complex calculation(s) made from over 10 sources, or remote afterloading brachytherapy, over 12 channel(s), includes basic dosimetry calculation(s)
- 77321 Special teletherapy port plan, particles, hemi-body, total body
- 77331 Special dosimetry (eg, TLD, microdosimetry) (specify), only when prescribed by the treating physician
- 77332 Treatment devices, design and construction; simple (simple block, simple bolus)
- intermediate (multiple blocks, stents, bite blocks, special bolus)
- 77334 complex (irregular blocks, special shields, compensators, wedges, molds or casts)
- 77336 Continuing medical radiation physics consultation, including assessment of treatment parameters, quality assurance of dose delivery, and review of patient treatment documentation in support of the radiation oncologist, reported per week of therapy (Reimbursement is for the global fee)
- 77338 Multi-leaf collimator MLC) device(s) for intensity modulated radiation therapy (IMRT), design and construction per IMRT plan (Do not report 77338 more than once per IMRT plan)

#### STEREOTACTIC RADIATION TREATMENT DELIVERY

- 77371 Radiation treatment delivery, stereotactic radiosurgery (SRS), complete course of treatment of cranial lesion(s) consisting of 1 session; multi-source Cobalt 60 based
- 77372 linear accelerator based
- 77373 Stereotactic body radiation therapy, treatment delivery, per fraction to 1 or more lesions, including image guidance, entire course not to exceed 5 fractions

#### **OTHER PROCEDURES**

77399 Unlisted procedure, medical radiation physics, dosimetry and treatment devices, and special services

#### RADIATION TREATMENT DELIVERY

All treatment delivery codes are reported once per treatment session. The treatment delivery codes recognize technical-only services and contain no physician work (the professional component).

- 77401 Radiation treatment delivery, superficial and/or ortho voltage, per day
- 77402 Radiation treatment delivery, >1MeV; simple
- 77407 intermediate

- 77412 complex
- 77417 Therapeutic radiology port film(s)
- 77385 Intensity modulated radiation treatment delivery (IMRT), includes guidance and tracking, when performed; simple
- **77386** complex
- 77387 Guidance for localization of target volume for delivery of radiation treatment delivery, includes intrafraction tracking, when performed
- 77424 Intraoperative radiation treatment delivery, x-ray, single treatment session
- 77425 Intraoperative radiation treatment delivery, electrons, single treatment session

#### NEUTRON BEAM TREATMENT DELIVERY

- 77422 High energy neutron radiation treatment delivery; single treatment area using a single port or parallel-opposed ports with no blocks or simple blocking (Report required)
- 1 or more isocenter(s) with coplanar or non-coplanar geometry with blocking and/or wedge, and/or compensator(s) (Report required)

#### RADIATION TREATMENT MANAGEMENT

Radiation treatment management is reported in units of five fractions or treatment sessions, regardless of the actual time period in which the services are furnished. The services need not be furnished on consecutive days. Multiple fractions representing two or more treatment sessions furnished on the same day may be counted separately as long as there has been a distinct break in therapy sessions, and the fractions are of the character usually furnished on different days. Code 77427 is also reported if there are three or four fractions beyond a multiple of five at the end of a course of treatment; one or two fractions beyond a multiple of five at the end of a course of treatment are not reported separately. **Procedure codes 77427-77469 are for the professional component only, no modifier required.** 

The professional services furnished during treatment management typically consists of:

- Review of port films;
- Review of dosimetry, dose delivery, and treatment parameters;
- Review of patient treatment set-up;
- Examination of patient for medical evaluation and management (eg, assessment of the patient's response to treatment, coordination of care and treatment, review of imaging and/or lab results).
- 77427 Radiation treatment management, five treatments
  (Weekly clinical management is based on five fractions delivered comprising one week regardless of the time interval separating the delivery of treatments)
- 77431 Radiation therapy management with complete course of therapy consisting of one or two fractions only

- (77431 is not to be used to fill in the last week of a long course of therapy)
- 77432 Stereotactic radiation treatment management of cranial lesion(s) (complete course of treatment consisting of one session)
- 77435 Stereotactic body radiation therapy, treatment management, per treatment course, to one or more lesions, including image guidance, entire course not to exceed 5 fractions
  - (Do not report 77435 in conjunction with 77427-77432)
- 77469 Intraoperative radiation treatment management
- 77470 Special treatment procedure (eg, total body irradiation, hemibody radiation, per oral or endocavitary irradiation)
   (77470 assumes that the procedure is performed 1or more times during the course of therapy, in addition to daily or weekly patient management)
- 77499 Unlisted procedure, therapeutic radiology treatment management

#### **HYPERTHERMIA**

Hyperthermia treatments as listed in this section include external (superficial and deep), interstitial, and intracavitary. Radiation therapy when given concurrently is listed separately.

Hyperthermia is used only as an adjunct to radiation therapy or chemotherapy. It may be induced by a variety of sources, (eg, microwave, ultrasound, low energy radio-frequency conduction, or by probes).

The listed treatments include management during the course of therapy and follow-up care for three months after completion. Preliminary consultation is not included (see Evaluation and Management 99241-99255). Physics planning and interstitial insertion of temperature sensors, and use of external or interstitial heat generating sources are included.

The following descriptors are included in the treatment schedule:

- 77600 Hyperthermia, externally generated; superficial (ie, heating to a depth of 4 cm or less) (Report required)
- deep (ie, heating to depths greater than 4 cm) (Report required)
- 77610 Hyperthermia generated by interstitial probe(s); 5 or fewer interstitial applicators (Report required)
- 77615 more than 5 interstitial applicators (Report required)

#### **CLINICAL INTRACAVITARY HYPERTHERMIA**

77620 Hyperthermia generated by intracavitary probe(s) (Report required)

#### **CLINICAL BRACHYTHERAPY**

Clinical brachytherapy requires the use of either natural or man-made radioelements applied into or around a treatment field of interest. The supervision of radioelements and dose interpretation are performed solely by the therapeutic radiologist. When a procedure requires the service of a surgeon, see appropriate codes from the Surgery Section.

Services 77750-77799 include admission to the hospital and daily visits.

#### **DEFINITIONS:**

(Sources refer to intracavitary placement or permanent interstitial placement; ribbons refer to temporary interstitial placement.)

SIMPLE - application with one to four sources/ribbons

**INTERMEDIATE** - application with five to ten sources/ribbons

**COMPLEX** - application with greater than ten sources/ribbons

77750	Infusion or instillation of radioelement solution (includes three months follow-up
	care)

77761 Intracavitary radiation source application; simple

77762 intermediate 77763 complex

77776 Interstitial radiation source application; simple

77777 intermediate 77778 complex

77785 Remote afterloading high dose rate radionuclide brachytherapy; 1 channel

77786 2-12 channels 77787 over 12 channels

77789 Surface application of radiation source

77799 Unlisted procedure, clinical brachytherapy

## **NUCLEAR MEDICINE**

The services listed do not include the provision of radium or other radioelements. Those materials supplied by the provider should be billed separately and identified by the specific code describing the diagnostic radiopharmaceutical(s) and/or the therapeutic radiopharmaceutical(s) which are listed under *Radiopharmaceutical Imaging Agents*.

## **DIAGNOSTIC**

#### **ENDOCRINE SYSTEM**

78012	
	stimulation, suppression, or discharge, when performed)
78013	Thyroid imaging (including vascular flow, when performed);
78014	Thyroid imaging (including vascular flow, when performed); with single or
	multiple uptake(s) quantitative measurement(s) (including stimulation,
	suppression, or discharge, when performed)
78015	Thyroid carcinoma metastases imaging; limited area (eg, neck and chest only)
78016	with additional studies (eg, urinary recovery)
78018	whole body
78020	Thyroid carcinoma metastases uptake
	(List separately in addition to primary procedure)
	(Use 78020 in conjunction with 78018 only)
78070	Parathyroid planar imaging (including subtraction, when performed);
78071	with tomographic (SPECT)
78072	with tomographic (SPECT), and concurrently acquired computed
	tomography (CT) for anatomical localization
78075	Adrenal imaging, cortex and/or medulla
78099	Unlisted endocrine procedure, diagnostic nuclear medicine
HEMA7	TOPOIETIC, RETICULENDOTHELIAL AND LYMPHARIC SYSTEM
78102	Bone marrow imaging; limited area
78103	multiple areas
78104	whole body
78110	Plasma volume, radiopharmaceutical volume-dilution technique (separate
	procedure); single sampling
78111	multiple samplings
78120	Red cell volume determination (separate procedure); single sampling
78121	multiple samplings
78122	Whole blood volume determination, including separate measurement of plasma
	volume and red cell volume (radiopharmaceutical volume-dilution technique)
78130	Red cell survival study;
78135	differential organ/tissue kinetics, eg, splenic and/or hepatic sequestration
78185	Spleen imaging only, with or without vascular flow
78190	Kinetics, study of platelet survival, with or without differential organ/tissue
	localization (Report required)
78191	Platelet survival study
78195	Lymphatics and lymph nodes imaging
78199	Unlisted hematopoietic, reticuloendothelial and lymphatic procedure, diagnostic
	nuclear medicine

## **GASTROINTESTINAL SYSTEM**

78201 Liver imaging; static only 78202 with vascular flow 78205 Liver imaging (SPECT); 78206 with vascular flow 78215 Liver and spleen imaging; static only 78216 with vascular flow 78226 Hepatobiliary system imaging, including gallbladder when present; with pharmacologic intervention, including quantitative measurement(s), 78227 when preformed 78230 Salivary gland imaging; 78231 with serial images 78232 Salivary gland function study 78258 Esophageal motility 78261 Gastric mucosa imaging 78262 Gastroesophageal reflux study 78264 Gastric emptying study 78270 Vitamin B-12 absorption study (eg, Schilling test); without intrinsic factor 78271 with intrinsic factor 78272 Vitamin B-12 absorption studies combined, with and without intrinsic factor 78278 Acute gastrointestinal blood loss imaging 78290 Intestine imaging (eg. ectopic gastric mucosa, Meckel's localization, volvulus) 78291 Peritoneal-venous shunt patency test (eg, for LeVeen, Denver shunt) 78299 Unlisted gastrointestinal procedure, diagnostic nuclear medicine

#### MUSCULOSKELETAL SYSTEM

78300	Bone and/or joint imaging; limited area
78305	multiple areas
78306	whole body
78315	three phase study
78320	tomographic (SPECT)
78350	Bone density (bone mineral content) study, one or more sites; single photon
	absorptiometry
78351	dual photon absorptiometry
78399	Unlisted musculoskeletal procedure, diagnostic nuclear medicine

#### CARDIOVASCULAR SYSTEM

Myocardial perfusion and cardiac blood pool imaging studies may be performed at rest and/or during stress. When performed during exercise and/or pharmacologic stress, the appropriate stress testing code from the 93015-93018 series should be reported in addition to code(s) 78451-78454, 78472, 78473, 78481 and 78483.

78414 Determination of central c-v hemodynamics (non-imaging) (eg, ejection fraction with probe technique) with or without pharmacologic intervention or exercise, single or multiple determinations

78445 Non-cardiac vascular flow imaging (ie, angiography, venography)

78451 Myocardial perfusion imaging, tomographic (SPECT) (including attenuation correction, qualitative or quantitative wall motion, ejection fraction by first pass or gated technique, additional quantification, when performed); single study, at rest or stress (exercise or pharmacologic) multiple studies, at rest and/or stress (exercise or pharmacologic) and/or 78452 redistribution and/or rest reinjection 78453 Myocardial perfusion imaging, planar (including qualitative or quantitative wall motion, ejection fraction by first pass or gated technique, additional quantification, when performed); single study, at rest or stress (exercise or pharmacologic) multiple studies, at rest and/or stress (exercise or pharmacologic) and/or 78454 redistribution and/or rest reinjection 78456 Acute venous thrombosis imaging, peptide Venous thrombosis imaging, venogram; unilateral 78457 78458 78466 Myocardial imaging, infarct avid, planar; qualitative or quantitative 78468 with ejection fraction by first pass technique 78469 tomographic SPECT with or without quantification 78472 Cardiac blood pool imaging, gated equilibrium; planar, single study at rest or stress (exercise and/or pharmacologic), wall motion study plus ejection fraction, with or without additional quantitative processing multiple studies, wall motion study plus ejection pharmacologic), with or 78473 without additional quantification 78481 Cardiac blood pool imaging, (planar), first pass technique; single study, at rest or with stress (exercise and/or pharmacologic), wall motion study plus ejection fraction, with or without quantification 78483 multiple studies, at rest and with stress (exercise and/or pharmacologic), wall motion study plus ejection fraction, with or without quantification 78494 Cardiac blood pool imaging, gated equilibrium, SPECT, at rest, wall motion study plus ejection fraction, with or without quantitative processing Cardiac blood pool imaging, gated equilibrium, single study, at rest, with right 78496 ventricular ejection fraction by first pass technique (List separately in addition to primary procedure) (Use 78496 in conjunction with code 78472) 78499 Unlisted cardiovascular procedure, diagnostic nuclear medicine

#### RESPIRATORY SYSTEM

78579	Pulmonary ventilation imaging (eg, aerosol or gas)
78580	Pulmonary perfusion imaging (eg, particulate)

78582 Pulmonary ventilation (eg, aerosol or gas) and perfusion imaging

78597 Quantitative differential pulmonary perfusion, including imaging when performed

78598	Quantitative differential pulmonary perfusion and ventilation (eg, aerosol or gas), including imaging when performed
78599	Unlisted respiratory procedure; diagnostic nuclear medicine
NERVO	DUS SYSTEM
78600	Brain imaging, less than 4 static views;
78601	with vascular flow
78605	Brain imaging, minimum 4 static views;
78606	with vascular flow
78607	Brain imaging, tomographic (SPECT)
78610	Brain imaging, vascular flow only
78630	Cerebrospinal fluid flow, imaging (not including introduction of material);
	cisternography
78635	ventriculography
78645	shunt evaluation
78647	tomographic (SPECT)
78650	Cerebrospinal fluid leakage detection and localization
78660	Radiopharmaceutical dacryocystography
78699	Unlisted nervous system procedure, diagnostic nuclear medicine
<u>GENIT</u>	OURINARY SYSTEM
78700	Kidney imaging morphology;
78701	with vascular flow
78707	with vascular flow and function, single study, without pharmacological
	intervention
78708	with vascular flow and function, single study, with pharmacological intervention (eg, angiotensin converting enzyme inhibitor and/or diuretic)
78709	with vascular flow and function, multiple studies, with and without
	pharmacological intervention (eg, angiotensin converting enzyme inhibitor
	and/or diuretic)
78710	tomographic (SPECT)
78725	Kidney function study, non-imaging radioisotopic study
78730	Urinary bladder residual study
	(List separately in addition to primary procedure)
	(Use 78730 in conjunction with 78740)
78740	Ureteral reflux study (radiopharmaceutical voiding cystogram)
	(Use 78740 in conjunction with 78730 for urinary bladder residual study)
78761	Testicular imaging with vascular flow
78799	Unlisted genitourinary procedure, diagnostic nuclear medicine

## **OTHER PROCEDURES**

78800 Radiopharmaceutical localization of tumor or distribution of radiopharmaceutical agent(s); limited area

78801 78802 78803 78804 78805	multiple areas whole body, single day imaging tomographic (SPECT) Radiopharmaceutical localization of tumor or distribution of radiopharmaceutical agent(s); whole body, requiring two or more days imaging Radiopharmaceutical localization of inflammatory process; limited area
78806	whole body
78807 78999	tomograhic (SPECT) Unlisted miscellaneous procedure, diagnostic nuclear medicine
10333	offilsted miscellarieous procedure, diagnostic nuclear medicine
THERA	PEUTIC
79005	Radiopharmaceutical therapy, by oral administration
79101	Radiopharmaceutical therapy, by intravenous administration (Do not report 79101 in conjunction with 36400, 36410, 79403, 90760, 90774 or 90775, 96409)
79200	Radiopharmaceutical therapy, by intracavitary administration
79300	Radiopharmaceutical therapy, by interstitial radioactive colloid administration
79403	Radiopharmaceutical therapy, radiolabeled monoclonal antibody by intravenous infusion (Do not report 79403 in conjunction with 79101)
79440	Radiopharmaceutical therapy, by intra-articular administration
79445	Radiopharmaceutical therapy, by intra-arterial particulate administration  (Report required)
	(Do not report 79445 in conjunction with 90773, 96420)
	(Use appropriate procedural and radiological supervision and interpretation codes for the angiographic and interventional procedures provided prerequisite
	to intra-arterial radiopharmaceutical therapy)
79999	Radiopharmaceutical therapy, unlisted procedure
RADIO	PHARMACEUTICAL IMAGING AGENTS (Report and Invoice Required)
10.010	(roport and moles required)
A4641	Radiopharmaceutical, diagnostic, not otherwise classified
A4642	Indium In-111 satumomab pendetide, diagnostic, per study dose up to 6 millicuries
A9500	Technetium Tc-99m sestamibi, diagnostic, per study dose
A9501	Technetium Tc-99m teboroxime, diagnostic, per study dose
A9502	Technetium Tc-99m tetrofosmin, diagnostic, per study dose
A9503	Technetium Tc-99m medronate, diagnostic, per study dose, up to 30 millicuries
A9504	Technetium Tc-99m apcitide, diagnostic, per study dose, up to 20 millicuries
A9505	Thallium TI-201 thallous chloride, diagnostic, per millicurie
A9507	Indium In-111 capromab pendetide, diagnostic, per study dose, up to 10 millicuries
A9508	lodine I-131 iobenguane sulfate, diagnostic, per 0.5 millicurie

- A9509 Iodine I-123 sodium iodide, diagnostic, per millicurie
- A9510 Technetium Tc-99m disofenin, diagnostic, per study dose, up to 15 millicuries
- A9512 Technetium Tc-99m pertechnetate, diagnostic, per millicurie
- A9516 Iodine I-123 sodium iodide, diagnostic, per 100 microcuries, up to 999 microcuries
- A9517 Iodine I-131 sodium iodide capsule(s), therapeutic, per millicurie
- A9520 Technetium tc-99m, tilmanocept, diagnostic, up to 0.5 milicuries
- A9521 Technetium Tc-99m exametazime, diagnostic, per study dose, up to 25 millicuries
- A9524 Iodine I-131 iodinated serum albumin, diagnostic, per 5 microcuries
- A9526 Nitrogen N-13 ammonia, diagnostic, per study dose, up to 40 millicuries
- A9527 Iodine I-125, sodium iodide solution, therapeutic, per millicurie
- A9528 Iodine I-131 sodium iodide capsule(s), diagnostic, per millicurie
- A9529 Iodine I-131 sodium iodide solution, diagnostic, per millicurie
- A9530 Iodine I-131 sodium iodide solution, therapeutic, per millicurie
- A9531 Iodine I-131 sodium iodide, diagnostic, per microcurie (up to 100 microcuries)
- A9532 Iodine I-125 serum albumin, diagnostic, per 5 microcuries
- A9536 Technetium Tc-99m depreotide, diagnostic, per study dose, up to 35 millicuries
- A9537 Technetium Tc-99m mebrofenin, diagnostic, per study dose, up to 15 millicuries
- A9538 Technetium Tc-99m pyrophosphate, diagnostic, per study dose, up to 25 millicuries
- A9539 Technetium Tc-99m pentetate, diagnostic, per study dose, up to 25 millicuries
- A9540 Technetium Tc-99m macroaggregated albumin, diagnostic, per study dose, up to 10 millicuries
- A9541 Technetium Tc-99m sulfur colloid, diagnostic, per study dose, up to 20 millicuries
- A9542 Indium In-111 ibritumomab tiuxetan, diagnostic, per study dose, up to 5 millicuries
- A9543 Yttrium Y-90 ibritumomab tiuxetan, therapeutic, per treatment dose, up to 40 millicuries
- A9544 Iodine I-131 tositumomab, diagnostic, per study dose
- A9545 Iodine I-131 tositumomab, therapeutic, per treatment dose
- A9546 Cobalt Co-57/58, cyanocobalamin, diagnostic, per study dose, up to 1 microcurie
- A9547 Indium In-111 oxyquinoline, diagnostic, per 0.5 millicurie
- A9548 Indium In-111 pentetate, diagnostic, per 0.5 millicurie
- A9550 Technetium Tc-99m sodium gluceptate, diagnostic, per study dose, up to 25 millicurie
- A9551 Technetium Tc-99m succimer, diagnostic, per study dose, up to 10 millicuries
- A9552 Fluorodeoxyglucose F-18 FDG, diagnostic, per study dose, up to 45 millicuries
- A9553 Chromium Cr-51 sodium chromate, diagnostic, per study dose, up to 250 microcuries

- A9554 Iodine I-125 sodium Iothalamate, diagnostic, per study dose, up to 10 microcuries
- **A9555** Rubidium Rb-82, diagnostic, per study dose, up to 60 millicuries
- A9557 Technetium Tc-99m bicisate, diagnostic, per study dose, up to 25 millicuries
- A9558 Xenon Xe-133 gas, diagnostic, per 10 millicuries
- A9559 Cobalt Co-57 cyanocobalamin, oral, diagnostic, per study dose, up to 1 microcurie
- A9560 Technetium Tc-99m labeled red blood cells, diagnostic, per study dose, up to 30 millicuries
- A9561 Technetium Tc-99m oxidronate, diagnostic, per study dose, up to 30 millicuries
- A9562 Technetium Tc-99m mertiatide, diagnostic, per study dose, up to 15 millicuries
- A9563 Sodium phosphate P-32, therapeutic, per millicurie
- A9564 Chromic phosphate P-32 suspension, therapeutic, per millicurie
- A9566 Technetium Tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries
- A9567 Technetium Tc-99m pentetate, diagnostic, aerosol, per study dose, up to 75 millicuries
- A9568 Technetium Tc-99m arcitumomab, diagnostic, per study dose, up to 45 millicuries
- A9569 Technetium Tc-99m exametazime labeled autologous white blood cells, diagnostic, per study dose
- A9570 Indium In-111 labeled autologous white blood cells, diagnostic, per study dose
- A9571 Indium In-111 labeled autologous platelets, diagnostic, per study dose
- A9572 Indium In-111 pentetreotide, diagnostic, per study dose, up to 6 millicuries
- A9580 Sodium fluoride F-18, diagnostic, per study dose, up to 30 millicuries
- A9582 Iodine I-123 iobenquane, diagnostic, per study dose, up to 15 millicuries
- A9584 Iodine 1-123 ioflupane, diagnostic, per study dose, up to 5 millicuries
- A9600 Strontium Sr-89 chloride, therapeutic, per millicurie
- A9604 Samarium SM-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries
- **A9606** Radium Ra-223 dichloride, the rapeutic, per microcurie
- A9699 Radiopharmaceutical, therapeutic, not otherwise classified
- J3472 Hyaluronidase, ovine, preservative free, per 1000 USP units

## **POSITRON EMISSION TOMOGRAPHY (PET) SERVICES**

Effective 4/1/2015, Medicaid is carving out the cost of the radioactive tracer from the PET scan global fee. **Medicaid will reimburse for the professional/technical administrative component of a PET scan and separate reimbursement will be made for the PET scan tracer.** To receive reimbursement for only the professional component (facility based services only), see modifier -26 Professional Component.

78459 Myocardial imaging, positron emission tomography (PET), metabolic evaluation

## Physician – Procedure Codes, Section 4 - Radiology

<u>78491</u>	Myocardial imaging, positron emission tomography (PET), perfusion, single
	study at rest or stress
<u>78492</u>	multiple studies at rest and/or stress
<u> 78608</u>	Brain imaging, positron emission tomography (PET), metabolic evaluation
<u> 78609</u>	perfusion evaluation
<u> 78811</u>	Positron emission tomography (PET) imaging; limited area (eg, chest,
	head/neck)
<u> 78812</u>	skull base to mid-thigh
<u> 78813</u>	whole body
<u> 78814</u>	Positron emission tomography (PET) with concurrently acquired computed
	tomography (CT) for attenuation correction and anatomical localization imaging;
	limited area (eg, chest, head/neck)
<u> 78815</u>	skull base to mid-thigh
78816	whole body
	(Report 78811-78816 only once per imaging session)