

Price List 2021

RESIDENTIAL & COMMERCIAL IRRIGATION | *Built on Innovation*[®]

Hunter[®]



EFFECTIVE MAY 1, 2021
Supersedes all previous price lists. Prices and specifications are subject to change without notice.

TABLE OF CONTENTS

ROTORS4

PGJ: Gear-Driven Rotors.....	4
SRM: Gear-Driven Rotors.....	4
PGP®: Gear-Driven Rotors.....	5
PGP Ultra: Gear-Driven Rotors.....	5
I-20: Gear-Driven Rotors.....	6
Rotor Pressure Regulator.....	6
PGP Ultra: Pressure-Regulated Rotors.....	7
I-20: Pressure-Regulated Rotors.....	7
I-25: Gear-Driven Rotors.....	8
I-40: Gear-Driven Rotors.....	9
I-50: Gear-Driven Rotors.....	10
I-80: Gear-Driven Rotors.....	10
I-90: Gear-Driven Rotors.....	10
HSJ Swing Joints.....	11
HCV: Hunter Check Valves.....	12
Rotor Accessories.....	13
Demonstration Sprinklers.....	14

SYNTHETIC TURF SYSTEMS15

ST System Kits.....	15
ST Rotors.....	15
ST Rotor Cover Kits.....	16
ST Vaults.....	16
ST Brackets and Supports.....	16
ST Valves.....	16
ST Solenoids.....	17
ST Manifold.....	17
ST Tools.....	17
Quick Coupler Vault Systems.....	17

MP ROTATOR®18

Standard MP Rotator Nozzles.....	18
MP Rotator 800 Series Nozzles.....	19
MP Stake.....	20
MP Rotator Filter Screens.....	20
MP Rotator Tools.....	20

SPRAYS.....21

PS Ultra: Sprays with Preinstalled Nozzle.....	21
Pro-Spray®.....	22
Pro-Spray PRS30.....	23
Pro-Spray PRS40.....	24
SJ: Threaded Swing Joint.....	24
Hunter Spiral Barb Elbows.....	25
Hunter Flexible Tubing – Swing Pipe.....	25
Pro-Spray Accessories.....	25
PS Ultra Accessories.....	25
Demonstration Sprinklers.....	25

NOZZLES.....26

Spray Nozzles.....	26
Bubblers and Bubbler Nozzles.....	27
Filter Screens.....	27

VALVES28

1" PGV: Professional-Grade Valves.....	28
1" PGV Jar-Top Valves.....	29
PGV 1½" and 2" Valves.....	30
ICV: Commercial Valves.....	30
IBV: Brass Valves.....	31
Accu Sync® Pressure Regulators.....	31
HQ: Quick Coupling Valves.....	31
HSJ: SnapLok™ Swing Joints.....	32
HK: Quick Coupling Keys.....	32
HS: Quick Coupling Swivels.....	32
Valve Accessories.....	32

CONTROLLERS33

STANDARD CONTROLLERS

X-Core®: Indoor Mount Controllers.....	33
X-Core: Outdoor Mount Controllers.....	33
X2™: Wi-Fi Capable Controllers.....	33
Pro-C®: Conventional Controllers.....	33
Pro-C: Modular Controllers.....	34
I-Core®: Controllers.....	34

HYDRAWISE® CONTROLLERS

Hydrawise Subscription Plans.....	34
HC Indoor Controllers.....	34
WAND: Wi-Fi Module for X2 Controllers.....	35
HPC Outdoor Modular Controllers.....	35
Pro-HC Indoor/Outdoor-Mount Controllers.....	35
HCC Outdoor Modular Controllers.....	35

CENTRALUS™ CONTROLLERS

ICC2: Controllers.....	36
ICC2: Components.....	36
ACC2: Advanced Controllers.....	36
ACC2: Advanced Decoder Controllers.....	36
ACC2 and ACC2 Decoder: Components.....	37

IMMS™ ONLINE CONTROLLERS

Irrigation Management and Monitoring System:	
Central Control.....	37
ACC: Advanced Controllers.....	37
ACC Two-Wire Decoders.....	37
ACC and ACC Decoder: Communication Components.....	38

BATTERY-POWERED CONTROLLERS

BTT: Bluetooth® Battery-Powered Tap Timers.....	38
NODE: Battery-Powered Controllers.....	39
NODE-BT: Bluetooth Battery-Powered Controllers.....	39
XC Hybrid: Mounted Battery-Powered Controllers.....	39

DECODERS AND ACCESSORIES

Waterproof Wire Connectors.....	40
ICD: Decoder System for ACC and ACC2 Controllers.....	40
EZ Decoder Systems for HCC, ICC2, and Pro-C Controllers.....	40
DUAL®: Decoder System for I-Core Controllers.....	40
ICD-HP: Handheld Decoder Programmer for ICD Decoders.....	40
ROAM: Residential Remote Control Systems.....	41
ROAM XL: Remote Control Systems.....	41
PSR: Pump Start Relays.....	41
Decoder Cables.....	42

SENSORS43

Wired Rain-Clik®: Rain Sensors 43
 Wireless Rain-Clik: Rain Sensors 43
 Mini-Clik®: Rain Sensors..... 43
 Solar Sync®: ET Sensors 43
 HC: Hydrowise Flow Meters..... 44
 Flow Sensors 44
 Soil-Clik®: Soil Sensor 44
 Freeze-Clik®: Freeze Sensor 44
 Wind-Clik®: Wind Sensor..... 45
 Mini Weather Stations 45
 Sensor Accessories 45

MICRO IRRIGATION46

Drip Control Zone Kits..... 46
 Filters and Filter Regulators..... 47
 Senninger® Pressure Regulators..... 48
 Hunter Dripline (HDL)..... 49
 HDL Fittings 51
 Eco-Mat® 52
 Eco-Wrap® 52
 Distribution and Supply Tubings..... 52
 Eco-Indicator..... 52
 MLD: ¼" (6 mm) Mini Landscape Dripline..... 53
 IH Risers 53
 Point-Source Emitters (Pressure-Compensating)..... 55
 Hunter Emitter Multi-Tool 56
 Pocket Punch 56
 Multi-Port Emitter (Now With Swivel Outlet Ports)..... 56
 Micro Sprays and Micro Bubblers..... 56
 Rigid Risers 56
 Multi-Purpose Boxes 57
 Air/Vacuum Relief Valves..... 57
 Automatic Flush Valves 57
 Root Zone Watering Systems (RZWS)..... 57

ACCESSORIES59

RZWS Accessories 59
 Hose-End Nozzles..... 59
 Tools 59

ORDERING INFORMATION

The following general conditions apply to authorized Hunter distributors:

Pricing

All prices are effective as of the publication date noted on the cover, but are subject to change without notice. Hunter will provide advance notice of price changes whenever possible. Otherwise, accepted orders will be invoiced at prices given on the date the order was received.

Carton Quantity Orders

Orders must be placed in multiples of the carton quantities listed in this price list, except where noted. Orders received that are not in multiples of carton quantities will be rounded up to the nearest carton quantity multiple.

Promo Store

View available Hunter promotional materials at promo.hunterindustries.com or talk to your regional sales manager for any custom requests.

Document Library

Search and download available literature and view items in stock at hunterindustries.com/document-list. Place your order for in-stock items through your customer service representative.

Quick Ship 

This icon signifies that a product is available for quick delivery.



PGJ: GEAR-DRIVEN ROTORS

PGJ, SHRUB ROTOR WITH 8 STANDARD NOZZLES, 1/2" INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PGJ-00	20.75	Shrub body, adjustable arc (40° to 360°), no check valve	25
PGJ-00-R	23.75	Shrub body, adjustable arc (40° to 360°) with reclaimed water ID logo cap	25



PGJ, 4" POP-UP ROTOR WITH 8 STANDARD NOZZLES, 1/2" INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PGJ-04	21.75	Adjustable arc (40° to 360°), no check valve	25
PGJ-04-V	23.75	Adjustable arc (40° to 360°) with check valve	25
PGJ-04-R	27.25	Adjustable arc (40° to 360°) with check valve and reclaimed water ID logo cap	25



PGJ, 6" POP-UP ROTOR WITH 8 STANDARD NOZZLES, 1/2" INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PGJ-06	31.00	Adjustable arc (40° to 360°), no check valve	25
PGJ-06-V	33.00	Adjustable arc (40° to 360°) with check valve	25
PGJ-06-R	36.50	Adjustable arc (40° to 360°) with check valve and reclaimed water ID logo cap	25



PGJ, 12" POP-UP ROTOR WITH 8 STANDARD NOZZLES, 1/2" INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PGJ-12	43.50	Adjustable arc (40° to 360°), no check valve	12
PGJ-12-V	45.50	Adjustable arc (40° to 360°) with check valve	12
PGJ-12-R	49.00	Adjustable arc (40° to 360°) with check valve and reclaimed water ID logo cap	12




SRM: GEAR-DRIVEN ROTORS

SRM, 4" POP-UP ROTOR WITH 6 STANDARD NOZZLES, 1/2" INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
SRM-04	19.55	Adjustable arc (40° to 360°), no check valve	25

Note: PGJ and SRM sprinklers are sold in carton quantities only. Sprinklers are packed with racks of nozzles.




PGP®: GEAR-DRIVEN ROTORS

PGP, 4" POP-UP ROTOR WITH 8 STANDARD BLUE NOZZLES, ¾" INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PGP-ADJ-B	21.75	Adjustable arc (40° to 360°), no check valve	20

Note: Nozzle information: All PGP-ADJ-B model sprinklers include a complete set of standard blue nozzles. All PGP-ADJ-B sprinklers can be ordered with nozzles #1.5-4.0 factory-installed at no additional charge. Add the appropriate nozzle number to the end of the model number. For example, PGP-ADJ-B-3.0 indicates that a #3.0 nozzle is factory-installed. PGP-ADJ-B sprinklers are sold in carton quantities only.



PGP, 4" POP-UP ROTOR WITH 12 STANDARD RED NOZZLES, ¾" INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PGP-ADJ	21.75	Adjustable arc (40° to 360°), no check valve	20


Note: Nozzle information: All PGP-ADJ model sprinklers include a complete set of standard red nozzles. All PGP-ADJ sprinklers can be ordered with nozzles #5, 6, 7, and 8 factory-installed at no additional charge. Add the appropriate nozzle number to the end of the model number. For example, PGP-ADJ-07 indicates that a #7 nozzle is factory-installed. PGP-ADJ sprinklers are sold in carton quantities only.



PGP ULTRA: GEAR-DRIVEN ROTORS

PGP ULTRA, SHRUB ROTOR WITH 8 STANDARD BLUE AND 4 LOW-ANGLE GRAY NOZZLES, ¾" INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PGP-00	20.75	Adjustable arc (50° to 360°), no check valve	20
PGP-00-CV	22.75	Adjustable arc (50° to 360°) with check valve	20
PGP-00-CV-R	26.25	Adjustable arc (50° to 360°) with check valve and reclaimed water ID logo cap	20



PGP ULTRA, 4" POP-UP ROTOR WITH 8 STANDARD BLUE AND 4 LOW-ANGLE GRAY NOZZLES, ¾" INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PGP-04	22.75	Adjustable arc (50° to 360°), no check valve	20
PGP-04-CV	25.00	Adjustable arc (50° to 360°) with check valve	20
PGP-04-CV-R	28.25	Adjustable arc (50° to 360°) with check valve and reclaimed water ID logo cap	20



PGP ULTRA, 6" POP-UP ROTOR WITH 8 STANDARD BLUE AND 4 LOW-ANGLE GRAY NOZZLES, ¾" INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PGP-06	29.00	Adjustable arc (50° to 360°), no check valve	20
PGP-06-CV	31.25	Adjustable arc (50° to 360°) with check valve	20
PGP-06-CV-R	34.50	Adjustable arc (50° to 360°) with check valve and reclaimed water ID logo cap	20



PGP ULTRA, 12" POP-UP ROTOR WITH 8 STANDARD BLUE AND 4 LOW-ANGLE GRAY NOZZLES, ¾" INLET


MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PGP-12-CV	47.75	Adjustable arc (50° to 360°) with check valve	12
PGP-12-CV-R	51.00	Adjustable arc (50° to 360°) with check valve and reclaimed water ID logo cap	12



I-20: GEAR-DRIVEN ROTORS

I-20, SHRUB ROTOR WITH 8 STANDARD BLUE AND 4 LOW-ANGLE GRAY NOZZLES, 3/4" INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
I-20-00	26.50	Adjustable arc (50° to 360°) with check valve	20
I-20-00-R	32.00	Adjustable arc (50° to 360°) with check valve and reclaimed water ID logo cap	20



I-20, 4" POP-UP ROTOR WITH 8 STANDARD BLUE AND 4 LOW-ANGLE GRAY NOZZLES, 3/4" INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
I-20-04-NCV	28.50	Adjustable arc (50° to 360°) with plastic riser, no check valve	20
I-20-04	28.50	Adjustable arc (50° to 360°) with plastic riser and check valve	20
I-20-04-R	34.25	Adjustable arc (50° to 360°) with plastic riser, check valve, and reclaimed water ID logo cap	20
I-20-04-SS-NCV	39.75	Adjustable arc (50° to 360°) with stainless steel riser, no check valve	20
I-20-04-SS	39.75	Adjustable arc (50° to 360°) with stainless steel riser and check valve	20
I-20-04-SS-R	45.50	Adjustable arc (50° to 360°) with stainless steel riser, check valve, and reclaimed water ID logo cap	20



I-20, 6" POP-UP ROTOR WITH 8 STANDARD BLUE AND 4 LOW-ANGLE GRAY NOZZLES, 3/4" INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
I-20-06	39.75	Adjustable arc (50° to 360°) with plastic riser and check valve	20
I-20-06-R	45.50	Adjustable arc (50° to 360°) with plastic riser, check valve, and reclaimed water ID logo cap	20
I-20-06-SS	54.75	Adjustable arc (50° to 360°) with stainless steel riser and check valve	20
I-20-06-SS-R	60.50	Adjustable arc (50° to 360°) with stainless steel riser, check valve, and reclaimed water ID logo cap	20




I-20, 12" POP-UP ROTOR WITH 8 STANDARD BLUE AND 4 LOW-ANGLE GRAY NOZZLES, 3/4" INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
I-20-12	59.25	Adjustable arc (50° to 360°) with check valve	12
I-20-12-R	65.00	Adjustable arc (50° to 360°) with check valve and reclaimed water ID logo cap	12

Note: Nozzle information: All I-20 model sprinklers include a complete set of nozzles. All I-20 sprinklers can be ordered with specific factory-installed nozzles #1.5-4.0 at no charge. Add the appropriate nozzle number to the end of the model number. For example, I-20-04-3.0 indicates that a 3.0 nozzle is factory-installed. I-20 sprinklers are sold in carton quantities only.

ROTOR PRESSURE REGULATOR

3/4" PRESSURE REGULATOR




MODEL	LIST PRICE \$	DESCRIPTION	BAG QTY/ CARTON QTY
PR-075	5.43	3/4" inlet x outlet	20/100

PGP ULTRA: PRESSURE-REGULATED ROTORS



PGP ULTRA, SHRUB POP-UP ROTOR WITH PRB BODY PLUS 8 STANDARD BLUE AND 4 LOW-ANGLE GRAY NOZZLES, 3/4" INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PGP-00-CV-PRB	29.75	PRB body, adjustable arc (50° to 360°) with check valve	20
PGP-00-CV-R-PRB	32.50	PRB body, adjustable arc (50° to 360°) with check valve and reclaimed water ID logo cap	20



PGP ULTRA, 4" POP-UP ROTOR WITH PRB BODY PLUS 8 STANDARD BLUE AND 4 LOW-ANGLE GRAY NOZZLES, 3/4" INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PGP-04-PRB	27.25	PRB body, adjustable arc (50° to 360°), no check valve	20
PGP-04-CV-PRB	29.25	PRB body, adjustable arc (50° to 360°) with check valve	20
PGP-04-CV-R-PRB	32.50	PRB body, adjustable arc (50° to 360°) with check valve and reclaimed water ID logo cap	20


Note: Nozzle information: All PGP Ultra model sprinklers include a complete set of nozzles. All PGP Ultra sprinklers can be ordered with specific factory-installed nozzles #1.5-4.0 at no charge. Add the appropriate nozzle number to the end of the model number. For example, PGP-04-3.0 indicates that a 3.0 nozzle is factory-installed. PGP Ultra sprinklers are sold in carton quantities only.

I-20: PRESSURE-REGULATED ROTORS




I-20, SHRUB POP-UP ROTOR WITH PRB BODY PLUS 8 STANDARD BLUE AND 4 LOW-ANGLE GRAY NOZZLES, 3/4" INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
I-20-00-PRB	31.50	PRB body, adjustable arc (50°-360°) with check valve	20
I-20-00-R-PRB	31.50	PRB body, adjustable arc (50°-360°) with plastic riser, check valve, and reclaimed water ID logo cap	20



I-20, 4" POP-UP ROTOR WITH PRB BODY PLUS 8 STANDARD BLUE AND 4 LOW-ANGLE GRAY NOZZLES, 3/4" INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
I-20-04-PRB	33.00	PRB body, adjustable arc (50°-360°) with check valve	20
I-20-04-R-PRB	38.75	PRB body, adjustable arc (50°-360°) with plastic riser, check valve, and reclaimed water ID logo cap	20
I-20-04-SS-PRB	44.50	PRB body, adjustable arc (50°-360°) with stainless steel riser and check valve	20
I-20-04-SS-R-PRB	50.25	PRB body, adjustable arc (50°-360°) with stainless steel riser, check valve, and reclaimed water ID logo cap	20



I-20, 6" POP-UP ROTOR WITH PRB BODY PLUS 8 STANDARD BLUE AND 4 LOW-ANGLE GRAY NOZZLES, 3/4" INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
I-20-06-PRB	44.50	PRB body, adjustable arc (50°-360°) with plastic riser and check valve	20
I-20-06-R-PRB	50.25	PRB body, adjustable arc (50°-360°) with plastic riser, check valve, and reclaimed water ID logo cap	20
I-20-06-SS-PRB	59.25	PRB body, adjustable arc (50°-360°) with stainless steel riser and check valve	20
I-20-06-SS-R-PRB	65.00	PRB body, adjustable arc (50°-360°) with stainless steel riser, check valve, and reclaimed water ID logo cap	20

Note: Nozzle information: All I-20 model sprinklers include a complete set of nozzles. All I-20 sprinklers can be ordered with specific factory-installed nozzles #1.5-4.0 at no charge. Add the appropriate nozzle number to the end of the model number. For example, I-20-04-3.0 indicates that a 3.0 nozzle is factory-installed. I-20 sprinklers are sold in carton quantities only.



I-25: GEAR-DRIVEN ROTORS

I-25, 4" POP-UP ROTOR WITH 1" NPT INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
I-25-04	66.25	Adjustable arc (50°-360°) with plastic riser and check valve	12
I-25-04-R	75.50	Adjustable arc (50°-360°) with plastic riser, check valve, and reclaimed water ID logo cap	12
I-25-04-SS	83.50	Adjustable arc (50°-360°) with stainless steel riser and check valve	12
I-25-04-SS-R	93.00	Adjustable arc (50°-360°) with stainless steel riser, check valve, and reclaimed water ID logo cap	12

SPECIAL-PURPOSE I-25, 4" POP-UP ROTOR WITH 1" NPT INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
I-25-04-SS-HS	212.00	High-speed, adjustable arc (50°-360°) with stainless steel riser and check valve	12*
I-25-04-SS-HS-R	238.00	High-speed, adjustable arc (50°-360°) with stainless steel riser, check valve, and reclaimed water ID logo cap	12*

I-25, 6" POP-UP ROTOR WITH 1" NPT INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
I-25-06	84.75	Adjustable arc (50°-360°) with plastic riser and check valve	12
I-25-06-R	94.25	Adjustable arc (50°-360°) with plastic riser, check valve, and reclaimed water ID logo cap	12
I-25-06-SS	102.00	Adjustable arc (50°-360°) with stainless steel riser and check valve	12
I-25-06-SS-R	112.00	Adjustable arc (50°-360°) with stainless steel riser, check valve, and reclaimed water ID logo cap	12

SPECIAL-PURPOSE I-25, 6" POP-UP ROTOR WITH 1" NPT INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
I-25-06-SS-HS	233.00	High-speed, adjustable arc (50°-360°) with stainless steel riser and check valve	12*
I-25-06-SS-HS-R	259.00	High-speed, adjustable arc (50° to 360°) with stainless steel riser, check valve, and reclaimed water ID logo cap	12*

Note: Nozzle information: All I-25 model sprinklers are packaged with nozzles #7, 10, 15, 20, and 25. All I-25 sprinklers can be ordered with a specific factory-installed nozzle at no charge. Add the appropriate nozzle number to the end of the model number. For example, I-25-04-15 or I-25-06-SS-R-15 indicates that a 15 nozzle is factory-installed. I-25 sprinklers are sold in carton quantities only. *Special-purpose sprinklers can be ordered in less-than-carton quantity.



I-40: GEAR-DRIVEN ROTORS

I-40, 4" POP-UP ROTOR WITH 1" NPT INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
I-40-04-SS	127.00	Adjustable arc (50° to 360°) with stainless steel riser and check valve	12
I-40-04-SS-R	136.00	Adjustable arc (50° to 360°) with stainless steel riser, check valve, and reclaimed water ID logo cap	12
I-40-04-SS-ON	145.00	Full-circle with opposing nozzles, stainless steel riser, and check valve	12
I-40-04-SS-ON-R	153.00	Full-circle with opposing nozzles, stainless steel riser, check valve, and reclaimed water ID logo cap	12

SPECIAL-PURPOSE I-40, 4" POP-UP ROTOR WITH 1" NPT INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
I-40-04-SS-HS	212.00	High-speed, adjustable arc (50° to 360°) with stainless steel riser and check valve	12*
I-40-04-SS-HS-R	238.00	High-speed, adjustable arc (50° to 360°) with stainless steel riser, check valve, and reclaimed water ID logo cap	12*

I-40, 6" POP-UP ROTOR WITH 1" NPT INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
I-40-06-SS	146.00	Adjustable arc (50° to 360°) with stainless steel riser and check valve	12
I-40-06-SS-R	154.00	Adjustable arc (50° to 360°) with stainless steel riser, check valve, and reclaimed water ID logo cap	12
I-40-06-SS-ON	156.00	Full-circle with opposing nozzles, stainless steel riser, and check valve	12
I-40-06-SS-ON-R	167.00	Full-circle with opposing nozzles, stainless steel riser, check valve, and reclaimed water ID logo cap	12

SPECIAL-PURPOSE I-40, 6" POP-UP ROTOR WITH 1" NPT INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
I-40-06-SS-HS	233.00	High-speed, adjustable arc (50° to 360°) with stainless steel riser and check valve	12*
I-40-06-SS-HS-R	259.00	High-speed, adjustable arc (50° to 360°) with stainless steel riser, check valve, and reclaimed water ID logo cap	12*

Note: Nozzle information: All I-40 model sprinklers include a complete set of nozzles. All I-40 sprinklers can be ordered with a specific factory-installed nozzle at no charge. Add the appropriate nozzle number to the end of the model number. For example, I-40-04-SS-23 or I-40-06-SS-R-23 indicates that a #23 nozzle is factory-installed. I-40 sprinklers are sold in carton quantities only. *Special-purpose sprinklers can be ordered in less-than-carton quantity.



I-50: GEAR-DRIVEN ROTORS


I-50, 6" POP-UP ROTOR WITH 1" NPT INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
I-50-06-SS	167.00	Adjustable arc (50° to 360°) with stainless steel riser and check valve	12
I-50-06-SS-R	175.00	Adjustable arc (50° to 360°) with stainless steel riser, check valve, and reclaimed water ID logo cap	12
I-50-06-SS-ON	177.00	Full-circle with opposing nozzles, stainless steel riser, and check valve	12
I-50-06-SS-ON-R	187.00	Full-circle with opposing nozzles, stainless steel riser, check valve, and reclaimed water ID logo cap	12

Note: Nozzle information: All I-50 model sprinklers include a complete set of nozzles. All I-50 sprinklers can be ordered with a specific factory-installed nozzle at no charge. Add the appropriate nozzle number to the end of the model number. For example, I-50-06-SS-R-23 indicates that a #23 nozzle is factory-installed. I-50 sprinklers are sold in carton quantities only.

I-80: GEAR-DRIVEN ROTORS

I-80, 4" POP-UP ROTOR WITH 1½" NPT INLET



MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
I-80-04-SS	215.30	Adjustable arc (70° to 360°), stainless steel riser, check valve	6
I-80-04-SS-R	226.70	Adjustable arc (70° to 360°), stainless steel riser, check valve, and reclaimed water ID snap ring	6
I-80-04-SS-ON	231.85	Full-circle, opposing nozzles, stainless steel riser, check valve	6
I-80-04-SS-ON-R	243.25	Full-circle, opposing nozzles, stainless steel riser, check valve, and reclaimed water ID snap ring	6

I-80, TURF CUP ROTOR WITH 1½" NPT INLET



MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
I-80-04-SS-TC	533.50	Adjustable arc (70° to 360°) with stainless steel riser and check valve	6
I-80-04-SS-ON-TC	549.50	Full-circle with opposing nozzles, stainless steel riser and check valve	6

Note: Nozzle information: All I-80 model sprinklers include a complete set of seven nozzles #23-#53. There is no factory-installed main-range nozzle. Stator must be adjusted when installing nozzles. I-80 sprinklers are sold in carton quantities only.


I-90: GEAR-DRIVEN ROTORS

I-90, 3" POP-UP ROTOR WITH 8 NOZZLES AND 1½" NPT INLET





MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
I-90-ADV	227.00	Adjustable arc (40° to 360°) with check valve	6
I-90-36V	227.00	Full-circle with check valve	6
I-90-ARV	233.00	Adjustable arc (40° to 360°) with check valve and reclaimed water ID logo cap	6
I-90-3RV	233.00	Full-circle with check valve and reclaimed water ID logo cap	6

Note: Nozzle information: All I-90 model sprinklers include a complete set of nozzles.






HSJ SWING JOINTS

HSJ-0 SWING JOINTS 3/4" SINGLE TOP-OUT OR TRIPLE TOP-OUT

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
HSJ-0-x-2-2-08	23.80	3/4", x = inlet type, 3/4" male outlet, single top-out, 8" lay arm	10
HSJ-0-x-2-2-12	24.85	3/4", x = inlet type, 3/4" male outlet, single top-out, 12" lay arm	10
HSJ-0-x-2-2-18	29.00	3/4", x = inlet type, 3/4" male outlet, single top-out, 18" lay arm	10
HSJ-0-2-2-2-12	24.85	3/4" short spigot inlet, 3/4" male outlet, single top-out, 12" lay arm	10 
HSJ-0-3-2-2-12	24.85	3/4" inlet, 3/4" male outlet, single top-out, 12" lay arm	10 

HSJ-1 SWING JOINTS 1" SINGLE TOP-OUT OR TRIPLE TOP-OUT

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
HSJ-1-x-x-2-12	34.45	1", x = inlet type, x = outlet type, single top-out, 12" lay arm	15
HSJ-1-x-x-4-12	54.85	1", x = inlet type, x = outlet type, triple top-out, 12" lay arm	15
HSJ-1-x-x-2-18	38.85	1", x = inlet type, x = outlet type, single top-out, 18" lay arm	15
HSJ-1-x-x-4-18	59.25	1", x = inlet type, x = outlet type, triple top-out, 18" lay arm	15
HSJ-1-2-2-2-12	34.45	1" short spigot inlet, 1" male outlet, single top-out, 12" lay arm	15 
HSJ-1-3-2-2-12	34.45	1" male inlet, 1" male outlet, single top-out, 12" lay arm	15 
HSJ-1-3-2-4-12	54.85	1" male inlet, 1" male outlet, triple top-out, 12" lay arm	15 

HSJ-2 SWING JOINTS 1 1/4" SINGLE TOP-OUT OR TRIPLE TOP-OUT

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
HSJ-2-x-x-2-12	49.45	1 1/4", x = inlet type, x = outlet type, single top-out, 12" lay arm	15
HSJ-2-x-x-4-12	72.20	1 1/4", x = inlet type, x = outlet type, triple top-out, 12" lay arm	15
HSJ-2-x-x-2-18	53.85	1 1/4", x = inlet type, x = outlet type, single top-out, 18" lay arm	15
HSJ-2-x-x-4-18	75.30	1 1/4", x = inlet type, x = outlet type, triple top-out, 18" lay arm	15

HSJ-3 SWING JOINTS 1 1/2" SINGLE TOP-OUT OR TRIPLE TOP-OUT

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
HSJ-3-x-x-2-12	60.30	1 1/2", x = inlet type, x = outlet type, single top-out, 12" lay arm	15
HSJ-3-x-x-4-12	86.20	1 1/2", x = inlet type, x = outlet type, triple top-out, 12" lay arm	10
HSJ-3-x-x-2-18	61.35	1 1/2", x = inlet type, x = outlet type, single top-out, 18" lay arm	10
HSJ-3-x-x-4-18	90.30	1 1/2", x = inlet type, x = outlet type, triple top-out, 18" lay arm	10

HSJ-4 AND HSJ-5 HIGH-FLOW SWING JOINTS - 2" AND 3" SINGLE TOP-OUT

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
HSJ-4-3-7-2-12	161.50	2" male inlet, 1 1/2" male outlet, single top-out, 12" lay arm	1
HSJ-5-3-8-2-12	161.50	3" male inlet, 2" male outlet, single top-out, 12" lay arm	1

Note: An "x-x" in a model number indicates the need to insert the preferred number or letter style code of the swing joint's inlet and/or outlet. See the specification builder in the catalog or website for more information about how to choose inlet and outlet sizes and styles. Please allow 3 to 4 weeks for delivery of these special-model swing joints. All special models are not returnable. Models shown with a truck symbol are available for immediate shipment. All HSJ swing joints are sold in carton quantities only.

SWING JOINT - SPECIFICATION BUILDER: ORDER 1 + 2 + 3 + 4 + 5

1 MODEL	2 INLET TYPE (from pipe fitting)	3 OUTLET TYPE (to rotor inlet)	4 OUTLET STYLE	5 LAY LENGTH
HSJ-0 = ¾" commercial swing joint	2 = Spigot, short	2 = Male NPT	2 = Single top-out	8 = 8" lay arm [†]
HSJ-1 = 1" heavy-duty swing joint	3 = Male NPT		4 = Triple top-out*	12 = 12" lay arm
HSJ-2 = 1¼" heavy-duty swing joint	7 = Spigot, 4" long**			18 = 18" lay arm [†]
HSJ-3 = 1½" heavy-duty swing joint	*Not available HSJ-0			*HSJ-0 only

Example: HSJ-1-3-2-2-12 = HSJ 1" heavy-duty swing joint, 1" NPT inlet, 1" male NPT single top-out outlet, 12" lay arm length.

HSJ-SNAPLOK™ SWING JOINTS 1" SINGLE TOP-OUT FOR QUICK COUPLERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
HSJ-1-3-S-212	73.25	1" single top-out, 12" lay arm, 1" brass male NPT SnapLok outlet	15
HSJ-1-3-S-218	75.30	1" single top-out, 18" lay arm, 1" brass male NPT SnapLok outlet	15
HSJ-1-3-T-212	73.25	1" single top-out, 12" lay arm, ¾" brass male NPT SnapLok outlet	15
HSJ-1-3-T-218	75.30	1" single top-out, 18" lay arm, ¾" brass male NPT SnapLok outlet	15

Note: An "x" in a model number indicates the need to insert the preferred number or letter style code of the swing joint's inlet and/or outlet. See the Hunter catalog or Hunter website for details.




HCV: HUNTER CHECK VALVES

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
HC-50F-50F	8.69	½" female inlet x ½" female outlet	40
HC-50F-50M	8.69	½" female inlet x ½" male outlet	40
HC-75F-75M	9.78	¾" female inlet x ¾" male outlet	40


Note: HCV check valves are sold in carton quantities only.

ROTOR ACCESSORIES




PGP ACCESSORIES

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
665300SP	0.52	Blue nozzle rack (nozzles 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0)	300
233200SP	0.52	Gray low-angle nozzle rack (nozzles #4, 5, 6, 7, 8, 9, 10, plug)	50
120300SP	0.52	Nozzle retainer screw for PGP-ADJ group	25
253400SP	1.04	Seal replacement kit (includes riser seal only)	10
181500SP	0.26	PGP replacement riser seal	100
102600	0.50	Standard black filter screen	1
142300SP	1.04	Standard black filter screen with check valve	25
172000SP	0.52	Hunter adjustment wrench	100



PGP ULTRA & I-20 ACCESSORIES

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
782900SP	0.52	Blue nozzle rack (nozzles 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, and 2.0 LA, 2.5 LA, 3.5 LA, 4.5 LA)	200
356605SP	0.52	Dark blue nozzle rack (nozzles 1.0, 1.5, 2.0, 3.0, 3.5, 4.0, 6.0, plug, and 2.0 LA, 2.5 LA, 3.5 LA, 4.5 LA)	25
466100SP	0.52	Black nozzle rack (nozzles 18": 0.50, 1.0, 2.0; 25": 0.75, 1.5, 3.0)	50
444800SP	2.07	Green nozzle rack (nozzles 10, 13, and 6.0 LA, 8.0 LA)	25
253400SP	1.04	Seal replacement kit (includes riser seal only)	10
181500SP	0.26	PGP replacement riser seal	100
102600	0.50	Standard black filter screen	1
142300SP	1.04	Standard black filter screen with check valve	25
463551SP	4.14	Rotor staking kit (for models PGP-00 and I-20-00)	1



PGP ULTRA & I-20 MPR NOZZLES


MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
MPR-25	0.25	Matched precipitation nozzle rack with all 25' radius nozzles; includes a quarter-, third-, half-, and full-circle nozzle	25/250
MPR-30	0.25	Matched precipitation nozzle rack with all 30' radius nozzles; includes a quarter-, third-, half-, and full-circle nozzle	25/250
MPR-35	0.25	Matched precipitation nozzle rack with all 35' radius nozzles; includes a quarter-, third-, half-, and full-circle nozzle	25/250

I-25, I-40, I-50, I-80, I-90 ACCESSORIES			
MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
222700	5.00	Subsurface stabilizer flange (I-25, I-40, and I-50 rotors)	1
TURFCUPKITI40	46.50	Turf cup kit converts I-40 and I-50 rotors built after Nov. 2013 to turf cup model	1
959300SP	100.00	I-80 rubber cover kit	1
959400SP	100.00	I-80 turf cup kit	1
467955SP	72.50	Turf cup kit, converts I-90 sprinklers to turf cup model	1
234200	70.00	Rubber cover kit, I-90-ADV*	1
234201	70.00	Rubber cover kit, I-90-36V*	1
G800HS100	110.00	Hose adapter for G-800, I-80 series rotors	1
382800SP	2.50	Arc adjustment/riser hold-up tool for I-80, G-85B, and G-885	1
803700SP	20.00	Nozzle removal/installation tool for I-80, G-85B, and G-885 short/mid-range nozzles	1
251000SP	23.00	Snap ring removal tool	1
319100SP	1.00	T-handle tool: VIH selector, nozzle insertion, lift up, and arc adjustment	1

Note: *Rubber cover kit: I-90-ADV: P/N 234200 (all); I-90-36V: P/N 234200 (0711 date code and after); I-90-36V: P/N 234201 (0611 date code and prior only).

DEMONSTRATION SPRINKLERS


MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PGJ-04-CS	21.75	Clear PGJ-04 pop-up sprinkler	1
PGP-04-CS	22.75	Clear PGP-04 Ultra sprinkler	1
PGP-04-PRB-CS	27.25	Clear PGP-04-PRB sprinkler	1
PGP-ADJ-CS	21.75	Clear PGP pop-up sprinkler	1
I-20-04-CS	28.50	Clear I-20-04 pop-up sprinkler	1
I-20-04-SS-PRB-CS	44.50	Clear I-20-04-PRB sprinkler	1
I-25-04-CS	66.25	Clear I-25-04 pop-up sprinkler	1
I-40-04-CS	127.00	Clear I-40 pop-up sprinkler	1



ST SYSTEM KITS


STG-900-KIT

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
STG-900-KIT	2,648.50	All items listed make up the STG-900-KIT	
STG-900-83	-	Pop-up, top serviceable, adjustable arc (40° to 360°), 1½" Acme inlet	1
ST-173026-B	-	Composite vault, precast holes for rotor and quick coupler	1
ST-2008-VA	-	Vertical alignment PVC swing joint, 7 pivot points, 2" female slip inlet, 1½" female Acme outlet	1
ST-VBVF-K	-	ICV-151G valve, manifold ball valve, 1½" Acme inlet, 1½" Acme outlet	1
239800	-	1½" elbow, female Acme to male Acme, connects STG-900 rotor and ST-VBVF-K	1
473900SP	-	STG-900 rubber cover kit	1
HQ-5RC	-	Quick coupler, 1" NPT inlet, 1¼" outlet for key	1



STG-1600-KIT

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ST-1600-KIT	8,277.00	All items listed make up the ST-1600-KIT	
ST-1600-HS-B	-	High-speed pop-up, adjustable arc (40° to 360°), 2" BSP inlet	1
ST-IBS-1600	-	Infill barrier system rubber cover kit for ST-1600-HS-B rotor	1
ST-BKT-1600	-	Rotor vault hanger and grade adjustment bracket for ST-1600-HS-B rotor	1
ST-243636-B	-	Composite vault, precast hole for rotor and quick-access ports for coupler and remote on-off-auto selector	1
ST-BVF30-K	-	Manifold butterfly valve and Victaulic™ coupling fitting kit	1
ST-V30-KV	-	3" metal control valve, 3" grooved Victaulic inlet/outlet fittings, solenoid and on-off-auto selector manifold	1
ST-SPT-K	-	Adjustable manifold support stand, two required per vault	2
ST-H30-K	-	Flexible 3" x 26" braided stainless steel manifold inlet hose, 3" female NPT inlet x 3" Victaulic outlet	1
HQ-5RC	-	Quick coupler, 1" NPT inlet, 1¼" outlet for key	1



ST ROTORS


MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ST-90-83	430.00	Pop-up, jar-top cap, adjustable arc (40° to 360°), 1½" NPT inlet	6
STG-900-83	462.00	Pop-up, top serviceable, adjustable arc (40° to 360°), 1½" Acme inlet (STG-900-KIT)	4
ST-1200-BR	430.00	Riser mount, adjustable arc (40° to 360°), 1½" BSP inlet	6
ST-1600-HS-B	1,685.00	High-speed pop-up, adjustable arc (40° to 360°), 2" BSP inlet (ST-1600-KIT)	1
ST-1600-HS-BR	896.00	High-speed riser mount, adjustable arc (40° to 360°), 2" BSP inlet	6

Victaulic is a trademark of Victaulic Company.

ST ROTOR COVER KITS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ST-IBS-1600	212.00	Infill barrier system rubber cover kit for ST-1600-HS-B rotor (ST-1600-KIT)	1
ST-ADH-K	112.00	Adhesive for attaching artificial turf, track or ST-FRP-1600 to the infill barrier system	1
ST-FRP-1600	136.00	Simulated concrete cover for attachment to flattened IBS	2
234200	70.00	ST-90 rubber cover kit	1
473900SP	135.00	STG-900 rubber cover kit (STG-900-KIT)	1

ST VAULTS



MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
ST-243636-B	1,840.00	Composite vault, precast hole for rotor and 2 x quick-access ports for quick coupler and remote on-off-auto selector (ST-1600-KIT)	2 per pallet
ST-173026-B	1,080.00	Composite vault, precast hole for rotor and quick coupler (ST-900-KIT)	2 per pallet
ST-173026-A	1,080.00	Composite vault, precast quick-access ports, no rotor hole	2 per pallet

ST BRACKETS AND SUPPORTS

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
ST-BKT-1600	353.00	Rotor vault hanger and grade adjustment bracket for ST-1600-HS-B rotor (ST-1600-KIT)	1
ST-SPT-K	136.00	Adjustable manifold support stand; two required per vault (ST-1600-KIT)	2
ST-BKT-QCV	462.00	Hangar bracket for quick coupler	1

ST VALVES

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
ST-V30-KV	1,810.00	3" metal control valve, 3" grooved Victaulic inlet/outlet fittings, solenoid and on-off-auto selector manifold (ST-1600-KIT)	1
ST-V30-K	1,810.00	3" NPT threaded metal control valve, solenoid and on-off-auto selector manifold	1
ST-V20-KVP*	1,005.00	2" plastic control valve, 3" grooved Victaulic inlet/outlet fittings, solenoid and on-off-auto selector manifold	1
ST-NDL-K	32.50	Adjustable valve opening speed kit	1
ST-VBVF-K	381.00	ICV-151G valve, manifold ball valve, 1½" Acme outlet (STG-900-KIT)	1
HQ-5RC	125.00	Quick coupler, 1" NPT inlet, 1¼" outlet for key (STG-900-KIT) (ST-1600-KIT)	10

Note: *Product available while supplies last.

ST SOLENOIDS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ST-SSA	81.50	AC standard solenoid kit	1
ST-LSA	87.00	DC standard solenoid kit	1
ST-V2030-KIT	647.00	Remotely located solenoid and on-off-auto selector manifold	1

ST MANIFOLD

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ST-BVF30-K	1,360.00	Manifold butterfly valve and Victaulic coupling fitting kit (ST-1600-KIT)	1
ST-H30-K	756.00	Flexible 3" x 26" braided stainless steel manifold inlet hose, 3" female NPT inlet x 3" Victaulic outlet (ST-1600-KIT)	1
ST-2008-VA	462.00	Vertical alignment PVC swing joint, 7 pivot points, 2" female slip inlet, 1½" female Acme outlet (STG-900-KIT)	1
239800	19.50	1½" elbow, female Acme to male Acme, connects STG-900 rotor to ST-VBVF-K (STG-900-KIT)	1
239300	9.83	1½" coupling, male Acme to male Acme	1
239302	9.83	1½" coupling, male Acme to male BSP	1
241400SP	9.83	Adapter, converts 2" PVC pipe to 2" male BSP threads	5

ST TOOLS


MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
517600SP	58.00	ST rotor service tool for removing gear drive	1
251000SP	23.00	Snap ring removal tool for top serviceable rotors	1

QUICK COUPLER VAULT SYSTEMS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ST-173026-C*	1,080.00	Composite vault, precast quick access ports for 2" quick coupler	2 per pallet
ST-QCV-20-B*	794.00	2" BSP inlet quick coupler valve	1
ST-QCK-20*	1,840.00	2" NPT outlet quick coupler key	1

Note: *Product available while supplies last.





STANDARD MP ROTATOR NOZZLES

MP-1000: 0.4 IN/HR PRECIPITATION RATE, ADJUSTABLE RADIUS (8' TO 15')

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
MP-1000-90	11.15	Adjustable arc (90° to 210°), female threaded (maroon)	10/200
MP-1000-210	11.15	Adjustable arc (210° to 270°), female threaded (light blue)	10/200
MP-1000-360	11.15	360°, female threaded (olive)	10/200

MP-2000: 0.4 IN/HR PRECIPITATION RATE, ADJUSTABLE RADIUS (13' TO 21')

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
MP-2000-90	11.15	Adjustable arc (90° to 210°), female threaded (black)	10/200
MP-2000-210	11.15	Adjustable arc (210° to 270°), female threaded (green)	10/200
MP-2000-360	11.15	360°, female threaded (red)	10/200

MP-3000: 0.4 IN/HR PRECIPITATION RATE, ADJUSTABLE RADIUS (22' TO 30')

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
MP-3000-90	11.15	Adjustable arc (90° to 210°), female threaded (blue)	10/200
MP-3000-210	11.15	Adjustable arc (210° to 270°), female threaded (yellow)	10/200
MP-3000-360	11.15	360°, female threaded (gray)	10/200

MP-3500: 0.4 IN/HR PRECIPITATION RATE, ADJUSTABLE RADIUS (31' TO 35')

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
MP-3500-90	11.15	Adjustable arc (90° to 210°), female threaded (tan)	10/200

MP-1000-HT*: 0.4 IN/HR PRECIPITATION RATE, ADJUSTABLE RADIUS (8' TO 15')

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
MP-1000-HT-90	13.95	Adjustable arc (90° to 210°), male threaded (maroon)	10/200
MP-1000-HT-360	13.95	360°, male threaded (olive)	10/200

Note: The MP-1000-210 light blue nozzle is not available with male threads.

MP-2000-HT*: 0.4 IN/HR PRECIPITATION RATE, ADJUSTABLE RADIUS (13' TO 21')

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
MP-2000-HT-90	13.95	Adjustable arc (90° to 210°), male threaded (black)	10/200
MP-2000-HT-210	13.95	Adjustable arc (210° to 270°), male threaded (green)	10/200
MP-2000-HT-360	13.95	360°, male threaded (red)	10/200

MP-3000-HT*: 0.4 IN/HR PRECIPITATION RATE, ADJUSTABLE RADIUS (22' TO 30')

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
MP-3000-HT-90	13.95	Adjustable arc (90° to 210°), male threaded (blue)	10/200
MP-3000-HT-210	13.95	Adjustable arc (210° to 270°), male threaded (yellow)	10/200
MP-3000-HT-360	13.95	360°, male threaded (gray)	10/200

MP CORNER: 0.4 IN/HR PRECIPITATION RATE, ADJUSTABLE RADIUS (8' TO 15')

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
MP-CORNER	11.15	Adjustable arc (45° to 105°), female threaded (turquoise)	10/200

MP CORNER HT*: 0.4 IN/HR PRECIPITATION RATE, ADJUSTABLE RADIUS (8' TO 15')

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
MP-CORNER-HT	13.95	Adjustable arc (45° to 105°), male threaded (turquoise)	10/200

MP STRIP

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
MP-LCS-515	11.15	MP left corner, 5' x 15' female threaded (ivory)	10/200
MP-RCS-515	11.15	MP right corner, 5' x 15', female threaded (copper)	10/200
MP-SS-530	11.15	MP side strip, 5' x 30', female threaded (brown)	10/200

MP STRIP HT*

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
MP-LCS-HT-515	13.95	MP left corner, 5' x 15', male threaded (ivory)	10/200
MP-RCS-HT-515	13.95	MP right corner, 5' x 15', male threaded (copper)	10/200
MP-SS-HT-530	13.95	MP side strip, 5' x 30', male threaded (brown)	10/200

Note: *Represents male threaded version.


MP ROTATOR 800 SERIES NOZZLES**MP-800SR: 0.8 IN/HR PRECIPITATION RATE, ADJUSTABLE RADIUS (6' TO 12')**


MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
MP-800SR-90	11.15	Adjustable arc (90° to 210°), female threaded (gray and orange)	10/200
MP-800SR-360	11.15	360°, female threaded (gray and lime green)	10/200

MP-815: 0.8 IN/HR PRECIPITATION RATE, ADJUSTABLE RADIUS (8' TO 16')

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
MP-815-90	11.15	Adjustable arc (90°-210°), female threaded (gray and maroon)	10/200
MP-815-210	11.15	Adjustable arc (210°-270°), female threaded (gray and light blue)	10/200
MP-815-360	11.15	360°, female threaded (gray and olive)	10/200

Note: All MP Rotator nozzles are sold in bag/carton quantities only. All nozzles include filter screens.





MP STAKE


MODEL	LIST PRICE \$	DESCRIPTION	BAG QTY
PREASSEMBLED STAKING KIT FOR MP ROTATOR			
MP-STAKE	22.75	28" staking kit, 0.345" tubing to ½" male fitting, PROS00 shrub	10
MPSTAKEPRS40CV	35.25	34" staking kit, 0.345" tubing to ½" male fitting, Hunter Check Valve, PROS00PRS40 pressure-regulated shrub adapter	10

Note: All MP Rotator nozzles are sold in bag/carton quantities only. All nozzles include filter screens.



MP ROTATOR FILTER SCREENS

MODEL	LIST PRICE \$	DESCRIPTION	BAG QTY
MP-8-SCREEN-SP	0.25	Gray, 60-mesh filter screen: MP-800SR-90	50
MP-F-SCREEN-SP	0.25	White, 40-mesh filter screen: MP-1000, MP-2000, MP Strips, MP-815	50
MP-C-SCREEN-SP	0.25	Tan, 20-mesh filter screen: MP-3000, MP-3500	50
MP-T-F-SCREEN-SP	0.25	White, 40-mesh filter screen, male-threaded MP Rotator	50
MP-T-C-SCREEN-SP	0.26	Tan, 20-mesh filter screen, male-threaded MP Rotator	25



MP ROTATOR TOOLS


MODEL	LIST PRICE \$	DESCRIPTION	BAG QTY
MP-TOOL	1.55	Adjustable tool, arc/radius	10
MP-STICK	3.75	Two-piece tool kit, arc/radius, decal included	1
MP-ADAPTER-SP	2.70	Pressure gauge adapter	5
MP-GAUGE	50.00	Pressure gauge with adapter	1

PS ULTRA: SPRAYS WITH PREINSTALLED NOZZLE



PS ULTRA, 2" POP-UP SPRAYS WITH PREINSTALLED NOZZLE OR FLUSH PLUG AND 1/2" INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PSU-02	3.09	With flush plug, no large screen	100
PSU-02-8A	5.27	8' radius, adjustable arc (0° to 360°), no large screen	100
PSU-02-10A	5.27	10' radius, adjustable arc (0° to 360°), no large screen	100
PSU-02-12A	5.27	12' radius, adjustable arc (0° to 360°), no large screen	100
PSU-02-15A	5.27	15' radius, adjustable arc (0° to 360°), no large screen	100
PSU-02-17A	5.27	17' radius, adjustable arc (0° to 360°), no large screen	100
PSU-02-5SS	5.27	5' x 30' side strip, no large screen	100



PS ULTRA, 4" POP-UP SPRAYS WITH PREINSTALLED NOZZLE OR FLUSH PLUG AND 1/2" INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PSU-04	3.26	With flush plug, no large screen	100
PSU-04-8A	5.43	8' radius, adjustable arc (0° to 360°)	100
PSU-04-10A	5.43	10' radius, adjustable arc (0° to 360°)	100
PSU-04-12A	5.43	12' radius, adjustable arc (0° to 360°)	100
PSU-04-15A	5.43	15' radius, adjustable arc (0° to 360°)	100
PSU-04-17A	5.43	17' radius, adjustable arc (0° to 360°)	100
PSU-04-5SS	5.43	5' x 30' side strip	100



PS ULTRA, 6" POP-UP SPRAYS WITH PREINSTALLED NOZZLE OR FLUSH PLUG AND 1/2" INLET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PSU-06	8.53	With flush plug, no large screen	100
PSU-06-8A	9.40	8' radius, adjustable arc (0° to 360°)	100
PSU-06-10A	9.40	10' radius, adjustable arc (0° to 360°)	100
PSU-06-12A	9.40	12' radius, adjustable arc (0° to 360°)	100
PSU-06-15A	9.40	15' radius, adjustable arc (0° to 360°)	100
PSU-06-17A	9.40	17' radius, adjustable arc (0° to 360°)	100

Note: PS Ultra sprinklers are sold in carton quantities only.



PRO-SPRAY®

PRO-SPRAY RESIDENTIAL AND COMMERCIAL SPRINKLER BODIES WITH ½" INLET, ACCEPTS FEMALE-THREADED NOZZLES

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
PROS-00	1.25	Shrub adapter, fits onto ½" NPT riser	25/250
PROS-02	4.20	2" pop-up spray body	50
PROS-03	4.20	3" pop-up spray body	50
PROS-04	2.72	4" pop-up spray body	50
PROS-06	10.15	6" pop-up spray body, no side inlet	25
PROS-12	16.15	12" pop-up spray body, no side inlet	25
PROS-06-SI	10.70	6" pop-up spray body, with side inlet	25
PROS-12-SI	18.40	12" pop-up spray body, with side inlet	25
PROS-04-CV	6.46	4" pop-up spray body with check valve	50
PROS-06-CV	16.15	6" pop-up spray body with check valve, no side inlet	25
PROS-12-CV	22.00	12" pop-up spray body with check valve, no side inlet	25
PROS-00-R	2.54	Shrub adapter, fits onto ½" NPT riser, reclaimed water version	25/250
PROS-04-CV-R	11.55	4" pop-up spray body with check valve and reclaimed water body cap	50
PROS-06-CV-R	20.75	6" pop-up spray body with check valve, no side inlet , with reclaimed water body cap	25
PROS-12-CV-R	26.75	12" pop-up spray body with check valve, no side inlet , with reclaimed water body cap	25

Note: Pro-Spray sprinklers are sold in carton quantities only.



PRO-SPRAY PRS30

PRO-SPRAY PRS30 (BROWN CAP) 30 PSI PRESSURE-REGULATED COMMERCIAL SPRINKLER BODIES WITH ½" INLET , ACCEPTS FEMALE-THREADED NOZZLES

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
PROS-00-PRS30	6.98	Pressure-regulated shrub adapter, fits onto ½" NPT riser,	25/250
PROS-04-PRS30	8.84	4" pop-up spray body with pressure regulator,	50
PROS-06-PRS30	20.50	6" pop-up spray body with pressure regulator, no side inlet	25
PROS-12-PRS30	23.75	12" pop-up spray body with pressure regulator, no side inlet	25
PROS-06-SI-PRS30	22.50	6" pop-up spray body with pressure regulator, with side inlet	25
PROS-12-SI-PRS30	26.25	12" pop-up spray body with pressure regulator, with side inlet	25
PROS-04-PRS30-CV	11.65	4" pop-up spray body with pressure regulator and check valve	50
PROS-06-PRS30-CV	25.50	6" pop-up spray body with pressure regulator and check valve, no side inlet	25
PROS-12-PRS30-CV	31.50	12" pop-up spray body with pressure regulator and check valve, no side inlet	25
PROS-04-PRS30-CV-F	13.20	4" pop-up spray body with pressure regulator, check valve, and FloGuard™ technology	50
PROS-06-PRS30-CV-F	27.20	6" pop-up spray body with pressure regulator, check valve, and FloGuard technology	25
PROS-12-PRS30-CV-F	33.15	12" pop-up spray body with pressure regulator, check valve, and FloGuard technology	25
PROS-00-PRS30-R	9.89	Pressure-regulated shrub adapter, fits onto ½" NPT riser, with reclaimed water body cap	25/250
PROS-04-PRS30-CV-R	15.80	4" pop-up spray body with check valve and reclaimed water body cap	50
PROS-06-PRS30-CV-R	28.75	6" pop-up spray body with check valve and reclaimed water body cap, no side inlet	25
PROS-12-PRS30-CV-R	34.75	12" pop-up spray body with check valve and reclaimed water body cap, no side inlet	25
PROS-04-PRS30-CV-F-R	17.35	4" pop-up spray body with pressure regulator, check valve, FloGuard technology, and reclaimed water body cap	50
PROS-06-PRS30-CV-F-R	30.30	6" pop-up spray body with pressure regulator, check valve, FloGuard technology, and reclaimed water body cap	25
PROS-12-PRS30-CV-F-R	36.25	12" pop-up spray body with pressure regulator, check valve, FloGuard technology, and reclaimed water body cap	25

Note: Pro-Spray sprinklers are sold in carton quantities only.



PRO-SPRAY PRS40


PRO-SPRAY PRS40 (GRAY CAP) 40 PSI PRESSURE-REGULATED COMMERCIAL SPRINKLER BODIES WITH ½" INLET, ACCEPTS FEMALE-THREADED NOZZLES

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
PROS-00-PRS40	6.98	Pressure-regulated shrub adapter, fits onto ½" NPT riser	25/250
PROS-04-PRS40	8.84	4" pop-up spray body with pressure regulator	50
PROS-06-PRS40	20.50	6" pop-up spray body with pressure regulator, no side inlet	25
PROS-12-PRS40	23.75	12" pop-up spray body with pressure regulator, no side inlet	25
PROS-06-SI-PRS40	22.50	6" pop-up spray body with pressure regulator, with side inlet	25
PROS-12-SI-PRS40	26.25	12" pop-up spray body with pressure regulator, with side inlet	25
PROS-04-PRS40-CV	11.65	4" pop-up spray body with pressure regulator and check valve	50
PROS-06-PRS40-CV	25.50	6" pop-up spray body with pressure regulator and check valve, no side inlet	25
PROS-12-PRS40-CV	31.50	12" pop-up spray body with pressure regulator and check valve, no side inlet	25
PROS-04-PRS40-CV-F	13.20	4" pop-up spray body with pressure regulator, check valve, and FloGuard technology	50
PROS-06-PRS40-CV-F	27.20	6" pop-up spray body with pressure regulator, check valve, and FloGuard technology	25
PROS-12-PRS40-CV-F	33.15	12" pop-up spray body with pressure regulator, check valve, and FloGuard technology	25
PROS-00-PRS40-R	9.89	Pressure-regulated shrub adapter, fits onto ½" NPT riser, with reclaimed water body cap	25/250
PROS-04-PRS40-CV-R	15.80	4" pop-up spray body with pressure regulator and check valve, with reclaimed water body cap	50
PROS-06-PRS40-CV-R	28.75	6" pop-up spray body with pressure regulator and check valve, no side inlet , with reclaimed water body cap	25
PROS-12-PRS40-CV-R	34.75	12" pop-up spray body with pressure regulator and check valve, no side inlet , accepts female-threaded nozzles, with reclaimed water body cap	25
PROS-04-PRS40-CV-F-R	17.35	4" pop-up spray body with pressure regulator, check valve, FloGuard technology, and reclaimed water body cap	50
PROS-06-PRS40-CV-F-R	30.30	6" pop-up spray body with pressure regulator, check valve, FloGuard technology, and reclaimed water body cap	25
PROS-12-PRS40-CV-F-R	36.25	12" pop-up spray body with pressure regulator, check valve, FloGuard technology, and reclaimed water body cap	25

Note: Pro-Spray sprinklers are sold in carton quantities only.

SJ: THREADED SWING JOINT

SJ: SWING JOINT, PRE-ASSEMBLED LEAK-FREE DESIGN WITH 4 SWING ELBOWS




MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
SJ-506	2.12	½" x 6" standard swing joint, 4 swing elbows	150
SJ-7506	3.09	¾" x ½" x 6" swing joint, 4 swing elbows	150
SJ-706	2.34	¾" x 6" standard swing joint, 4 swing elbows	150
SJ-512	2.88	½" x 12" standard swing joint, 4 swing elbows	100
SJ-7512	3.43	¾" x ½" x 12" standard swing joint, 4 swing elbows	100
SJ-712	3.43	¾" x 12" standard swing joint, 4 swing elbows	100



HUNTER SPIRAL BARB ELBOWS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
HSBE-050	0.36	½" male x insert spiral barb elbow	50/200
HSBE-075	0.38	¾" male x insert spiral barb elbow	50/200

Note: Spiral barb elbows are sold in bag/carton quantities only.



HUNTER FLEXIBLE TUBING - SWING PIPE

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
FLEXSG	40.00	Soft-grip, flexible tubing, 100' coil	75/pallet
FLEXSG-18	0.92	Soft-grip, flexible tubing, precut 18" segments	200/carton

Note: Hunter FlexSG is sold in pallet quantities only

PRO-SPRAY ACCESSORIES

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PROS-RC-CAP-SP	1.09	Snap-on reclaimed water ID cap, fits all Pro-Spray bodies	50
458520SP	4.09	Reclaimed water thread-on body cap, Pro-Spray	25
458525	3.95	Reclaimed water thread-on body cap, Pro-Spray with check valve ID	1
458560	3.95	Pro-Spray PRS30 reclaimed water thread-on body cap with check valve ID	1
458562	3.95	Pro-Spray PRS40 reclaimed water thread-on body cap with check valve ID	1
PROS-PRS30-VPC	4.00	Pro-Spray PRS30 brown vandal-proof cap	1
213600SP	2.07	Shutoff cap for Pro-Spray, thread-on	5
916400SP	2.07	Shutoff nozzle for PS Ultra and Pro-Spray	10
437400SP	1.04	Drain check valve for all pop-up Pro-Spray models	25

PS ULTRA ACCESSORIES

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
162900SP	0.57	PS Ultra replacement filter screen (fits 4" and 6" bodies)	25
462237SP	0.93	PS Ultra drain check valve, field installed (available for 4" and 6" bodies only)	25
916400SP	2.07	Shutoff nozzle for PS Ultra and Pro-Spray	10

DEMONSTRATION SPRINKLERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PROS-04-CV-CS	8.64	Clear 4" Pro-Spray sprinkler	1
PROS-04-PRS30-CV-CS	24.50	Clear 4" Pro-Spray PRS30 brown cap sprinkler	1
PROS-06-PRS30-CV-CS	36.25	Clear 6" Pro-Spray PRS30 brown cap sprinkler	1
PROS-12-PRS30-CV-CS	39.00	Clear 12" Pro-Spray PRS30 brown cap sprinkler	1



SPRAY NOZZLES

PRO-ADJUSTABLE NOZZLES*, FEMALE THREAD

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
4A	1.52	4' radius, adjustable arc nozzle (0° to 360°)	25/250
6A	1.52	6' radius, adjustable arc nozzle (0° to 360°)	25/250
8A	1.52	8' radius, adjustable arc nozzle (0° to 360°)	25/250
10A	1.52	10' radius, adjustable arc nozzle (0° to 360°)	25/250
12A	1.52	12' radius, adjustable arc nozzle (0° to 360°)	25/250
15A	1.52	15' radius, adjustable arc nozzle (0° to 360°)	25/250
17A	1.52	17' radius, adjustable arc nozzle (0° to 360°)	25/250



ADJUSTABLE ARC STREAM NOZZLES*, FEMALE THREAD

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
S-8A	1.52	8' adjustable arc stream spray nozzle	25/250
S-16A	1.52	16' adjustable arc stream spray nozzle	25/250

Note: *All nozzles are sold in bag/carton quantities only. All nozzles include filter screen.



PRO-SPRAY FIXED ARC NOZZLES*, FEMALE THREAD

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
5Q, 5H, 5F	1.52	5' radius, fixed arc nozzle	25/250
8Q, 8T, 8H, 8F	1.52	8' radius, fixed arc nozzle	25/250
10Q, 10T, 10H, 10F	1.52	10' radius, fixed arc nozzle	25/250
12Q, 12T, 12H, 12TT, 12TQ, 12F	1.52	12' radius, fixed arc nozzle	25/250
15Q, 15T, 15H, 15TT, 15TQ, 15F	1.52	15' radius, fixed arc nozzle	25/250
17Q, 17H	1.52	17' radius, fixed arc nozzle	25/250



SHORT-RADIUS MICRO SPRAY NOZZLES*, FEMALE THREAD


MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
2Q, 2H	1.52	2' radius, fixed arc nozzle	25/250
4Q, 4H	1.52	4' radius, fixed arc nozzle	25/250
6Q, 6H	1.52	6' radius, fixed arc nozzle	25/250



SPECIALTY SPRAY PATTERN NOZZLES*, FEMALE THREAD

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
CS-530	1.52	5' x 30' center strip nozzle	25/250
ES-515	1.52	5' x 15' end strip nozzle	25/250
LCS-515	1.52	5' x 15' corner strip nozzle, left	25/250
RCS-515	1.52	5' x 15' corner strip nozzle, right	25/250
SS-530	1.52	5' x 30' side strip nozzle	25/250
SS-918	1.52	9' x 18' side strip nozzle	25/250

Note: *All nozzles are sold in bag/carton quantities only. All nozzles include filter screen.




BUBBLERS AND BUBBLER NOZZLES

PCN, PRESSURE-COMPENSATING BUBBLER NOZZLES, "FLOOD PATTERN," FEMALE THREADED

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
PCN-25	3.09	Pressure-compensating bubbler nozzle, 0.25 GPM	25/250
PCN-50	3.09	Pressure-compensating bubbler nozzle, 0.50 GPM	25/250
PCN-10	3.09	Pressure-compensating bubbler nozzle, 1.0 GPM	25/250
PCN-20	3.09	Pressure-compensating bubbler nozzle, 2.0 GPM	25/250

Note: Pressure-compensating bubbler nozzles are sold in bag/carton quantities only. All nozzles include filter screen.



MSBN, MULTI-STREAM PRESSURE-COMPENSATING BUBBLER NOZZLES, "SPIDER PATTERN," FEMALE THREAD

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
MSBN-25Q	3.09	Multi-stream bubbler nozzle, 0.25 GPM quarter	25/250
MSBN-50Q	3.09	Multi-stream bubbler nozzle, 0.50 GPM quarter	25/250
MSBN-50H	3.09	Multi-stream bubbler nozzle, 0.50 GPM half	25/250
MSBN-10H	3.09	Multi-stream bubbler nozzle, 1.0 GPM half	25/250
MSBN-10F	3.09	Multi-stream bubbler nozzle, 1.0 GPM full	25/250
MSBN-20F	3.09	Multi-stream bubbler nozzle, 2.0 GPM full	25/250


Note: Multi-stream bubbler nozzles are sold in bag/carton quantities only. All nozzles include filter screen.



CST, DUAL-STREAM STRIP PATTERN BUBBLER NOZZLES, 5' RADIUS, FEMALE THREAD

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
5-CST-B	2.44	5' radius, center-stream bubbler nozzle, 0.50 GPM	25/250

Note: Dual stream bubbler nozzles are sold in bag/carton quantities only. All nozzles include filter screen.





PCB, PRESSURE-COMPENSATING BUBBLER, 1/2" THREAD, "FLOOD PATTERN"

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
PCB-25	6.20	Pressure-compensating bubbler 1/2" FIPT, 0.25 GPM	25/250
PCB-50	6.20	Pressure-compensating bubbler 1/2" FIPT, 0.50 GPM	25/250
PCB-10	6.20	Pressure-compensating bubbler 1/2" FIPT, 1.0 GPM	25/250
PCB-20	6.20	Pressure-compensating bubbler 1/2" FIPT, 2.0 GPM	25/250

AFB, ADJUSTABLE FLOOD BUBBLER, 1/2" THREAD "FLOOD PATTERN," ADJUSTMENT SCREW

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
AFB	4.46	Adjustable flood bubbler, 1/2" thread, maximum flow 2.0 GPM, pressure-compensating	25/250


Note: Adjustable flood bubblers are sold in bag/carton quantities only. All bubblers include filter screen.



FILTER SCREENS

SPRAY NOZZLE FILTER SCREEN


MODEL	LIST PRICE \$	DESCRIPTION	BAG QTY
464716SP	0.18	Replacement filter screen for spray nozzles, gray (fine mesh)	25
464717SP	0.18	Replacement filter screen for spray nozzles, black (coarse mesh)	25
207700	0.23	Replacement filter screen for 1/2" threaded bubblers	25



1" PGV: PROFESSIONAL-GRADE VALVES

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PGV-100A	29.00	1" plastic angle valve, without flow control, female NPT inlet and outlet	20
PGV-100G	26.75	1" plastic globe valve, without flow control, female NPT inlet and outlet	20
PGV-100G-S	26.75	1" plastic globe valve, without flow control, slip inlet and outlet	20
PGV-100G-LS	27.25	1" plastic globe valve, without flow control, female NPT inlet and outlet, no solenoid	20
PGV-100-MB	26.75	1" plastic globe valve, without flow control, male NPT inlet, 1" outlet poly insert barb	20
PGV-100-MB125	26.75	1" plastic globe valve, without flow control, male NPT inlet, 1¼" outlet poly insert barb	20
PGV-100-MM	26.75	1" plastic globe valve, without flow control, male NPT inlet and outlet	20
PGV-101A	31.00	1" plastic angle valve, with flow control, female NPT inlet and outlet	20
PGV-101G	29.00	1" plastic globe valve, with flow control, female NPT inlet and outlet	20
PGV-101G-S	29.00	1" plastic globe valve, with flow control, slip inlet and outlet	20
PGV-101G-LS	30.50	1" plastic globe valve, with flow control, female NPT inlet and outlet, no solenoid	20
PGV-101-MB	29.00	1" plastic globe valve, with flow control, male NPT inlet, 1" outlet poly insert barb	20
PGV-101-MB125	29.00	1" plastic globe valve, with flow control, male NPT inlet, 1¼" outlet poly insert barb	20
PGV-101-MM	29.00	1" plastic globe valve, with flow control, male NPT inlet and outlet	20

Note: For PGV with factory-installed DC latching solenoid, specify "-DC." There will be an additional charge to the list price of the valve; call for more details. Valves are sold in carton quantities only.



1" PGV JAR-TOP VALVES


PROFESSIONAL-GRADE VALVES WITH JAR-TOP BONNET

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PGV-100JT-G	26.75	1" plastic globe valve, jar-top bonnet, without flow control, female NPT inlet and outlet	20
PGV-100JT-G-LS	27.75	1" plastic globe valve, jar-top bonnet, without flow control, female NPT inlet and outlet, no solenoid	20
PGV-100JT-GS	26.75	1" plastic globe valve, jar-top bonnet, without flow control, female slip inlet and outlet	20
PGV-100JT-MB	26.75	1" plastic globe valve, jar-top bonnet, without flow control, male NPT inlet, 1" outlet poly insert barb	20
PGV-100JT-MB075	26.75	1" plastic globe valve, jar-top bonnet, without flow control, male NPT inlet, 3/4" outlet poly insert barb	20
PGV-100JT-MB125	26.75	1" plastic globe valve, jar-top bonnet, without flow control, male NPT inlet, 1/4" outlet poly insert barb	20
PGV-100JT-MM	26.75	1" plastic globe valve, jar-top bonnet, without flow control, male NPT inlet and outlet	20
PGV-101JT-G	29.00	1" plastic globe valve, jar-top bonnet, with flow control, female NPT inlet and outlet	20
PGV-101JT-G-LS	30.00	1" plastic globe valve, jar-top bonnet, with flow control, female NPT inlet and outlet, no solenoid	20
PGV-101JT-GS	29.00	1" plastic globe valve, jar-top bonnet, with flow control, female slip inlet and outlet	20
PGV-101JT-MB	29.00	1" plastic globe valve, jar-top bonnet, with flow control, male NPT inlet, 1" outlet poly insert barb	20
PGV-101JT-MB075	29.00	1" plastic globe valve, jar-top bonnet, with flow control, male NPT inlet, 3/4" outlet poly insert barb	20
PGV-101JT-MB125	29.00	1" plastic globe valve, jar-top bonnet, with flow control, male NPT inlet, 1/4" outlet poly insert barb	20
PGV-101JT-MM	29.00	1" plastic globe valve, jar-top bonnet, with flow control, male NPT inlet and outlet	20

3/4" AND 1" PGV-ASV PROFESSIONAL-GRADE ANTI-SIPHON VALVES

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PGV-075-ASV	31.00	3/4" plastic anti-siphon electric valve, with flow control, NPT inlets	10
PGV-075-ASV-S	31.00	3/4" plastic anti-siphon electric valve, with flow control, slip inlets	10
PGV-075-ASV-LS	29.25	3/4" plastic anti-siphon electric valve, with flow control, NPT inlets, no solenoid	10
PGV-101-ASV	34.00	1" plastic anti-siphon electric valve, with flow control, NPT inlets	10
PGV-101-ASV-S	34.00	1" plastic anti-siphon electric valve, with flow control, slip inlets	10
PGV-101-ASV-LS	33.75	1" plastic anti-siphon electric valve, with flow control, NPT inlets, no solenoid	10
269205	2.07	Reclaimed water ID handle for PGV-101 series	1


Note: Valves are sold in carton quantities only. For PGV jar-top with factory-installed DC latching solenoid, specify "-DC." There will be an additional charge to the list price of the valve; call for more details. Valves are sold in carton quantities only. PGV-ASV: Electric valves with anti-siphon vacuum break.



PGV 1 1/2" AND 2" VALVES

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PGV-151	117.00	1 1/2" plastic combination globe/angle valve, with flow control, NPT inlet and outlet	8
PGV-201	167.00	2" plastic combination globe/angle valve, with flow control, NPT inlet and outlet	8
607105	2.07	Reclaimed water ID handle for PGV-151-201 series	1


Note: For PGV with factory-installed DC latching solenoid, specify “-DC.” There will be an additional charge to the list price of the valve; call for more details. Valves are sold in carton quantities only.



ICV: COMMERCIAL VALVES

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ICV-101G	139.00	1" glass-filled nylon, 220 PSI globe valve, with flow control	12
ICV-101G-FS	210.00	1" glass-filled nylon, 220 PSI globe valve, with flow control and Filter Sentry® option	12
ICV-151G	186.00	1 1/2" glass-filled nylon, 220 PSI globe valve, with flow control	8
ICV-151G-FS	264.00	1 1/2" glass-filled nylon, 220 PSI globe valve, with flow control and Filter Sentry option	8
ICV-151G-FS-R	296.00	1 1/2" glass-filled nylon, 220 PSI globe valve, with purple flow control handle, ID tag, and chlorine-resistant purple diaphragm	8
ICV-201G	253.00	2" glass-filled nylon, 220 PSI globe valve, with flow control	8
ICV-201G-FS	322.00	2" glass-filled nylon, 220 PSI globe valve, with flow control and Filter Sentry option	8
ICV-201G-FS-R	366.40	2" glass-filled nylon, 220 PSI globe valve, with purple flow control handle, ID tag, and chlorine-resistant purple diaphragm	8
561205SP	2.07	Reclaimed water ID handle for ICV-101-201 series	10
ICV-301	539.00	3" glass-filled nylon, 220 PSI globe/angle valve, with flow control	1
ICV-301-FS	659.00	3" glass-filled nylon, 220 PSI globe/angle valve, with flow control and Filter Sentry option	1
515005	2.00	Reclaimed water ID handle for ICV-301 series	1

Note: For ICV with factory-installed DC latching solenoid, specify “-DC.” There will be an additional charge to the list price of the valve; call for more details.


**IBV: BRASS VALVES**

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
IBV-101G-FS	279.00	1" NPT brass globe valve with flow control and factory-installed Filter Sentry diaphragm	4
IBV-151G-FS	509.00	1½" NPT brass globe valve with flow control and factory-installed Filter Sentry diaphragm	2
IBV-151G-FS-R	533.00	1½" NPT brass globe valve with purple ID tag, Filter Sentry and chlorine-resistant purple diaphragm	2
IBV-201G-FS	515.00	2" NPT brass globe valve with flow control and factory-installed Filter Sentry diaphragm	2
IBV-201G-FS-R	538.00	2" NPT brass globe valve with purple ID tag, Filter Sentry and chlorine-resistant purple diaphragm	2
IBV-301G-FS	1,340.00	3" NPT brass globe valve with flow control and factory-installed Filter Sentry diaphragm	1

Note: Valves are sold in carton quantities only.

**ACCU SYNC® PRESSURE REGULATORS**

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ACCU-SYNC-ADJ	108.00	Accu Sync pressure regulator, adjustable pressure model (20–100 PSI), includes solenoid adapter, works with any Hunter valve	10
ACCU-SYNC-30	86.00	Accu Sync pressure regulator, fixed pressure model (30 PSI), includes solenoid adapter, works with any Hunter valve	10
ACCU-SYNC-40	86.00	Accu Sync pressure regulator, fixed pressure model (40 PSI), includes solenoid adapter, works with any Hunter valve	10

**HQ: QUICK COUPLING VALVES**

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
HQ-3-RC	78.25	¾" female NPT inlet, 2 slots, 1-piece body, yellow lid	10
HQ-33-DRC	93.50	¾" female NPT inlet, 2 slots, 2-piece body, yellow lid	10
HQ-33-DLRC	112.00	¾" female NPT inlet, 2 slots, 2-piece body, yellow locking lid	10
HQ-33-DLRC-R	112.00	¾" female NPT inlet, 2 slots, 2-piece body, purple locking lid*	10
HQ-44-RC	146.00	1" female NPT inlet, 1 slot, 2-piece body, yellow lid	10
HQ-44-LRC	169.00	1" female NPT inlet, 1 slot, 2-piece body, yellow locking lid	10
HQ-44-LRC-R	169.00	1" female NPT inlet, 1 slot, 2-piece body, purple locking lid*	10
HQ-44-RC-AW	200.00	1" female NPT inlet, Acme keyway, 2-piece body, anti-rotation wings, yellow lid	10
HQ-44-LRC-AW	216.00	1" female NPT inlet, Acme keyway, 2-piece body, anti-rotation wings, yellow locking lid	10
HQ-44-LRC-AW-R	216.00	1" female NPT inlet, Acme keyway, 2-piece body, anti-rotation wings, purple locking lid*	10
HQ-5-RC	125.00	1" female NPT inlet, 2 slots, 1-piece body, 1¼" keyway outlet, yellow lid	10
HQ-5-LRC	158.00	1" female NPT inlet, 2 slots, 1-piece body, 1¼" keyway outlet, yellow locking lid	10
HQ-5-LRC-R	158.00	1" female NPT inlet, 2 slots, 1-piece body, 1¼" keyway outlet, purple locking lid*	10
HLK	14.15	Locking key for locking lids	10

Note: *Models with purple locking lids are suitable for use on reclaimed water sites.

HSJ: SNAPLOK SWING JOINTS**HSJ-SNAPLOK SWING JOINTS 1" SINGLE TOP-OUT FOR QUICK COUPLERS**

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
HSJ-1-3-S-212	73.25	1" single top-out, 12" lay arm, 1" brass male NPT SnapLok outlet	15
HSJ-1-3-S-218	75.30	1" single top-out, 18" lay arm, 1" brass male NPT SnapLok outlet	15
HSJ-1-3-T-212	73.25	1" single top-out, 12" lay arm, ¾" brass male NPT SnapLok outlet	15
HSJ-1-3-T-218	75.30	1" single top-out, 18" lay arm, ¾" brass male NPT SnapLok outlet	15

**HK: QUICK COUPLING KEYS**

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
HK-33	52.25	¾" double lug inlet, combination ¾" NPT male/½" NPT female outlet	10
HK-44	113.00	1" single stainless lug inlet, combination 1" NPT male/¾" NPT female outlet	10
HK-44A	120.00	1" Acme inlet, combination 1" NPT male/¾" NPT female outlet	10
HK-55	130.00	1¼" single stainless lug inlet, 1" NPT male outlet	10

**HS: QUICK COUPLING SWIVELS**

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
HS-0	81.50	¾" NPT female inlet, ¾" hose outlet	10
HS-1	87.00	1" NPT female inlet, ¾" hose outlet	10
HS-2	93.50	1" NPT female inlet, 1" hose outlet	10

Note: Quick coupler valves, keys, and swivels are sold in carton quantities only. HQ quick coupler valves, HK keys, HS hose swivels, and HSJ swing joints are sold in carton quantities only.

VALVE ACCESSORIES

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
458200	38.00	DC latching solenoid for all Hunter plastic valves	1
606800	15.20	AC solenoid for all Hunter valves	1
464322	31.00	Solenoid conduit covers	10
515005	2.00	Reclaimed water ID handle for ICV-301 series	1
269205	2.00	Reclaimed water ID handle for PGV-101	1
607105	2.00	Reclaimed water ID handle for PGV-151-201 series	1


STANDARD CONTROLLERS



X-CORE®: INDOOR MOUNT CONTROLLERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
XC-200i	114.00	2-station indoor controller, 120 VAC wall adapter	10
XC-400i	131.00	4-station indoor controller, 120 VAC wall adapter	10
XC-600i	149.00	6-station indoor controller, 120 VAC wall adapter	10
XC-800i	188.00	8-station indoor controller, 120 VAC wall adapter	10


Note: Spanish customization kits are included with X-Core controllers.



X-CORE: OUTDOOR MOUNT CONTROLLERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
XC-400	164.00	4-station outdoor cabinet controller, 120 VAC internal transformer, plug	10
XC-600	185.00	6-station outdoor cabinet controller, 120 VAC internal transformer, plug	10
XC-800	239.00	8-station outdoor cabinet controller, 120 VAC internal transformer, plug	10


Note: Spanish customization kits are included with X-Core controllers.



X2™: WI-FI CAPABLE CONTROLLERS


MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
X2-400	140.00	4-station controller, 120 VAC internal transformer and plug with plastic cabinet	10
X2-600	160.00	6-station controller, 120 VAC internal transformer and plug with plastic cabinet	10
X2-800	191.00	8-station controller, 120 VAC internal transformer and plug with plastic cabinet	10
X2-1400	331.00	14-station controller, 120 VAC internal transformer and plug with plastic cabinet	10
WAND	157.00	Wi-Fi module for Hydrowise water management software	10

Note: Spanish customization kits are included with X-Core controllers.



PRO-C®: CONVENTIONAL CONTROLLERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PCC-600i	240.00	6-station controller, indoor mount with 120 VAC plug-in transformer	8
PCC-1200i	337.00	12-station controller, indoor mount with 120 VAC plug-in transformer	8
PCC-600	274.00	6-station controller, outdoor mount with 120 VAC internal transformer	8
PCC-1200	360.00	12-station controller, outdoor mount with 120 VAC internal transformer	8
526200	80.00	Old Pro-C (prior to 2014) front panel assembly	10
821501	80.00	New Pro-C front panel	10
PXSYNC	59.00	Control relay for use in PX lighting transformers	10



PRO-C: MODULAR CONTROLLERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PC-400i	205.00	4-station base controller, indoor mount with 120 VAC external transformer, U.S.-style plug	8
PC-400	240.00	4-station base controller, outdoor mount with 120 VAC internal transformer	8
526200	80.00	Old Pro-C (prior to 2014) front panel assembly	10
821501	80.00	New Pro-C front panel	10
PCM-300	66.25	3-station module for Pro-C controller	20
PCM-900	245.00	9-station module for Pro-C controller	6
PCM-1600	285.00	16-station module for Pro-C controller	1
PCM-1600-KIT	367.00	16-station module upgrade kit for Pro-C controller	1
PC-DM	258.00	EZ decoder module for Pro-C controller	6
PC-DM-KIT	341.00	EZ decoder module upgrade kit for Pro-C controller	1




I-CORE®: CONTROLLERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
IC-600-PL	759.00	6-station base model with outdoor plastic cabinet, expands up to 30 stations with ICM-600s	1
IC-600-M	1,415.00	6-station base model with metal cabinet, expands up to 42 stations with ICM-600s	1
IC-600-SS	3,120.00	6-station base model with stainless steel cabinet, expands up to 42 stations with ICM-600s	1
IC-600-PP	6,540.00	6-station base model with plastic pedestal, expands up to 42 stations with ICM-600s (also available in tan color; add "-TAN" when ordering)	1
ICM-600	183.00	6-station module for adding stations to base controller	1
ACC-PED	720.00	Metal pedestal for use with I-Core and ACC controllers	1
PED-SS	1,320.00	Stainless steel pedestal for use with stainless I-Core and ACC controllers	1

HYDRAWISE® CONTROLLERS


HYDRAWISE SUBSCRIPTION PLANS

Access to Hydrowise software is free for all users worldwide. For advanced features, annual software plans are available for purchase. To learn more, visit hydrowise.com.



HC INDOOR CONTROLLERS


MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
HC-600i	336.00	6-station 120 VAC indoor plastic controller with Wi-Fi connection	10
HC-1200i	393.00	12-station 120 VAC indoor plastic controller with Wi-Fi connection	10



WAND: WI-FI MODULE FOR X2 CONTROLLERS


MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
WAND	157.00	Wi-Fi module for Hydrawise water management software	10

Note: See "X2™: Wi-Fi Capable Controllers" on page 33 for X2 controller models.




HPC OUTDOOR MODULAR CONTROLLERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
HPC-400	274.00	4-station base controller, outdoor mount with 120 VAC internal transformer, U.S.-style plug, expandable to 16 stations	8
HPC-FP	249.00	HPC retrofit face panel to upgrade Pro-C to Wi-Fi enabled Hydrawise control	10
PCM-300	66.25	3-station module for Pro-C controller	20
PCM-900	245.00	9-station module for Pro-C controller, for specific use in expanding controller to 16 stations	6



PRO-HC INDOOR/OUTDOOR-MOUNT CONTROLLERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PHC-600	382.00	6-station outdoor Pro-HC controller, 120 VAC transformer	8
PHC-1200	473.00	12-station outdoor Pro-HC controller, 120 VAC transformer	8
PHC-2400	827.00	24-station outdoor Pro-HC controller, 120 VAC transformer	8
PHC-600i	359.00	6-station indoor Pro-HC controller, 120 VAC external transformer	8
PHC-1200i	451.00	12-station indoor Pro-HC controller, 120 VAC external transformer	8
PHC-2400i	804.00	24-station indoor Pro-HC controller, 120 VAC external transformer	8




HCC OUTDOOR MODULAR CONTROLLERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
HCC-800-PL	683.00	8-station base model, plastic, outdoor, wall mount	1
HCC-800-M	1,050.00	8-station base model, gray metal, outdoor, wall mount	1
HCC-800-SS	2,965.00	8-station base model, stainless steel, outdoor, wall mount	1
HCC-800-PP	4,790.00	8-station base model, plastic pedestal	1
HCC-800-SBKIT	1,240.00	HCC StrongBox™ Kit, for aftermarket enclosures	1
HCC-FPUP	400.00	Retrofit upgrade kit for ICC and ICC2	1
ICM-400	129.00	4-station module for all ICCs	1
ICM-800	227.00	8-station module for all ICCs	1
ICM-2200	456.00	22-station module for ICC2 controllers	1
ICC-PED	696.00	ICC gray cabinet pedestal	1
ICC-PED-SS	1,440.00	ICC stainless steel pedestal	1
ICC-PWB	316.00	Pedestal wiring board and surge protection	1
WIFI-EXT-KIT	83.00	Wi-Fi antenna extension kit	1


StrongBox is a trademark of MUM Industries.

CENTRALUS™ CONTROLLERS



ICC2: CONTROLLERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
I2C-800-PL	434.00	8-station base ICC2 controller, plastic wall	1
I2C-800-M	913.00	8-station base ICC2 controller, gray metal wall	1
I2C-800-SS	2,120.00	8-station base ICC2 controller, stainless steel wall	1
I2C-800-PP	4,240.00	8-station base ICC2 controller, plastic pedestal	1
I2C-800-SBKIT	799.00	ICC2 StrongBox Kit, for aftermarket enclosures	1
ICM-400	129.00	4-station module for all ICCs	1
ICM-800	227.00	8-station module for all ICCs	1
ICM-2200	456.00	22-station module for ICC2 controllers	1
ICC-FPUP-2	288.00	ICC2 retrofit panel/module kit	1
ICC-PED	696.00	ICC gray metal pedestal	1
ICC-PED-SS	1,440.00	ICC stainless steel pedestal	1
ICC-PWB	316.00	Pedestal wiring board and surge protection	1



ICC2: COMPONENTS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
WIFIKIT	174.00	Wi-Fi connection module for Centralus or network	1
LANKIT	174.00	Ethernet (LAN) connection module for Centralus or network	1




ACC2: ADVANCED CONTROLLERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
A2C-1200-P	1,385.00	12-station ACC2, plastic wall mount	1
A2C-1200-M	1,555.00	12-station ACC2, metal wall mount	1
A2C-1200-SS	2,770.00	12-station ACC2, stainless steel wall mount	1
A2C-1200-PP	5,205.00	12-station ACC2, plastic pedestal	1
A2C-1200-SBKIT	1,215.00	ACC2 StrongBox Kit, for aftermarket enclosures	1
A2M-600	461.00	6-station output module, ACC2	1
A2C-F3	332.00	3-channel flow expansion module	1

ACC2: ADVANCED DECODER CONTROLLERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
A2C-75D-P	2,105.00	75-station base model, plastic, wall mount	1
A2C-75D-M	2,325.00	75-station base model, gray metal outdoor, wall mount	1
A2C-75D-SS	2,770.00	75-station base model, stainless steel, wall mount	1
A2C-75D-PP	5,430.00	75-station base model, plastic pedestal	1
A2C-75D-SBKIT	1,990.00	ACC2 Decoder StrongBox kit, for aftermarket enclosures	1
A2C-D75	775.00	75-station decoder expansion module	1



ACC2 AND ACC2 DECODER: COMPONENTS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
A2C-LEDKT	124.00	External status light, ACC2	1
A2C-WIFI	332.00	Wi-Fi module for Centralus or network connections	1
A2C-LAN	259.00	Ethernet (LAN) module	1
A2C-LTE	983.00	LTE cellular module for Centralus connections (monthly service plan required)	1
10010101	160.00	Remote antenna wall mounting kit for cell antennas	1
10010000	140.00	Plastic pedestal cell antenna mounting kit	1


IMMS™ ONLINE CONTROLLERS



IRRIGATION MANAGEMENT AND MONITORING SYSTEM: CENTRAL CONTROL


MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
IMMS4-CD	7,290.00	IMMS central control software with graphics for Microsoft® Windows® XP or later operating systems	1
ETSENSOR	383.00	ET sensor only, for use with ACC in IMMS-ET systems	1
ET-WIND	623.00	Optional anemometer for use with the ET sensor	1
IMMS-CCC	915.00	Central communications control unit for hardwire systems	1

Note: See page 38 for communications accessories.



ACC: ADVANCED CONTROLLERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ACC-1200	2,130.00	12-station base model with outdoor metal cabinet, expands up to 42 stations with ACM-600 or AGM-600s	1
ACC-1200-SS	3,895.00	12-station base model with stainless steel metal cabinet, expands up to 42 stations	1
ACC-1200-PP	7,320.00	12-station base model in an outdoor plastic pedestal, expands up to 42 stations with ACM-600 or AGM-600s (also available in tan color; add “-TAN” when ordering)	1
ACC-PED	720.00	Metal pedestal for use with I-Core and ACC controllers	1
PED-SS	1,320.00	Stainless steel pedestal for use with stainless I-Core and ACC controllers	1
A2M-600	461.00	6-station module with heavy-duty surge protection	1




ACC TWO-WIRE DECODERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ACC-99D	3,645.00	ACC decoder controller, 99-station capacity, gray powder-coated metal wall mount	1
ACC-99D-SS	4,450.00	ACC decoder controller, 99-station capacity, stainless steel wall mount	1
ACC-99D-PP	7,935.00	ACC decoder controller, 99-station capacity, plastic pedestal (also available in tan color; add “-TAN” when ordering)	1
ACC-PED	720.00	Metal pedestal for use with I-Core and ACC controllers	1
PED-SS	1,320.00	Stainless steel pedestal for use with stainless I-Core and ACC controllers	1
ADM-99	1,475.00	ACC decoder module only	1

Note: *See page 40 for waterproof connections.

Microsoft and Windows are trademarks of Microsoft Corporation in the United States and/or other countries.



ACC AND ACC DECODER: COMMUNICATIONS COMPONENTS


MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ACC-COM-HWR	905.00	Communications module for radio and/or hardwire only (requires ACC-HWIM and/or radio module)	1
ACC-COM-LAN	1,510.00	Communications module for Ethernet, also supports on-site radio and/or hardwire with ACC-HWIM and/or radio module	1
ACC-COM-LTE	2,465.00	Communications module for LTE cellular, also supports on-site radio or hardwire communications	1
ACC-P2P-LTE	2,140.00	Communications for LTE cellular, for single controller site only	1
ACC-HWIM	351.00	Hardwire interface module, required for hardwire connections	1
GCBL-100	Call	100' GCBL cable for hardwired communications	1
GCBL-300	Call	300' GCBL cable for hardwired communications	1
GCBL-500	Call	500' GCBL cable for hardwired communications	1
RAD3	2,570.00	UHF radio, 450 to 470 MHz range, for on-site radio communications, may not be available in all countries	1
IMMSANT2	860.00	UHF radio antenna for plastic pedestal lid (450 to 470 MHz)	1
IMMSANT3	693.00	UHF radio antenna, wall mount, general purpose (450 to 470 MHz)	1
IMMSANTYAGI3	599.00	UHF radio antenna, directional (450 to 470 MHz)	1
RG850NFN	550.00	50' antenna cable for use with RA-5M	1
APPBRKT	135.00	Communications module bracket for old plastic pedestal (not required for wall mount controllers)	1
APPBRKT2	135.00	Communication module bracket for new-style plastic pedestal (APR 2017)	1

BATTERY-POWERED CONTROLLERS



BTT: BLUETOOTH® BATTERY-POWERED TAP TIMERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
BTT-100	80.50	1-zone Bluetooth Tap Timer, 3/4" hose thread	10
BTT-200	124.00	2-zone Bluetooth Tap Timer, 3/4" hose thread	5
BTT-LOC	5.70	BTT adapter for 16 to 18 mm dripline	1



SENNINGER® PRESSURE REGULATORS: LOW-FLOW, HOSE THREAD

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PRLG-20-3FH-3MH	13.00	20 PSI pressure regulator, 3/4" male hose thread	1
PRLG-25-3FH-3MH	13.00	25 PSI pressure regulator, 3/4" male hose thread	1
PRLG-30-3FH-3MH	13.00	30 PSI pressure regulator, 3/4" male hose thread	1
PRLG-40-3FH-3MH	13.00	40 PSI pressure regulator, 3/4" male hose thread	1

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG Inc. and any use of such marks by Hunter Industries is under license.




NODE: BATTERY-POWERED CONTROLLERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
NODE-100	186.00	Single-station battery controller with solenoid	1
NODE-100-LS	165.00	Single-station battery controller, no solenoid	1
NODE-200	268.00	2-station battery controller, no solenoid	1
NODE-400	326.00	4-station battery controller, no solenoid	1
NODE-600	343.00	6-station battery controller, no solenoid	1
NODE-100-VALVE	223.00	NODE-100 installed on PGV-101G with solenoid	10
SPNODE	212.00	Solar panel kit for NODE controllers	1
458200	38.00	DC latching solenoid for all Hunter valves	1




NODE-BT: BLUETOOTH BATTERY-POWERED CONTROLLERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
NODE-BT-100	186.00	Single-station Bluetooth battery controller with solenoid	1
NODE-BT-100-LS	165.00	Single-station Bluetooth battery controller, no solenoid	1
NODE-BT-200	268.00	2-station Bluetooth battery controller, no solenoid	1
NODE-BT-400	326.00	4-station Bluetooth battery controller, no solenoid	1
NODE-BT-100-VALVE	223.00	NODE-BT-100 installed on PGV-101G with solenoid	10
SC-PROBE	50.00	Soil probe for moisture sensing	1
458200	38.00	DC latching solenoid for all Hunter valves	1



XC HYBRID: MOUNTED BATTERY-POWERED CONTROLLERS

SOLAR PANEL, AMBIENT LIGHT OR BATTERY POWERED



MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
XCH-600	229.00	6-station indoor/outdoor controller, battery powered	10
XCH-600-SS	639.00	6-station outdoor controller, battery powered, stainless steel cabinet	1
XCH-600-SSP	737.00	6-station outdoor controller, battery powered, stainless steel cabinet with mounted solar panel	1
XCH-1200	331.00	12-station indoor/outdoor controller, battery powered	10
XCH-1200-SS	788.00	12-station outdoor controller, battery powered, stainless steel cabinet	1
XCH-1200-SSP	885.00	12-station outdoor controller, battery powered, stainless steel cabinet with mounted solar panel	1
XCHSPOLE	420.00	4' pole, mounting bracket, and hardware for stainless XC Hybrid	1
XCHSPB	225.00	Mounting bracket and hardware for stainless XC Hybrid	1
SPXCH	217.00	Solar panel kit for XCH controllers	1
526500	36.00	Indoor 120 V transformer (bypasses solar/batteries and transforms XC Hybrid into latching AC-powered controller)	1
458200	38.00	DC latching solenoid for all Hunter plastic valves	1


DECODERS AND ACCESSORIES

WATERPROOF WIRE CONNECTORS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
DBRY-100	265.00	Direct-burial waterproof connectors, DBRY-6 UL listed up to 600 V, 100 pieces bulk-packed	1
DBRY-2X25	150.00	Direct-burial waterproof connectors, DBRY-6 UL listed up to 600 V, 25 x 2 packs	1


ICD: DECODER SYSTEM FOR ACC AND ACC2 CONTROLLERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ICD-100	207.00	1-station decoder for use with any ACC decoder controller, includes 2 waterproof connectors	1
ICD-200	343.00	2-station decoder for use with any ACC decoder controller, includes 2 waterproof connectors	1
ICD-400	548.00	4-station decoder for use with any ACC decoder controller, includes 2 waterproof connectors	1
ICD-600	589.00	6-station decoder for use with any ACC decoder controller, includes 2 waterproof connectors	1
ICD-SEN	642.00	Sensor decoder for use with any ACC decoder controller, includes 2 waterproof connectors	1



EZ DECODER SYSTEM FOR HCC, ICC2 AND PRO-C CONTROLLERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
EZ-DM	325.00	EZ decoder output module	1
PC-DM	258.00	EZ decoder module for Pro-C controller	6
PC-DM-KIT	341.00	EZ decoder module upgrade kit for Pro-C controller	1
EZ-1	92.25	Single-station EZ decoder	1
EZ-DT	413.00	Handheld diagnostic tool for EZ decoder system	1



DUAL®: DECODER SYSTEM FOR I-CORE CONTROLLERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
DUAL48M	681.00	48-station decoder output module for I-Core controller	1
DUAL-1	187.00	1-station decoder for use with I-Core DUAL controller	1
DUAL-2	306.00	2-station decoder for use with I-Core DUAL controller	1
DUAL-S	125.00	Surge suppression module for use with I-Core DUAL controller	1



ICD-HP: HANDHELD DECODER PROGRAMMER FOR ICD DECODERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ICD-HP	1,390.00	Handheld decoder programmer for ICD, DUAL, and Pilot® decoders	1



ROAM: RESIDENTIAL REMOTE CONTROL SYSTEMS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ROAM-KIT	326.00	Complete remote kit: transmitter, receiver and harness compatible with X-Core, Pro-C, HPC, ICC2, HCC, I-Core, ACC, and ACC2 controllers	1
ROAM-TR	190.00	Handheld transmitter only	1
ROAM-R	169.00	Receiver unit only	1
ROAM-SCWH	23.75	Wiring harness 25' shielded cable	1
ROAM-WH	16.30	Wiring harness 6'	1

Note: System operating frequency: 433.925 MHz. Please check for local regulatory approvals.



ROAM XL: REMOTE CONTROL SYSTEMS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ROAM-XL-KIT	1,025.00	Complete remote kit: transmitter, receiver, harness, and carrying case compatible with X-Core, Pro-C, HPC, ICC2, HCC, I-Core, ACC, and ACC2 controllers	1
ROAM-XL-R	533.00	ROAM XL remote, receiver only	1
ROAM-XL-TR	707.00	ROAM XL remote, transmitter only	1
ROAM-SCWH	23.75	Wiring harness 25' shielded cable	1
ROAM-WH	16.30	Wiring harness 6'	1
ROAM-XL-EXT	77.75	Antenna extension kit with 25' cable and mounting hardware	1

Note: System operating frequency: 27 MHz. Please check for local regulatory approvals.



PSR: PUMP START RELAYS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PSR-22	114.00	Double-pole/single-throw pump start relay for 120 VAC pumps up to 2 HP or 230 VAC pumps up to 3 HP	10
PSR-52	179.00	Double-pole/single-throw pump start relay for 120 VAC pumps up to 3 HP or 230 VAC pumps up to 7.5 HP	10
PSR-53	321.00	Triple-pole/single-throw pump start relay for 120 VAC pumps up to 3 HP, 230 VAC pumps up to 7.5 HP, or 230 VAC pumps up to 10 HP (three phase)	10
PSR-B	353.00	Used to boost controller output power to operate larger pump start relays, if required	8

DECODER CABLES

2,500' SPOOLS STANDARD DECODER CABLES

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ID1GRY	Call	Jacketed decoder cable, gray, 14/2	1
ID1PUR	Call	Jacketed decoder cable, purple, 14/2	1
ID1YLW	Call	Jacketed decoder cable, yellow, 14/2	1
ID1ORG	Call	Jacketed decoder cable, orange, 14/2	1
ID1BLU	Call	Jacketed decoder cable, blue, 14/2	1
ID1TAN	Call	Jacketed decoder cable, tan, 14/2	1

2,500' LONG-RANGE, HEAVY-DUTY DECODER CABLES


MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ID2GRY	Call	Jacketed decoder cable, gray, 12/2	1
ID2PUR	Call	Jacketed decoder cable, purple, 12/2	1
ID2YLW	Call	Jacketed decoder cable, yellow, 12/2	1
ID2ORG	Call	Jacketed decoder cable, orange, 12/2	1
ID2BLU	Call	Jacketed decoder cable, blue, 12/2	1
ID2TAN	Call	Jacketed decoder cable, tan, 12/2	1

1,000' SPOOLS STANDARD DECODER CABLES

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ID1GRYFT	Call	Jacketed decoder cable, gray, 14/2	1
ID1PURFT	Call	Jacketed decoder cable, purple, 14/2	1
ID1YLWFT	Call	Jacketed decoder cable, yellow, 14/2	1
ID1ORGFT	Call	Jacketed decoder cable, orange, 14/2	1
ID1BLUFT	Call	Jacketed decoder cable, blue, 14/2	1
ID1TANFT	Call	Jacketed decoder cable, tan, 14/2	1


1,000' LONG-RANGE, HEAVY-DUTY DECODER CABLES

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ID2GRYFT	Call	Jacketed decoder cable, gray, 12/2	1
ID2PURFT	Call	Jacketed decoder cable, purple, 12/2	1
ID2YLWFT	Call	Jacketed decoder cable, yellow, 12/2	1
ID2ORGFT	Call	Jacketed decoder cable, orange, 12/2	1
ID2BLUFT	Call	Jacketed decoder cable, blue, 12/2	1
ID2TANFT	Call	Jacketed decoder cable, tan, 12/2	1



WIRED RAIN-CLIK®: RAIN SENSORS


MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
RAIN-CLIK	46.75	Rain sensor with Quick Response™ shutoff, includes 25' wire	12
RAIN-CLIK-NO	53.25	Rain sensor with Quick Response shutoff, includes 25' wire, normally open switch	12
RFC	82.50	Rain and freeze sensor with Quick Response shutoff, includes 25' wire	12
SGM	6.00	Sensor gutter mount	1



WIRELESS RAIN-CLIK: RAIN SENSORS


MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
WR-CLIK	126.00	Wireless rain sensor with Quick Response shutoff, includes sensor, receiver, and gutter mount	12
WRF-CLIK	140.00	Wireless rain/freeze sensor with Quick Response shutoff, includes sensor, receiver, and gutter mount	12
WR-CLIK-R	118.00	Wireless Rain-Clik receiver only	20
WR-CLIK-TR	82.50	Wireless Rain-Clik sensor only	20
WRF-CLIK-TR	110.00	Wireless rain/freeze sensor only	20
WS-GUARD	207.00	Vandal-resistant wireless sensor guard for flat surfaces or pole mounting	1
WR-GUARD	207.00	Vandal-resistant wireless receiver guard for flat surfaces or pedestal mounting	1

Note: Wireless Rain-Clik is not available in some areas due to local regulatory authority approvals of 433 MHz band.



MINI-CLIK®: RAIN SENSORS


MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
MINI-CLIK	44.50	Adjusts for rainfall of 1/8" to 3/4", includes 25' wire, aluminum mount	12
MINI-CLIK-NO	53.25	Adjusts for rainfall of 1/8" to 3/4", includes 25' wire, aluminum mount, normally open switch	12
MINI-CLIK-C	53.25	Adjusts for rainfall of 1/8" to 3/4", includes 25' wire, conduit mount	12
SGM	6.00	Sensor gutter mount	1



SOLAR SYNC®: ET SENSORS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
SOLAR-SYNC-SEN	137.00	Wired Solar Sync, includes 25' wire, gutter mount	20
WSS-SEN	258.00	Wireless Solar Sync, includes sensor, receiver, and gutter mount	10
WSS-R	137.00	Wireless Solar Sync receiver only	10
WSS-TR	200.00	Wireless Solar Sync sensor only	10
WS-GUARD	207.00	Vandal-resistant wireless sensor guard for flat surfaces or pole mounting	1
WR-GUARD	207.00	Vandal-resistant wireless receiver guard for flat surfaces or pedestal mounting	1


Note: Adds weather-based control to Hunter X-Core, Pro-C, ICC2, I-Core, ACC, and ACC2 controllers, compatible with Centralus software. Wireless Solar Sync is not available in some areas due to local regulatory authority approvals of the 433 MHz band.



HC: HYDRAWISE FLOW METERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
HC-075-FLOW	211.00	HC Flow Meter with ¾" NPT thread	1
HC-100-FLOW	239.00	HC Flow Meter with 1" NPT thread	1
HC-150-FLOW	477.00	HC Flow Meter with 1½" NPT thread	1
HC-200-FLOW	638.00	HC Flow Meter with 2" NPT thread	1
W-HC-FLOW	233.00	Wireless HC Flow Meter Kit (domestic 900 MHz) includes transmitter and receiver	1
W-HC-FLOW-TR	181.00	Wireless HC Flow Meter transmitter only (domestic 900 MHz)	1
W-HC-FLOW-R	129.00	Wireless HC Flow Meter receiver only (domestic 900 MHz)	1

Note: Compatible with Hydrawise touchscreen controllers.



FLOW SENSORS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
FLOW-CLIK	408.00	Flow-Clik® system includes sensor and interface box, works with all standard 24 VAC controllers (excludes sensor body — order separately)	1
HFS	337.00	Hunter Flow-Sync® flow sensor for Hunter flow-learning controllers	1
WFS	473.00	Wireless flow sensor system	1
WFS-T	325.00	Wireless flow sensor (transmitter only)	1
WFS-R	185.00	Wireless flow sensor (receiver only)	1
WFS-LITHBATT	68.50	Lithium battery	1
WFS-ALKBATT	18.50	Alkaline battery	1

FLOW SENSOR BODIES FOR USE WITH FLOW-CLIK, HFS, AND WFS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
FCT-100	81.50	1" Schedule 40 sensor body, slip x slip	1
FCT-150	100.00	1½" Schedule 40 sensor body, slip x slip	1
FCT-158	125.00	1½" Schedule 80 sensor body, slip x slip	1
FCT-200	125.00	2" Schedule 40 sensor body, slip x slip	1
FCT-208	147.00	2" Schedule 80 sensor body, slip x slip	1
FCT-300	159.00	3" Schedule 40 sensor body, slip x slip	1
FCT-308	179.00	3" Schedule 80 sensor body, slip x slip	1
FCT-400	212.00	4" Schedule 40 sensor body, slip x slip	1




SOIL-CLIK®: SOIL SENSOR

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
SOIL-CLIK	175.00	Soil-Clik module and sensor probe	12
SC-PROBE	50.00	Soil probe for moisture sensing (NODE-BT only)	1




FREEZE-CLIK®: FREEZE SENSOR

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
FREEZE-CLIK	65.25	37°F setpoint, 25' wire, screws, 24 VAC, 6 A	12




WIND-CLIK®: WIND SENSOR

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
WIND-CLIK	195.00	Adjustable wind control, 12 to 35 mph shutdown, 24 VAC, 5 A	1



MINI WEATHER STATIONS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
MWS	301.00	Weather station combines wind and rain sensors	1
MWS-FR	348.00	Weather station incorporates rain, wind, and freeze sensors	1



SENSOR ACCESSORIES

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
SG-MC	365.00	Sensor guard enclosure with Mini-Clik conduit rain sensor, stainless steel construction, automatically responds to local weather changes	1
BPSW	35.00	Bypass switch box with no-strip wire connectors and double-backed tape for mounting	12
EXT	21.00	Extension bracket adds 7" to standard rain or freeze sensor bracket	1
REL2	45.00	Heavy-duty sensor switching relay, two-pole relay, double throw	1
REL3	50.00	Heavy-duty sensor switching relay, three-pole relay, double throw	1
SGM	6.00	Sensor gutter mount (for use with Mini-Clik, Rain-Clik, and wireless Rain-Clik sensors)	1



DRIP CONTROL ZONE KITS

PCZ: STANDARD LOW-FLOW

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PCZ-101-25	86.00	1" NPT Drip Zone Control Kit with PGV flow control valve 25 PSI regulator	4
PCZ-101-40	86.00	1" NPT Drip Zone Control Kit with PGV flow control valve 40 PSI regulator	4

ACZ: ANTI-SIPHON LOW-FLOW

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ACZ-075-25	81.50	¾" professional anti-siphon control zone 25 PSI regulator	4
ACZ-075-40	81.50	¾" professional anti-siphon control zone 40 PSI regulator	4
ACZ-101-25	86.00	1" PGV-ASV valve with HFR-100-075 system and 25 PSI regulator	4
ACZ-101-40	86.00	1" PGV-ASV valve with HFR-100-075 system and 40 PSI regulator	4



ICZ: HEAVY-DUTY LOW-FLOW

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ICZ-101-25-LF	173.00	1" NPT Drip Zone Control Kit ICV-101 with HFR-100-075-25 PSI filter regulator flows from 0.5 to 15 GPM	5
ICZ-101-25-LF-R	185.00	1" NPT Drip Zone Control Kit, ICV-101 with HFR-100-075-25 PSI filter regulator flows from 0.5 to 15 GPM, reclaimed	5
ICZ-101-40-LF	173.00	1" NPT Drip Zone Control Kit ICV-101 with HFR-100-075-40 PSI filter regulator flows from 0.5 to 15 GPM	5
ICZ-101-40-LF-R	185.00	1" NPT Drip Zone Control Kit ICV-101 with HFR-100-075-40 PSI filter regulator flows from 0.5 to 15 GPM, reclaimed	5




ICZ: MEDIUM-FLOW

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ICZ-101-25	260.00	1" NPT Drip Zone Control Kit ICV-101G-FS with HY-100 filter and PMR-25-MF4F4FV regulator, flows from 2 to 20 GPM	5
ICZ-101-40	260.00	1" NPT Drip Zone Control Kit ICV-101G-FS with HY-100 filter and PMR-40-MF4F4FV regulator, flows from 2 to 20 GPM	5

ICZ: HIGH-FLOW


MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ICZ-151-40-XL	629.00	1½" Drip Control Zone Kit ICV-151 Filter Sentry 40 PSI regulator, flows from 20 to 60 GPM with single 2" outlet	1

FILTERS AND FILTER REGULATORS



FILTER REGULATORS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
HFR-100-075-25	45.50	Pressure-regulating filter, 1" NPT inlet x ¾" outlet, 25 PSI regulation	5
HFR-100-075-40	45.50	Pressure-regulating filter, 1" NPT inlet x ¾" outlet, 40 PSI regulation	5
HFR-100-075-25-R	46.75	1" inlet x ¾" outlet, regulated at 25 PSI, reclaimed	12
HFR-100-075-40-R	46.75	1" inlet x ¾" outlet, regulated at 40 PSI, reclaimed	12
HFR-075-25	45.50	Pressure-regulating filter, ¾" inlet and outlet, 25 PSI regulation	5
HFR-075-40	45.50	Pressure-regulating filter, ¾" inlet and outlet, 40 PSI regulation	5



1" FILTERS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
HY-075	21.10	¾" filter with 150-mesh screen	1
HY-100-75	24.40	1" x ¾" filter with 150-mesh screen	1
HY-100	24.40	1" filter with 150-mesh screen	1
HY-100-R	27.25	1" reclaimed filter with 150-mesh screen	1


1½" FILTERS WITH ADDITIONAL SCREENS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
HY-151	252.00	1½" filter with 150-mesh XL screen	1
HY-151-D	251.50	1½" filter with 125-micron disc element	1
HY-151-SCREEN-150	28.00	150-mesh screen for 1½" filter	1
HY-151-SCREEN-120	28.00	120-mesh screen for 1½" filter	1
HY-151-SCREEN-080	28.00	80-mesh screen for 1½" filter	1
HY-151-DISC-120	34.00	125-micron disc for 1½" filter	1

2" FILTERS WITH ADDITIONAL SCREENS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
HY-201	272.00	2" filter with 150-mesh XL screen	1
HY-201-D	261.85	2" filter with 125-micron disc element	1
HY-201-SCREEN-150	29.50	150-mesh screen for 2" filter	1
HY-201-SCREEN-120	29.50	120-mesh screen for 2" filter	1
HY-201-SCREEN-080	29.50	80-mesh screen for 2" filter	1
HY-201-DISC-120	35.75	125-micron disc for 2" filter	1

SENNINGER® PRESSURE REGULATORS



LOW-FLOW, COMMERCIAL

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PRL-20-3F3F	14.50	¾", 20 PSI, low-flow regulator	50
PRL-25-3F3F	14.50	¾", 25 PSI, low-flow regulator	50
PRL-30-3F3F	14.50	¾", 30 PSI, low-flow regulator	50
PRL-35-3F3F	14.50	¾", 35 PSI, low-flow regulator	50
PRL-40-3F3F	14.50	¾", 40 PSI, low-flow regulator	50

PRESSURE-REGULATING LIMIT VALVES

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PRLV-20-MF-3F3FV	35.20	¾", 20 PSI, limit valve regulator	50
PRLV-30-MF-3F3FV	35.20	¾", 30 PSI, limit valve regulator	50
PRLV-40-MF-3F3FV	35.20	¾", 40 PSI, limit valve regulator	50
PRLV-40-MF-4F4FV	37.25	1", 40 PSI, limit valve regulator	50
PRLV-50-MF-4F4FV	37.25	1", 50 PSI, limit valve regulator	50
PRLV-60-MF-4F4FV	37.25	1", 60 PSI, limit valve regulator	50

¾"- MEDIUM-FLOW, COMMERCIAL

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PMR-20-MF-3F3FV	20.70	¾", 20 PSI, medium-flow regulator	50
PMR-25-MF-3F3FV	20.70	¾", 25 PSI, medium-flow regulator	50
PMR-30-MF-3F3FV	20.70	¾", 30 PSI, medium-flow regulator	50
PMR-35-MF-3F3FV	20.70	¾", 35 PSI, medium-flow regulator	50
PMR-40-MF-3F3FV	20.70	¾", 40 PSI, medium-flow regulator	50
PMR-50-MF-3F3FV	20.70	¾", 50 PSI, medium-flow regulator	50

1" MEDIUM-FLOW, COMMERCIAL


MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PMR-20-MF-4F4FV	22.80	1", 20 PSI, medium-flow regulator	50
PMR-25-MF-4F4FV	22.80	1", 25 PSI, medium-flow regulator	50
PMR-30-MF-4F4FV	22.80	1", 30 PSI, medium-flow regulator	50
PMR-35-MF-4F4FV	22.80	1", 35 PSI, medium-flow regulator	50
PMR-40-MF-4F4FV	22.80	1", 40 PSI, medium-flow regulator	50

LOW-FLOW, HOSE THREAD

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PRLG-20-3FH-3MH	13.45	¾" FHT x ¾" MHT, 20 PSI, low-flow regulator	50
PRLG-25-3FH-3MH	13.45	¾" FHT x ¾" MHT, 25 PSI, low-flow regulator	50
PRLG-30-3FH-3MH	13.45	¾" FHT x ¾" MHT, 30 PSI, low-flow regulator	50
PRLG-40-3FH-3MH	13.45	¾" FHT x ¾" MHT, 40 PSI, low-flow regulator	50

HIGH-FLOW, COMMERCIAL

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PRU-40	182.00	2" FPT, 40 PSI, high-flow regulator	50

HUNTER DRIPLINE (HDL)**HDL-CV 0.4 GPH: HUNTER DRIPLINE, PRESSURE-COMPENSATING WITH CHECK VALVE (CV)**


MODEL	LIST PRICE \$	DESCRIPTION	CARTON/ PALLET QTY
HDL-04-12-250-CV	114.00	Hunter Dripline, CV, 0.4 GPH, 12", 250'	1/36
HDL-04-12-500-CV	228.00	Hunter Dripline, CV, 0.4 GPH, 12", 500'	1/28
HDL-04-12-1K-CV	455.00	Hunter Dripline, CV, 0.4 GPH, 12", 1,000'	1/16
HDL-04-18-250-CV	109.00	Hunter Dripline, CV, 0.4 GPH, 18", 250'	1/36
HDL-04-18-500-CV	217.00	Hunter Dripline, CV, 0.4 GPH, 18", 500'	1/28
HDL-04-18-1K-CV	435.00	Hunter Dripline, CV, 0.4 GPH, 18", 1,000'	1/16
HDL-04-24-250-CV	106.00	Hunter Dripline, CV, 0.4 GPH, 24", 250'	1/36
HDL-04-24-1K-CV	422.00	Hunter Dripline, CV, 0.4 GPH, 24", 1,000'	1/16

HDL-CV 0.6 GPH: HUNTER DRIPLINE, PRESSURE-COMPENSATING WITH CHECK VALVE (CV)

MODEL	LIST PRICE \$	DESCRIPTION	CARTON/ PALLET QTY
HDL-06-12-100-CV	67.25	Hunter Dripline, CV, 0.6 GPH, 12", 100'	1/68
HDL-06-12-250-CV	114.00	Hunter Dripline, CV, 0.6 GPH, 12", 250'	1/36
HDL-06-12-500-CV	228.00	Hunter Dripline, CV, 0.6 GPH, 12", 500'	1/28
HDL-06-12-1K-CV	455.00	Hunter Dripline, CV, 0.6 GPH, 12", 1,000'	1/16
HDL-06-18-250-CV	109.00	Hunter Dripline, CV, 0.6 GPH, 18", 250'	1/36
HDL-06-18-500-CV	217.00	Hunter Dripline, CV, 0.6 GPH, 18", 500'	1/28
HDL-06-18-1K-CV	435.00	Hunter Dripline, CV, 0.6 GPH, 18", 1,000'	1/16
HDL-06-24-250-CV	106.00	Hunter Dripline, CV, 0.6 GPH, 24", 250'	1/36
HDL-06-24-1K-CV	422.00	Hunter Dripline, CV, 0.6 GPH, 24", 1,000'	1/16

HDL-CV 0.9 GPH: HUNTER DRIPLINE, PRESSURE-COMPENSATING WITH CHECK VALVE (CV)

MODEL	LIST PRICE \$	DESCRIPTION	CARTON/ PALLET QTY
HDL-09-12-100-CV	67.25	Hunter Dripline, CV, 0.9 GPH, 12", 100'	1/68
HDL-09-12-250-CV	114.00	Hunter Dripline, CV, 0.9 GPH, 12", 250'	1/36
HDL-09-12-500-CV	228.00	Hunter Dripline, CV, 0.9 GPH, 12", 500'	1/28
HDL-09-12-1K-CV	455.00	Hunter Dripline, CV, 0.9 GPH, 12", 1,000'	1/16
HDL-09-18-100-CV	67.25	Hunter Dripline, CV, 0.9 GPH, 18", 100'	1/68
HDL-09-18-250-CV	109.00	Hunter Dripline, CV, 0.9 GPH, 18", 250'	1/36
HDL-09-18-500-CV	217.00	Hunter Dripline, CV, 0.9 GPH, 18", 500'	1/28
HDL-09-18-1K-CV	435.00	Hunter Dripline, CV, 0.9 GPH, 18", 1,000'	1/16
HDL-09-24-250-CV	106.00	Hunter Dripline, CV, 0.9 GPH, 24", 250'	1/36
HDL-09-24-1K-CV	422.00	Hunter Dripline, CV, 0.9 GPH, 24", 1,000'	1/16




HDL-PC 0.6 GPH: HUNTER DRIPLINE, PRESSURE-COMPENSATING (PC)

MODEL	LIST PRICE \$	DESCRIPTION	CARTON/ PALLET QTY
HDL-06-12-100-PC	67.25	Hunter Dripline, PC, 0.6 GPH, 12", 100'	1/68
HDL-06-12-250-PC	109.00	Hunter Dripline, PC, 0.6 GPH, 12", 250'	1/36
HDL-06-12-500-PC	217.00	Hunter Dripline, PC, 0.6 GPH, 12", 500'	1/28
HDL-06-12-1K-PC	435.00	Hunter Dripline, PC, 0.6 GPH, 12", 1,000'	1/16
HDL-06-18-250-PC	106.00	Hunter Dripline, PC, 0.6 GPH, 18", 250'	1/36
HDL-06-18-1K-PC	422.00	Hunter Dripline, PC, 0.6 GPH, 18", 1,000'	1/16

HDL-PC 0.9 GPH: HUNTER DRIPLINE, PRESSURE-COMPENSATING (PC)

MODEL	LIST PRICE \$	DESCRIPTION	CARTON/ PALLET QTY
HDL-09-12-100-PC	67.25	Hunter Dripline, PC, 0.9 GPH, 12", 100'	1/68
HDL-09-12-250-PC	109.00	Hunter Dripline, PC, 0.9 GPH, 12", 250'	1/36
HDL-09-12-500-PC	217.00	Hunter Dripline, PC, 0.9 GPH, 12", 500'	1/28
HDL-09-12-1K-PC	435.00	Hunter Dripline, PC, 0.9 GPH, 12", 1,000'	1/16
HDL-09-18-250-PC	106.00	Hunter Dripline, PC, 0.9 GPH, 18", 250'	1/36
HDL-09-18-500-PC	211.00	Hunter Dripline, PC, 0.9 GPH, 18", 500'	1/28
HDL-09-18-1K-PC	422.00	Hunter Dripline, PC, 0.9 GPH, 18", 1,000'	1/16




HDL-R 0.6 GPH: HUNTER DRIPLINE, PRESSURE-COMPENSATING FOR RECLAIMED USE

MODEL	LIST PRICE \$	DESCRIPTION	CARTON/ PALLET QTY
HDL-06-12-250-R	135.00	Hunter Dripline, reclaimed, 12", 0.6 GPH, 250'	1/36
HDL-06-12-500-R	269.00	Hunter Dripline, reclaimed, 12", 0.6 GPH, 500'	1/28
HDL-06-12-1K-R	538.00	Hunter Dripline, reclaimed, 12", 0.6 GPH, 1,000'	1/16
HDL-06-18-250-R	119.00	Hunter Dripline, reclaimed, 18", 0.6 GPH, 250'	1/36
HDL-06-18-500-R	238.00	Hunter Dripline, reclaimed, 18", 0.6 GPH, 500'	1/28
HDL-06-18-1K-R	476.00	Hunter Dripline, reclaimed, 18", 0.6 GPH, 1,000'	1/16
HDL-06-24-250-R	114.00	Hunter Dripline, reclaimed, 24", 0.6 GPH, 250'	1/36
HDL-06-24-1K-R	455.00	Hunter Dripline, reclaimed, 24", 0.6 GPH, 1,000'	1/16

HDL-R 0.9 GPH: HUNTER DRIPLINE, PRESSURE-COMPENSATING FOR RECLAIMED USE

MODEL	LIST PRICE \$	DESCRIPTION	CARTON/ PALLET QTY
HDL-09-12-250-R	135.00	Hunter Dripline, reclaimed, 12", 0.9 GPH, 250'	1/36
HDL-09-12-500-R	269.00	Hunter Dripline, reclaimed, 12", 0.9 GPH, 500'	1/28
HDL-09-12-1K-R	538.00	Hunter Dripline, reclaimed, 12", 0.9 GPH, 1,000'	1/16
HDL-09-18-250-R	119.00	Hunter Dripline, reclaimed, 18", 0.9 GPH, 250'	1/36
HDL-09-18-500-R	238.00	Hunter Dripline, reclaimed, 18", 0.9 GPH, 500'	1/28
HDL-09-18-1K-R	476.00	Hunter Dripline, reclaimed, 18", 0.9 GPH, 1,000'	1/16
HDL-09-24-250-R	114.00	Hunter Dripline, reclaimed, 24", 0.9 GPH, 250'	1/36
HDL-09-24-1K-R	455.00	Hunter Dripline, reclaimed, 24", 0.9 GPH, 1,000'	1/16



HDL-BLNK: HUNTER DRIPLINE (WITHOUT EMITTERS)

MODEL	LIST PRICE \$	DESCRIPTION	CARTON/ PALLET QTY
HDL-BLNK-100	46.50	Hunter Dripline, blank, 100'	1/68
HDL-BLNK-250	56.00	Hunter Dripline, blank, 250'	1/36
HDL-BLNK-500	112.00	Hunter Dripline, blank, 500'	1/28
HDL-BLNK-1K	224.00	Hunter Dripline, blank, 1,000'	1/16
HDL-BLNK-250-R	67.25	Hunter Dripline, reclaimed, blank, 250'	1/36
HDL-BLNK-500-R	135.00	Hunter Dripline, reclaimed, blank, 500'	1/28
HDL-BLNK-1K-R	269.00	Hunter Dripline, reclaimed, blank, 1,000'	1/16



HDL-COP: HUNTER DRIPLINE WITH COPPER, ANTI-SIPHON (CHECK VALVE, SLOW DRAIN)

MODEL	LIST PRICE \$	DESCRIPTION	CARTON/ PALLET QTY
HDL-06-12-250-COP	161.00	Hunter Dripline, AS, 0.6 GPH, 12", 250'	1/36
HDL-06-12-1K-COP	616.00	Hunter Dripline, AS, 0.6 GPH, 12", 1,000'	1/28
HDL-09-12-250-COP	161.00	Hunter Dripline, AS, 0.9 GPH, 12", 250'	1/16
HDL-09-12-1K-COP	616.00	Hunter Dripline, AS, 0.9 GPH, 12", 1,000'	1/36




HDL FITTINGS

17 MM INSERT BARB FITTINGS

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
PLD-050	0.64	Barb to 1/2" NPT adapter	25/250
PLD-075	0.68	Barb to 3/4" NPT adapter	25/250
PLD-CPL	0.43	Barb to barb coupling	25/250
PLD-ELB	0.49	Barb to barb, 90° elbow	25/250
PLD-TEE	0.62	Barb to barb, tee	25/250
PLD-IAC	0.65	Insert adapter x 17 mm coupling	10/150
PLD-IAE	0.70	Insert adapter x 17 mm elbow	10/100
PLD-CRS	0.55	17 mm barb cross	10/100
PLD-050-TB-TEE	1.37	1/2" FPT x 17 mm barb tee	25/150
PLD-075-TB-ELB	1.26	3/4" FPT x 17 mm barb elbow	25/150
PLD-075-TB-TEE	1.49	3/4" to barb tee	25/200
PLD-CAP	1.90	Barb to end cap	5/50
PLD-BV	3.14	Barbed valve	5/50

LOC FITTINGS (FIT 16 TO 18 MM DRIPLINE)

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
PLD-LOC-TEE	2.68	LOC fitting tee	5/60
PLD-LOC-CPL	1.43	LOC fitting coupling	10/100
PLD-LOC-ELB	1.97	LOC fitting elbow	10/100
PLD-LOC-050	1.60	LOC fitting 1/2" MPT	10/100
PLD-LOC-075	1.60	LOC fitting 3/4" MPT	10/100
PLD-LOC-CAP	0.90	LOC fitting cap	10/100
PLD-LOC-FHS	2.03	LOC fitting 3/4" female hose swivel	10/100



ECO-MAT®

SUBSURFACE IRRIGATION MAT

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ECO-MAT-17	2,265.00	Subsurface drip mat, 32" wide, 295' long, 17 mm dripline, 785 ft ²	1
ECO-MAT-17-100	1,020.00	Subsurface drip mat, 32" wide, 100' long, 17 mm dripline, 267 ft ²	1

ECO-WRAP®

WRAPPED DRIPLINE TUBING FOR SUBSURFACE APPLICATIONS

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ECO-WRAP-17	479.00	Enhanced subsurface PLD, 250' roll, wrapped 17 mm tubing	1



DISTRIBUTION AND SUPPLY TUBINGS

THICK-WALLED POLYETHYLENE

MODEL	LIST PRICE \$	DESCRIPTION	CTN/PL/QTY
TWPE-700-100	26.50	½" polyethylene tubing in a 100' roll	1/40
TWPE-700-250	64.00	½" polyethylene tubing in a 250' roll	1/36
TWPE-700-500	118.00	½" polyethylene tubing in a 500' roll	1/20
TWPE-700-1K	237.00	½" polyethylene tubing in a 1,000' roll	1/5

¼" POLYETHYLENE

MODEL	LIST PRICE \$	DESCRIPTION	CTN/PL/QTY
HQPE-250-100	7.99	¼" PE tubing in a 100' roll	16/320
HQPE-250-250	20.50	¼" PE tubing in a 250' roll	6/144
HQPE-250-1K	82.00	¼" PE tubing in a 1,000' roll	2/40

¼" VINYL

MODEL	LIST PRICE \$	DESCRIPTION	CTN/PL/QTY
HQV-250-100	12.60	¼" vinyl tubing in a 100' roll	16/320
HQV-250-250	30.25	¼" vinyl tubing in a 250' roll	6/144
HQV-250-1K	114.00	¼" vinyl tubing in a 1,000' roll	2/40


FLEXIBLE PVC

MODEL	LIST PRICE \$	DESCRIPTION	CTN/PL/QTY
IPS-050-250	268.00	250' length of ½" IPS	1/24
IH-250	211.00	250' length of ½" flexible PVC irrigation hose	1/40

ECO-INDICATOR


MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
ECO-ID	13.70	Eco-Indicator drip-system indicator tool	10





MLD: ¼" (6 MM) MINI LANDSCAPE DRIPLINE

MODEL	LIST PRICE \$	DESCRIPTION	CT/PALLET
MLD-05-06-100-BL	25.00	¼" x 100' at 6" spacing, black	10/320
MLD-05-06-100	26.50	¼" x 100' at 6" spacing, brown	10/320
MLD-05-06-250-BL	68.50	¼" x 250' at 6" spacing, black	6/192
MLD-05-06-250	70.75	¼" x 250' at 6" spacing, brown	6/192
MLD-05-12-100-BL	18.25	¼" x 100' at 12" spacing, black	10/320
MLD-05-12-100	19.40	¼" x 100' at 12" spacing, brown	10/320
MLD-05-12-250-BL	51.25	¼" x 250' at 12" spacing, black	6/192
MLD-05-12-250	53.50	¼" x 250' at 12" spacing, brown	6/192



¼" BARB FITTINGS

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
QB-TEE	0.31	¼" barb fittings: tee	150/3,000
QB-ELB	0.30	¼" barb fittings: elbow	200/4,000
QB-CPL	0.18	¼" barb fittings: coupling	200/4,000
QB-CRS	0.46	¼" barb fittings: cross	100/2,000
GP-025	0.96	Goof plug	15/300



IH RISERS

IH RISER (WITH BROWN ½" FITTINGS)

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
IH-RISER-06	7.13	6" riser with pre-glued ½" fittings	80
IH-RISER-12	7.99	12" riser with pre-glued ½" fittings	200
IH-RISER-18	9.41	18" riser with pre-glued ½" fittings	100
IH-RISER-24	10.85	24" riser with pre-glued ½" fittings	100
IH-RISER-36	12.60	36" riser with pre-glued ½" fittings	25


IH RISER (RECLAIMED ½" FITTINGS)

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
IH-RISER-06-R	7.13	Reclaimed 6" riser with pre-glued purple ½" fittings	80
IH-RISER-12-R	7.99	Reclaimed 12" riser with pre-glued purple ½" fittings	200
IH-RISER-18-R	9.41	Reclaimed 18" riser with pre-glued purple ½" fittings	100
IH-RISER-24-R	10.85	Reclaimed 24" riser with pre-glued purple ½" fittings	100
IH-RISER-36-R	12.60	Reclaimed 36" riser with pre-glued purple ½" fittings	25


IH RISER (WITH PREINSTALLED EMITTER AND CHECK VALVE)			
MODEL	LIST PRICE \$	DESCRIPTION	CTN QTY
IH-06-xx-CV	9.13	6" IH riser with preinstalled emitter bubbler and check valve screen	80
IH-12-xx-CV	11.45	12" IH riser with preinstalled emitter bubbler and check valve screen	150
IH-18-xx-CV	13.70	18" IH riser with preinstalled emitter bubbler and check valve screen	75
IH-24-xx-CV	16.00	24" IH riser with preinstalled emitter bubbler and check valve screen	75
IH-36-xx-CV	18.25	36" IH riser with preinstalled emitter bubbler and check valve screen	25

Note: An "xx" in model number indicates the need to insert the emitter flow code (i.e., IH-12-20-CV when ordered with 2.0 GPH emitter).

IH RISER (WITH PREINSTALLED EMITTER, CHECK VALVE, AND PURPLE RECLAIMED FITTINGS)			
MODEL	LIST PRICE \$	DESCRIPTION	CTN QTY
IH-06-xx-CV-R	9.13	Reclaimed 6" IH riser with preinstalled emitter bubbler and check valve screen	80
IH-12-xx-CV-R	11.45	Reclaimed 12" IH riser with preinstalled emitter bubbler and check valve screen	150
IH-18-xx-CV-R	13.70	Reclaimed 18" IH riser with preinstalled emitter bubbler and check valve screen	75
IH-24-xx-CV-R	16.00	Reclaimed 24" IH riser with preinstalled emitter bubbler and check valve screen	75
IH-36-xx-CV-R	18.25	Reclaimed 36" IH riser with preinstalled emitter bubbler and check valve screen	25




IH RISER COMPONENTS			
MODEL	LIST PRICE \$	DESCRIPTION	CTN QTY
IH-250	211.00	½" irrigation hose - 250' (0.680" OD x 0.500" ID)	1
IH-FIT-3850	0.68	¾" x ½" MPT IH fitting	2,000
IH-FIT-3850-R	0.68	¾" x ½" MPT IH fitting (NP)	2,000
SCREEN-CV	2.07	Screen with check valve	25/500
IPS-050-250	268.00	250' length of ½" IPS tubing (0.840" OD x 0.560" ID)	1



POINT-SOURCE EMITTERS (PRESSURE COMPENSATING)


SELF-PIERCING BARB (25 PER BAG)

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
HE-050-B-25	0.60	0.5 GPH barbed emitter, blue	25/500
HE-10-B-25	0.60	1.0 GPH barbed emitter, black	25/500
HE-20-B-25	0.60	2.0 GPH barbed emitter, red	25/500
HE-40-B-25	0.60	4.0 GPH barbed emitter, tan	25/500
HE-60-B-25	0.60	6.0 GPH barbed emitter, orange	25/500




SELF-PIERCING BARB (100 PER BAG)

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
HE-050-B-100	0.60	0.5 GPH barbed emitter, blue	100/1,000
HE-10-B-100	0.60	1.0 GPH barbed emitter, black	100/1,000
HE-20-B-100	0.60	2.0 GPH barbed emitter, red	100/1,000
HE-40-B-100	0.60	4.0 GPH barbed emitter, tan	100/1,000
HE-60-B-100	0.60	6.0 GPH barbed emitter, orange	100/1,000




10-32 THREAD

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
HE-050-T-25	0.60	0.5 GPH, 10-32 threaded emitter, blue	25/500
HE-10-T-25	0.60	1.0 GPH, 10-32 threaded emitter, black	25/500
HE-20-T-25	0.60	2.0 GPH, 10-32 threaded emitter, red	25/500
HE-40-T-25	0.60	4.0 GPH, 10-32 threaded emitter, tan	25/500
HE-60-T-25	0.60	6.0 GPH, 10-32 threaded emitter, orange	25/500



1/2" FPT

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
HEB-05	2.79	0.5 GPH, 1/2" threaded emitter bubbler, blue	25/350
HEB-10	2.79	1.0 GPH, 1/2" threaded emitter bubbler, black	25/350
HEB-20	2.79	2.0 GPH, 1/2" threaded emitter bubbler, red	25/350
HEB-40	2.79	4.0 GPH, 1/2" threaded emitter bubbler, tan	25/350
HEB-60	2.79	6.0 GPH, 1/2" threaded emitter bubbler, orange	25/350



1/2" FPT (BROWN BODY)

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
HEB-05-BR	2.79	0.5 GPH, 1/2" threaded emitter bubbler, blue	25/250
HEB-10-BR	2.79	1.0 GPH, 1/2" threaded emitter bubbler, black	25/250
HEB-20-BR	2.79	2.0 GPH, 1/2" threaded emitter bubbler, red	25/250
HEB-40-BR	2.79	4.0 GPH, 1/2" threaded emitter bubbler, tan	25/250
HEB-60-BR	2.79	6.0 GPH, 1/2" threaded emitter bubbler, orange	25/250



DIFFUSER CAP

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
HE-DIFF	0.28	Emitter diffuser cap	50/1,000


Note: All emitter caps and emitters are sold in bag quantities only.

HUNTER EMITTER MULTI-TOOL

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
HEMT	25.00	Emitter tool for punching pilot holes and pellets, inserting and removing an emitter, and cutting tubing	12

POCKET PUNCH

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
POCKETPUNCH	10.85	Emitter tool for punching a pilot hole, inserting and removing an emitter	25



MULTI-PORT EMITTER (NOW WITH SWIVEL OUTLET PORTS)

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
MPE-05	8.16	Multi-port emitter, 0.5 GPH	10/100
MPE-10	8.16	Multi-port emitter, 1.0 GPH	10/100
MPE-20	8.16	Multi-port emitter, 2.0 GPH	10/100
MPE-CAPS	3.50	Multi-port emitter caps (price per 25)	25
MPM-050	7.07	Multi-port manifold	10/100


Note: All emitters are sold in bag quantities only.



MICRO SPRAYS AND MICRO BUBBLERS

SOLO-DRIP

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
SD-T	1.31	10-32 thread, 360°	100/500
SD-B	1.31	Barb, 360°	100/500
SD-B-STK	1.77	Barb with stake, 360°	10/100



HALO-SPRAY

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
HS-T	1.31	10-32 thread, 360°	100/500
HS-B	1.31	Barb, 360°	100/500
HS-B-STK	1.77	Barb with stake, 360°	10/100



TRIO-SPRAY

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
TS-T-F	2.45	10-32 thread, 360°	50/500
TS-T-H	2.45	10-32 thread, 180°	50/500
TS-T-Q	2.45	10-32 thread, 90°	50/500


Note: All micro sprays and micro bubblers are sold in bag quantities only.



RIGID RISERS

MODEL	LIST PRICE \$	DESCRIPTION	BAG/CT/QTY
RR-12	0.49	12" rigid riser	100/1,200
RR-12-T	1.32	12" rigid riser with 1/2" MPT base	50/400
RR-12-B	0.70	12" rigid riser with 1/4" barb base	100/1,200
RR-18	0.66	18" rigid riser	100/800
RR-18-T	1.37	18" rigid riser with 1/2" MPT base	50/300
RR-18-B	0.87	18" rigid riser with 1/4" barb base	100/800

Note: All risers are sold in bag quantities only.

MULTI-PURPOSE BOXES


MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
MB-0811	26.25	Multi-purpose box with dark brown lid	1
MB-0811-G	26.25	Multi-purpose box with green lid	1
MB-0811-T	26.25	Multi-purpose box with tan lid	1
MB-0811-R	26.25	Multi-purpose box with purple lid	1
MB-0811-B	26.25	Multi-purpose box with black lid	1
MB-BOX	19.55	Multi-purpose box (box only)	1
MB-LID	6.52	Multi-purpose box (lid only), dark brown	1
MB-LID-G	6.52	Multi-purpose box (lid only), green	1
MB-LID-T	6.52	Multi-purpose box (lid only), tan	1
MB-LID-R	6.52	Multi-purpose box (lid only), purple	1
MB-LID-B	6.52	Multi-purpose box (lid only), black	1

**AIR/VACUUM RELIEF VALVES**


MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
PLD-AVR	12.85	½" male-threaded air and vacuum relief valve	10/100
AVR-075	13.05	¾" MPT air and vacuum relief	16 (box)

AUTOMATIC FLUSH VALVES

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
AFV-B	13.05	Automatic flush valve with 17 mm barb connection	1/50
AFV-T	13.05	Automatic flush valve with ½" MPT connection	1/50
FV075	2.59	Flush valve, ¾" FNPT	20/100

ROOT ZONE WATERING SYSTEMS**10" RZWS, SUBSURFACE WATERING SYSTEMS WITH STRATAROOT™ Baffles**

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
RZWS-10	19.55	Basic 10" Root Zone Watering System, including StrataRoot baffles and cap ready to accept customer-provided irrigation hardware; bubbler, swing joint, and check valve not included	20
RZWS-10-25	23.75	RZWS-10 with a factory-installed 0.25 GPM bubbler (PCB-25) and ½" swing joint	20
RZWS-10-50	23.75	RZWS-10 with a factory-installed 0.50 GPM bubbler (PCB-50) and ½" swing joint	20
RZWS-10-25-CV	37.00	RZWS-10-25 with a factory-installed Hunter check valve (HCV)	20
RZWS-10-50-CV	37.00	RZWS-10-50 with a factory-installed Hunter check valve (HCV)	20
RZWS-10-R	21.75	Basic 10" Root Zone Watering System with reclaimed purple cap, including StrataRoot baffles ready to accept customer-provided irrigation hardware; bubbler, swing joint, and check valve not included	20
RZWS-10-25-R	26.25	RZWS-10 with reclaimed purple cap, factory-installed 0.25 GPM bubbler (PCB-25), and ½" swing joint	20
RZWS-10-50-R	26.25	RZWS-10 with reclaimed purple cap, factory-installed 0.50 GPM bubbler (PCB-50), and ½" swing joint	20
RZWS-10-25-CV-R	39.00	RZWS-10-25 with reclaimed purple cap and a factory-installed Hunter check valve (HCV)	20
RZWS-10-50-CV-R	39.00	RZWS-10-50 with reclaimed purple cap and a factory-installed Hunter check valve (HCV)	20



18" RZWS, SUBSURFACE WATERING WITH LOCKING CAP AND STRATAROOT BAFFLES			
MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
RZWS-18	39.00	Basic 18" Root Zone Watering System, including StrataRoot baffles and cap ready to accept customer-provided irrigation hardware; bubbler, swing joint, and check valve not included	12
RZWS-18-25	48.50	RZWS-18 with a factory-installed 0.25 GPM bubbler (PCB-25) and ½" swing joint	12
RZWS-18-50	48.50	RZWS-18 with a factory-installed 0.50 GPM bubbler (PCB-50) and ½" swing joint	12
RZWS-18-25-CV	61.75	RZWS-18-25 with a factory-installed Hunter check valve (HCV)	12
RZWS-18-50-CV	61.75	RZWS-18-50 with a factory-installed Hunter check valve (HCV)	12
RZWS-18-R	41.50	Basic 18" Root Zone Watering System with reclaimed purple cap, including StrataRoot baffles ready to accept customer-provided irrigation hardware; bubbler, swing joint, and check valve not included	12
RZWS-18-25-R	50.50	RZWS-18 with reclaimed purple cap, factory-installed 0.25 GPM bubbler (PCB-25), and ½" swing joint	12
RZWS-18-50-R	50.50	RZWS-18 with reclaimed purple cap, factory-installed 0.50 GPM bubbler (PCB-25), and ½" swing joint	12
RZWS-18-25-CV-R	64.25	RZWS-18-25 with reclaimed purple cap and a factory-installed Hunter check valve (HCV)	12
RZWS-18-50-CV-R	64.25	RZWS-18-50 with reclaimed purple cap and a factory-installed Hunter check valve (HCV)	2

36" RZWS, SUBSURFACE WATERING WITH LOCKING CAP AND STRATAROOT BAFFLES			
MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
RZWS-36	44.50	Basic 36" Root Zone Watering System, including StrataRoot baffles and cap ready to accept customer-provided irrigation hardware; bubbler, swing joint, and check valve not included	6
RZWS-36-25	57.25	RZWS-36 with a factory-installed 0.25 GPM bubbler (PCB-25) and ½" swing joint	6
RZWS-36-50	57.25	RZWS-36 with a factory-installed 0.50 GPM bubbler (PCB-50) and ½" swing joint	6
RZWS-36-25-CV	68.50	RZWS-36-25 with a factory-installed Hunter check valve (HCV)	6
RZWS-36-50-CV	68.50	RZWS-36-50 with a factory-installed Hunter check valve (HCV)	6
RZWS-36-R	46.75	Basic 36" Root Zone Watering System with reclaimed purple cap, including StrataRoot baffles ready to accept customer-provided irrigation hardware; bubbler, swing joint, and check valve not included	6
RZWS-36-25-R	59.25	RZWS-36 with reclaimed purple cap, factory-installed 0.25 GPM bubbler (PCB-25), and ½" swing joint	6
RZWS-36-50-R	59.25	RZWS-36 with reclaimed purple cap, factory-installed 0.50 GPM bubbler (PCB-50), and ½" swing joint	6
RZWS-36-25-CV-R	70.75	RZWS-36-25 with reclaimed purple cap and a factory-installed Hunter check valve (HCV)	6
RZWS-36-50-CV-R	70.75	RZWS-36-50 with reclaimed purple cap and a factory-installed Hunter check valve (HCV)	6

Note: All RZWS are sold in carton quantities only.



RZB, TREE AND SHRUB ACCESSORY			
MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
RZB	11.45	9" tree and shrub accessory, directs water and air to the roots	25

RZWS ACCESSORIES

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
913300SP	4.62	Replacement new-style snap-on locking cap for RZWS-18 and RZWS-36	1
913301SP	5.70	Purple reclaimed cap for new-style snap-on locking RZWS-18 and RZWS-36 models	1
RZWS-CAP	4.56	Replacement screw-locking cap for old-style RZWS-18 and RZWS-36	1
RZWS-RC-CAP	5.70	Purple reclaimed cap for screw-locking old-style RZWS-18 and RZWS-36 models	1
RZWS-RC-CAP-SP	4.56	Replacement black cap for RZWS-10 models	1
RZWS-10RCC	5.70	Purple reclaimed cap for all RZWS-10 models	1
RZWS-SLEEVE	5.43	Field-installed sleeve made from landscape filter fabric for sandy soils	1

**HOSE-END NOZZLES**

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
160700	52.00	SpotShot adjustable hose-end nozzle, ¾" hose threads	12
160705	52.00	SpotShot adjustable hose-end nozzle, 1" hose threads	12

**TOOLS**

MODEL	LIST PRICE \$	DESCRIPTION	CARTON QTY
172000SP	0.52	Hunter adjustment wrench	100
053191SP	1.04	T-handle tool, nozzle insertion, lift up, and arc adjustment tool	1
280100SP	65.00	Rotor pitot gauge and tube assembly	1
123200SP	1.04	Nozzle insertion collar	10
460302	49.50	Hand pump	1

STATEMENT OF WARRANTY

Hunter Residential and Commercial Irrigation

Hunter Industries Incorporated (“Hunter”) warrants the following products to be free of defects in materials or workmanship under normal use in landscape irrigation applications for the specified period of time outlined below from the original date of manufacture:

ONE YEAR	ROTORS	SRM	MICRO	Micro Sprays, PLD Fittings, Rigid Risers, Air Relief Valves, RZB
	TWO YEARS	ROTORS	PGP®-ADJ, PGJ, HCV	CONTROLLERS
	SPRAYS	PS Ultra Family, SJ, FlexSG, HSBE Family	SENSORS	HC Flow Meter
	NOZZLES	Spray Nozzles, PCN, PCB, AFB, MSBN	MICRO	ACZ, Accu Sync, PCZ, RZWS, Point Source Emitters, Tubing, Multi-Port Emitters, IH Risers, MLD, Eco-Indicator, Multi-Purpose Box, Senninger Regulators, PLD-LOC Fittings
	VALVES	PGV Family	TOOLS	SpotShot
	CENTRAL	IMMS Central Control Products, A2CWIFI, A2CLAN, A2CLTE, LANKIT, WIFIKIT		
THREE YEARS	CONTROLLERS	ROAM XL, EZ Decoder System	MP ROTATOR	All
	FIVE YEARS	ROTORS	PGP Ultra, I-20, I-25, I-40, I-50, I-80, and I-90 Families	CONTROLLERS
	SPRAYS	Pro-Spray, Pro-Spray PRS30, and Pro-Spray PRS40 Families	SENSORS	Clik Sensors, Flow-Sync, MWS, Solar Sync, Wireless Flow Sensor
	VALVES	HQ, ICV, IBV	MICRO	ICZ, HDL, HDL-COP**, Eco-Mat, Eco-Wrap

Hunter Golf and ST System Irrigation Component* Warranty Products

Hunter will unconditionally repair, replace, or repurchase, at its sole discretion, any defective component* assemblies contained within the Golf and ST products listed below by category, returned freight prepaid, from the date of manufacture within a period of:

ONE YEAR	GOLF CONTROLLERS	Pilot Command Center Software, Pilot-FC, Pilot-FI, Pilot Hub
	THREE YEARS	GOLF ROTORS
	GOLF DECODERS	Pilot 100, Pilot 200, Pilot 400, Pilot 600
FIVE YEARS	GOLF ROTORS	The golf rotor component warranty is extended to 5 years with a one-for-one purchase of an HSJ Swing Joint from an authorized Hunter Golf distributor.
	SWING JOINTS	HSJ-0, HSJ-1, HSJ-2, HSJ-3
	ST ROTORS	ST-90, STG-900, ST-1200, ST-1600
	ST ACCESSORIES	All model “numbers” starting with “ST”
	COMPUTER, PRINTERS & ACCESSORIES, MAINTENANCE RADIO & BATTERY	Equipment manufacturer’s warranty (no Hunter warranty)

* Warranty covers repair, replacement, or repurchase of individual defective component assemblies contained within the product. Returns of complete finished goods are not allowed under warranty without prior approval from the Hunter Product Manager.

If used for agricultural applications, Hunter limits the warranty for its spray, rotator, and rotor products to a period of one (1) year from the original date of manufacture. This agriculture limitation supersedes all other warranties expressed or implied. **While the use of copper does not completely remove the chance of root intrusion, it has been shown to assist in its prevention when coupled with proper irrigation scheduling.

STATEMENT OF WARRANTY, CONTINUED

If a defect in a Hunter product is discovered during the applicable warranty period, Hunter will repair or replace, at its option, the product or the defective part. This warranty does not extend to repairs, adjustments, or replacement of a Hunter product or part that results from misuse, negligence, alteration, modification, tampering, or improper installation and/or maintenance of the product. This warranty extends only to the original installer of the Hunter product. If a defect arises in a Hunter product during the warranty period, contact your local Hunter Authorized Distributor.

Hunter's warranty applies only to products installed as specified and used as intended for irrigation purposes. Hunter's warranty shall be limited to defects in materials and workmanship during the warranty period, and shall not extend to situations in which the product was subjected to improper design, installation, operation, maintenance, application, abuse, improper electrical current, grounding, service other than by Hunter authorized agents, operating conditions other than that for which it was designed, or in systems using water containing corrosive chemicals, electrolytes, sand, dirt, silt, rust, or agents that otherwise attack and degrade plastics. Hunter's warranty does not cover component failures caused by lightning strikes, electrical power surges, or unconditioned power supplies. If products are repurchased, the price to Distributor for such products in effect at the time of return will apply.

Hunter's obligation to repair, replace, or repurchase its products or product components as set forth above is the sole and exclusive warranty extended by Hunter. There are no other warranties, expressed or implied, including warranties of merchantability and warranties of fitness for a particular purpose. Hunter will not be liable to a distributor or to any other party in strict liability, tort, contract, or any other manner for any damages caused or claimed to be caused as a result of any design of or defect in Hunter's products, or for any special, incidental, or consequential damages of any nature.

Where applicable, Hunter's statement of warranty complies with local directives.

If you have any questions concerning the warranty or its application, please email support@hunterindustries.com.

ASAE CERTIFICATION STATEMENT

Hunter Industries Incorporated certifies that pressure, flow rate, and radius data for these products were determined and listed in accordance with ASAE Standard S398.1, Procedure for Sprinkler Testing and Performance Reporting, and are representative of performance of production sprinklers at the time of publication. Actual product performance may differ from the published specifications due to normal manufacturing variations and sample selection. All other specifications are solely the recommendation of Hunter Industries Incorporated.



Helping our customers succeed is what drives us. While our passion for innovation and engineering is built into everything we do, it is our commitment to exceptional support that we hope will keep you in the Hunter family of customers for years to come.

Gregory R. Hunter, CEO of Hunter Industries

Gene Smith, President, Landscape Irrigation and Outdoor Lighting

Website hunterindustries.com | **Customer Support** 800-383-4747 | **Technical Service** 800-733-2823

USA HEADQUARTERS

1940 Diamond Street
San Marcos, California 92078, USA
TEL: +1 760-744-5240

MEXICO

ISO 9001:2015 Certified
Calle Nordika #8615
Parque Industrial Nordika
Tijuana, B.C., Mexico CP 22640
TEL: +52 664-903-1300

EUROPE

Avenida Diagonal 523, 5o-2a
Edificio Atalaya
08029 Barcelona, Spain
TEL: +34 934-948-881

AUSTRALIA

Suite 7, 202 Ferntree Gully Road
Notting Hill, Melbourne
Victoria 3168, Australia
TEL: +61 3-9562-9918
FAX: +61 3-9558-6983

MIDDLE EAST

P.O. Box 2370
Amman, 11941, Jordan
TEL: +962 6-5152882
FAX: +962 6-5152992

CHINA

B1618, Huibin Office Bldg.
No. 8, Beichen Dong Street
Beijing 100101, China
TEL/FAX: +86 10-84975146