
ADA & Emergency Communication Products













Americans with Disabilities Act (ADA)
Emergency Phones • Elevator Phones
Mass Notification • Alarm Dialers

Manufactured in the USA / American Technical Support

ADA - AMERICANS WITH DISABILITIES ACT	3-4
ADA EMERGENCY / ELEVATOR PHONES	5-7
NON-ADA EMERGENCY PHONES	8
EMERGENCY PHONE ACCESSORIES	9
ENCLOSURES / MOUNTING / LIGHTING	10
MASS NOTIFICATION / ALARM DIALERS	Ш

How to Contact Us:

Information: 715.386.8861 Online: www.vikingelectronics.com Email: info@vikingelectronics.com

All Viking products are in-stock nationwide through distributors listed on the back cover.

FREE product support is available to anyone who has purchased a Viking product.

NEW: "Document on Demand" Search

Viking wants to make it easy for you to get the product information you need, so we've added a new search to our website called "Document On Demand" (DOD). All Viking catalogs and literature have "Fax Back Numbers" to allow information to be faxed to you through our automated system, now the same numbers can be entered on our homepage for a direct link to product cut sheets.





When to Use Viking Enhanced Weather Protection (EWP) Products

Viking **EWP** products are designed to be used in high-humidity, wet or exposed locations and corrosive or high pollution environments.

Typical applications include outdoor emergency or entry phones, roadside assistance and parking garage phones or phones located in salt-air environments near the ocean.

EWP product's electronics are encapsulated in clear urethane. The field adjustable trim pots and dip switches are sealed as are the LED, push button and microphone connections. The mylar speakers have a special weatherproof gasket. Finally, the weatherproof connectors are filled with an anti-corrosive sealing gel.

All EWP products conform to NEMA 3R requirements.

To order a Viking EWP product, add the suffix "-EWP" to the model number.



EWP product shown working underwater.

ADA - Americans with Disabilities Act

We're going to try to make the ADA requirements for elevator and emergency phones easier to understand - by putting them IN PLAIN ENGLISH.

If you own or manage a building, you're aware of your duty to make it safe and accessible to everyone. The passage of the Americans With Disabilities Act (ADA) in 1992 brought with it several new regulations pertaining to equal building access for the disabled. Elevator access was one of the issues addressed in the Act. So too was the issue of equal access to emergency assistance in the event of an emergency. To obtain that emergency assistance and guarantee that it be available to everyone including the disabled, the Act put in place new requirements for the emergency phones traditionally located in elevators.

Do you have to install emergency phones?

If you don't already have emergency phones in your building's elevators, the ADA does not force you to install them. However, in 2004 the Architectural and Transportation Barriers Compliance Board (Access Board) revised its accessibility guidelines for the construction and alteration of buildings and facilities covered by the Americans with Disabilities Act and the Architectural Barriers Act. The revised recommendations are pending at the U.S. Department of Justice. In the meantime, The Department of Transportation, General Services Administration, and United States Postal Service have adopted the revised guidelines as regulatory standards. If the new recommendations are adopted, they will require the installation of an ADA-compliant two-way communication system in elevators and Areas of Refuge.

In addition, the 2006 International Building Code, most likely adopted by your local building inspectors, states that all elevators must comply with ASME A17.1. That engineering document requires a two-way means of emergency communications in passenger elevators. This means of communication must connect with emergency or authorized personnel and not an automated answering system. The communication system must be push button activated. The activation button must be permanently identified with the word "HELP." A visual indication acknowledging the establishment of a communications link to authorized personnel must be provided. The visual indication must remain on until the call is terminated by authorized personnel. The building location, the elevator car number, and the need for assistance must be provided to authorized personnel answering the emergency call. The use of a handset by the communications system is prohibited. Only the authorized personnel answering the call can terminate the call. Operating instructions for the communications system must be provided in the elevator car.

Between the pending changes in the ADA and the 2006 International Building Code, it's important to understand that ADA-compliant emergency phones have become standard in the industry. If passengers are injured in your building elevator and are unable to summon emergency help, they may exert a claim that you failed to follow commonly accepted building safety standards by not installing emergency phones in your buildings.

If you already have phones in your elevators, or are being asked to install them by local building inspectors, be aware that ordinary telephones do NOT comply with ADA regulations. Not only do ordinary phones fail the compliance test, they are usually far more costly over the long run due to the continuing expenses associated with vandalism. Replace a few stolen hearing-aid compatible handsets and you've already exceeded the cost of a vandal-resistant ADA-compliant phone.

ADA requirements also pertain to all other types of emergency phones you may voluntarily choose to install. Whether they are being installed to meet local code, for safety reasons, emergency phones in hallways, lobbies, parking ramps or garages, all of these phones must be accessible to all users including the physically impaired. Thus, they must all be ADA compliant.

FEDERAL ADA PHONE REQUIREMENTS

1. The phone must be located no more than 48" from the floor.

This requirement is designed to keep elevator phones within the reach of wheelchair passengers.

- 2. If the telephone has a handset, the handset cord must be at least 29" long.
- 3. Emergency phones must be hearing aid compatible.
- 4. The emergency telephone must not require voice communications alone.

Explanation: When we think of emergency communications, we usually think of a two-way voice conversation. However, to those persons with vision, hearing, and speech impairments, communication takes on a different meaning entirely – and it's not always audible.

The ADA is explicit that emergency phones must make accommodations for people with such impairments. So the phones must not only be capable of two-way voice communications, but also electronic and visual communication as well. For those with speech impairments, the phone must transmit the location of the calling phone to emergency personnel. This can be accomplished by activating a prerecorded voice message, or by transmitting an electronic or digital identifier code to the personnel receiving the call. Viking emergency phones are Central Station Monitoring compatible and are capable of delivering a digital announcement to identify the location of the emergency call.

For those with hearing impairments, the phone must include a visual indicator that the call has been received and that help is on the way. The visual communication provision can be as simple as a light, illuminated by emergency personnel. Viking emergency phones have a "Call Connected" LED which lights when the call is answered.

5. Emergency telephones must have push-button controls where service for such equipment is available.

Explanation: It is just common sense that physically impaired passengers would have difficulty using rotary dial telephones. During a power failure, even able-bodied passengers may have difficulty using a rotary dial phone.

Viking offers single push button dialing which eliminates toll call abuse and reduces vandalism. When the button is pressed, the phones can dial up to 5 programmable emergency numbers and 2 Central Station numbers.

What is an Area of Refuge or Area of Rescue Assistance?

Both terms describe a safe area within a building where persons with physical impairments can wait for rescue assistance. The ADA requires these special emergency gathering areas in all multi-story residential, commercial, and retail buildings.

Does an ARA need an emergency phone?

In regards to ARAs, the American's with Disabilities Act also states that a method of two-way communication, with both visible and audible signals, shall be provided between each Area of Rescue Assistance and the primary entry. The two-way communication has similar ADA requirements as elevator telephones:

Phones in ARAs are federally mandated. In this respect, the American's with Disabilities Act supersedes all local codes.

Please Note: Elevator codes are different in every city and state. The elevator inspectors in your area must always have the final say regarding compliance, except for ARAs. This guide is not intended to supersede their authority, nor is it intended as legal advice.

What about Parking Ramps, Hallways, Public Buildings, and Campus settings?

The ADA does not require emergency communications for these areas. If your local building code requires emergency phones, they must be ADA-compliant.

What about Building/Tenant entry systems?


The pending changes to the ADA require that two-way building entry communications systems include a jack to support TTY communication. The changes also require the use of closed-circuit video between the tenant and the building entry door. The Viking AES-2000S door entry system is one of the few entry systems in the market that meets the pending TTY requirement. The AES-2005F includes a TTY jack and a closed-circuit video camera.

Handsfree Emergency Phones

ADA Compliant with Braille Label and "Call Connected" LED

General Emergency Phone Features and Operation:

- Automatically dials 1-20 digit numbers
- Automatically dials up to 4 other numbers if the call is not answered or busy
- Integral 16 second digital voice location announcer
- Program and record remotely from a touch tone phone
- Phone numbers and announcements are stored in non-volatile memory
- · Compatible with Central Station Monitoring
- Disconnects on silence, busy, dial tone, CPC or time out
- Temperature range (-15°F to 130°F)



- Material: .062" (16 gauge) steel, powder painted
- Optional Enhanced Weather Protection (see page 2)
- Two-wire installation phone line powered
- Dimensions: 5.25" x 4.0" x 2.0"







E-1600-60A Police Blue

E-1600A Emergency Red

E-1600-45A Safety Yellow

Model	Description	DOD#	Standard	EWP
E-1600A	Emergency Red Phone	215	\$246.00	\$366.00
E-1600-45A	Safety Yellow Phone	215	\$246.00	\$366.00
E-1600-60A	Police Blue Phone	215	\$246.00	\$366.00

Vandal Resistant Handsfree Emergency Phone

ADA Compliant with Braille Label and "Call Connected" LED

General Emergency Phone Features and Operation:

(refer to model E-1600A above)

- Material: .074" (14 gauge) brushed stainless steel
- Mounting: Surface mount to walls, posts, single gang boxes or recess mount in elevator phone boxes
- Optional Enhanced Weather Protection (EWP) (see page 2)
- Two-wire installation phone line powered
- Dimensions: 7.22" x 5.86" x 1.55"

Model	Description	DOD#	Standard	EWP
E-1600-03B	Stainless Steel Emergency Phone	215	\$450.00	\$570.00



Two-Button Handsfree Emergency Phone

ADA Compliant with Braille Label and "Call Connected" LED

General Emergency Phone Features and Operation:

(refer to model E-1600A above)

- A second button dials up to 3 additional numbers for general information or directions
- Front Panel Material: 14 gauge brushed stainless steel
- Mounting: Flush mount with included plastic rough-in box, or surface mount with optional VE-5x5 backbox (page 11)
- Optional Enhanced Weather Protection (EWP) (see page 2)
- Two-wire installation phone line powered
- Dimensions: 5.0" x 5.0" x 2.25"

Model	Description	DOD#	Standard	EWP
E-1600-20A	Two-Button Emergency Phone	215	\$302.00	\$422.00



E-1600-20A shown in optional VE-5x5 surface mount box (page 10)

Compact Handsfree Emergency Phone

ADA Compliant with Braille Label and "Call Connected" LED

General Emergency Phone Features and Operation:

(refer to model E-1600A on page 5)

- Material: .074" (14 gauge) brushed stainless steel
- Optional Enhanced Weather Protection (EWP) (see page 2)
- Two-wire installation phone line powered
- Dimensions: 5.0" x 5.0" x 2.25"

· Mounting: Flush mount with included plastic rough-in box, or surface mount with optional VE-5x5 backbox (page 10)



E-1600-30A shown in optional VE-5x5 surface mount box (page 10)

Model	Description	DOD#	Standard	EWP	
E-1600-30A	Compact Emergency Phone	215	\$268.00	\$288.00	

Vandal Resistant Handsfree Emergency Phone

ADA Compliant with Braille Label and "Call Connected" LED

General Emergency Phone Features and Operation: (refer to model E-1600A on page 5)

- Material: .125" (11 gauge) brushed stainless steel
- Two-wire installation phone line powered
- Dimensions: 13.0" x 10.5" x 2"

· Mounting: Flush mount in elevator cabs, ATMs, stairwells, hallways, etc.





Handsfree Emergency Phone for Elevator Phone Box

ADA Compliant with Braille Label and "Call Connected" LED

General Emergency Phone Features and Operation: (refer to model E-1600A on page 5)

- Material: 0.062" (16 gauge) red powder painted steel
- Two-wire installation phone line powered
- Dimensions: 9.875" x 6.86" x 2.1"
- · Mounting: Recess mounting in standard elevator phone box (10" x 7" x 3")

Model	Description	DOD#	Price
K-1600-EHFA	Handsfree Elevator Phone	215	\$246.00



Universal Emergency Phone Kit

ADA Compliant, Ideal for Custom Elevator Panels

General Emergency Phone Features and Operation: (refer to model E-1600A on page 5)

- Material: 0.062" (16 gauge) zinc plated steel
- Phone line powered
- Dimensions: 5.0" x 5.0" x 2.25"

Model	Description	DOD#	Price
E-1600-55A	Emergency Phone Kit	215	\$209.00



Mounting: Install behind elevator panels for

installations requiring a custom panel

42" Handsfree Emergency Tower Phone

ADA Compliant with Braille Label, "Call Connected" LED and Blue Strobe Light

General Emergency Phone Features and Operation:

(refer to model E-1600A on page 5)

- 1,000,000 candle power strobe, maximum Strobe Power Run: 200 feet using 24 gauge wire
- · Mounting: Surface mount to rigid wall or post
- Material: Enclosure .125 aluminum, 76.2mm x 152.4mm (3" x 6") tube, powder painted high- visible yellow, Phone - .074 (14 gauge) stainless steel with stainless steel button, Strobe - Vandal resistant polycarbonate plastic
- Connections: Color-coded wires with gel-filled butt connectors
- Enhanced Weather Protection (EWP) standard and power supply included
- Two-button version available with "Info" and "Help" buttons
- Dimensions: 42" x 6" x 4.5"

Model	Description	DOD#	Price
	42" Yellow Tower Phone	217	\$1025.00
	Two Button 42" Yellow Tower Phone	217	\$1125.00





Replacement Phone for Talk-A-Phone Applications

ADA Compliant with Braille Label and "Call Connected" LED

General Emergency Phone Features and Operation:

(refer to model E-1600A on page 5)

- Direct replacement for the Talk-A-Phone ETP-400(V) panel phone, Code Blue towers require redrilling and tapping
- Front Panel Material: 11 gauge brushed stainless steel
- Mounting: Flush mount to Talk-A-Phone ETP towers, wall mounts, boxes and pedestals
- Phone line powered and Enhanced Weather Protection (EWP) standard
- Provides dry contact or switched 12 VDC for controlling a strobe light, power supply included
- Dimensions: 9.5" x 11.75" x 2.0"

Model	Description	DOD#	Price
E-1600A-TP-EWP	Talk-A-Phone Replacement	218	\$542.00
E-1600A-TP2-EWP	Two-Button Talk-A-Phone Replacement	218	\$590.00



Non-Chassis Emergency Phones

ADA Compliant, Comes with Braille Label and LED

General Emergency Phone Features and Operation:

(refer to model E-1600A on page 5)

- E-1600A parts kit without a chassis
- Model E-1600-52A has 2 push buttons, one "Info" and one "Help"
- Ideal for applications that don't require traditional housing
- Kit includes: printed circuit board, speaker, switch, RJ-11 jack and cable harness assembly
- Phone line powered
- Optional Enhanced Weather Protection (EWP) available (see page 2)
- Connections: 2-position terminal block or gel-filled butt connectors

Model	Description	DOD#	Standard	EWP
E-1600-50A	Non-Chassis Emergency Phone		\$195.00	\$315.00
E-1600-52A	Non-Chassis Two-Button Phone		\$219.00	\$339.00




Handfree Speaker Phones with Dialer

Phone Line / VolP Adapter Powered Phones Dial Pre-programmed Numbers

- Automatically dials 1-20 digit numbers
- Automatically dials up to 4 other numbers if the call is not answered or is busy
- Model E-30 has two-wire installation
- Model E-35 has an integral high resolution color video camera with wide viewing angle, and tilt/swivel adjustments
- E-35 operates up to 150 ft on CAT 5 cable
- E-30-PT has push-to-talk button
- Auto-disconnects on CPC, silence, busy signal, dial tone, time out or a touch tone command
- Auto-answer feature and push button disconnect
- Optional EWP (see page 2)
- · Phone numbers stored in non-volatile memory
- Program remotely from a touch tone phone
- Temperature range (-15°F to 130°F)
- Dimensions: 5" x 5" x 2.25"







E-30 shown in optional surface mount box, VE-5x5 (page 10)



E-35 shown in optional surface mount box, VE-5x5 (page 10)

Model	Description	DOD#	Standard	EWP
E-30	Handsfree Speaker Phone	212	\$201.00	\$321.00
E-35	E-30 with Color Video Camera	178	\$401.00	\$521.00
E-30-PT	E-30 with Push-To-Talk Button	214	\$235.00	\$355.00

Emergency / Elevator Phones

Provide Reliable Handset or Handsfree Emergency Communication

- Designed to mount in a standard emergency phone enclosure (10" x 7" x 3")
- Phone line powered and built for easy installation and simple operation
- Model K-1500-E: Hearing aid compatible handset with volume control
- Model K-1500-EHFA: Intelligent call progress detection, selectable auto-answer feature for remote monitoring, two-way handsfree communication, vandal resistant metal push button
- Temperature range: 32°F to 90°F
- Dimensions: 6.8" x 9.8" x 2.1"

Model	Description	DOD#	Price
K-1500-E	Elevator Phone with Handset	220	\$132.00
K-1500-EHFA	Handsfree Elevator Phone	220	\$122.00





K-1500-E

K-1500-EHFA

Vandal Resistant Panel Phones

Attractive Vandal Resistant Hot Line Panel Phones

- Auto-dials (up to 32 digits) programmable speed dial number
- Touch tone or pulse dialing with a programmable pre-dial pause
- K-1900-8 has a vandal resistant sealed metal keypad
- Vandal resistant 1/8" thick stainless steel panel, armored cable and metal cradle
- Optional Enhanced Weather Protection (EWP) (see page 2), EWP models have 54" armored cord
- Hearing aid compatible amplified handset with sealed push button volume control
- Optional surface mount box available, model VE-5x10 (see page 10)
- Dimensions: 5"W x 10"H x 4"D

Model	Description	DOD#	Standard	EWP
K-1900-7	Hot Line Panel Phone	364	\$256.00	\$376.00
K-1900-8	Hot Line Panel Phone with Keypad	362	\$401.00	\$521.00



Line Concentrator

Up to Eight Emergency Phones Can Share One Telephone Line

- Automatic answering of inbound calls
- Touch tone transferring
- Built in talk battery for fire floor phone
- Paging feature
- Non-volatile memory for programming
- Connects up to (8) emergency phones
- Fire floor phone connection
- Call waiting notice
- Fully functional battery backup

Model	Description	DOD#	Price
LC-8	Line Concentrator	225	\$514.00



Blue Strobe Light Kit

Provide Strobe Light Indication of Line Status

- Includes LDB-3 control module with Enhanced Weather Protection (EWP)
- Durable polycarbonate lens
- Long life 1 million candle power blue strobe light
- Flush mount or surface mount with single gang box (included)
- One set of NO and NC contacts
- Can be configured to signal: ringing, off-hook or a combination of both ringing and off-hook (line-in-use)
- On/off switches for ring detection and off-hook/loop detection



Model	Description	DOD#	Price
BLK-3-EWP	Blue Strobe Light Kit	653	\$150.00

Line Sharing Device

A Smart Line Sharing Device with Inbound Switching Capability

- Routes both incoming and outgoing calls
- Allows an emergency device to share a phone line with other devices
- Incoming calls are routed to one of two ports via caller ID, distinctive ring, or quick call back
- Gives priority to the emergency devices
- Provides a busy signal to the phone port when an emergency device is in use
- Adjustable disconnect time
- Can store up to 12 caller ID numbers



Model	Description	DOD#	Price
LSD-2	Line Sharing Device	262	\$129.00

Line Seizure Relay

Share a Line with Your Phone System

- Interrupts any call in progress and returns fresh dial tone to the emergency device
- Modular connections for easy installation
- Operates on any 12-32VDC power source
- During power outages the line is connected to the emergency device



Model	Description	DOD#	Price
LSR-1	Line Seizure Relay	230	\$95.00

Panic Button Kit

Emergency Phone Panic Button Kit

- Unobtrusive mount anywhere with the supplied foam tape
- One-way talk path for listening without audible indication
- Fully modular for quick plug-in installation
- · Provides security and peace of mind
- Applications include: courtrooms, bank tellers, gas stations, motel reception desks, all night restaurants, convenience stores, etc.



Model	Description	DOD#	Price
PB-1	Panic Button Kit	233	\$20.00

Outdoor Enclosures

Added Protection for Viking Phones

- · Heavy-duty cast aluminum construction
- Gasket sealed door
- Drip guard
- 3/4" NPT conduit openings on top and bottom
- Available in three colors: emergency red, safety yellow, or black
- Mounting holes for a standard RJ11 wall plate (VE-9x12-1)
- · Hardware included
- Available with two adapter panels for the VE-9x12 (see below)
- Optional VE-PBL lock and key set available
- Compatible with these Viking products:

VE-9x12(B/Y/R)-1:	
- E-1600A	
- E-1600-03B	
- E-1600-45A	

- E-1600-60A

VE-9x12(B/Y/R)-2:

- E-1600-20A - E-1600-30A

- E-30

VE-9x20(B/Y/R):

- K-1900-7

- K-1900-8



Model	Description	DOD#	Price
VE-9x12B	Black 9x12 Outdoor Enclosure	413	\$280.00
VE-9x12Y	Yellow 9x12 Outdoor Enclosure	413	\$280.00
VE-9x12R	Red 9x12 Outdoor Enclosure	413	\$280.00
VE-9x20B	Black 9x20 Outdoor Enclosure	413	\$427.00
VE-9x20Y	Yellow 9x20 Outdoor Enclosure	413	\$427.00
VE-9x20R	Red 9x20 Outdoor Enclosure	413	\$427.00

Vandal Resistant Surface Mount Boxes

- Surface mounts to a wall, post, single gang box or pedestal
- VE-5x5 mounts to a single or double gang box
- VE-5x5 and VE-5x10 mount to the gooseneck pedestals (shown below)
- Adds vandal resistance
- · Heavy duty, black powder painted steel or stainless steel
- Also available: Viking VE-PNLs surface mount boxes with blank aluminum front panels, request DOD# 424 for more information

Model	Description	DOD#	Price
VE-5x5	Black Surface Mount Box	424	\$59.00
VE-5x10	Black Surface Mount Box	424	\$93.00
VE-5x5-SS	Stainless Steel Surface Mount Box	424	\$129.00
VE-5x10-SS	Stainless Steel Surface Mount Box	424	\$210.00



Compatible with these Viking products:

VE-5x5 and VE-5x5-SS:

- E-30 - E-1600-20A

- E-35 - E-1600-30A

- E-30-PT

VE-5x10 and VE-5x10-SS:- K-1900-7 - K-1900-8

Illuminate Your Door or Emergency Phone

- · VE-LIGHT has ultra-bright LED's for long life
- Compatible with: VE-5x5, VE-5x10, E-1600A-BLT-EWP and E-1600A-BLT2EWP





Model	DOD#	Price	
VE-LIGHT	428	\$48.00	

Gooseneck Pedestals

The gooseneck pedestals are designed to be used with select Viking VE-Series surface mount boxes and are constructed of heavy duty black powder painted steel or stainless steel. Pad mount to a floor or concrete with 4 available bolt holes or use the VE-GNP-IG to mount in ground or wet cement.

Compatible with:

- VE-5x5 - VE-5x5-SS - VE-5x10 - VE-5x10-SS

Model	Description	DOD#	Price
VE-GNP	42" Pad Mount Pedestal	424	\$117.00
VE-GNP-SS	42" Stainless Steel Pedestal		\$350.00
VE-GNP-IG	64" In-Ground Pedestal		\$117.00
VE-GNP-2	72" Double Pedestal		\$295.00



Mass Emergency Notification Announcer

Provide Digitally Recorded Mass Notification / Evacuation Messages and Alert Tones Over Your Existing Paging System

- Securely activate, reset or live page from a remote phone
- Alert tone and message repeat 1-99 times or until reset
- Local or remote record up to 5 different messages
- Up to 2 minutes of total message record time
- Select from up to 10 different alert tones
- Non-volatile memory (no batteries required)
- Call progress detection for automatic hang up on CPC, busy signal, dial tone or silence
- Automatically interrupts current page or background music to inject notification announcements, alert tones or live page
- Trigger input to activate a single message and/or alert tone
- N.O. and N.C. trigger output contacts for activating a flashing beacon, alarm dialer, etc.
- Power supply included

Alert Tone Applications:

- Evacuation
- Lockdown
- · Severe Weather
- Hazardous Materials
- Terrorist Alert
- Fire
- Tornado
- Flash Flood
- All Clear



Model	Description	DOD#	Price
DNA-510	Mass Notification Announcer	492	\$249.00

Multi-Input Voice Dialers

Voice Alarm Dialing or Store Caster Announcements

- Non-volatile memory (no batteries required)
- Local or remote programming/recording and remote security/access codes
- Programmable message repeat counter, call progress detection
- Phone numbers may be programmed as pager numbers
- Programmable hookswitch flash before dialing

K-202-DVA Features

- Two inputs, NO or NC, enabled or disabled
- Stores up to seven 32-digit phone numbers per input (14 total)
- 2 minutes of record time (1 minute per input)

K-2000-DVA Features

- Eight inputs, NO or NC, enabled or disabled
- Stores up to eight 32-digit phone numbers per input (64 total)
- 8 minutes of record time (1 minute per input)
- Store caster mode and RS-232 port for programming via a PC





Model K-202-DVA

Model K-2000-DVA

Model	Description	DOD#	Price
K-202-DVA	2-Input Alarm Dialer	305	\$159.00
K-2000-DVA	8-Input Alarm Dialer	303	\$304.00

30 Watt Paging Amp with Loud Ringing

Add Paging and Loud Ringing with Background Music to Any Phone System

- Compatible with model DNA-510 (above)
- 30 Watts of paging power to drive up to 30 8-ohm speakers
- 70V output can drive up to 50 70V speakers
- 4 different ringing sounds available
- Provides background music from an external source
- 600 ohm output to drive additional amplifiers
- Use multiple units for more paging power, power supply included

Model	Description	DOD#	Price
PA-30	30 Watt Paging Amp	489	\$195.00

Ringing Sounds:

- Electronic Warble
- Double Gong
- · Quadruple Chime
- Door Chime





Viking products are in stock at the following distributors:

Graybar

800-825-5517 • www.graybar.com

ADI

800-233-6261 • www.adilink.com

Anixter

800-323-8167 • www.anixter.com

Jenne Distributing

800-422-6191 • www.jenne.com

TeleDynamics Corporation

800-847-5629 • www.teledynamics.com

Target Distributing

800-873-5528 • www.targetdist.com

Windstream Supply

800-533-3161 (US/CANADA) www.windstreamsupply.com

Communications Supply

800-786-9584 • www.gocsc.com

Hall Telecommunications

519-822-5420 • www.halltel.com 800-265-2667 (CANADA)

Goldcom, Inc.

800-788-8848 • www.Gold-com.com

Capitol Sales

800-467-8255 • www.capitolsales.com

NTD Distributors

800-426-1024 • www.ShopNTD.com

HB Distributors

800-266-3478 • www.HBdistributors.com

High Tech Communication

800-256-3010 • www.high-techcomm.com

Power & Telephone

800-238-7514 • www.ptsupply.com

International Sales: Viking International

612-331-3823 • www.vikingelectronics.com

Viking Electronics, Inc.

1531 Industrial Street Hudson, Wisconsin 54016 Printed in the USA