

FIRE

GAS | WOOD | ELECTRIC | OUTDOOR



NO ONE BUILDS A BETTER FIRE.



THE PURSUIT OF INNOVATION

Heat & Glo is fueled by innovation and driven to prove "No One Builds A Better Fire." The brand was founded in 1975 in a small Minnesota garage by brothers Ron and Dan Shimek. In 1987, the brand introduced Direct Vent technology—forever changing the way fireplaces function.

Much has changed since its beginning. Yet much remains the same. Today, Heat & Glo continues on an endless pursuit; pushing the boundaries of where fire can go and how it can look.

DESIGN

Design is an integral part of form and function. With Heat & Glo, meticulous product development creates cuttingedge designs with creative applications. An expansive breadth of offerings is available. From traditional to ultramodern. With more than 40 models and countless styles.

INNOVATIVE TECHNOLOGY

Heat & Glo holds the most patents, honors and awards in the industry. The brand created fire from water, and also developed exclusive technologies like FireBrick[®] and IntelliFire[™] Touch. Heat & Glo is always pushing the envelope with technology for today, and innovation for tomorrow.







FIREPLACE TABLE OF CONTENTS

| TRADITIONAL GAS FIREPLACES | |
|-------------------------------|---|
| Premium | |
| Mid-Range | 2 |
| Basic | 2 |
| MODERN GAS FIREPLACES | 8 |
| Premium | 0 |
| Mid-Range | 0 |
| Basic | |
| GAS FIREPLACE INSERTS | 0 |
| Premium | |
| Mid-Range | |
| | |
| TRADITIONAL WOOD FIREPLACES | 0 |
| Premium | 2 |
| Mid-Range | 6 |
| Basic | 8 |
| | ~ |
| ELECTRIC FIREPLACES | |
| 9 Premium | |
| Mid-Range | |
| Basic | 0 |
| INDOOR/OUTDOOR GAS FIREPLACES | 4 |
| Premium | |
| | |
| OUTDOOR FIREPLACES | 2 |
| OUTDOOR GAS FIREPLACES | 4 |
| OUTDOOR WOOD FIREPLACES | 0 |
| OUTDOOR GAS FIREPIT | 6 |

PREMIUM

A product series offering the finest features and options.

MID-RANGE

A product series offering enhanced consumer benefits with improved features and options.

BASIC

A product series offering essential consumer benefits.









CSI SPECS


HEAT & GLO MAKES SPECIFYING SIMPLE

Have confidence in your plans by leveraging our array of design and specification tools including proprietary CAD drawings compatible with the latest AutoCAD software, and 3D Revit BIM objects and families. Heat & Glo also has complete 3-Part CSI/CSA fireplaces specifications for you to add instantly into section 10-31-00 of your construction documents.




DESIGN CONSIDERATIONS

The placement of the fireplace is critical to specifying the right fireplace for the right project.




EXTERIOR WALL

A classic application that suits both traditional and contemporary fireplace models. These applications typically require the least complicated vent runs, but may require an exterior chase or bump out.



CORNER

Best used in floorplans with square footage to spare or where other architectural elements (i.e. windows) take precedence as a focal point. Traditional models or smaller modern linear units work best for these applications.



INTERIOR WALL / ISLAND

An interior island application is an innovative way to enhance a space. See-through models are highly desired for these types of design, particularly in open floor plans. These applications may require a power vent system and a more complex vent run.



Install Virtually Anywhere: Power VentTM Technology

Fireplaces aren't just for exterior walls. A fan-powered accessory with slim venting can zigzag throughout your home – up, down, over or under – making it possible to install a gas fireplace virtually anywhere.





SPECIFICATION CHECK LIST

Planning is critical to ensure the model you are specifying will work with your construction plans. When specifying a fireplace model for your building, make sure to work with your local Hearth Expert to factor in the following factors:



FRAMING DIMENSIONS

For both the fireplace itself and for any vent pipes that must terminate through a wall.



CONNECTION REQUIREMENTS

Make sure you understand where venting, gas and electrical connection points are on the model you're specifying.



VENT RUN REQUIREMENTS

The maximum and minimum lengths required for vertical, horizontal and mixed vent runs may vary from model to model. Understanding these parameters early on is essential in deciding where best to place the fireplace in your plans.



CLEARANCES TO COMBUSTIBLES

For mantels, surround material and appliances above the fireplace.



EXTERIOR TERMINATION LOCATION

Know the distances needed from the termination cap to nearby fenestrations, overhangs, soffits and sidewalks.

HEAT

KEY TECHNOLOGIES



DIRECT VENT TECHNOLOGY

Direct Vent fireplaces remove 100% of combustion exhaust and odors outside of the home. These sealed fireplaces provide optimal heat, conserve energy and ensure clean, safe indoor air quality.



POWER VENT[™] TECHNOLOGY

A power vent is a fan-powered accessory allowing for longer more complicated vent runs - making it possible to install a gas fireplace virtually anywhere in a property.



WHISPERTONE[™] TECHNOLOGY

Patent-pending system which allows airflow with minimal sound, the ability to horizontally terminate, and an automatic damper which stops air movement when the fireplace is off, thus preventing cold air infiltration into the home.



INTELLIFIRE™ IGNITION SYSTEMS

Advanced intermittent pilot ignition systems with memory settings and programmable RC300 or RC400 remote controls. IPI systems constantly monitors ignition, ensures safe functioning and conserves up to \$10/month in energy costs. Options Include IntelliFire, IntelliFire Plus and IntelliFire Touch.





FIREBRICK[®] TECHNOLOGY

FireBrick is a patented, energy-saving ceramic material molded in a variety of masonry designs. FireBrick produces up to 25% more radiant heat than metal fireboxes - heating rooms faster and using less fuel. This increases efficiency and reduces heating costs.

PRODUCT FEATURES











BLACK GLASS

LED EMBER BED

ANTI-REFLECTIVE LED ACCENT GLASS LIGHTING

BLUETOOTH



LOGS



HEAT MANAGEMENT SOLUTIONS

Heat Management technologies allow end users to enjoy the fire in comfort and at the same time control the heat produced by their fireplace. Heat management solutions also give you more interior design flexibility, such as the location of the TV and what kind of wall materials can be installed. Heat & Glo offers the widest breadth of heat management solutions and technologies on the market.



HEAT ZONE TECHNOLOGY

Draw heat from the fireplace into another room of the home, up to 20 feet away. When a heat zone kit is run continuously, it will redirect up to 25% of the fireplace's heat to another area, thus reducing wall temperatures above the fireplace. Two heat zones run continuously will redirect up to 50% of the fireplace's heat.



HEAT OUT TECHNOLOGY

Draw heat from the fireplace and direct it outside, up to 25 feet away. When operating continuously on high, it can redirect up to 40% of the heat off the fireplace, also reducing wall temperatures above the fireplace.



PASSIVE HEAT SYSTEM/SMARTWALL TV KIT

Allows a TV to be mounted 12" above the fireplace without a mantel or shelf.



POWERFLOW™ HEAT MANAGEMENT TECHNOLOGY

Our exclusive PowerFlow Technology redirects the flow of heat, sending warmth where you want it, all while maintaining safe outer glass and a cool wall. End-users can quickly adjust heat distribution throughout the space, inside or outside the home – at the flip of a switch.



HEAT DUCT TECHNOLOGY

Brings the warmth from the fireplace to the rest of your home by redistributing heat from the fireplace via the furnace ductwork. When a heat duct kit is run continuously, it will redirect up to 25% of the fireplace's heat to another area, thus reducing wall temperatures above the fireplace. Two heat ducts run continuously will redirect up to 50% of the fireplace's heat.



TRADITIONAL GAS FIREPLACES



WHY A GAS FIREPLACE?

Gas fireplaces offer the most versatility of placement, model variety, and technology. A gas fireplace will not only add an unforgettable focal point to your space, but ambiance and comfort to the properties you're creating. Gas-burning fireplaces are clean and efficent. Building and design professionals should add at least one in entry-level new construction homes and a second or third fireplace when planning move-up or luxury/custom properties.



New homebuyers rank fireplaces as the **TOP MOST DESIRED DECORATIVE PRODUCTS** in a new home¹



A gas fireplace will add between \$2,950-\$5,900 to a home's value²



Direct vent gas is the **PREFERRED TECHNOLOGY** in every green building program³

2 Marshall & Swift Residential Cost Handbook

^{1 2016} Realtor.com Homebuyer & Realtor Research, "Fireplace is the #1 Must Have Home Feature"; 2016 Angie's List Homebuyer & Realtor Research,

[&]quot;Both indoor and outdoor fireplaces are one of the most sought after home features by both homebuyers and realtors"

^{3 2013} NAHB "What Homebuyers Really Want"



PHOENIX TRUEVIEW GAS FIREPLACE

Designed with a large glass-free view and the authentic look of a traditional wood fireplace. Be captivated by the beautiful hand-painted logs, glowing LED ember bed and bold flames in a traditional brick or modern reflective black glass interior. Safely place a TV 12" above the opening with no mantel required. Set the mood with mild heat for year round enjoyment, and stream music or the sound of a crackling fire through Bluetooth[®] speakers for a truly immersive experience. Phoenix. The convenience of gas without the glass.

PHOENIX -

INTERIOR PANELS



FADE-RESISTANT REFLECTIVE BLACK GLASS INTERIOR PANELS



TRADITIONAL BRICK INTERIOR PANELS



GLOWING LED EMBER BED

DOORS




BLACK GRAND VISTA SCREEN DOORS

SPECIFICATIONS


| MODEL | FRONT WIDTH (A) | | HEIGHT (B) | | DEPTH (C) | | REAR W | IDTH (D) | VIEWING AREA | BTU/HR INPUT |
|---------------|-------------------|-------------------|-------------------|-------------------|------------------|--------------|------------------|-------------------|-------------------------------|--------------|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (E x F) | BTO/HR INPUT |
| PHOENIX42-IFT | 50-3/8" [1280] | 51-3/8" [1305] | 74-1/8" [1883] | 74-5/8" [1895] | 28-1/2" [724] | 28″ [711] | 34-5/8″ [879] | 51-3/8" [1305] | 42" x 28-1/2" [1068 x 723] | 65,000 |

TOP VIEW


FRONT VIEW











TECHNOLOGIES/FEATURES



INTELLIFIRE TOUCH




TRUE DIRECT VENT GAS FIREPLACE The TRUE offers the most authentic masonry appearance available in a Direct Vent gas fireplace. The best fire, cleanest look and largest view available comes in three sizes with high definition logs, LED accent and ember lighting and reflection-free glass. It's an attractive, powerful fireside experience – a TRUE innovation in traditional style.

SPECIFICATIONS


| MODEL | FRONT V | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | -H (D) | GLASS SIZE | BTU/HOUR INPUT | |
|---------|--------------|-------------------|-------------------|-------------------|------------------|--------------|-------------|-------------|-----------------------------------|-----------------|--|
| HODEL | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | (E x F) | (NG) | |
| TRUE-36 | 61 [1549] | 59-1/2 [1511] | 59-1/4 [1505] | 59-1/2 [1511] | 57-5/8 [1464] | 56 [1422] | 24 [610] | 24 [610] | 35-7/8 x 31-1/16 [911 x 789] | 28,000 - 45,500 | |
| TRUE-42 | 67 [1702] | 65-9/16 [1665] | 65-5/16 [1659] | 65-9/16 [1665] | 62-5/8 [1591] | 61 [1549] | 24 [610] | 24 [610] | 41-7/8 x 36-1/16 [1064 x 916] | 30,500 - 55,500 | |
| TRUE-50 | 75 [1905] | 73-9/16 [1869] | 73-5/16 [1862] | 73-9/16 [1869] | 66-5/8 [1692] | 65 [1651] | 24 [610] | 24 [610] | 49-7/8 x 40-1/16 [1267 x 1018] | 36,000 - 65,000 | |

TOP VIEW



LEFT SIDE VIEW

RIGHT SIDE VIEW



TECHNOLOGIES/FEATURES





INTELLIFIRE TOUCH

FRONTS











Hand-crafted, hammered steel

FORGE ARCH

FIRESCREEN

FIRESCREEN ARCH

FORGE Hand-crafted, hammered steel

FINISHES FOR FIRESCREEN AND FIRESCREEN ARCH



INTERIOR PANELS



TRANQUIL GREIGE HERRINGBONE



STRATFORD



FADE RESISTANT REFLECTIVE BLACK GLASS





CERONA DIRECT VENT GAS FIREPLACE

The Cerona is the only true-arched fireplace on the market. The arched elegance pairs well with robust flames and impressive efficiency. Patented, heat-radiating FireBrick[®] material and cantilevered corners provide the beauty of a custom-built masonry fireplace.

CERONA -



SPECIFICATIONS


| MODEL | FRONT V | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | -H (D) | GLASS SIZE | BTU/HR INPUT |
|-----------|------------------|------------------|-----------------|------------------|------------------|------------------|-----------------|-----------------|--------------------------------|--------------------|
| HODEL | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | (E x F) | |
| CERONA-36 | 41-1/8 [1046] | 42-1/8 [1070] | 28-1/2 [724] | 42-1/8 [1070] | 49-7/8 [1268] | 50-1/2 [1283] | 21-3/4 [551] | 22-1/4 [565] | 30-1/4 X 23-1/2 [767 X 595] | 25,000-37,500 (NG) |
| CERONA-42 | 48-1/8 [1223] | 49-1/8 [1248] | 35-3/8 [900] | 49-1/8 [1248] | 54 [1372] | 54-1/2 [1384] | 21-3/4 [551] | 22-1/4 [565] | 35-7/8 X 27-3/4 [912 X 704] | 32,000-48,000 (NG) |


TOP VIEW


FRONT VIEW

LEFT SIDE VIEW

RIGHT SIDE VIEW







TECHNOLOGIES/FEATURES



DIRECT VENT

INTELLIFIRE

FIREBRICK


HEAT-ZONE



ESCAPE SEE-THROUGH DIRECT VENT GAS FIREPLACE

Take comfort to the next level with the Escape model. Flames rise through intricate logs and are complemented by electric embers and accent lighting for a broad fire. Enjoy the Escape See-Through from two rooms, with arched or square front designs.

ESCAPE SEE-THROUGH _____





SPECIFICATIONS

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE | BTU/HOUR INPUT |
|-----------------------------|--------------------|------------------|--------------------|------------------|------------------|------------------|-------------|-------------|----------------------------------|-----------------|
| | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | (E x F) | |
| ESCAPE SEE-THROUGH (IFT) | 59-15/16 [1522] | 60-1/4 [1530] | 59-15/16 [1524] | 60-1/4 [1530] | 46-3/8 [1178] | 46-1/2 [1181] | 30 [762] | 30 [762] | 39-7/16 x 35-1/8 [1002 X 892] | 43,500 - 57,500 |

TOP VIEW

FRONT VIEW





LEFT SIDE VIEW

RIGHT SIDE VIEW



TECHNOLOGIES/FEATURES











INTELLIFIRE

ITELLIFIRE DIRI TOUCH

DIRECT VENT POWER VENT

LED EMBER BED BLACK GLASS



6000 & 8000 SERIES DIRECT VENT GAS FIREPLACE

The 6000 Series is the flagship of Heat & Glo. Three models are available (C, CL, CLX), offering different heating, features and aesthetics for different homebuyers. The 8000 Series provides all of the benefits of the 6000 Series in a larger size with greater heat output.

6000 & 8000 SERIES -------

SPECIFICATIONS


| MODEL | FRONT V | FRONT WIDTH (A) | | BACK WIDTH (B) | | HT (C) | DEPT | Ή (D) | GLASS SIZE | BTU/HOUR | |
|-------------------------------|--------------|-----------------|-----------------|----------------|------------------|------------------|-----------------|-------------|----------------------------|--|--|
| HODEL | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | (E x F) | INPUT (NG) | |
| 6000CLX, 6000CL, 6000C, | 41 [1041] | 42 [1067] | 28-1/2 [724] | 42 [1067] | 39-7/8 [1013] | 40-1/8 [1019] | 21-1/2 [546] | 22 [559] | 32 x 21-1/2 [813 x 546] | CLX: 40,000 CL: 35,000 C: 30,000 | |
| 8000CLX, 8000CL, 8000C, | 48 [1219] | 49 [1245] | 35-1/2 [901] | 49 [1245] | 41-7/8 [1064] | 42-1/8 [1070] | 21-1/2 [546] | 22 [559] | 39 x 23-5/8 [991 x 600] | CLX: 45,000 CL: 40,000 C: 35,000 | |


TOP VIEW

FRONT VIEW


LEFT SIDE VIEW

RIGHT SIDE VIEW









TECHNOLOGIES/FEATURES















LOGS





INTELLIFIRE

DIRECT VENT

POWER VENT

LED ACCENT LIGHTING

LED EMBER HIGH-DEFINITION BLACK GLASS ANTI-REFLECTIVE BED LOGS GLASS

6000 & 8000 SERIES _____



INTERIOR PANELS



BLACK METAL (Standard on C models)



STRATFORD BRICK PANELS (Standard on CL/CLX models; optional on C models)



FADE-RESISTANT REFLECTIVE BLACK GLASS PANELS (Standard on CL/CLX; optional on C models)





MULTI-SIDED DIRECT VENT GAS FIREPLACES

Multi-Sided fireplaces present an opportunity to divide a space elegantly, act as a window between rooms or provide dramatic architectural elements. Pier, see-through and left- or right-corner models showcase fire in more ways. Create your own, unique hearth with a variety of sizes, styles and finishing options.

MULTI-SIDED ------

PIER SPECIFICATIONS


| MODEL | SIDES W | /IDTH (A) | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE | |
|-------------------------------------|------------------|--------------|------------------|--------------|-------------|-----------------|-------------|-------------|----------------------------|-----------------|
| MODEL | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | (E x F) | BTU/HOUR INPUT |
| PIER-36TR (IFT) PIER-36TRB (IFT) | 40-1/2 [1029] | 40 [1016] | 40-1/2 [1029] | 40 [1016] | 38 [965] | 38-1/8 [968] | 24 [610] | 23 [584] | 33 X 21-5/8 [838 X 549] | 21,000 - 38,000 |


TOP VIEW

SIDES VIEW

VIEWABLE END

NON-VIEWABLE END







SEE-THROUGH SPECIFICATIONS


| MODEL | SIDES W | /IDTH (A) | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE | |
|---------------------------------|------------------|--------------|------------------|--------------|-------------|-----------------|-------------|-------------|----------------------------|-----------------|
| MODEL | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | (E x F) | BTU/HOUR INPUT |
| ST-36TR (IFT) ST-36TRB (IFT) | 42-1/2 [1080] | 43 [1092] | 42-1/2 [1080] | 43 [1092] | 38 [965] | 38-1/8 [968] | 24 [610] | 23 [584] | 33 X 21-5/8 [838 X 549] | 21,000 - 38,000 |


TOP VIEW


FRONT VIEW

LEFT SIDE VIEW

RIGHT SIDE VIEW









TECHNOLOGIES/FEATURES

INTELLIFIRE TOUCH

DIRECT VENT

POWER VENT

BLACK GLASS

MULTI-SIDED ------


FRONTS



See-Through and Pier




CHATEAU See-Through and Pier



FOLIO See-Through and Pier



GALLERIA See-Through only



HALSTON See-Through only



MEDIA













4

CRYSTAL GLASS

EBONY GLASS

COBALT GLASS

AMBER GLASS

SCARLET GLASS

ICED FOG GLASS

CAST STONES

INTERIOR PANELS



BLACK METAL



BLACK PORCELAIN



FADE-RESISTANT BLACK GLASS



STRATFORD BRICK





CORNER DIRECT VENT GAS FIREPLACES

Add architectural interest to your space and enjoy the power of fire in creative new ways with this stunning two-sided gas fireplace. Upgrade any corner and warm up your space with class. Left- or right-facing gas fireplaces are an ideal way to add impact in tighter spaces.

- LEFT/RIGHT CORNER -------

FRONT

FIRESCREEN Available in black



STANDARD CORNER BRICK PANELS

SPECIFICATIONS


| | MODEL - | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE | BTU/HOUR INPUT |
|--|------------------------|------------------|--------------|-------------------|--------------|-------------|-----------------|-----------------|-------------|----------------------------|-----------------|
| | | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | (E x F) | BTO/HOOR INPOT |
| | LCOR-36IN RCOR-36IN | 40-1/2 [1029] | 40 [1016] | 40 -1/2 [1029] | 40 [1016] | 38 [965] | 38-1/8 [968] | 24-1/2 [622] | 24 [610] | 33 X 21-5/8 [838 X 549] | 21,000 - 38,000 |


TOP VIEW

FRONT VIEW

VIEWABLE END

NON-VIEWABLE END









TECHNOLOGIES/FEATURES





31



SLIMLINE SERIES DIRECT VENT GAS FIREPLACE

SlimLine fireplaces fit where others don't. Slender profiles make unique installations a reality. Bring your vision to life with multiple models, sizes and finishing options. The ideal combination of flame, glow and logs creates a fireside experience you never want to leave.

- SLIMLINE SERIES ------

SPECIFICATIONS


| | FRONT | WIDTH | BACK WIDTH | | HEI | GHT | DEI | PTH | | BTU/HR | |
|---------|-------------|-------------|-----------------|-------------|-----------------|-----------------|-----------------|-----------------|----------------------------|--------------------|--|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | GLASS SIZE | INPUT (NG) | |
| SL-3X | 33 [838] | 34 [864] | 22-3/4 [578] | 34 [864] | 32-3/8 [822] | 32-3/4 [832] | 16-1/4 [413] | 16-1/4 [413] | 24-1/8 X 16 [613 x 406] | 11,500-21,000 | |
| SL-5/5X | 36 | 37 | 25-3/4 | 37 | 34-3/8 | 34-3/4 | 16-5/16 | 16-1/4 | 27-3/16 X 18-1/16 | 14,900-21,000 (5) | |
| | [913] | [940] | [653] | [940] | [873] | [882] | [415] | [413] | [691 x 459] | 14,500-27,500 (5X) | |
| SL-7/7X | 41 | 42 | 30-3/4 | 42 | 37-7/8 | 38-1/4 | 16-5/16 | 16-1/4 | 32-1/16 X 21-1/2 | 17,500-25,000 (7) | |
| | [1041] | [1067] | [781] | [1067] | [962] | [972] | [415] | [413] | [814 x 546] | 17,500-30,500 (7X) | |
| SL-9/9X | 48 | 49 | 37-3/4 | 49 | 39-9/16 | 40-1/4 | 16-5/16 | 16-1/4 | 39-1/16 X 23-9/16 | 23,500-30,000 (9) | |
| | [1218] | [1245] | [959] | [1245] | [1005] | [1022] | [415] | [413] | [992 x 599] | 18,000-35,000 (9X) | |


TOP VIEW


FRONT VIEW

LEFT SIDE VIEW

RIGHT SIDE VIEW








TECHNOLOGIES/FEATURES

SET.



SLIMLINE SERIES —

FRONTS



CHATEAU FORGE Handcrafted, hammered steel. Not available for 3X.



CHATEAU Available for all models in black, new bronze or graphite.



ARCADIA Black, new bronze or graphite. Not available for 3X.



HALSTON Available for all models in black, new bronze or graphite.



CLEAN FACE Black, new bronze or graphite. Not available for 3X.



FIRESCREEN Available for all models in black.

FINISHES

BLACK

NEW BRONZE



INTERIOR PANELS



STRATFORD BRICK PANELS Included standard on X collection models. Optional upgrade for SL models.



FADE-RESISTANT REFLECTIVE BLACK GLASS PANELS Optional upgrade for all models.

MANTEL SYSTEMS

A variety of mantel systems can transform your space. Visit heatnglo. com for more options and additional information on mantel systems, shelves and stone surrounds.







REVEAL B-VENT GAS FIREPLACE

Recreate the timelessness of a wood-burning fire with the open-hearth Reveal. Match your mood and enjoy full, generous flames with the optional doors open or closed.

- REVEAL ------

DOORS





NON-OPERABLE GLASS DOOR

OPERABLE BI-FOLD GLASS DOOR

SPECIFICATIONS


| MODEL FRONT V | | RONT WIDTH (A) BACK WI | | WIDTH (B) HEIGH | | HT (C) DEPTH | | -H (D) | VIEWING AREA | BTU/HR INPUT | |
|---------------|--------------|------------------------|-----------------|-----------------|------------------|------------------|-----------------|-------------|-------------------------|---------------|--|
| HODEL | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | (E x F) | DTO/TIX INFOT | |
| RBV4236 | 41 [1041] | 42 [1067] | 23-3/4 [603] | 42 [1067] | 39-1/2 [1003] | 39-3/4 [1010] | 21-1/2 [546] | 22 [559] | 36 x 21 [914 x 533] | 40,000 (NG) | |
| RBV4842 | 47 [1194] | 48 [1219] | 29-3/4 [756] | 48 [1219] | 39-1/2 [1003] | 39-3/4 [1010] | 21-1/2 [546] | 22 [559] | 42 x 21 [1067 x 533] | 43,000 (NG) | |


TOP VIEW

FRONT VIEW

LEFT SIDE VIEW

RIGHT SIDE VIEW









TECHNOLOGIES/FEATURES





MODERN GAS FIREPLACES



MODERN STYLE, TIMELESS APPEAL

The move to modern fireplaces is a trend that's here to stay. From sleek, modern linear fireplaces to unique models with dazzling features, our line of modern fireplaces will help you create an "impact wall" for your clients that will be the envy of the neighborhood. Make sure to specify a model that matches your project goals – select premium models for luxury properties and mid-range or basic models for move-up and entry-level homes.



LUXURY/PREMIUM

Perfect for mid-size to large rooms and commercial buildings. The combination of seamless, clean-finish options, very active flame, multi-colored LED lighting and standard accessories and heat-management technologies make these fireplaces one of a kind.



MID-RANGE

Works great for mid-size to large rooms. Comes standard with LED lighting, wireless control, and an active flame. Multiple customizable options to fit any type of room.



BASIC

Basic modern fireplaces are ideal for small to mid-size rooms. Calm flame, modest heat output, and optional accessories complement your décor.



Foundation Series SINGLE-SIDED DIRECT VENT GAS FIREPLACE

Even your most timeless setting comes alive with a Foundation Series single-sided luxury fireplace, where innovative appearance meets modern design.

- FOUNDATION SERIES: SINGLE-SIDED

SPECIFICATIONS


| MODEL | FRONT W | /IDTH (A) | BACK WIDTH (B) | | HEIGH | HT (C) | DEPT | H (D) | GLASS SIZE |
|----------|---------|-----------|----------------|---------|---------|---------|----------|----------|----------------|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (E x F) |
| FDN-4-SS | 53-3/4" | 55-3/4" | 53-3/4" | 55-3/4" | 50" | 56″ | 24-1/32" | 25-1/32" | 50-3/16" x 24" |
| | [1,365] | [1,416] | [1,365] | [1,416] | [1,270] | [1,422] | [610] | [636] | [1,275 x 610] |
| FDN-5-SS | 65-3/4" | 67-3/4" | 65-3/4" | 67-3/4" | 50" | 56″ | 24-1/32" | 25-1/32″ | 62-3/16" × 24" |
| | [1,670] | [1,721] | [1,670] | [1,721] | [1,270] | [1,422] | [610] | [636] | [1,580 × 610] |
| FDN-6-SS | 77-3/4" | 79-3/4" | 77-3/4" | 79-3/4" | 50" | 56" | 24-1/32" | 25-1/32" | 74-3/16" × 24" |
| | [1,975] | [2,026] | [1,975] | [2,026] | [1,270] | [1,422] | [610] | [636] | [1,884 × 610] |
| FDN-7-SS | 89-3/4" | 91-3/4" | 89-3/4" | 91-3/4" | 50″ | 56″ | 24-1/32" | 25-1/32" | 86-3/16" x 24" |
| | [2,280] | [2,330] | [2,280] | [2,330] | [1,270] | [1,422] | [610] | [636] | [2,189 x 610] |


LEFT VIEW







RIGHT VIEW











Foundation Series SEE-THROUGH

DIRECT VENT GAS FIREPLACE

Add a spacious new dimension to your living space or gathering area with a Foundation Series luxury see-through fireplace. It's a captivating look that invites conversation.

- FOUNDATION SERIES: SEE-THROUGH

SPECIFICATIONS


| MODEL | FRONT V | VIDTH (A) | BACK W | IDTH (B) | HEIGH | HT (C) | DEP | TH (D) | GLASS SIZE |
|----------|---------|-----------|---------|----------|---------|---------|--------|---------|----------------|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (E x F) |
| FDN-4-ST | 53-3/4" | 55-3/4" | 53-3/4" | 55-3/4" | 50" | 56″ | 24" | 23" | 50-3/16" x 24" |
| | [1,365] | [1,416] | [1,365] | [1,416] | [1,270] | [1,422] | [610] | [584] | [1,275 x 610] |
| FDN-5-ST | 65-3/4" | 67-3/4" | 65-3/4" | 67-3/4" | 50" | 56″ | 24" | 23" | 62-3/16" × 24" |
| | [1,670] | [1,721] | [1,670] | [1,721] | [1,270] | [1,422] | [610] | [584] | [1,580 × 610] |
| FDN-6-ST | 77-3/4" | 79-3/4" | 77-3/4" | 79-3/4" | 50" | 56″ | 24" | 23" | 74-3/16" × 24" |
| | [1,975] | [2,026] | [1,975] | [2,026] | [1,270] | [1,422] | [610] | [584] | [1,884 × 610] |
| FDN-7-ST | 89-3/4" | 91-3/4" | 89-3/4" | 91-3/4" | 50″ | 56″ | 24" | 23" | 86-3/16" × 24" |
| | [2,280] | [2,330] | [2,280] | [2,330] | [1,270] | [1,422] | [610] | [584] | [2,189 × 610] |











RIGHT VIEW











Foundation Series PIER DIRECT VENT GAS FIREPLACE

Let your distinctive spaces maintain their own character while you tastefully unite your overall design. A Foundations Series pier fireplace brings your interior together.

- FOUNDATION SERIES: PIER -------

SPECIFICATIONS


| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGH | HT (C) | DEPT | H (D) | GLASS SIZE | GLASS SIZE | |
|------------|-----------------|---------|----------------|---------|---------|---------|--------|---------|-------------------|--------------------|--|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | LONG SIDE (E x F) | SHORT SIDE (G x F) | |
| FDN-4-PIER | 53-3/4" | 54-3/4" | 53-3/4" | 54-3/4" | 50″ | 56" | 24" | 23" | 50-13/16" x 24" | 24" × 24" | |
| | [1,365] | [1,391] | [1,365] | [1,391] | [1,270] | [1,422] | [610] | [584] | [1,290 x 610] | [610 × 610] | |
| FDN-5-PIER | 65-3/4" | 66-3/4" | 65-3/4" | 66-3/4" | 50″ | 56″ | 24" | 23" | 62-13/16" x 24" | 24" × 24" | |
| | [1,670] | [1,695] | [1,670] | [1,695] | [1,270] | [1,422] | [610] | [584] | [1,595 x 610] | [610 × 610] | |
| FDN-6-PIER | 77-3/4" | 78-3/4" | 77-3/4" | 78-3/4" | 50″ | 56″ | 24" | 23" | 74-13/16" x 24" | 24" × 24" | |
| | [1,975] | [2,000] | [1,975] | [2,000] | [1,270] | [1,422] | [610] | [584] | [1,900 x 610] | [610 × 610] | |
| FDN-7-PIER | 89-3/4" | 90-3/4" | 89-3/4" | 90-3/4" | 50″ | 56" | 24" | 23" | 86-13/16" x 24" | 24" × 24" | |
| | [2,280] | [2,305] | [2,280] | [2,305] | [1,270] | [1,422] | [610] | [584] | [2,205 x 610] | [610 × 610] | |


LEFT VIEW







RIGHT VIEW











Foundation Series BAY

DIRECT VENT GAS FIREPLACE

Trend-defining innovation embraces multi-sided visual enjoyment in a Foundation Series bay fireplace, where first glances become lasting looks – from every vantage point.

- FOUNDATION SERIES: BAY ------

SPECIFICATIONS


| FRON | | WIDTH (A) BACK W | | /IDTH (B) HEIGH | | HT (C) | DEPT | Ή (D) | GLASS SIZE | GLASS SIZE |
|-----------|---------|------------------|---------|-----------------|---------|---------|--------|---------|-------------------|--------------------|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | LONG SIDE (E x F) | SHORT SIDE (G x F) |
| FDN-4-BAY | 53-3/4" | 52-3/4" | 53-3/4" | 52-3/4" | 50″ | 56″ | 24" | 25" | 53-5/8" x 24" | 24" × 24" |
| | [1,365] | [1,340] | [1,365] | [1,340] | [1,270] | [1,422] | [610] | [635] | [1,362 x 610] | [610 × 610] |
| FDN-5-BAY | 65-3/4" | 64-3/4" | 65-3/4" | 64-3/4" | 50″ | 56" | 24" | 25″ | 65-5/8" x 24" | 24" × 24" |
| | [1,670] | [1,645] | [1,670] | [1,645] | [1,270] | [1,422] | [610] | [635] | [1,667 x 610] | [610 × 610] |
| FDN-6-BAY | 77-3/4" | 76-3/4" | 77-3/4" | 76-3/4" | 50″ | 56″ | 24" | 25″ | 77-5/8" x 24" | 24" × 24" |
| | [1,975] | [1,949] | [1,975] | [1,949] | [1,270] | [1,422] | [610] | [635] | [1,972 x 610] | [610 × 610] |
| FDN-7-BAY | 89-3/4" | 88-3/4" | 89-3/4" | 88-3/4" | 50″ | 56″ | 24" | 25″ | 89-5/8" x 24" | 24" × 24" |
| | [2,280] | [2,254] | [2,280] | [2,254] | [1,270] | [1,422] | [610] | [635] | [2,276 x 610] | [610 × 610] |


LEFT VIEW







RIGHT VIEW









GLASS MEDIA



CRYSTAL (STANDARD)



AMBER







EBONY

REAL NATURAL STONES



HIGH POLISHED BLACK



POLISHED MIXED



POLISHED GOLD

DRIFTWOOD LOGS



REVERSIBLE MIRRORED INTERIOR PANELS





Enhanced infinite flame reflection or subtle infinite flame reflection

REMOTE CONTROL

Each Foundation Series fireplace comes standard with multi-colored chromotherapy LED lighting and remote control. Set and easily change the lights to different hues to match whatever mood or color scheme you'd like. Chromotherapy uses light in the form of color to balance energy in a person's body by enhancing relaxation or invigoration.



FOUNDATION SERIES: TECHNOLOGIES

The Foundation Series includes commercial grade valve and ignition system for your peace of mind. Flexible vent runs (up to 110', 11 elbows, 6' vertical drop) give you ultimate design versatility.



CO-LINEAR DIRECT VENT WITH POWERVENT SYSTEM Co-linear design utilizing B-vent with choice of standard powervent or inline powervent exhaust system, which allows for installation flexibility.

| MODEL | FLUE | OUTSIDE AIR |
|-------|------|-------------|
| 4' | 8" | 10" |
| 5' | 8" | 10" |
| 6' | 10" | 10" |
| 7' | 10" | 10" |




SAFE SURFACE GLASS

Patented SafeSurface[™] double-pane glass in a proprietary cooling system that keeps heat away from outer glass surface with no safety screen needed.



MECHANICAL INTAKE DAMPER

Keeps cold air out; reversible collar allows air to come in from the side or bottom of fireplace.



Foundation Series fireplaces vent off the top of the unit. Whether the desired cap location is a vertical or side wall application, you have up to 110 feet and 11 elbows to plan your vent run, allowing the fireplace to be right where you want it.



PRIMO DIRECT VENT GAS FIREPLACE

Warm up to our most luxurious fireplace yet. Where intricate modern styling meets innovative heating technology. Defying convention and designed for the spotlight. There's a reason we call it the PRIMO.


PRIMO —

SPECIFICATIONS


| MODEL | FRONT V | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | ΓΗ (D) | GLASS SIZE | BTU/HOUR | |
|-----------|---------|-----------------|--------|----------------|---------|------------|---------|----------------------|-----------------|-----------------|--|
| HODEL | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING ³ | (E x F) | INPUT (NG) | |
| PRIMO48, | 59-1/2 | 60-1/4 | 59-1/2 | 60-1/4 | 30-9/16 | 42 | 17-3/16 | 18-1/4 [464] | 47-1/2 x 12-1/2 | 31,000 - 45,000 | |
| PRIMO48ST | [1511] | [1530] | [1511] | [1530] | [776] | [1067] | [437] | ST: 17 [432] | [1207 x 318] | | |
| PRIMO60, | 71-1/2 | 72-1/4 | 71-1/2 | 72-1/4 | 30-9/16 | 48 | 17-3/16 | 18-1/4 [464] | 59-1/2 x 12-1/2 | 38,000 - 55,000 | |
| PRIMO60ST | [1816] | [1835] | [1816] | [1835] | [776] | [1219] | [437] | ST: 17 [432] | [1511 x 318] | | |
| PRIMO72, | 83-1/2 | 84-1/4 | 83-1/2 | 84-1/4 | 30-9/16 | 48 | 17-3/16 | 18-1/4 [464] | 71-1/2 x 12-1/2 | 41,000 - 61,000 | |
| PRIMO72ST | [2121] | [2140] | [2121] | [2140] | [776] | [1219] | [437] | ST: 17 [432] | [1861 x 318] | | |


FRONT VIEW

TOP VIEW - SEE-THROUGH



TOP VIEW - SINGLE-SIDED





LEFT SIDE VIEW

GAS / ACCESS

RIGHT SIDE VIEW

0.0




TECHNOLOGIES/FEATURES



PRIMO -

SINGLE-SIDED



SEE-THROUGH



INTERIORS

















CRYSTAL GLASS

AMBER GLASS

COBALT GLASS

SCARLET GLASS

ICED FOG GLASS

DRIFTWOOD LOGS¹ RIVER ROCK STONES¹

THE DUNES MODERN WHITE LOGS BY ELISA CARLUCCI¹



The Dunes unveils a whole new view of fire. White logs transform the modern fireplace into a gallery of sculpture. The flames radiate glowing light and shadow on the sculptures creating a fireside experience unlike any other.

MULTI-COLORED LED LIGHTING













RED LIGHT



WHITE LIGHT

AQUA LIGHT

BLUE LIGHT

GREEN LIGHT

YELLOW LIGHT

MAGENTA LIGHT






MEZZO DIRECT VENT GAS FIREPLACE You've never experienced modern design like this. Clean. Discreet. Affordable luxury. In four sizes, with single-sided and see-through models. And a variety of finishing options. We spared nothing, to give you everything. It's modern design, redefined.


SPECIFICATIONS

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE | BTU/HOUR | |
|-----------------------|-----------------|------------------|----------------|---------------|------------------|--------------|-----------------|------------------------------|---------------------------------|-----------------|--|
| HODEL | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | (E x F) | INPUT (NG) | |
| MEZZO36, | 46-3/16 | 48-1/4 | 46-3/16 | 48-1/4 | 41-3/4 | 42 | 17-1/8 | 18-1/4 [464] | 35-1/2 x 12-1/2 | 17,500 - 30,000 | |
| MEZZO36ST | [1173] | [1226] | [1173] | [1226] | [1060] | [1067] | [435] | ST: 17 [432] | [908 x 318] | | |
| MEZZO48, | 58 | 60-1/4 | 58 | 60-1/4 | 41-3/4 | 42 | 17-1/8 | 18-1/4 [464] | 47-1/2 x 12-1/2 | 21,000 - 40,000 | |
| MEZZO48ST | [1473] | [1530] | [1473] | [1530] | [1060] | [1067] | [435] | ST: 17 [432] | [1207 x 318] | | |
| MEZZO60, | 70 | 72-1/4 | 70 | 72-1/4 | 47-3/4 | 48 | 17-1/8 | 18-1/4 [464] | 59-1/2 x 12-1/2 | 26,000 - 50,000 | |
| MEZZO60ST | [1778] | [1835] | [1778] | [1835] | [1213] | [1219] | [435] | ST: 17 [432] | [1511 x 318] | | |
| MEZZO72, MEZZO72ST | 82 [2083] | 84-1/4 [2140] | 82 [2083] | 84-1/4 [2140] | 47-3/4 [1213] | 48 [1219] | 17-1/8 [435] | 18-1/4 [464] ST: 17 [432] | 71-1/2 x 12-1/2 [1861 x 318] | 30,000 - 58,000 | |

TOP VIEW - SINGLE-SIDED



TOP VIEW - SEE-THROUGH







FRONT VIEW



GAS ACCESS

RIGHT SIDE VIEW





TECHNOLOGIES/FEATURES



MEZZO-

SINGLE-SIDED



SEE-THROUGH



FRONTS



LOFT FORGE¹ Hammered steel



QUATTRO¹ Black or new bronze



CLEAN FACE TRIM Black, new bronze or stainless steel

FINISHES



INTERIORS







6000 & 8000 MODERN DIRECT VENT GAS FIREPLACES

These two models are a modern take on the flagship series of Heat & Glo. Sleek flames rise through crushed glass and multiply with a with fade-resistant reflective fluted black glass interior. It's a vivid and elegant fireside experience.

- 6000 & 8000 ------

INTERIOR PANELS



FADE-RESISTANT FLUTED BLACK GLASS

INTERIOR MEDIA









CRYSTAL GLASS

EBONY GLASS AMBER GLASS

COBALT GLASS

SPECIFICATIONS


| MODEL | FRONT | FRONT WIDTH | | BACK WIDTH | | HEIGHT | | PTH | GLASS SIZE | BTU/HOUR |
|-------------|--------------|--------------|-----------------|--------------|------------------|------------------|-----------------|-------------|----------------------------|------------|
| MODEL | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | (E x F) | INPUT (NG) |
| 6000 MODERN | 41 [1041] | 42 [1067] | 28-1/2 [724] | 42 [1067] | 39-7/8 [1013] | 40-1/8 [1019] | 21-1/2 [546] | 22 [559] | 32 x 21-1/2 [813 x 546] | 34,000 |
| 8000 MODERN | 48 [1219] | 49 [1245] | 35-1/2 [901] | 49 [1245] | 41-7/8 [1064] | 42-1/8 [1070] | 21-1/2 [546] | 22 [559] | 39 x 23-5/8 [991 x 600] | 35,500 |


TOP VIEW

FRONT VIEW


LEFT SIDE VIEW

RIGHT SIDE VIEW









TECHNOLOGIES/FEATURES





INTELLIFIRE

HEAT-ZONE

POWER VENT

LED ACCENT ANTI-REFLECTIVE LIGHTING GLASS



COSMO DIRECT VENT GAS FIREPLACE

COSMO gas fireplaces provide warmth, ambiance and chic contemporary detail. Two sizes with multiple finishing options deliver a bold design statement through a functional focal point.

SPECIFICATIONS

| MODEL | FRONT WIDTH (A) | | HEIGHT (B) | | DEPTH (C) | | REAR WIDTH (D) | | GLASS SIZE | BTU/HR INPUT | |
|----------|-----------------|---------|------------|---------|-----------|---------|----------------|---------|-------------------|--------------|--|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (E x F) | BIO/REINPOT | |
| COSMO 32 | 36″ | 37" | 38-1/16″ | 36-1/2" | 17-3/4" | 17-3/4″ | 25-3/4″ | 37" | 27-1/4" x 15-1/4" | 19,000 [NG] | |
| | [914] | [940] | [967] | [927] | [451] | [451] | [654] | [940] | [692 mm x 387] | 16,500 [LP] | |
| COSMO 42 | 48" | 49" | 33-11/16″ | 32-3/4" | 17-3/4" | 17-3/4" | 37-3/4" | 49" | 39" x 15-1/4" | 25,250 [NG] | |
| | [1219] | [1245] | [856] | [832] | [451] | [451] | [959] | [1016] | [991 mm x 387] | 23,500 [LP] | |

TOP VIEW


FRONT VIEW


LEFT VIEW

32" RIGHT VIEW


42" RIGHT VIEW














TECHNOLOGIES/FEATURES



BLACK GLASS













HEAT DUCT

HEAT OUT

COSMO -

FRONTS



MARTINI FRONT Graphite, new bronze, fog gray, ebony (gloss finish)



CLEAN FACE TRIM Graphite, new bronze, fog gray, ebony (gloss finish), stainless steel, black

| BLACK | NEW BRONZE |
|---|---------------------------------|
| FOG GRAY | GRAPHITE |
| EBONY (GLOSS FINISH) ¹ | STAINLESS STEEL ¹ |

FINISHES

INTERIORS



FADE-RESISTANT REFLECTIVE BLACK GLASS INTERIOR PANELS



DRIFTWOOD LOGS




TRADITIONAL LOGS



LED ACCENT LIGHTING²

BEADS






BLUE GLASS

BEADS

WHITE GLASS BEADS







SLIMLINE FUSION DIRECT VENT GAS FIREPLACE

You can personalize this unique member of the SlimLine Series with modern stones or glass, or traditional logs. Create a style uniquely yours – a fusion of modern and traditional elements.

- SLIMLINE FUSION ———

SPECIFICATIONS


| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE | BTU/HOUR INPUT | |
|-------|-----------------|---------|----------------|---------|------------|---------|-----------|---------|-------------------|--|--|
| HODEL | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | (E x F) | Di official di la contra contra e contra co | |
| SL-5F | 36 | 37 | 25-3/4 | 37 | 34-3/8 | 34-3/4 | 16-5/16 | 16-1/4 | 27-3/16 x 18-1/16 | 12,000-17,500 (NG) | |
| | [914] | [940] | [654] | [940] | [873] | [883] | [414] | [413] | [691 x 459] | 13,500-17,000 (LP) | |
| SL-7F | 41 | 42 | 30-3/4 | 42 | 37-7/8 | 38-1/4 | 16-5/16 | 16-1/4 | 32-1/16 × 21-1/2 | 16,500-24,000 (NG) | |
| | [1041] | [1067] | [781] | [1067] | [962] | [972] | [414] | [413] | [814 × 546] | 16,500-20,500 (LP) | |


TOP VIEW


FRONT VIEW


LEFT SIDE VIEW

RIGHT SIDE VIEW









TECHNOLOGIES/FEATURES



- SLIMLINE FUSION ————

FRONTS



FIRESCREEN Available in black only



CLEAN FACE Black, new bronze, graphite

FINISHES BLACK GRAPHITE

STANDARD LOGS OR OPTIONAL GLASS AND STONES



LOGS (STANDARD)



CRYSTAL GLASS



BLACK GLASS



AMBER GLASS



BLUE GLASS



WHITE GLASS BEADS

BLACK GLASS BEADS







CERAMIC FIBER STONES

- SLIMLINE FUSION -





METRO SERIES DIRECT VENT GAS FIREPLACE

The METRO Series features a contemporary design and shallow footprint for unique installation areas, in both single-sided and see-through models. Highlight both contemporary and transitional décor with this compact, efficient option.

METRO SERIES ——




SPECIFICATIONS

| MODEL | FRONT WIDTH (A) | | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE | BTU/HOUR INPUT |
|-------------------|-----------------|-----------------|-----------------|-----------------|------------------|------------------|-----------------|-----------------|----------------------------------|-----------------|
| | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | (E x F) | |
| METRO 32 | 36 [913] | 37 [940] | 25-3/4 [653] | 37 [940] | 34-3/8 [873] | 43 [1092] | 16-1/4 [413] | 16-1/4 [413] | 27-3/16 X 18-1/16 [691 X 459] | 21,000 |
| METRO SEE-THROUGH | 37-5/8 [956] | 38-1/8 [968] | 37-5/8 [905] | 38-1/8 [968] | 41-1/4 [1048] | 41-1/2 [1054] | 16 [406] | 15 [381] | 27-3/16 X 18-1/16 [691 X 459 | 16,000 - 22,000 |


METRO




TOP VIEW



FRONT VIEW









 \bigcirc

FRONT VIEW

RIGHT SIDE VIEW





LEFT SIDE VIEW

TECHNOLOGIES/FEATURES




INTELLIFIRE

HEAT-ZONE



GAS FIREPLACE INSERTS

NO MESS. NO HASSLE.



GAS INSERTS: AN INSTANT UPGRADE

Heat & Glo gas inserts provide an instant upgrade to any hearth, designed to fit directly into the existing masonry or manufactured wood-burning fireplace. Inserts instantly transform a drafty, dated fireplace into an easy, efficient and reliable heat source.



ESCAPE DIRECT VENT GAS INSERT

The Escape revives an existing fireplace with impressive flames and high-efficiency heating. Exclusive FireBrick material provides authentic masonry appearances and greater heat output.

ESCAPE -

FRONTS



CHATEAU FORGE Hand-crafted, hammered steel



GALLERIA Black, new bronze or graphite



HALSTON Black, new bronze or graphite




IRON AGE Black, new bronze or graphite



FIRESCREEN Black, new bronze or graphite

FINISHES



SPECIFICATIONS


| | FRONT WIDTH (| | BACK WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | | | |
|------------|-----------------|----------------------------|----------------|----------------------------|-----------------|----------------------------|-----------------|----------------------------|----------------------------------|------------------------|----------------------|
| MODEL | UNIT | MIN. FIREBOX OPENING | UNIT | MIN. FIREBOX OPENING | UNIT | MIN. FIREBOX OPENING | UNIT | MIN. FIREBOX OPENING | GLASS SIZE (E x F) | BTU/HOUR INPUT (NG) | CONVECTION BLOWER |
| ESCAPE-135 | 34-5/8 [879] | 35-1/8 [892] | 25 [635] | 25-1/2 [648] | 24-3/8 [619] | 24-5/8 [625] | 17-7/8 [454] | 18-1/8 [460] | 31-3/8 x 19-7/8 [797 x 505] | 20,000 - 40,000 | 120 CFM |
| ESCAPE-I30 | 30 [762] | 30-1/2 [775] | 21 [533] | 21-1/2 [546] | 22-3/8 [568] | 22-5/8 [575] | 16-3/8 [410] | 16-5/8 [422] | 26-11/16 x 17-7/8 [678 x 454] | 17,000 - 36,000 | 120 CFM |

TOP VIEW

FRONT VIEW

LEFT SIDE VIEW

RIGHT SIDE VIEW









TECHNOLOGIES/FEATURES



INTELLIFIRE TOUCH

FIREBRICK

73



SUPREME DIRECT VENT GAS INSERTS

Transform a dated or drafty fireplace into a beautiful source of warmth. With additional features, these metal gas inserts provide efficient performance in smaller or larger hearth openings.

SUPREME -

FRONTS



HALSTON ARCH Black, new bronze or graphite



IRON AGE Black, new bronze or graphite



FIRESCREEN Black, new bronze, graphite or gray



INSIDE FIT Black





SPECIFICATIONS

| MODEL | FRONT WIDTH [A] | | BACK WIDTH [B] | | HEIGHT [C] | | DEPTH [D] | | GLASS SIZE | BTU/HOUR | CONVECTION |
|-----------------|--------------------|------------------------|--------------------|--------------------|---------------------|------------------------|--------------------|------------------------|--|---------------|------------|
| MODEL | UNIT | MIN FIREBOX OPENING | UNIT | MIN. OPEN | UNIT | MIN FIREBOX OPENING | UNIT | MIN FIREBOX OPENING | [E X F] | INPUT (NG) | BLOWER |
| SUPREME-I25-IFT | 26-1/8″ [664mm] | 26-5/8" [676mm] | 14-5/8″ [372mm] | 15-1/8″ [384mm] | 17-1/16" [433mm] | 17-5/16" [439mm] | 14-1/2" [368mm] | 15" [381mm] | 22-1/2" X 12-7/16" [572mm X 316mm] | 18,900-27,000 | 160 CFM |
| SUPREME-I30-IFT | 31-1/8" [791mm] | 31-5/8" [803mm] | 19-5/8" [499mm] | 20-1/8" [511mm] | 20-3/4" [527mm] | 21″ [533mm] | 14-1/2" [368mm] | 15" [381mm] | 27-1/2" X 15-15/16" [699mm X 405mm] | 22,890-32,700 | 160 CFM |
| SUPREME-I35-IFT | 36-1/8" [918mm) | 36-5/8" [930mm] | 24-5/8" [626mm] | 25-1/8″ [638mm] | 24" [610mm] | 24-1/4" [616mm] | 14-1/2" [368mm] | 15" [381mm] | 32-1/2" X 19-3/8" [826mm X 492mm] | 24,500-35,000 | 160 CFM |

LEFT SIDE VIEW







RIGHT SIDE VIEW







DIRECT VENT



PROVIDENT DIRECT VENT GAS INSERT

Go from underused to unbelievable in as little as one day. Designed with value in mind, the Provident gas insert can turn your dated wood fireplace into a beautiful and efficient heat source without a major renovation.

PROVIDENT -

FRONTS





FIRESCREEN Black, new bronze, graphite or gray

INTERIOR PANELS



(Standard)

STRATFORD TEXTURED BRICK

FINISHES

BLACK


GRAY


SPECIFICATIONS

| | FRONT WIDTH [A] | | BACK WIDTH [B] | | HEIGHT [C] | | DEPTH [D] | | GLASS SIZE | BTU/HOUR | CONVECTION |
|--------------|--------------------|------------------------|--------------------|--------------------|--------------------|------------------------|--------------------|------------------------|--|---------------|------------|
| MODEL | UNIT | MIN FIREBOX OPENING | UNIT | MIN. OPEN | UNIT | MIN FIREBOX OPENING | UNIT | MIN FIREBOX OPENING | [E X F] | INPUT (NG) | BLOWER |
| PROV-I30-IPI | 31-1/8" [791mm] | 31-5/8" [803mm] | 19-5/8" [499mm] | 20-1/8" [511mm] | 20-3/4" [527mm] | 21″ [533mm] | 14-1/2" [368mm] | 15" [381mm] | 27-1/2" X 15-15/16" [699mm X 405mm] | 21,000-30,000 | 160 CFM |
| PROV-135-IPI | 36-1/8" [918mm) | 36-5/8" [930mm] | 24-5/8" [626mm] | 25-1/8" [638mm] | 24" [610mm] | 24-1/4" [616mm] | 14-1/2" [368mm] | 15" [381mm] | 32-1/2" X 19-3/8" [826mm X 492mm] | 22,890-32,700 | 160 CFM |

LEFT SIDE VIEW








RIGHT SIDE VIEW







COSMO DIRECT VENT GAS INSERT

From modern to transitional design, the COSMO gas insert can transform an existing wood fireplace opening with a stunning fluted reflective black glass interior and dancing flames. Customize the interior with driftwood logs and river rock stones.

COSMO INSERT -----

FRONTS

FINISHES





HALSTON ARCH Black, new bronze or graphite

IRON AGE Black, new bronze or FIRESCREEN Black, new graphite





bronze, graphite or gray



INSIDE FIT Available in black.

| BLACK | NEW BRONZE |
|----------|---------------|
| GRAPHITE | FOG GRAY |















CLEAR GLASS

EBONY GLASS AMBER GLASS

COBALT GLASS

SCARLET GLASS

ICED FOG GLASS

CERAMIC RIVER ROCK STONES (Optional)


DRIFTWOOD LOGS (Optional)


SPECIFICATIONS

| | FRONT V | FRONT WIDTH [A] | | BACK WIDTH [B] | | HEIGHT [C] | | H [D] | GLASS SIZE | BTU/HOUR | CONVECTION |
|---------------|--------------------|------------------------|--------------------|--------------------|--------------------|------------------------|--------------------|------------------------|--|---------------|------------|
| MODEL | UNIT | MIN FIREBOX OPENING | UNIT | MIN. OPEN | UNIT | MIN FIREBOX OPENING | UNIT | MIN FIREBOX OPENING | [E X F] | INPUT (NG) | BLOWER |
| COSMO-I30-IFT | 31-1/8" [791mm] | 31-5/8" [803mm] | 19-5/8″ [499mm] | 20-1/8" [511mm] | 20-3/4" [527mm] | 21″ [533mm] | 14-1/2" [368mm] | 15" [381mm] | 27-1/2" X 15-15/16" [699mm X 405mm] | 19,600-28,000 | 160 CFM |
| COSMO-I35-IFT | 36-1/8" [918mm) | 36-5/8" [930mm] | 24-5/8" [626mm] | 25-1/8" [638mm] | 24" [610mm] | 24-1/4" [616mm] | 14-1/2" [368mm] | 15" [381mm] | 32-1/2" X 19-3/8" [826mm X 492mm] | 21,000-30,000 | 160 CFM |

LEFT SIDE VIEW







RIGHT SIDE VIEW





DIRECT VENT




TRADITIONAL WOOD FIREPLACES

WHY A WOOD FIREPLACE?

Heat & Glo wood burning fireplaces are a robust, reliable and budget-friendly alternative to true masonry fireplaces and are ideal for projects where the hearth is used seasonally or when end-users are seeking the hands-on experience of a wood-fueled appliance. It's important to understand local codes when specifying wood burning models, particularly when seeking to comply with EPA requirements and other state and city mandates.

Termination Requirements for Wood Burning Fireplaces

The quality of the fire depends on where you design—in the chimney and termination components for the specified wood-burning model. It's important to get with a local hearth installer early in the design process to ensure proper termination placement. Variables such as roof angle, prevailing wind location, and nearby overhangs, objects and openings may need to be taken into consideration.





RUTHERFORD WOOD FIREPLACE

The Rutherford Series offers robust performance and the appearance of a custom-built masonry fireplace – all at a fraction of the cost. Whether a crackle or a blaze, the Rutherford delivers a bold statement in your favorite room.

RUTHERFORD ———



SPECIFICATIONS

| | FRONT | WIDTH | BACK WIDTH | | HEIGHT | | DEI | PTH | |
|---------------|--------|---------|------------|---------|--------|---------|--------|---------|-----------------|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | FIREBOX OPENING |
| RUTHERFORD-36 | 46-7/8 | 47-7/8 | 31-1/8 | 47-7/8 | 74-1/8 | 74-1/4 | 27-1/2 | 28-1/2 | 36" x 38 |
| | [1191] | [1216] | [790] | [1216] | [1883] | [1886] | [699] | [724] | [914 x 965] |
| RUTHERFORD-42 | 52-7/8 | 53-7/8 | 37-1/8 | 53-7/8 | 74-1/8 | 74-1/2 | 27-1/2 | 28-1/2 | 42" x 38 |
| | [1343] | [1368] | [943] | [1368] | [1883] | [1892] | [699] | [724] | [1067 x 965] |
| RUTHERFORD-50 | 60-7/8 | 61-7/8 | 45-1/8 | 61-7/8 | 74-1/8 | 74-1/2 | 27-1/2 | 28-1/2 | 50" x 38 |
| | [1546] | [1572] | [1146] | [1572] | [1883] | [1892] | [699] | [724] | [1270 x 965] |


TOP VIEW


FRONT VIEW

SIDE VIEW

RUTHERFORD-42 SIDE VIEW











NORTHSTAR EPA-CERTIFIED WOOD FIREPLACE

The Northstar exceeds the strictest environmental standards in the nation so you can enjoy roaring fires even in areas where conventional wood-burning fireplaces are banned.

NORTHSTAR ——

BI-FOLD GLASS DOORS




SPECIFICATIONS


| | WIDT | Ή (Α) | HEIGH | HT (B) | DEPT | VIEWING AREA | |
|-----------|----------------|---------------|----------------|-----------|----------|--------------|--------------------------------|
| MODEL | ACTUAL FRAMING | | ACTUAL FRAMING | | ACTUAL | FRAMING | (D x E) |
| NORTHSTAR | 40 [1016] | 42-1/2 [1080] | 40-1/4 [1022] | 44 [1118] | 23 [584] | 24 [610] | 29-1/4 x 16-5/8 [743 x 422] |


TOP VIEW

FRONT VIEW

SIDE VIEW













The Exclaim Series offers large viewing areas and attractive brick interiors, bringing warmth and ambiance into your favorite room.

EXCLAIM -

DOORS



BI-FOLD GLASS DOORS Black, stainless steel



CONTOUR MESH DOORS Black



GRAND VISTA MESH DOORS Black, bronze





INTERIORS



TRADITIONAL





HERRINGBONE

SPECIFICATIONS

| | WIDT | Н (А) | HEIGH | HT (B) | DEPT | Н(С) | VIEWING AREA | |
|------------|---------------|---------------|---------------|---------------|--------------|--------------|--------------------------|--|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (D x E) | |
| EXCLAIM-36 | 44-1/2 [1130] | 45-1/2 [1156] | 59-1/4 [1505] | 59-3/4 [1518] | 27-1/2 [699] | 28 [711] | 36 x 28-1/2 [914 x 724] | |
| EXCLAIM-42 | 50-1/2 [1283] | 51-1/2 [1308] | 59-1/4 [1505] | 59-3/4 [1518] | 27-1/2 [699] | 28-1/2 [724] | 42 x 28-1/2 [1067 x 724] | |
| EXCLAIM-50 | 60-5/8 [1540] | 61-5/8 [1565] | 70-1/2 [1791] | 71 [1803] | 29-1/2 [749] | 30-1/2 [772] | 50 x 33 [1270 x 838] | |

TOP VIEW





FRONT VIEW

SIDE VIEW





ENERGY MASTER

The Energy Master Series delivers generous warmth and solid radiant heat from an insulated, heat-circulating fireplace.

ENERGY MASTER ———


DOORS



GASKETED GLASS DOORS Black




GRAND VISTA MESH DOORS Black, bronze



BI-FOLD GLASS DOORS Black. stainless steel

DOOR FINISHES



SPECIFICATIONS


| | WIDTH (A) | | HEIGH | HT (B) | DEPT | H (C) | VIEWING AREA | |
|--------------------|-----------|-----------|---------------|---------------|--------------|----------|--------------------------|--|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (D x E) | |
| ENERGY MASTER-415 | 42 [1067] | 43 [1092] | 41-3/8 [1051] | 41-1/2 [1054] | 22-3/4 [578] | 23 [584] | 36 x 23-3/8 [914 x 594] | |
| ENERGY MASTER-485T | 48 [1219] | 49 [1245] | 41-3/8 [1051] | 41-1/2 [1054] | 22-3/4 [578] | 23 [584] | 42 x 23-3/8 [1067 x 594] | |

TOP VIEW

С

FRONT VIEW

SIDE VIEW









ROYAL HEARTH WOOD FIREPLACE

Enjoy blazing wood-burning fires with the Royal Hearth Series. An easy-to-operate damper, convenient ash lip and invisible smoke shield make staying comfortable even easier.

ROYAL HEARTH

BI-FOLD GLASS DOORS



SPECIFICATIONS

| MODEL | WIDT | Н (А) | HEIG | iht (B) | DEPTH | (C) | FIREBOX OPENING | |
|------------------|-----------|-----------|---------------|---------------|--------------|--------------|----------------------|--|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (D x E) | |
| ROYAL HEARTH 36" | 41 [1041] | 42 [1067] | 39-1/2 [1003] | 39-3/4 [1010] | 21-3/8 [543] | 21-1/2 [546] | 36 x 21 [914 x 533] | |
| ROYAL HEARTH 42" | 47 [1194] | 48 [1219] | 39-1/2 [1003] | 39-3/4 [1010] | 21-3/8 [543] | 21-1/2 [546] | 42 x 21 [1067 x 533] | |


TOP VIEW

8118


щ

FRONT VIEW

SIDE VIEW



E





ELECTRIC FIREPLACES

WHY AN ELECTRIC FIREPLACE?

Electric fireplaces are an excellent option when no other fuel sources are available or when vent runs are exceeded. Available in both built-in and wall-mounted units, electric fireplaces will entice end-users with vibrant LED "flames", unique design features like backlighting, and heat optional operation.



EASY AND ECONOMICAL

Electric fireplaces provide a unique focal point without expensive installation costs as they require no venting. At an entry price point and costing just pennies a day to operate, they are an ideal hearth solution to specify for any residential or commercial space. Ideal as a second or third fireplace, electric fireplaces can be installed in any room of a property.



HEAT OPTIONAL

The heat output of electric fireplaces can be adjusted or turned off altogether – an excellent solution for projects where the ambiance of a fire is desired without the supplemental warmth. Specify electric models when building in warm climates or for spaces that would benefit from a heat-optional function.



Electric fireplaces emit zero combustion by-products and are allowed in all national green building programs.



SIMPLIFIRE BUILT-IN ELECTRIC FIREPLACE

Adding the traditional look of a fireplace to your home has never been this easy. A detailed masonry-style interior, textured log set and four different flame intensity levels enhance the appeal of the SimpliFire Built-In electric fireplace series. Enjoy the ambiance – with or without the heat. Experience "Fire Made Simple."

SIMPLIFIRE BUILT-IN

FRONTS



OPTIONAL FRONT


SPECIFICATIONS


| MODEL | FRONT WIDTH (A) | | REAR WIDTH (D) | | HEIGHT (B) | | DEPT | Ή (C) | BTU/HR | OUTPUT |
|------------------------|-----------------|----------------|----------------|----------------|---------------------|----------------------|----------------|--------------------|--------|--------|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | 120V | 240V |
| SimpliFire Built-In 30 | 31" (787mm) | 32" (813mm) | 24" (610mm) | 32" (813mm) | 26-3/4" (679mm) | 26-13/16" (681mm) | 11" (279mm) | 11-5/8" (295mm) | 4,800 | 10,000 |
| SimpliFire Built-In 36 | 37" (940mm) | 38" (965mm) | 30" (762mm) | 38" (965mm) | 31-7/32" (793mm) | 31-7/32" (793mm) | 11" (279mm) | 11-5/8" (295mm) | 4,800 | 10,000 |


TOP VIEW

FRONT VIEW

SIDE VIEW









SIMPLIFIRE SCION CLEAN FACE LINEAR ELECTRIC FIREPLACE

Enjoy warmth and coziness without the need for gas lines or venting. Modern design comes with no mesh screens or visible heat vents, a multitude of flame and ember bedlighting themes, and the ability to bring finishing materials right up to the edge of the fireplace for a flush look.

STANDARD MEDIA





DRIFTWOOD LOGS

CLEAR CRYSTALS

SPECIFICATIONS


| MODEL | BTU | WIDT | H (A)* | HEIGHT (B) | | DEPT | H (C)* | VIEWING AREA | |
|-----------------------|--------|---------|---------|------------|---------|--------|---------|---------------|--|
| MODEL | OUTPUT | UNIT | FRAMING | UNIT | FRAMING | UNIT | FRAMING | (D X E) | |
| 43" Clean Face Linear | 5,000 | 44-1/2" | 45" | 23-7/8″ | 24-1/4" | 7-5/8" | 7-5/8" | 41-1/2" × 15" | |
| SF-SC43-BK | | [1130] | [1143] | [606] | [616] | [194] | [194] | [1054 × 381] | |
| 55" Clean Face Linear | 5,000 | 56-1/2" | 57" | 23-7/8″ | 24-1/4" | 7-5/8" | 7-5/8" | 53-1/4" x 15" | |
| SF-SC55-BK | | [1435] | [1448] | [606] | [616] | [194] | [194] | [1353 x 381] | |
| 78" Clean Face Linear | 5,000 | 80" | 80-1/2" | 23-7/8″ | 24-1/4" | 7-5/8" | 7-5/8" | 76-7/8" × 15" | |
| SF-SC78-BK | | [2032] | [2045] | [606] | [616] | [194] | [194] | [1953 × 381] | |


*Dimensions include louver projection on sides and top panels


TOP VIEW

FRONT VIEW

SIDE VIEW









40" 48" 60" 84"



SIMPLIFIRE ALLUSION RECESSED LINER ELECTRIC FIREPLACE

The Allusion electric fireplace series embraces modern design by combining linear proportions with a multitude of flame and ember bed lighting themes. These fireplaces can be installed fully or partially recessed into the wall anywhere fireplaces can't go or a second or third option is desired, or hung on the wall for instant enjoyment.

OPTIONAL MEDIA





DRIFTWOOD LOGS

CERAMIC STONES

SPECIFICATIONS


| | | WIDTH | | | HEIGHT | | | DEPTH | | VIEWING AREA |
|---------------------|---------------|-----------|-----------|----------|-----------|-----------|---------|----------|----------|--------------------|
| MODEL | BTU OUTPUT | FRONT (A) | BACK (B) | FRAMING | FRONT (C) | BACK (D) | FRAMING | UNIT (E) | FRAMING* | (F X G) |
| 40" Recessed Linear | 5,000 | 40-1/2" | 35″ | 36″ | 20-1/4" | 17-13/16" | 18-1/8″ | 5-15/16″ | 6″ | 31-3/8" x 11-1/4" |
| SF-ALL48-BK | | [1029] | [889] | [914] | [515] | [453] | [461] | [151] | [152] | [797 x 285] |
| 48" Recessed Linear | 5,000 | 48-7/16″ | 42-13/16" | 44-5/16" | 20-1/4" | 17-13/16" | 18-1/8″ | 5-15/16" | 6″ | 39-3/8" x 11-1/4" |
| SF-ALL48-BK | | [1230] | [1088] | [1126] | [515] | [453] | [461] | [151] | [152] | [1000 x 285] |
| 60" Recessed Linear | 5,000 | 60-1/4" | 54-5/8" | 56-1/8" | 20-1/4" | 17-13/16" | 18-1/8″ | 5-15/16″ | 6″ | 51-3/16" x 11-1/4" |
| SF-ALL60-BK | | [1530] | [1388} | [1426] | [515] | [453] | [461] | [151] | [152] | [1300 x 285] |
| 84" Recessed Linear | 5,000 | 83-7/8″ | 78-1/4" | 79-1/2" | 20-1/4" | 17-13/16" | 18-1/8″ | 5-15/16" | 6″ | 74-7/8" x 11-1/4" |
| SF-ALL48-BK | | [2130] | [1988] | [2019] | [515] | [453] | [461] | [151] | [152] | [1902 x 285] |

Reflects fully recessed into a 6 interior wall. Framing may need to be adjusted when installing in an exterior wall requiring insulation. Refer to installation manual for details.

TOP VIEW

FRONT VIEW

SIDE VIEW





SIMPLIFIRE WALL-MOUNT ELECTRIC FIREPLACE


Create a distinct contemporary look. Four Wall-Mount electric fireplace models provide an instant upgrade to any space, with or without the heat. Simply hang these units on the wall and plug them in. Easily find the right size for your space: 38, 58, 70 and 94-inch models are available, all with standard multi-colored LED backlighting to accent any décor.

SPECIFICATIONS

| MODEL | FRONT WIDTH (A) | | REAR WIDTH (A) | | HEIGHT (B) | | DEPTH (C) | | BTU/HR OUTPUT | |
|-----------------------------|-----------------------|---------|-----------------------|---------|---|---------|-------------------|---------|---------------|--|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | BTO/HR OUTPUT | |
| SimpliFire Wall-Mount 38 | 37-3/4" (959mm) | N/A | 34-3/4" (883mm) | N/A | 17-3/4" (451mm) 20-3/4" w/stand (527mm) | N/A | 4-3/4" (121mm) | N/A | 4,800 | |
| SimpliFire Wall-Mount 58 | 58-1/4" (1480mm) | N/A | 42-15/16" (1091mm) | N/A | 26-3/8" (670mm) | N/A | 5-7/8" (149mm) | N/A | 4,800 | |
| SimpliFire Wall-Mount 70 | 70-1/4" (1784mm) | N/A | 54-3/4" (1391mm) | N/A | 26-3/8" (670mm) | N/A | 5-7/8" (149mm) | N/A | 4,800 | |
| SimpliFire Wall-Mount 94 | 93-11/16" (2380mm) | N/A | 78-3/8" (1991mm) | N/A | 26-3/8" (670mm) | N/A | 5-7/8" (149mm) | N/A | 4,800 | |

FRONT VIEW











SIMPLIFIRE INSERT

There has never been a more economical way to transform your drafty, dated fireplace into an efficient and attractive source of warmth. Firebox accent lighting, textured log set and multiple flame intensity levels enhance the allure. Best of all, enjoy the ambiance with or without the heat for year-round use. This is "Fire Made Simple."

- SIMPLIFIRE INSERT ------

MULTI-FUNCTION REMOTE



AN INTUITIVE MULTIFUNCTION REMOTE CONTROL COMES STANDARD


SPECIFICATIONS

| | | WIDTH | | | HEIGHT | | | DEPTH | | VIEWING AREA |
|-------------------------------------|---------------|------------------|------------------|--------------|------------------|------------------|------------------|------------------|------------------|------------------------------|
| MODEL | BTU OUTPUT | FRONT (A) | BACK (B) | FRAMING | FRONT (C) | BACK (D) | FRAMING | UNIT (E) | FRAMING* | (F X G) |
| 30" Fireplace Insert SF-INS30-BK | 5,000 | 33-1/8″ [841] | 22-7/8″ [581] | 31″ [787] | 21-7/8″ [556] | 20-1/2" [521] | 21-3/8" [543] | 11-7/8″ [302] | 11-1/2" [292] | 27" x 18-1/8" [686 x 460] |

TOP VIEW

FRONT VIEW

SIDE VIEW





INDOOR/OUTDOOR GAS FIREPLACES



WHY AN INDOOR/OUTDOOR FIREPLACE?

Today's hearth technology allows for a vast array of architectural products designed to seamlessly blend inside and outside areas together. Indoor/Outdoor gas fireplaces are engineered for two sided applications, creating a beautiful portal to the outdoors while keeping your building envelope secure and thermally efficient. Flank with windows and glass and create a focal point with a view.



TWILIGHT II INDOOR/OUTDOOR GAS FIREPLACE

Add warmth and fireside views to two spaces with one fireplace. The Twilight II is the world's first see-through indoor/outdoor gas fireplace. Enjoy the fire all year long from either side. An advanced design and strong construction ensures an impressive and consistent performance.

FRONTS/INTERIOR





FIRESCREEN

CONTEMPORARY

FRONT/EXTERIOR

FIRESCREEN

FINISHES BLACK FOG GRAY (Contemporary front only)

SPECIFICATIONS


| MODEL | FRONT WIDTH (A) | | REAR WIDTH (B) | | HEIGHT (C) | | DEPTH (D) | | GLASS SIZE | | |
|---------|-----------------|-----------|----------------|-----------|------------|---------------|---------------|----------|------------|--------------------------------|-----------------------------|
| | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (E x F) | BTU/HR INPUT | |
| TWILIGH | т II | 43 [1091] | 44 [1118] | 43 [1091] | 44 [1118] | 46-7/8 [1191] | 47-5/8 [1210] | 24 [609] | 23 [584] | 35-5/8 x 21-1/2 [905 x 546] | 38,000 (NG), 36,000 (LP) |

TOP VIEW

FRONT VIEW INDOOR


FRONT VIEW OUTDOOR

SIDE VIEW









TECHNOLOGIES/FEATURES







TWILIGHT MODERN

The Twilight Modern is an evolution of the industry's first indoor/outdoor see-through fireplace. This Direct Vent gas unit offers impressive fireside views whether relaxing inside or enjoying the outdoors. Bolster your favorite room and upgrade your outdoor living space. Let the Twilight deliver modern style, inside and out.

- TWILIGHT MODERN



SPECIFICATIONS


| MODEL | FRONT V | VIDTH (A) | REAR W | IDTH (B) | HEIGH | HT (C) | DEPT | H (D) | GLASS SIZE | BTU/HR INPUT |
|-------------|-----------|-----------|-----------|-----------|---------------|---------------|----------|----------|--------------------------------|-----------------------------|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (E x F) | BIO/HR INPUT |
| TWILIGHT II | 43 [1091] | 44 [1118] | 43 [1091] | 44 [1118] | 46-7/8 [1191] | 47-5/8 [1210] | 24 [609] | 23 [584] | 35-5/8 x 21-1/2 [905 x 546] | 38,000 (NG), 36,000 (LP) |

TOP VIEW


FRONT VIEW INDOOR


FRONT VIEW OUTDOOR

SIDE VIEW










TECHNOLOGIES/FEATURES







FORTRESS INDOOR/OUTDOOR GAS FIREPLACES

Seamlessly integrate your indoor and outdoor space with the Fortress see-through gas fireplace. The traditional style, expansive viewing area and authentic look fit perfectly in a variety of spaces. Non-reflective glass, accent lights and multiple interior brick options make this unique fireplace the ultimate in traditional luxury design. Enjoy the view both inside and out with the Fortress.

FORTRESS —

INTERIORS





HERRINGBONE BRICK



SPECIFICATIONS

TRADITIONAL BRICK

| MODEL | WIDT | Ή(Α) | HEIGH | HT (B) | DEPT | Ή (C) | VIEWING AREA | BTU/ |
|----------|---------------|---------------|---------------|---------------|--------------|----------|----------------------|----------------|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (D x E) | HR INPUT |
| FORTRESS | 49-3/8 [1254] | 49-1/2 [1257] | 44-3/8 [1154] | 44-1/2 [1130] | 25-5/8 [650] | 23 [584] | 36" x 30 [915 x 762] | 56,000 (NG/LP) |


TOP VIEW


FRONT VIEW

LEFT SIDE VIEW

RIGHT SIDE VIEW









TECHNOLOGIES/FEATURES



DIRECT VENT BLACK GLASS ANTI-REFLECTIVE GLASS

111



OUTDOOR FIREPLACES

WHY AN OUTDOOR FIREPLACE?

Adding a fireplace to your outdoor space design will extend its seasonality and deliver a vibrant feature fo which your clients will clamor. Designed specifically to withstand the elements, outdoor fireplaces come in a variety of styles to suit the goals of your clients and end-users. Incorporate into your exterior building envelope or as an attractive free-standing island application.



Outdoor fireplaces are in the **TOP 10** most essential and desired outdoor home features¹.



Fire features are the **MOST POPULAR** outdoor design element².



90% of real estate agents say an outdoor fireplace increases a home's value³.



70% of design and build firms report an increased demand for outdoor living space⁴.

1: National Association Home Builders, "Housing Preferences of Homebuyers - The Boomer Generation & How They Compare to Other Homebuyers", Dec. 2016

2: Source: American Society of Landscape Architects 2016 Residential Landscape Architecture Trends Survey



LANAI OUTDOOR GAS FIREPLACE

Light up your landscape. The Lanai linear gas fireplace offers contemporary style, where end users feel confident enjoying the flames with proven technologies. The night comes alive with glowing flames and a colorful firebed.

LED LIGHTING



SAFETY SCREEN





SPECIFICATIONS

| MODEL | WIDTH (A) | | HEIGHT (B) | | DEPTH (C) | | VIEWING AREA | BTU/ | |
|-------|----------------|---------------|--------------|---------------|--------------|--------------|----------------------|----------|--|
| MODEL | ACTUAL FRAMING | | ACTUAL | FRAMING | ACTUAL | FRAMING | (D x E) | HR INPUT | |
| LANAI | 57-1/4 [1454] | 57-3/4 [1467] | 36-3/8 [924] | 39-1/2 [1003] | 17-5/8 [448] | 17-5/8 [448] | 51 x 18 [1295 x 457] | 55,000 | |

FRONT VIEW

SIDE VIEW





TECHNOLOGIES/FEATURES

INTELLIFIRE

LED EMBER BED



COURTYARD OUTDOOR GAS FIREPLACE

The Courtyard outdoor gas fireplace is the perfect blend of artistry and function: traditional styling with ultra-realistic logs or contemporary glass, that ignites at the flip of a switch. Mesmerizing flames provide instant ambiance and relaxation. Cozy up with the Courtyard.

COURTYARD -

INTERIORS



PREMIUM HERRINGBONE PREMIUM TRADITIONAL




STANDARD TRADITIONAL

STAINLESS STEEL

GLASS MEDIA



CRYSTAL GLASS BLACK GLASS




BLUE GLASS RED GLASS



AMBER GLASS



FRAMED MESH BARRIER





SPECIFICATIONS

| | FRONT W | FRONT WIDTH (A) | | HEIGHT (B) | | H (C) | VIEWING AREA | BTU/ | |
|---------------|---------------|-----------------|-----------|---------------|----------|--------------|--------------------------|--------------------------|--|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (D x E) | HR INPUT | |
| COURTYARD-36" | 41-3/4 [1060] | 43-1/2 [1105] | 44 [1118] | 44-1/8 [1121] | 18 [457] | 18-1/8 [459] | 36 x 30-3/4 [914 x 781] | 40,000 (NG), 40,000 (LP) | |
| COURTYARD-42" | 47-3/4 [1213] | 49-1/2 [1257] | 44 [1118] | 44-1/8 [1121] | 18 [457] | 18-1/8 [459] | 42 x 30-3/4 [1067 x 781] | 42,000 (NG), 42,000 (LP) | |

FRONT VIEW

SIDE VIEW





TECHNOLOGIES/FEATURES





VILLA GAS OUTDOOR GAS FIREPLACE

The Villa Gas is a versatile outdoor gas fireplace at a value price. This compact unit can easily be installed on decks or patios. A stainless, steel surround withstands the elements, and complements an outdoor kitchen or contemporary living space.



STAINLESS STEEL OPERABLE DOORS

INTERIOR



STANDARD TRADITIONAL


SPECIFICATIONS


| MODEL | FRONT V | /IDTH (A) | HEIGHT (B) | | DEPT | Н(С) | VIEWING AREA | BTU/ | |
|---------------|-----------|-----------|---------------|---------------|--------------|--------------|-----------------------------|----------------------------|--|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (D x E) | HR INPUT | |
| VILLA GAS 36" | 41 [1041] | 42 [1067] | 39-1/2 [1003] | 39-3/4 [1010] | 21-3/8 [544] | 21-1/2 [546] | 36 x 20-7/8 [914 x 532] | 40,000 (NG) 40,000 (LP) | |
| VILLA GAS 42" | 47 [1194] | 48 [1219] | 39-1/2 [1003] | 39-3/4 [1010] | 21-3/8 [544] | 21-1/2 [546] | 42 x 20-7/8 [1067 x 532] | 42,000 (NG) 42,000 (LP) | |

TOP VIEW

FRONT VIEW

SIDE VIEW









CASTLEWOOD OUTDOOR WOOD FIREPLACE

The Castlewood turns any outdoor area into a welcoming and relaxing living space. A large, high opening provides a dramatic view from across the yard, and a textured brick interior offers masonry-style looks at a fraction of the cost.

CASTLEWOOD -





DOORS

SPECIFICATIONS


| | FRONT W | /IDTH (A) | BACK W | IDTH (B) | HEIGH | HT (C) | DEPT | H (D) | VIEWING AREA |
|----------------|---------------|---------------|--------------|---------------|---------------|---------------|--------------|--------------|-----------------------------|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | (E x F) |
| CASTLEWOOD-42" | 52-7/8 [1343] | 53-7/8 [1368] | 37-1/8 [943] | 40-1/8 [1019] | 74-1/8 [1883] | 74-1/2 [1892] | 27-1/2 [699] | 28-1/2 [724] | 41-7/8 x 38 [1063 x 965] |


TOP VIEW


SIDE VIEW

FRONT VIEW

SIDE VIEW











MONTANA OUTDOOR WOOD FIREPLACE

The Montana is the original outdoor fireplace that started it all. It's fashionably built to withstand adverse weather conditions and deliver solid performance – season after season, year after year.

MONTANA ——

INTERIOR STYLES





TRADITIONAL

HERRINGBONE


SPECIFICATIONS


| MODEL | FRONT | FRONT WIDTH | | WIDTH | HEI | GHT | DEI | РТН | |
|-------------|--------|-------------|--------|---------|---------|---------|---------|---------|---------------|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | VIEWING AREA |
| Montana-36" | 42" | 43" | 25″ | 43" | 42-1/4" | 42-3/8" | 23-1/4" | 24-1/8″ | 36" x 23-1/2" |
| | [1067] | [1091] | [635] | [1091] | [1073] | [1076] | [591] | [613] | [915 x 597] |
| Montana-42" | 48″ | 49″ | 31″ | 49" | 42-1/4" | 42-3/8″ | 23-1/4" | 24-1/8″ | 42" x 23-1/2" |
| | [1219] | [1246] | [787] | [1246] | [1073] | [1076] | [591] | [613] | [1067 x 597] |


TOP VIEW

FRONT VIEW

SIDE VIEW









VILLAWOOD OUTDOOR WOOD FIREPLACE

The Villawood is a wood-burning fireplace at home in a variety of outdoor spaces. Upgrade your outdoor kitchen or enhance your living area with style and warmth. Attractive stainless steel, surround helps accent your décor.

INTERIOR STYLES






TRADITIONAL

HERRINGBONE

SPECIFICATIONS


| MODEL | FRONT | FRONT WIDTH | | BACK WIDTH | | GHT | DEI | ртн | |
|---------------|--------|-------------|---------|------------|---------|---------|---------|---------|---------------|
| MODEL | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | ACTUAL | FRAMING | VIEWING AREA |
| Villawood-36" | 41″ | 42" | 23-3/4" | 42" | 39-1/2" | 39-3/4" | 21-3/8" | 21-1/2" | 36" x 20-7/8" |
| | [1041] | [1067] | [603] | [1067] | [1003] | [1010] | [544] | [546] | [914 x 532] |
| Villawood-42" | 47″ | 48″ | 29-3/4" | 48″ | 39-1/2" | 39-3/4" | 21-3/8" | 21-1/2" | 42" x 20-7/8" |
| | [1194] | [1219] | [756] | [1219] | [1003] | [1010] | [544] | [546] | [1067 x 532] |


TOP VIEW





SIDE VIEW







OUTDOOR GAS FIRE PIT



PLAZA LINEAR GAS FIRE PIT The Plaza outdoor linear gas fire pit allows you to invite your neighbors to gather around the fire (2 or 4' lengths) or add a dramatic statement piece in your space (6, 8 or 10' lengths). Make this fire feature your own with endless finishing options to complete your outdoor oasis. With only a flick of a lighter, sit back and enjoy.

- PLAZA -

MEDIA





Crystal

Amber



Cobalt





Lava Rock

SPECIFICATIONS

| MODEL | LENGTH | WIDTH | DEPTH | VIEWING AREA | BTU/HR INPUT |
|-----------|----------|-------------|-------------|---------------------------|--------------|
| PLAZA-24S | 24 [610] | 5-3/8 [137] | 5-3/8 [137] | 24 x 5-3/8 [613 x 137] | 32,000 |

TOP VIEW





SIDE VIEW

Appliance enclosure must be made entirely of non-combustible materials D

Minimum clearances to combustible walls, floor and ceiling

| | | А | в | с | D | Е |
|--------------|----|-----|-----|------|-----|-----|
| ODPLAZA-L24S | in | 17 | 17 | 45 | 8 | 8 |
| ODFLAZA-L243 | mm | 432 | 432 | 1143 | 203 | 203 |

CLEARANCES

| | Starter Kit | Starter +1 extension | Starter + 2 extensions | Starter + 3 extensions | Starter + 4 extensions |
|---|----------------|----------------------|------------------------|------------------------|------------------------|
| Α | 26 in (660 mm) | 50 in (1270 mm) | 74 in (1880 mm) | 98 in (2489 mm) | 122 in (3099 mm) |
| в | 24 in (610 mm) | 48 in (1219 mm) | 72 in (1829 mm) | 96 in (2438 mm) | 120 in (3048 mm) |

| NOTES |
|-------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |



- facebook.com/HeatandGlo
- 🕑 twitter.com/HeatandGlo
- youtube.com/HeatandGlo
- instagram.com/HeatnGloFireplaces
- in linkedin.com/company/Heat-n-Glo

Web:

heatnglo.com & pro.heatnglo.com **E-mail:** prohelpdesk@hearthnhome.com