

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Cif Professional Multi Surface

Revision: 2020-02-16

Version: 03.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Cif Professional Multi Surface Cif is a registered trade mark and is used under licence of Unilever

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses:

AISE-P602 - Furniture care product. Spray and wipe manual process AISE-P302 - General purpose cleaner. Spray and wipe manual process AISE-C7 [3] - Surface cleaners (liquid, powder, gel neat, spray neat) for consumer use AISE-C20 - Furniture floor & leather care (spray, liquid) for consumer use **Uses advised against:** Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809 Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) For medical or environmental emergency only: call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Aerosol 3 (H229)

2.2 Label elements Signal word: Warning.

Contains 1,2-benzisothiazol-3(2H)-one (Benzisothiazolinone), 2-methyl-2H-isothiazol-3-one (Methylisothiazolinone)

Hazard statements:

H229 - Pressurised container: May burst if heated. EUH208 - May produce an allergic reaction.

Precautionary statements:

P102 - Keep out of reach of children.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P251 - Do not pierce or burn, even after use.
P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

Further indications on the label:

Contains: preservative.

2 % by mass of the contents are flammable.

2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s) EC number CAS number **REACH** number Classification Notes Weight percent 63148-62-9 polydimethylsiloxane [4] [4] Not classified as 3-10 hazardous white mineral oil (petroleum) 232-455-8 8042-47-5 01-2119487078-27 Asp. Tox. 1 (H304) 3-10

butane	203-448-7	106-97-8	01-2119486944-21	Flam. Gas 1 (H220) Press. Gas (Comp.) (H280)	1-3
Alcohols, C12-14, ethoxylated	500-213-3	68439-50-9	01-2119487984-16	Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 3 (H412)	0.1-1
1,2-benzisothiazol-3(2H)-one	220-120-9	2634-33-5	[6]	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	0.01-0.1

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

[6] Exempted: biocidal active. See Article 15a of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures	
Inhalation:	Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical attention.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
4.2 Most important symptoms and eff	ects, both acute and delayed
Inhalation.	No known effects or symptoms in normal use.

Inhalation:	No known effects or symptoms in normal use.
Skin contact:	No known effects or symptoms in normal use.
Eye contact:	No known effects or symptoms in normal use.
Ingestion:	No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

Cool endangered packaging with water spray jet.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Absorb liquid components with liquid-binding material.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

Keep away from heat. BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50° C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Follow general hygiene considerations recognised as common good workplace practices. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Handle and open container with care. Wash hands thoroughly after handling. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep out of reach of children. Keep away from heat and direct sunlight. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
butane	600 ppm 1450 mg/m³	750 ppm 1810 mg/m³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and **PNEC** values

Human exposure DNEL oral exposure - Consume

IEL oral exposure - Consumer (mg/kg bv	1)
--	----

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
polydimethylsiloxane	-	-	-	-
white mineral oil (petroleum)	No data available	No data available	No data available	No data available
butane	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	No data available	No data available	No data available	25
1,2-benzisothiazol-3(2H)-one	-	-	-	-
DNEL dermal exposure - Worker				
Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)

	effects	effects (mg/kg bw)	effects	effects (mg/kg bw)
polydimethylsiloxane	-	-	-	-
white mineral oil (petroleum)	No data available	No data available	No data available	No data available
butane	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	No data available	No data available	No data available	2080
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
polydimethylsiloxane	-	-	-	-
white mineral oil (petroleum)	No data available	No data available	No data available	No data available
butane	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	No data available	No data available	No data available	1250
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL inhalatory exposure - Worker (mg/m ³)				
Ingredient(s)	Short term - Local	Short term - Systemic		Long term - Systemic
	effects	effects	effects	effects
polydimethylsiloxane	-	-	-	-
white mineral oil (petroleum)	No data available	No data available	No data available	No data available
butane	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	No data available	No data available	No data available	294
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL inhalatory exposure - Consumer (mg/m ³)				
Ingredient(s)		Short term - Systemic	Long term - Local	Long term - Systemic
	effects	effects	effects	effects
polydimethylsiloxane	-	-	-	-
white mineral oil (petroleum)	No data available	No data available	No data available	No data available
butane	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	No data available	No data available	25	87
1,2-benzisothiazol-3(2H)-one	-	-	-	-

No data available

Environmental exposure

	Cumfana unatan fuash	Country of the second s	last a numitte and (manufl)	Course and two others and
Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
polydimethylsiloxane	-	-	-	-
white mineral oil (petroleum)	No data available	No data available	No data available	No data available
butane	No data available	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated	0.074	0.007	0.004	10000
1,2-benzisothiazol-3(2H)-one	-	-	-	-
nvironmental exposure - PNEC, continued				
Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
polydimethylsiloxane	-	-	-	-
white mineral oil (petroleum)	No data available	No data available	No data available	No data available
butane	No data available	No data available	No data available	No data available

66.67

-

6.66

-

1

-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Alcohols, C12-14, ethoxylated

1,2-benzisothiazol-3(2H)-one

Appropriate engineering controls: Appropriate organisational controls:	No special requirements under normal use conditions. Avoid direct contact and/or splashes where possible. Train personnel.
Personal protective equipment Eye / face protection: Hand protection:	No special requirements under normal use conditions. No special requirements under normal use conditions.
Body protection: Respiratory protection:	No special requirements under normal use conditions. Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided.
Environmental exposure controls:	No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Information in this section refers to the product, unless it is specifically stated that substance data is listed

Physical State: Aerosol Colour: Milky, White Odour: Slightly perfumed Odour threshold: Not applicable $pH \approx 7$ (neat) Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined

Method / remark

ISO 4316 Not relevant to classification of this product Not applicable as product is an aerosol

Substance data, boiling point			
Ingredient(s)	Value (°C)		
polydimethylsiloxane	> 100	Method not given	
white mineral oil (petroleum)	> 315	Method not given	
butane	No data available		
Alcohols, C12-14, ethoxylated	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		

Flammability (liquid): Not applicable. Not flammable.
Flash point (°C): Not applicable as product is an aerosol > 61 °C
Sustained combustion: The product does not sustain combustion (UN Manual of Tests and Criteria, section 32, L.2)
Evaporation rate: Not relevant for classification of this product.
Flammability (solid, gas): Not applicable to liquids
Upper/lower flammability limit (%): Not determined

Method / remark

Weight of evidence

Not relevant to classification of this product

See substance data

Substance data, flammability or explosive limits, if available:

Vapour pressure: Not determined

Method / remark

See substance data

Substance data, vapour pressure

Ingredient(s)	Value	Method	Temperature
	(Pa)		(°C)
polydimethylsiloxane	No data available		
white mineral oil (petroleum)	< 1.3	Method not given	37.8
butane	No data available		
Alcohols, C12-14, ethoxylated	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		

Vapour density: Not determined Relative density: ~ 0.98 (20 °C) Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
polydimethylsiloxane	No data available		
white mineral oil (petroleum)	Insoluble	Method not given	
butane	No data available		
Alcohols, C12-14, ethoxylated	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined

 Decomposition temperature: Not applicable.
 Viscosity: ≈ 510 mPa.s (20 °C)
 DM-006 Visco

 Explosive properties: Not explosive. Vapours may form explosive mixtures with air.
 Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined Corrosion to metals: Not corrosive

Substance data, dissociation constant, if available:

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

No data is available on the mixture.

Substance data, where relevant and available, are listed below:.

Acute toxicity Acute oral toxicity

Ing	gredient(s)	Endpoint	Value	Species	Method	Exposure

Page 5/12

Method / remark

Not relevant to classification of this product OECD 109 (EU A.3)

Method / remark

DM-006 Viscosity - Additional

OECD 115 Weight of evidence

polydimethylsiloxane		(mg/ No (time (h)
polydimethylsiloxane		avail					
white mineral oil (petroleum)		No d					
butane		avail No d			+		
			ailable				
Alcohols, C12-14, ethoxylated	LD 50	> 20	2000 Rat		OECD 401 (E	U B.1)	
1,2-benzisothiazol-3(2H)-one	LD 50	> 20	000	Rat			
cute dermal toxicity							
Ingredient(s)	Endpoint	Value Spec (mg/kg)		ecies	Method	I	Exposur
polydimethylsiloxane		(mg/ No d					time (h)
		avail	able				
white mineral oil (petroleum)		No o avail					
butane		No o					
		avail					
Alcohols, C12-14, ethoxylated	LD 50	> 30			Method not	-	
1,2-benzisothiazol-3(2H)-one	LD 50	> 20	000	Rat	OECD 402 (E	U B.3)	
cute inhalative toxicity					_		
Ingredient(s)	Endpoint	Val		ecies	Method	1	Exposur time (h)
polydimethylsiloxane		(mg No d					time (n)
polyannonnyionovano		avail					
white mineral oil (petroleum)		No o avail					
butane		Avai No d			1		
		avail	able				
Alcohols, C12-14, ethoxylated	LC 50	> 10			Method not	given	
		(vapou mort					
		obse					
1,2-benzisothiazol-3(2H)-one		No d					
		avail	able				
rritation and corrosivity kin irritation and corrosivity							
Ingredient(s)	Resul	lt	Species		Method	Expo	sure time
polydimethylsiloxane	No data av	ailable					
white mineral oil (petroleum)	No data av	ailable					
butane	No data av	ailable					
Alcohols, C12-14, ethoxylated	Not irrit	ant					
1,2-benzisothiazol-3(2H)-one	Corrosi	ive		Me	thod not given		
ye irritation and corrosivity							
Ingredient(s)	Resul		Species		Method	Expo	sure time
polydimethylsiloxane	No data av						
white mineral oil (petroleum)	No data av						
butane	No data av						
Alcohols, C12-14, ethoxylated	Severe da	•			ght of evidence		
1,2-benzisothiazol-3(2H)-one	Severe da	mage		Me	thod not given		
espiratory tract irritation and corrosivity							
Ingredient(s)	Resul		Species		Method	Expo	sure time
polydimethylsiloxane white mineral oil (petroleum)	No data av No data av						
white mineral on (petroleum)	NO GALA AV						
hutane	No data av	allahin i		1		ļ	
butane Alcohols C12-14 ethoxylated	No data av						
Alcohols, C12-14, ethoxylated	No data av	ailable					
Alcohols, C12-14, ethoxylated 1,2-benzisothiazol-3(2H)-one		ailable					
Alcohols, C12-14, ethoxylated 1,2-benzisothiazol-3(2H)-one	No data av	ailable					
Alcohols, C12-14, ethoxylated 1,2-benzisothiazol-3(2H)-one ensitisation ensitisation by skin contact	No data av No data av	ailable ailable	Species		Method	Exposi	ure time (l
Alcohols, C12-14, ethoxylated 1,2-benzisothiazol-3(2H)-one ensitisation	No data av	ailable ailable	Species		Method	Exposi	ıre time (I
Alcohols, C12-14, ethoxylated 1,2-benzisothiazol-3(2H)-one ensitisation ensitisation by skin contact Ingredient(s)	No data av No data av Resul	ailable ailable lt ailable	Species		Method	Exposi	ıre time (f
Alcohols, C12-14, ethoxylated 1,2-benzisothiazol-3(2H)-one ensitisation ensitisation by skin contact Ingredient(s) polydimethylsiloxane	No data av No data av Resul No data av	ailable ailable It ailable ailable	Species		Method	Exposi	ure time (I
Alcohols, C12-14, ethoxylated 1,2-benzisothiazol-3(2H)-one ensitisation ensitisation by skin contact Ingredient(s) polydimethylsiloxane white mineral oil (petroleum)	No data av No data av No data av Resul No data av No data av No data av No data av	ailable ailable t ailable ailable ailable	Species Guinea pig	OEC	Method	Exposi	ıre time (l
Alcohols, C12-14, ethoxylated 1,2-benzisothiazol-3(2H)-one ensitisation ensitisation by skin contact Ingredient(s) polydimethylsiloxane white mineral oil (petroleum) butane	No data av	ailable ailable ailable ailable ailable ailable tising		OEC		Exposi	ıre time (I
Alcohols, C12-14, ethoxylated 1,2-benzisothiazol-3(2H)-one ensitisation ensitisation by skin contact Ingredient(s) polydimethylsiloxane white mineral oil (petroleum) butane Alcohols, C12-14, ethoxylated 1,2-benzisothiazol-3(2H)-one	No data av No data av Result No data av	ailable ailable ailable ailable ailable ailable tising	Guinea pig	OEC		Expose	ıre time (I
Alcohols, C12-14, ethoxylated 1,2-benzisothiazol-3(2H)-one eensitisation lensitisation by skin contact Ingredient(s) polydimethylsiloxane white mineral oil (petroleum) butane Alcohols, C12-14, ethoxylated 1,2-benzisothiazol-3(2H)-one	No data av No data av Result No data av	ailable ailable ailable ailable ailable tising iing	Guinea pig	OEC			ıre time (h
Alcohols, C12-14, ethoxylated 1,2-benzisothiazol-3(2H)-one Sensitisation bensitisation by skin contact Ingredient(s) polydimethylsiloxane white mineral oil (petroleum) butane Alcohols, C12-14, ethoxylated 1,2-benzisothiazol-3(2H)-one Sensitisation by inhalation	No data av No data av Result No data av Sensitis	ailable ailable ailable ailable ailable tising sing	Guinea pig Guinea pig	OEC	D 406 (EU B.6)		
Alcohols, C12-14, ethoxylated 1,2-benzisothiazol-3(2H)-one Sensitisation bensitisation by skin contact Ingredient(s) polydimethylsiloxane white mineral oil (petroleum) butane Alcohols, C12-14, ethoxylated 1,2-benzisothiazol-3(2H)-one Sensitisation by inhalation Ingredient(s)	No data av Sensitis Resul	ailable ailable ailable ailable ailable ailable tising tt ailable	Guinea pig Guinea pig	OEC	D 406 (EU B.6)		
Alcohols, C12-14, ethoxylated 1,2-benzisothiazol-3(2H)-one Sensitisation bensitisation by skin contact Ingredient(s) polydimethylsiloxane white mineral oil (petroleum) butane Alcohols, C12-14, ethoxylated 1,2-benzisothiazol-3(2H)-one Sensitisation by inhalation Ingredient(s) polydimethylsiloxane	No data av Sensitis Result No data av Not sensi Sensitis No data av	ailable ailable ailable ailable ailable ailable sing t ailable ailable ailable	Guinea pig Guinea pig	OEC	D 406 (EU B.6)		ure time (h

1,2-benzisothiazol-3(2H)-one	No data available		

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
polydimethylsiloxane	No data available		No data available	
white mineral oil (petroleum)	No data available		No data available	
butane	No data available		No data available	
Alcohols, C12-14, ethoxylated	No data available		No data available	
1,2-benzisothiazol-3(2H)-one	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	

Carcinogenicity

Ingredient(s)	Effect
polydimethylsiloxane	No data available
white mineral oil (petroleum)	No data available
butane	No data available
Alcohols, C12-14, ethoxylated	No data available
1,2-benzisothiazol-3(2H)-one	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
polydimethylsiloxane			No data available				
white mineral oil (petroleum)			No data available				
butane			No data available				
Alcohols, C12-14, ethoxylated			No data available				
1,2-benzisothiazol-3(2H)-one			No data available				

Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
polydimethylsiloxane		No data available				
white mineral oil (petroleum)		No data available				
butane		No data available				
Alcohols, C12-14, ethoxylated		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
polydimethylsiloxane		No data available				
white mineral oil (petroleum)		No data available				
butane		No data available				
Alcohols, C12-14, ethoxylated		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value	Species	Method		
		(mg/kg bw/d)			time (days)	affected
polydimethylsiloxane		No data				
		available				
white mineral oil (petroleum)		No data				
		available				
butane		No data				
		available				
Alcohols, C12-14, ethoxylated		No data				
		available				
1,2-benzisothiazol-3(2H)-one		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
polydimethylsiloxane			No data					
			available					
white mineral oil			No data					

(petroleum)	available			
butane	No data			
	available			
Alcohols, C12-14,	No data			
ethoxylated	available			
1,2-benzisothiazol-3(2H	No data			
)-one	available			

STOT-single exposure	
Ingredient(s)	Affected organ(s)
polydimethylsiloxane	No data available
white mineral oil (petroleum)	No data available
butane	No data available
Alcohols, C12-14, ethoxylated	No data available
1,2-benzisothiazol-3(2H)-one	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
polydimethylsiloxane	No data available
white mineral oil (petroleum)	No data available
butane	No data available
Alcohols, C12-14, ethoxylated	No data available
1,2-benzisothiazol-3(2H)-one	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
polydimethylsiloxane		No data			
		available			
white mineral oil (petroleum)		No data			
		available			
butane		No data			
		available			
Alcohols, C12-14, ethoxylated		No data			
		available			
1,2-benzisothiazol-3(2H)-one	LC 50	2.18	Oncorhynchus mykiss	OECD 203 (EU C.1)	

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
polydimethylsiloxane		No data available			
white mineral oil (petroleum)		No data available			
butane		No data available			
Alcohols, C12-14, ethoxylated		No data available			
1,2-benzisothiazol-3(2H)-one	EC 50	2.94	Daphnia	OECD 202 (EU C.2)	48

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
polydimethylsiloxane		No data available			
white mineral oil (petroleum)		No data available			
butane		No data available			
Alcohols, C12-14, ethoxylated		No data available			
1,2-benzisothiazol-3(2H)-one	E r C 50	0.11		OECD 201 (EU C.3)	72

polydimethylsiloxane	No data available
white mineral oil (petroleum)	No data available
butane	No data available
Alcohols, C12-14, ethoxylated	No data available
1,2-benzisothiazol-3(2H)-one	No data available

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
polydimethylsiloxane		No data available			
white mineral oil (petroleum)		No data available			
butane		No data available			
Alcohols, C12-14, ethoxylated		No data available			
1,2-benzisothiazol-3(2H)-one	EC 20	3.3	Activated sludge	OECD 209	3 hour(s)

Aquatic long-term toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
polydimethylsiloxane		No data available				
white mineral oil (petroleum)		No data available				
butane		No data available				
Alcohols, C12-14, ethoxylated		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
polydimethylsiloxane		No data available				
white mineral oil (petroleum)		No data available				
butane		No data available				
Alcohols, C12-14, ethoxylated		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
polydimethylsiloxane		No data available				
white mineral oil (petroleum)		No data available				
butane		No data available				
Alcohols, C12-14, ethoxylated		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions						
Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation	
polydimethylsiloxane					Not readily biodegradable.	
white mineral oil (petroleum)				OECD 301F	Not readily biodegradable.	
butane					Readily biodegradable	
Alcohols, C12-14, ethoxylated	Activated sludge, aerobe	Oxygen depletion	95 % in 28 day(s)	OECD 301F	Readily biodegradable	
1,2-benzisothiazol-3(2H)-one				Weight of evidence	Not readily biodegradable.	

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
1,2-benzisothiazol-3(2H)-one	Sewage treatment plant simulation	Primary degradation	> 90%	OECD 303A	Biodegradable

12.3 Bioaccumulative potential

Ingredient(s)	Value	Method	Evaluation	Remark
polydimethylsiloxane	No data available		No bioaccumulation expected	
white mineral oil (petroleum)	No data available			
butane	No data available			
Alcohols, C12-14, ethoxylated	No data available			
1,2-benzisothiazol-3(2H)-one	0.7	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
polydimethylsiloxane	No data available			No bioaccumulation expected	
white mineral oil (petroleum)	No data available				
butane	No data available				
Alcohols, C12-14, ethoxylated	No data available				
1,2-benzisothiazol-3(2H)-one	6.95		OECD 305		

12.4 Mobility in soil Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
polydimethylsiloxane	No data available				
white mineral oil (petroleum)	No data available				
butane	No data available				
Alcohols, C12-14, ethoxylated	No data available				
1,2-benzisothiazol-3(2H)-one	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.5 Other adverse effects

12.6 Other adverse effects No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	The concentrated contents or contaminated packaging should be disposed of by a certified handler
Waste from residues / unused	or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging
products:	material is suitable for energy recovery or recycling in line with local legislation.
European Waste Catalogue:	20 01 29* - detergents containing dangerous substances.
Empty packaging Recommendation: Suitable cleaning agents:	Dispose of observing national or local regulations. Water, if necessary with cleaning agent.

SECTION 14: Transport information



14.1 UN number: 1950 14.2 UN proper shipping name: Aerosols 14.3 Transport hazard class(es): Transport hazard class (and subsidiary risks): 2.2 14.4 Packing group: 14.5 Environmental hazards: Environmentally hazardous: No Marine pollutant: No 14.6 Special precautions for user: None known. 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers. Other relevant information: ADR Classification code: 5A Tunnel restriction code: E IMO/IMDG EmS: F-D. S-U

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

• Regulation (EC) No. 1907/2006 - REACH

• Regulation (EC) No 1272/2008 - CLP

Regulation (EC) No. 648/2004 - Detergents regulation

Directive 75/324/EEC on aerosol dispensers

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

UFI: NWM3-C072-C00P-J9RM

Ingredients according to EC Detergents Regulation 648/2004	
aliphatic hydrocarbons	5 - 15 %
non-ionic surfactants	< 5 %
perfumes. Benzisothiazolinone. Methylisothiazolinone	

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

Version: 03.0

SDS code: MS1003771

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2, 3, 8, 9, 11, 12, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

H220 - Extremely flammable gas.

• H226 - Flammable liquid and vapour.

· H280 - Contains gas under pressure; may explode if heated.

Revision: 2020-02-16

- · H290 May be corrosive to metals.
- · H301 Toxic if swallowed.
- · H302 Harmful if swallowed. H304 - May be fatal if swallowed and enters airways.
 H311 - Toxic in contact with skin.
 H312 - Harmful in contact with skin.

- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
 H320 Causes eye irritation.
- H330 Fatal if inhaled.
 H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.
- Abbreviations and acronyms:
- AISE The international Association for Soaps, Detergents and Maintenance Products
 DNEL Derived No Effect Limit
 EUH CLP Specific hazard statement
 PBT Persistent, Bioaccumulative and Toxic
 PNEC Predicted No Effect Concentration

- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative

- ATE Acute Toxicity Estimate
 ATE Acute Toxicity Estimate
 LD50 Lethal Dose, 50% / Median Lethal dose
 LC50 Lethal Concentration, 50% / Median Lethal Concentration
 EC50 effective concentration, 50%
 NOEL No observed effect level

- NOAEL No observed adverse effect level
- OECD Organization for Economic Cooperation and Development

End of Safety Data Sheet