



PROGRESS

COMMERCIAL LIGHTING

Multi-Family

Hospitality

Assisted Living

Extended Stay

Live / Work Housing



CONTENTS

Linear / Troffer	3
Exit / Emergency	9
Close-to-Ceiling	15
Ceiling Fans	33
Sconces	37
Bath & Vanity	43
Hanging	49
Undercabinet	61
Recessed	65
Outdoor	73
Area / Site	89



A COMPLETE SOLUTION FOR LIGHT COMMERCIAL PROJECTS

Our recently expanded offering includes light commercial and commercial luminaires that work together to provide a unique solutions approach to a variety of multi-use applications, including multi-family, hospitality, assisted living – and many others.

We invite you to browse among our collection of proven Progress Lighting products, which features more than 100 new LED options. LED technology provides numerous benefits over traditional lamp sources, such as energy savings, increased light and color output, easy installation and low maintenance features.

We understand that multi-use projects require lighting solutions that not only meet interior expectations, such as decorative fixtures for the bath and vanity, kitchen and living areas – but also exterior applications that consider security, pedestrian safety, maintenance and site lighting needs.

For more than 100 years, Progress Lighting has provided a diverse selection of fixtures that represent aesthetics, performance, innovation and value. We continue to deliver complete lighting packages that meet individual project needs.

Please visit our website at progresscommercial.com.





Linear / Troffer

Adding general and task lighting to multi-purpose areas, including stairwells, laundry areas, common rooms, offices and more can be done beautifully and efficiently with low profile linear and troffer options. And because they feature LED and CFL sources, you'll enjoy energy cost savings.



T8 Lensed Fluorescent Lay-in

Product No.	Lamp	Lens	Configuration	Size
PCILT-32T8-222	2 T8, 32w	A12	2 x 2	24" L., 4-1/2" H., 23-3/4" W.
PCILT-32T8-242	2 T8, 32w		2 x 4	48" L, 3-1/8" H., 24" W.
PCILT-32T8-243	3 T8, 32w		2 x 4	
PCILT-32T8-142	2 T8, 32w		1 x 4	48" L., 4-1/4" H., 11-3/4" W. (Lamps Lay-in) 12-3/4" W. (Lamps Flanged)



PCILT-32T8-222



PCILT-32T8-243



PCILT-32T8-142

Lensed LED Lay-in

Product No.	Lamp	Lens	Configuration	Lumens	Size	Color Temperature
PCILT-LED-22-30K	LED 43w	A12	2 x 2	3775	24" L., 4-1/4" H., 24" W.	3000K
PCILT-LED-22-35K				3850		3500K
PCILT-LED-24-30K	LED 45w		2 x 4	4600	48" L., 3-1/8" H., 24" W.	3000K
PCILT-LED-24-35K				4800		3500K



PCILT-LED-22-35K



PCILT-LED-24-30K

Recessed Indirect Lay-in

Product No.	Lamp	Configuration	Size
PCIST-17T8-222	2 T8, 17w	2 x 2	25" L., 5-1/4" H., 25" W.
PCIST-32T8-242	2 T8, 32w	2 x 4	48" L., 5-1/4" H., 25" W.



PCIST-17T8-222



PCIST-32T8-242

Recessed Performance LED

Product No.	Lamp	Lumens	Configuration	Size	Color Temperature
PCICT-LED-22-30K	LED 35w	3500	2 x 2	24" L., 5-3/15" H., 24" W.	3000K
PCICT-LED-22-35K		3700			3500K
PCICT-LED-24-30K	LED 40w	4450	2 x 4	48" L., 5-3/15" H., 24" W.	3000K
PCICT-LED-24-35K		4800			3500K



PCICT-LED-22-30K



PCICT-LED-24-30K

Flourescent Wrap

Product No.	Finish	Lamps	Size
P7183-30EB	White, Baked Enamel	2 17w T8	24" L., 3" H., 7-3/4" W.
P7186-30EB		2 32w T8	
P7196-30EB		4 32w T8	48" L., 3" H., 15" W.



Low Profile LED Wraparound

Product No.	Lamp Type	Lumens	Size	Color Temperature
PCILW-LED-2-30K	LED 25w	2550	24" L., 2-13/16" H.,	3000K
PCILW-LED-2-35K		2600	8-5/16" W.	3500K
PCILW-LED-4-30K	LED 48w	4650	48" L., 2-13/16" H.,	3000K
PCILW-LED-4-35K		4800	8-5/16" W.	3500K



Flourescent Wall Mount

Product No.	Lamp Type	Nom. Length	Size	Light Orientation
PCIWB-32T8-4D	T8 32w	4'	48-1/2" L., 4-1/2" H.,	Downlight
PCIWB-32T8-4UD			7-1/16" W.	Uplight & Downlight




Flourescent Strip

Product No.	Finish	Lamps	Lumens	Size
P7265-30EB	White, Baked Enamel	1 17w T8		24" L., 3-3/8" H., 3" W.
P7266-30EB		2 17w T8		
P7267-30EB		1 32w T8		48" L., 3-3/8" H., 3" W.
P7268-30EB		2 32w T8		



Open LED Striplight

Product No.	Lamp Type	Lumens	Nom. Length	Size	Color Temperature
PCIOS-LED-2-35K	LED 26w	3000	2'	48" L., 1-13/6" H., 47/16" W.	3500K
PCIOS-LED-4-35K	LED 48w	5600	4'	96" L., 1-13/6" H., 47/16" W.	



Slim Line Wrap



Product No.	Finish	Lamps	Size
P7137-30STR	White	2 F17 T8	26-3/4" L., 2-1/2" H., 6-1/4" W.
P7154-30STR		2 F25 T8	38-3/4" L., 2-5/8" H., 6-1/4" W.
P7189-30STR		2 F32 T8	50-5/8" L., 2-1/2" H., 6-1/4" W.



LED Lensed Strip Light

Product No.	Lamp Type	Lamp Size	Lumens	Size	Color Temperature
PCILS-LED-4-35K	LED 53w	4'	5000	48" L., 4-7/16" H., 6" W.	3500K



Stairwell Luminaire

Product No.	Lamp Type	Lumens	Description	Size	Color Temperature
PCISW-LED-4-35K	LED 52W	5000	52w LED Stairwell Light	54" L., 4" H., 6" W.	3500K
PCISW-32T8-4	32-T8 32W		T-8 Stairwell Light		



LED Linear Vapor Tight

Product No.	Lamp Type	Lumens	Size	Color Temperature
PCIVT-LED-4-35K	LED 37W	4000	51-3/4" L., 3-7/8" H., 4-1/2" W.	3500K
PCIPG-LED-4-40K	LED 47W	5100	51-2/3" L., 5-5/8" H., 6-7/9" W.	4000K



LED Retrofit Kit



Product No.	Size	Color Temp.	Lumens	Wattage
PCIRK	22 - 2 x 2	30K - 3000K	2000 (2 x 2 only)	20W
		35K - 3500K	4000 (2 x 2 only)	48W
	24 - 2 x 4		3000 (2 x 2 / 2 x 4)	33/27W
			3600 (2 x 4 only)	33W
			4200 (2 x 4 only)	37W

Fluorescent Emergency Battery Pack



Product No.	Lumens	Wattage
PEEMB-1400L	1400	2.5W
PEEMB-700L	700	3.7W
PEEMB-500L	500	3.7W

Surface Mount Circline Fluorescent



SURFACE MOUNT CIRCLINE FLUORESCENT WITH CLEAN MODERN LINES AND WHITE ACRYLIC DIFFUSER. 120V NPF ELECTRONIC BALLAST.

Product No.	Finish	Size	Ballast	Lamps
P7249-09EBWB P7249-174EBWB	Brushed Nickel Urban Bronze	10-3/8" dia., 3-1/2" ht.	120 NPF electronic	1 22w T-9
P7250-09EBWB P7250-174EBWB	Brushed Nickel Urban Bronze	17-5/8" dia., 4-1/2" ht.	120 NPF electronic	1 22w T-9 & 1 32w T-9
P7251-09EBWB P7251-174EBWB	Brushed Nickel Urban Bronze	32-1/4" L., 18" W., 4-3/8" ht.	120 NPF electronic	2 32w T-9
P7252-09EBWB P7252-74EBWB	Brushed Nickel Urban Bronze	32-1/4" diam., 6-1/2" ht.	120 NPF electronic	3 32w T-9



P7251-174EBWB



P7252-09EBWB



P7250-09EBWB



P7249-174EBWB



P7250-174EBWB



P7249-09EBWB


Surface Mount Linear Fluorescent



SURFACE MOUNT LINEAR FLUORESCENT. 120V NPF ELECTRONIC BALLAST.



P7258-09EB



P7258-174EB

Product No.	Finish	Size	Ballast	Lamps
P7258-09EB P7258-174EB	Brushed Nickel w/ white acrylic Urban Bronze w/ white acrylic	48-1/2" L., 11-5/8" ht.	120 NPF electronic	3 F32T8

Domes

CONTOURED WHITE ACRYLIC DOMES WITH CURVED, TEXTURED WHITE MOLDING. FLOATS 3/4" FROM CEILING, CREATING A HALO EFFECT.



P7206-30EB

Product No.	Finish	Size	Ballast	Lamps
P7206-30EB	White	59" L., 21" W., 6-5/8" ht.	120V HPF electronic	4 F32T8

Soft Clouds

CONTOURED, SHALLOW WHITE ACRYLIC CLOUDS. DIFFUSER SUSPENDED FROM WHITE CHASSIS.



P7279-60EB

Product No.	Finish	Size	Ballast	Lamps
P7278-60EB	White	28" L., 18" W., 4-5/8" ht.	120V HPF electronic	4 F17T8
P7279-60EB		52" L., 12" W., 4-5/8" ht.		2 F32T8
P7280-60EB		52" L., 18" W., 4-5/8" ht.		4 F32T8
P7285-60EB		30-3/4" L., 27-1/4" W., 5" ht.		2 FB32T8



P7285-60EB



P7278-60EB

Ribbed Linear Fluorescent

ETCHED RIBBED GLASS DIFFUSER. 120V NPF BALLAST. CEILING MOUNT.

Product No.	Finish	Description	Size	Ballast	Lamps
P7218-09EB	Brushed	Two-light	25" W., 4" ht., Extends 6-1/4".	120V NPF electronic	2 F17T8
P7221-09EB	Nickel		49" W., 4" ht., Extends 6-1/4".		2 F32T8



P7218-09EB



P7221-09EB



Exit / Emergency

Our LED exit signs and emergency lighting units, that include remote emergency lights, battery packs and central lighting inverter options, address a wide range of commercial applications to enhance safety and ensure security in your facilities.





PETPE-UR-30-RC
PETPE -UG-30-RC

LED Exit Sign

The PETPE Series offers quality and value with a compact and attractive LED based emergency exit. The white housing is made of high impact UL flame rated thermoplastic. Snap together canopy, housing, removable chevrons for quick and easy installation. Universal single or double-face. Remote capacity option will run 4 PERHC Series single remote lamp-heads or 2 double PERHC remotes.

Product No.	Face	Color	Finish	Size
PETPE-UR-30	Universal	Red	White	11.6" w., 7.2" ht., 2" d.
PETPE-UR-30-RC Remote Capacity				
PETPE-UG-30		Green		
PETPE-UG-30-RC Remote Capacity				



PECUE-UR-30



PECUE-UG-30

LED Combo Exit / Emergency Light

The PECUE Series offers quality and value with a compact and attractive LED based combination emergency exit. The white housing and lamp-heads are made of high impact UL flame rated thermoplastic. Snap together canopy, housing, removable chevrons for quick and easy installation. Universal single or double-face. Remote capacity unit will run 4 PERHC Series single remote lamp-heads or 2 double PERHC remotes.

Product No.	Finish	Color	Size	Lumens
PECUE-UG-30	White	Green	18" w. 7.2" ht. 2" d.	101
PECUE-UG-30-RC Remote Capacity				
PECUE-UR-30		Red		
PECUE-UR-30-RC Remote Capacity				



PE2EU-30

LED Emergency Light

The PE2EU Series offers quality and value with a compact and attractive LED based emergency light. The white housing and lamp-heads are fully adjustable and glare-free. Snap together design for quick and easy installation with option of Wall or Ceiling mount. Remote capacity unit will run a double-head remote or 2 single-head remotes of the PERHC Series.

Product No.	Finish	Input	Size	Lumens
PE2EU-30	White	120 or 277V AC input	9" w., 4" ht., 2.75" d.	101
PE2EU-30-RC Remote Capacity				



PERHC-SG-ID-30



PERHC-DB-OD-30

LED Indoor/Outdoor Remote Heads

The PERHC Series offers quality and value with a compact and attractive LED based remote emergency light. Lamp-heads are fully adjustable and glare-free. The remote lamps are driven by the Progress remote capacity Exit combo or Emergency Light. The Outdoor Remote lamp-heads are fully gasketed and weatherproof to ensure operation in wet environments. Can be used with PETPE, PE2EU, and PECUE remote capacity models

Product No.	Finish	Location	Lamp	Size	Lumens
PERHC-SG-ID-30	White	Indoor	Single	4.6" w., 4.6" ht., 2.6" d.	52
PERHC-DB-ID-30			Double	6.7" w., 4.7" ht., 2.5" d.	101
PERHC-SG-OD-30		Outdoor	Single	4.5" w., 4.5" ht., 6.7" d.	52
PERHC-DB-OD-30			Double	7.4" w., 4.5" ht., 5.6" d.	101



PEESE-SR-16
Surface Mount



Wall Mount Shown



PEERE-SR-16
Recessed Ceiling Mount Shown

Edge-Lit LED Emergency Exit

The PEESE/PEERE Series offers quality and value with an Edge-Lit based emergency exit. The PEESE/PEERE is ideal for architectural applications and offers surface and recessed mounting options. The acrylic panels are ultrasonically welded and taped at the edges to maximize illumination and visibility. The Exit panel can be ratcheted to various angles for mounting to angled surfaces. The housing finish and trim-plate is brushed aluminum. Recessed mount model comes with a full recessed box complete with integrated caddy-bar assembly. Surface mount model has a clam-shell design for easy installation and access to internal circuitry. Canopy and mounting hardware included. All models are for emergency operation complete with a NiCad battery, status LED and Push-to-Test switch.

Product No.	Finish	Side / Color	Mount	Size
PEESE-DG-16	Brushed Aluminum	Double / Green	Surface	13" w., 9.6" ht., 3.5" d.
PEESE-DR-16		Double / Red		
PEESE-SG-16		Single / Green		
PEESE-SR-16		Single / Red		

Product No.	Finish	Side / Color	Mount	Size
PEERE-DG-16	Brushed Aluminum	Double / Green	Recessed	12.7" w., 7.5" ht., 4" d.
PEERE-DR-16		Double / Red		
PEERE-SG-16		Single / Green		
PEERE-SR-16		Single / Red		



PEALE-SG-EM-16
PEALE-SR-EM-16

LED Aluminum Exit Sign

The PEALE Series offers quality and value with a compact and attractive Thin Die-Cast aluminum Exit sign. Exit face illumination by low energy, long-life red or green ultra bright LED's. The Exit face-plate is brushed aluminum with black edges and 6" letters with a red or green diffuser. Single-face models can be wall, end or ceiling mounted. Double-face models are end or ceiling mounted only. Includes canopy, universal mounting plate and a battery for emergency operation. Test switch and AC-on indicator are located at bottom center. Directional indication made by knock-out chevrons.

Product No.	Finish	Side / Color	Size
PEALE-DG-EM-16	Brushed Aluminum	Double / Green	11.6" w., 7.75" ht., .875" d.
PEALE-DR-EM-16		Double / Red	
PEALE-SG-EM-16		Single / Green	
PEALE-SR-EM-16		Single / Red	



PEWLE-SG-30
PEWLE-SR-30

LED Wet Location Exit Sign

The PEWLE Series offers quality and value with a wet location rated emergency Exit sign. Housing and face-plate made from impact resistant UV stabilized polycarbonate. Housing is corrosion resistant and face-plate is fully gasketed. Exit face illumination by low energy, long-life red or green ultra bright LED's. The Exit letters measure 6" with a red or green diffuser. Single-face models can be wall mounted by use of molded-in template, end or ceiling mounted. Double-face models are end or ceiling mounted only. Includes canopy and universal mounting plate. Water-proof test switch and AC-on indicator located at Exit bottom. Directional indication made by place-able chevrons. Conduit entry KO's located in top and side housing, with conduit fitting included.

Product No.	Finish	Side / Color	Size
PEWLE-SR-30	White	Single / Red	12.5" w., 8.5" ht., 2.5" d.
PEWLE-DR-30		Double / Red	
PEWLE-SG-30		Single / Green	
PEWLE-DG-30		Double / Green	



PEHWU-82

Wet Location Emergency Light

The PEHWU-82 is a wet location listed emergency lighting unit. The housing is made of injection molded, flame retardant thermoplastic with a gray finish. The heads are fully adjustable and each contain two 6VDC, 7 watt halogen lamps and are integrated inside and a protected by a fully-gasketed and high impact poly-carbonate shield. The back housing contains a molded-in template for wall mounting to any standard universal J-Box. Front cover is secured with 2 gasketed crews.

Product No.	Finish	Input	Lamp	Size
PEHWU-82	Metallic Gray	120/277V	MR-16 Halogen	14.9" w., 5.7" ht., 4.2" d.



PE2WL-82

Wet Location LED Emergency Light

The PE2WL offers LED performance and value with a compact and attractive wet location LED based emergency light. The grey housing is made of corrosion resistant UV stabilized polycarbonate. Lamp-head consists of metalized high-performance reflector and 15 ultra-bright LED's with tempered glass lens. Includes external mounting brackets for ease of installation. The Pe2wl has adequate capacity to run 1 each PEWLH double head or 2 PEWLH single-head remotes at 9.6 VDC for 90 minutes.

Product No.	Finish	Input	Size
PE2WL-82	Metallic Grey	120 or 277V AC input	8" w., 12" ht.



PEWLH-SG-82

Accessories

Product No.	Description	Finish
PEWLH-SG-82	Single Head	Metallic Grey
PEWLH-DB-82	Double Head	



PEOEU-EM-20

Normally On/Off Outdoor Emergency

The PEOEU Series offers LED performance in "normally on" AC and emergency lighting modes. The unit has a prismatic polycarbonate refractor with a durable die-cast aluminum housing available with durable powder coated finish in dark bronze, nickel or white. The housing is fully sealed and gasketed. It is designed for wall mounting with a universal K/O pattern in the back-plate for installation to most standard size junction boxes. Illumination is provided by 2 high power LEDs driven at 3 watts each. LED color at 5500K.

Series	Description	Finish	Size	Lumens
PEOEU-EM-09	Emergency Battery	Brushed Nickel	6.54" w., 10.47" ht., 3.78" d.	AC Mode - 223
PEOEU-EM-20		Bronze		
PEOEU-EM-30		White		
PEOEU-EM-09-HTR	Emergency Battery w/ heater option	Brushed Nickel		DC Mode - 261 (Running on Emergency Battery)
PEOEU-EM-20-HTR		Bronze		
PEOEU-EM-30-HTR		White		



Fluorescent Emergency Battery Pack

Product No.	Lumens	Wattage
PEEMB-1400L	1400	2.5W
PEEMB-700L	700	3.7W
PEEMB-500L	500	3.7W



PECLB-32-30-S



PECLB-55-30-T

Central Lighting Micro Inverter

Designed for indoor installation in commercial or industrial applications, the PECLB Series micro inverter system provides Emergency AC power to lighting fixtures equipped with incandescent, fluorescent, CFL or LED lamps between 32 and 55 watts for 90 minutes. The lighting load can be installed at a distance of up to 1000 feet from the micro inverter. The enclosure is constructed of heavy-duty, 20 gauge steel with a white powder-coat finish.

Product No.	Finish	Capacity	Mount	Size
PECLB-32-30-S	White	32w	Surface	14.75" w., 7.38" ht., 3.13" d.
PECLB-32-30-T			Recessed T-Bar	23.88" w., 8" ht., 6.19" d.
PECLB-55-30-S		55w	Surface	14.75" w., 7.38" ht., 4.38" d.
PECLB-55-30-T			Recessed T-Bar	23.88" w., 8" ht., 6.19" d.



Close To Ceiling

Overhead lighting, such as close-to-ceiling fixtures, provide general illumination for interior spaces in apartment communities, townhomes, mixed-use residential facilities and more. Decorative LED and CFL surface mount options reflect the latest design trends, while also providing energy efficient benefits.



Mini Flush Mount


THE LED FLUSH MOUNT SERIES USES AN INTUITIVE SNAP-IN SYSTEM THAT MAKES FLUSH MOUNT INSTALLATION EASIER THAN EVER. SIMPLY, INSTALL ADAPTER ONTO JUNCTION BOX, THEN SNAP INTO PLACE USING THE FLUSH MOUNT CLIP.

FEATURES

- Flicker free dimming with many ELV dimmers
- Wet location listed
- 3000K color temperature
- 90+CRI
- 120v input voltage AC
- TM-21 60,000 hr. life
- 17w: 1035 delivered Lumens, 60 Lumens/watt
- 12w: 630 delivered Lumens, 52.5 Lumens/watt
- 10.5w: 670 delivered Lumens, 63.8 Lumens/watt
- CA Title 24 Compliant

SURFACE and RECESSED INSTALLATION HARDWARE

Included adjustable mounting option that fits 6", 5" or 4" recessed housing. The fixture also includes an E26 Edison Base adapter for a retrofit screw-in option. This hardware is included in **P8022** and **P8027** series.



Flush Mount / Recessed



P8022-20/30K9-AC1-L10

Product No.	Finish	Description	Size	Lamp *included
P8022-20/30K9-AC1-L10	Antique Bronze	One-light	7-1/4" dia., 1-1/4" ht.	*One 17w LED module
P8022-28/30K9-AC1-L10	White			
P8022-31/30K9-AC1-L10	Black			
P8022-82/30K9-AC1-L10	Metallic Gray			



P8022-28/30K9-AC1-L10



P8022-31/30K9-AC1-L10



P8022-82/30K9-AC1-L10



P8027-82/30K9-AC1-L10

Product No.	Finish	Description	Size	Lamp *included
P8027-20/30K9-AC1-L10	Antique Bronze	One-light	7-1/4" dia., 1-1/4" ht.	*One 17w LED module
P8027-28/30K9-AC1-L10	White			
P8027-31/30K9-AC1-L10	Black			
P8027-82/30K9-AC1-L10	Metallic Gray			



P8027-20/30K9-AC1-L10



P8027-31/30K9-AC1-L10



P8027-28/30K9-AC1-L10



P8222-28/30K9-AC1-L10

Flush Mount (no recessed hardware)



Product No.	Finish	Description	Size	Lamp *included
P8222-28/30K9-AC1-L10	White	One-light flush mount only	7-1/4" dia., 1-1/4" ht.	*One 17w LED module

RECESSED ADAPTERS

Product No.	P8595-01
Description	Hardware for P8222 to make it available for recessed installation. Mounting option fits 6", 5" or 4" recessed housings. Edison base adapter included.
Size	5-3/16" w, 3-9/16" ht.



P8107-28/30K9


LED Slim-Line Surface Mount



Product No.	Finish	Description	Size	Lamp
P8107-09/30K	Brushed Nickel	Requires minimum 2" box.	5-1/2" W., 2-3/4" ht.	1 12w LED
P8107-20/30K	Antique Bronze			
P8107-28/30K	White			
P8107-31/30K	Black			

FEATURES

- Flicker free dimming with most ELV dimmers
- Wet location listed
- 90+ CRI
- 120V input voltage AC
- 60,000 hr. life
- 12w: 630 delivered lumens, 52.5 lumens per watt
- CA Title 24 Compliant



2" box minimum

Bracket for P8107-28/30K9 shown mounted into JBox. JBox not included.

FEATURES

- Flicker free dimming with many ELV dimmers
- Wet location listed
- 3000K color temperature
- 90+CRI
- 120v input voltage AC
- TM-21 60,000 hr. life
- 17w: 1035 delivered Lumens, 60 Lumens/watt
- 12w: 630 delivered Lumens, 52.5 Lumens/watt
- 10.5w: 670 delivered Lumens, 63.8 Lumens/watt
- CA Title 24 Compliant

5" Flush Mount / Recessed



P8240-31/30K9-AC1-L06

Product No.	Finish	Description	Size	Lamp *included
P8240-20/30K9-AC1-L06	Antique Bronze	One-light	5-1/2" dia., 1-1/4" ht.	*One 12w LED module
P8240-28/30K9-AC1-L06	White			
P8240-31/30K9-AC1-L06	Black			
P8240-82/30K9-AC1-L06	Metallic Gray			



P8240-20/30K9-AC1-L06



P8240-28/30K9-AC1-L06



P8240-82/30K9-AC1-L06



P8241-20/30K9-AC1-L06

Product No.	Finish	Description	Size	Lamp *included
P8241-20/30K9-AC1-L06	Antique Bronze	One-light	5-1/4" dia., 1-1/4" ht.	*One 10.5w LED module
P8241-28/30K9-AC1-L06	White			
P8241-31/30K9-AC1-L06	Black			
P8241-82/30K9-AC1-L06	Metallic Gray			



P8241-28/30K9-AC1-L06



P8241-31/30K9-AC1-L06



P8241-82/30K9-AC1-L06



P8247-31/30K9-AC1-L06

Product No.	Finish	Description	Size	Lamp *included
P8247-09/30K9-AC1-L06	Antique Bronze	One-light with etched glass diffuser	5-1/2" dia., 1-1/2" ht.	*One 12w LED module
P8247-20/30K9-AC1-L06	White			
P8247-28/30K9-AC1-L06	Black			
P8247-31/30K9-AC1-L06	Metallic Gray			



P8247-09/30K9-AC1-L06



P8247-20/30K9-AC1-L06



P8247-28/30K9-AC1-L06



P8147-28/30K9

7" LED Decorative Surface Mount



Product No.	Finish	Description	Size	Lamp
P8147-09/30K	Brushed Nickel	Round with etched glass	7-1/4" W., 2-3/4" ht.	1 17w LED
P8147-20/30K	Antique Bronze			
P8147-28/30K	White			
P8147-31/30K	Black			

FEATURES

- 120V AC Replaceable LED module
- 1211 source lumens per module
- 71.2 lumens/watt
- 3000K color temperature
- TM-21 60,000 hr. life
- Dimmable with many ELV type dimmers
- 90+ CRI
- CA Title 24 Compliant

Portal

Product No.	Finish	Description	Size	Lamp *included
P3658-0930K9	Brushed Nickel	Etched glass with industrial inspired accents	11" dia., 3-3/4" ht.	*One 17w LED module
P3658-2030K9	Antique Bronze		11" dia., 3-3/4" ht.	
P3659-0930K9	Brushed Nickel	14" dia., 5-1/8" ht.	14" dia., 5-1/8" ht.	
P3659-2030K9	Antique Bronze			



P3658-0930K9



P3659-2030K9



P3658-2030K9



P3659-0930K9

FEATURES

- 120V AC Replaceable LED module
- 1211 source lumens per module
- 71.2 lumens/watt
- 3000K color temperature
- TM-21 60,000 hr. life
- Dimmable with many ELV type dimmers
- 90+ CRI
- CA Title 24 Compliant
- Wall or Ceiling Mount

Helm ADA

Product No.	Finish	Description	Size	Lamp *included
P3447-0930K9	Brushed Nickel	One-light w/ white acrylic diffuser	11" sq., 3-3/4" ht.	*One 17w LED module
P3447-2030K9	Antique Bronze			
P3448-0930K9	Brushed Nickel	Two-light with white acrylic diffuser	14" sq., 3-3/4" ht.	*Two 17w LED modules
P3448-2030K9	Antique Bronze			
P3449-0930K9	Brushed Nickel	Three-light with white acrylic diffuser	18" sq., 3-3/4" ht	*Three 17w LED modules
P3449-2030K9	Antique Bronze			



P3447-0930K9



P3448-2030K9



P3449-0930K9



P3449-0930K9



P3449-2030K9



P3447-2030K9

Weaver

FEATURES

- 120V AC Replaceable LED module
- 1211 source lumens per module
- 71.2 lumens/watt
- 3000K color temperature
- TM-21 60,000 hr. life
- Dimmable with many ELV type dimmers
- 90+ CRI
- CA Title 24 Compliant
- Wall or Ceiling Mount



P3610-0930K9



P3610-2030K9

Product No.	Finish	Description	Size	Lamp *included	ADA
P3610-0930K9	Brushed Nickel	One-light flush mount with linen glass diffuser surrounded by a linen shade	10" dia., 3-1/2" ht.	*One 17w LED module	Y
P3610-2030K9	Antique Bronze				
P3611-0930K9	Brushed Nickel	Two-light flush mount with linen glass diffuser surrounded by a linen shade	16" dia., 4" ht.	*Two 17w LED modules	Y
P3611-2030K9	Antique Bronze				
P3612-0930K9	Brushed Nickel	Three-light flush mount with linen glass diffuser surrounded by a linen shade	22" sq., 4-1/2" ht	*Three 17w LED modules	N
P3612-2030K9	Antique Bronze				



P3611-0930K9



P3611-2030K9



P3612-0930K9



P3612-2030K9

Transit ^{ADA}



P3411-0930K9



P3411-2030K9

Product No.	Finish	Description	Size	Lamp *included
P3411-0930K9	Brushed Nickel	One-light w/ white acrylic diffuser	11" sq., 3-3/4" ht.	*One 17w LED module
P3411-2030K9	Antique Bronze			
P3417-0930K9	Brushed Nickel	Two-light with white acrylic diffuser	14" sq., 3-3/4" ht.	*Two 17w LED modules
P3417-2030K9	Antique Bronze			
P3432-0930K9	Brushed Nickel	Three-light with white acrylic diffuser	18" sq., 3-3/4" ht	*Three 17w LED modules
P3432-2030K9	Antique Bronze			



P3417-0930K9



P3432-0930K9



P3417-2030K9



P3432-2030K9

Bingo ADA

FEATURES

- 120V AC Replaceable LED module
- 1211 source lumens per module
- 71.2 lumens/watt
- 3000K color temperature
- TM-21 60,000 hr. life
- Dimmable with many ELV type dimmers
- 90+ CRI
- CA Title 24 Compliant
- Wall or Ceiling Mount



Product No.	Finish	Description	Size	Lamps *included
P3695-0930K9 P3695-7430K9	Brushed Nickel Venetian Bronze	Three-light with white acrylic diffuser	40" L., 11-5/8" W., 3-3/8" ht.	*Three 17w LED modules



P3695-0930K9



P3695-7430K9


Beyond WALL OR CEILING MOUNT.



Product No.	Finish	Description	Size	Lamp *included
P2306-0930K9	Brushed Nickel	One-light with geometric glass and acrylic diffuser	12" sq. 6" ht.	*One 17w LED module
P2307-0930K9		One-light with textured glass and acrylic diffuser	12" dia. 6 ht.	
P2308-0930K9		One-light with acrylic diffuser. White, bronze and brushed nickel knobs included	12" dia. 6 ht.	
P2309-0930K9		One-light with acrylic diffuser. White, bronze and brushed nickel knobs included	12" sq. 6" ht.	
P2310-0930K9		One-light with etched glass diffuser and brushed metal shade	10" dia. 5 ht.	
P2311-0930K9		One-light with acrylic diffuser. White, bronze and brushed nickel knobs included	12" dia. 6 ht.	



P2306-0930K9



P2307-0930K9



P2308-0930K9



P2309-0930K9



P2310-0930K9



P2311-0930K9

Round Cloud

ADA

Product No.	Finish	Description	Size	Ballast	Lamp *included
P7385-3030K9	White	One-light	10-7/8" dia., 3-1/4" ht.	120V NPF	*One 17w integral LED module



P7385-30

Maier



Product No.	Finish	Description	Size	Lamps *included
P3675-0930K9	Brushed Nickel	Three-light with white acrylic diffuser	18" dia., 5-1/2" ht.	*Three 17w LED modules
P3675-2030K9	Antique Bronze			
P3675-3030K9	White			
P3910-0930K9	Brushed Nickel	One-light with white acrylic diffuser	9" dia., 4-3/8" ht.	*One 17w LED module
P3910-2030K9	Antique Bronze			
P3910-3030K9	White			
P3911-0930K9	Brushed Nickel	Two-light with white acrylic diffuser	14" dia., 4-3/4" ht.	*Two 17w LED modules
P3911-2030K9	Antique Bronze			
P3911-3030K9	White			



P3675-0930K9



P3675-2030K9



P3675-3030K9



P3910-0930K9



P3910-2030K9



P3911-0930K9



P3911-2030K9



P3910-3030K9



P3911-3030K9

Milford



Product No.	Finish	Description	Size	Lamp *included
P3665-2030K9	Antique Bronze	One-light flush mount with etched glass shade	8-5/8" dia., 4-1/8" ht.	*One 17w integral LED module
P3665-3130K9	Black		10-5/8" dia., 4-7/8" ht.	
P3673-2030K9	Antique Bronze			
P3673-3130K9	Black			



P3665-2030K9



P3665-3130K9



P3673-2030K9



P3673-3130K9

6" Fitter



Product No.	Finish	Description	Size	Lamp *included
P3408-0930K9	Brushed Nickel	One-light with white opal glass diffuser	0-7/8" dia., 3-1/4" ht.	*One 17w LED module
P3408-2030K9	Antique Bronze			
P3408-3030K9	White			



P3408-0930K9



P3408-2030K9




P3408-3030K9

Flush Mounts

FEATURES

- 120V AC Replaceable LED module
- 1211 source lumens per module
- 71.2 lumens/watt
- 3000K color temperature
- TM-21 60,000 hr. life
- Dimmable with many ELV type dimmers
- 90+ CRI
- CA Title 24 Compliant

ETCHED GLASS

Product No.	P2302-0930K9 Brushed Nickel P2302-2030K9 Antique Bronze	
Description	One-light	
Size	11" dia., 4" ht.	
Lamp	One 17w LED module included	


P2302-0930K9



P2302-2030K9



UMBER GLASS

Product No.	P2303-0930K9 Brushed Nickel P2303-2030K9 Antique Bronze	
Description	One-light	
Size	13-1/4" dia., 4-3/4" ht.	
Lamp	One 17w LED module included	


P2303-0930K9



P2303-2030K9




UMBER GLASS

Product No.	P2321-2030K9 Antique Bronze with umber glass	
Description	One-light	
Size	11 dia., 4" ht.	
Lamp	One 17w LED module included	

P2321-2030K9



Product No.	P2322-2030K9 Antique Bronze with umber glass	
Description	One-light	
Size	13-1/4 dia., 4-3/4" ht.	
Lamp	One 17w LED module included	

P2322-2030K9



ETCHED GLASS

Product No. **P2300-0930K9** Brushed Nickel
P2300-2030K9 Antique Bronze



Description One-light

Size 11" dia., 4-1/4" ht.

Lamp One 17w LED module included

P2300-0930K9



P2300-2030K9



Product No. **P2301-0930K9** Brushed Nickel
P2301-2030K9 Antique Bronze



Description One-light

Size 12-1/2" dia., 4-1/2" ht.

Lamp One 17w LED module included

P2301-0930K9



P2301-2030K9



WHITE RIBBED GLASS

Product No. **P2304-0930K9** Brushed Nickel
P2304-2030K9 Antique Bronze
P2304-3030K9 White



Description One-light

Size 11-3/8" dia., 5-3/4" ht.

Lamp One 17w LED module included

P2304-0930K9



P2304-2030K9



P2304-3030K9



Product No. **P2305-0930K9** Brushed Nickel
P2305-2030K9 Antique Bronze
P2305-3030K9 White



Description One-light

Size 13" dia., 6-3/4" ht.

Lamp One 17w LED module included

P2305-0930K9



P2305-2030K9



P2305-3030K9



Eclipse

Brushed Nickel, Polished Brass and Antique Bronze finishes feature satin opal glass.



P3489-20EB



P3564-10EB



P3562-09EB



P3570-10EB

Product No.	Finish	Size	Ballast	Lamps
P3489-20EB	Antique Bronze	15-1/4" dia., 4-1/8" ht.	120V/277V HPF electronic	2 13w 4-pin Quad CFL. G24q-1 base.
P3562-09EB	Brushed Nickel			
P3562-10EB	Polished Brass			
P3564-09EB	Brushed Nickel	19-3/8" dia., 5-1/2" ht.		3 13w 4-pin Quad CFL. G24q-1 base.
P3564-10EB	Polished Brass			
P3491-20EB	Antique Bronze	27-3/8" dia., 7-1/8" ht.		4 13w 4-pin Quad CFL. G24q-1 base.



P3562-10EB



P3564-09EB



P3491-20EB

Product No.	Finish	Size	Ballast	Lamp *included
P3492-20EB	Antique Bronze	15-1/4" dia., 10-5/8" ht.	120V/277V HPF electronic	2 26w 4-pin Quad CFL. G24q-3 base.
P3568-09EB	Brushed Nickel			
P3570-09EB	Brushed Nickel	19-3/8" dia., 13-1/4" ht.		3 26w 4-pin Quad CFL. G24q-1 base.



P3492-20EB



P3468-09EB



P7315-20WB



P7325-10WB



P7324-09WB



P7327-09WB

Product No.	Finish	Size	Ballast	Lamps *included	
P7315-20WB	Antique Bronze	15-1/4" dia., 4-1/8" ht.	120V NPF electronic	*2 13w 4-pin Quad CFL.G24q-1 base.	
P7324-09WB	Brushed Nickel				
P7324-10EBWB	Polished Brass				
P7316-20WB	Antique Bronze	19-3/8" dia., 5-1/2" ht.		120V NPF electronic	*3 13w 4-pin Quad CFL.G24q-1 base.
P7325-09WB	Brushed Nickel				
P7325-10WB	Polished Brass				
P7326-09WB	Brushed Nickel	27-3/8" dia., 7-1/8" ht.	120V NPF electronic		*4 13w 4-pin Quad CFL. G24q-1 base.



P7324-10EBWB



P7316-20WB



P7325-09WB



P7326-09WB

Product No.	Finish	Size	Ballast	Lamps *included		
P7327-09WB	Brushed Nickel	15-1/4" dia., 10-5/8" ht.	120V NPF electronic	*2 13w 4-pin Quad CFL. G24q-1 base.		
P7319-20WB	Antique Bronze	19-3/8" dia., 13-1/4" ht.		120V NPF electronic	*3 26w 4-pin Quad CFL. G24q-3 base.	
P7328-09WB	Brushed Nickel				*3 13w 4-pin Quad CFL. G24q-1 base.	
P7320-20WB	Antique Bronze	27-3/8" dia., 20-1/2" ht.			120V NPF electronic	*4 26w 4-pin Quad CFL. G24q-3 base.
P7329-09WB	Brushed Nickel					*4 26w 4-pin Quad CFL. G24q-1 base.



Random



P3687-09WB



P3687-20WB

Product No.	Finish	Description	Size	Lamps *included
P3687-09WB	Brushed Nickel	One-light w/ alabaster glass	11-" dia., 5-3/8" ht.	*1 13w GU24 CFL
P3687-20WB	Antique Bronze			
P3997-09WB	Brushed Nickel	One-light w/ etched glass		
P3997-15WB	Polished Chrome			
P3997-20WB	Antique Bronze			
P3998-20WB	Antique Bronze	One-light w/ light etched umber glass		
P3999-20WB	Antique Bronze	One-light w/ light etched umber linen glass		



P3997-20WB



P3997-09WB



P3997-15WB



P3998-20WB



P3999-20WB



P3624-20WB



P3624-09WB

Product No.	Finish	Description	Size	Lamps *included
P3642-09WB	Brushed Nickel	Two-light w/ alabaster glass	14-" dia., 6-5/8" ht.	*2 13w GU24 CFL
P3642-20WB	Antique Bronze			
P3642-09WB	Brushed Nickel	Two-light w/ etched glass		
P3642-15WB	Polished Chrome			
P3642-20WB	Antique Bronze			
P3651-20WB	Antique Bronze	Two-light w/ light etched umber glass		
P3660-20WB	Antique Bronze	Two-light w/ light etched umber linen glass		



P3642-15WB



P3642-09WB



P3642-20WB



P3651-20WB



P3660-20WB

Random

Product No.	Finish	Description	Size	Lamps *included
P3425-09WB*	Brushed Nickel	Two-light semi-flush w/ alabaster glass	14-" dia., 6-5/8" ht.	*2 13w GU24 CFL
P3425-20WB*	Antique Bronze			
P3426-09WB*	Brushed Nickel	Two-light semi-flush w/ etched glass		
P3426-15WB*	Polished Chrome			
P3426-20WB*	Antique Bronze			
P3427-20WB*	Antique Bronze	Two-light semi-flush w/ light etched umber glass		
P3431-20WB*	Antique Bronze	Two-light semi-flush w/ light etched umber linen glass		



P3427-20WB



P3426-15WB



P3431-20WB



P3426-20WB



P3426-09WB



P3425-20WB



P3425-09WB

* Semi-flush fixtures include mounting hardware for both stem and ceiling mount



P3527-20WB

Product No.	Finish	Description	Size	Lamps *included
P3527-20WB	Antique Bronze	Three-light w/ etched glass	16-1/2" dia., 6-3/8" ht.	*3 13w GU24 CFL
P3602-20WB				*3 18w GU24 CFL
P3803-09WB	Brushed Nickel	Three-light w/ linen etched umber glass		*3 13w GU24 CFL
P3803-20WB	Antique Bronze			
P3804-09WB	Brushed Nickel			
P3804-15WB	Polished Chrome	Three-light w/ alabaster glass		
P3804-20WB	Antique Bronze	Three-light w/ etched glass		



P3804-09WB



P3803-09WB



P3804-20WB



P3804-15WB



P3602-20WB




P3803-20WB




Round Clouds

WHITE CONTOURED ACRYLIC CLOUDS WITH SMOOTH FINISH TEXTURE. TWIST ON INSTALLATION. WALL OR CEILING MOUNT.

Product No.	Finish	Description	Size	Ballast	Lamps	
P7383-30	White	Two-light	14-3/8" dia., 3-5/8" ht.	120V NPF	1 22w FC8T9 circline & 1 32w FC12T9 circline	ADA
P7384-30			18-1/8" dia., 4-1/8" ht.		1 32w FC12T9 circline & 1 40w FC16T9 circline	
P7384-30WB		Four-light	18" dia., 4-1/8" ht.		4 13w GU24 CFL (included)	
P7385-30		One-light	10-7/8" dia., 3-1/4" ht.		1 22w FC8T9 circline	ADA 

Round Clouds

WHITE CONTOURED ACRYLIC CLOUDS.


Product No.	Finish	Description	Size	Lamps	*included	ADA 
P3433-30WB	White	One-light	10-7/8" dia., 3-1/4" ht.	*One GU24 CFL lamps, each 13w max.		
P3637-30WB		Two-light	14" dia., 3-5/8" ht.	*Two GU24 CFL lamps, each 13w max.		



Round Clouds

WHITE CONTOURED ACRYLIC CLOUDS SUSPEND OVERHEAD WITH A ROUNDED FINISH. REGRESSED CHASSIS. WALL OR CEILING MOUNT.

Product No.	Finish	Description	Size	Ballast	Lamps	
P7307-60	White	One-light	16" dia., 4" ht.	120V NPF	1 32w FC12T9 circline	ADA
P7309-60		Two-light	20" dia., 4-1/2" ht.	120V NPF	1 32w FC12T9 circline & 1 32w FC12T9 circline	
P7310-60EB			16" dia., 4" ht.	120V NPF electronic	2 13w 4-pin Quad CFL G24q-1 base	ADA



Squares

WHITE ACRYLIC DIFFUSER WITH RECTILINEAR FORMS. REGRESSED WHITE CHASSIS. SWING ACTION LATCHES ON DIFFUSER. WALL OR CEILING MOUNT.

ADA

Product No.	Finish	Description	Size	Ballast	Lamps
P7379-30	White	Two-light	15" sq., 3-1/8" ht.	120V NPF	1 22w FC8T9 circline & 1 32w FC12T9 circline
P7380-30			19" sq., 3-1/8" ht.		1 32w FC12T9 circline 1 40w FC16T9 circline
P7381-30		Three-light	15" sq., 3" ht.		3 13w 2-pin twin CFL GX23 base
P7382-30		Two-light	12-1/2" sq., 3-1/8" ht.		2 13w 2-pin twin CFL GX23 base



P7379-30



P7380-30



P7382-30



P7381-30

Squares

WHITE POLYCARBONATE DIFFUSER. LOW PROFILE, IMPACT RESISTANT POLYCARBONATE FRAME.

ADA

Product No.	Finish	Description	Size	Ballast	Lamps
P7118-30	White	Two-light	12" sq., 2-1/4" ht.	120V NPF	2 13w 2-pin twin CFL GX23 base
P7182-30			9" sq., 2" ht.		2 7w or 2 9w 2-pin twin CFL GX23 base



P7118-30



P7182-30



Etched Ribbed Glass



Product No.	Finish	Description	Size	Lamps *included
P3761-09EBWB	Brushed Nickel	One-light	11-1/2" dia., 4-1/2" ht.	*1 13w GU24 CFL
P3762-09EBWB	Nickel	Two-light	14" dia., 4-3/4" ht.	*2 13w GU24 CFL

P3764-09EBWB

P3765-09EBWB



Etched Alabaster Glass



Product No.	Finish	Description	Size	Lamps *included
P3760-09EBWB	Brushed Nickel	Two-light	16-3/4" dia., 5-1/2" ht.	*2 18w GU24 CFL
P3764-09EBWB		One-light	11-1/2" dia., 3-3/4" ht.	*1 13w GU24 CFL
P3765-09EBWB		Two-light	14" dia., 4-3/4" ht.	*2 13w GU24 CFL

P3760-09EBWB



Avalon



Product No.	Finish	Description	Size	Lamps *included
P3468-09EBWB	Brushed Nickel	Two-light semi-flush	14-1/2" dia., 14-3/8" ht.	*2 13w GU24 CFL

P3468-09EBWB



P3547-30EBWB

Swirled Glass



Product No.	Finish	Description	Size	Lamps
P3547-30EBWB	Textured White	Two-light	12-3/4" dia., 6" ht.	*2 13w GU24 CFL
P3548-30EBWB	White	Two-light	15-1/2" dia., 6" ht.	*3 13w GU24 CFL



P3548-30EBWB



Ceiling Fans

Circulate air in any interior or exterior space with ceiling fans that provide functional and decorative elements. Progress Lighting's ceiling fan assortment features a wide range of design styles, as well as options for light kits that add general lighting to a room.










P2531-20
Antique Bronze with
Cherry blades



P2531-09
Brushed Nickel with
Natural Cherry blades

North Park



Product No.	Finish	Reversible Blades	Description	CTC installation	
P2531-09	Brushed Nickel	Natural Cherry 	Cherry 	Size: 52" dia., 16" ht. CTC 11" ht. 30-year limited warranty 45" Canopy SureConnect® System Compatible with universal light kits	
P2531-20	Antique Bronze	Cherry 	Classic Walnut 		

ENERGY INFORMATION AT HIGH SPEED

AIRFLOW: 5,275 cubic feet per minute
 ELECTRICITY USE: 57 watts (excludes lights)
 AIRFLOW EFFICIENCY: 93 cubic feet per minute per watt



P2530-09
Brushed Nickel with
Silver blades









P2530-20
Antique Bronze with
Classic Walnut blades



P2530-30W
White with white blades

54" Signature Plus Fan



Product No.	Finish	Reversible Blades	Description
P2530-09	Brushed Nickel	Silver 	Natural Cherry 
P2530-20	Antique Bronze	Classic Walnut 	Medium Cherry 
P2530-30W	White	White 	White 

ENERGY INFORMATION AT HIGH SPEED

AIRFLOW: 6,210 cubic feet per minute
 ELECTRICITY USE: 66 watts (excludes lights)
 AIRFLOW EFFICIENCY: 94 cubic feet per minute per watt



Trevina

Product No.	Finish	Blades	Description
P2514-09	Brushed Nickel	Silver 	Size: 52" dia., 18" ht. Etched opal glass 30-yr limited warranty Full function remote included Lamp: One mini-can E-11, 100w max. (included)



Full Function Remote Included
Full-range dimming for light
Three-speed fan operation
Reverse direction control



P2514-09
Brushed Nickel with
Silver blades

ENERGY INFORMATION AT HIGH SPEED

AIRFLOW:	4,566 cubic feet per minute
ELECTRICITY USE:	55 watts (excludes lights)
AIRFLOW EFFICIENCY:	83 cubic feet per minute per watt

Light Kits

Gather

P2658-09WB Brushed Nickel
P2658-20WB Antique Bronze
 Universal-style light kit with quick-connect wiring.
 Size: 11" dia., 5-1/2" ht.
 Lamps: Two 13w GU24 CFL, included (non-dimmable).



P2658-09WB



P2658-20WB

Alabaster Bowl

P2621-09EBWB Brushed Nickel
P2621-20EBWB Antique Bronze
P2621-30EBWB White
 Alabaster glass. Universal-style with quick-connect wiring.
 Size: 10-3/4" dia. 6" ht.
 Lamp: Two 13w GU24 CFL, included (non-dimmable).



P2621-09EBWB



P2621-30EBWB



P2621-20EBWB

Low Profile

P2602-09EBWB Brushed Nickel
P2602-20EBWB Antique Bronze
P2602-30EBWB White
 Opal glass. Universal style with quick-connect wiring.
 Size: 10-5/8" dia., 3-7/8" ht.
 Lamps: Two 13w GU24 CFL, included (non-dimmable).



P2602-20EBWB



P2602-09EBWB



P2602-30EBWB

Schoolhouse

P2620-30EBWB White
 Universal-style with quick-connect wiring.
 Schoolhouse opal glass.
 Size: 8-1/4" dia., 7-1/4" ht.
 Lamp: One 13w GU24 CFL, included (non-dimmable).



P2620-30EBWB



Sconces

Wall sconces are versatile fixtures that provide functional and aesthetic light output for both interior and exterior spaces. Featuring the latest in finish options and design styling, sconces are available in vintage modern, classic and contemporary styles. Additionally, many ADA options comply with the American Disabilities Act.



FEATURES

- 120V AC Replaceable LED module
- 1211 source lumens, 71.2 lumens per watt
- 90+ CRI
- TM-21 60,000 hr. life
- 3000K color temperature
- Dimmable with many ELV type dimmers
- Energy Star and CA Title 24 Compliant
- ADA - Complies with American Disabilities Act

ADA Sconces



Product No.	Finish	Description	Size	Lamp *included
P7083-0930K9	Brushed Nickel	White Acrylic	8-7/8" W., 10-5/8" ht. Extends 4". H/CTR 5-3/8".	*1 17w LED module
P7085-0930K9			9-1/2" W., 10-5/8" ht. Extends 3-3/4". H/CTR 10-3/8".	
P7085-0930K9			8" W., 10-5/8" ht. Extends 3-7/8". H/CTR 5-3/8".	



P7083-0930K9



P7085-0930K9



P7088-0930K9



Product No.	Finish	Description	Size	Lamp *included
P7092-0930K9	Brushed Nickel	Etched opal. Enclosed one-piece glass.	8" W., 10-3/4" ht. Extends 4". H/CTR 5-1/2".	*1 17w LED module
P7093-3030K9	White	White Glass. Includes bronze, white and brushed nickel finials.	11-1/4" W., 11-5/16" ht. Extends 3-1/2". H/CTR 3".	

P7092-0930K9



P7093-3030K9

Shown with white finial



P7093-3030K9

Shown with brushed nickel finial



P7093-3030K9

Shown with bronze finial



P7249-09EBWB



P7249-174EBWB



Product No.	Finish	Description	Size	Lamps *included
P7249-09EBWB	Brushed Nickel	White Acrylic.	10-3/8" dia., Extends 3-1/2".	*1 22w 4-pin T-9 CFL. circline.
P7249-174EBWB	Urban Bronze			

Etched Opal Glass

Product No.	Finish	Description	Size	Ballast	Lamp
P7052-09EB P7052-20EB	Brushed Nickel Antique Bronze	Satin opal glass	7" W., 14" ht. Extends 4". H/CTR 7".	120v NPF electronic	One GU24 base CFL lamp, 26w max.

Product No.	Finish	Description	Size	Lamp
P7068-09 P7068-20	Brushed Nickel Antique Bronze	Satin opal glass	7" W., 14" ht. Extends 4". H/CTR 7".	One GU24 base CFL lamp, 26w max.

Product No.	Finish	Description	Size	Lamp
P7081-09 P7081-20	Brushed Nickel Antique Bronze	Satin opal glass	4-1/2" W., 13-1/2" ht. Extends 4". H/CTR 9-1/2".	One GU24 base CFL lamp, 26w max.

Product No.	Finish	Description	Size	Lamp
P7082-09 P7082-20	Brushed Nickel Antique Bronze	Satin opal glass	5" W., 18" ht. Extends 4". H/CTR 15-3/8".	One GU24 base CFL lamp, 26w max.



P7052-09EB



P7052-20EB



P7068-09



P7068-20



P7081-09



P7081-20



P7082-20



P7082-09



P7163-2030K9

P7163-0930K9

Dash

ARCHITECTURALLY MODERN LED SCONCES ARE RELEVANT, INCORPORATES A CREATIVE DESIGN TO SHAPE LIGHT ON THE WALL FOR A DRAMATIC EFFECT.



Product No.	Finish	Size	Lamps *included
P7163-0930K9	Brushed Nickel with polished chrome accents	4-1/2" W., 12-1/2" ht. Extends 3-1/4".	*One 9w LED module
P7163-2030K9	Antique Bronze with polished chrome accents	H/CTR 10-1/4".	

- 623 source lumens per module
- 69.2 lumens/watt
- 3000K color temperature
- Dimmable with many ELV type dimmers
- 90+ CRI



P5790-09

Shelton

WHITE ACRYLIC. MOUNTS VERTICALLY OR HORIZONTALLY. INDOOR OR OUTDOOR. WET LOCATION LISTED.

ADA

Product No.	Finish	Size	Lamp
P5790-09	Brushed Nickel	11" W., 5-5/8" ht. Extends 3-3/4".	1 13w 4-pin CFL. GX24q-3



P7044-09EBWB

White Glass

ONE-LIGHT ADA SMALL OUTDOOR CFL WALL LANTERN. CAN BE MOUNTED VERTICALLY OR HORIZONTALLY, AS WELL AS INDOORS OR OUTDOORS.

ADA



Product No.	Finish	Size	Ballast	Lamps *included
P7044-09EBWB	Brushed Nickel	14-3/4" W., 9-7/8" ht. Extends 3-7/8". H/CTR 6".	120V NPF	*2 13w 4-pin Quad CFL. G24q-1 base.
P7093-09EBWB		11-1/4" W., 11-5/16" ht. Extends 3-1/2". H/CTR 6".	120V NPF	*2 13w 4-pin Quad CFL. G24q-1 base.



P7093-09EBWB

Eclipse

ONE-LIGHT WALL SCONCE WITH SATIN WHITE GLASS IS PERFECT FOR RESIDENTIAL AND COMMERCIAL APPLICATIONS.



P7171-09WB

ADA 



P7176-20WB

Product No.	Finish	Size	Ballast	Lamps *included
P7171-09WB	Brushed Nickel	15-1/4" W., 7-1/2" ht. Extends 4". H/CTR 3".	120V NPF electronic	*1 13w 4-pin Quad CFL. G24q-3 base.
P7176-20WB	Antique Bronze	15" W., 7-1/2" ht. Extends 4". H/CTR 3".		*1 26w 4-pin Quad CFL. G24q-3 base.





P5806-09



P5806-20

Valera

WHITE ACRYLIC DIFFUSER.
VERTICAL MOUNT ONLY.

Product No.	Finish	Size	Lamps
P5800-09 P5800-20	Brushed Nickel Antique Bronze	5-5/8" W., 8-1/8" ht. Extends 4".	1 GU24 CFL. 18w max.
P5801-09 P5801-20	Brushed Nickel Antique Bronze	8-5/8" W., 11-1/8" ht. Extends 4".	1 GU24 CFL. 26w max.
P5806-09 P5806-20	Brushed Nickel Antique Bronze	5-5/8" W., 16-1/8" ht. Extends 4".	1 GU24 CFL. 18w max.



P5800-09



P5800-20



P5801-09



P5801-20



P5915-16



P5915-20

Parker

ADA

Product No.	Finish	Description	Size	Lamps
P5914-16 P5914-20	Satin Aluminum Antique Bronze	One-light CFL wall sconce. White acrylic diffuser	5-3/8" W., 10-1/4" ht. Extends 4".	1 GU24 CFL. 26w max.
P5915-16 P5915-20	Satin Aluminum Antique Bronze	Two-light CFL wall sconce. White acrylic diffuser	5-5/8" W., 16-7/8" ht. Extends 4".	2 GU24 CFL. each 26w max.



P5914-16



P5914-20



P5914-20
shown without top and
bottom for interior use.



Bath and Vanity

Bathroom lighting helps set the mood for a relaxing space to unwind, while also allowing individuals to complete everyday grooming tasks efficiently. To achieve the best design, a layered lighting approach, which requires several complementing and coordinating fixture options, is recommended.



Arch

ARCH LED IS AN INNOVATIVE SERIES OF ACRYLIC LED WALL SCONCES THAT OPTIMIZES AESTHETIC APPEAL. FROSTED WHITE ACRYLIC LENS. A PERFORATED METAL MESH END CAP DIFFUSES LIGHT ABOVE AND BELOW THE FIXTURE TO PROVIDE EVEN ILLUMINATION.

FEATURES

- 120v AC Replaceable LED module
- 1211 source lumens, 71.2 lumens/watt
- 3000K color temperature; 90 CRI
- Dimmable with many ELV type dimmers
- Wall or ceiling mount
- Can be installed vertically or horizontally



PROGRESS **LED**



P2061-0930K9

Product No.	Finish	Description	Size	Lamps *included
P2061-0930K9	Brushed Nickel	One-light bath	7-1/4" W., 6" ht. Extends 3". H/CTR 3".	*One 17w LED module
P2062-0930K9	Brushed Nickel	Two-light bath	14-1/2" W., 6" ht. Extends 3". H/CTR 3".	*Two 17w LED modules
P2063-0930K9	Brushed Nickel	Three-light bath	21-3/4" W., 6" ht. Extends 3". H/CTR 3".	*Three 17w LED modules
P2064-0930K9	Brushed Nickel	Four-Light Bath	29" W., 6" ht. Extends 3". H/ CTR 3".	*Four 17w LED modules



P2062-0930K9



P2063-0930K9



P2064-0930K9



P2061-0930K9
Shown with P8932-01 shade



P2061-0930K9
Shown with P8934-01 shade

OPTIONAL SHADE ACCESSORIES

Product No.	Screen Print	Description	Size
P8932-01	Fabric Linen	Accessory Shade	6-7/8" W., 6" ht. Extends 2-1/4".
P8934-01	Scroll	Accessory Shade	6-7/8" W., 6" ht. Extends 2-1/4".

Balance

FROSTED WHITE ACRYLIC LENS AND A BRUSHED NICKEL FINISH ARE HIGHLIGHTS OF THESE ENERGY STAR FIXTURES. WALL OR CEILING MOUNTED. CAN BE INSTALLED VERTICALLY OR HORIZONTALLY.

FEATURES

- 120v AC Replaceable LED module
- 623 source lumens, 69.2 lumens/watt
- 3000K color temperature; 90 CRI
- Dimmable with many ELV type dimmers
- Wall or ceiling mount
- Can be installed vertically or horizontally



P2094-0930K9

Product No.	Finish	Description	Size	Lamps *included
P2091-0930K9	Brushed Nickel	One-light bath	6" W., 5" ht. Extends 3". H/CTR 2-1/2".	*One 9w LED module
P2092-0930K9	Brushed Nickel	Two-light bath	11-1/2" W., 5" ht. Extends 3". H/CTR 2-1/2".	*Two 9w LED modules
P2093-0930K9	Brushed Nickel	Three-light bath	16-3/4" W., 5" ht. Extends 3". H/CTR 2-1/2".	*Three 9w LED modules
P2094-0930K9	Brushed Nickel	Four-Light Bath	22" W., 5" ht. Extends 3". H/CTR 2-1/2".	*Four 9w LED modules



P2091-0930K9



P2092-0930K9



P2093-0930K9

Ace

MODERN WALL FIXTURES WITH GEOMETRIC FROSTED GLASS SHADES.

FEATURES

- Sleek styling with etched glass
- Dimmable with many ELV type dimmers
- 120V AC Replaceable LED module
- 623 source lumens, 69.2 lumens per watt
- 3000K color temperature
- TM-21 60,000 hr. life
- 90+ CRI
- CA Title 24 Compliant



Product No.	Finish	Description	Size	Lamps *included
P2142-1530K9 P2142-2030K9	Polished Chrome Antique Bronze	One-light with Etched Glass	7" W., 4-3/4" ht. Extends 4". H/CTR 2-3/4".	*One 9w LED module
P2143-1530K9 P2143-2030K9	Polished Chrome Antique Bronze	Two-light with Etched Glass	15-1/2" W., 4-3/4" ht. Extends 4". H/CTR 2-3/8".	*Two 9w LED modules
P2144-1530K9 P2144-2030K9	Polished Chrome Antique Bronze	Three-light with Etched Glass	24" W., 4-3/4" ht. Extends 4". H/CTR 2-3/8".	*Three 9w LED modules
P2145-1530K9 P2145-2030K9	Polished Chrome Antique Bronze	Four-light with Etched Glass	32-1/2" W., 4-3/4" ht. Extends 4". H/CTR 2-3/8".	*Four 9w LED modules



P2142-1530K9



P2142-2030K9



P2143-2030K9



P2144-1530K9



P2145-2030K9

Linear Fluorescent Bath

WHITE ACRYLIC DIFFUSER WITH BRUSHED NICKEL ENDS. CAN BE INSTALLED HORIZONTALLY OR VERTICALLY.

ADA 

Product No.	Finish	Description	Size	Lamps
P7211-09EB	Brushed Nickel	One-Light	25-5/8" W., 5-1/4" ht. Extends 4".	1-F17T8
P7212-09EB	Brushed Nickel	One-Light	37-5/8" W., 5-1/4" ht. Extends 4".	1-F17T8



P7212-09EB



P7211-09EB

Contemporary Acrylic

BRUSHED NICKEL END CAPS FINISHED WITH TWIN LINEAR DETAILING. ACRYLIC DIFFUSER. WALL MOUNT. ENERGY STAR.



Product No.	Finish	Size	Ballast	Lamps
P7227-09EB	Brushed Nickel	25-1/2" L., 5-1/4" ht. Extends 4-1/2".	120V NPF electronic	2-F17T8
P7228-09EB	Brushed Nickel	37-1/4" L., 5-1/4" ht. Extends 4-1/2".	120V NPF electronic	2-F17T8
P7229-09EB	Brushed Nickel	49-1/4" L., 5-1/4" ht. Extends 4-1/2".	120V NPF electronic	2-F17T8



P7227-09EB



P7228-09EB



P7229-09EB

Maier

Product No.	Finish	Description	Size	Lamps
P7025-09EB	Brushed Nickel w/white acrylic	Two-Light	30" W., 5" ht. Extends 5".	2 4-pin CFL, 2G11 base lamps 24w max.

CLEAN CYLINDER SILHOUETTES IN BRUSHED NICKEL WITH WHITE SATIN ACRYLIC SHADE. CAN BE INSTALLED HORIZONTALLY OR VERTICALLY. TITLE 24 COMPLIANT.

P7025-09EB



Ribbed Linear Bath

WALL OR CEILING MOUNT. WHITE RIBBED ACRYLIC DIFFUSER. CAN BE INSTALLED HORIZONTALLY OR VERTICALLY.

ADA

Product No.	Finish	Description	Size	Lamps
P7218-09EB	Brushed Nickel	Two-Light	25" W., 6-1/2" ht. Extends 4".	2-F14T5
P7221-09EB	Brushed Nickel	Two-Light	49" W., 6-1/2" ht. Extends 4".	2-F17T8



P7218-09EB



P7221-09EB

Metal Edge

SLEEK POLISHED CHROME METAL END CAPS.
ACRYLIC DIFFUSER. WALL MOUNT ONLY.



Product No.	Finish	Size	Ballast	Lamps
P7230-15EB	Polished Chrome	24-1/2" L., 6" ht. Extends 4-1/4".	120/277V HPF electronic	2-F17T8
P7231-15EB	Polished Chrome	38-3/4" L., 6" ht. Extends 4-1/4"	120/277V HPF electronic	2-F17T8
P7232-15EB	Polished Chrome	48-1/2" L., 3-1/4" ht.. Extends 5-1/4"	120/277V HPF electronic	2-F17T8



P7230-15EB



P7231-15EB



P7232-15EB

Soft Clouds


WHITE ACRYLIC DIFFUSERS CAN BE INSTALLED
HORIZONTALLY OR VERTICALLY. PROVIDE LIGHT OUT
AND DOWN. WALL MOUNT ONLY.



Product No.	Finish	Size	Ballast	Lamps
P7114-60EB	White	26-3/4" L., 6" ht. Extends 4-1/4".	120V HPF electronic	2-F17T8
P7115-60EB	White	38-3/4" L., 6" ht. Extends 4-1/4"	120V HPF electronic	2-F17T8
P7116-60EB	White	50-3/4" L., 6" ht. Extends 4-1/4"	120V HPF electronic	2-F17T8



P7114-60EB



P7115-60EB



P7116-60EB

Linear Fluorescent Bath

WHITE ACRYLIC DIFFUSERS WITH BRUSH
NICKEL ENDS. CAN BE INSTALLED
HORIZONTALLY OR VERTICALLY.

ADA

Product No.	Finish	Description	Size	Lamps
P7236-09	Brushed Nickel	Two-Light	33-1/2" W., 4-3/8" ht. Extends 3-7/8".	2-F14T5
P7237-09	Brushed Nickel	Two-Light	45-1/4" W., 4" ht. Extends 3-7/8".	2-F17T8



P7236-09



P7237-09

Bravo



P2004-09WB



P2006-09WB



P2005-09WB

Product No.	Finish	Description	Size	Lamps *included
P2004-09WB	Brushed Nickel	One-Light	7-1/4" W., 9" ht. Extends 8-3/4". H/CTR 4-1/2"	*1 13w GU24 CFL
P2005-09WB		Two-Light	17" W., 9" ht. Extends 8-3/4". H/CTR 6-1/8"	*2 13w GU24 CFL
P2006-09WB		Three-Light	26-3/4" W., 8-3/4" ht. Extends 8-3/4". H/CTR 6-3/8"	*3 13w GU24 CFL

Gather



P2706-09EBWB



P2706-15EBWB



P2706-20EBWB

Product No.	Finish	Description	Size	Lamps *included
P2706-09EBWB	Brushed Nickel	One-Light	5" W., 7-1/2" ht. Extends 6-1/2". H/CTR 2-5/8"	*1 13w GU24 CFL
P2706-15EBWB	Polished Chrome			
P2706-20EBWB	Antique Bronze			
P2707-09EBWB	Brushed Nickel	Two-Light	12" W., 7-1/2" ht. Extends 6-1/2". H/CTR 2-1/2"	*2 13w GU24 CFL
P2707-15EBWB	Polished Chrome			
P2707-20EBWB	Antique Bronze			
P2708-09EBWB	Brushed Nickel	Three-Light	24" W., 7-1/2" ht. Extends 6-1/2". H/CTR 2-1/2"	*3 13w GU24 CFL
P2708-15EBWB	Polished Chrome			
P2708-20EBWB	Antique Bronze			
P2709-09EBWB	Brushed Nickel	Four-Light	30" W., 7-1/2" ht. Extends 6-1/2". H/CTR 2-1/2"	*4 13w GU24 CFL
P2709-15EBWB	Polished Chrome			
P2709-20EBWB	Antique Bronze			



P2707-20EBWB



P2708-20EBWB



P2707-09EBWB



P2707-15EBWB



P2709-09EBWB



P2709-15EBWB



P2708-15EBWB



Hanging

Add personality and functional illumination to spaces with hanging fixtures, such as chandeliers and pendants. These decorative light fixtures are great for small spaces or unexpected areas, such as hallways or utility rooms, as well as popular applications, including kitchens, bath and foyer areas.



FEATURES

- 120V AC Replaceable LED module
- 623 source lumens, 69.2 lumens/watt
- 3000K color temperature
- TM-21 60,000 hr. life
- Dimmable with many ELV type dimmers
- 90+ CRI
- CA Title 24 Compliant

Prismatic Glass

Product No.	Finish	Description	Size	Lamp *included
P5075-0930K9	Brushed Nickel	One-light mini-pendant with clear prismatic glass and etched diffuser	9-1/8-" dia., 8-1/2" ht. Overall ht. w/ stem 74".	*1 9w LED module
P5143-0930K9		One-light pendant with clear prismatic glass and etched diffuser	12-3/4" dia., 10-7/8" ht. Overall ht. w/stem 77".	
P4715-0930K9		Three-light LED linear chandelier	9-1/8" dia., 12-5/8" ht. Overall ht. w/stem xx".	*3 9w LED module



P5075-0930K9



P5143-0930K9



P4715-0930K9



Retro

Retro style LED pendant with prismatic glass

Product No.	Finish	Description	Size	Lamp *included
P5053-0930K9	Brushed Nickel	One-light	14-5/8-" dia., 6-5/8" ht. Overall ht. w/stem 73"; wire 15'.	*1 17w LED module
P5053-1530K9	Polished Chrome			
P5053-7430K9	Venetian Bronze			



FEATURES

- 120V AC Replaceable LED module
- 1211 source lumens per module
- 71.2 lumens/watt
- 3000K color temperature
- TM-21 60,000 hr. life
- Dimmable with many ELV type dimmers
- 90+ CRI
- CA Title 24 Compliant



P5053-0930K9



P5053-1530K9



P5053-7430K9

P5175-0930K9

P5175-3030K9

P5175-7930K9

P5175-2030K9



THIS UNIQUELY SHAPED PENDANT HAS A BRUSHED NICKEL FINISH WITH A WHITE LINEN INTERIOR FOR OPTIMAL LIGHT OUTPUT.

Pure



Product No.	Finish	Description	Size	Lamps *included
P5175-0930K9	Brushed Nickel	Cord hung LED Pendant	6-1/2" dia., 8-7/8" ht. Overall ht. w/cord 130"; wire 10'.	*1 9w LED module
P5175-2030K9	Antique Bronze			
P5175-3030K9	White			
P5175-7930K9	Pistachio			



P5176-0930K9

P5176-2030K9

Simple



Product No.	Finish	Description	Size	Lamps *included
P5176-0930K9	Brushed Nickel	Cord hung LED Pendant	5-7/8" dia., 8-5/8" ht. Overall ht. w/cord 130"; wire 10'	*1 9w LED module
P5176-2030K9	Antique Bronze			

P5186-0930K9

P5187-0930K9



Kiss

THIS UNIQUELY SHAPED PENDANT HAS A BRUSHED NICKEL FINISH WITH A WHITE LINEN INTERIOR FOR OPTIMAL LIGHT OUTPUT.



Product No.	Finish	Description	Size	Lamps *included
P5186-0930K9	Brushed Nickel	One-light mini-pendant	5" dia., 5-7/8" ht. Overall ht. w/stem 72"	*1 9w LED module
P5187-0930K9	Brushed Nickel	One-light pendant	10" dia., 10-3/4" ht. Overall ht. w/stem 77"	*1 17w LED module



FEATURES

- Inspired by vintage light fixtures found in early 20th century train stations.
- 120V AC Replaceable LED module
- 17w: 1211source lumens, 71.2 lumens per watt
- 9w: 623 lumens, 69.2 lumens per watt
- 3000K color temperature
- TM-21 60,000 hr. life
- Dimmable with many ELV type dimmers
- 90+ CRI
- CA Title 24 Compliant



Brookside



Product No.	Finish	Description	Size	Lamps *included
P5023-0930K9	Brushed Nickel	One-light mini-pendant	8" dia., 7-1/2" ht. Overall ht. w/stem 64"; wire 10'.	*1 17w LED module
P5023-2030K9	Antique Bronze			
P5024-0930K9	Brushed Nickel	One-light	12" dia., 9-1/8" ht. Overall ht. w/stem 65"; wire 15'.	
P5024-2030K9	Antique Bronze			



FEATURES

- Industrial roots in form and function.
- 120V AC Replaceable LED module
- 17w: 1211 source lumens, 71.2 lumens per watt
- 9w: 623 source lumens, 69.2 lumens per watt
- 3000K color temperature
- TM-21 60,000 hr. life
- Dimmable with many ELV type dimmers
- 90+ CRI
- CA Title 24 Compliant

Fresnel Lens



Product No.	Finish	Description	Size	Lamps *included
P5197-0930K9	Brushed Nickel	One-light	16" dia., 13-1/4" ht. Overall ht. w/stem 79"; wire 10'.	*1 17w LED module
P5197-10830K9	Oil Rubbed Bronze			

District

FEATURES

- 120V AC Replaceable LED module
- 623 source lumens, 69.2 lumens/watt
- 3000K color temperature
- TM-21 60,000 hr. life
- Dimmable with many ELV type dimmers
- 90+ CRI
- CA Title 24 Compliant



Product No.	Finish	Description	Size	Lamp *included
P5551-2030K9	Antique Bronze	Large Hanging Lantern	12" dia., 8-1/4" ht. Overall ht. w/ cord 130" wire 12'.	*One 9w LED module
P5551-8230K9	Metallic Gray			
P5535-2030K9	Antique Bronze	Medium Hanging Lantern	8" dia., 6-1/4" ht. Overall ht. w/ cord 130" wire 12'.	*One 9w LED module
P5535-8230K9	Metallic Gray			
P5623-2030K9	Antique Bronze	Large Hanging Lantern	12" dia., 10-1/2" ht. Extends 13-1/4". H/CTR 5".	*One 9w LED module
P5623-8230K9	Metallic Gray			

Warehouse

CORD HUNG METAL SHADE WITH
WHITE INNER-LINING

FEATURES

- 120V AC Replaceable LED module
- 1211 source lumens per module
- 71.2 lumens/watt
- 3000K color temperature
- TM-21 60,000 hr. life
- Dimmable with many ELV type dimmers
- 90+ CRI
- CA Title 24 Compliant



Product No.	Finish	Description	Size	Lamp *included
P5087-0930K9	Brushed Nickel	One-light mini-pendant	10-1/8-" dia., 6-1/2" ht. Cord 10'.	*1 17w LED module
P5094-0930K9	Brushed Nickel	One light	16" dia., 7-1/2" ht. Overall ht. w/cord 129"; Cord 10'.	
P5094-3030K9	White			
P5094-4530K9	Dark Green			
P5094-7430K9	Venetian Bronze			

P5094-0930K9



P5087-0930K9



P5087-3030K9



P5087-4530K9



P5087-7430K9



Markor

CREATED WITH MID-CENTURY
DESIGNS IN MIND. ADD A SPLASH
OF VINTAGE MODERN FLAIR WITH
A VARIETY OF FABRICS, SHADE
SIZES AND PENDANT KITS

22" DRUM SHADES

Acrylic bottom diffuser.
For use with P5198 or P5199.
Size: 22" dia., 10" ht.
P8768-01 Chloe Floral Fabric
P8824-01 Black Parchment Paper
P8825-01 Beige Silken Fabric
P8830-30 Summer Linen
P8830-39 Crimson
P8830-56 Khaki
P8830-59 Harvest Linen

10" DRUM SHADES

Acrylic bottom diffuser.
For use with P5198 only.
Size: 10" dia., 8" ht.
P8820-01 Black Parchment
Paper with White Liner
P8821-01 Beige Silken Fabric
P8828-30 Summer Linen
P8828-39 Crimson
P8828-56 Khaki
P8828-59 Harvest Linen

9" DRUM SHADE

Acrylic bottom diffuser.
Size: 9" dia., 8" ht.
P8928-01 Chiffon Ribbon Fabric





P8829-30
shown with pendant kit
(sold separately)



P8829-39
shown with pendant kit
(sold separately)



P8829-56
shown with pendant kit
(sold separately)



P8929-01
shown with pendant kit
(sold separately)



P8829-59
shown with pendant kit
(sold separately)



P8830-59
shown with pendant kit
(sold separately)

16" DRUM SHADE
Acrylic bottom diffuser.
For use with P5198 or P5199.
Size: 16" dia., 10" ht.
P8766-01 Chloe Floral Fabric
P8822-01 Black Parchment Paper
with White Liner
P8823-01 Beige Silken Fabric
P8929-01 Chiffon Ribbon Fabric
P8829-30 Summer Linen
P8829-39 Crimson
P8829-56 Khaki
P8829-59 Harvest Linen



P5198-0930K9

ONE-LIGHT LED PENDANT KIT
P5198-0930K9 Brushed Nickel
P5198-2030K9 Antique Bronze
One-light pendant kit for all Markor shades. 3000K. 90+ CRI. 1211 lumens.
Size: 5-3/4" dia., 5-3/8" ht. Overall ht. w/stem and lamps 62"; wire 10'.
Lamp: One 17w LED module included.



Stems include two 6", one 12" and two 15" stems with 90° swivel.

Wisten



Product No.	Finish	Description	Size	Lamp *included
P5108-09EBWB P5108-20EBWB	Brushed Nickel Antique Bronze	One-light with tripled etched glass	4" dia., 6-3/4" ht. Overall ht. w/ stem 120" wire 15'.	*1 13w GU24 CFL

P5108-09EBWB



P5108-20EBWB




Avalon



Product No.	Finish	Description	Size	Lamp *included
P5145-09EBWB P5145-20EBWB	Brushed Nickel Antique Bronze	One-light with etched alabaster glass	7-3/4" dia., 6-1/2" ht. Overall ht. w/ stem 63" wire 10'.	*1 13w GU24 CFL

P5145-20EBWB



P5145-09EBWB



Bravo



Product No.	Finish	Description	Size	Lamp *included
P5300-09EBWB	Brushed Nickel	One-light with etched glass	7-1/4" dia., 6-1/2" ht. Overall ht. w/ stem 94" wire 10'.	*1 13w GU24 CFL



P5300-09EBWB



P5095-09EBWB



P5095-20EBWB

P5096-09EBWB



P5096-20EBWB



Trinity



Product No.	Finish	Description	Size	Lamp *included
P5095-09EBWB P5095-20EBWB	Brushed Nickel Antique Bronze	One-light pendant with etched glass	18" dia., 9-1/2" ht. Overall ht. w/ chain 85" wire 15'.	*1 13w GU24 CFL
P5096-09EBWB P5096-20EBWB	Brushed Nickel Antique Bronze	One-light mini-pendant with etched glass	6-1/2" dia., 7" ht. Overall ht. w/ stem 64" wire 10'.	

Eclipse



Product No.	Finish	Description	Size	Lamp *included
P7322-09EBWB	Brushed Nickel	Three-light pendant with opal glass	19-3/8" dia., 17" ht. Overall ht. w/ chain 56" wire 15'.	*3 26w 4-pin Quad CFL. G24q-3 base.
P7322-20EBWB	Antique Bronze			
P7323-09EBWB	Brushed Nickel	Four-light pendant with opal glass	27-3/8" dia., 24-1/8" ht. Overall ht. w/ chain 63" wire 15'.	*4 26w 4-pin Quad CFL. G24q-3 base.
P7323-20EBWB	Antique Bronze			

Avalon



Product No.	Finish	Description	Size	Lamp *included
P4276-09EBWB	Brushed Nickel	Three-light chandelier with alabaster glass	24-3/8" dia., 15-5/8" ht. Overall ht. w/ chain 91"; wire 15'.	*3 13w GU24 CFL
P5145-09EBWB	Brushed Nickel	Mini-pendant with alabaster glass	7-3/4" dia., 6-1/4" ht. Overall ht. w/ stem 63"; wire 15'.	*1 13w GU24 CFL
P5145-20EBWB	Antique Bronze			
P4275-09EBWB	Brushed Nickel	Five-light chandelier with alabaster glass	26-1/2" dia., 22-5/8" ht. Overall ht. w/ chain 98"; wire 15'.	*5 13w GU24 CFL
P3468-09EBWB	Brushed Nickel	Two-light Foyer with alabaster glass	13-1/8" dia., 15" ht. Overall ht. w/ chain 90"; wire 15'.	*2 13w GU24 CFL



P4365-09EBWB



P4328-20EBWB



P3474-09EBWB



P4329-20EBWB



Trinity

ETCHED GLASS



Product No.	Finish	Description	Size	Lamp *included
P4365-09EBWB P4365-20EBWB	Brushed Nickel Antique Bronze	Fifteen-light chandelier	43-3/4" dia., 43-5/8" ht. Overall ht. w/ chain 167"; wire 15'.	*15 13w GU24 CFL
P4329-09EBWB P4329-20EBWB	Brushed Nickel Antique Bronze	Nine-light chandelier	30" dia., 33" ht. Overall ht. w/ stem 156"; wire 15'.	*9 13w GU24 CFL
P4328-09EBWB P4328-20EBWB	Brushed Nickel Antique Bronze	Five-light chandelier	23" dia., 24" ht. Overall ht. w/ chain 99"; wire 15'.	*5 13w GU24 CFL
P4324-09EBWB P4324-20EBWB	Brushed Nickel Antique Bronze	Three-light chandelier	19" dia., 20" ht. Overall ht. w/ chain 95"; wire 15'.	*3 13w GU24 CFL

Product No.	Finish	Description	Size	Lamp *included
P3474-09EBWB P3474-20EBWB	Brushed Nickel Antique Bronze	Three-light Foyer	18" dia., 24" ht. Overall ht. w/ chain 99"; wire 15'.	*3 13w GU24 CFL

Product No.	Finish	Description	Size	Lamp *included
P5096-09EBWB P5096-20EBWB	Brushed Nickel Antique Bronze	Mini Pendant	6-12" dia., 7" ht. Overall ht. w/ chain 64"; wire 10'.	*1 13w GU24 CFL

P5096-09EBWB



P5096-20EBWB





Bravo

ETCHED GLASS



Product No.	Finish	Description	Size	Lamp *included
P3912-09WB	Brushed Nickel	Three-light foyer	21" dia., 23-1/2" ht. Overall ht. w/ chain 98"; wire 180'.	*3 13w GU24 CFL
P4621-09WB	Brushed Nickel	Three-light chandelier	23" dia., 20-1/8" ht. Overall ht. w/ stem 95"; wire 12'.	*3 13w GU24 CFL
P4623-09WB	Brushed Nickel	Five-light chandelier	27" dia., 23" ht. Overall ht. w/ chain 97"; wire 12'.	*5 13w GU24 CFL
P5300-09WB	Brushed Nickel	One-light mini-pendant	7-1/4" dia., 6-1/2" ht. Overall ht. w/ chain or stem 94"; wire 10'.	*1 13w GU24 CFL



P4627-20EBWB



P4441-09EBWB



P4440-20EBWB



Gather

SIMPLIFIED FRAME WITH UPDATED STYLING AND ELEGANT ETCHED GLASS SHADES. AVAILABLE IN ENERGY STAR VERSIONS.



P5113-09EBWB



P5113-20EBWB



Product No.	Finish	Description	Size	Lamps *included
P4627-09EBWB P4627-20EBWB	Brushed Nickel Antique Bronze	Two-tier. Nine-light chandelier	27-3/4" dia., 20-1/2" ht. Overall ht. w/ chain 84"; wire 120".	*9 13w GU24 CFL
P4441-09EBWB P4441-20EBWB	Brushed Nickel Antique Bronze	Five-light chandelier	20-1/2" dia., 15" ht. Overall ht. w/ chain 60"; wire 96".	*5 13w GU24 CFL
P4440-09EBWB P4440-20EBWB	Brushed Nickel Antique Bronze	Three-light chandelier	18-1/2" dia., 15" ht. Overall ht. w/ chain 60"; wire 96".	*3 13w GU24 CFL
Product No.	Finish	Description	Size	Lamps *included
P5113-09EBWB P5113-20EBWB	Brushed Nickel Antique Bronze	Chain or stem hung mini-pendant	4" dia., 5-3/4" ht. Overall ht. w/ chain/ stem 63"; wire 96".	*1 13w GU24 CFL



Undercabinet

Designed to fit in small spaces and provide accent or task lighting, Progress Lighting's undercabinet offering features a subtle – yet wide distribution – under kitchen cabinets, on bookshelves, in display cases, alcoves and more.



HIDE·a·Lite³

120V LED Strips | Undercabinet Systems

Direct Wire and Linkable,
with long-life LED's

Electrical

Each fixture includes 120V dimmable electronic power supplies rated for long-life continuous use. An on/off rocker switch is included.

Lamping

70% lumen maintenance over 35,000 hours. 3000K, 80+ CRI.

Construction

Extruded aluminum frame, polycarbonate end plates match frame finish. Tempered micro-prismatic glass lens.

Linkable

The system can be powered from a single location using the P8740 direct-wire junction box (each fixture can also be direct-wired individually). Using the HAL3 linking cable accessories (P8733-P8743), the fixtures can be linked together to form a continuous row of illumination. (Note: The linking cables can be used with or without the use of the P8740 junction box).

Dimming

Smooth and continuous dimming on many incandescent dimmer switches (Note: Reference manufacturers' minimum load requirements for dimmer switches). (Except P7002)



Side view showing cable connector

Product No.	Finish	Description	Size	Lamps	Lumens
P7002-20	Bronze	120V LED undercabinet (Non-dimmable)	3-1/2" W., 9" L., Extends 1".	4w LED.	157
P7002-30	White				



P7002-20



P7002-30

Product No.	Finish	Description	Size	Lamps	Lumens
P7012-20	Bronze	120V LED undercabinet	3-1/2" W., 12" L., Extends 1".	8w LED	284
P7012-30	White				



P7012-20



P7012-30

Product No.	Finish	Description	Size	Lamps	Lumens
P7005-20	Bronze	120V LED undercabinet	3-1/2" W., 18" L., Extends 1".	10w LED	425
P7005-30	White				



P7005-20

Product No.	Finish	Description	Size	Lamps	Lumens
P7013-20	Bronze	120V LED undercabinet	3-1/2" W., 24" L., Extends 1".	14w LED	555
P7013-30	White				



P7013-30

120V AC LED Puck

Electrical

120V AC linkable LED puck. Wet location listed.

Construction

Die cast enclosure. V5 rated cover and frosted lens.

Dimmable

Smooth and continuous dimming using most incandescent dimmers (Note: Reference dimmer manufacturer's minimum load requirements.)

Lamping

Long life LED's 50,000 hours, 70% lumen maintenance. 3000K color temperature, 85+ CRI.

Linkable


This system can be powered from a single location using the P8740 direct-wire junction box using HAL3 linking cables (P8733, P8735, P8737, P8738). The fixtures can be linked together to form a continuous row of illumination.

Product No.	P7510-30 White
Description	Two-light LED Puck, 120V LED puck.
Size	3-1/4" dia., 15/16" ht.
Lamps	4w LED array.
Lumens	274 lumen output, 62 lumens per watt

P7510-30




Quick connect locations on two sides and the top.



HAL 3 JUNCTION BOX

Product No.	P8740-20 Antique Bronze P8740-30 White
Description	HAL3 junction box.
Size	3-1/4" W., 7/8" ht. 3-1/2" L.

P8740-30



Shown P8740-30 with P8737-30

HAL 3 LINKING CABLES

Product No.	P8733-20 Antique Bronze P8733-30 White
Description	12" Undercabinet fixture linking cable.
Size	3/4" W., 3/8" ht. 12" L.

P8733-30



Product No.	P8735-20 Antique Bronze P8735-30 White
Description	6" Undercabinet fixture linking cable.
Size	3/4" W., 3/8" ht. 6" L.

P8735-20



Product No.	P8737-20 Antique Bronze P8737-30 White
Description	18" Undercabinet fixture linking cable.
Size	3/4" W., 3/8" ht. 18"L.

P8737-30



Product No.	P8738-20 Antique Bronze P8738-30 White
Description	24" Undercabinet fixture linking cable.
Size	3/4" W., 3/8" ht. 24" L.

P8738-30


































Product No.	P8743-20 Antique Bronze P8743-30 White
Description	Coupling cable, Connects two linking cables together.
Size	3/4" W., 1/2" ht. 6" L.

P8743-20



CEILING HEIGHT CROSSOVER

Ceiling Height	Legacy Lamps	Pro -Optic PREMIER		Pro -Optic	Mini Flush Mount	Recessed
20-30'	 <p>100W MH 250W T4 70W CFL</p>	<p>8" Housing & Trim</p>  <p>P8215-EBG4 P8220-EBG4</p>  <p>P8120</p>	<p>6" Housing & Trim</p>  <p>P8212-EBG4 P8214-EBG4</p>  <p>P8112</p>			
10-20'	 <p>42/57W CFL Twin 26W CFL</p>	<p>8" Housing & Trim</p>  <p>P8103-EBG4 P8102-EBG4</p>  <p>P8133</p>	<p>6" Housing & Trim</p>  <p>P8002-EBG4 P8023-EBG4</p>  <p>P8050</p>			
		<p>4" Housing & Trim</p>  <p>P8064-EBG4</p>  <p>P8206</p>				
10-15'	 <p>26/32W CFL</p>	<p>8" Housing & Trim</p>  <p>P8103-EBG4 P8102-EBG4</p>  <p>P8133</p>	<p>6" Housing & Trim</p>  <p>P8002-EBG4 P8023-EBG4</p>  <p>P8050</p>	<p>8" Housing & Trim</p>  <p>P8216-EBG4</p>  <p>P8104</p>	<p>7"</p>  <p>P8022</p>  <p>P8027</p>  <p>P8222</p>	<p>6"</p>  <p>P8071-28/30K9-L10-STR2</p>  <p>P8071-28/35K9-L10-STR2</p>
8-10'	 <p>18W CFL 75W INC 65W INC</p>				<p>5"</p>  <p>P8240</p>  <p>P8241</p>  <p>P8247</p>	<p>6"</p>  <p>P8071-28/30K9-L10-STR2</p>  <p>P8061</p> <p>4"</p>  <p>P8080</p>



Recessed

Designed to fit in small spaces and provide accent or task lighting, Progress Lighting's undercabinet offering features a subtle – yet wide distribution – under kitchen cabinets, on bookshelves, in display cases, alcoves and more.



6"

6" NEW CONSTRUCTION HOUSING

Product No.	P87-LED
Description	New Construction Air-Tight IC and Non-IC. Integral quick connect mates with P8071 series LED trims.
Ceiling opening	6-7/8" dia.
Plaster frame	7-7/8" x 10-3/4"
Recessed depth	7-1/2"
Pryouts	1/2" & 3/4"

P87-LED



6" NEW CONSTRUCTION or REMODEL TRIMS

Product No.	P8071-20/30K9-AC1-L07 Antique Bronze
	P8071-28/30K9-AC1-L07 White
	P8071-31/30K9-AC1-L07 Black
	P8071-82/30K9-AC1-L07 Metallic Gray

Description 700 lumen 3000K



Includes Edison base socket and Quick-Link connector

P8071-20/30K9-AC1-L07



P8071-28/30K9-AC1-L07



P8071-31/30K9-AC1-L07



P8071-82/30K9-AC1-L07



FEATURES

- Frosted polycarbonate lens controls direct glare from the LEDs
- Dimmable with many ELV type dimmers
- 12-watt input power
- Lumen output 700 lumens
- Lumen output and distribution comparable to a 65w BR30 incandescent lamp
- 3000K color temperature
- 90+ CRI
- TM-21 60,000 hours life
- Suitable for use in IC or NON-IC applications
- CSAus listed for wet locations

Product No.	P8071-28/30K-L10-STR2 White
-------------	------------------------------------

Description 1000 lumen 3000K

Product No.	P8071-28/35K-L10-STR2 White
-------------	------------------------------------

Description 1000 lumen 3500K



Includes Edison base socket and Quick-Link connector

P8071-28/30K-L10 STR2



P8071-28/35K-L10 STR2



FEATURES

- Frosted polycarbonate lens controls direct glare from the LEDs
- Dimmable with many ELV type dimmers
- 12-watt input power
- Lumen output 1037 lumens
- Lumen output and distribution comparable to a 75w PAR30 incandescent lamp
- 80+ CRI
- TM-21 60,000 hours life
- Suitable for use in IC or NON-IC applications
- Available in 3000K and 3500K color temperatures
- cULus listed for wet locations

4" & 5"

4" NEW CONSTRUCTION or REMODEL HOUSING

Product No.	P831-LED
Description	New Construction Air-Tight, IC and Non-IC. Integral quick connect mates with P8080 series LED trims.
Ceiling opening	4-1/2"
Plaster frame	8-3/8" x 13"
Recessed depth	7-1/2"



Product No.	P830-LED
Description	New Construction Non-IC. Integral quick connect mates with P8080 series LED trims
Ceiling opening	4-1/2"
Plaster frame	7-7/8" x 10-3/4"
Recessed depth	5-1/2"
Pryouts	1/2" and 3/4"



Product No.	P832-LED
Description	Remodel Non-IC. Retrofit version of P830-TG for use in existing ceilings
Ceiling opening	4-1/4"
Recessed depth	5-1/2"
Pryouts	1/2"





4" NEW CONSTRUCTION or REMODEL TRIMS

Product No.	P8080-20/30K9-AC1-L06 Antique Bronze P8080-28/30K9-AC1-L06 White P8080-31/30K9-AC1-L06 Black P8080-82/30K9-AC1-L06 Metallic Gray
Description	600 lumen 3000K



Includes Edison base socket and Quick-Link connector





- FEATURES**
- LED (Light Emitting Diode) lamp included
 - 10-watt input power
 - Lumen output 620 lumens
 - Lumen output and distribution comparable to 50w R20 incandescent lamp
 - 90+ CRI
 - TM-21 60,000 hours life
 - Suitable for use in IC or NON-IC applications
 - cULus listed for wet locations

5" P8061 NEW CONSTRUCTION or REMODEL (TRIMS ONLY)

Product No.	P8061-20/30K9-AC1-L06 Antique Bronze P8061-28/30K9-AC1-L06 White P8061-31/30K9-AC1-L06 Black P8061-82/30K9-AC1-L06 Metallic Gray
Description	600 lumen 3000K




Includes Edison base socket and Quick-Link connector



- FEATURES**
- LED (Light Emitting Diode) lamp included
 - Dimmable with many ELV type dimmers
 - 12-watt input power
 - Lumen output 635 lumens
 - Lumen output and distribution comparable to 65w BR30 incandescent lamp
 - 90+ CRI
 - TM-21 60,000 hours life
 - Suitable for use in IC or NON-IC applications
 - cULus listed for wet locations

2" Pro-Optic®

2" NEW CONSTRUCTION HOUSING & TRIM

	
Ceiling Opening	2-7/8"
Ceiling Thickness	1/2" - 1-1/4"
Pryouts	1/2"

P8152-21A/27K9
Clear Alzak®



P8152-28/27K9
White



FEATURES

- 120V high efficiency driver
- 2700K
- TM-21 50,000 hour life
- 900 lumens
- 21 watts
- 35° distribution
- 95+ CRI
- Suitable for wet locations, non-IC rated
- Forward phase dimmable to 10%
- 5 year warranty
- Completely accessible from below the ceiling

ACCESSORY FOR 2"

Product No.	P8556-01
Description	IC Box with bar hangers.



WALL WASH

P8153-21A/27K9
Clear Alzak®




P8153-28/27K9
White




4" Pro-Optic®

4" NEW CONSTRUCTION HOUSING

	
Product No.	P8064-EBG4
Ceiling Opening	5-3/8"
Ceiling Thickness	1-1/4"
Plaster Frame	9-1/16" x 15-1/2"
Pryouts	1/2" and 3/4"

P8064-EBG4



1100 LUMEN OPEN MODULE TRIMS FOR P8064

P8067-21A/30KG4
P8067-21A/35KG4
P8067-21A/40KG4
Clear Alzak®



P8067-22A/30KG4
P8067-22A/35KG4
P8067-22A/40KG4
Gold Alzak®



P8067-28/30KG4
P8067-28/35KG4
P8067-28/40KG4
White



FEATURES

- Universal 120-277V high efficiency driver
- Remote phosphor technology for controlled color consistency
- 3000K, 3500K and 4000K options
- 80+ CRI
- 50 lumens per watt fixture efficacy
- TM-21 50,000 hour life
- J-box rated for (8) #12 90° conductors (4 in/4 out)
- Light commercial bar hangers included
- Suitable for wet locations, non-IC rated
- 5 year warranty

2000 LUMEN OPEN MODULE TRIMS FOR P8064

P8206-21A/30KG4
P8206-21A/35KG4
P8206-21A/40KG4
Clear Alzak®



P8206-22A/30KG4
P8206-22A/35KG4
P8206-22A/40KG4
Gold Alzak®



P8206-28/30KG4
P8206-28/35KG4
P8206-28/40KG4
White



6" Pro-Optic®

6" NEW CONSTRUCTION HOUSING

Product No. **P8216-EB**
P8216-DM
P8216-277EB
P8216-277DM



Ceiling Opening 6-1/4"

Ceiling Thickness 1-1/4"

Plaster Frame 9-1/8" x 14"

Pryouts 1/2" and 3/4"

Note Built to order with a 2-4 week lead time

P8216-EB
 P8216-DM
 P8216-277EB
 P8216-277DM



900 LUMEN OPEN MODULE TRIMS FOR P8216

P8104-28/30K
P8104-28/35K
P8104-28/40K
 White



1300 LUMEN OPEN MODULE TRIMS FOR P8216

P8105-28/30K
P8105-28/35K
P8105-28/40K
 White




1500 LUMEN OPEN MODULE TRIMS FOR P8216

P8106-28/30K
P8106-28/35K
P8106-28/40K
 White




8" Pro-Optic[®]

8" NEW CONSTRUCTION HOUSING

Product No.	P8220-EB120VG4 P8220-EB277VG4	
Ceiling Opening	6-1/4"	
Ceiling Thickness	1-1/4"	
Plaster Frame	9-1/16" x 15-1/2"	
Pryouts	1/2" and 3/4"	

P8220-EB120VG4
P8220-EB277VG4



3000 LUMEN OPEN MODULE TRIMS FOR P8220


P8120-21A/30KG4 P8120-21A/35KG4 P8120-21A/40KG4 Clear Alzak [®]	P8120-22A/30KG4 P8120-22A/35KG4 P8120-22A/40KG4 Gold Alzak [®]	P8120-28/30KG4 P8120-28/35KG4 P8120-28/40KG4 White
--	---	--




FEATURES

- 120V or 277V high efficiency driver
- Remote phosphor technology for controlled color consistency
- 3000K, 3500K and 4000K options
- 80+ CRI
- 50 lumens per watt fixture efficacy
- TM-21 50,000 hour life
- J-box rated for (8) #12 90° conductors (4 in/4 out)
- Light commercial bar hangers incl.
- Suitable for wet locations, non-IC rated
- 5 year warranty

8" NEW CONSTRUCTION HOUSING

Product No.	P8103-EBG4	
Ceiling Opening	6-1/4"	
Ceiling Thickness	1-1/4"	
Plaster Frame	9-1/16" x 15-1/2"	
Pryouts	1/2" and 3/4"	

P8103-EBG4



1100 LUMEN OPEN MODULE TRIMS FOR P8103

P8121-21A/30KG4 P8121-21A/35KG4 P8121-21A/40KG4 Clear Alzak [®]	P8121-22A/30KG4 P8121-22A/35KG4 P8121-22A/40KG4 Gold Alzak [®]	P8121-28/30KG4 P8121-28/35KG4 P8121-28/40KG4 White
--	---	--



FEATURES

- 120V or 277V high efficiency driver
- Remote phosphor technology for controlled color consistency
- 3000K, 3500K and 4000K options
- 80+ CRI
- 50 lumens per watt fixture efficacy
- TM-21 50,000 hour life
- J-box rated for (8) #12 90° conductors (4 in/4 out)
- Light commercial bar hangers incl.
- Suitable for wet locations, non-IC rated
- 5 year warranty



2000 LUMEN OPEN MODULE TRIMS FOR P8103

P8133-21A/30KG4 P8133-21A/35KG4 P8133-21A/40KG4 Clear Alzak [®]	P8133-22A/30KG4 P8133-22A/35KG4 P8133-22A/40KG4 Gold Alzak [®]	P8133-28/30KG4 P8133-28/35KG4 P8133-28/40KG4 White
--	---	--



8" Pro-Optic®

8" RETROFIT HOUSING

Product No.	P8102-EBG4	
Ceiling Opening	min. 8-1/8" max. 8-3/4"	
Product No.	P8102-EBSDG4	
(Must use WF trims)		
Ceiling Opening	min. 7-15/16" max. 8-1/8"	
Ceiling Thickness	1-1/2"	
Plaster Frame	9" x 13-3/4" to 16"	
Pryouts	1/2" and 3/4"	

P8102-EBG4
P8102-EBSDG4



1100 LUMEN OPEN MODULE TRIMS FOR P8102-EB

P8121-21A/30KG4 P8121-21A/35KG4 P8121-21A/40KG4 Clear Alzak®	P8121-22A/30KG4 P8121-22A/35KG4 P8121-22A/40KG4 Gold Alzak®	P8121-28/30KG4 P8121-28/35KG4 P8121-28/40KG4 White
--	---	--

1100 LUMEN OPEN MODULE TRIMS FOR P8102-EBSD

P8121-21A/30KWFG4 P8121-21A/35KWFG4 P8121-21A/40KWFG4 Clear Alzak®	P8121-22A/30KWFG4 P8121-22A/35KWFG4 P8121-22A/40KWFG4 Gold Alzak®	P8121-28/30KWFG4 P8121-28/35KWFG4 P8121-28/40KWFG4 White
--	---	--



2000 LUMEN OPEN MODULE TRIMS FOR P8102-EB

P8133-21A/30KG4 P8133-21A/35KG4 P8133-21A/40KG4 Clear Alzak®	P8133-22A/30KG4 P8133-22A/35KG4 P8133-22A/40KG4 Gold Alzak®	P8133-28/30KG4 P8133-28/35KG4 P8133-28/40KG4 White
--	---	--

2000 LUMEN OPEN MODULE TRIMS FOR P8102-EBSD

P8133-21A/30KWFG4 P8133-21A/35KWFG4 P8133-21A/40KWFG4 Clear Alzak®	P8133-22A/30KWFG4 P8133-22A/35KWFG4 P8133-22A/40KWFG4 Gold Alzak®	P8133-28/30KWFG4 P8133-28/35KWFG4 P8133-28/40KWFG4 White
--	---	--

8" RETROFIT HOUSING

Product No.	P8215-EB120VG4 P8215-EB277VG4	
Ceiling Opening	min. 8-1/8" max. 8-3/4"	
Product No.	P8215-EBSD120VG4 P8215-EBSD277VG4	
(Must use WF trims)		
Ceiling Opening	min. 7-15/16" max. 8-1/8"	
Ceiling Thickness	1-1/2"	
Plaster Frame	9" x 13-3/4" to 16"	
Pryouts	1/2" and 3/4"	

P8215-EB120VG4
P8215-EB277VG4
P8215-EBSD120VG4
P8215-EBSD277VG4



3000 LUMEN OPEN MODULE TRIMS FOR P8215-EB

P8120-21A/30KG4 P8120-21A/35KG4 P8120-21A/40KG4 Clear Alzak®	P8120-22A/30KG4 P8120-22A/35KG4 P8120-22A/40KG4 Gold Alzak®	P8120-28/30KG4 P8120-28/35KG4 P8120-28/40KG4 White
--	---	--

3000 LUMEN OPEN MODULE TRIMS FOR P8215-EBSD

P8120-21A/30KWFG4 P8120-21A/35KWFG4 P8120-21A/40KWFG4 Clear Alzak®	P8120-22A/30KWFG4 P8120-22A/35KWFG4 P8120-22A/40KWFG4 Gold Alzak®	P8120-28/30KWFG4 P8120-28/35KWFG4 P8120-28/40KWFG4 White
--	---	--

- ### FEATURES
- Universal 120-277V high efficiency driver
 - Remote phosphor technology for controlled color consistency
 - 3000K, 3500K and 4000K options
 - 80+ CRI
 - 50 lumens per watt fixture efficacy
 - TM-21 50,000 hour life
 - J-box rated for (8) #12 90° conductors (4 in/4 out)
 - Suitable for wet locations, non-IC rated
 - 5 year warranty

- ### FEATURES
- 120V or 277V high efficiency driver
 - Remote phosphor technology for controlled color consistency
 - 3000K, 3500K and 4000K options
 - 80+ CRI
 - 50 lumens per watt fixture efficacy
 - TM-21 50,000 hour life
 - J-box rated for (8) #12 90° conductors (4 in/4 out)
 - Suitable for wet locations, non-IC rated
 - 5 year warranty

6" Pro-Optic[®] Firebox[®]

6" LED FIRE RATED HOUSING

Product No.	P821-FBLED
Ceiling Opening	6-7/8"
Recessed Depth	8-9/16"
Plaster Frame	12-3/8"- 9-9/16"
Pryouts	1/2" and 3/4"

P821-FBLED



P8071 LED TRIMS (see page 58 for details)

P8071-28/30K9-AC1-L07
P8071-20/30K9-AC1-L07
P8071-31/30K9-AC1-L07
P8071-82/30K9-AC1-L07
 700 lumen



P8071-28/30K9-L10-STR2
P8071-28/35K9-L10-STR2
 1000 lumen



FEATURES

- IC rated
- Fits into 2" x 10" construction
- CUL and UL listed for wet location when used w/P8071 (sold separately)
- UL classified to maintain fire ratings of 2 hour or less (see spec sheet for ceiling/floor designs)



Recessed Accessories

BAR HANGARS

Product No.	P8716-01
Description	Two 26" adjustable hangers for step lights, complete rounds and squares.

P8716-01



Product No.	P8725-01
Description	Bar Hangar for T-Bar. For use with P8200/8201/P82002/P8203

Product No.	P8739-01
Description	Bar Hangar for joist. For use with P8200/8201/P82002/P8203



Outdoor

Landscape fixtures – including decorative lanterns, wall packs, cylinders and step lights – will enhance the exterior atmosphere and curb appeal, while adding safety and security to your property



Outdoor Commercial LED Floodlights



PCOFL-30LED-20



PCOFL-50LED-20



PCOFL-100LED-20



PCOFL-200LED-20

Product No.	Finish	Lamp	Lumens	Size
PCOFL-100LED-20	Bronze	100w	8054	15" w., 7" ht., 6" d.
PCOFL-200LED-20		200w	16358	15" w., 14" ht., 6" d.
PCOFL-30LED-20		27w	2040	7.5" w., 5.125" ht., 4" d.
PCOFL-50LED-20		53w	4825	9.6" w., 6.7" ht., 4.5" d.



PCOGS-50LED-82



PCOGS-75LED-MS-82

Commercial Garage / Surface LED

Product No.	Finish	Lamp	Size
PCOGS-50LED-82	Metallic Grey	15 LEDs, 53w, 4383 lumens	12.5" w., 5.21" ht., 12.01" d.
PCOGS-75LED-82		21 LEDs, 73w, 6040 lumens	
PCOGS-50LED-MS-82		15 LEDs, 53w, 4383 lumens	
PCOGS-75LED-MS-82 Motion Sensor		21 LEDs, 73w, 6040 lumens	



PCVTS-LED



PCVTW-LED



PCVTS



PCVTW

Vaportites

Product No.	Mount	Lamp	Size
PCVTS	Ceiling	150w inc.	4" w., 9" ht.
PCVTS-LED		LED, 11w, 757 lumens	5.2" w., 10.37" ht.
PCVTW	Wall	150w inc.	4" w., 9-3/4" ht., 7-1/4" d.
PCVTW-LED		LED, 11w, 757 lumens	5.2" w., 11" ht., 7.34" d.



PCOSL-30LED-82

LED Dusk to Dawn

Product No.	Finish	Lamp	Size
PCOSL-30LED-82	Metallic Grey	LED, 30w, 2906 lumens	4" w., 16" ht., 9-1/2" d.

LED Over Door Wall Pack

Product No.	Finish	Lamp	Size
PCOMP-20LED-20	Bronze	LED, 20w, 1513 lumens	5.39" w., 11.02" ht., 5.39" d.



PCOMP-20LED-20

PCOWC SERIES LED Wall Pack

Product No.	Finish	Description	Lamp	Size
PCOWC-20LED-20	Bronze	Die-cast aluminum housing and door.	LED, 18w, 1421 lumens	8.22" w., 5.25" ht., 4.81" d.
PCOWC-30LED-20			LED, 29w, 2246 lumens	10.25" w., 14" ht., 6.25" d.
PCOWC-45LED-20			LED, 45w, 3096 lumens	
PCOWC-20LED-28	White		LED, 18w, 1421 lumens	8.22" w., 5.25" ht., 4.81" d.
PCOWC-30LED-28			LED, 29w, 2246 lumens	10.25" w., 14" ht., 6.25" d.
PCOWC-45LED-28			LED, 45w, 3096 lumens	
PCOWC-20LED-82	Metallic Gray		LED, 18w, 1421 lumens	8.22" w., 5.25" ht., 4.81" d.
PCOWC-30LED-82			LED, 29w, 2246 lumens	10.25" w., 14" ht., 6.25" d.
PCOWC-45LED-82			LED, 45w, 3096 lumens	



PCOWC-20LED-20



PCOWC-30LED-20



PCOWC-45LED-20

PCOWF SERIES LED Wall Pack

Product No.	Finish	Description	Lens	Lamp	Size
PCOWF-70LED-20LP	Bronze	Die-cast aluminum housing	Glass	LED, 68w, 4505 lumens	14-7/8" w., 15" ht., 8" d.
PCOWF-70LED-20LG			Polycarbonate	LED, 68w, 5157 lumens	



PCOWF-70LED-20LG




PCOWF-70LED-20LP

PCOWP SERIES LED Wall Pack

Product No.	Finish	Description	Lamp	Size
PCOWP-50LED-20	Bronze	Borosilicate glass refractor softens lamp image	LED, 53w, 4888 lumens	13" w., 9" ht., 7-1/4" d.
PCOWP-100LED-20			LED, 97w, 10151 lumens	13" w., 17" ht., 13" d.



PCOWP-50LED-20



PCOWP-100LED-20

Quarter Sphere Wall Pack

Product No.	Finish	Description	Size	Lamps *included
PHSL-13-23-B	Antique Bronze	Die-cast aluminum housing with tempered, impact resistant clear glass lens. 23.3w input power. 1184 lumens. 120V/277V driver. 5000K color temperature.	12-3/4" w., 6-3/4" ht. Extends 7-3/4"	*One 23w LED module



PHSL-13-23-B

LED Aluminum Cylinders

Sleek, cylindrical forms in elegant finish selections. Die-cast aluminum wall brackets and heavy-duty aluminum framing, Fade and chip-resistant. UL listed for wet locations when used with lens cover.

FEATURES

- 120v AC
- 1000 source lumens (17w)
2000 source lumens (29w)
- 3000K color temperature
- 90+ CRI
- Dimmable with many ELV type dimmers

6" ALUMINUM CYLINDERS

Product No. **P5641-20/30K** Bronze
P5641-30/30K White
P5641-31/30K Black
P5641-82/30K Metallic Gray

Description One-light down (dark sky).

Size 6" W., 12" ht. Extends 8-7/8"
H/CTR 4-1/2".

Lamp(s) One 29w LED module included.

Lumens 1560 delivered

P5641-30/30K



P5641-31/30K



P5641-82/30K



Product No. **P5642-20/30K** Bronze
P5642-30/30K White
P5642-31/30K Black
P5642-82/30K Metallic Gray

Description Two-light up/down. For wet location specify P8798 top cover lens.

Size 6" W., 18" ht. Extends 8-7/8"
H/CTR 8".

Lamp(s) Two 29w LED modules included.

Lumens 1560 delivered (up)
1560 delivered (down)

P5642-20/30K



P5642-30/30K



P5642-82/30K



Product No. **P5741-20/30K** Bronze
P5741-30/30K White
P5741-31/30K Black

Description One-light cylinder. Mounts flush to ceiling or hangs with pendant accessory kit (pg. 48).

Size 6" dia., 12" ht.

Lamp(s) One 29w LED module included.

Lumens 1560 delivered

P5741-20/30K



P5741-30/30K



P5741-31/30K



5" ALUMINUM CYLINDERS

Product No.	P5674-20/30K Bronze P5674-30/30K White P5674-31/30K Black P5674-82/30K Metallic Gray
Description	One-light down (dark sky).
Size	5" W., 7-1/4" ht. Extends 8". H/CTR 2-1/2".
Lamp	One 17w LED module included.
Lumens	820 delivered

P5674-82/30K



P5674-20/30K



P5674-30/30K



Product No.	P5675-20/30K Bronze P5675-30/30K White P5675-31/30K Black P5675-82/30K Metallic Gray
Description	Two-light up/down. For wet locations specify P8799 top cover lens.
Size	5" W., 14" ht. Extends 8". H/CTR 7".
Lamps	Two 17w LED modules included.
Lumens	820 delivered (up) 820 delivered (down)

P5675-82/30K



P5675-20/30K



P5675-31/30K



Product No.	P5774-20/30K Bronze P5774-30/30K White P5774-31/30K Black
Description	One-light. Mounts flush to ceiling (dark sky).
Size	5" dia., 6-1/2" ht.
Lamp	One 17w LED module included.
Lumens	820 delivered

P5774-20/30K



P5774-30/30K



P5774-31/30K



Westport LED offers traditional styling to complement a variety of home décor options. A durable, die-cast aluminum frame cradles a softly diffused, seeded glass shade

FEATURES

- 120v AC Replaceable LED module
- 9w: 623 lumens, 69.2 lumens/watt
- 17w: 1211 lumens, 71.2 lumens/watt
- 3000K color temperature; 90 CRI
- Dimmable with many ELV type dimmers
- ENERGY STAR and Title 24 Compliant (designated models)

Westport



P5864-3130K9

Product No.	Finish	Description	Size	Lamp *included
P5862-2030K9 P5862-3030K9 P5862-3130K9	Antique Bronze White Black	Small Wall Lantern	6-7/8" W., 10-1/4" ht. Extends 8-3/8". H/CTR 3-1/8".	*1 9w LED module
P5863-2030K9 P5863-3030K9 P5863-3130K9	Antique Bronze White Black	Medium Wall Lantern	9" W., 12-7/8" ht. Extends 10-3/8". H/CTR 3-3/4"	
P5864-2030K9 P5864-3030K9 P5864-3130K9	Antique Bronze White Black	Large Wall Lantern	11" W., 15-3/8" ht. Extends 12-7/8". H/CTR 4".	*1 17w LED module



P5862-2030K9



P5862-3030K9



P5863-2030K9



P5863-3130K9



P5864-2030K9



P3883-2030K9



P3883-3130K9

Product No.	Finish	Description	Size	Lamp *included
P3883-2030K9 P3883-3030K9 P3883-3130K9	Antique Bronze White Black	Flush Mount	9" dia., 7-1/4" ht.	*1 17w LED module





P5622-2030K9



P5622-8230K9



P5623-2030K9

District



Product No.	Finish	Description	Size	Lamp *included
P5622-2030K9	Antique Bronze	Medium Wall Lantern	8" W., 8-1/4" ht.	*1 9w LED module
P5622-8230K9	Metallic Gray	Medium Wall Lantern	Extends 10-1/4". H/CTR 4-1/8".	
P5623-2030K9	Antique Bronze	Large Wall Lantern	12" W., 10-1/2" ht.	
P5623-8230K9	Metallic Gray	Large Wall Lantern	Extends 13-1/4". H/CTR 5".	



P5623-8230K9



P6536-13630K9
Ceiling



P6536-2030K9
Ceiling



P6536-13630K9
Pendant



P6536-2030K9
Pendant

Bell



Product No.	Finish	Description	Size	Lamp *included
P6536-2030K9	Antique Bronze	Ceiling / Pendant	6-5/8" dia., 11-3/8" ht.	*1 integral 9w LED module
P6536-13630K9	Textured Graphite	Ceiling / Pendant	Overall ht. w/chain 77". wire 12".	
P5676-2030K9	Antique Bronze	Small Wall Lantern	5-1/2" W., 10-5/8" ht.	
P5676-13630K9	Textured Graphite	Small Wall Lantern	Extends 7-3/8". H/CTR 3".	



P5676-2030K9

P5676-13630K9

FEATURES

- 120v AC Replaceable LED module
- 17w: 1211 source lumens, 71.2 lumens/watt
- 9w: 623 source lumens, 69.2 lumens/watt
- 3000K color temperature; 90 CRI
- Dimmable with many ELV type dimmers
- ENERGY STAR and Title 24 Compliant (designated models)

East Haven LED lanterns feature a die-cast aluminum powder coated frame with clear seeded glass.



East Haven

Product No.	Finish	Description	Size	Lamp *included
P6077-2030K9 P6077-3130K9	Antique Bronze Black	Small Wall Lantern	5-3/4" W., 7-7/8" ht. Extends 7-1/2". H/CTR 4-3/4"	*1 9w LED module
P6078-2030K9 P6078-3130K9	Antique Bronze Black	Medium Wall Lantern	7-1/2" W., 9-1/2" ht. Extends 9-1/8". H/CTR 4-3/4"	
P6079-2030K9 P6079-3130K9	Antique Bronze Black	Large Wall Lantern	9-1/2" W., 12" ht. Extends 11-1/8". H/CTR 4-3/4"	*1 17w LED module



P6079-2030K9

P6079-3130K9



P6078-2030K9



P6077-3130K9



P6078-3130K9



Product No.	Finish	Description	Size	Lamp *included
P6430-2030K9 P6430-3130K9	Antique Bronze Black	Post Lantern	7-1/2" W., 15" ht. Extends 11-1/8". H/CTR 4-3/4"	*1 9w LED module

P6077-2030K9



Product No.	Finish	Description	Size	Lamp *included
P6530-2030K9 P6530-3130K9	Antique Bronze Black	Hangin Lantern	7-1/2" W., 10-3/8" ht. Overall ht. w/chain 87"	*1 9w LED module



P6530-2030K9



P6530-3130K9



P6430-2030K9



P6430-3130K9



Wish LED lanterns feature a die-cast aluminum powder coated frame. Antique Bronze features etched umber linen glass. Black features etched white linen glass. Inner directional cylinder for **Dark Sky** compliance (cylinder is removable for traditional lighting).

FEATURES

- 120v AC Replaceable LED module
- 17w: source 1211 lumens, 71.2 lumens/watt
- 9w: 623 source lumens, 69.2 lumens/watt
- 3000K color temperature; 90 CRI
- Dimmable with many ELV type dimmers
- ENERGY STAR and Title 24 Compliant (designated models)

Wish

Product No.	Finish	Description	Size	Lamp *included
P6084-2030K9	Antique Bronze	Medium Wall Lantern	7" W., 8-3/4" ht. Extends 8-5/8". H/CTR 3-1/8"	*1 9w LED module
P6084-3130K9	Black			
P6085-2030K9	Antique Bronze	Large Wall Lantern	9" W., 12-1/2" ht. Extends 10-1/2". H/CTR 3-1/8"	*1 17w LED module
P6085-3130K9	Black			



P6085-3130K9



Dark Sky cylinder included



P6084-2030K9



P6084-3130K9

P6085-2030K9



Product No.	Finish	Description	Size	Lamp *included
P6424-2030K9	Antique Bronze	Post Lantern (Dark Sky cylinder not included)	9" W., 15-1/4" ht. Fits 3" post (order separately)	*1 9w LED module
P6424-3130K9	Black			

Product No.	Finish	Description	Size	Lamp *included
P6524-2030K9	Antique Bronze	Hanging Lantern	9" W., 12-1/2" ht. Overall ht. w/chain 88"	*1 17w LED module
P6524-3130K9	Black			



Dark Sky cylinder included

P6524-2030K9



P6524-3130K9



P6424-2030K9



P6424-3130K9



Arrive LED lanterns feature a die-cast aluminum powder coated frame and heavily textured glass.

FEATURES

- 120v AC Replaceable LED module
- 17w: 1211 source lumens, 71.2 lumens/watt
- 9w: 623 source lumens, 69.2 lumens/watt
- 3000K color temperature; 90+ CRI
- Dimmable with many ELV type dimmers
- ENERGY STAR and Title 24 Compliant (designated models)

Arrive



Product No.	Finish	Description	Size	Lamp *included
P6067-3130K9	Black	Small Wall Lantern	6" W., 8-3/4" ht. Extends 7-3/8". H/CTR 4"	*1 9w LED module
P6068-3130K9		Medium Wall Lantern	7-1/2" W., 11-1/8" ht. Extends 8-3/4". H/CTR 5-1/4"	
P6069-3130K9		Large Wall Lantern	9" W., 13" ht. Extends 10-1/4". H/CTR 5-3/4"	*1 17w LED module
P6076-3130K9		Extra Large Wall Lantern	11" W., 16" ht. Extends 12-1/4". H/CTR 8-5/8"	



P6067-3130K9



P6068-3130K9



P6427-3130K9



P6527-3130K9



P6069-3130K9

Product No.	Finish	Description	Size	Lamp *included
P6427-3130K9	Black	Post Lantern	9" sq., 15-7/8" ht. Fits 3" post (order separately)	*1 17w LED module



Product No.	Finish	Description	Size	Lamp *included
P6527-3130K9	Black	Hanging Lantern	9" sq., 15-1/8" ht. Overall ht. w/ chain 88-1/4"; wire 180"	*1 17w LED module



P6076-3130K9

FEATURES

- 120v AC Replaceable LED module
- 623 source lumens, 69.2 lumens/watt
- 3000K color temperature
- 90+ CRI
- Dimmable to 10% with many ELV type dimmers
- ENERGY STAR and Title 24 Compliant

Endorse



Product No.	Finish	Description	Size	Lamp *included
P6056-3130K9	Black	Small Wall Lantern	6-3/4" W., 12" ht. Extends 7-5/8". H/CTR 3-1/4"	*1 9w LED module
P6057-3130K9		Medium Wall Lantern	8-3/4" W., 14-3/4" ht. Extends 9-3/4". H/CTR 4"	
P6058-3130K9		Large Wall Lantern	10-3/4" W., 17-3/4" ht. Extends 11-3/4". H/CTR 4"	



P6058-3130K9



P6056-3130K9
Shown with P8774-31
accessory column



P6057-3130K9



P6526-3130K9
Shown with P8775-31
accessory column



Product No.	Finish	Description	Size	Lamp *included
P6526-3130K9	Black	Large Wall Lantern	8-3/4" sq., 14-1/2" ht. Overall ht. w/chain 101"; wire 180"	*1 9w LED module

ACCESSORY COLUMNS

Product No.	P8774-31 Black
Description	For use with P6056
Size	2-3/4" sq., 9-5/8" ht.

P8774-31



Product No.	P8775-31 Black
Description	For use with P6057, P6526
Size	2-3/4" sq., 12-3/8" ht.

P8775-31



Product No.	P8779-31 Black
Description	For use with P6058
Size	2-3/4" sq., 15-1/4" ht.

P8779-31



Get inspired from vintage undertones and train station styling with this energy efficient outdoor lantern collection. Available in aluminum with Gilded Iron finish, solid brass with Antique Nickel finish or Solid Copper that ages to a patina finish. Dark Sky compliant.

FEATURES

- 120v AC Replaceable LED module
- 1211 source lumens, 71.2 lumens/watt
- 3000K color temperature; 90 CRI
- Dimmable with many ELV type dimmers
- ENERGY STAR and Title 24 Compliant

Brookside



Product No.	Finish	Description	Size	Lamp *included
P5723-1430K9	Copper	Large Wall Lantern	12" W., 12-1/4" ht. Extends 13-1/4". H/CTR 6-7/8"	*1 17w LED module
P5723-7130K9	Gilded Iron			
P5723-8130K9	Antique Nickel			



P5723-1430K9



P5723-7130K9



P5723-8130K9



Craftsman styling marries traditional and rustic details. Derby boasts an artistic pattern glass diffuser with a die-cast aluminum, powder coated Antique Bronze frame.

FEATURES

- 120v AC Replaceable LED module
- 9w: 623 source lumens, 69.2 lumens/watt
- 17w: 1211 source lumens, 71.2 lumens/watt
- 3000K color temperature; 90 CRI
- Dimmable with many ELV type dimmers
- ENERGY STAR and Title 24 Compliant

Derby



Product No.	Finish	Description	Size	Lamp *included
P5749-2030K9		Small Wall Lantern	6-1/2" W., 8-3/8" ht. Extends 7-3/8". H/CTR 3"	
P5750-2030K9	Antique Bronze	Medium Wall Lantern	8-1/2" W., 11-1/4" ht. Extends 9-3/8". H/CTR 4-1/4"	*1 9w LED module
P5751-2030K9		Large Wall Lantern	10-5/8" W., 15-1/2" ht. Extends 11-5/8". H/CTR 3-3/8"	



P5749-2030K9



P5750-2030K9



P5751-2030K9



P6017-2030K9




Product No.	Finish	Description	Size	Lamp *included
P6017-2030K9	Antique Bronze	Flush Mount	10 sq." W., 5-1/2" ht.	*1 17w LED module

Bulkheads

Die-cast aluminum frame with polycarbonate diffuser. Safety listed for wet locations. Wall or ceiling mount.

FEATURES

- 120v AC Replaceable LED module
- 9w: 623 source lumens, 69.2 lumens/watt
- 17w: 1211 lumens, 71.2 lumens/watt
- 3000K color temperature; 90 CRI
- Dimmable with many ELV type dimmers
- ENERGY STAR and Title 24 Compliant (designated models)

Product No.	P3647-3030K9 White P3647-3130K9 Black	
Description	One-light wall or close-to-ceiling	
Size	6-1/2" W., 10-1/2" ht. Extends 4-3/8". H/CTR 5-14".	
Lamp	One 9w LED module included.	

P3647-3030K9




Shown as wall mount



P3647-3130K9



Product No.	P3648-3030K9 White P3648-3130K9 Black	
Description	One-light round wall or close-to-ceiling	
Size	9-1/2" W., 4-3/8" ht. Extends 4-3/8". H/CTR 4-3/4".	
Lamp	One 17w LED module included.	

P3648-3030K9




P3648-3130K9



Shown as wall mount



Product No.	P3649-3030K9 White P3649-3130K9 Black	
Description	One-light wall or close-to-ceiling	
Size	6-1/2" W., 10-1/2" ht. Extends 4-1/2". H/CTR 5-14".	
Lamp	One 9w LED module included.	

P3649-3030K9




P3649-3130K9



Shown as wall mount



Product No.	P3650-3030K9 White P3650-3130K9 Black	
Description	One-light round wall or close-to-ceiling	
Size	9-1/2" W., 4-3/8" ht. Extends 4-1/2". H/CTR 4-3/4".	
Lamp	One 17w LED module included.	

P3650-3030K9



Shown as wall mount



P3650-3130K9



Security Lighting

THESE LED SWIVEL FLOOD LIGHTS HAVE TEMPERED GLASS AND RUGGED DIE CAST CONSTRUCTION. CAN BE USED AS SINGLE OR MULTIPLE HEADS. ORDER BACKPLATE AND FLOODLIGHT SEPARATELY.



P6342-20/30K9



P6342-20/30K9



P6342-82/30K9



P6343-20
shown with (2) P6342-20/30K heads



P6343-20

Product No.	Finish	Size	Lamp
P6342-20/30K	Antique Bronze	3-3/4" W. , 5" ht. Extends 3-1/4"	13w LED module
P6342-28/30K	White		
P6342-82/30K	Metallic Gray		

Product No.	Finish	Size
P6343-20	Antique Bronze	4-1/2" dia.
P6343-28	White	
P6343-82	Metallic Gray	

Five KO gaskets included. Die cast aluminum construction.



PEOEU-EM-20

Decorative LED AC/Emergency Light

Series	Description	Finish	Size	Lumens
PEOEU-EM-09	Emergency Battery	Brushed Nickel	6.54" w., 10.47" ht., 3.78" d.	AC Mode - 223
PEOEU-EM-20		Bronze		
PEOEU-EM-30		White		
PEOEU-EM-09-HTR	Emergency Battery w/ heater option	Brushed Nickel		DC Mode - 261 (Running on Emergency Battery)
PEOEU-EM-20-HTR		Bronze		
PEOEU-EM-30-HTR		White		



P3715-31

Non-Metallic

Series	Finish	Description	Size	Lamp
P3715-31	Black	120V/277V input voltage. Durable non-corrosive UV resistant housing. 4000K, 912 lumens. 74+ CRI. Wet location listed.	6" W., 9" ht. H/CTR 4-1/4"	LED array 10w.

Step Lights



P6827-0930K

Product No.	Finish	Description	Size	Lamp *included
P6827-0930K	Brushed Nickel	Louvered horizontal step/wall light. Wet location listed.	5-1/4" W. , 3-1/2" ht.	4w LED module, 100 lumens, 25 lumens/watt
P6827-3030K	Antique Bronze			
P6827-2030K	White			
P6827-3130K	Black			

P6827-3030K



P6827-2030K



P6827-3130K



P6828-0930K

Product No.	Finish	Description	Size	Lamp *included
P6828-0930K	Brushed Nickel	Louvered vertical step/wall light. Wet location listed.	3-1/2" W. , 5-1/4" ht.	4w LED module, 100 lumens, 25 lumens/watt
P6828-3030K	Antique Bronze			
P6828-2030K	White			
P6828-3130K	Black			

P6828-2030K



P6828-3030K



P6828-3130K



P6829-0930K

Product No.	Finish	Description	Size	Lamp *included
P6829-0930K	Brushed Nickel	Horizontal step/wall light. Wet location listed.	2-7/8" W. , 4-1/2" ht.	4w LED module, 84 lumens, 21 lumens/watt
P6829-3030K	Antique Bronze			
P6829-2030K	White			
P6829-3130K	Black			

P6829-3030K



P6829-2030K



P6829-3130K



P6832-0930K

Product No.	Finish	Description	Size	Lamp *included
P6832-0930K	Brushed Nickel	Vertical step/wall light. Wet location listed.	2-7/8" W. , 4-1/2" ht.	4w LED module 65 lumens, 16 lumens/watt
P6832-3030K	Antique Bronze			
P6832-2030K	White			
P6832-3130K	Black			

P6832-3030K



P6832-2030K



P6832-3130K





Area / Site

From parking lots to pools, Progress Lighting's energy efficient outdoor products create a well-lit environment with low maintenance benefits.






PCPAE Series

ECONOMY SERIES PARKING/SITE LUMINAIRE


The PCPAE Series is designed for parking and area lighting applications utilizing high power LEDs, capable of replacing up to 400W traditional HID luminaires. The PCPAE is offered in 11,000 lumen and 16,000 lumen versions, available with Type 3 and Type 5 optics.


Series	Wattage	Lumens	Distribution	Finish
PCPAE	125 - 16 LEDs, 123w	11150 - 11260	3 - Type 3	BZ - Bronze
	180 - 24 LEDs, 181w	16360 - 16510	5 - Type 5	

TYPE 3 (PCPAE-125-3)



TYPE 5 (PCPAE-125-5)





MTO


PCPA Series

PERFORMANCE SERIES
PARKING/SITE LUMINAIRE


The PCPAS and PCPAL Series is designed for parking and area lighting applications utilizing high power LEDs, capable of replacing up to 400W traditional HID luminaires. The PSPAS is offered in 8,000 lumen versions. The PSPAL is offered in 14,000 lumen and 18,000 lumen versions. All models available with Type 3 and Type 5 optics.

Series	Wattage	Lumens	Distribution	Finish	Options
PCPAS - Parking Area Small	90 - 30 LEDs, 90w	7900 - 8100	3 - Type 3	BZ - Bronze	Blank
PCPAL - Parking Area Large	135 - 64 LEDs, 135w	13740 - 14950	5 - Type 5	BL - Black	P - Photocell
	180 - 80 LEDs, 180w	17150 - 18670	Square	GN - Green	

TYPE 3 (PCPAS-90-3)



TYPE 5 (PCPAS-90-5)






PCADS/PCADL Series


DESIGNER SERIES PARKING/SITE LUMINAIRE

The PCADS and PCADL series is designed for parking and area lighting applications utilizing high power LEDs while providing contemporary aesthetics. The PSADS/PCADL is offered in 4,800 lumen, 6,800 lumen and 9,800 lumen versions. All models available with Type 3 and Type 5 optics.

Series	Size	Wattage	Distribution	Finish	Options
PCAD	S - Small	55 - Small or Large	3 - Type 3	BZ - Bronze	Blank
	L - Large	80 - Small or Large	5 - Type 5	BL - Bronze	P - Photocell
		80 - Large		GN - Green	CR - Cast Rings

TYPE 3 (PCADS-80-3)





Poles

Constructed with exacting standards both our aluminum and steel products meet strict guidelines for quality, strength and finish durability. Protecting your investment for years is our Lektrocote® powder paint finish, available in bronze, black and textured green. From shaft cutting through finishing, quality control inspections are conducted throughout a highly automated process.

Steel Products

Series	Construction	Shaft Sizes	Wall Thickness	Lengths
SSS-P	Square Straight Steel	4", 5", 6"	11 GA, 7 GA, 3 GA	10 – 40 ft
RSS-P	Round Straight Steel	3", 4", 4.5", 5", 6"	11 GA, 7 GA, 3 GA	8 – 30 ft
STS-P	Square Tapered Steel	5" – 9"	11 GA, 7 GA	20 – 50 ft
RTS-P	Round Tapered Steel	5" – 12"	11 GA, 7 GA	10 – 60 ft

Aluminum Products

Series	Construction	Shaft Sizes	Wall Thickness	Lengths
SSS-P	Square Straight Steel	4", 5", 6"	.125", .188", .250"	10 – 40 ft
RSS-P	Round Straight Steel	3", 4", 4.5", 5", 6"	.125", .188", .250"	8 – 30 ft
RTS-P	Round Tapered Steel	4" – 8"	.125", .188", .220", .250"	8 – 40 ft

RSS-P

SSS-P



PCOGS-50LED-82



PCOGS-75LED-MS-82

Commercial Garage / Surface LED

Product No.	Finish	Lamp	Size
PCOGS-50LED-82	Metallic Grey	15 LEDs, 53w, 4383 lumens	12.5" w., 5.21" ht., 12.01" d.
PCOGS-75LED-82		21 LEDs, 73w, 6040 lumens	
PCOGS-50LED-MS-82		15 LEDs, 53w, 4383 lumens	
PCOGS-75LED-MS-82 Motion Sensor		21 LEDs, 73w, 6040 lumens	



PCPTD

LED Post Top Designer

MTO

Series	Wattage	Distribution	Finish	Options	Lumens
PCPTD	80 - 36 LEDs, 80w	3 - Type 3 5 - Type 5 Round Wide	BZ - Bronze BL - Black GN - Green	Blank P - Photocell FG - Frosted Acrylic Globe	6440 - 6950

Size: 18-7/16" w., 36" h.

LED Post Top Shade

MTO

Series	Wattage	Distribution	Finish	Options
PCPTS	80 - 36 LEDs, 80w	3 - Type 3 5 - Type 5 Round Wide	BZ - Bronze BL - Black GN - Green	Blank P - Photocell

Size: 25-1/2" w., 24-1/4" h.



PCPTS

LED Post Top Globe

MTO

Series	Wattage	Distribution	Finish	Options	Lumens
PCPTG	55 - 24 LEDs, 55w	3 - Type 3 5 - Type 5 Round Wide	BZ - Bronze BL - Black GN - Green	Blank P - Photocell MB - Metal band	3600 - 4000

Size: 16-3/5" w., 25" h.



PCPTG



PCPTT

LED Post Top Traditional

MTO

Series	Wattage	Distribution	Finish	Options
PCPTT	27 - 24 LEDs, 27w 80 - 36 LEDs, 80w	3 - Type 3 5 - Type 5 Round Wide	BZ - Bronze BL - Black GN - Green	Blank P - Photocell

Size: 10-3/4" w., 21-3/4" h.



PCBOR

PCBOS

Walkway Lighting

MTO

Series	Wattage	Finish
PCBOR - Bollard Round	ASY - 12 LEDs, 31w	BZ - Bronze
PCBOS - Bollard Square	SYM - 24 LEDs, 46w	BL - Black

Size: Round - 6.75" sq., 42" h. Square - 7" diam., 42" h.





HID Area Shoe Box

MTD

Series	Wattage	Distribution	Finish	Options
PCPMH	100 - 100w Metal Halide	3 - Type 3	BZ - Bronze	Blank
	150 - 100w Metal Halide	5 - Type 5	BL - Black	L - Lamp Included
	250 - 250w Metal Halide			
	420 - 400w Metal Halide			



ASCE7-05 WIND MAP



Note:
Florida Building Code may
supercede national map.

Wind Map Notes

- Values are based on 50 year mean recurrence interval 30' above grade.
- Hawaii has an **105** mph wind velocity.
- Puerto Rico has a **125** mph wind velocity.
- Caution must be exercised in determining wind velocities in special wind areas such as:
 - Mountainous Regions
 - Areas surrounding the Great Lakes or other large bodies of water or open land.
 - Areas subject to extreme wind conditions, such as hurricanes, typhoons, cyclones, and tornadoes.
 - Areas adjacent to airports.
 - Any specific area with a known or suspected abnormally high intermittent wind condition caused by geography, adjacent structures, or other specific local conditions that may not be recorded in National Weather Service records.
- Allowable pole EPA for jobsite wind conditions must be equal to or greater than fixture EPA. Responsibility lies with the specifier for correct pole selection based on ASCE7-05 wind map and job location.
- The Wind Map is intended only as a general guide. Always consult local authorities to determine maximum wind velocities, gusting and unique wind conditions for each specific application.

Caution

- Wind speeds and listed EPAs are for ground mounted installations. Poles mounted on structures (such as bridges and buildings) must consider vibration and coefficient of height factors beyond this general guide. Consult AASHTO standards.
- Extreme Wind Events: Hurricanes, Typhoons, Cyclones, or Tornadoes expose poles to flying debris, wind shear, and other unpredictable aerodynamic forces not indicated by the wind velocity ratings.
- Pole Strength Limited Warranty: Standard, unmodified Progress Commercial Lighting Poles installed as recommended, undamaged by corrosion, or lack of maintenance, shall withstand steady wind conditions on each pole's Allowable Pole EPA chart. Installation of poles without luminaires, or attachment of any unauthorized accessories to poles shall void this warranty.

EPA Information

All allowable pole and fixture EPAs (Fixture Area x Drag Factor) are derived from the AASHTO standard (American Association of State Highway and Transportation Officials). Responsibility lies with the specifier for correct pole selection based on local codes and standards for the job location.

To obtain more information on AASHTO Standards for Lighting Equipment contact:

American Association of State Highway
and Transportation Officials
444 N. Capitol Street, NW, Suite 249
Washington, DC 20001
202 624-5800
www.aashto.org

AASHTO standards used are found in the following publications: I-LTS-4 "Standard Specification for Structural Support for Highway Signs, Luminaires and Traffic Signals," (2001).

Important

Do not erect poles without luminaires in place. Any accessories attached to pole, or other modifications will compromise pole strength and may result in pole failure.

Maintenance

A regularly scheduled maintenance program must be established to insure the protective paint coating is intact, corrosion or structural damage has not occurred, and anchor bolt nuts are tight. Failure to do so could lead to pole collapse and personal injury.

Lamps not included with fixtures unless specified. Specifications subject to change without notice.

©Progress Lighting 2016

All rights reserved.
International copyright secured.

LINEAR /TROFFER

PCICT	4
PCILS	6
PCILT	4
PCILW	5
PCIPG	6
PCIRK	6
PCIST	4
PCISW	6
PCIVT	6
PCIWB	5
P7137	6
P7154	6
P7183	5
P7186	5
P7189	6
P7196	5
P7206	8
P7218	8
P7221	8
P7249	7
P7250	7
P7251	7
P7252	7
P7258	7
P7265	5
P7266	5
P7267	5
P7268	5
P7278	8
P7279	8
P7280	8
P7285	8

EMERGENCY / EXIT

PE2EU	10
PE2WL	13
PEALE	12
PECLB	14
PECUE	10
PEEMB	13
PEERE	11
PEESE	11
PEHWU	12
PEOEU	13
PERHC	11
PETPE	10
PEWLE	12
PEWLH	13

CLOSE-TO-CEILING

P2300	25
P2301	25
P2302	24
P2303	24
P2304	25
P2305	25
P2306	22
P2307	22
P2308	22
P2309	22
P2310	22
P2311	22

P7329	27
P7379	31
P7381	31
P7382	31
P7383	30
P7384	30
P7385	22,30
P8022	16
P8027	16
P8222	17
P8107	17
P8240	18
P8241	18
P8247	18
P8147	19

CEILING FANS

P2514	35
P2530	34
P2531	34
P2602	36
P2620	36
P2621	36
P2658	36

SCONCES

P5790	40
P5800	42
P5801	42
P5806	42
P5914	42
P5915	42
P7044	40
P7045	40
P7052	39
P7068	39
P7081	39
P7082	39
P7083	38
P7085	38
P7092	38
P7093	38,40
P7163	40
P7249	38

BATH AND VANITY

P2004	48
P2005	48
P2006	48
P2061	44
P2062	44
P2063	44
P2064	44
P2091	45
P2092	45
P2093	45
P2094	45
P2142	45
P2143	45
P2144	45
P2145	45
P2706	48
P2707	48

P2708	48
P2709	48
P7025	46
P7114	47
P7115	47
P7116	47
P7211	46
P7212	46
P7218	46
P7221	46
P7227	46
P7228	46
P7229	46
P7230	47
P7231	47
P7232	47
P7236	47
P7237	47

HANGING

P3468	57
P3474	58
P3912	59
P4275	57
P4276	57
P4324	58
P4328	58
P4329	58
P4365	58
P4440	60
P4441	60
P4621	59
P4623	59
P4627	60
P4715	50
P5023	51
P5024	51
P5053	50
P5075	50
P5087	53
P5094	53
P5096	58
P5113	60
P5143	50
P5145	57
P5175	51
P5176	51
P5187	51
P5197	52
P5300	59
P5551	52
P5535	52
P5623	52
P7322	57
P7323	57
P8768	54
P8769	54
P8825	54
P8830	54
P8820	54
P8821	54
P8828	54
P8928	54

UNDERCABINET

P7002	62
P7005	62
P7012	62
P7013	62
P7510	63
P8733	63
P8735	63
P8737	63
P8738	63
P8740	63
P8743	63

RECESSED

P87	66
P821	72
P830	67
P831	67
P832	67
P8061	67
P8064	68
P8067	68
P8071	66,72
P8080	67
P8102	71
P8103	70
P8104	69
P8105	69
P8106	69
P8120	70,71
P8121	70,71
P8133	70,71
P8152	68
P8153	68
P8206	68
P8215	71
P8216	69
P8220	70
P8556	68
P8716	72
P8725	72

OUTDOOR

PCOFL	74
PCOGS	74
PCOMP	75
PCOSL	74
PCOWC	75
PCOWF	75
PCOWP	75
PCVTS	74
PCVTW	74
PEOEU	88
PHSL	75
P3647	86
P3648	86
P3649	86
P3650	86
P3715	88
P3883	78
P5622	79
P5623	79
P5641	76

P5642	76
P5674	77
P5675	77
P5676	79
P5723	84
P5741	76
P5749	85
P5750	85
P5751	85
P5774	77
P5862	78
P5863	78
P5864	78
P6017	85
P6056	83
P6057	83
P6058	83
P6067	82
P6068	82
P6069	82
P6076	82
P6077	80
P6078	80
P6079	80
P6084	81
P6085	81
P6342	87
P6343	87
P6424	81
P6427	82
P6430	80
P6524	81
P6526	83
P6527	82
P6530	80
P6536	79
P6827	88
P6828	88
P6829	88
P6832	88
P8774	83
P8775	83
P8779	83

AREA / SITE

PCBOR	96
PCBOS	96
PCPMH	97
PCAD	92
PCOG	93
PCPA	91
PCPAE	90
PCPTD	94
PCPTG	95
PCPTS	95
PCPTT	96
RSS	93
RTS	9
SSS	9
STS	9





PROGRESS

COMMERCIAL LIGHTING

Progress Commercial Lighting

701 Millennium Boulevard
Greenville, South Carolina
29607

progresscommercial.com

