

EVALUATION/ORDER FORM

HIGHLANDER II VERTICAL PLATFORM LIFT

☐ Quote ☐ Order

Date: _____

Sales Representative: _____

Dealer Name: _____

Address: _____

City: _____ State: _____ Zip: _____

Phone: _____ Fax: _____

Email: _____

 Shipping Method: ☐ Pick-Up ☐ Common Carrier

Account Number: _____

Projected Close Date: _____

Purchase Order Number: _____

Ship To Address: _____

Contact: _____

Phone: _____

Opportunity Reference / Project Name: _____

APPLICATION

☐ **VPL-R** Residential
☐ **VPL-C** Commercial
 (includes: Lighted E-Stop/Alarm, Handrail)

INSTALLATION

☐ **OUTDOOR** ☐ **HOISTWAY** ☐ **INDOOR**

MODEL

☐ **VPL400** 4' Vertical Platform Lift (up to 53" lift height)
☐ **VPL600** 6' Vertical Platform Lift (up to 77" lift height)
☐ **VPL800** 8' Vertical Platform Lift (up to 101" lift height)
☐ **VPL1000** 10' Vertical Platform Lift (up to 125" lift height)
☐ **VPL1200** 12' Vertical Platform Lift (up to 149" lift height)
☐ **VPL1400** 14' Vertical Platform Lift (up to 171" lift height)


 Exact Lifting Height _____ inches
 (Mandatory) *Note: Measure from Inside Pit (measured from top landing to floor)*
☐ **VPL-021** 3-Stop Package: 3 Call/Send (must select VPL-C)

 Middle Lifting Height _____ inches
 (Mandatory for 3-stop orders)

TOWER CONFIGURATION

☐ **VPL-LH** Left hand ☐ **VPL-RH** Right hand

BATTERY BACKUP OPTIONS

☐ **VPL-030** Standard READYUPS battery backup
 VPL400-600 only: 2, 12V at 12AH
☐ **VPL-033** Plus READYUPS battery backup
 VPL400-VPL1400: 4, 12V at 12AH
☐ **VPL-030CWP** Standard UPS cold weather package
☐ **VPL-033CWP** Plus UPS cold weather package


PLATFORM CONFIGURATION

☐	VPL-3648	36" x 48" x 36" straight through platform (Not applicable for commercial application; No grab rail available; Must have folding ramp)	☐	VPL-3654-SS	36" x 54" x 42" same side entry / exit platform (Not applicable for VPL400 - VPL800)
☐	VPL-3654	36" x 54" x 42" straight through platform	☐	VPL-3654-90R	36" x 54" x 42" 90° right platform
☐	VPL-3654-90L	36" x 54" x 42" 90° left platform	☐	VPL-3660-SS	36" x 60" x 42" same side entry exit platform (Not applicable for VPL400 - VPL800)
☐	VPL-3660	36" x 60" x 42" straight through platform	☐	VPL-3660-90R	36" x 60" x 42" 90° right platform
☐	VPL-3660-90L	36" x 60" x 42" 90° left platform	☐	VPL-4254-SS	42" x 54" x 42" same side entry / exit platform (Not applicable for VPL400-800)
☐	VPL-4254	42" x 54" x 42" straight through platform	☐	VPL-4254-90R	42" x 54" x 42" 90° right platform
☐	VPL-4254-90L	42" x 54" x 42" 90° left platform	☐	VPL-4260-SS	42" x 60" x 42" same side entry / exit platform (Not applicable for VPL400 - VPL800)
☐	VPL-4260	42" x 60" x 42" straight through platform	☐	VPL-4260-90R	42" x 60" x 42" 90° right platform
☐	VPL-4260-90L	42" x 60" x 42" 90° left platform			

PLATFORM OPTIONS


☐	VPL-065-36	36" auto-fold ramp (Not applicable for VPL1400)	☐	VPL-060-36F	36" fixed ramp
☐	VPL-065-42	42" auto-fold ramp (Not applicable for VPL1400)	☐	VPL-060-42F	42" fixed ramp
☐	VPL-013-54	54" handrail (residential applications) (Not applicable for 36" x 48" x 36")			
☐	VPL-013-60	60" handrail (residential applications) (Not applicable for 36" x 48" x 36")			

PLATFORM GATES

☐	VPL-004-36L	36" x 42" platform gate with EMI interlock, left (Not applicable for 36" tall side panels)	☐	VPL-004-36R	36" x 42" platform gate with EMI interlock, right (Not applicable for 36" tall side panels)
☐	VPL-004-42L	42" x 42" platform gate with EMI interlock, left (Not applicable for 36" tall side panels)	☐	VPL-004-42R	42" x 42" platform gate with EMI interlock, right (Not applicable for 36" tall side panels)
☐	VPL-078-G	Automatic gate opener for platform gates			

DOORS


	___ qty	VPL-078-D	Automatic door opener for full door			
	___ qty	VPL-008-WR	Wiring for interlocks provided by others			
	___ qty	VPL-008-KDL	Keyed deadlatch for use with flush mount electric strike			
	___ qty	VPL-008L	EMI interlock for left-hand door provided by others		___ qty VPL-008R	EMI interlock for right-hand door provided by others
	___ qty	VPL-008M	Flush mount electric strike for metal doors by others		___ qty VPL-008W	Flush mount electric strike for wood doors by others
	___ qty	VPL-005-36L	36" fire-rated hoistway door with EMI interlock, left		___ qty VPL-005-36R	36" fire-rated hoistway door with EMI interlock, right



Platform Floor Surface

Left Hand Swing


Right Hand Swing



☐ ____ qty VPL-005-36L-ES	36" fire-rated hoistway door with electric strike, left	☐ ____ qty VPL-005-36R-ES	36" fire-rated hoistway door with electric strike, right
☐ ____ qty VPL-005-42L	42" fire-rated hoistway door with EMI interlock, left	☐ ____ qty VPL-005-42R	42" fire-rated hoistway door with EMI interlock, right
☐ ____ qty VPL-005-42L-ES	42" fire-rated hoistway door with electric strike, left	☐ ____ qty VPL-005-42R-ES	42" fire-rated hoistway door with electric strike, right

LANDING GATES

☐ VPL-003-36R	36" x 42" landing gate with EMI interlock, right
☐ VPL-003-36L	36" x 42" landing gate with EMI interlock, left
☐ VPL-003-42R	42" x 42" landing gate with EMI interlock, right
☐ VPL-003-42L	42" x 42" landing gate with EMI interlock, left
☐ VPL-003-CS	Call/send rocker switch for landing gate
☐ VPL-003-CSK	Call/send rocker switch with key for landing gate
☐ VPL-078-LG	Automatic opener for landing gate



CONTROLS / SWITCHES

☐ VPL-011	Lighted e-stop with audible alarm (<i>residential applications</i>)
☐ VPL-015K	Keyed cab control
☐ ____ qty VPL-016	Call/send station control box, top/bottom (<i>each</i>)
☐ ____ qty VPL-016K	Keyed call/send station control box, top/bottom (<i>each</i>)
☐ VPL-017-1	Wireless call/send controls for one (1) landing
☐ VPL-017-2	Wireless call/send controls for two (2) landings
☐ VPL-017-3	Wireless call/send controls for three (3) landings
☐ VPL-022	PIT switch (for non hoistway applications)
☐ VPL-026	Float level switch
☐ VPL-075	Phone jack
☐ VPL-076	Emergency tower light, back-up
☐ ____ qty VPL-CK	Chicago key upgrade for keyed controls (<i>each</i>)
☐ VPL-KEY	Spare key (<i>each</i>)

FASCIA PANELS AND BRACES

	VPL-062	Tower brace with bracket			
	VPL-341-24	Fascia panel 41" x 24"			VPL-347-24 Fascia panel 47" x 24"
	VPL-341-53	Fascia panel 41" x 53"			VPL-347-53 Fascia panel 47" x 53"
	VPL-341-CC	Fascia panel 41", custom cut to height <i>length to cut in inches</i>			VPL-347-CC Fascia panel 47", custom cut to height <i>length to cut in inches</i>

SHIPPING OPTIONS

- | | | |
|--------------------------|--------------------|---|
| ☐ | FRT-LG | Lift gate service required (<i>VPL400 only</i>) |
| ☐ | VPL-FL | Fork lift service required |
| ☐ | VPL400-SS | 4' shipping: Upright (<i>VPL400 only</i>) |
| ☐ | VPL400-LD | 4' shipping: Laid down (<i>VPL400 only</i>) |
| ☐ | VPL400-URC | 4' crated shipping: Upright (<i>VPL400 only</i>) |
| ☐ | VPL400-LDC | 4' crated shipping: Laid down (<i>VPL600 - VPL1400 only</i>) |
| ☐ | VPL-SS | 6' - 14' standard shipping: Laid down (<i>VPL600 - VPL1000 only</i>) |
| ☐ | VPL-IC | 4' - 10' international crated shipment (<i>VPL600 - VPL1000 only</i>) |
| ☐ | VPL-IC TALL | 12' - 14' international crated shipment (<i>VPL1200 - VPL1400 only</i>) |

☐ DRAWING FOR APPROVAL

An application-specific drawing is requested and **production will be scheduled after return of signed approval drawing.**
Upcharge if lift is not ordered within 90-days of drawing submission.

☐ DRAWING FOR PRESENTATION

An application-specific drawing is requested and **order will be scheduled immediately for production.**

NOTES: _____

NOTE - VPL UNITS ARE SHIPPED LAYING DOWN. A LIFT GATE IS UNABLE TO BE USED ON MODELS 6' AND TALLER. VPL UNITS WILL REQUIRE A LOADING DOCK OR ARRANGEMENTS CAN BE MADE TO PICK-UP AT THE TERMINAL.

ACKNOWLEDGMENT OF DEALER/PURCHASER RESPONSIBILITIES

The product you are about to order will be carefully inspected at the factory to assure every component is correct and undamaged. It ships F.O.B. Missouri, meaning it becomes the property of the receiver upon leaving our factory. Therefore it is incumbent on you, the receiver, to carefully inspect the package to assure it has been delivered in good order and is undamaged.

Before signing for the shipment, inspect the package carefully.

VISIBLE DAMAGE: You must note any visible damage on the freight bill. If product damage is obvious, we recommend a further immediate inspection to see what other damage may be concealed, and this also must be written on the freight bill.

CONCEALED DAMAGE: If no damage was immediately evident, but is found later (within 48 hours), stop what you are doing and call the freight company immediately to report concealed damage.

Pictures of the damage are a great support in any freight claim and are strongly recommended. Failure to take these steps may preclude your ability to be reimbursed for any damage in transit.

We have personnel available to assist with this process Monday – Friday, 7:30 am – 5:00 pm EST by calling **800-833-0478**.

CODE COMPLIANCE

Harmar Vertical Platform Lifts are designed to meet ASME A18.1 Performance Safety Standards when properly equipped. It is the Dealer/Installer's responsibility to ensure compliance with ASME A18.1 as well as State and Local code requirements including electrical and building codes which do vary. Some jurisdictions require fees for site preparation and permits. Dealer acknowledges that their order will be installed in accordance with applicable national, state and local governance.

INSTALLATION COMPLIANCE

Harmar Vertical Platform Lifts should only be installed by a Certified Harmar Installer. Harmar provides specific training for its Vertical Platform Lifts at training@harmar.com. If the Vertical Platform Lift is installed by a non-certified, untrained installer, the purchaser and installer assume all responsibility for repair and replacement costs from issues that may arise involving improper installation.

Thank you for your business!



I have read and understand the above:

Company: _____

Title: _____

Print Name: _____

Signature: _____

Date: _____