
Planet Audio®



PLANET AUDIO | 2020

Get ready for liftoff with the new 2020 Planet Audio lineup. From small footprint amplifiers to new plug and play soundbars, Planet Audio has what you need to make your ride truly out of this world.



DVD RECEIVER WITH MONITOR

FEATURING Apple CarPlay and Android Auto

P9950CPA

**BLUETOOTH® | IN-DASH DOUBLE-DIN DVD/MP3/CD AM/FM RECEIVER
FEATURING 6.75" (171 mm) CAPACITIVE TOUCHSCREEN**



6.75"
WIDESCREEN

Works with
Apple CarPlay

android
auto



*Hear the music as the artist intended with lossless FLAC playback. Capable of 24-bit/96 kHz reproduction, just load your favorite FLAC files onto a USB drive and enjoy!
Hi-resolution audio is here and it will redefine how you listen to music!*



PLAYBACK

DVD±R/RW Video
CD±R/RW Audio & Video
High-Resolution FLAC
WAV/MP3/WMA
Bluetooth® Audio Streaming
(Stream and Control Your Favorite Music Apps)

INPUTS & OUTPUTS

Bluetooth® Hands-Free
USB Ports
USB Charging (1A)*
Aux-In
Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players
Front, Rear, Sub Pre-Amp Outputs
Rear Camera Input

GENERAL

Double-DIN Fit
Capacitive Touchscreen
Multicolor Illumination
Wireless Remote
Steering Wheel Control Input (**Interface not included)
Switchable US & EU Tuner Frequencies
RBDS Tuner
Update via USB
80 Watts x 4 Channel



MULTICOLOR ILLUMINATION OPTIONS




MULTIMEDIA RECEIVER

FEATURING Apple CarPlay and Android Auto

P9900CPA


**BLUETOOTH® | MP3-COMPATIBLE AM/FM RECEIVER
FEATURING 6.75" (171 mm) CAPACITIVE TOUCHSCREEN**



6.75"
WIDESCREEN

Works with
Apple CarPlay

android
auto



Hear the music as the artist intended with lossless FLAC playback. Capable of 24-bit/96 kHz reproduction, just load your favorite FLAC files onto a USB/SD drive and enjoy!

Hi-resolution audio is here and it will redefine how you listen to music!

**High-Resolution
AUDIO 24bit/96kHz**



PLAYBACK

High-Resolution FLAC
MP3 / WMA / WAV
Bluetooth® Audio Streaming
(Stream and Control Your Favorite Music Apps)

INPUTS & OUTPUTS

Bluetooth® Hands-Free
USB Port
USB Charging (1A)*
Aux-In
Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players
Front, Rear, Sub Pre-Amp Outputs
Rear Camera Input

GENERAL

Double-DIN Fit
Capacitive Touchscreen
Selectable Illumination Color
Steering Wheel Control Input (**Interface not included)
Switchable US & EU Tuner Frequencies
RBDS Tuner
Update via USB
80 Watts x 4 Channel



MULTICOLOR ILLUMINATION OPTIONS




DVD RECEIVERS WITH BACK-UP CAM

P9695BRC

BLUETOOTH® | IN-DASH DOUBLE-DIN DVD/MP3 AM/FM RECEIVER
FEATURING 6.95" (177 mm) WIDESCREEN TOUCHSCREEN DIGITAL TFT LCD MONITOR
PLUS REAR-VIEW LICENSE PLATE MOUNT CAMERA



- Double DIN Fit
- Touchscreen Digital TFT LCD Monitor
- USB Port
- USB Charging (1A)*
- Aux-In
- SD Port
- Front & Rear Camera Input
- Video Output
- Front & Rear Pre-Amp Outputs
- A-LINK (Screen Mirroring)
- Rear-View Camera Included



RGB ILLUMINATION OPTIONS




Planet Audio A-LINK Technology allows your compatible Android device screen to be duplicated on the receiver's larger screen. A-LINK enables you to clearly see your already familiar Navigation, Music, Movies and Apps on a much bigger scale.

RECEIVERS WITH MONITORS

P9695B

**BLUETOOTH® | IN-DASH DOUBLE DIN
DVD/MP3 AM/FM RECEIVER**
FEATURING 6.95" (177 mm) WIDESCREEN
TOUCHSCREEN DIGITAL TFT LCD MONITOR

- Double-DIN Fit
- Touchscreen Digital TFT LCD Monitor
- USB Port
- USB Charging (1A)*
- SD Port
- Aux-In
- Front, Rear, Sub Pre-Amp Outputs
- Front & Rear Camera Input
- Video Output
- A-Link (Screen Mirroring)



RGB ILLUMINATION OPTIONS



Planet Audio A-LINK Technology allows your compatible Android device screen to be duplicated on the receiver's larger screen. A-LINK enables you to clearly see your already familiar Navigation, Music, Movies and Apps on a much bigger scale.

FEATURING BUILT-IN NAVIGATION

PNV9674

**BLUETOOTH® | IN-DASH DOUBLE-DIN
DVD/MP3 CD AM/FM RECEIVER**
FEATURING 6.2" (157 mm) WIDESCREEN
TOUCHSCREEN DIGITAL TFT LCD MONITOR

- Double-DIN Fit
- Touchscreen Digital TFT LCD Monitor
- High-Resolution FLAC
- USB Port
- USB Charging (1A)*
- SD Port
- Aux-In
- Front, Rear, Sub Pre-Amp Outputs
- Rear Camera Input
- Video Output





DVD RECEIVERS WITH MONITORS

P9640B

**BLUETOOTH® | IN-DASH DOUBLE-DIN
DVD/MP3 CD AM/FM RECEIVER**
FEATURING 6.2" (157 mm) WIDESCREEN
TOUCHSCREEN DIGITAL TFT LCD MONITOR


- Double-DIN Fit
- Touchscreen Digital TFT LCD Monitor
- USB Port
- USB Charging (1A)*
- SD Port
- Aux-In
- Front, Rear, Sub Pre-Amp Outputs
- Rear Camera Input
- Video Output



P9630B

**BLUETOOTH® | IN-DASH DOUBLE-DIN
DVD/MP3 CD AM/FM RECEIVER**
FEATURING 6.2" (157 mm) WIDESCREEN
TOUCHSCREEN DIGITAL TFT LCD MONITOR

- Double-DIN Fit
- Touchscreen Digital TFT LCD Monitor
- USB Port
- USB Charging (1A)*
- SD Port
- Aux-In
- Front, Rear, Sub Pre-Amp Outputs
- Rear Camera Input
- Video Output



DVD RECEIVERS WITH MONITOR

P9628B

**BLUETOOTH® | IN-DASH DOUBLE-DIN
DVD/MP3 CD AM/FM RECEIVER
FEATURING 6.2" (157 mm) WIDESCREEN
TOUCHSCREEN DIGITAL TFT LCD MONITOR**

- Double-DIN Fit
- Touchscreen Digital TFT LCD Monitor
- USB Port
- USB Charging (1A)*
- SD Port
- Aux-In
- Front, Rear, Sub Pre-Amp Outputs
- Rear Camera Input
- Video Output



P9759B

**BLUETOOTH® | IN-DASH MOTORIZED
SINGLE-DIN DVD/MP3 CD AM/FM RECEIVER
FEATURING 7" (178 mm) WIDESCREEN
TOUCHSCREEN DIGITAL TFT LCD MONITOR**

- Single-DIN Fit
- Touchscreen Digital TFT LCD Monitor
- USB Port
- USB Charging (1A)*
- SD Port
- Aux-In
- A/V Input
- Rear Camera Input
- Front, Rear, Sub Pre-Amp Outputs
- Video Output





RECEIVERS WITH BACK-UP CAM

P695MBRC

BLUETOOTH® | IN-DASH DOUBLE-DIN MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER
 FEATURING 6.95" (177 mm) WIDESCREEN
 TOUCHSCREEN DIGITAL TFT LCD MONITOR
 PLUS REAR-VIEW LICENSE PLATE MOUNT CAMERA



- Double-DIN Fit
- Touchscreen Digital TFT LCD Monitor
- USB Port
- USB Charging (1A)*
- SD Port
- Aux-In
- Front, Rear, Sub Pre-Amp Outputs
- Front & Rear Camera Input
- Video Output
- P-Link (Screen Mirroring)
- Rear-View Camera included



A-LINK

Planet Audio A-LINK Technology allows your compatible Android device screen to be duplicated on the receiver's larger screen. A-LINK enables you to clearly see your already familiar Navigation, Music, Movies and Apps on a much bigger scale.

MULTIMEDIA RECEIVER

P695MB BLUETOOTH® | IN-DASH DOUBLE-DIN
 MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER
 FEATURING 6.95" (177 mm) WIDESCREEN
 TOUCHSCREEN DIGITAL TFT LCD MONITOR



- Double-DIN Fit
- Touchscreen Digital TFT LCD Monitor
- USB Port
- USB Charging (1A)*
- SD Port
- Aux-In
- Front, Rear, Sub Pre-Amp Outputs
- Front & Rear Camera Input
- Video Output
- P-Link (Screen Mirroring)



Planet Audio A-LINK Technology allows your compatible Android device screen to be duplicated on the receiver's larger screen. A-LINK enables you to clearly see your already familiar Navigation, Music, Movies and Apps on a much bigger scale.



MULTIMEDIA RECEIVER

PB475RGB

BLUETOOTH® | MP3/CD AM/FM RECEIVER
FEATURING MULTICOLOR ILLUMINATION

- Double DIN Fit
- Multicolor Illumination
- USB Port
- USB Charging (1A)*
- Aux-In
- Front, Rear, Sub Pre-Amp Outputs



P385UAB

BLUETOOTH® | IN-DASH SINGLE-DIN
MP3-COMPATIBLE CD AM/FM RECEIVER

- CD±R/RW Audio
- MP3 / WMA
- USB Port
- USB Charging (1A)*
- Aux-In
- Front & Rear Pre-Amp Outputs



MULTIMEDIA RECEIVERS

P650MB

**BLUETOOTH® | MP3-COMPATIBLE
DIGITAL MEDIA AM/FM RECEIVER**
FEATURING 6.5" (165 mm) WIDESCREEN
TOUCHSCREEN DIGITAL TFT LCD MONITOR

- MP3 / WMA
- Double DIN Fit
- USB Port
- USB Charging (1A)*
- SD Port
- Aux-In
- Front, Rear, Sub Pre-Amp Outputs
- Rear Camera Input
- Video Output



PB455RGB

**BLUETOOTH® | MP3-COMPATIBLE
DIGITAL MEDIA AM/FM RECEIVER**
FEATURING MULTICOLOR ILLUMINATION

- MP3 / WMA
- Double DIN Fit
- Multicolor Illumination
- USB Port
- USB Charging (1A)*
- Aux-In
- Front & Rear Pre-Amp Outputs



P370MB

**BLUETOOTH® | MP3-COMPATIBLE DIGITAL
MEDIA AM/FM RECEIVER**

- MP3 / WMA
- AM/FM Receiver
- USB Port
- USB Charging (1A)*
- Aux-In
- Front & Rear Pre-Amp Outputs





IN-DASH SPECIFICATIONS

	P9950CPA	P9900CPA	P9895BRC	P9895B	PNV9574	P98440B	P9830B	P9828B	P9759B	P995MBRC	P995MB	P8475RGB	P385UAB	P650MB	P8455RGB	P370MB
PLAYBACK																
DVD±R/RW Video	•		•	•	•	•	•	•	•							
CD±R/RW Audio & Video	•															
CD±R/RW Audio			•	•	•	•	•	•	•			•	•			
High-Resolution FLAC	•	•			•											
WAV/MP3/WMA	•	•			•											
MP3/WMA			•	•		•	•	•	•	•	•	•	•	•	•	•
BLUETOOTH® AUDIO STREAMING	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
INPUTS & OUTPUTS																
BLUETOOTH® HANDS-FREE	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
USB Ports	•	•				•			•							
USB Port			•	•	•	•	•	•	•	•	•	•	•	•	•	•
USB Charging (1A)*			•	•	•	•	•	•	•	•	•	•	•	•	•	•
USB Charging (1A)	•	•														
SD Port			•	•	•	•	•	•	•	•	•			•		
Aux-In	•	•				•	•	•	•				•	•	•	•
Aux-In (Front & Rear)			•	•	•				•	•	•	•	•			
Compatible with Audio Output of iPod®/iPhone®, Smartphones, & MP3 Player	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Front, Rear, Sub Pre-Amp Outputs	•	•	•	•	•	•	•	•	•	•	•	•	•			
Front & Rear Pre-Amp Outputs													•		•	•
Front Pre-Amp Outputs																
Rear Camera Input	•	•			•	•	•	•							•	
Front & Rear Camera Input			•	•					•	•						
Video Output			•	•	•	•	•	•	•				•			
A/V Input	•	•	•	•	•					•	•					
A-Link (Screen Mirroring)***																
2-Way Control (Android), USB connection required.			•	•						•	•					
GENERAL																
Double-DIN Fit	•	•	•	•	•	•	•	•	•	•	•	•	•		•	
Single-DIN Fit									•							•
Capacitive Touchscreen	•	•													•	
Multicolor Illumination	•	•	•	•					•	•	•				•	
Wireless Remote Control	•				•	•	•	•	•				•	•		
Detachable Front Panel									•							
Motorized Monitor									•							
Steering Wheel Control Input (**Interface not included)	•	•	•	•	•	•	•	•	•	•	•			•		
Switchable US & Europe Tuner Frequencies	•	•	•	•	•	•	•	•	•	•	•			•		
RBDS Tuner	•	•			•											
RDS Tuner						•			•							
Update via USB	•	•														
Watts x 4 Channel	80	80	80	80	80	80	80	80	85	80	80	80	50	80	60	50
Rear-View License Plate Mount Camera Included			•							•						

*Charging only. Not for mobile device playback. **Steering wheel control not applicable with all vehicles. iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. *** Must download App (icon) in Google Play Store to mirror your smartphone screen. Supports Android 8.0+ or higher, not all apps are supported.

Use of the Apple CarPlay logo means that a vehicle user interface meets Apple performance standards. Apple is not responsible for the operation of this vehicle or its compliance with safety and regulatory standards. Please note that the use of this product with iPhone, iPod, or iPad may affect wireless performance.




P10.1ES

10.1" WIDESCREEN
FEATURING BUILT-IN DVD PLAYER WITH BLACK, GREY AND
TAN HOUSING/MONITOR OPTIONS

WIDESCREEN FLIP-DOWN TFT MONITOR
FEATURING BUILT-IN DVD PLAYER WITH
MULTI-COLOR HOUSING OPTIONS AND TWO
PAIRS OF DUAL CHANNEL HEADPHONES



10.1"
TFT MONITOR



INCLUDES INTERCHANGEABLE
HOUSING COLORS MAKING IT EASY TO MATCH
YOUR VEHICLE'S INTERIOR



INCLUDES TWO PAIRS OF DUAL-CHANNEL
WIRELESS HEADPHONES



HEADPHONE & REAR CAMERA

PHP32

DUAL CHANNEL WIRELESS HEADPHONES
FOR USE WITH CAR AUDIO MONITORS
AND DVD PLAYERS WITH INFRARED
TRANSMITTERS



HEADPHONES FOLD FOR
EASY STORAGE

PCAM40B

MINI REAR-VIEW FLUSH MOUNT CAMERA



PATV85

**BLUETOOTH® 8" WEATHERPROOF ALL-TERRAIN SOUND SYSTEM
MARINE SPEAKERS / 1.5" WEATHERPROOF TWEETERS LED LIGHT BAR**



LED lightbar to help guide the way.

reinforced metal handles double as mounting point for cameras, tool bags, camping gear, etc. . .

built-in USB charging port

convenient storage compartment

marine rated and ready for all weather riding

Bluetooth® audio streaming



powered by internal amplifier

wired remote control

Dimensions: 32.79" W x 9.17" H x 14.78" D

**FULLY MARINIZED
700W MAX POWER**

BLUETOOTH® Audio Streaming

(Stream and Control your Favorite Music APPs)

In-line Multi-function Control

Easy Pairing with Auto Re-connect

Weatherproof Polypropylene Cone

Soft Dome Diaphragm

2 Tweeters

Aux-In

Built-in USB Charging (1A)**

Compatible with Audio Output

of iPod®/iPhone®, Smartphones,

and MP3 Players

LED Light Bar with On/Off Control

Speakers Powered by

Internal Amplifier

Storage Compartment

Plug and Play for Easy Installation

Includes (4) Heavy Duty Straps with

Velcro® for any Mounting Position

Ideal for Outdoor and Recreational

Use





PATV65

BLUETOOTH® 6.5" WEATHERPROOF ALL-TERRAIN SOUND SYSTEM
MARINE SPEAKERS / 1.5" WEATHERPROOF TWEETERS LED LIGHT BAR

FULLY MARINIZED
450W MAX POWER

BLUETOOTH® Audio Streaming (*Stream and Control your Favorite Music APPs*)
In-line Multi-function Control
Easy Pairing with Auto Re-connect
LED Light Bar with On/Off Control
Waterproof Polypropylene Cone
Soft Dome High Performance Tweeters
Aux-In Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players
Speakers Powered by High Performance Internal Amplifier
Plug and Play for Easy Installation
Internal High Performance Class A/B Amp
Includes (4) Heavy Duty Straps with Velcro® for any Mounting Position
Ideal for Outdoor and Recreational Use



LED lightbar to help guide the way.

reinforced metal handles double as mounting point for cameras, tool bags, camping gear, etc. . .



wired remote control

powered by internal amplifier



Dimensions: 30.75" W x 7.85" H x 12.75" D

PATV65RGB

BLUETOOTH® 6.5" WEATHERPROOF ALL-TERRAIN SOUND SYSTEM
MARINE SPEAKERS / 1.5" WEATHERPROOF TWEETERS LED LIGHT BAR
RGB SPEAKER ILLUMINATION

FULLY MARINIZED
450W MAX POWER

BLUETOOTH® Audio Streaming (*Stream and Control your Favorite Music APPs*)
In-line Multi-function Control
Easy Pairing with Auto Re-connect
LED Light Bar with On/Off Control
Waterproof Polypropylene Cone
Soft Dome High Performance Tweeters
Aux-In Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players
Speakers Powered by High Performance Internal Amplifier
Plug and Play for Easy Installation
Internal High Performance Class A/B Amp
Multicolor RGB Illumination
Includes (4) Heavy Duty Straps with Velcro® for any Mounting Position
Ideal for Outdoor and Recreational Use



LED lightbar to help guide the way.

reinforced metal handles double as mounting point for cameras, tool bags, camping gear, etc. . .

powered by internal amplifier



RGB Illumination

Dimensions: 30.75" W x 7.85" H x 12.75" D



wired remote control

PSX36

BLUETOOTH® | AMPLIFIED SOUND BAR
FEATURES BUILT-IN CLASS D AMPLIFIER



All-Terrain System
IPX5-Rated (Weatherproof/Dustproof)
Full-Range, Class-D Amplifier
(6) 4" High Power Speakers
(2) 1" Titanium Horn Loaded Tweeters
2V Pre-Amp Output
Connectivity for Multiple BOSS Audio Systems Sound Bar Units
Compatible w/Audio Output of iPod®/iPhone® and Smartphones
Multi-Fit Clamp System (1.75", 2" O.D.)*
Zero Standby Current Draw & Auto Shut-off

BLUETOOTH® FEATURES

BLUETOOTH® v4.1 w/Simple Pairing BLUETOOTH® AUDIO & CONTROL (A2DP & AVRCP) Stream and Control your Favorite Music APPs Aux-In
Illuminated Soft Touch Controls

Dimensions: L x W x H

35.82" x 3.74" x 4.88" (910 x 95 x 124 mm)



PSX26

**BLUETOOTH® | AMPLIFIED SOUND BAR
FEATURES BUILT-IN CLASS D AMPLIFIER**



- All-Terrain System
- USB Port
- USB Charging (1A)
- Aux In
- Illuminated Soft Touch Controls
- Wireless Remote Control
- IPX5-Rated (Weatherproof/Dustproof)
- Full-Range, Class-D Amplifier
- (2) 4" High Power Speakers
- (2) 1" Titanium Horn Loaded Tweeters
- 2V Pre-Amp Output
- Connectivity for Multiple BOSS Audio Systems Sound Bar Units
- Compatible w/Audio Output of iPod®/iPhone® and Smartphones
- Multi-Fit Clamp System (1.75", 2" O.D.)*
- Zero Standby Current Draw & Auto Shut-off

BLUETOOTH® FEATURES

BLUETOOTH® v4.1 w/Simple Pairing BLUETOOTH® AUDIO & CONTROL (A2DP & AVRCP) Stream and Control your Favorite Music APPs Aux-In

Dimensions: L x W x H

26.38" x 4.76" x 3.69" (670 x 121 x 94 mm)

PSX18

BLUETOOTH® | AMPLIFIED SOUND BAR
FEATURES BUILT-IN CLASS D AMPLIFIER



All-Terrain System
IPX5-Rated (Weatherproof/Dustproof)
Full-Range, Class-D Amplifier
(2) 4" High Power Speakers
(2) 1" Titanium Horn Loaded Tweeters
2V Pre-Amp Output
Connectivity for Multiple BOSS Audio Systems Sound Bar Units
Compatible w/Audio Output of iPod®/iPhone® and Smartphones
Multi-Fit Clamp System (1.75", 2" O.D.)*
Zero Standby Current Draw & Auto Shut-off

BLUETOOTH® FEATURES

BLUETOOTH® v4.1 w/Simple Pairing BLUETOOTH® AUDIO & CONTROL (A2DP & AVRCP) Stream and Control your Favorite Music APPs Aux-In
Illuminated Soft Touch Controls

Dimensions: L x W x H

18" x 3.74" x 4.88" (458 x 95 x 124 mm)



PGR35B

BLUETOOTH® | IN-DASH MARINE GAUGE
DIGITAL MEDIA AM/FM RECEIVER | BUILT-IN AMPLIFIER



IPX6



PLAYBACK


MP3 / WMA
BLUETOOTH® AUDIO STREAMING
(Stream and Control your
Favorite Music APPs)

INPUTS & OUTPUTS

USB Port
USB Charging [1A]*
Aux-In
Compatible with Audio Output of
iPod®/iPhone®, Smartphones,
and MP3 Players
Front, Rear/Sub Pre-Amp Outputs

GENERAL

Switchable US & EU Tuner
Frequencies
RDS Tuner
IPX6
NOAA Weather Band Tuner
Conformal Coated PCB
Polished Stainless Steel Bezel
Zero Current Draw Memory (Radio
Preset Memory in case
of Battery Disconnect)
Cutout Diameter: 3" (76 mm)
Output Power:
60 Watts x 4 Channel



*Charging Only. Not for mobile device playback.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.
The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Planet Audio is under license. Other trademarks and trade names are those of their respective owners.



BIG BANG SERIES

CLASS D MONOBLOCK POWER AMPLIFIER
FEATURING REMOTE
SUBWOOFER CONTROL



BBD4000

4000 WATTS



REMOTE
SUBWOOFER
CONTROL

- Monoblock
- Class D Topology
- 1 Ω Stable
- PWM MOSFET Power Supply
- 1/0 ga. Power Terminals
- RCA In/Out
- Low Pass Filter
- Subsonic Filter
- Bass Boost
- Phase Control
- Remote Subwoofer Control
- Illuminated Logo



ILLUMINATED LOGO



BBD2500

2500 WATTS



4 CHANNEL CLASS D BRIDGEABLE
POWER AMPLIFIER

BB4.1200

1200 WATTS



- 4/3/2 Channel
- Full-Range, Class A/B
- 2 Ω Stereo Stable
- PWM MOSFET Power Supply
- RCA In/Out
- HP & LP Filters
- Bass Boost
- Illuminated Logo

Remote Subwoofer Control
Not Included

MINI BANG SERIES

MB1200.1D



CLASS D MONOBLOCK POWER AMPLIFIER
FEATURING LED ILLUMINATED END PANELS
AND REMOTE SUBWOOFER CONTROL

- Monoblock
- Class D Topology
- 1 Ω Stable
- PWM MOSFET Power Supply
- RCA In/Out
- Low Pass Filter
- Subsonic Filter
- Bass Boost
- Phase Control
- Remote Subwoofer Control
- Strapping Capable
- LED Illuminated End Panels



MB600.2D



CLASS D 2-CHANNEL POWER AMPLIFIER
FEATURING LED ILLUMINATED END PANELS
AND REMOTE SUBWOOFER CONTROL

- 2/1 Channel
- Full-Range, Class D
- 2 Ω Stereo Stable
- PWM MOSFET Power Supply
- RCA & Speaker Level Inputs
- HP & LP Filters
- Bass Boost
- Remote Subwoofer Control
- LED Illuminated End Panels





MB300.4D

CLASS D 4 CHANNEL POWER AMPLIFIER
FEATURING LED ILLUMINATED END PANELS
AND REMOTE SUBWOOFER CONTROL

- 4/3/2 Channel
- Full-Range, Class D
- 2 Ω Stereo Stable
- PWM MOSFET Power Supply
- RCA & Speaker Level Inputs
- Bass Boost (CH 3&4) Remote
- Subwoofer Control LED
- Illuminated End Panels



MB2200.5D

CLASS D 5-CHANNEL POWER AMPLIFIER
FEATURING LED ILLUMINATED END PANELS
AND REMOTE SUBWOOFER CONTROL

- 5/4/3/2 Channel Full-Range, Class D
- 2 Ω Stereo Stable
- PWM MOSFET Power Supply
- RCA & Speaker Level Inputs
- Bass Boost (CH 3&4) Remote
- Subwoofer Control LED
- Illuminated End Panels



ANARCHY SERIES

CLASS D MONOBLOCK POWER AMPLIFIER
FEATURING REMOTE SUBWOOFER CONTROL



- Monoblock
- Class D Topology
- 1 Ω Stable
- PWM MOSFET Power Supply
- RCA In/Out
- Low Pass Filter
- Subsonic Filter
- Bass Boost
- Phase Control
- Remote Subwoofer Control
- Illuminated ANARCHY Logo
- Strapping Capable

AC5000.1D
5000 WATTS



REMOTE SUBWOOFER CONTROL



ILLUMINATED LOGO

AC4000.1D
4000 WATTS



AC3000.1D
3000 WATTS



CLASS A/B POWER AMPLIFIER
WITH ILLUMINATED MULTI-FUNCTION CONTROLLER



- Monoblock
- Full-Range, Class A/B
- 2 Ω Stable
- PWM MOSFET Power Supply
- RCA & Speaker Level Inputs
- Low Pass Filters
- Bass Boost
- Remote Subwoofer Control
- Illuminated ANARCHY Logo

AC2500.1M

2500 WATTS



REMOTE SUBWOOFER CONTROL



ILLUMINATED LOGO

AC1500.1M

1500 WATTS



ANARCHY SERIES

2 CHANNEL BRIDGEABLE POWER AMPLIFIER
FEATURING REMOTE SUBWOOFER CONTROL

- 2/1 Channel
- Full-Range, Class A/B
- 2 Ω Stereo Stable
- PWM MOSFET Power Supply
- RCA & Speaker Level Inputs
- HP & LP Filters
- Bass Boost
- Remote Subwoofer Control
- Illuminated ANARCHY Logo

AC2600.2
2600 WATTS



REMOTE SUBWOOFER CONTROL



ILLUMINATED LOGO

AC2000.2
2000 WATTS



AC1200.2
1200 WATTS



AC1000.2
1000 WATTS



AC600.2
600 WATTS



5 CHANNEL BRIDGEABLE POWER AMPLIFIER
FEATURING REMOTE SUBWOOFER CONTROL



- 5/4/3/2 Channel
- Full-Range, Class A/B
- 2 Ω Stable
- PWM MOSFET Power Supply
- RCA & Speaker Level Inputs
- HP & LP Filters
- Bass Boost
- Remote Subwoofer Control
- Illuminated ANARCHY Logo

AC1800.5
1800 WATTS



REMOTE SUBWOOFER CONTROL



ILLUMINATED LOGO

4 CHANNEL BRIDGEABLE POWER AMPLIFIER
FEATURING REMOTE SUBWOOFER CONTROL

- 4/3/2 Channel
- Full-Range, Class A/B
- 2 Ω Stereo Stable
- PWM MOSFET Power Supply
- RCA & Speaker Level Inputs
- HP & LP Filters
- Bass Boost
- Remote Subwoofer Control
- Illuminated ANARCHY Logo

AC2400.4
2400 WATTS



AC1600.4
1600 WATTS



AC1200.4
1200 WATTS



AC800.4
800 WATTS



REMOTE SUBWOOFER CONTROL



ILLUMINATED LOGO

TORQUE SERIES

CLASS D MONOBLOCK POWER AMPLIFIER
FEATURING REMOTE SUBWOOFER CONTROL

TR5000.1D
5000 WATTS



- Monoblock
- Class D Topology
- 1 Ω Stable
- PWM MOSFET Power Supply
- RCA In/Out
- Low Pass Filter
- Subsonic Filter
- Bass Boost
- Phase Control
- Remote Subwoofer Control
- Strapping Capable
- Illuminated Logo



REMOTE
SUBWOOFER
CONTROL



ILLUMINATED LOGO

TR4000.1D
4000 WATTS





TORQUE SERIES



CLASS D MONOBLOCK POWER AMPLIFIER FEATURING REMOTE SUBWOOFER CONTROL

- Monoblock
- Class D Topology
- 1 Ω Stable
- PWM MOSFET Power Supply
- RCA In/Out
- Low Pass Filter
- Subsonic Filter
- Bass Boost
- Phase Control
- Remote Subwoofer Control
- Strapping Capable
- Illuminated Logo



REMOTE
SUBWOOFER
CONTROL



ILLUMINATED LOGO

TR3000.1D 3000 WATTS



CLASS A/B POWER AMPLIFIER FEATURING REMOTE SUBWOOFER CONTROL

- 2/1 Channel
- Full-Range, Class A/B
- 2 Ω Stereo Stable
- PWM MOSFET Power Supply
- RCA & Speaker Level Inputs
- HP & LP Filters
- Bass Boost
- Remote Subwoofer Control
- Illuminated Logo

TR1500.1M 1500 WATTS



PULSE SERIES

CLASS D MONOBLOCK POWER AMPLIFIER
FEATURING REMOTE SUBWOOFER CONTROL

- Monoblock
- Class D Topology
- 1 Ω Stable
- PWM MOSFET Power Supply
- RCA In/Out
- Low Pass Filter
- Subsonic Filter
- Bass Boost
- Phase Control
- Remote Subwoofer Control
- Illuminated Logo and End Panels
- Strapping Capable



REMOTE
SUBWOOFER
CONTROL



ILLUMINATED LOGO

PL4000.1D

4000 WATTS



PL3000.1D

3000 WATTS



PL2500.1M

2500 WATTS



CLASS A/B POWER AMPLIFIER
FEATURING REMOTE
SUBWOOFER CONTROL

- Monoblock
- Full-Range, Class A/B
- 2 Ω Stable
- PWM MOSFET Power Supply
- RCA & Speaker Level Inputs
- Low Pass Filter
- Bass Boost
- Remote Subwoofer Control
- Illuminated Logo and End Panels

PL2000.1M

2000 WATTS



PL1500.1M

1500 WATTS



PULSE SERIES



2 CHANNEL BRIDGEABLE POWER AMPLIFIER FEATURING REMOTE SUBWOOFER CONTROL

- 2/1 Channel
- Full-Range, Class A/B
- 2 Ω Stereo Stable
- PWM MOSFET Power Supply
- RCA & Speaker Level Inputs
- HP & LP Filters
- Bass Boost
- Remote Subwoofer Control
- Illuminated Logo and End Panel



REMOTE
SUBWOOFER
CONTROL



ILLUMINATED LOGO

PL3000.2 3000 WATTS



PL1200.2 1200 WATTS



4 CHANNEL BRIDGEABLE POWER AMPLIFIER FEATURING REMOTE SUB- WOOFER CONTROL

- 4/3/2 Channel
- Full-Range, Class A/B
- 2 Ω Stereo Stable
- PWM MOSFET Power Supply
- RCA & Speaker Level Inputs
- HP & LP Filters
- Bass Boost
- Remote Subwoofer Control
- Illuminated Logo and End Panels

PL2400.4 2400 WATTS



PL1600.4 1600 WATTS



AMPLIFIER SPECIFICATIONS

BIG BANG	POWER @ 4 Ω (MAX)	POWER @ 2 Ω (MAX)	POWER @ 1 Ω (MAX)	BRIDGED POWER (4 Ω)	DIMENSIONS Length x Width x Height
CLASS D MONOBLOCK					
BBD4000	1000 W x 1	2000 W x 1	4000 W x 1	-	17.13" x 6.9" x 2.4" (435 x 175 x 61 mm)
BBD2500	625 W x 1	1250 W x 1	2500 W x 1	-	11.4" x 6.9" x 2.4" (290 x 175 x 61 mm)
4-CHANNEL					
BB4.1200	150 W x 4	300 W x 4	-	600 W x 2	8.7" x 6.9" x 2.4" (221 x 175 x 61 mm)
MINI BIG BANG	POWER @ 4 Ω (MAX)	POWER @ 2 Ω (MAX)	POWER @ 1 Ω (MAX)	BRIDGED POWER (4 Ω)	DIMENSIONS Length x Width x Height
CLASS D MONOBLOCK					
MB1200.1D	300 W x 1	600 W x 1	1200 W x 1	-	7.54" x 5.12" x 1.71" (191.4 x 130 x 43.5 mm)
Strapped	1200W x 1	2400 W x 1			
MB600.2D	150 W x 2	300 W x 2		600 W x 1	9.50" x 5.12" x 1.71" (241.4 x 130 x 43.5 mm)
MB300.4D	100 W x 4	200 W x 4		400 W x 2	9.50" x 5.12" x 1.71" (241.4 x 130 x 43.5 mm)
MB2200.5D	150 W x 4 + 500 w x 1	300 W x 4 + 1000 W x 1		800 W x 2+ 1000 W x 1	15.01" x 5.12" x 1.71" (381.4 x 130 x 43.5 mm)

ANARCHY	POWER @ 4 Ω (MAX)	POWER @ 2 Ω (MAX)	POWER @ 1 Ω (MAX)	BRIDGED POWER (4 Ω)	DIMENSIONS Length x Width x Height
CLASS D MONOBLOCK					
AC5000.1D	1250 W x 1	2500 W x 1	5000 W x 1	-	17.95" x 10" x 2.55" (456 x 254 x 65 mm)
• STRAPPED (2 Amps)	5000 W	10000 W	N/A	-	
AC4000.1D	1000 W x 1	2000 W x 1	4000 W x 1	-	14.96" x 10" x 2.55" (380 x 254 x 65 mm)
• STRAPPED (2 Amps)	4000 W	8000 W	N/A	-	
AC3000.1D	750 W x 1	1500 W x 1	3000 W x 1	-	12.95" x 10" x 2.55" (329 x 254 x 65 mm)
• STRAPPED (2 Amps)	3000 W	6000 W	N/A	-	
CLASS A/B MONOBLOCK					
AC2500.1M	1250 W x 1	2500 W x 1	-	-	13.98" x 10" x 2.55" (355 x 254 x 65 mm)
AC1500.1M	750 W x 1	1500 W x 1	-	-	9.96" x 10" x 2.55" (253 x 254 x 65 mm)
2-CHANNEL					
AC2600.2	650 W x 2	1300 W x 2	-	2600 W x 1	17.96" x 10" x 2.55" (456 x 254 x 65 mm)
AC2000.2	500 W x 2	1000 W x 2	-	2000 W x 1	15.94" x 10" x 2.55" (405 x 254 x 65 mm)
AC1200.2	300 W x 2	600 W x 2	-	1200 W x 1	11.97" x 10" x 2.55" (304 x 254 x 65 mm)
AC1000.2	250 W x 2	500 W x 2	-	1000 W x 1	9.45" x 10" x 2.55" (240 x 254 x 65 mm)
AC600.2	150 W x 2	300 W x 2	-	600 W x 1	7.48" x 10" x 2.55" (190 x 254 x 65 mm)
5-CHANNEL				(1&2, 3&4)	
AC1800.5	150 W x 4 300 W x 1	300 W x 4 600 W x 1	-	600 W x 2 300 W x 1	19.69" x 10" x 2.55" (500 x 254 x 65 mm)



AMPLIFIER SPECIFICATIONS

ANARCHY	POWER @ 4 Ω (MAX)	POWER @ 2 Ω (MAX)	POWER @ 1 Ω (MAX)	BRIDGED POWER (4 Ω)	DIMENSIONS Length x Width x Height
4-CHANNEL					
AC2400.4	300 W x 4	600 W x 4	-	1200 W x 2	16.97" x 10" x 2.55" (431 x 254 x 65 mm)
AC1600.4	200 W x 4	400 W x 4	-	800 W x 2	13.46" x 10" x 2.55" (342 x 254 x 65 mm)
AC1200.4	150 W x 4	300 W x 4	-	600 W x 2	11.02" x 10" x 2.55" (280 x 254 x 65 mm)
AC800.4	100 W x 4	200 W x 4	-	400 W x 2	9.96" x 10" x 2.55" (253 x 254 x 65 mm)

TORQUE	POWER @ 4 Ω (MAX)	POWER @ 2 Ω (MAX)	POWER @ 1 Ω (MAX)	BRIDGED POWER (4 Ω)	DIMENSIONS Length x Width x Height
CLASS D MONOBLOCK					
TR5000.1D	1250 W x 1	2500 W x 1	5000 W x 1	-	18.5" x 10.66" x 2.41" (470 x 271 x 61 mm)
• STRAPPED (2 Amps)	5000 W	10000 W	N/A	-	
TR4000.1D	1000 W x 1	2000 W x 1	4000 W x 1	-	15.19" x 10.66" x 2.41" (386 x 271 x 61 mm)
• STRAPPED (2 Amps)	4000 W	8000 W	N/A	-	
TR3000.1D	750 W x 1	1500 W x 1	3000 W x 1	-	13.19" x 10.66" x 2.41" (335 x 271 x 61 mm)
• STRAPPED (2 Amps)	3000 W	6000 W	N/A	-	
CLASS A/B MONOBLOCK					
TR1500.1M	750 W x 1	1500 W x 1	-	-	10.0" x 10.66" x 2.41" (254 x 271 x 61 mm)

PULSE	POWER @ 4 Ω (MAX)	POWER @ 2 Ω (MAX)	POWER @ 1 Ω (MAX)	BRIDGED POWER (4 Ω)	DIMENSIONS Length x Width x Height
CLASS D MONOBLOCK					
PL4000.1D	1000 W x 1	2000 W x 1	4000 W x 1	-	13.89" x 7.0" x 2.39" (353 x 178 x 61 mm)
• STRAPPED (2 Amps)	4000 W	8000 W	N/A	-	
PL3000.1D	750 W x 1	1500 W x 1	3000 W x 1	-	11.93" x 7.0" x 2.39" (303 x 178 x 61 mm)
• STRAPPED (2 Amps)	3000 W	6000 W	N/A	-	
CLASS A/B MONOBLOCK					
PL2500.1M	1250 W x 1	2500 W x 1	-	-	15.87" x 7.0" x 2.39" (403 x 178 x 61 mm)
PL2000.1M	1000 W x 1	2000 W x 1	-	-	12.72" x 7.0" x 2.39" (323 x 178 x 61 mm)
PL1500.1M	750 W x 1	1500 W x 1	-	-	9.96" x 7.0" x 2.39" (253 x 178 x 61 mm)

PULSE	POWER @ 4 Ω (MAX)	POWER @ 2 Ω (MAX)	POWER @ 1 Ω (MAX)	BRIDGED POWER (4 Ω)	DIMENSIONS Length x Width x Height
2-CHANNEL					
PL3000.2	750 W x 2	1500 W x 2	-	3000 W x 1	18.22" x 7.0" x 2.39" (463 x 178 x 61 mm)
PL1200.2	300 W x 2	600 W x 2	-	1200 W x 1	39.96" x 7.0" x 2.39" (253 x 178 x 61 mm)
4-CHANNEL					
PL2400.4	300 W x 4	600 W x 4	-	1200 W x 2	15.87" x 7.0" x 2.39" (403 x 178 x 61 mm)
PL1600.4	200 W x 4	400 W x 4	-	800 W x 2	11.93" x 7.0" x 2.39" (303 x 178 x 61 mm)



PA300

DIGITAL BASS PROCESSOR

FEATURING REMOTE SUBWOOFER CONTROL

- Maximum Bass Control
- Dash-mount Remote Controls
- Subsonic Filter and Bass Level
- Glowing Planet Lens Display
- Bass Restoration Activity
- Parametric Bass Control
- PWM Power Supply
- Pre-Amp Output : 10 v
- Frequency Response: 10 Hz -100 kHz
- THD: $\leq 0.003\%$
- S/N : ≥ 85 dB

Dimensions:

4.325" L x 7" W x 1.625" H



REMOTE SUBWOOFER CONTROL



EQUALIZERS/CROSSOVERS

PEQ15

5-BAND EQUALIZER WITH SUBWOOFER OUTPUT HALF-DIN SIZE

- 1/2-DIN Fit
- 5 Adjustable EQ Bands
- ±18 dB Adjustment
- Subwoofer Level Control
- 2 Source Inputs
- Master Volume Control
- Fader Control
- Input Sensitivity Adjustment
- PWM MOSFET Power Supply
- Black and Silver Faceplates
- S/N: 110 dB

Dimensions:
7.25" L x 3.88" W x 1.38" H



SILVER FACE PLATE



BLACK FACE PLATE



PEQ10

4-BAND EQUALIZER HALF-DIN SIZE

- 1/2-DIN Fit
- Four Fixed Bands with 12 dB of Boost/Cut Adjustment
- 4 Band Adjustment
- Subwoofer Output with Adjustable Filter
- Subwoofer Level Control
- Aux-In

- Master Volume Control
- Fader Control
- Input Sensitivity Adjustment
- PWM MOSFET Power Supply
- S/N: > 85 dB

Dimensions:
7" L x 4.75" W x 1.38" H




EC20B

3-WAY ELECTRONIC CROSSOVER

FEATURING REMOTE SUBWOOFER CONTROL

- Front, Rear, Sub Inputs & Outputs
- HP & LP Filters
- Selectable Slope
- Bass Boost
- Phase Control
- Remote Subwoofer Control

Dimensions:
8.25" L x 5.13" W x 1.88" H



REMOTE SUBWOOFER CONTROL

EC10B

2-WAY ELECTRONIC CROSSOVER

FEATURING REMOTE SUBWOOFER CONTROL

- 2-CH Input
- Front & Sub Pre-Amp Outputs
- HP & LP Filters
- Bass Boost
- Phase Control
- Remote Subwoofer Control

Dimensions:
7.25" L x 4.38" W x 1.25" H



REMOTE SUBWOOFER CONTROL

BIG BANG

BBD12B

12" (305 mm) DUAL 4 Ω
VOICE COIL SUBWOOFER
2500 WATTS

FEATURES

- Foam Surround
- Treated Paper Cone
- Dual Voice Coil
- Dual Spider Design
- Cast Aluminum Basket
- Push Terminals





LOW-PROFILE SUBWOOFER

PA8W

**8" (203 mm) LOW-PROFILE
AMPLIFIED SUBWOOFER
800 WATTS**

Class A/B Topology
PWM MOSFET Power Supply
RCA & Speaker Level Inputs
LP Filters
Bass Boost
Phase Control
Remote Subwoofer Control
LED-Illuminated Logo
2 Passive Radiators

Dimensions:
13.78" x 9.84" x 2.95"
(350 x 250 x 75 mm)



REMOTE CONTROL



ILLUMINATED LOGO

AXIS SERIES

4 Ω FLAT SUBWOOFER

- Rubber Surround
- Stamped Steel Basket
- Polypropylene Cone
- High Performance Voice Coils
- Push Terminals
- Slim Mounting

PX12

12" (305 mm) 1000 WATTS



PX10

10" (254 mm) 800 WATTS





ANARCHY SERIES

DUAL 4 Ω VOICE COIL SUBWOOFER

- Foam Surround
- Stamped Steel Basket
- Polypropylene Cone
- High Performance Voice Coils
- Paintable Trim Ring
- Push Terminals

AC15D

15" (381 mm) 2100 WATTS



ANARCHY SERIES

DUAL 4 Ω VOICE COIL SUBWOOFER

Foam Surround
Stamped Steel Basket
Polypropylene Cone
High Performance Voice Coils
Paintable Trim Ring
Push Terminals

AC12D

12" (305 mm) 1800 WATTS





ANARCHY SERIES

DUAL 4 Ω VOICE COIL SUBWOOFER

Foam Surround
Stamped Steel Basket
Polypropylene Cone
High Performance Voice Coils
Paintable Trim Ring
Push Terminals

AC10D 10" (254 mm) 1500 WATTS



AC8D* 8" (203 mm) 1200 WATTS



(*No Push Terminals)

TORQUE SERIES

DUAL 4 Ω VOICE COIL SUBWOOFER

Foam Surround
Treated Paper Cone
Stamped Steel Basket
High Performance Voice Coil

TQ12S

12" (305 mm) 1500 WATTS



TQ10S

10" (254 mm) 1200 WATTS





SUBWOOFER SPECIFICATIONS

	BBD12B	PA8W	PX12	PX10	AC15D	AC12D	AC10D	AC8D	TQ12S	TQ10S
FEATURES										
Foam Surround	•	•			•	•	•	•	•	•
Rubber Surround			•	•						
Treated Paper Cone	•								•	•
Polypropylene Cone			•	•	•	•	•	•		
Paper & Polypropylene Cones										
Dual Cone Design										
Stamped Steel Basket			•	•	•	•	•	•	•	•
Cast Aluminum Basket	•									
Heavy Magnet Structure										
Copper Cap										
Copper Sleeve										
Tuned for Sound Quality										
Push Terminals	•		•	•	•	•	•	•		
Set Screw Terminals										
Shallow Mounting		•	•	•						
LED Illumination		•								
Paintable Trim Ring					•	•	•	•		
High Performance Voice Coils	•		•	•	•	•	•	•	•	•
SPECIFICATIONS										
Max Power: xWatts	2500	800	1000	800	2100	1800	1500	1200	1500	1200
Nominal Impedance: xΩ			4Ω	4Ω					4Ω	4Ω
Nominal Impedance: Dual xΩ	4Ω				4Ω	4Ω	4Ω	4Ω		
Sensitivity (1 W/1 m): xdB	83	90	95	85	89	88	87	85	87	87
DIMENSIONS										
A: Overall Diameter:	13"	13.78"L	12"	10"	15.2"	13"	11"	9"	12"	10.25"
B: Mounting Hole Diameter:	11.25"	9.84"W	11.13"	9.13"	13.9"	11"	9.13"	7.25"	11"	9.13"
C: Mounting Depth:	7.875"	2.95"D	4"	3.6"	7"	5.37"	4.75"	4"	5.2"	4.8"

TRQ693

6" x 9" (152 x 229 mm)
3-WAY | 500 WATTS

Rubber Surround
Polypropylene Cone
Stamped Steel Basket
Custom Grill



FULL RANGE SPEAKER SYSTEMS



TRQ573

5" x 7" (127 x 178 mm)
ALSO FITS 6" x 8"
(152 x 203 mm)
3-WAY | 300 WATTS



TRQ623

6.5" (165 mm)
3-WAY | 300 WATTS



TRQ622

6.5" (165 mm)
2-WAY | 250 WATTS



TRQ413

4" x 10" (102 x 254 mm)
3-WAY | 400 WATTS



TRQ522

5.25" (133 mm)
2-WAY | 225 WATTS



TRQ422

4" (102 mm)
2-WAY | 225 WATTS



TRQ462

4" x 6" (102 x 152 mm)
2-WAY | 200 WATTS



TRQ322*

3.5" (89 mm)
2-WAY | 140 WATTS

(*Custom Grill Not Included)





LOUDSPEAKER SPECIFICATIONS

TORQUE	POWER		FREQUENCY	SYSTEM			
	HANDLING (PEAK)	SYSTEM IMPEDANCE	RESPONSE (±3dB)	SENSITIVITY @ 1W / 1m	MIDRANGE	TWEETER(S)	MOUNTING DEPTH
TRQ693	500 W	4 Ω	60 Hz-20 kHz	88 dB	2"	0.79" / 0.5" DOME	2.28" (58 mm)
TRQ623	300 W	4 Ω	73 Hz-20 kHz	84 dB	-	0.79" / 0.5" DOME	2.28" (58 mm)
TRQ573	300 W	4 Ω	70 Hz-20 kHz	86 dB	-	0.79" / 0.5" DOME	2.28" (58 mm)
TRQ622	250 W	4 Ω	70 Hz-20 kHz	86 dB	-	0.79" / 0.5" DOME	2.28" (58 mm)
TRQ413	400 W	4 Ω	70 Hz-20 kHz	86 dB	-	0.79" / 0.5" DOME	2.68" (68 mm)
TRQ462	200 W	4 Ω	75 Hz-20 kHz	84 dB	-	0.5" DOME	1.77" (45 mm)
TRQ522	225 W	4 Ω	78 Hz-20 kHz	84 dB	-	0.5" DOME	2.05" (52 mm)
TRQ422	225 W	4 Ω	87 Hz-20 kHz	85 dB	-	0.5" DOME	1.81" (46 mm)
TRQ322	140 W	4 Ω	105 Hz-20 kHz	85 dB	-	0.5" DOME	1.57" (40 mm)

PC20F

20 FARAD SUPER HYBRID POWER CAPACITOR

FEATURING DIGITAL VOLTAGE DISPLAY
AND BLUE ILLUMINATION

Audible Warning Tones for Reverse
Polarity, Voltage Overload and Low
Battery Voltage


E.S.R. (Equivalent Series Resistance)
0.0015 OHMS @ 120Hz

3-Digit Blue Voltage Meter Displays
0.1V Increments

Blue LED Illuminated Window with Music Response

16V Operating Voltage

24V Surge





PC10F

10 FARAD SUPER HYBRID POWER CAPACITOR

FEATURING DIGITAL VOLTAGE DISPLAY
AND BLUE ILLUMINATION

Audible Warning Tones for Reverse
Polarity, Voltage Overload and Low
Battery Voltage

E.S.R. (Equivalent Series Resistance)
0.0015 OHMS @ 120Hz

3-Digit Blue Voltage Meter Displays
0.1V Increments

Blue LED Illuminated Window with Music Response

16V Operating Voltage

24V Surge



PCBLK3.5

3.5 FARAD CAPACITOR
WITH DIGITAL VOLTAGE DISPLAY



PCBLK2.0

2.0 FARAD CAPACITOR
WITH DIGITAL VOLTAGE DISPLAY



Digital Voltage Level Display
16V Operating Voltage
24V Surge
Chrome Finish Terminals
Includes Mounting Brackets



PLANET AUDIO



Planet Audio®

PLANET AUDIO

3451 LUNAR COURT • OXNARD, CA 93030

www.planetaudio.com • 888.990.1236

All specifications are subject to change without notice. Copyright© 2019 PLANET AUDIO.
iPod® and iPhone® are trademarks of Apple, Inc. registered in the U.S. and other countries. PLANET AUDIO is not affiliated with Apple, Inc.
The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by PLANET AUDIO
is under license. Other trademarks and trade names are those of their respective owners.