Parallels

Parallels Remote Application Server

Parallels Client for Chrome User's Guide

Parallels International GmbH Vordergasse 59 8200 Schaffhausen Switzerland Tel: + 41 52 672 20 30 www.parallels.com

Copyright © 1999-2017 Parallels International GmbH. All rights reserved.

This product is protected by United States and international copyright laws. The product's underlying technology, patents, and trademarks are listed at http://www.parallels.com/about/legal/.

Microsoft, Windows, Windows Server, Windows Vista are registered trademarks of Microsoft Corporation. Apple, Mac, the Mac logo, OS X, macOS, iPad, iPhone, iPod touch are trademarks of Apple Inc., registered in the US and other countries. Linux is a registered trademark of Linus Torvalds.

All other marks and names mentioned herein may be trademarks of their respective owners.

Contents

Getting Started with Parallels Client for Chrome	4
Install Parallels Client for Chrome	4
Create a Connection	5
Create a Connection Manually	5
Work With a Remote Server	6
Upload and Download Files	7
Using Parallels Client for Chrome	.10
Edit Connection Settings	10
Experience	. 11
Advanced Settings	
Remove a Connection	. 13
Edit Parallels Client Settings	14
Check the Version and Build Number	15
Index	.16

CHAPTER 1

Getting Started with Parallels Client for Chrome

About Parallels Client for Chrome

Parallels Client for Chrome is an extension to the Chrome web browser that allows you to connect to Remote Application Server.

About This Guide

Read this guide to learn how to:

- install Parallels Client for Chrome (p. 4);
- establish a connection to Remote Application Server (p. 5);
- work with remote servers using Parallels Client for Chrome (p. 6);
- edit connection settings (p. 10);
- edit Parallels Client settings (p. 14);
- check the version and build number of Parallels Client (p. 15).

In This Chapter

Install Parallels Client for Chrome	4
Create a Connection	5
Work With a Remote Server	6

Install Parallels Client for Chrome

System Requirements

To add the Parallels Client extension to your Chrome browser, you must have the Chrome browser version 31.0.1650 or later.

Note: To check the version of your Chrome browser, click the Chrome menu > Help > About Google Chrome.

Installation Procedure

The preferred way to install Parallels Client is to follow the instructions from the invitation email. Your Parallels Remote Application Server administrator should send you this email.

Another way to install Parallels Client is to install it from Chrome Web Store. Do the following:

- 1 In the Chrome browser, open Chrome Web Store.
- 2 Search for Parallels Client.
- 3 Click ADD TO CHROME and follow the onscreen instructions.

Create a Connection

Once Parallels Client for Chrome is installed, you need to connect to Remote Application Server. You can do one of the following to establish a connection:

- if you want Parallels Client to connect to Remote Application Server automatically, follow the instructions from the invitation email. Your system administrator should send you this email.
- If you know the remote server IP address or host name and user's credentials, you can create a connection manually (p. 5).

Create a Connection Manually

To create a Remote Application Server connection manually, do the following:

- 1 Open Parallels Client for Chrome by doing the following:
 - If you're working in Chrome OS, click Launcher in the left bottom corner, select All Apps and click Parallels Client.
 - If you're working in Windows, click the **Start** button > **All Programs** > **Chrome Apps** and launch Parallels Client.

You can also launch Parallels Client from **Chrome App Launcher** installed together with the Parallels Client extension. To open **Chrome App Launcher**, click the **Start** button > **All Programs** > **Google Chrome** and select **Chrome App Launcher**.

2 Click Add Remote Application Server 4. The following screen appears.

Connection Settings	Experience	Advanced Settings
📮 Şerver	443	Gateway SSL № ▼
T Alias		
🔒 User Name		
. Password		
Network Level Authentica	ation	
Connections and passwords Google account	s can be accessed by anyon	ne using the same

- 3 Specify the Server, Port, and Connection Mode settings.
- 4 Enter your user name.
- 5 Click Save when done.
- 6 When asked, enter your password. If the connection was successful, the right pane of the **Parallels Client** window should now display the published resources that you can use. If you receive an error, verify that the connection and logon information is entered correctly and try again.

							- 🗆 🗙
町 Parallels							¢
Remote Application Server	~						
I0.225.12.32	Accessories	Chrome	MS Office	Desktop	Wavepad	Skype	Mozilla Firefox

Work With a Remote Server

To connect to Parallels Remote Application Server, double-click a connection in the **Connections** list.

To open a published application, just double-click it or right-click the application and choose **Open**.

Every time you connect to a remote server from Parallels Client, a session is created for the connection. To manage a session, right-click a connection in the **Connections** list.

2	Refresh
٢	Upload
Ţ.	Download
	Logoff
	Disconnect
8	Delete
3	Properties

The context menu has the following options allowing you to perform session management tasks:

- **Refresh**. Use this option to refresh the session and the published resources view in the right pane. If there were changes on the Parallels Remote Application Server side, they will be reflected in the Parallels Client.
- **Upload**. Use this button to upload files to the remote server.
- Download. Use this button to download files from the remote server.
- Logoff. Logs off Parallels Client from the session.
- **Disconnect**. Disconnect from Remote Application Server. If the selected connection is inactive, this menu item will be disabled.
- Delete. Removes the selected connection.
- Properties. Opens the window where you can edit various connection properties.

Upload and Download Files

While working with RAS, you can upload files to a remote server as well as download them from it.

Important! To be able to upload and download files, the **Enable Graphics acceleration** option must be deselected in the Parallels Client settings (p. 14).

To upload or download a file, do the following:

- 1 Open Parallels Client and establish a connection to Parallels RAS.
- 2 Once connected, open the remote desktop or launch some published application.
- **3** To upload or download a file, use the **Upload** and **Download** buttons. Do one of the following to access them:

1. If you opened a published application, right-click the connection in the list of connections. The buttons are available in the context menu:

2	Refresh
٢	Upload
Ţ	Download
	Logoff
4	Disconnect
ಜ	Delete
	Properties

2. If you opened a published application, move the mouse pointer to the right side of the Parallels Client window and hold for a while. The buttons will appear:

		×
	Active Windows (1) \bigtriangledown	٥
P 3		
PowerPoint 2016		
– 🗆 X		
out of Office		
<u>Learn more</u>		Lμ
		ſħ
stry als		
212		

3. If you opened the remote desktop, these buttons are available on the right side toolbar:



4 After you click the **Upload** or **Download** button, choose which file you want to upload or download.

CHAPTER 2

Using Parallels Client for Chrome

In This Chapter

Edit Connection Settings	10
Edit Parallels Client Settings	
Check the Version and Build Number	

Edit Connection Settings

To edit your Remote Application Server connection parameters, do the following:

Note: You should change connection settings only if your system administrator told you to do so.

- **1** Open Parallels Client.
- **2** Right-click the connection which settings you want to edit and choose **Properties**. The following screen appears:

Remote Applicatio	on Server	
Connection Settings	Experience	Advanced Settings
💻 Server	443	Gateway SSL № ▼
T Alias		
🔒 User Name		
- Password		
Network Level Authent	cation	
	ds can be accessed by anyon	e using the same
		Save Cancel

You can edit the following parameters:

- Server. In this field, you can change the remote server IP address or host name.
- **Port**. In this field, you can change the port number.
- Connection Mode. In this menu, you can change the connection mode.
- Alias. In this field, you can change the name of your connection.
- User Name. In this field, you can edit the user name.
- **Password**. In this field, you can edit the user's password.
- Experience. Click this tab to access the group of visual settings (p. 11).
- Advanced settings. Click this tab to access the group of advanced settings (p. 12).

Experience

The **Experience** tab allows you to configure the following options:

Remote Application Server			
Connection Settings	Experience	Advanced Settings	
Desktop Background			
Font Smoothing			
Menu and Window animation			
Desktop Composition	Solution		
Show Contents of window w	۲		
Themes	۲		
Bitmap Caching			
Enable Compression			
		Save	

Note: These options make the remote computer desktop, menus and windows look pretty but may slow down the connection speed. It's safe to enable these options if your connection speed is 100 Mbps or faster.

- **Desktop Background**. Enable this option to show the remote computer desktop background.
- Font Smoothing. This option makes all fonts smooth for improved readability.
- Menu and Window animation. If menus and windows on the remote computer have visual effects and this option is enabled, these effects are also shown on the local device or computer.

- **Desktop Composition**. Desktop composition changes the way windows are depicted on the screen.
- Show Contents of window while dragging. Enable this option to show window contents when dragging windows.
- Themes. Enable this option to use the remote desktop themes when connected.
- **Bitmap Caching**. This option must be enabled to increase the connection bandwidth efficiency.
- **Enable Compression**. It is recommended to enable this option to have a more efficient connection.

Advanced Settings

The Advanced Settings tab allows you to configure the following options:

Remote Applicatio	on Server			×
Connection Settings	Experience		Advanced	Settings
Clipboard	[Redirect	t	٣
Color Depth	[Highest	Quality (32 bit)) 🔻
Sound	[Do not p	olay	Ŧ
Redirect Links	[Do not F	Redirect	T
Graphic Acceleration	[Remote	FX Adaptive	•
Connection Speed	[LAN (10	Mbps or highe	er) 🔻
If authentication Fails	[Connect	t	•
Redirect printers	[RAS Un	iversal Printer	¥
Custom Printer Name				
Match exact printer nar	ne			
			Save	ancel

- Clipboard. Use this menu to choose whether to synchronize the clipboards on your computer and the remote server. If you choose **Redirect**, when you copy some plain or formatted text to the clipboard on your computer, this text also becomes available in the clipboard on the remote server and vice versa.
- Color Depth. Use this option to specify the color depth.
- **Sound**. This option allows you to specify how the sound on the remote computer should be handled.
- **Redirect Links**. This option allows you to redirect URLs and emails to the device or computer where Parallels Client is installed. Select one of the following options:

- **Do not Redirect**. Enable this option to disable redirection.
- Redirect URLs. Enable this option to use the local web browser when opening 'http:" links.
- Redirect Mail. Enable this option to use the local mail client when opening "mailto:" links.
- Redirect All. Enable this option to redirect both URLs and emails to the local device or computer.
- **Graphic Acceleration**. Use this option to select the graphics acceleration type.
- **Connection Speed**. This option allows you to tweak the connection speed to optimize the performance of the connection with the remote host.
- If Authentication Fails. This option allows you to specify what happens if the server authentication fails. Select one of the following options:
 - Connect. The user can ignore the certificate of the server and still connect.
 - Warn. The user is alerted about the certificate and still has the ability to choose whether to connect or not.
 - Do not connect. The user is not allowed to connect.
- **Redirect Printers**. This menu allows you to configure printing options. Select the technology to use when redirecting printers to a remote computer:
 - Do not redirect. No printer redirection will be configured.
 - RAS Universal Printer. Select this option if you want to use RAS Universal Printer.
 - **Custom**. When this option is selected, you can specify a custom printer which might be installed on the remote computer. The first printer that matches the printer name inserted in the custom text box, will be set as the default printer on the remote computer.

Select **Match exact printer name** to match the name exactly as inserted in the custom text box. Please note that the remote printer name might differ from the original printer name. Also note that local printers might not be redirected due to server settings or policies.

Remove a Connection

To remove a connection, do the following:

- 1 Open Parallels Client.
- 2 Right-click a connection in the left pane and choose Delete.

Edit Parallels Client Settings

While working with Parallels Client, you can edit its settings the way you need. To open Parallels Client settings, click in the top right corner of the Parallels Client window and choose **Settings**.

Settin	gs	×
Lar	nguage English •	
	Keyboard Compatibility Mode	
	Enable Graphics Acceleration	
	Do not warn if server certificate is not verified	
	Swap Mouse Buttons	
	Participate in the Customer Experience Program	
₽	Erase All Connections	
	OK Cancel	

You can edit the following options:

- Language. Select the language of the Parallels Client interface.
- **Keyboard Compatibility Mode**. Enable this option if you want the keyboard to send characters as unicode instead of scancode.
- Enable Graphics Acceleration. Enable this option to be able to change the graphics acceleration type in the connection advanced settings (p. 12).
- **Do not warn if server certificate is not verified**. When connected over SSL, and the certificate is not verified, a warning message will be displayed. You can disable this warning message by enabling this option.
- Swap Mouse Buttons. Enable this option to swap the mouse buttons on the remote server.
- Participate in the Customer Experience Program. Choose whether you'd like to participate in the customer experience program to help Parallels improve the product. No personal data will be collected.
- Erase All Connections. Remove data about all your Remote Application Server connections.

Check the Version and Build Number

To check the version and build number of Parallels Client for Chrome, click in the top right corner of the Parallels Client window and choose **About**. A window appears showing the version and build number.

Index

Α

Advanced Settings - 12

С

Check the Version and Build Number - 15 Create a Connection - 5 Create a Connection Manually - 5

Е

Edit Connection Settings - 10 Edit Parallels Client Settings - 14 Experience - 11

G

Getting Started with Parallels Client for Chrome - 4

I

Install Parallels Client for Chrome - 4

R

Remove a Connection - 13

U

Upload and Download Files - 7 Using Parallels Client for Chrome - 10

W

Work With a Remote Server - 6