



INSPIRON 15



[Views](#)

[Specifications](#)

Copyright © 2013-2014 Dell Inc. All rights reserved. This product is protected by U.S. and international copyright and intellectual property laws. Dell and the Dell logo are trademarks of Dell Inc. in the United States and/or other jurisdictions. All other marks and names mentioned herein may be trademarks of their respective companies.

2014 - 01 Rev. A03

Regulatory model: P28F | Type: P28F001/P28F003

Computer model: Inspiron 3521/3537

NOTE: The images in this document may differ from your computer depending on the configuration you ordered.



Front



Left



Right



Base



Display

Front



1 Power-status light

Indicates the power state of the computer.

White light — Power adapter is connected and the battery is fully charged.

2 Hard-drive activity light

Turns on when the computer reads from or writes to the hard drive.

3 Battery-status light

Indicates the battery state of the computer.

Solid yellow light — Battery charge is low.

Blinking yellow light — Battery charge is critical.

4 Wireless-status light

Turns on when wireless is turned on.

5 Media-card reader

Reads from and writes to media cards.



Front



Left



Right




Base



Display

Left



1 Power-adapter port

Connect a power adapter to provide power to your computer and charge the battery.

2 HDMI port

Connect a TV or another HDMI-in enabled device. Provides video and audio output.

3 Network port

Connect an Ethernet (RJ45) cable from a router or a broadband modem for network or internet access. The two lights next to the connector indicate the connectivity status and network activity.

4 USB 3.0 ports (2)

Connect peripherals such as storage devices, printers, and so on. Provide data transfer speeds up to 5 Gbps.

5 USB 2.0 port

Connect peripherals such as storage devices, printers, and so on. Provides data transfer speeds up to 480 Mbps.

6 Headset port

Connect a headphone, a microphone, or a headphone and microphone combo (headset).



Front



Left



Right



Base



Display

Right



1 USB 2.0 port (supports Windows debugging)

Connect peripherals such as storage devices, printers, and so on. Provides data transfer speeds up to 480 Mbps. This USB port can be used for Windows debugging.

2 Optical drive

Reads from and writes to CDs and DVDs.

3 Security-cable slot

Connect a security cable to prevent unauthorized movement of your computer.



Views

Base



Front



Left



Right



Base



Display



1 Power button

Press to turn on the computer if it is turned off or in Sleep state.

Press to put the computer in Sleep state if it is turned on.
Press and hold for 10 seconds to force shut-down the computer.

NOTE: You can customize the power-button behavior in Power Options. For more information, see *Me and My Dell* at dell.com/support.

2 Left-click button

Press to left click.

3 Touchpad

Move your finger on the touchpad to move the mouse pointer. Tap to left-click.

4 Right-click button

Press to right click.



Display



Front



Left




Right



Base



Display



1 Digital microphone

Provides high-quality digital sound input for audio recording, voice calls, and so on.

2 Camera

Allows you to video chat, capture photos, and record videos.

3 Camera-status light

Turns on when the camera is in use.




Specifications

Dimensions and Weight

	Non-touch	Touch
Height (front to back):		
With 4-cell battery	0.98 in to 1.09 in (24.85 mm to 27.60 mm)	1.07 in to 1.19 in (27.25 mm to 30.15 mm)
With 6-cell battery	0.98 in to 1.25 in (24.85 mm to 31.80 mm)	1.07 in to 1.37 in (27.25 mm to 34.80 mm)
Width	14.80 in (376 mm)	
Depth	10.20 in (259 mm)	
Weight (maximum):		
With 4-cell battery	4.85 lb (2.20 kg)	5.51 lb (2.50 kg)
With 6-cell battery	5.18 lb (2.35 kg)	5.84 lb (2.65 kg)


NOTE: The weight of your laptop varies depending on the configuration ordered and the manufacturing variability.



Dimensions and Weight



System Information



Memory




Ports and Connectors



Communications



Video




Audio



Storage




Media-card reader



Display




Keyboard




Camera




Touchpad



Battery



Power Adapter













Computer Environment



Specifications

System Information

	Inspiron 3521	Inspiron 3537
Computer model	Inspiron 3521	Inspiron 3537
Processor	<ul style="list-style-type: none"> • Intel Celeron Dual Core (2nd generation) • Intel Pentium Dual Core (2nd generation) • Intel Core i3 ULV (3rd generation) • Intel Core i5 ULV (3rd generation) • Intel Core i7 ULV (3rd generation) 	<ul style="list-style-type: none"> • Intel Celeron Dual Core (4th generation) • Intel Pentium Dual Core (4th generation) • Intel Core i3 ULV (4th generation) • Intel Core i5 ULV (4th generation) • Intel Core i7 ULV (4th generation)
L1 cache		64 KB per core
L2 cache		256 KB per core
L3 cache		Up to 4 MB
Chipset	Intel HM76	Integrated in processor













Specifications

Memory

Connectors	Two internally-accessible SODIMM connectors
Type:	
Inspiron 3521	Dual-channel DDR3
Inspiron 3537	Dual-channel DDR3L
Speed	Up to 1600 MHz
Configurations supported	2 GB, 4 GB, 6 GB, 8 GB, and 16 GB





Specifications













Ports and Connectors

External:

Network	One RJ45 port
USB	<ul style="list-style-type: none">• Two USB 3.0 ports• One USB 2.0 port• One USB 2.0 port with Windows debugging
HDMI	One HDMI port
Audio	One headphone and microphone combo (headset) port

Internal:

Mini-card	One full mini-card slot for Wi-Fi and Bluetooth combo card
-----------	--





Specifications











Communications

Ethernet

10/100 Mbps Ethernet controller integrated on system board

Wireless

- Wi-Fi 802.11 b/g/n
- Bluetooth 4.0






Specifications

Video


	Inspiron 3521	Inspiron 3537
Controller:		
Integrated	Intel HD Graphics 4000	Intel HD Graphics 5100/4200/4400 series
Discrete	<ul style="list-style-type: none"> • AMD Radeon HD 7670M • AMD Radeon HD 8730M 	<ul style="list-style-type: none"> • AMD Radeon HD 8670M • AMD Radeon HD 8850M
Memory:		
Integrated	Shared system memory	
Discrete	Up to 2 GB	




Dimensions and Weight



System Information



Memory




Ports and Connectors




Communications



Video




Audio




Storage




Media-card reader




Display




Keyboard




Camera




Touchpad



Battery



Power Adapter












Computer Environment



Specifications

Audio

Controller	ALC3223
Speakers	Two
Speaker output:	
Average	2 watt
Peak	2 watt
Microphone	Single digital microphone in the camera assembly
Volume controls	Program menus and keyboard media-control keys














Specifications

Storage

Interface	<ul style="list-style-type: none">• SATA 1.5 Gbps• SATA 3.0 Gbps• SATA 6.0 Gbps
Hard drive	One 2.5-inch drive (supports Intel Smart Response Technology)
Optical drives	One 9.5 mm SATA drive
Drives supported	DVD+/-RW






Specifications

Media-card reader


Type	One 8-in-1 slot
Cards supported	<ul style="list-style-type: none">• Secure Digital (SD) memory card• SD High-Capacity (SDHC) card• Secure-Digital Extended Capacity (SDXC) card with Ultra High Speed (UHS)• Memory Stick• Memory Stick PRO• Memory Stick XC (MSXC)• MultiMedia Card (MMC)• MultiMedia Card plus (MMC+)




Dimensions and Weight



System Information



Memory




Ports and Connectors




Communications



Video




Audio




Storage




Media-card reader




Display



Keyboard




Camera



Touchpad



Battery



Power Adapter




Computer Environment



Specifications

Display


Type	<ul style="list-style-type: none">• 15.6-inch HD• 15.6-inch HD with touch
Resolution (maximum)	1366 x 768
Dimensions:	
Height	8.83 in (224.30 mm)
Width	14.17 in (360 mm)
Diagonal	15.60 in (396.24 mm)
Refresh rate	60 Hz
Operating angle	0 degree (closed) to 140 degrees
Pixel pitch	0.252 mm x 0.252 mm
Controls	Brightness can be controlled using shortcut keys.



Dimensions and Weight



System Information



Memory




Ports and Connectors



Communications



Video




Audio



Storage




Media-card reader



Display




Keyboard




Camera



Touchpad



Battery



Power Adapter












Computer Environment



Specifications

Keyboard

Type	Chiclet keyboard
Shortcut keys	<p>Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. To type the alternate character, press Shift and the desired key. To perform secondary functions, press Fn and the desired key.</p> <p>NOTE: You can define the primary behavior of the shortcut keys by changing Function Key Behavior in System Setup.</p>





Specifications









Camera

Resolution:

Still image 0.92 megapixel

Video 1280 x 720 (HD) at 30 fps (maximum)

Diagonal viewing angle 74 degrees





Specifications









Touchpad

Resolution:

Horizontal	1560 dpi
Vertical	2553 dpi

Dimensions:

Width	2.13 in (54 mm)
Height	3.86 in (98 mm)















Specifications

Battery

Type	<ul style="list-style-type: none"> 4-cell "smart" lithium ion (40 WHr) – non-touch only 6-cell "smart" lithium ion (65 WHr) 	
Dimensions:	4-cell	6-cell
Height:		
Touch	N/A	1.08 in (27.40 mm)
Non touch	0.79 in (20.00 mm)	1.08 in (27.40 mm)
Width	10.72 in (272.40 mm)	10.72 in (272.40 mm)
Depth	1.94 in (49.30 mm)	1.94 in (49.30 mm)
Weight	0.57 lb (0.26 kg)	0.79 lb (0.36 kg)
Voltage	14.80 VDC	11.10 VDC
Operating time	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.	
Life span (approximate)	300 discharge/charge cycles	
Temperature range:		
Operating	0 °C to 35 °C (32 °F to 95 °F)	
Storage	-40 °C to 65 °C (-40 °F to 149 °F)	
Coin-cell battery	CR-2032	














Specifications

Power Adapter

Type	<ul style="list-style-type: none">• 65 W• 90 W
Input voltage	100 VAC–240 VAC
Input frequency	50 Hz–60 Hz
Input current	1.50A/1.60A/1.70A/2.50A
Output current	3.34 A/4.62 A
Rated output voltage	19.50 VDC
Temperature range:	
Operating	0 °C to 40 °C (32 °F to 104 °F)
Storage	–40 °C to 70 °C (–40 °F to 158 °F)





Specifications

Computer Environment

Airborne contaminant level	G1 as defined by ISA-S71.04-1985	
	Operating	Storage
Temperature range	0 °C to 40 °C (32 °F to 104 °F)	-40 °C to 70 °C (-40 °F to 158 °F)
Relative humidity (maximum)	10 % to 90 % (non-condensing)	10 % to 95 % (non-condensing)
Vibration (maximum)*	0.66 GRMS	1.30 GRMS
Shock (maximum)†	110 G	160 G
Altitude (maximum)	-15.20 m to 3048 m (-50 ft to 10,000 ft)	-15.20 m to 10,668 m (-50 ft to 35,000 ft)

* Measured using a random vibration spectrum that simulates user environment

† Measured with hard drive in operating status and a 2-ms half-sine pulse for operating. Also measured with hard drive in head-parked position and a 2-ms half-sine pulse for storage

