



BEAUTIFY

**kronnect**

[www.kronnect.com](http://www.kronnect.com)

Copyright 2016, 2017, 2018 All Rights Reserved

## Contents

Introduction.....	3
Demo Scenes .....	4
Quick Start.....	4
Beautify parameters .....	5
General Settings .....	5
Image Enhancements Options .....	5
Color Grading Options.....	6
Lens & Lighting Effects .....	7
Artistic Choices .....	9
Advanced Settings.....	10
Using Profiles.....	11
Scripting support (C#) .....	12
FAQ (Frequent Asked Questions) .....	13
Can Beautify work with other image effects?.....	13
Skybox banding is not completely removed. What can I do?.....	13
What differences exist between the Best Performance and Quality settings?.....	13
When I launch a build, it takes lot of time to complete. What can I do? .....	14
Can I exclude my UI from Beautify? .....	14
I get shader error on Playstation 4! .....	15
I get shader error on Xbox One!.....	15
Can I make bloom affect only emissive materials?.....	15
How to enable Orthographic Camera support?.....	15
Is it possible to disable core effects like vibrance, dithering or sharpen? .....	15
Bloom burns/saturates the lights, can I spread it or make it softer? .....	16
I need to improve performance on mobile. Is it possible? .....	16
Support .....	17
Feedback & Review! .....	17

## Introduction

Thanks for purchasing!

**Beautify** is a full-screen image processing effect that improves the image quality in real time producing incredibly crisp and vivid scenes.



**Beautify uses several algorithms in a single-pass resulting in a very fast image effect:**

- Analyses local pixel contrast, enhancing visual features and producing sharp images.
- Reduces or completely removes banding in gradients, usually seen in sky boxes due to color quantization.
- Adjusts pixel saturation, boosting pixel color without over saturating the image.
- Factory presets or global effect slider, which takes care of all effect details in one step.

**In addition to this unique image enhancement technology, Beautify provides state of the art filmic ACES tonemap operator and high quality extra effects which you can combine just enabling them in the inspector. These are high quality effects which are combined in the same render passes providing superior performance.**

Beautify is very easy to use, just add the image effect to your camera, choose a preset and that's all.

It works with forward and deferred rendering paths as well as linear and gamma color spaces.

3 shader variants are included: a High Quality version that should be the preferred choice, a Best Performance version which sacrifices some fidelity in favour of performance and a Basic version which just comes with basic effects (sharpen, color adjustment, dithering)..

## Demo Scenes

A few demo scenes are included to quickly play with the different presets. Just open and play with them to learn about Beautify possibilities.

## Quick Start

1. Add the Beautify script to your main camera in your scene.
2. Choose one of the preset and that's all!

You can of course customize any of its parameters to match your game mood and requirements.

## Beautify parameters

### General Settings

- **Quality:** chooses the shader variant. The “Best performance” variant uses less texture fetches and includes some extra optimizations which results in a faster performance with less accuracy making it suitable for mobile devices (real performance depends on device GPU power and the number of enabled effects).
- **Preset:** quickly choose a factory combination of values for the parameters below.
- **Profile:** assign or create a Beautify profile. A profile is a custom file that stores current configuration. You can have multiple profile and assign them either in Editor or at runtime. Jump to “Using Profiles” for more details.
- **Compare Mode:** shows a side by side comparison of Beautify effect.

### Image Enhancements Options

- **Sharpen:** sharpen intensity. A higher value will produce a dramatic result but can show some undesired artifacts with thin objects or whitish backgrounds. Use the following extra settings to control those artifacts:
  - **Min/Max depth:** allows you to choose the depth range where sharpen will be applied. Decrease max depth to remain skybox untouched. Increase min depth to cause an effect similar to depth of field.
  - **Max Depth:** will compute depth difference around pixels to detect edges. When the depth delta is greater than this value, sharpen will not occur. This will protect thin objects like standalone wires or lines.
  - **Luminance Relaxation:** sharpen is subtler on high contrasted areas. This parameter tunes this relaxation. Reduce this value to preserve thin edges or bright areas.
  - **Clamp:** irrespective of sharpen intensity or above params, clamp controls the maximum effect applied over a single pixel.

- **Motion Sensibility:** reduces sharpen effect while camera moves/rotates. This option can reduce flickering and produce a cheap motion blur effect. Set this value to 0 to disable this option.
- **Dither:** dither function shifts pixel RGB values according to a pseudo-random pattern to reduce banding.
  - Min Depth: by default, dither is applied to entire image. Use this parameter to make dithering only occur beyond given depth (set this value near 0.99 to make it only affect sky).

## Color Grading Options

- **Tonemapping:** default is Linear which means no tonemap operator is applied. Choose ACES (Academy Color Encoding System) to map HDR colors into LDR space. Use only with HDR enabled on your camera.
- **LUT (Look-up Texture) Transform:** switches colors according to the provided lookup texture. A sample LUT Sepia texture can be found inside Beautify/Resources/Textures folder.
- **Vibrance:** controls the intensity of adaptative saturation. This algorithm considers current saturation of each pixel, so low saturated pixels receive more importance than high saturated pixels.
- **Tint:** multiplies scene pixels by a given color. Alpha controls the transparency of the tint effect.
- **Daltonize:** similar to vibrance but mostly accentuate primary red, green and blue colors to compensate protanomaly (red deficiency), deuteranomaly (green deficiency) and tritanomaly (blue deficiency). This effect does not shift color hue hence it won't help completely red, green or blue color blindness. The effect will vary depending on each subject so this effect should be enabled on user demand.
- **Contrast & Brightness:** these two paramters adds a final contrast + brightness adjustment to the image.

## Lens & Lighting Effects

- **Bloom:** produces fringes of light extending from the borders of bright areas, contributing to the illusion of an extremely bright light overwhelming the camera or eye capturing the scene. Use intensity and threshold (light sensibility) to adjust bloom effect. Layer mask option allows you to specify which objects are subject to bloom.
- **Anamorphic Flares:** also known as JJ Abrams flares, they add a sci-fi look to the scene. This effect is only available for Best Quality settings. It's similar to bloom but also can be assigned a tint color (use alpha to blend between original and tint color) and an orientation (horizontal or vertical).
- **Sun Flares:** beautiful, fast and procedural lens flares produced by the bright light of the Sun. There're lot of options to customize from sun disk size and intensity, corona rays, ray diffraction and ghosts.
- **Lens Dirt:** adds dust and dirt effect to your camera when looking to a light source. You can control the intensity and the brightness threshold (brightness sensibility). If you want to use different dirt textures, just assign your own texture into the Dirt Texture slot (several textures are provided in this asset inside the Textures folder).
- **Depth of Field with Bokeh:** depth of field is the distance between the nearest and the furthest objects giving a focused image. Enable this option to produce a photography effect where the target object remains focused while the the background and foreground looks blurred.
  - **Autofocus / Focus target / Focus distance:** allows you to specify where is the focus plane. For autofocus it's recommended to reduce the focus speed as it will produce a more pleasant effect between changes.
  - **Focus speed:** the speed between current focus and a focus change. For example, if the target focus is moving a focus speed of 1 will update the focus instantly whereas a lower value will make the focus more progressive.
  - **Focal Length and Aperture:** these two parameters are used to simulate the virtual camera. Focal Length is the distance between the lens and the image sensor. Aperture is referred to the effective apertura or diameter of the pupil through which the outside light enters.

- **Foreground Blur:** enable to allow foreground objects to be blurred. Use offset to adjust the foreground blur distance.
  - **Downsampling:** reduces the screen buffer size to improve performance. Can produce some artifacts.
  - **Sample count:** refers to the maximum samples that will be gathered. The algorithm is optimized to produce adequate results with a value of 4. A lower value will be faster but the results will look incorrect. A greater value will increase the quality of the blur, which can be appreciated when using a higher focal length value.
  - **Transparency Support:** enabling this option will render a depth pass over transparent objects and take into account their depth into the Circle of Confusion computation. Use only if you really need this.
  - **Exclusion Layer:** this option enables you to exclude certain objects on the scene from the Depth of Field effect. Useful to focus attention on specific areas or objects.
  - **Exclusion Layer Bias:** this is an offset value used in the exclusion layer computation. Modify it if the excluded objects show DoF effect applied over some areas.
- 
- **Eye Adaptation:** simulates eye reaction to quick luminance changes in the scene. You can customize the eye adaptation to light or to dark, either min/max exposure changes and adaptation speeds.
  - **Purkinje:** this effect simulates the achromatic vision in the dark plus a spectrum shift to blue tones. You can customize the shift amount and the effect luminance threshold.



## Artistic Choices

- **Vignetting:** darkens or tints with a custom color the border of the scene. The alpha component controls the effect intensity. This effect can be combined with Night Vision or others to add great depth and special feeling to your scene. Optionally assign a mask texture whose alpha component will be overlaid over the image. You can find a sample grungeBorder texture inside Resources/Textures folder.

**Frame:** adds a white or colored border to the screen. The alpha component controls the size of the border. Optionally assign a frame texture. You can find a sample grungeBorder texture inside Resources/Textures folder.

- **Outline:** adds a white or colored border around objects in the scene. The alpha component controls the edge detection threshold.
- **Night Vision:** the night vision effect will allow you to see in complete dark. You can customize the color (greenish by default) and the luminance using the alpha component of the color picker. This effect is completed by noise and scan line effect. Works great with vignetting enabled (set a black vignette with an alpha of 32).
- **Thermal Vision:** this effect is similar to night vision but just shift color hues to simulate thermal sensitivity. It also distorts the image to give the impression of temperature. This effect is also completed with noise and scan lines.

## Advanced Settings

Some advanced options can be found inside the BeautifyAdvancedParams.cginc file located in Resources/Shaders folder. This file contains some parameters that are specific to custom scenarios and are shown in the “Advanced Option” section when you click “Shader Options” button in Beautify’s inspector.

The file is self-described and it’s recommended that you don’t modify it directly but instead use Beautify’s inspector tool to configure these shader defines.

Examples:

```
#define BEAUTIFY_ORTHO
```

Enables orthographic camera support. Only enable it if your camera is set to orthographic projection.

```
#define BEAUTIFY_ENABLE_CORE_EFFECTS
```

By default, this option is enabled meaning that Sharpen, Brightness, Contrast and Vibrance will be always used. If you’re just interested in one specific effect, like bloom or depth of field and don’t want to use the core effects, comment out this line.

...


## Using Profiles

A profile is a special file that stores all settings in Beautify inspector. You can have multiple profiles in your project and assign them in Editor or at runtime.

Profiles are useful to:

- Store and load multiple configurations with ease.
- Duplicate existing settings and create variations.
- Apply custom styles to different scenes (eg. main menu, custom levels, ...)
- Along the global Quality setting, they can be used to provide different performance options by using or not specific effect parameters (eg. depth of field downsampling).

**To create a new profile:** click “Create” next to Profile field in Beautify’s inspector. A new file will be created in the root of your project. This file contains a copy of all settings of Beautify. Rename this file and move it to any folder you wish. The new profile will automatically be assigned so any change you do to the profile will also affect Beautify.




**To assign a profile:** just drag & drop the profil file to the “Profile” field shown above. It can also be assigned using script:

```
Beautify.instance.profile = Resources.Load<BeautifyProfile>("path-to-profile").
```

**To unassign a profile:** click on the profile field and hit “DELETE” key. To completely remove the profile file, your delete the file from the project.

**Once a profile is assigned:** if you change any parameter on Beautify’s inspector, it won’t change the profile! To apply your changes (to update the profile), click “**Apply**”. Or click “**Revert**” to load the profile settings again and replace any change you did:



## Scripting support (C#)

All properties of Beautify are exposed through Beautify component. A convenient way to access Beautify's properties attached to the main camera is using:

```
Beautify.instance.xxx = new value;
```

Where **xxx** is the name of the property. For example, `Beautify.instance.sharpen = 6f` will change the power of sharpening to 6.

You can also trigger a blink effect calling: `Beautify.instance.Blink method`.

## FAQ (Frequent Asked Questions)

### Can Beautify work with other image effects?

Yes – however you need to experiment with image effects order. Beautify works better after Antialias as it can remove the extra blur it can add (especially FXAA).

### Skybox banding is not completely removed. What can I do?

Enable HDR in your camera to improve dithering effect and banding removal.

### What differences exist between the Best Performance and Quality settings?

Beautify includes two main shader variants – one for desktop with all the goodies and best algorithms and one for mobile.


The mobile version (Best Performance) has reduced quality across the shader. It's a little bit less accurate with regards to the sharpen effect although unnoticeable. Bloom and anamorphic flares is simplified in this mode.

Depth of Field effect has its own performance options, since this is a very complex effect. Irrespective of desktop or mobile setting, ensure you set the appropriate downsampling and sample count.

## When I launch a build, it takes lot of time to complete. What can I do?

Beautifully makes use of several shader keywords (using `multi_compile` directive) to ensure only the useful code in shaders is executed. `Multi_compile` are directives that are included in the shader files that make the compiler create different variants for each shader, mixing different shader options in each variant. This way, when you enable one option or another (eg. outline, night vision, ...) Unity will pick up the appropriate variant which has optimized code for that combination of features.

To reduce the build time, just open the Build Options section and disable the effects you are not interested to include in your build. Disabled effects in this section won't be available in the shader (the shader itself is modified automatically by Beautifully) so Unity does not have to generate those variants hence reducing build time and resulting binary size.



(Check out our Shader Control asset to manage other shader keywords in your project)

## Can I exclude my UI from Beautifully?

Yes, you need to edit `Beautifully.cs` script and add `[ImageEffectOpaque]` just before the method `OnRenderImage`, so it reads:

```
[ImageEffectOpaque]
void OnRenderImage(...)
```

## I get shader error on Playstation 4!

Use the High Quality setting mode and remove BeautifyMobile.shader from Beautify/Resources/Shaders folder.

## I get shader error on Xbox One!

This error occur because the shader compiler provided with XBox DevKit only accepts Windows file encodings. To solve this issue, create a new text file per each file found in Beautify/Resources/Shaders folder and copy/past the contents, replacing the old files with the new ones.

## Can I make bloom affect only emissive materials?

Unity does not render emission separately from lighting when HDR is enabled so this is not possible. But as emissive materials are also affected by lighting, the resulting brightness value will always be higher than other non-emissive materials, so a workaround is setting the threshold high enough so only emissive materials are affected. You can also use the Layer Mask option to restrict bloom to emissive objects

## How to enable Orthographic Camera support?

To enable support for orthographic camera, locate and edit the file "BeautifyAdvancedParams.cginc" located inside the folder "Beautify/Resources/Shaders".

You will see a self-explanatory configuration file with a global shader define which is commented out by default:

```
// Uncomment this one to support Orthographic Camera
```

```
//#define BEAUTIFY_ORTHO
```

## Is it possible to disable core effects like vibrance, dithering or sharpen?

Yes, they are heavily optimized at the core but you can disable them if you just want to use any other effect (for optimization purposes for example).

To disable the core effects, locate and edit the file “BeautifyAdvancedParams.cginc” located inside the folder “Beautify/Resources/Shaders”.

```
// Comment out this one to disable sharpen, dithering, brightness, contrast and vibrance effects
```

```
#define BEAUTIFY_ENABLE_CORE_EFFECTS
```

[Bloom burns/saturates the lights, can I spread it or make it softer?](#)

Yes, in addition to adjusting threshold and intensity, you can try the “Customize” option (in Best Quality mode). This option will allow you to adjust the weight for each one of the 6 hdr bloom layers. Reduce the weight for the first 3 layers. Also try the “Boost” sliders for layers 5 and 6.

[I need to improve performance on mobile. Is it possible?](#)

Mobile devices vary in GPU power a lot. Old devices simply don’t have enough power to maintain a decent frame rate while using image effects. Even a simple image effect can reduce FPS a lot on older devices. Medium and high-end devices should be able to run most of the effects fine – the result depends also on the number of effects and options enabled.

Depth of Field is one of the most complex effects and here’s a video showing it running at near 60 FPS along with bloom, sharpen and other core effects on iPhone 7+:

<https://www.youtube.com/watch?v=53i1jXwiKQQ>

Consider the following configuration tips to provide a nice quality/performance balance to your users:

1. Always provide a set of minimum options in your game menu so your users can enable or disable visual effects according to their preferences. Some users with powerful devices will want to enable all of the effects, while others will want to



reduce them or even disable them completely so the game can have a minimum FPS.

2. Use “Best Performance” mode. This mode uses less texture fetches and render passes.
3. Consider reducing some options under specific effects, like “bloom blur” or “depth of field sample count”.
4. Edit BeautifyAdvancedParams.cginc file inside Resources/Beautify/Shaders folder and take a look at the different options. You can perhaps disable dithering to gain some GPU cycles.
5. The “Basic” mode provides a very basic set of options (sharpen, brightness, contrast, vibrance) and does not use depth. This mode can be used as a fallback for even better performance in some cases.
6. Your game menu should contain the following quality options related to Beautify: “No Effects”, “Basic” (the basic mode), “Normal”, “Great”, ... each one can include one or more effects according to your design/preferences.

## Support

Please visit [kronnect.com](http://kronnect.com) for questions, support and more info.

## Feedback & Review!

We take a lot of effort to optimize and maintain Beautify. If you like it, please rate or review it on the Asset Store, or send us an email telling your story/project/issues. We'll help asap!