

Aspire 7738/7738G Series
Aspire 7735/7735G/7735Z/7735ZG Series
Aspire 7535/7535G/7235 Series
Service Guide

Service guide files and updates are available
on the ACER/CSD web; for more information,
please refer to <http://csd.acer.com.tw>

PRINTED IN TAIWAN

Revision History

Please refer to the table below for the updates made on Aspire 7738/7738G, Aspire 7735/7735G/7735Z/7735ZG and Aspire 7535/7535G/7235 Series service guide.

Date	Chapter	Updates

Copyright

Copyright © 2009 by Acer Incorporated. All rights reserved. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language or computer language, in any form or by any means, electronic, mechanical, magnetic, optical, chemical, manual or otherwise, without the prior written permission of Acer Incorporated.

Disclaimer

The information in this guide is subject to change without notice.

Acer Incorporated makes no representations or warranties, either expressed or implied, with respect to the contents hereof and specifically disclaims any warranties of merchantability or fitness for any particular purpose. Any Acer Incorporated software described in this manual is sold or licensed "as is". Should the programs prove defective following their purchase, the buyer (and not Acer Incorporated, its distributor, or its dealer) assumes the entire cost of all necessary servicing, repair, and any incidental or consequential damages resulting from any defect in the software.

Acer is a registered trademark of Acer Corporation.

Intel is a registered trademark of Intel Corporation.

Other brand and product names are trademarks and/or registered trademarks of their respective holders.

Conventions

The following conventions are used in this manual:

SCREEN MESSAGES	Denotes actual messages that appear on screen.
NOTE	Gives bits and pieces of additional information related to the current topic.
WARNING	Alerts you to any damage that might result from doing or not doing specific actions.
CAUTION	Gives precautionary measures to avoid possible hardware or software problems.
IMPORTANT	Reminds you to do specific actions relevant to the accomplishment of procedures.

Preface

Before using this information and the product it supports, please read the following general information.

1. This Service Guide provides you with all technical information relating to the BASIC CONFIGURATION decided for Acer's "global" product offering. To better fit local market requirements and enhance product competitiveness, your regional office MAY have decided to extend the functionality of a machine (e.g. add-on card, modem, or extra memory capability). These LOCALIZED FEATURES will NOT be covered in this generic service guide. In such cases, please contact your regional offices or the responsible personnel/channel to provide you with further technical details.
2. Please note WHEN ORDERING FRU PARTS, that you should check the most up-to-date information available on your regional web or channel. If, for whatever reason, a part number change is made, it will not be noted in the printed Service Guide. For ACER-AUTHORIZED SERVICE PROVIDERS, your Acer office may have a DIFFERENT part number code to those given in the FRU list of this printed Service Guide. You MUST use the list provided by your regional Acer office to order FRU parts for repair and service of customer machines.

System Specifications	1
Features	1
System Block Diagram	4
Your Acer Notebook tour	6
Right View	9
Indicators	10
Easy-Launch Buttons	11
Touchpad Basics (with fingerprint reader)	11
Touchpad basics (with two-click buttons)	12
Using the Keyboard	13
Lock Keys and numeric keypad	13
Windows Keys	14
Hot Keys	15
Special Key (only for certain models)	15
Windows Mobility Center	16
Using the System Utilities	17
Acer Bio-Protection (only for certain models)	17
Acer GridVista (dual-display compatible)	18
Hardware Specifications and Configurations	19
System Utilities	27
BIOS Setup Utility	27
Navigating the BIOS Utility	28
Information	29
Main	31
Security	33
Boot	37
Exit	38
BIOS Flash Utility	39
Remove HDD Password	40
Machine Disassembly and Replacement	41
Disassembly Requirements	41
General Information	42
Pre-disassembly Instructions	42
Disassembly Process	42
External Module Disassembly Process	43
External Modules Disassembly Flowchart	43
Removing the Battery Pack	44
Removing the SD Dummy Card	45
Removing the Hard Disk Drive 2 (HDD2) Module	46
Removing the Back Cover	48
Removing the Hard Disk Drive 1 (HDD1) Module	48
Removing the TV Tuner Card (for certain models only)	50
Removing the Wireless LAN Card	52
Removing the DIMM Module	53
Removing the Optical Drive Module	54
Main Unit Disassembly Process	56
Main Unit Disassembly Flowchart	56
Removing the Middle Cover	57
Removing the Keyboard	60
Removing the LCD Module	61
Separating the Upper Case from the Lower Case	64
Removing the Fingerprint/Button and Touchpad Boards	68

Table of Contents

Removing the Launch Board	70
Removing the USB Board Module	72
Removing the Modem Module	74
Removing the Main Board	75
Removing the Heatsink Module	78
Removing the CPU	82
LCD Module Disassembly Process	84
LCD Module Disassembly Flowchart	84
Removing the LCD Bezel	85
Removing the LCD panel with the Brackets	88
Removing the LCD Brackets	90
Removing the Web Camera	90
Removing the Microphone Module	91
Removing the FPC Cable	93
Removing the Antennas	94
Troubleshooting	95
System Check Procedures	96
External Diskette Drive Check	96
External Optical Disk Drive Check	96
Keyboard or Auxiliary Input Device Check	96
Memory Check	97
Power System Check	97
Touchpad Check	98
Power-On Self-Test (POST) Error Message	98
Index of Error Messages	99
Phoenix BIOS Beep Codes	103
Index of Symptom-to-FRU Error Message	107
Intermittent Problems	111
Undetermined Problems	112
Connector Locations	113
Main Board	113
Clearing Password Check and BIOS Recovery	115
Clearing Password Check	115
BIOS Recovery by Crisis Disk	117
FRU (Field Replaceable Unit) List	121
Aspire 7738/7738G Series, Aspire7735/7735G/7735Z/7735ZG Series and Aspire 7535/7535G/7235 Series Exploded Diagram	122
Model Definition and Configuration	183
Aspire 7738/7738G Series	184
Aspire 7735/7735G/7735Z/7735ZG Series	193
Aspire 7535/7535G/7235 Series	198
Test Compatible Components	205
Microsoft® Windows® Vista Environment Test	206
Online Support Information	209
Index	211

System Specifications

Features

Below is a brief summary of the computer's many features:

Platform

For Aspire 7738/7738G Series and Aspire 7735/7735G/7735Z/7735ZG Series

- Intel® Centrino® 2 processor technology, featuring:
 - Intel® Core™ 2 Extreme processor (for Aspire 7738/7738G only)
 - Intel® Core™ 2 Duo processor
 - Mobile Intel® PM45/GM45 Express Chipset*
 - Intel® Wireless WiFi Link 5100/5300*
- Intel® Pentium® mobile processor*
- Mobile Intel® GM45/GL40 Express Chipset*
- Acer InViLink™ Nplify™ 802.11b/g/Draft-N*
- Acer InViLink™ 802.11b/g*

For Aspire 7535/7535G/7235 Series

- AMD Better By Design Program, featuring:
 - AMD Turion™ X2 dual-core processor*
 - AMD Athlon™ 64 X2 dual-core processor*
 - Mobile AMD Sempron™ processor*
 - AMD M780G Chipset
 - Acer InViLink™ Nplify™ 802.11b/g/Draft-N*
 - Acer InViLink™ 802.11b/g*

System Memory

For Aspire 7738/7738G Series

- Dual-channel SDRAM support
- Up to 2 GB of DDR3 1066 MHz memory, upgradeable to 4 GB using two soDIMM modules

For Aspire 7735/7735G/7735Z/7735ZG Series

- Dual-channel SDRAM support
- Up to 2 GB of DDR3 800 MHz memory, upgradeable to 4 GB using two soDIMM modules*
- Up to 2 GB of DDR3 1066 MHz memory, upgradeable to 4 GB using two soDIMM modules*

For Aspire 7535/7535G/7235 Series

- Dual-channel SDRAM support
- Up to 2 GB of DDR2 667 MHz memory, upgradeable to 4 GB using two soDIMM modules

Display and graphics

- 16:9 aspect ratio
- 17.3" HD+ 1600 x 900

For Aspire 7738/7738G Series and 7735/7735G/7735Z/7735ZG Series

- Mobile Intel® GL40 Express Chipset (for Aspire 7735/7735G/7735Z/7735ZG only)
- Mobile Intel® GM45 Express Chipset*
- ATI Mobility Radeon™ HD 4570*
- NVIDIA® GeForce® GT 130M (for 7738/7738G only)

For Aspire 7535/7535G/7235 Series

- ATI Radeon™ HD 3200 Graphics*
- ATI Mobility Radeon™ HD 4570*
- Screen resolution support

For UMA models: 800x600, 1024x768, 1152x864, 1280x720, 1280x768, 1280x800, 1360x768, 1440x900, 1600x900

For Discrete models: 800x600, 1024x600, 1024x768, 1152x864, 1280x720, 1280x768, 1600x900

TV Tuner (For 7738/7738G only)

- Digital TV-tuner supporting DVB-T

Storage subsystem

- 2.5" hard disk drive
- Optical drive options:
 - Blu-ray Disc™/DVD-Super Multi double-layer drive*
 - DVD-Super Multi double-layer drive*
- 5-in-1 card reader

Special keys and controls

- 103-/104-/107-key keyboard
- Touchpad pointing device

Audio

- Dolby®-optimized surround sound system with two built-in stereo speakers
- True 5.1-channel surround sound output
- High-definition audio support
- S/PDIF (Sony/Philips Digital Interface) support for digital speakers
- MS-Sound compatible
- Acer Purezone technology with two built-in microphones

Communication

- Acer Video Conference, featuring:
 - Integrated Acer Crystal Eye webcam*
 - Acer PureZone technology*
- WLAN: Intel® Wireless WiFi Link 5100/5300 (for Aspire 7738/7738G Series and Aspire 7735/7735G/7735Z/7735ZG Series only)
- WPAN: Bluetooth® 2.0+Enhanced Data Rate (EDR)*

-
- LAN: Gigabit Ethernet; Wake-on-LAN ready
 - Modem: 56K ITU V.92; Wake-on-Ring ready

I/O Ports

- Acer Bio-Protection fingerprint reader*
- 5-in-1 card reader (SD/MMC/MS/MS PRO/xD)
- USB 2.0 port
- HDMI™ port with HDCP support
- External display (VGA) port
- Headphones/speaker/line-out jack with S/PDIF support
- Microphone-in jack
- Line-in jack
- Ethernet (RJ-45) port
- Modem (RJ-11) port
- DC-in jack for AC adapter

Environment

- Temperature:
 - Operating: 5 °C to 35 °C
 - Non-operating: -20 °C to 65 °C
- Humidity (non-condensing):
 - Operating: 20% to 80%
 - Non-operating: 20% to 80%

Dimension and weight


- Dimension: 418mmx275mmx26mm/37mm
- Weight: <3.3kg

NOTE: 1. "*" means only for certain models".


2. The specifications listed above are for reference only. The exact configuration of your PC depends on the model purchased.

System Block Diagram

For Aspire 7738/7738G Series and 7735/7735G/7735Z/7735ZG Series:




JV70-PU Block Diagram



Your Acer Notebook tour

After knowing your computer features, let us show you around your new computer.

Front View



#	Icon	Item	Description
1		Acer Crystal Eye webcam	Web camera for video communication.
2		Microphone	Internal microphone for sound recording.
3		Display screen	Also called Liquid-Crystal Display (LCD), displays computer output (Configuration may vary by models).
4		Power button	Turns the computer on and off.
5		HDD	Indicates when the hard disk drive is active.
		Num Lock	Lights up when Num Lock is activated.
		Caps Lock	Lights up when Caps Lock is activated.

#	Icon	Item	Description
6		Wireless LAN communication button/indicator	Enables/disables the wireless LAN function. Indicates the status of wireless LAN communication.
		Bluetooth communication button/indicator	Enables/disables the Bluetooth function. Indicates the status of Bluetooth communication. (only for certain models)
		Backup key	Launches Acer Backup Management for three-step data backup.
7		Keyboard	For entering data into your computer.
8		Touchpad	Touch-sensitive pointing device which functions like a computer mouse.
9		Power	Indicates the computer's power status.
		Battery	Indicates the computer's battery status. 1. Charging: The light shows amber when the battery is charging. 2. Fully charged: The light shows blue when in AC mode.
10		Click buttons (left, center* and right)	The left and right buttons function like the left and right mouse buttons. *The center button serves as Acer Bio-Protection fingerprint reader supporting Acer FingerNav 4-way control function (only for certain models).
11		Palmrest	Comfortable support area for your hands when you use the computer.
12		Touchpad toggle	Turns the internal touchpad on and off.
13		Acer MediaTouch*	Touch sensitive controls for Acer Arcade, volume (up/down) and media (play/pause, stop, previous, next); with mute and hold keys.
14		Acer PowerSmart key	Puts your computer into power-saving mode.
15		Speakers	Left and right speakers deliver stereo audio output.

*Only for certain models.


Closed Front View



#	Icon	Item	Description
1		CIR receiver*	Receives signals from a remote control.
2		5-in-1 card reader	Accepts Secure Digital (SD), MultiMediaCard (MMC), Memory Stick (MS), Memory Stick PRO (MS PRO), xD-Picture Card (xD). Note: Push to remove/install the card. Only one card can operate at any given time.


*Only for certain models.

Left View



#	Icon	Item	Description
1		DC-in jack	Connects to an AC adapter.
2		Ethernet (RJ-45) port	Connects to an Ethernet 10/100/1000-based network.
3		External display (VGA) port	Connects to a display device (e.g., external monitor, LCD projector).
4	HDMI	HDMI port	Supports high definition digital video connections.
5		USB 2.0 port	Connect to USB 2.0 devices (e.g., USB mouse, USB camera).
6		Line-in jack	Accepts audio line-in devices (e.g., audio CD player, stereo walkman, mp3 player)
		Microphone-in jack	Accepts inputs from external microphones.
		Headphones/ speaker/line-out jack with S/PDIF support	Connects to audio line-out devices (e.g., speakers, headphones).

Right View



#	Icon	Item	Description
1		USB 2.0 port	Connects to USB 2.0 devices (e.g., USB mouse, USB camera).
2		Optical drive	Internal optical drive; accepts CDs or DVDs.
3		Optical disk access indicator	Lights up when the optical drive is active.
4		Optical drive eject button	Ejects the optical disk from the drive.
5		Emergency eject hole	Ejects the optical drive tray when the computer is turned off. Note: Insert a paper clip to the emergency eject hole to eject the optical drive tray when the computer is off.
6		RF-in port	Accepts input signals from digital TV-tuner devices. (only for certain models)
7		Modem (RJ-11) port	Connects to a phone line.
8	 	Kensington lock slot	Connects to a Kensington-compatible computer security lock. Note: Wrap the computer security lock cable around an immovable object such as a table or handle of a locked drawer. Insert the lock into the notch and turn the key to secure the lock. Some keyless models are also available.


Rear View



#	Item	Description
1	Tuba*	The dedicated Tuba CineBass subwoofer pumps out earthshaking movie-house audio.
2	Ventilation slots	Enable the computer to stay cool, even after prolonged use.

*Only for certain models.

Bottom View



	Icon	Item	Description
1		Battery bay	Houses the computer's battery pack.
2		Battery release latch	Releases the battery for removal.
3		Battery lock	Locks the battery in position.
4		Hard disk bay	Houses the computer's hard disk (secured with screws).
5		Memory compartment	Houses the computer's main memory.
6		Ventilation slots and cooling fan	Enable the computer to stay cool, even after prolonged use. Note: Do not cover or obstruct the opening of the fan.

Indicators

The computer has several easy-to-read status indicators.

Icon	Function	Description
	Power	Indicates the computer's power status.
	Battery	Indicates the computer's battery status. 1. Charging: The light shows amber when the battery is charging. 2. Fully charged: The light shows blue when in AC mode.

NOTE: 1. **Charging:** The light shows amber when the battery is charging. 2. **Fully charged:** The light shows green when in AC mode.


Easy-Launch Buttons

Located on the left of the keyboard are the application buttons. These buttons are called easy-launch buttons. They are: WLAN, Bluetooth and Backup.

Icon	Function	Description
	Wireless LAN communication button/indicator	Enables/disables the wireless LAN function. Indicates the status of wireless LAN communication.
	Bluetooth communication button/indicator	Enables/disables the Bluetooth function. Indicates the status of Bluetooth communication. (only for certain models)
	Backup key	Launches Acer Backup Management for three-step data backup.

Touchpad Basics (with fingerprint reader)

The following items show you how to use the touchpad with Acer Bio-Protection fingerprint reader.




- Move your finger across the touchpad (2) to move the cursor.
- Press the left (1) and right (4) buttons located beneath the touchpad to perform selection and execution functions. These two buttons are similar to the left and right buttons on a mouse. Tapping on the touchpad is the same as clicking the left button.
- Use Acer Bio-Protection fingerprint reader (3) supporting Acer FingerNav 4-way control function (only for certain models) to scroll up or down and move left or right a page. This fingerprint reader or button mimics your cursor pressing on the right scroll bar of Windows applications.

Function	Left button (1)	Right button (4)	Main touchpad (2)	Center button (3)
Execute	Quickly click twice.		Tap twice (at the same speed as double-clicking a mouse button).	
Select	Click once.		Tap once.	
Drag	Click and hold, then use finger on the touchpad to drag the cursor.		Tap twice (at the same speed as double-clicking a mouse button); rest your finger on the touchpad on the second tap and drag the cursor.	
Access context menu		Click once.		

Function	Left button (1)	Right button (4)	Main touchpad (2)	Center button (3)
Scroll				Swipe up/down/left/right using Acer FingerNav 4-way control function (Manufacturing option).

Touchpad basics (with two-click buttons)

The following items show you how to use the touchpad with two-click buttons.



- Move your finger across the touchpad **(1)** to move the cursor.
- Press the left **(2)** and right **(3)** buttons located beneath the touchpad to perform selection and execution functions. These two buttons are similar to the left and right buttons on a mouse. Tapping on the touchpad is the same as clicking the left button.

Function	Left button (2)	Right button (3)	Main touchpad (1)
Execute	Quickly click twice.		Tap twice (at the same speed as double-clicking a mouse button).
Select	Click once.		Tap once.
Drag	Click and hold, then use finger on the touchpad to drag the cursor.		Tap twice (at the same speed as double-clicking a mouse button); rest your finger on the touchpad on the second tap and drag the cursor.
Access context menu		Click once.	

NOTE: Illustrations are for reference only. The exact configuration of your PC depends on the model purchased.

NOTE: When using the touchpad, keep it — and your fingers — dry and clean. The touchpad is sensitive to finger movement; hence, the lighter the touch, the better the response. Tapping harder will not increase the touchpad's responsiveness.

NOTE: By default, vertical and horizontal scrolling is enabled on your touchpad. It can be disabled under Mouse settings in Windows Control Panel.

Using the Keyboard

The keyboard has full-sized keys and an embedded numeric keypad, separate cursor, lock, Windows, function and special keys.

Lock Keys and numeric keypad

The keyboard has three lock keys which you can toggle on and off.

Lock key	Description
Caps Lock	When Caps Lock is on, all alphabetic characters typed are in uppercase.
Num Lock	When Num Lock is on, the numeric keypad is in numeric mode. The keys function as a calculator (complete with the arithmetic operators +, -, *, and /). Use this mode when you need to do a lot of numeric data entry. A better solution would be to connect an external keypad.
Scroll Lock <Fn> + <F12>	When Scroll Lock is on, the screen moves one line up or down when you press the up or down arrow keys respectively. Scroll Lock does not work with some applications.

The keyboard has a numeric keypad with cursor-control keys.

Desired access	Num Lock on	Num Lock off
Number keys on embedded keypad	Type numbers in a normal manner.	
Cursor-control keys on embedded keypad	Hold <Shift> while using cursor-control keys.	Hold <Fn> while using cursor-control keys.
Main keyboard keys	Hold <Fn> while typing letters on embedded keypad.	Type the letters in a normal manner.

Windows Keys

The keyboard has two keys that perform Windows-specific functions.

Key	Description
 Windows key	Pressed alone, this key has the same effect as clicking on the Windows Start button; it launches the Start menu. It can also be used with other keys to provide a variety of functions: <  >: Open or close the Start menu <  > + <D>: Display the desktop <  > + <E>: Open Windows Explore <  > + <F>: Search for a file or folder <  > + <G>: Cycle through Sidebar gadgets <  > + <L>: Lock your computer (if you are connected to a network domain), or switch users (if you're not connected to a network domain) <  > + <M>: Minimizes all windows <  > + <R>: Open the Run dialog box <  > + <T>: Cycle through programs on the taskbar <  > + <U>: Open Ease of Access Center <  > + <X>: Open Windows Mobility Center <  > + <BREAK>: Display the System Properties dialog box <  > + <SHIFT+M>: Restore minimized windows to the desktop <  > + <TAB>: Cycle through programs on the taskbar by using Windows Flip 3-D <  > + <SPACEBAR>: Bring all gadgets to the front and select Windows Sidebar <CTRL> + <  > + <F>: Search for computers (if you are on a network) <CTRL> + <  > + <TAB>: Use the arrow keys to cycle through programs on the taskbar by using Windows Flip 3-D Note: Depending on your edition of Windows Vista, some shortcuts may not function as described.
 Application key	This key has the same effect as clicking the right mouse button; it opens the application's context menu.

Hot Keys

The computer employs hotkeys or key combinations to access most of the computer's controls like screen brightness, volume output and the BIOS utility.

To activate hot keys, press and hold the **<Fn>** key before pressing the other key in the hotkey combination.

Hotkey	Icon	Function	Description
<Fn> + <F2>		System property	Starts System Property for displaying system information.
<Fn> + <F3>		Bluetooth	Enables/disables the Bluetooth function.
<Fn> + <F4>		Sleep	Puts the computer in Sleep mode.
<Fn> + <F5>		Display toggle	Switches display output between the display screen, external monitor (if connected) and both.
<Fn> + <F6>		Screen blank	Turns the display screen backlight off to save power. Press any key to return.
<Fn> + <F8>		Speaker toggle	Turns the speakers on and off.
<Fn> + <↑>		Brightness up	Increases the screen brightness.
<Fn> + <↓>		Brightness down	Decreases the screen brightness.
<Fn> + <↑>		Volume up	Increases the sound volume.
<Fn> + <↓>		Volume down	Decreases the sound volume.

Special Key (only for certain models)

You can locate the Euro symbol and the US dollar sign at the upper-center and/or bottom-right of your keyboard.

The Euro symbol

1. Open a text editor or word processor.
2. Either press **<€>** on the keyboard, or hold **<Alt Gr>** and then press the **<5>** key at the upper-center of the keyboard.


NOTE: Some fonts and software do not support the Euro symbol. Please refer to www.microsoft.com/typography/faq/faq12.htm for more information.

The US dollar sign

1. Open a text editor or word processor.
2. Either press **<\$>** at the bottom-right of the keyboard, or hold **<Shift>** and then press the **<4>** key at the upper-center of the keyboard.

NOTE: This function varies according to the language settings.

Windows Mobility Center



The Windows Mobility Center collects key mobile-related system settings in one easy-to-find place, so you can quickly configure your Acer system to fit the situation as you change locations, networks or activities. Settings include display brightness, volume, power plan, wireless networking on/off, external display settings, synchronization status and presentation settings.

Windows Mobility Center also includes Acer-specific settings like sharing folders overview/sharing service on or off, Bluetooth Add Device (if applicable), and a shortcut to the Acer user guide, drivers and utilities.

To launch Windows Mobility Center:

- q Use the shortcut key <  > + <X>.
- q Start Windows Mobility Center from the Control panel.
- q Start Windows Mobility Center from the Accessories program group in the Start menu.
- q Launch Windows Mobility Center by right-clicking  in the system tray and select **Windows Mobility Center**.


Using the System Utilities

Acer Bio-Protection (only for certain models)

Acer Bio-Protection Fingerprint Solution is a multi-purpose fingerprint software package integrated with the Microsoft Windows operating system. Utilizing the uniqueness of one's fingerprint features, Acer Bio-Protection Fingerprint Solution has incorporated protection against unauthorized access to your computer with centralized password management with Password Bank, easy music player launching with Acer MusicLaunch, secure Internet favorites via Acer MyLaunch, and fast application/website launching and login with Acer FingerLaunch, while Acer ProfileLaunch can launch up to three applications/websites from a single finger swipe.

Acer Bio-Protection Fingerprint Solution also allows you to navigate through web browsers and documents using Acer FingerNav. With Acer Bio-Protection Fingerprint Solution, you can now enjoy an extra layer of protection for your personal computer, as well as the convenience of accessing your daily tasks with a simple swipe of your finger!


For more information refer to the Acer Bio-Protection help files.




Acer GridVista (dual-display compatible)

NOTE: This feature is only available on certain models.

To enable the dual monitor feature of the notebook, first ensure that the second monitor is connected, then select **Start, Control Panel, Display** and click on **Settings**. Select the secondary monitor (2) icon in the display box and then click the check box **Extend my windows desktop onto this monitor**. Finally, click **Apply** to confirm the new settings and click **OK** to complete the process.



Acer GridVista is a handy utility that offers four pre-defined display settings so you can view multiple windows on the same screen. To access this function, please go to **Start>All Programs** and click on **Acer GridVista**. You may choose any one of the four display settings indicated below:




Double (vertical), Triple (primary at left), Triple (primary at right), or Quad Acer GridVista is dual-display compatible, allowing two displays to be partitioned independently.

Acer Gridvista is dual-display compatible, allowing two displays to be partitioned independently.

AcerGridVista is simple to set up:

1. Run Acer GridVista and select your preferred screen configuration for each display from the task bar.
2. Drag and drop each window into the appropriate grid.
3. Enjoy the convenience of a well-organized desktop.



NOTE: Please ensure that the resolution setting of the second monitor is set to the manufacturer's recommended value.

Hardware Specifications and Configurations

Processor

Item	Specification
CPU type	Aspire 7738: Intel® Core™2 Duo T6600 (2.2 GHz) Aspire 7738G: Intel® Core™2 Duo T9550 (2.66 GHz) and Intel® Core™2 Quad Q9000 Aspire 7735/7735G/7735Z/7735ZG: Intel CM900 ; Intel PDC T4200 Aspire 7535/7535G/7235 Series: AMD Athlon™ 64 X2 dual-core mobile processor 2.1GHz AMD Turion™ X2 Ultra dual-core mobile processor 2.1GHz Mobile AMD Sempron™ processor 2.1GHz
Core logic	Aspire 7738/7738G: Mobile Intel® GM45/PM45 Express Chipset Aspire 7735/7735G/7735Z/7735ZG: Mobile Intel® GL40 Express Chipset Aspire 7535/7535G/7235: AMD M780G Chipset
CPU package	Aspire 7738/7738G and Aspire 7735/7735G/7735Z/7735ZG: 478-pin micro-FCPGA Aspire 7535/7535G/7235: Socket S1
CPU core voltage	Aspire 7738/7738G and Aspire 7735/7735G/7735Z/7735ZG: 1.0375V to 1.3V Aspire 7535/7535G/7235: 1.35V to 1.5V

CPU Fan True Value Table

DTS(degree C)	Fan Speed (rpm)	Acoustic Level (dBA)
45-50	0-3000	29
55-66	0-3300	33
68-74	3300-3800	38
78-83	3800-4100	40
86-91	4100-4800	40

Throttling 50%: On= 99 ° C; OFF=93 ° C

OS shut down at 105 ° C; H/W shot down at 110 ° .C

BIOS

Item	Specification
BIOS vendor	Phoenix
BIOS Version	1.04c

System Memory

Item	Specification
Memory controller	Built-in
Memory size	0MB (no on-board memory)
DIMM socket number	2 sockets
Supports memory size per socket	2048MB
Supports maximum memory size	4G for 64bit OS (with two 2GB SODIMM)
Supports DIMM type	DDR 3 Synchronous DRAM; DDR 2 Synchronous DRAM
Supports DIMM Speed	667 MHz

System Memory

Item	Specification
Supports DIMM voltage	1.5V
Supports DIMM package	240-pin soDIMM
Memory module combinations	You can install memory modules in any combinations as long as they match the above specifications.

Memory Combinations

Slot 1	Slot 2	Total Memory
0MB	1024MB	1024MB
0MB	2048MB	2048MB
1024MB	0MB	1024MB
1024MB	1024MB	2048MB
1024MB	2048MB	3072MB
2048MB	0MB	2048MB
2048MB	1024MB	3072MB
2048MB	2048MB	4096MB
0MB	4096MB	4096MB
4096MB	0MB	4096MB

NOTE: Above table lists some system memory configurations. You may combine DIMMs with various capacities to form other combinations. On above table, the configuration of slot 1 and slot 2 could be reversed.

Item	Specification
LAN Chipset	Broadcom BCM5784
Supports LAN protocol	10/100/1000 Mbps
LAN connector type	RJ45
LAN connector location	Left side
Features	Integrated 10/100 BASE-T transceiver Wake on LAN support compliant with ACPI 2.0 PCI v2.2

Bluetooth Interface

Item	Specification
Chipset	Foxconn Bluetooth FOX_BRM_2.0 F/W 300
Data throughput	723 bps (full speed data rate)
Protocol	Bluetooth 1.1 (Upgradeable to Bluetooth 1.2 when SIG specification is ratified).
Interface	USB 1.1
Connector type	USB

Wireless Module 802.11b/g/n

Item	Specification
Chipset	Aspire 7738/7738G: Shirley Peak 1*2MABG MM#897004/ Shirley Peak 1*2MMW MM#895361/Shirley Peak 1*2MMW MM#899541/Shirley Peak 3*3MMW MM#899545 Aspire 7735/7735G/7735Z/7735ZG Series: QMI-AR5B91/ Foxconn Wireless XB63 Aspire 7535/7535G/7235 Series: Foxconn Wireless LAN Atheros AR5B91 1x2 BGN/QMI Wireless LAN Atheros AR5B91 1x2 BGN
Data throughput	11~54 Mbps, up to 270 Mbps for Draft-N
Protocol	802.11b+g, Draft-N
Interface	PCI bus (mini PCI socket for wireless module)

Hard Disk Drive

Item						
Vendor & Model Name	Seagate 2.5" ST9160310AS Toshiba 2.5" Mk1655GSX HGST 2.5" HTS543216L9A300 WD 2.5" WD1600BEVT-22ZCT0	Seagate 2.5" ST9250315AS Toshiba 2.5" Mk2555GSX HGST 2.5" HTS545025B9A300 WD 2.5" WD2500BEVT-22ZCT0	Seagate 2.5" ST9320320AS Toshiba 2.5" Mk3255GSX HGST 2.5" HTS545032B9A300 WD 2.5" WD3200BEVT-22ZCT0	Seagate 2.5" ST9500325AS Toshiba 2.5" Mk5055GSX HGST 2.5" HTS545050B9A300 WD 2.5" WD5000BEVT-22ZAT0	Seagate 2.5" ST9320423AS HGST 2.5" HTS723232L9A360	Seagate 2.5" ST9500420AS
Capacity (MB)	160000	250000	320000	500000	320000	500000
Bytes per sector	512	512	512	512	512	512
Data heads	3/4	2	3	4	2/4	2/4
Drive Format						
Disks	2	2	2	2	NA	NA
Spindle speed (RPM)	5400 RPM	5400 RPM	5400 RPM	5400 RPM	7200 RPM	7200 RPM
Performance Specifications						
Buffer size	8MB	8MB	8MB	8MB	16MB	16MB
Interface	SATA	SATA	SATA	SATA	SATA	SATA
Max. media transfer rate (disk-buffer, Mbytes/s)	540	875 (Max. 3.0 Gbit/s Buffer-host data transfer)	875 (Max. 3.0 Gbit/s Buffer-host data transfer)	875 (Max. 3.0 Gbit/s Buffer-host data transfer)	Max. 3.0 Gbit/s Buffer-host data transfer	Max. 3.0 Gbit/s Buffer-host data transfer
DC Power Requirements						
Voltage tolerance	5V(DC) +/- 5%	5V(DC) +/- 5%	5V(DC) +/- 5%	5V(DC) +/- 5%	5V(DC) +/- 5%	5V(DC) +/- 5%

Optical Disc Drive

Item	Specification	
Vendor & model name	PANASONIC BD COMBO 4X UJ-130A LF PLDS BD COMBO 4X DS-4E1S LF SONY BD COMBO 4X BC-5500S LF PANASONIC SUPER-MULTI DRIVE 8X UJ880 LF PLDS SUPER-MULTI DRIVE DL 8X DS-8A3S LF SONY SUPER-MULTI DRIVE DL 8X AD-7580S LF TOSHIBA SUPER-MULTI DRIVE DL 8X TS-L633B LF	
Performance Specification	With CD Diskette	With DVD Diskette
Transfer rate (KB/sec)	Sustained: Max 3.6Mbytes/sec	Sustained: Max 10.08Mbytes/sec
Buffer Memory	2MB	
Interface	SATA	
Applicable disc format	Applicable disc format CD: CD-DA, CD-ROM, CD-ROM XA, Photo CD (multi-session), Video CD, Cd-Extra (CD+), CD-text DVD: DVD-VIDEO, DVD-ROM, DVD-R (3.9GB, 4.7GB) DVD-R DL, DVD-RW, DVD-RAM, DVD+R, DVD+R DL, DVD+RW CD: CD-DA (Red Book) - Standard Audio CD & CD-TEXT CD-ROM (Yellow Book Mode1 & 2) - Standard Data CD-ROM XA (Mode2 Form1 & 2) - Photo CD, Multi-Session CD-I (Green Book, Mode2 Form1 & 2, Ready, Bridge) CD-Extra/ CD-Plus (Blue Book) - Audio & Text/Video Video-CD (White Book) - MPEG1 Video CD-R (Orange Book Part) CD-RW & HSRW (Orange Book Part Volume1 & Volume 2 Super Audio CD (SACD) Hybrid type US & US+ RW DVD: DVD-ROM (Book 1.02), DVD-Dual DVD-Video (Book 1.1) DVD-R (Book 1.0, 3.9G) DVD-R (Book 2.0, 4.7G) - General & Authoring DVD+R (Version 1.0) DVD+RW DVD-RW (Non CPRM & CPRM) DVD ^o R Dual	
Loading mechanism	Load: Manual Release: (a) Electrical Release (Release Button) (b) Release by ATAPI command (c) Emergency Release	
Power Requirement		
Input Voltage	5 V +/- 5% (Operating)	

Blu-Ray Disc Drive

Item	Specification		
Vendor & model name	HLDS BD COMBO DRIVE TRAY DL 4X CT10 LF		
Performance Specification	With CD Disc	With DVD Disc	With Blu-ray Disc
Transfer rate (KB/sec)	Sustained: Max 3.6Mbytes/sec	Sustained: Max 10.08Mbytes/sec	Sustained: Max 11 Mbytes/sec
Buffer Memory	2MB		4.5 MB
Interface	SATA		
Applicable disc format	Applicable disc format CD: CD-DA, CD-ROM, CD-ROM XA, Photo CD (multi-session), Video CD, Cd-Extra (CD+), CD-text DVD: DVD-VIDEO, DVD-ROM, DVD-R (3.9GB, 4.7GB) DVD-R DL, DVD-RW, DVD-RAM, DVD+R, DVD+R DL, DVD+RW CD: CD-DA (Red Book) - Standard Audio CD & CD-TEXT CD-ROM (Yellow Book Mode1 & 2) - Standard Data CD-ROM XA (Mode2 Form1 & 2) - Photo CD, Multi-Session CD-I (Green Book, Mode2 Form1 & 2, Ready, Bridge) CD-Extra/ CD-Plus (Blue Book) - Audio & Text/Video Video-CD (White Book) - MPEG1 Video CD-R (Orange Book Part) CD-RW & HSRW (Orange Book Part Volume1 & Volume 2 Super Audio CD (SACD) Hybrid type US & US+ RW DVD: DVD-ROM (Book 1.02), DVD-Dual DVD-Video (Book 1.1) DVD-R (Book 1.0, 3.9G) DVD-R (Book 2.0, 4.7G) - General & Authoring DVD+R (Version 1.0) DVD+RW DVD-RW (Non CPRM & CPRM) DVD+/-R Dual Blu-Ray: BD-R, BD-R DL, BD-RE, BD-RE DL		
Loading mechanism	Load: Manual Release: (a) Electrical Release (Release Button) (b) Release by ATAPI command (c) Emergency Release		
Power Requirement			
Input Voltage	5 V +/- 5% (Operating)		

Audio Interface

Item	Specification
Audio Controller	Realtek ALC888S
Audio onboard or optional	Built-in

Audio Interface

Item	Specification
Mono or Stereo	Stereo
Resolution	18 bit stereo full duplex
Compatibility	HD audio Interface; S/PDIF output for PCM or AC-3 content
Sampling rate	1Hz resolution VSR (Variable Sampling Rate)
Internal microphone	Yes
Internal speaker / Quantity	Yes/2.1 (2W speakers)

Video Memory

Item	Specification
Chipset	Aspire 7738/7738G and Aspire 7735/7735G/7735Z/7735ZG Series: • Mobile Intel® GL40 Express Chipset* • Mobile Intel® GM45 Express Chipset* • NVIDIA® GeForce® GT 130M* Aspire 7535/7535G/7235 Series: • ATI Radeon™ HD 3200 Graphics* • ATI Mobility Radeon™ HD 4570*
Memory size	1024M/512M GDDR3/

USB

Item	Specification
Chipset	Aspire 7738/7738G and Aspire 7735/7735G/7735Z/7735ZG Series: ICH-9M Aspire 7535/7535G/7235 Series: AMD SB700/
USB Compliancy Level	2.0
OHCI	USB 1.1 and USB 2.0 Host controller
Number of USB ports	4
Location	Two on the right side/two on the left side
Serial port function control	Enable/Disable by BIOS Setup

System Board Major Chips

Item	Controller
Core logic	Aspire 7738/7738G and 7735/7735G/7735Z/7735ZG: Mobile Intel® GM45/GL40/PM45 Aspire 7535/7535G/7235 Series: ATI RS780MN
USB 2.0	Aspire 7738/7738G and 7735/7735G/7735Z/7735ZG Series: Intel ICH-9M Aspire 7535/7535G/7235 Series: AMD SB700
Super I/O controller	N/A

System Board Major Chips

Item	Controller
MODEM	Aspire 7738/7738G and 7735/7735G/7735Z/7735ZG Series: Fox+LSI AM5 V2H 1.5_3.3V Aus/Foxconn Delphi-AM5 V2H 1.5_3.3v AUS T60M951 Aspire 7535/7535G/7235 Series: Foxconn Delphi-AM5 V2H 1.5_3.3v T60M951
Bluetooth	Foxconn Bluetooth FOX_BRM_2.0 F/W 300
Wireless 802.11 b/g/n	Aspire 7738/7738G: Lan Intel WLAN 512AN_MMWG2 Shirley Peak 5100 ME enable / MM#899541; Lan Intel WLAN 512AG_MMWG Shirley Peak 5100 MM#897004; Lan Intel WLAN 512AN_MMWG2 Shirley Peak 5100 ME enable / MM#899541; Lan Intel WLAN 533AN_MMWG2 Shirley Peak 5300 ME enable / MM#899545 Aspire 7735/7735G/7735Z/7735ZG: Lan Intel WLAN 512AN_MMWG Shirley Peak 5100 MM#895361; Lan Intel WLAN 512AG_MMWG Shirley Peak 5100 MM#897004; Lan Intel WLAN 512AN_MMWG2 Shirley Peak 5100 ME enable / MM#899541 Aspire 7535/7535G/7235: Foxconn FOX_ATH_XB63 Foxconn Atheros XB63 minicard b/g; Foxconn Wireless LAN Atheros AR5B91 1x2 BGN; Foxconn Wireless LAN Wireless LAN Ralink RT2700E 1x2 BGN; QMI Wireless LAN Atheros AR5B91 1x2 BGN (EM303); Foxconn Wireless LAN Atheros HB93 1x2 BGN (HM)
5 in 1 Card Reader	Alcon AU6433
Audio Codec	Realtek ALC888s

Keyboard

Item	Specification
Keyboard controller	Winbond WPC773L
Total number of keypads	103-/104-/107-key keyboard
Windows logo key	Yes
Internal & external keyboard work simultaneously	Plug USB keyboard to the USB port directly: Yes

Battery

Item	Specification
Vendor	SONY/SANYO/PANASONIC/SIMPLO
Battery Type	Li-ion
Pack capacity	4400/4800mAh
Number of battery cell	6/8
Package configuration	3/4 cells in series, 2 series in parallel

LCD 17.3" inch

Item	Specification
Vendor & model name	AUO/CMO/LPL/Samsung
Screen Diagonal (mm)	17.3 inches

LCD 17.3" inch

Item	Specification
Display resolution (pixels)	17.3" WXGA+ Glare
Pixel Pitch	0.204 x 0.204
Pixel Arrangement	R.G.B. Vertical Stripe
Display Mode	Normally White
Typical White Luminance (NIT) also called Brightness	220
Luminance Uniformity	1.25 max.
Contrast Ratio	400 typical
Response Time msec	8
Nominal Input Voltage VDD	+3.3V
Viewing Angle (degree) Horizontal: Right/Left Vertical: Upper/Lower	45/45 15/35
Temperature Range(° C) Operating Storage (shipping)	0 to +50 -40 to +60

AC Adaptor

Item	Specification
Input	100-240V~ 1.5A, 50-60Hz/
Output	19V 4.74A 65W/90W/120W

System Power Management

ACPI mode	Power Management
Mech. Off (G3)	All devices in the system are turned off completely.
Soft Off (G2/S5)	OS initiated shutdown. All devices in the system are turned off completely.
Working (G0/S0)	Individual devices such as the CPU and hard disc may be power managed in this state.
Suspend to RAM (S3)	CPU set power down VGA Suspend PCMCIA Suspend Audio Power Down Hard Disk Power Down CD-ROM Power Down Super I/O Low Power mode
Save to Disk (S4)	Also called Hibernation Mode. System saves all system states and data onto the disc prior to power off the whole system.

System Utilities

BIOS Setup Utility


The BIOS Setup Utility is a hardware configuration program built into your computer's BIOS (Basic Input/Output System).

Your computer is already properly configured and optimized, and you do not need to run this utility. However, if you encounter configuration problems, you may need to run Setup. Please also refer to Chapter 4 Troubleshooting when problem arises.

To activate the BIOS Utility, press **F2** during POST (when "Press <F2> to enter Setup" message is prompted on the bottom of screen).

Press **F2** to enter setup. The default parameter of F12 Boot Menu is set to "disabled". If you want to change boot device without entering BIOS Setup Utility, please set the parameter to "enabled".

Press <F12> during POST to enter multi-boot menu. In this menu, user can change boot device without entering BIOS SETUP Utility.



Navigating the BIOS Utility

There are five menu options: Information, Main, Security, Boot, and Exit.

Follow these instructions:

- To choose a menu, use the left and right arrow keys.
- To choose an item, use the up and down arrow keys.
- To change the value of a parameter, press **F5** or **F6**.
- A plus sign (+) indicates the item has sub-items. Press **Enter** to expand this item.
- Press **Esc** while you are in any of the menu options to go to the Exit menu.
- In any menu, you can load default settings by pressing **F9**. You can also press **F10** to save any changes made and exit the BIOS Setup Utility.

NOTE: You can change the value of a parameter if it is enclosed in square brackets. Navigation keys for a particular menu are shown on the bottom of the screen. Help for parameters are found in the Item Specific Help part of the screen. Read this carefully when making changes to parameter values. **Please note that system information is subject to different models.**

Information

The Information screen displays a summary of your computer hardware information.

Aspire 7738/7738G and Aspire 7735/7735G/7735Z/7735ZG Series:

Phoenix SecureCore(tm) Setup Utility					
Information	Main	Security	Boot	Exit	
CPU Type: Intel (R) Core (TM)2 Duo CPU T6600 @ 2.20GHz CPU Speed: 2.20GHz IDE0 Model Name: XXXXXXXXXXXX-(XX) IDE0 Serial Number: XXXXXXXX IDE1 Model Name: None IDE1 Serial Number: None ATAPI Model Name: XXXXXXXXXXXX-XXX XX-XXXX-(XX) System BIOS Version: VX.XX VGA BIOS Version: XX-XXX XXXXXX.XXX.XXX.XXX.XXXXXX KBC Version: XX.XX Serial Number: XXXXXXXXXXXXXXXXXXXXXXXX Asset Tag Number: None Product Name: Aspire 7738 Manufacturer Name: Acer UUID: XXXxXxXX-xXxX-XXxx-xXXx-xXXxXXxXxxXX					
F1 Help	↑↓ Select Item	-/+ Change Values	F9 Setup Defaults		
Esc Exit	↔ Select Menu	Enter Select	▶ Sub-Menu	F10 Save and Exit	

Aspire 7535/7535G/7235 Series:

Phoenix SecureCore(tm) Setup Utility					
Information	Main	Security	Boot	Exit	
CPU Type: AMD Turion (tm) X2 Dual-Core Mobile RM-72 CPU Speed: 2.10GHz IDE0 Model Name: XXXXXXXXXXXX-(XX) IDE0 Serial Number: XXXXXXXX ATAPI Model Name: XXXXXXXXXXXX-XXX XX-XXXX-(XX) System BIOS Version: VX.XX VGA BIOS Version: XX-XXX XXXXXX.XXX.XXX.XXX.XXXXXX KBC Version: XX.XX Serial Number: XXXXXXXXXXXXXXXXXXXXXXXX Asset Tag Number: None Product Name: Aspire 7535 Manufacturer Name: Acer UUID: XXXxXxXX-xXxX-XXxx-xXXx-xXXxXXxXxxXX					
F1 Help	↑↓ Select Item	-/+ Change Values	F9 Setup Defaults		
Esc Exit	↔ Select Menu	Enter Select	▶ Sub-Menu	F10 Save and Exit	

NOTE: The system information is subject to different models.

Parameter	Description
CPU Type	This field shows the CPU type and speed of the system.
CPU Speed	This field shows the speed of the CPU.
IDE0 Model Name	This field shows the model name of HDD installed on primary IDE master.
IDE0 Serial Number	This field displays the serial number of HDD installed on primary IDE master.
IDE1 Model Name	This field shows the model name of HDD installed on secondary IDE master.
IDE1 Serial Number	This field displays the serial number of HDD installed on secondary IDE master.
ATAPI Model Name	This field shows the model name of the Optical device installed in the system.
System BIOS Version	Displays system BIOS version.
VGA BIOS Version	This field displays the VGA firmware version of the system.
KBC Ver	This field shows the keyboard
Serial Number	This field displays the serial number of this unit.
Asset Tag Number	This field displays the asset tag number of the system.
Product Name	This field shows product name of the system.
Manufacturer Name	This field displays the manufacturer of this system.
UUID Number	Universally Unique Identifier (UUID) is an identifier standard used in software construction, standardized by the Open Software Foundation (OSF) as part of the Distributed Computing Environment (DCE).

Main

The Main screen allows the user to set the system time and date as well as enable and disable boot option and recovery.

Aspire 7738/7738G and Aspire 7735/7735G/7735Z/7735ZG Series:

Phoenix SecureCore(tm) Setup Utility				
Information	Main	Security	Boot	Exit
System Time: [10:10:10] System Date: [03/30/2009] System Memory: 640 KB Extended Memory: 957 MB Video Memory: 64 MB Quiet Boot: [Enabled] Network Boot: [Enabled] F12 Boot Menu: [Disabled] D2D Recovery: [Enabled] SATAMode [AHCI]				Item Specific Help <Tab>, <Shift-Tab>, or <Enter> selects field.
F1 Help	↑↓ Select Item	-/+ Change Values	F9 Setup Defaults	
Esc Exit	←→ Select Menu	Enter Select ▶ Sub-Menu	F10 Save and Exit	

Aspire 7535/7535G/7235 Series:

Phoenix SecureCore(tm) Setup Utility				
Information	Main	Security	Boot	Exit
System Time: [10:10:10] System Date: [03/31/2009] Total Memory: 4096 KB Video Memory: 1024 MB Quiet Boot: [Enabled] Network Boot: [Enabled] F12 Boot Menu: [Disabled] D2D Recovery: [Enabled] SATAMode [AHCI Mode]				Item Specific Help <Tab>, <Shift-Tab>, or <Enter> selects field.
F1 Help	↑↓ Select Item	-/+ Change Values	F9 Setup Defaults	
Esc Exit	←→ Select Menu	Enter Select ▶ Sub-Menu	F10 Save and Exit	

NOTE: The screen above is for your reference only. Actual values may differ.

The table below describes the parameters in this screen. Settings in **boldface** are the default and suggested parameter settings.

Parameter	Description	Format/Option
System Time	Sets the system time. The hours are displayed with 24-hour format.	Format: HH:MM:SS (hour:minute:second) System Time
System Date	Sets the system date.	Format MM/DD/YYYY (month/day/year) System Date
System Memory	This field reports the memory size of the system. Memory size is fixed to 640MB	
Total Memory	This field reports the total memory size of the system. For Aspire 8530 Series only.	
Extended Memory	This field reports the memory size of the extended memory in the system. Extended Memory size=Total memory size-1MB	
VGA Memory	Shows the VGA memory size.	
Quiet Boot	Determines if Customer Logo will be displayed or not; shows Summary Screen is disabled or enabled. Enabled: Customer Logo is displayed, and Summary Screen is disabled. Disabled: Customer Logo is not displayed, and Summary Screen is enabled.	Option: Enabled or Disabled
Network Boot	Enables, disables the system boot from LAN (remote server).	Option: Enabled or Disabled
F12 Boot Menu	Enables, disables Boot Menu during POST.	Option: Disabled or Enabled
D2D Recovery	Enables, disables D2D Recovery function. The function allows the user to create a hidden partition on hard disc drive to store operation system and restore the system to factory defaults.	Option: Enabled or Disabled
SATA Mode	Control the mode in which the SATA controller should operate.	Option: AHCI or IDE

NOTE: The sub-items under each device will not be shown if the device control is set to disable or auto. This is because the user is not allowed to control the settings in these cases.

Security

The Security screen contains parameters that help safeguard and protect your computer from unauthorized use.

Phoenix SecureCore(tm) Setup Utility				
Information	Main	Security	Boot	Exit
Supervisor Password is: Clear User Password is: Clear HDD Password is: Clear Set Supervisor Password [Enter] Set User Password [Enter] Set HDD Password [Enter] Password on Boot: [Disabled]			Item Specific Help Supervisor Password controls access of the whole setup utility. It can be used to boot up when Password on boot is enabled.	
F1 Help ↑↓ Select Item -/+ Change Values F9 Setup Defaults Esc Exit ←→ Select Menu Enter Select ► Sub-Menu F10 Save and Exit				

NOTE: Please refer to “Remove HDD/BIOS Password” section if you need to know how to remove HDD/BIOS Password.

The table below describes the parameters in this screen. Settings in **boldface** are the default and suggested parameter settings.

Parameter	Description	Option
Supervisor Password Is	Shows the setting of the Supervisor password	Clear or Set
User Password Is	Shows the setting of the user password.	Clear or Set
HDD Password Is	Shows the setting of the hard disk password.	Clear or Set
Set Supervisor Password	Press Enter to set the supervisor password. When set, this password protects the BIOS Setup Utility from unauthorized access. The user can not either enter the Setup menu nor change the value of parameters.	
Set User Password	Press Enter to set the user password. When user password is set, this password protects the BIOS Setup Utility from unauthorized access. The user can enter Setup menu only and does not have right to change the value of parameters.	
Set HDD Password	Enter HDD Password.	
Password on Boot	Defines whether a password is required or not while the events defined in this group happened. The following sub-options are all requires the Supervisor password for changes and should be grayed out if the user password was used to enter setup.	Disabled or Enabled

NOTE: When you are prompted to enter a password, you have three tries before the system halts. Don't forget your password. If you forget your password, you may have to return your notebook computer to your dealer to reset it.

Setting a Password

Follow these steps as you set the user or the supervisor password:

1. Use the up/down keys to highlight the Set Supervisor Password parameter and press the Enter key. The Set Supervisor Password box appears:

Set Supervisor Password	
Enter New Password	[]
Confirm New Password	[]

2. Type a password in the "Enter New Password" field. The password length can not exceeds 8 alphanumeric characters (A-Z, a-z, 0-9, not case sensitive). Retype the password in the "Confirm New Password" field.

IMPORTANT: Be very careful when typing your password because the characters do not appear on the screen.

3. Press Enter.
After setting the password, the computer sets the User Password parameter to "Set".
4. If desired, you can opt to enable the Password on boot parameter.
5. When you are done, press F10 to save the changes and exit the BIOS Setup Utility.

Removing a Password

Follow these steps:

1. Use the up/down keys to highlight the Set Supervisor Password parameter and press the Enter key. The Set Password box appears:

Set Supervisor Password		
Enter current password	[	]
Enter New Password	[	]
Confirm New Password	[	]

2. Type the current password in the Enter Current Password field and press Enter.
3. Press Enter twice **without** typing anything in the Enter New Password and Confirm New Password fields. The computer then sets the Supervisor Password parameter to "Clear".
4. When you have changed the settings, press F10 to save the changes and exit the BIOS Setup Utility.

Changing a Password

1. Use the up/down keys to highlight the Set Supervisor Password parameter and press the Enter key. The Set Password box appears:

Set Supervisor Password		
Enter current password	[	]
Enter New Password	[	]
Confirm New Password	[	]


2. Type the current password in the Enter Current Password field and press Enter.
3. Type a password in the Enter New Password field. Retype the password in the Confirm New Password field.
4. Press Enter. After setting the password, the computer sets the User Password parameter to "Set".
5. If desired, you can enable the Password on boot parameter.
6. When you are done, press F10 to save the changes and exit the BIOS Setup Utility.

If the verification is OK, the screen will display as following.


Setup Notice
Changes have been saved.
[continue]

The password setting is complete after the user presses Enter.

If the current password entered does not match the actual current password, the screen will show you the Setup Warning.



If the new password and confirm new password strings do not match, the screen will display the following message.



Boot

This menu allows the user to decide the order of boot devices to load the operating system. Bootable devices includes the diskette drive in module bay, the onboard hard disk drive and the CD-ROM in module bay.

Phoenix SecureCore(tm) Setup Utility

InformationMainSecurityBootExit

Boot priority order:

1: IDE0 HDD: XXXXXXXXXXXX-(XX)
2: IDE1:
3: CD/DVD: XXXXXXXXXXXX-XXX XX-XXXX-XX
4: Network Boot: XXX vXX.X.X XXXX XXXX
5: USB HDD:
6: USB FDD:
7: USB Key:
8: USB CD/DVD ROM:


Item Specific Help

Use <↑> or <↓> to select a device, then press <F6> to move it up the list, or <F5> to move it down the list. Press <Esc> to escape the menu.

F1 Help ↑↓ Select Item -/+ Change Values F9 Setup Defaults
Esc Exit ←→ Select Menu Enter Select ► Sub-Menu F10 Save and Exit

Exit

The Exit screen contains parameters that confirmed or discard the changes made to the parameters in the BIOS Setup Utility.



The table below describes the parameters in this screen.

Parameter	Description
Exit Saving Changes	Exit System Setup and save your changes to CMOS.
Exit Discarding Changes	Exit utility without saving setup data to CMOS.
Load Setup Default	Load default values for all SETUP item.
Discard Changes	Load previous values from CMOS for all SETUP items.
Save Changes	Save Setup Data to CMOS.

BIOS Flash Utility

The BIOS flash memory update is required for the following conditions:

- New versions of system programs
- New features or options
- Restore a BIOS when it becomes corrupted.

Use the Flash utility to update the system BIOS flash ROM.

NOTE: If you do not have a crisis recovery disk at hand, then you should create a **Crisis Disk** (See “Steps for BIOS Recovery by Crisis Disk” on page 117) before you use the Flash utility.

NOTE: Do not install memory-related drivers (XMS, EMS, DPMI) when you use the Flash.

NOTE: Please connect the AC adapter power supply when you run the Flash utility. If the battery pack does not contain enough power to finish BIOS flash, you may not boot the system because the BIOS is not completely loaded.

Follow the steps below to run the Flash utility:


1. Rename the BIOS file as “XXXXXXX.FD”
2. Copy the “XXXXXXX.FD” file to a bootable USB device containing the Crisis Disk.
3. Turn off the system power.
4. Insert the USB device containing the renamed BIOS file and Crisis Disk to any USB port.
5. Make sure the AC adapter is connected to a power outlet and plugged in to the system.
6. Power on the system from an off state (i.e. cold boot) while holding down the Fn + ESC key.
7. After POST, release Fn + ESC key. The system should boot from the USB device and perform crisis recovery action.

Remove HDD Password

This section teaches you how to remove HDD password:

Remove HDD Password:

- If you key in the wrong HDD password thrice, “HDD password error code” will appear on the screen. See the image below.



- If you need to solve HDD password locked problem, you can run HDD_PW.EXE
 1. Key in “hdd_pw 15494 0”
 2. Select “2”
 3. Choose one of the uppercase strings

```
C:\WINDOWS\system32\cmd.exe
F:\>cd password
F:\password>dir/w
Volume in drive F has no label.
Volume Serial Number is D4F6-0236

Directory of F:\password

[.]                [..]      BIOS_PW.EXE  HDD_PW.EXE
      2 File(s)          35,354 bytes
      2 Dir(s)         487,895,040 bytes free
F:\password>hdd_pw 15494 0
unlock6.exe v1.1 2 May 2003

Choice what kind of the password to be generated:
0.) Exit....
1.) Scan Code
2.) Upper case ASCII Code
3.) Lower case ASCII Code
Enter your choice: 2
0KJFN42
UVEIQ96
F:\password>
```

- Reboot the system and key in “0KJFN42” or “UVEIQ96” as your HDD user password.



Machine Disassembly and Replacement

This chapter contains step-by-step procedures on how to disassemble the notebook computer for maintenance and troubleshooting.

Disassembly Requirements

To disassemble the computer, you need the following tools:

- Wrist grounding strap and conductive mat for preventing electrostatic discharge
- Flat screwdriver
- Philips screwdriver
- Hex screwdriver
- Plastic flat screwdriver
- Plastic tweezers

NOTE: The screws for the different components vary in size. During the disassembly process, group the screws with the corresponding components to avoid mismatch when putting back the components.

General Information

Pre-disassembly Instructions

Before proceeding with the disassembly procedure, make sure that you do the following:

1. Turn off the power to the system and all peripherals.
2. Unplug the AC adapter and all power and signal cables from the system.



3. Place the system on a flat, stable surface.
4. Remove the battery pack.

Disassembly Process

The disassembly process is divided into the following stages:

- External module disassembly
- Main unit disassembly
- LCD module disassembly

The flowcharts provided in the succeeding disassembly sections illustrate the entire disassembly sequence. Observe the order of the sequence to avoid damage to any of the hardware components. For example, if you want to remove the main board, you must first remove the keyboard, then disassemble the inside assembly frame in that order.


Main Screw List

Item	Screw	Color	Part No.
B	M2.5 x L7	Black	86.00E72.637
C	M2 x L3	Silver	86.00F80.723
D	M3 x L4	Silver	86.9A554.4R0
E	M2.5 x L5	Black	86.00F87.735
F	M2 x L4	Silver	86.9A552.4R0
G	M2 x L2	Silver	86.00H06.622
H	M2.5 x L7	Black	86.9A553.7R0
I	M2 x L5	Silver	86.00G58.725

External Module Disassembly Process

External Modules Disassembly Flowchart

The flowchart below gives you a graphic representation on the entire disassembly sequence and instructs you on the components that need to be removed during servicing. For example, if you want to remove the main board, you must first remove the keyboard, then disassemble the inside assembly frame in that order.



Screw List

Item	Screw	Color	Part No.
B	M2.5 x L7	Black	86.00E72.637
C	M2 x L3	Silver	86.00F80.723
D	M3 x L4	Silver	86.9A554.4R0
F	M2 x L4	Silver	86.9A552.4R0

Removing the Battery Pack

1. Turn base unit over.
2. Slide the battery lock/unlock latch to the unlock position.



Note: Battery has been highlighted with the yellow circle as above image shows. Please detach the battery and follow local regulations for disposal.

3. Slide the battery release latch to the release position (a) to pop out the battery pack, then remove the battery pack from the main unit (b).



Removing the SD Dummy Card

1. See “Removing the Battery Pack” on page 44.
2. Push the SD dummy card all the way in to eject it.




3. Pull it out from the slot.



Removing the Hard Disk Drive 2 (HDD2) Module

1. See “Removing the Battery Pack” on page 44.
2. See “Removing the SD Dummy Card” on page 45.
3. Release the two captive screws on the hard disk 2 module cover.



4. Lift and remove the HDD2 bay cover.





NOTE: The HDD2 module is available in certain models only. If your model does not have an HDD2, please skip to the next section and disregard the steps for removing the HDD2 module below.

5. Lift the HDD2 module and remove it from the HDD2 bay.



NOTE: To prevent damage to device, avoid pressing down on it or placing heavy objects on top of it.


6. Remove the two screws (D) securing the hard disk to the bracket and remove the hard disk from the bracket.




Size (Quantity)	Color	Torque	Part No.
M3 x L4 (2)	Silver	3.0 kgf-cm	86.9A554.4R0

Removing the Back Cover

1. See “Removing the Battery Pack” on page 44.
2. See “Removing the SD Dummy Card” on page 45.
3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
4. Release the six captive screws securing the back cover.



5. Carefully lift and remove the back cover.



Removing the Hard Disk Drive 1 (HDD1) Module

1. See “Removing the Battery Pack” on page 44.
2. See “Removing the SD Dummy Card” on page 45.
3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
4. See “Removing the Back Cover” on page 48.

5. Remove the one screw (C) securing the hard disk drive 1 (HDD1) module to the system.




Size (Quantity)	Color	Torque	Part No.
M2 x L3 (1)	Silver	1.6 kgf-cm	86.00F80.723

6. Lift the HDD1 module and remove it from the hard disk drive bay.



NOTE: To prevent damage to device, avoid pressing down on it or placing heavy objects on top of it.

7. Remove the two screws (D) securing the hard disk to the bracket and remove the hard disk from the bracket.




Size (Quantity)	Color	Torque	Part No.
M3 x L4 (2)	Silver	3.0 kgf-cm	86.9A554.4R0

Removing the TV Tuner Card (for certain models only)

1. See “Removing the Battery Pack” on page 44.
2. See “Removing the SD Dummy Card” on page 45.
3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
4. See “Removing the Back Cover” on page 48.
5. See “Removing the Hard Disk Drive 1 (HDD1) Module” on page 48.

6. Detach the black antenna cable from the TV tuner card.



7. Remove the one screw (F) securing the TV tuner card to the system.



Size (Quantity)	Color	Torque	Part No.
M2 x L4 (1)	Silver	1.6 kgf-cm	86.9A552.4R0

8. Release the TV tuner card from its connector and detach the card.



Removing the Wireless LAN Card

- 1. See “Removing the Battery Pack” on page 44.
- 2. See “Removing the SD Dummy Card” on page 45.
- 3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
- 4. See “Removing the Back Cover” on page 48.
- 5. See “Removing the Hard Disk Drive 1 (HDD1) Module” on page 48.
- 6. See “Removing the TV Tuner Card (for certain models only)” on page 50.
- 7. For 2-antenna WLAN card, detach the black cable from connector 1 and the white cable from connector 2 on the WLAN card.
- 8. For 3-antenna WLAN card, detach the black cable from connector 1, the white cable from connector 2 and the gray cable from connector 3 on the WLAN card.



- 9. Remove the one screw (F) on the WLAN card and detach the card.



Size (Quantity)	Color	Torque	Part No.
M2 x L4 (1)	Silver	1.6 kgf-cm	86.9A552.4R0

-
10. Release the wireless LAN card from its connector and detach the card.



Removing the DIMM Module

1. See “Removing the Battery Pack” on page 44.
2. See “Removing the SD Dummy Card” on page 45.
3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
4. See “Removing the Back Cover” on page 48.
5. See “Removing the Hard Disk Drive 1 (HDD1) Module” on page 48.
6. See “Removing the TV Tuner Card (for certain models only)” on page 50.
7. See “Removing the Wireless LAN Card” on page 52.
8. Push out the latches on both sides of the DIMM socket to release the DIMM.



9. Remove the DIMM module(s).


Removing the Optical Drive Module

- 1. See “Removing the Battery Pack” on page 44.
- 2. See “Removing the SD Dummy Card” on page 45.
- 3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
- 4. See “Removing the Back Cover” on page 48.
- 5. See “Removing the Hard Disk Drive 1 (HDD1) Module” on page 48.
- 6. See “Removing the TV Tuner Card (for certain models only)” on page 50.
- 7. See “Removing the Wireless LAN Card” on page 52.
- 8. See “Removing the DIMM Module” on page 53.
- 9. Remove the one screw (B) securing the optical drive module to the system.



Size (Quantity)	Color	Torque	Part No.
M2.5 x L7 (1)	Black	3.0 kgf-cm	86.00E72.637

10. Slowly pull out the ODD module from the ODD drive bay.




11. Remove the one screw (C) securing the locker bracket and remove the locker bracket from the optical disk drive module.



Size (Quantity)	Color	Torque	Part No.
M2 x L3 (1)	Silver	1.6 kgf-cm	86.00F80.723

Main Unit Disassembly Process

Main Unit Disassembly Flowchart




Screw List

Item	Screw	Color	Part No.
B	M2.5 x L6	Black	86,00E12.536
C	M2 x L3	Silver	86.00F80723
E	M2.5 x L5	Black	86.00F87.735
F	M2 x L4	Silver	86.9A552.4R0
G	M2 x L2	Silver	86.00H06.622
I	M2 x L5	Silver	86.00G58.725

Removing the Middle Cover

- 1. See “Removing the Battery Pack” on page 44.
- 2. See “Removing the SD Dummy Card” on page 45.
- 3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
- 4. See “Removing the Back Cover” on page 48.
- 5. See “Removing the Hard Disk Drive 1 (HDD1) Module” on page 48.
- 6. See “Removing the TV Tuner Card (for certain models only)” on page 50.
- 7. See “Removing the Wireless LAN Card” on page 52.
- 8. See “Removing the DIMM Module” on page 53.
- 9. See “Removing the Optical Drive Module” on page 54.
- 10. Remove the fifteen screws (B) on the back cover.



Size (Quantity)	Color	Torque	Part No.
M2.5 x L7(15)	Black	3.0 kgf-cm	86.00E72.637

- 11. Remove the one screw (F) from the lower case.




Size (Quantity)	Color	Torque	Part No.
M2 x L4 (1)	Silver	1.6 kgf-cm	86.9A552.4R0


-
12. Carefully lift the middle cover and turn it over on the keyboard area.




13. Release the latch (a) and disconnect the white media FFC cable (b) from the powersaving board on the middle cover.



14. Release the latch (a) and disconnect the black power saving FFC cable (b) from the power saving board on the middle cover.



15. Release the latch (a) and disconnect the the power button FFC cable (b) from the power button board on the middle cover.




16. Remove the two screws (F) securing the power saving board to the middle cover.

Size (Quantity)	Color	Torque	Part No.
M2 x L4 (2)	Silver	1.6 kgf-cm	86.9A552.4R0

17. Detach the power saving board.



18. Remove the two screws (F) securing the power button board to the middle cover.



Size (Quantity)	Color	Torque	Part No.
M2 x L4 (2)	Silver	1.6 kgf-cm	86.9A552.4R0

19. Detach the power button board.




Removing the Keyboard

1. See “Removing the Battery Pack” on page 44.
2. See “Removing the SD Dummy Card” on page 45.
3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
4. See “Removing the Back Cover” on page 48.
5. See “Removing the Hard Disk Drive 1 (HDD1) Module” on page 48.
6. See “Removing the TV Tuner Card (for certain models only)” on page 50.
7. See “Removing the Wireless LAN Card” on page 52.
8. See “Removing the DIMM Module” on page 53.
9. See “Removing the Optical Drive Module” on page 54.
10. See “Removing the Middle Cover” on page 57.

-
11. Release the keyboard from the latches and turn it over on the touchpad area.




12. Release the latch (a) and disconnect the keyboard cable (b) from its connector on the main board and detach the keyboard.




Removing the LCD Module

1. See “Removing the Battery Pack” on page 44.
2. See “Removing the SD Dummy Card” on page 45.
3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
4. See “Removing the Back Cover” on page 48.
5. See “Removing the Hard Disk Drive 1 (HDD1) Module” on page 48.
6. See “Removing the TV Tuner Card (for certain models only)” on page 50.
7. See “Removing the Wireless LAN Card” on page 52.
8. See “Removing the DIMM Module” on page 53.
9. See “Removing the Optical Drive Module” on page 54.
10. See “Removing the Middle Cover” on page 57.
11. See “Removing the Keyboard” on page 60.


12. Remove the DC-IN cable from its connector on the main board.




13. Remove the LCD cable from its connector on the main board.




14. Release the cables from the latches.



15. Carefully pull out the wireless antenna cables from the hole(s).



16. Remove the four screws (E) from the left and right hinges.



Size (Quantity)	Color	Torque	Part No.
M2.5 x L5 (4)	Black	3.0 kgf-cm	86.00F87.735


-
17. Carefully remove the LCD module from the base unit.




NOTE: When connecting the cables back to the unit, please note that the cables should be routed well.

Separating the Upper Case from the Lower Case


1. See “Removing the Battery Pack” on page 44.
2. See “Removing the SD Dummy Card” on page 45.
3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
4. See “Removing the Back Cover” on page 48.
5. See “Removing the Hard Disk Drive 1 (HDD1) Module” on page 48.
6. See “Removing the TV Tuner Card (for certain models only)” on page 50.
7. See “Removing the Wireless LAN Card” on page 52.
8. See “Removing the DIMM Module” on page 53.
9. See “Removing the Optical Drive Module” on page 54.
10. See “Removing the Middle Cover” on page 57.
11. See “Removing the Keyboard” on page 60.
12. See “Removing the LCD Module” on page 61.
13. Release the latch (a) and disconnect the launch cable (b) from its connector on the main board.




-
14. Release the latch (a) and disconnect the Power Button FFC cable (b) from its connector on the main board.




15. Release the latch (a) and disconnect the Power Saving FFC cable (b) from its connector on the main board.




-
16. Release the latch (a) and disconnect the fingerprint cable (b) from its connector on the main board.



17. Release the latch (a) and disconnect the touchpad cable (B) from its connector on the main board.




18. Remove the two screws (I) securing the upper case to the system.



Size (Quantity)	Color	Torque	Part No.
M2 x L5 (2)	Silver	1.6 kgf-cm	86.00G58.725

19. Remove the three screws (F) securing the the upper case to the system.




Size (Quantity)	Color	Torque	Part No.
M2 x L4 (3)	Silver	1.6 kgf-cm	86.9A552.4R0

20. Gently lift and detach the upper case from the lower case.




Removing the Fingerprint/Button and Touchpad Boards

1. See “Removing the Battery Pack” on page 44.
2. See “Removing the SD Dummy Card” on page 45.
3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
4. See “Removing the Back Cover” on page 48.
5. See “Removing the Hard Disk Drive 1 (HDD1) Module” on page 48.
6. See “Removing the TV Tuner Card (for certain models only)” on page 50.
7. See “Removing the Wireless LAN Card” on page 52.
8. See “Removing the DIMM Module” on page 53.
9. See “Removing the Optical Drive Module” on page 54.
10. See “Removing the Middle Cover” on page 57.
11. See “Removing the Keyboard” on page 60.
12. See “Removing the LCD Module” on page 61.
13. See “Separating the Upper Case from the Lower Case” on page 64.
14. Remove the four screws (F) securing the touchpad and fingerprint/button bracket to the upper case.




Size (Quantity)	Color	Torque	Part No.
M2 x L4 (4)	Silver	1.6 kgf-cm	86.9A552.4R0

15. Release the latch (a) and disconnect the touchpad cable (b) from the touchpad board. Release the latch (c) and disconnect the fingerprint/ button cable (d) from the fingerprint/ button board.




16. Lift and detach the touchpad and fingerprint/button bracket.



17. Detach the fingerprint/button board.



18. Pry to loosen the touchpad board.



WARNING: The touchpad board is glued to the upper case, only remove the touchpad board if it is defective.

19. Detach the touchpad board from the upper case.




Note: Circuit boards > 10cm² has been highlighted with the yellow square as shown in the figure above. Please detach the circuit boards and follow the local regulations for disposal.


Removing the Launch Board

1. See “Removing the Battery Pack” on page 44.
2. See “Removing the SD Dummy Card” on page 45.
3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
4. See “Removing the Back Cover” on page 48.
5. See “Removing the Hard Disk Drive 1 (HDD1) Module” on page 48.
6. See “Removing the TV Tuner Card (for certain models only)” on page 50.
7. See “Removing the Wireless LAN Card” on page 52.
8. See “Removing the DIMM Module” on page 53.
9. See “Removing the Optical Drive Module” on page 54.
10. See “Removing the Middle Cover” on page 57.
11. See “Removing the Keyboard” on page 60.
12. See “Removing the LCD Module” on page 61.
13. See “Separating the Upper Case from the Lower Case” on page 64.
14. See “Removing the Fingerprint/Button and Touchpad Boards” on page 68.

15. Release the latch (a) and disconnect the launch cable (b) from the launch board.




16. Remove the two screws (C) securing the launch board to the upper case.




Size (Quantity)	Color	Torque	Part No.
M2 x L3 (2)	Silver	1.6 kgf-cm	86.00F80.723

17. Detach the launch board.




Removing the USB Board Module

- 1. See “Removing the Battery Pack” on page 44.
- 2. See “Removing the SD Dummy Card” on page 45.
- 3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
- 4. See “Removing the Back Cover” on page 48.
- 5. See “Removing the Hard Disk Drive 1 (HDD1) Module” on page 48.
- 6. See “Removing the TV Tuner Card (for certain models only)” on page 50.
- 7. See “Removing the Wireless LAN Card” on page 52.
- 8. See “Removing the DIMM Module” on page 53.
- 9. See “Removing the Optical Drive Module” on page 54.
- 10. See “Removing the Middle Cover” on page 57.
- 11. See “Removing the Keyboard” on page 60.
- 12. See “Removing the LCD Module” on page 61.
- 13. See “Separating the Upper Case from the Lower Case” on page 64.
- 14. See “Removing the Fingerprint/Button and Touchpad Boards” on page 68.
- 15. See “Removing the Launch Board” on page 70.
- 16. Remove the one screw (F) securing the USB board to the lower case.




Size (Quantity)	Color	Torque	Part No.
M2 x L4 (1)	Silver	1.6 kgf-cm	86.9A552.4R0

17. Remove the USB board module from the lower case.




18. Disconnect the USB cable from its connectors on the USB board and on the main board.




Removing the Modem Module

1. See “Removing the Battery Pack” on page 44.
2. See “Removing the SD Dummy Card” on page 45.
3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
4. See “Removing the Back Cover” on page 48.
5. See “Removing the Hard Disk Drive 1 (HDD1) Module” on page 48.
6. See “Removing the TV Tuner Card (for certain models only)” on page 50.
7. See “Removing the Wireless LAN Card” on page 52.
8. See “Removing the DIMM Module” on page 53.
9. See “Removing the Optical Drive Module” on page 54.
10. See “Removing the Middle Cover” on page 57.
11. See “Removing the Keyboard” on page 60.
12. See “Removing the LCD Module” on page 61.
13. See “Separating the Upper Case from the Lower Case” on page 64.
14. See “Removing the Fingerprint/Button and Touchpad Boards” on page 68.
15. See “Removing the Launch Board” on page 70.
16. See “Removing the USB Board Module” on page 72.
17. Disconnect the modem cable from the main board.



18. Remove the two screws (F) securing the modem board module to the lower case.



Size (Quantity)	Color	Torque	Part No.
M2 x L4 (2)	Silver	1.6 kgf-cm	86.9A552.4R0


19. Remove the modem board from the lower case.




Removing the Main Board

1. See “Removing the Battery Pack” on page 44.
2. See “Removing the SD Dummy Card” on page 45.
3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
4. See “Removing the Back Cover” on page 48.
5. See “Removing the Hard Disk Drive 1 (HDD1) Module” on page 48.
6. See “Removing the TV Tuner Card (for certain models only)” on page 50.
7. See “Removing the Wireless LAN Card” on page 52.
8. See “Removing the DIMM Module” on page 53.
9. See “Removing the Optical Drive Module” on page 54.
10. See “Removing the Middle Cover” on page 57.
11. See “Removing the Keyboard” on page 60.
12. See “Removing the LCD Module” on page 61.


-
13. See “Separating the Upper Case from the Lower Case” on page 64.
 14. See “Removing the Fingerprint/Button and Touchpad Boards” on page 68.
 15. See “Removing the Launch Board” on page 70.
 16. See “Removing the USB Board Module” on page 72.
 17. See “Removing the Modem Module” on page 74.
 18. Disconnect the subwoofer/speaker cable from its connector on the main board.



19. Disconnect the speaker cable from its connector on the main board.



20. Remove the one screw (F) securing the main board in place.



Size (Quantity)	Color	Torque	Part No.
M2 x L4 (1)	Silver	1.6 kgf-cm	86.9A552.4R0




Note: RTC battery has been highlighted with the yellow circle as shown in the figure above. Please detach the RTC battery and follow local regulations for disposal.



Note: Circuit boards > 10cm² has been highlighted with the yellow square as shown in the figure above. Please detach the circuit boards and follow the local regulations for disposal.

21. Lift the main board gently and remove it carefully from the lower case..




Removing the Heatsink Module

NOTE: There are two version of heatsink module. For this section, we are going to use the Discrete model.
The UMA version looks like the picture below:




1. See “Removing the Battery Pack” on page 44.
2. See “Removing the SD Dummy Card” on page 45.
3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
4. See “Removing the Back Cover” on page 48.
5. See “Removing the Hard Disk Drive 1 (HDD1) Module” on page 48.
6. See “Removing the TV Tuner Card (for certain models only)” on page 50.
7. See “Removing the Wireless LAN Card” on page 52.
8. See “Removing the DIMM Module” on page 53.
9. See “Removing the Optical Drive Module” on page 54.
10. See “Removing the Middle Cover” on page 57.
11. See “Removing the Keyboard” on page 60.
12. See “Removing the LCD Module” on page 61.
13. See “Separating the Upper Case from the Lower Case” on page 64.
14. See “Removing the Fingerprint/Button and Touchpad Boards” on page 68.
15. See “Removing the Launch Board” on page 70.
16. See “Removing the USB Board Module” on page 72.
17. See “Removing the Modem Module” on page 74.
18. See “Removing the Main Board” on page 75.


-
19. Disconnect the heatsink connector from its connector on the main board.




20. Loosen the four screws securing the heatsink module in the order shown.




21. Loosen the four screws securing the heatsink module to the VGA board.



22. Carefully lift up the heatsink module.




23. Remove the two screws (F) securing the VGA board to the main board



Size (Quantity)	Color	Torque	Part No.
M2 x L4 (1)	Silver	1.6 kgf-cm	86.9A552.4R0

24. Release the VGA board from its connector and detach the board.




Note: Circuit boards > 10cm² has been highlighted with the yellow square as shown in the figure above. Please detach the circuit boards and follow the local regulations for disposal.


Removing the CPU

NOTE: Aspire 7738/7738G and Aspire 7735/7735G/7735Z/7735ZG Series uses the Intel® processor, while Aspire 7535/7535G/7235 Series uses the AMD® processor. But the process in removing the CPU are the same for all the models.


1. See “Removing the Battery Pack” on page 44.
2. See “Removing the SD Dummy Card” on page 45.
3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
4. See “Removing the Back Cover” on page 48.
5. See “Removing the Hard Disk Drive 1 (HDD1) Module” on page 48.
6. See “Removing the TV Tuner Card (for certain models only)” on page 50.
7. See “Removing the Wireless LAN Card” on page 52.
8. See “Removing the DIMM Module” on page 53.
9. See “Removing the Optical Drive Module” on page 54.
10. See “Removing the Middle Cover” on page 57.
11. See “Removing the Keyboard” on page 60.
12. See “Removing the LCD Module” on page 61.
13. See “Separating the Upper Case from the Lower Case” on page 64.
14. See “Removing the Fingerprint/Button and Touchpad Boards” on page 68.
15. See “Removing the Launch Board” on page 70.
16. See “Removing the USB Board Module” on page 72.
17. See “Removing the Modem Module” on page 74.
18. See “Removing the Main Board” on page 75.
19. See “LCD Module Disassembly Process” on page 84.
20. Using a flat screwdriver, turn the CPU socket latch counter-clockwise to release the CPU.



21. Lift up carefully to remove the CPU.




NOTE: When installing the CPU, make sure to install the CPU with Pin 1 at the corner as shown.



LCD Module Disassembly Process

LCD Module Disassembly Flowchart



Screw List

Item	Screw	Color	Part No.
C	M2 x L3	Silver	86.00F80.723
E	M2.5 x L5	Silver	86.00F87.735
H	M2.5 x L7	Black	86.9A553.7R0

Removing the LCD Bezel

- 1. See “Removing the Battery Pack” on page 44.
- 2. See “Removing the SD Dummy Card” on page 45.
- 3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
- 4. See “Removing the Back Cover” on page 48.
- 5. See “Removing the Hard Disk Drive 1 (HDD1) Module” on page 48.
- 6. See “Removing the TV Tuner Card (for certain models only)” on page 50.
- 7. See “Removing the Wireless LAN Card” on page 52.
- 8. See “Removing the DIMM Module” on page 53.
- 9. See “Removing the Optical Drive Module” on page 54.
- 10. See “Removing the Middle Cover” on page 57.
- 11. See “Removing the Keyboard” on page 60.
- 12. See “Removing the LCD Module” on page 61.
- 13. Remove the two screw covers at the bottom of the LCD bezel.



- 14. Remove the two screws (H) at the bottom of the LCD bezel..



Size (Quantity)	Color	Torque	Part No.
M2.5 x L7 (2)	Black	3.0 kgf-cm	86.9A553.7R0

15. Remove the four screw covers at the top of the LCD bezel.



16. Remove the four screws (E) at the top of the LCD bezel.




Size (Quantity)	Color	Torque	Part No.
M2.5 x L5 (4)	Black	3.0 kgf-cm	86.00F87.735

17. Remove the two screws (E) on the hinge cover as shown.




Size (Quantity)	Color	Torque	Part No.
M2.5 x L5 (2)	Black	3.0 kgf-cm	86.00F87.735

18. Carefully pry open the LCD bezel and remove it from the LCD panel.



Removing the LCD panel with the Brackets

- 1. See “Removing the Battery Pack” on page 44.
- 2. See “Removing the SD Dummy Card” on page 45.
- 3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
- 4. See “Removing the Back Cover” on page 48.
- 5. See “Removing the Hard Disk Drive 1 (HDD1) Module” on page 48.
- 6. See “Removing the TV Tuner Card (for certain models only)” on page 50.
- 7. See “Removing the Wireless LAN Card” on page 52.
- 8. See “Removing the DIMM Module” on page 53.
- 9. See “Removing the Optical Drive Module” on page 54.
- 10. See “Removing the Middle Cover” on page 57.
- 11. See “Removing the Keyboard” on page 60.
- 12. See “Removing the LCD Module” on page 61.
- 13. See “Removing the LCD Bezel” on page 85.
- 14. Remove the four screws (E) on the left and right hinges as shown.




Size (Quantity)	Color	Torque	Part No.
M2.5 x L5 (4)	Black	3.0 kgf-cm	86.00F87.735

-
15. Detach the FPC cable from its connector on the back of the LCD panel with brackets.



16. Remove the LCD panel with brackets from the back cover.



Removing the LCD Brackets

- 1. See “Removing the Battery Pack” on page 44.
- 2. See “Removing the SD Dummy Card” on page 45.
- 3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
- 4. See “Removing the Back Cover” on page 48.
- 5. See “Removing the Hard Disk Drive 1 (HDD1) Module” on page 48.
- 6. See “Removing the TV Tuner Card (for certain models only)” on page 50.
- 7. See “Removing the Wireless LAN Card” on page 52.
- 8. See “Removing the DIMM Module” on page 53.
- 9. See “Removing the Optical Drive Module” on page 54.
- 10. See “Removing the Middle Cover” on page 57.
- 11. See “Removing the Keyboard” on page 60.
- 12. See “Removing the LCD Module” on page 61.
- 13. See “Removing the LCD Bezel” on page 85.
- 14. See “Removing the LCD panel with the Brackets” on page 88.
- 15. Remove the eight screws (C) securing the left and right LCD brackets to remove the brackets.



Size (Quantity)	Color	Torque	Part No.
M2 x L3 (8)	Silver	1.6 kgf-cm	86.00F80.723

Removing the Web Camera

- 1. See “Removing the Battery Pack” on page 44.
- 2. See “Removing the SD Dummy Card” on page 45.
- 3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
- 4. See “Removing the Back Cover” on page 48.
- 5. See “Removing the Hard Disk Drive 1 (HDD1) Module” on page 48.
- 6. See “Removing the TV Tuner Card (for certain models only)” on page 50.
- 7. See “Removing the Wireless LAN Card” on page 52.
- 8. See “Removing the DIMM Module” on page 53.
- 9. See “Removing the Optical Drive Module” on page 54.
- 10. See “Removing the Middle Cover” on page 57.

11. See “Removing the Keyboard” on page 60.
12. See “Removing the LCD Module” on page 61.
13. See “Removing the LCD Bezel” on page 85.
14. See “Removing the LCD panel with the Brackets” on page 88.
15. See “Removing the LCD Brackets” on page 90.
16. Disconnect the web camera cable from its connector on the web camera module.



17. Remove the web camera module from the LCD module back cover.



WARNING: The web camera module is glued to the LCD module back cover, only remove the web camera module if it is defective.

Removing the Microphone Module

1. See “Removing the Battery Pack” on page 44.
2. See “Removing the SD Dummy Card” on page 45.
3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
4. See “Removing the Back Cover” on page 48.
5. See “Removing the Hard Disk Drive 1 (HDD1) Module” on page 48.
6. See “Removing the TV Tuner Card (for certain models only)” on page 50.

7. See “Removing the Wireless LAN Card” on page 52.
8. See “Removing the DIMM Module” on page 53.
9. See “Removing the Optical Drive Module” on page 54.
10. See “Removing the Middle Cover” on page 57.
11. See “Removing the Keyboard” on page 60.
12. See “Removing the LCD Module” on page 61.
13. See “Removing the LCD Bezel” on page 85.
14. See “Removing the LCD panel with the Brackets” on page 88.
15. See “Removing the LCD Brackets” on page 90.
16. See “Removing the Web Camera” on page 90.
17. Detach the microphone cable from its connector. Detach adhesive tapes that glue the microphone cable to the back cover. Detach the microphone module.




18. Remove the microphone module from the LCD module back cover.



Removing the FPC Cable


1. See “Removing the Battery Pack” on page 44.
2. See “Removing the SD Dummy Card” on page 45.
3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
4. See “Removing the Back Cover” on page 48.
5. See “Removing the Hard Disk Drive 1 (HDD1) Module” on page 48.
6. See “Removing the TV Tuner Card (for certain models only)” on page 50.
7. See “Removing the Wireless LAN Card” on page 52.
8. See “Removing the DIMM Module” on page 53.
9. See “Removing the Optical Drive Module” on page 54.
10. See “Removing the Middle Cover” on page 57.
11. See “Removing the Keyboard” on page 60.
12. See “Removing the LCD Module” on page 61.
13. See “Removing the LCD Bezel” on page 85.
14. See “Removing the LCD panel with the Brackets” on page 88.
15. See “Removing the LCD Brackets” on page 90.
16. See “Removing the Web Camera” on page 90.
17. See “Removing the Microphone Module” on page 91.
18. Detach all adhesive tapes and any cable that is glued to the LCD panel.



19. Disconnect the FPC cable from the LCD panel.

Removing the Antennas

1. See “Removing the Battery Pack” on page 44.
2. See “Removing the SD Dummy Card” on page 45.
3. See “Removing the Hard Disk Drive 2 (HDD2) Module” on page 46.
4. See “Removing the Back Cover” on page 48.
5. See “Removing the Hard Disk Drive 1 (HDD1) Module” on page 48.
6. See “Removing the TV Tuner Card (for certain models only)” on page 50.
7. See “Removing the Wireless LAN Card” on page 52.
8. See “Removing the DIMM Module” on page 53.
9. See “Removing the Optical Drive Module” on page 54.
10. See “Removing the Middle Cover” on page 57.
11. See “Removing the Keyboard” on page 60.
12. See “Removing the LCD Module” on page 61.
13. See “Removing the LCD Bezel” on page 85.
14. See “Removing the LCD panel with the Brackets” on page 88.
15. See “Removing the LCD Brackets” on page 90.
16. See “Removing the Web Camera” on page 90.
17. See “Removing the Microphone Module” on page 91.
18. See “Removing the FPC Cable” on page 93.
19. See “Removing the LCD panel with the Brackets” on page 88.
20. Release the antenna cables from the aluminium notches and hinges.



NOTE: There is no need to remove the antenna unless you really need to replace it.

Troubleshooting

Use the following procedure as a guide for computer problems.

NOTE: The diagnostic tests are intended to test only Acer products. Non-Acer products, prototype cards, or modified options can give false errors and invalid system responses.

1. Obtain the failing symptoms in as much detail as possible.
2. Verify the symptoms by attempting to re-create the failure by running the diagnostic test or by repeating the same operation.
3. Use the following table with the verified symptom to determine which page to go to.

Symptoms (Verified)	Go To
Power failure. (The power indicator does not go on or stay on.)	"Power System Check" on page 97.
POST does not complete. No beep or error codes are indicated.	"Power-On Self-Test (POST) Error Message" on page 98 "Undetermined Problems" on page 112
POST detects an error and displayed messages on screen.	"Error Message List" on page 100
Other symptoms (i.e. LCD display problems or others).	"Power-On Self-Test (POST) Error Message" on page 98
Symptoms cannot be re-created (intermittent problems).	Use the customer-reported symptoms and go to "Power-On Self-Test (POST) Error Message" on page 98 "Intermittent Problems" on page 111 "Undetermined Problems" on page 112

System Check Procedures

External Diskette Drive Check

Do the following to isolate the problem to a controller, driver, or diskette. A write-enabled, diagnostic diskette is required.

NOTE: Make sure that the diskette does not have more than one label attached to it. Multiple labels can cause damage to the drive or cause the drive to fail.

Do the following to select the test device.

1. Boot from the diagnostics diskette and start the diagnostics program.
2. See if FDD Test is passed as the program runs to FDD Test.
3. Follow the instructions in the message window.

If an error occurs with the internal diskette drive, reconnect the diskette connector on the system board.

If the error still remains:

1. Reconnect the external diskette drive/DVD-ROM module.
2. Replace the external diskette drive/CD-ROM module.
3. Replace the main board.

External Optical Disk Drive Check

Do the following to isolate the problem to a controller, drive, or optical disk drive. Make sure that the CD-ROM does not have any label attached to it. The label can cause damage to the drive or can cause the drive to fail.

Do the following to select the test device:

1. Boot from the diagnostics diskette and start the diagnostics program.
2. See if CD-ROM Test is passed when the program runs to CD-ROM Test.
3. Follow the instructions in the message window.

If an error occurs, reconnect the connector on the System board. If the error still remains:

1. Reconnect the external diskette drive/CD-ROM module.
2. Replace the external diskette drive/CD-ROM module.
3. Replace the main board.

Keyboard or Auxiliary Input Device Check

Remove the external keyboard if the internal keyboard is to be tested.

If the internal keyboard does not work or an unexpected character appears, make sure that the flexible cable extending from the keyboard is correctly seated in the connector on the system board.

If the keyboard cable connection is correct, run the Keyboard Test.

If the tests detect a keyboard problem, do the following one at a time to correct the problem. Do not replace a non-defective FRU:

1. Reconnect the keyboard cables.
2. Replace the keyboard.
3. Replace the main board.

The following auxiliary input devices are supported by this computer:

- Numeric keypad
- External keyboard

If any of these devices do not work, reconnect the cable connector and repeat the failing operation.

Memory Check

Memory errors might stop system operations, show error messages on the screen, or hang the system.

1. Boot from the diagnostics diskette and start the diagnostic program (please refer to main board).
2. Go to the diagnostic memory in the test items.
3. Press F2 in the test items.
4. Follow the instructions in the message window.

NOTE: Make sure that the DIMM is fully installed into the connector. A loose connection can cause an error.

Power System Check

To verify the symptom of the problem, power on the computer using each of the following power sources:


1. Remove the battery pack.
2. Connect the power adapter and check that power is supplied.
3. Disconnect the power adapter and install the charged battery pack; then check that power is supplied by the battery pack.

If you suspect a power problem, see the appropriate power supply check in the following list:

- “Check the Power Adapter” on page 97
- “Check the Battery Pack” on page 98

Check the Power Adapter

Unplug the power adapter cable from the computer and measure the output voltage at the plug of the power adapter cable. See the following figure



Pin 1: +19 to +20.5V
Pin 2: 0V, Ground

1. If the voltage is not correct, replace the power adapter.
2. If the voltage is within the range, do the following:
 - Replace the System board.
 - If the problem is not corrected, see “Undetermined Problems” on page 112.
 - If the voltage is not correct, go to the next step.

NOTE: An audible noise from the power adapter does not always indicate a defect.

3. If the power-on indicator does not light up, check the power cord of the power adapter for correct continuity and installation.
4. If the operational charge does not work, see “Check the Battery Pack” on page 98.

Check the Battery Pack

To check the battery pack, do the following:

From Software:

1. Check out the Power Management in control Panel.
2. In Power Meter, confirm that if the parameters shown in the screen for Current Power Source and Total Battery Power Remaining are correct.
3. Repeat the steps 1 and 2, for both battery and adapter.
4. This helps you identify first the problem is on recharging or discharging.

From Hardware:

1. Power off the computer.
2. Remove the battery pack and measure the voltage between battery terminals 1(+) and 6(ground).
3. If the voltage is still less than 7.5 Vdc after recharging, replace the battery.

To check the battery charge operation, use a discharged battery pack or a battery pack that has less than 50% of the total power remaining when installed in the computer.

If the battery status indicator does not light up, remove the battery pack and let it return to room temperature. Re-install the battery pack.

If the charge indicator still does not light up, replace the battery pack. If the charge indicator still does not light up, replace the DC/DC charger board.

Touchpad Check

If the touchpad doesn't work, do the following actions one at a time to correct the problem. Do not replace a non-defective FRU:

1. Reconnect the touchpad cables.
2. Replace the touchpad.
3. Replace the system board.

After you use the touchpad, the pointer drifts on the screen for a short time. This self-acting pointer movement can occur when a slight, steady pressure is applied to the touchpad pointer. This symptom is not a hardware problem. No service actions are necessary if the pointer movement stops in a short period of time.

Power-On Self-Test (POST) Error Message

The POST error message index lists the error message and their possible causes. The most likely cause is listed first.

NOTE: Perform the FRU replacement or actions in the sequence shown in FRU/Action column, if the FRU replacement does not solve the problem, put the original part back in the computer. Do not replace a non-defective FRU.

This index can also help you determine the next possible FRU to be replaced when servicing a computer.

If the symptom is not listed, see "Undetermined Problems" on page 112.

The following lists the error messages that the BIOS displays on the screen and the error symptoms classified by function.

NOTE: Most of the error messages occur during POST. Some of them display information about a hardware device, e.g., the amount of memory installed. Others may indicate a problem with a device, such as the way it has been configured.

NOTE: If the system fails after you make changes in the BIOS Setup Utility menus, reset the computer, enter Setup and install Setup defaults or correct the error.

Index of Error Messages

Error Code List

Error Codes	Error Messages
006	Equipment Configuration Error Causes: 1. CPU BIOS Update Code Mismatch 2. IDE Primary Channel Master Drive Error (The causes will be shown before “Equipment Configuration Error”)
010	Memory Error at xxxx:xxx:xxxh (R:xxxh, W:xxxh)
070	Real Time Clock Error
071	CMOS Battery Bad
072	CMOS Checksum Error
110	System disabled. Incorrect password is specified.
<No error code>	Battery critical LOW In this situation BIOS will issue 4 short beeps then shut down system, no message will show.
<No error code>	Thermal critical High In this situation BIOS will shut down system, not show message.

Error Message List

Error Messages	FRU/Action in Sequence
Failure Fixed Disk	Reconnect hard disk drive connector. "Load Default Settings" in BIOS Setup Utility. Hard disk drive System board
Stuck Key	see "Keyboard or Auxiliary Input Device Check" on page 96.
Keyboard error	see "Keyboard or Auxiliary Input Device Check" on page 96.
Keyboard Controller Failed	see "Keyboard or Auxiliary Input Device Check" on page 96.
Keyboard locked - Unlock key switch	Unlock external keyboard
Monitor type does not match CMOS - Run Setup	Run "Load Default Settings" in BIOS Setup Utility.
Shadow RAM Failed at offset: nnnn	BIOS ROM System board
System RAM Failed at offset: nnnn	DIMM System board
Extended RAM Failed at offset: nnnn	DIMM System board
System battery is dead - Replace and run Setup	Replace RTC battery and Run BIOS Setup Utility to reconfigure system time, then reboot system.
System CMOS checksum bad - Default configuration used	RTC battery Run BIOS Setup Utility to reconfigure system time, then reboot system.
System timer error	RTC battery Run BIOS Setup Utility to reconfigure system time, then reboot system. System board
Real time clock error	RTC battery Run BIOS Setup Utility to reconfigure system time, then reboot system. System board
Previous boot incomplete - Default configuration used	Run "Load Default Settings" in BIOS Setup Utility. RTC battery System board
Memory size found by POST differed from CMOS	Run "Load Default Settings" in BIOS Setup Utility. DIMM System board
Diskette drive A error	Check the drive is defined with the proper diskette type in BIOS Setup Utility See "External Diskette Drive Check" on page 96.
Incorrect Drive A type - run SETUP	Check the drive is defined with the proper diskette type in BIOS Setup Utility
System cache error - Cache disabled	System board
CPU ID:	System board
DMA Test Failed	DIMM System board
Software NMI Failed	DIMM System board

Error Message List

Error Messages	FRU/Action in Sequence
Fail-Safe Timer NMI Failed	DIMM System board
Device Address Conflict	Run "Load Default Settings" in BIOS Setup Utility. RTC battery System board
Allocation Error for device	Run "Load Default Settings" in BIOS Setup Utility. RTC battery System board
Failing Bits: nnnn	DIMM BIOS ROM System board
Fixed Disk n	None
Invalid System Configuration Data	BIOS ROM System board
I/O device IRQ conflict	Run "Load Default Settings" in BIOS Setup Utility. RTC battery System board
Operating system not found	Enter Setup and see if fixed disk and drive A: are properly identified. Diskette drive Hard disk drive System board

Error Message List

No beep Error Messages	FRU/Action in Sequence
No beep, power-on indicator turns off and LCD is blank.	Power source (battery pack and power adapter). See "Power System Check" on page 97.. Ensure every connector is connected tightly and correctly. Reconnect the DIMM. LED board. System board.
No beep, power-on indicator turns on and LCD is blank.	Power source (battery pack and power adapter). See "Power System Check" on page 97.. Reconnect the LCD connector Hard disk drive LCD inverter ID LCD cable LCD Inverter LCD System board
No beep, power-on indicator turns on and LCD is blank. But you can see POST on an external CRT.	Reconnect the LCD connectors. LCD inverter ID LCD cable LCD inverter LCD System board

Error Message List

No beep Error Messages	FRU/Action in Sequence
No beep, power-on indicator turns on and a blinking cursor shown on LCD during POST.	Ensure every connector is connected tightly and correctly. System board
No beep during POST but system runs correctly.	Speaker System board

Phoenix BIOS Beep Codes

Code	Beeps	POST Routine Description
02h		Verify Real Mode
03h		Disable Non-Maskable Interrupt (NMI)
04h		Get CPU type
06h		Initialize system hardware
08h		Initialize chipset with initial POST values
09h		Set IN POST flag
0Ah		Initialize CPU registers
0Bh		Enable CPU cache
0Ch		Initialize caches to initial POST values
0Eh		Initialize I/O component
0Fh		Initialize the local bus IDE
10h		Initialize Power Management
11h		Load alternate registers with initial POST values
12h		Restore CPU control word during warm boot
13h		Initialize PCI Bus Mastering devices
14h		Initialize keyboard controller
16h	1-2-2-3	BIOS ROM checksum
17h		Initialize cache before memory autosize
18h		8254 timer initialization
1Ah		8237 DMA controller initialization
1Ch		Reset Programmable Interrupt Controller
20h	1-3-1-1	Test DRAM refresh
22h	1-3-1-3	Test 8742 Keyboard Controller
24h		Set ES segment register to 4 GB
26h		Enable A20 line
28h		Autosize DRAM
29h		Initialize POST Memory Manager
2Ah		Clear 215 KB base RAM
2Ch	1-3-4-1	RAM failure on address line xxxx
2Eh	1-3-4-3	RAM failure on data bits xxxx of low byte of memory bus
2Fh		Enable cache before system BIOS shadow
30h	1-4-1-1	RAM failure on data bits xxxx of high byte of memory bus
32h		Test CPU bus-clock frequency
33h		Initialize Phoenix Dispatch Manager
36h		Warm start shut down
38h		Shadow system BIOS ROM
3Ah		Autosize cache

Code	Beeps	POST Routine Description
3Ch		Advanced configuration of chipset registers
3Dh		Load alternate registers with CMOS values
42h		Initialize interrupt vectors
45h		POST device initialization
46h	2-1-2-3	Check ROM copyright notice
48h		Check video configuration against CMOS
49h		Initialize PCI bus and devices
4Ah		Initialize all video adapters in system
4Bh		QuietBoot start (optional)
4Ch		Shadow video BIOS ROM
4Eh		Display BIOS copyright notice
50h		Display CPU type and speed
51h		Initialize EISA board
52h		Test keyboard
54h		Set key click if enabled
58h	2-2-3-1	Test for unexpected interrupts
59h		Initialize POST display service
5Ah		Display prompt "Press F2 to enter SETUP"
5Bh		Disable CPU cache
5Ch		Test RAM between 512 and 640 KB
60h		Test extended memory
62h		Test extended memory address lines
64h		Jump to User Patch1
66h		Configure advanced cache registers
67h		Initialize Multi Processor APIC
68h		Enable external and CPU caches
69h		Setup System Management Mode (SMM) area
6Ah		Display external L2 cache size
6Bh		Load custom defaults (optional)
6Ch		Display shadow-area message
6Eh		Display possible high address for UMB recovery
70h		Display error messages
72h		Check for configuration errors
76h		Check for keyboard errors
7Ch		Set up hardware interrupt vectors
7Eh		Initialize coprocessor if present
80h		Disable onboard Super I/O ports and IRQs
81h		Late POST device initialization

Code	Beeps	POST Routine Description
82h		Detect and install external RS232 ports
83h		Configure non-MCD IDE controllers
84h		Detect and install external parallel ports
85h		Initialize PC-compatible PnP ISA devices
86h		Re-initialize onboard I/O ports
87h		Configure Motherboard Configurable Devices (optional)
88h		Initialize BIOS Area
89h		Enable Non-Maskable Interrupts (NMIs)
8Ah		Initialize Extended BIOS Data Area
8Bh		Test and initialize PS/2 mouse
8Ch		Initialize floppy controller
8Fh		Determine number of ATA drives (optional)
90h		Initialize hard-disk controllers
91h		Initialize local-bus hard-disk controllers
92h		Jump to UserPatch2
93h		Build MPTABLE for multi-processor boards
95h		Install CD ROM for boot
96h		Clear huge ES segment register
97h		Fixup Multi Processor table
98h	1-2	Search for option ROMs. One long, two short beeps on checksum failure.
99h		Check for SMART drive (optional)
9Ah		Shadow option ROMs
9Ch		Set up Power Management
9Dh		Initialize security engine (optional)
9Eh		Enable hardware interrupts
9Fh		Determine number of ATA and SCSI drives
A0h		Set time of day
A2h		Check key lock
A4h		Initialize Typematic rate
A8h		Erase F2 prompt
AAh		Scan for F2 key stroke
ACh		Enter SETUP
A Eh		Clear Boot flag
B0h		Check for errors
B2h		POST done- prepare to boot operating system
B4h	1	One short beep before boot
B5h		Terminate QuietBoot (optional)
B6h		Check password (optional)

Code	Beeps	POST Routine Description
B9h		Prepare Boot
BAh		Initialize DMI parameters
BBh		Initialize PnP Option ROMs
BCh		Clear parity checkers
BDh		Display MultiBoot menu
BEh		Clear screen (optional)
BFh		Check virus and backup reminders
C0h		Try to boot with INT 19
C1h		Initialize POST Error Manager (PEM)
C2h		Initialize error logging
C3h		Initialize error display function
C4h		Initialize system error handler
C5h		PnPnd dual CMOS (optional)
C6h		Initialize notebook docking (optional)
C7h		Initialize notebook docking late
C8h		Force check (optional)
C9h		Extended checksum (optional)
D2h		Unknown interrupt
E0h		Initialize the chipset
E1h		Initialize the bridge
E2h		Initialize the CPU
E3h		Initialize the system timer
E4h		Initialize system I/O
E5h		Check force recovery boot
E6h		Checksum BIOS ROM
E7h		Go to BIOS
E8h		Set Huge Segment
E9h		Initialize Multi Processor
EAh		Initialize OEM special code
EBh		Initialize PIC and DMA
ECh		Initialize Memory type
EDh		Initialize Memory size
EEh		Shadow Boot Block
EFh		System memory test
F0h		Initialize interrupt vectors
F1h		Initialize Run Time Clock
F2h		Initialize video
F3h		Initialize System Management Mode
F4h	1	Output one beep before boot
F5h		Boot to Mini DOS
F6h		Clear Huge Segment
F7h		Boot to Full DOS

Index of Symptom-to-FRU Error Message

LCD-Related Symptoms

Symptom / Error	Action in Sequence
LCD backlight doesn't work LCD is too dark LCD brightness cannot be adjusted LCD contrast cannot be adjusted	Enter BIOS Utility to execute "Load Setup Default Settings", then reboot system. Reconnect the LCD connectors. Keyboard (if contrast and brightness function key doesn't work). LCD inverter ID LCD cable LCD inverter LCD System board
Unreadable LCD screen Missing pels in characters Abnormal screen Wrong color displayed	Reconnect the LCD connector LCD inverter ID LCD cable LCD inverter LCD System board
LCD has extra horizontal or vertical lines displayed.	LCD inverter ID LCD inverter LCD cable LCD System board

Indicator-Related Symptoms

Symptom / Error	Action in Sequence
Indicator incorrectly remains off or on, but system runs correctly	Reconnect the inverter board Inverter board System board

Power-Related Symptoms

Symptom / Error	Action in Sequence
Power shuts down during operation	Power source (battery pack and power adapter). See "Power System Check" on page 97. Battery pack Power adapter Hard drive & battery connection board System board
The system doesn't power-on.	Power source (battery pack and power adapter). See "Power System Check" on page 97. Battery pack Power adapter Hard drive & battery connection board System board

Power-Related Symptoms

Symptom / Error	Action in Sequence
The system doesn't power-off.	Power source (battery pack and power adapter). See "Power System Check" on page 97. Hold and press the power switch for more than 4 seconds. System board
Battery can't be charged	See "Check the Battery Pack" on page 98. Battery pack System board

PCMCIA-Related Symptoms

Symptom / Error	Action in Sequence
System cannot detect the PC Card (PCMCIA)	PCMCIA slot assembly System board
PCMCIA slot pin is damaged.	PCMCIA slot assembly

Memory-Related Symptoms

Symptom / Error	Action in Sequence
Memory count (size) appears different from actual size.	Enter BIOS Setup Utility to execute "Load Default Settings, then reboot system. DIMM System board

Speaker-Related Symptoms

Symptom / Error	Action in Sequence
In Windows, multimedia programs, no sound comes from the computer.	Audio driver Speaker System board
Internal speakers make noise or emit no sound.	Speaker System board

Power Management-Related Symptoms

Symptom / Error	Action in Sequence
The system will not enter hibernation	See "Save to Disk (S4)" on page 26. Keyboard (if control is from the keyboard) Hard disk drive System board
The system doesn't enter hibernation mode and four short beeps every minute.	Press Fn+0 and see if the computer enters hibernation mode. Touchpad Keyboard Hard disk connection board Hard disk drive System board
The system doesn't enter standby mode after closing the LCD	See "Save to Disk (S4)" on page 26. LCD cover switch System board

Power Management-Related Symptoms

Symptom / Error	Action in Sequence
The system doesn't resume from hibernation mode.	See "Save to Disk (S4)" on page 26. Hard disk connection board Hard disk drive System board
The system doesn't resume from standby mode after opening the LCD.	See "Save to Disk (S4)" on page 26. LCD cover switch System board
Battery fuel gauge in Windows doesn't go higher than 90%.	Remove battery pack and let it cool for 2 hours. Refresh battery (continue use battery until power off, then charge battery). Battery pack System board
System hangs intermittently.	Reconnect hard disk/CD-ROM drives. Hard disk connection board System board

Peripheral-Related Symptoms

Symptom / Error	Action in Sequence
System configuration does not match the installed devices.	Enter BIOS Setup Utility to execute "Load Default Settings", then reboot system. Reconnect hard disk/CD-ROM/diskette drives.
External display does not work correctly.	Press Fn+F5, LCD/CRT/Both display switching System board
USB does not work correctly	System board
Print problems.	Onboard Devices Configuration Run printer self-test. Printer driver Printer cable Printer System Board
Serial or parallel port device problems.	Device driver Device cable Device System board

Keyboard/Touchpad-Related Symptoms

Symptom / Error	Action in Sequence
Keyboard (one or more keys) does not work.	Reconnect the keyboard cable. Keyboard System board
Touchpad does not work.	Reconnect touchpad cable. Touchpad board System board

Modem-Related Symptoms

Symptom / Error	Action in Sequence
Internal modem does not work correctly.	Modem phone port modem combo board System board

NOTE: If you cannot find a symptom or an error in this list and the problem remains, see “Undetermined Problems” on page 112.

Intermittent Problems

Intermittent system hang problems can be caused by a variety of reasons that have nothing to do with a hardware defect, such as: cosmic radiation, electrostatic discharge, or software errors. FRU replacement should be considered only when a recurring problem exists.

When analyzing an intermittent problem, do the following:

1. Run the advanced diagnostic test for the system board in loop mode at least 10 times.
2. If no error is detected, do not replace any FRU.
3. If any error is detected, replace the FRU. Rerun the test to verify that there are no more errors.

Undetermined Problems

The diagnostic problems does not identify which adapter or device failed, which installed devices are incorrect, whether a short circuit is suspected, or whether the system is inoperative.

Follow these procedures to isolate the failing FRU (do not isolate non-defective FRU).

NOTE: Verify that all attached devices are supported by the computer.


NOTE: Verify that the power supply being used at the time of the failure is operating correctly. (See "Power System Check" on page 97.):

1. Power-off the computer.
2. Visually check them for damage. If any problems are found, replace the FRU.
3. Remove or disconnect all of the following devices:
 - Non-Acer devices
 - Printer, mouse, and other external devices
 - Battery pack
 - Hard disk drive
 - DIMM
 - CD-ROM/Diskette drive Module
 - PC Cards
4. Power-on the computer.
5. Determine if the problem has changed.
6. If the problem does not recur, reconnect the removed devices one at a time until you find the failing FRU.
7. If the problem remains, replace the following FRU one at a time. Do not replace a non-defective FRU:
 - System board
 - LCD assembly

Connector Locations


Main Board

Aspire 7738/7738G, Aspire 7735/7735G/7735Z/7735ZG and
Aspire 7535/7535G/7235 Top View



No.	Code	Connector
1	LCD1	LCD cable connector
2	DCIN1	DC-in cable connector
3	SPKR2	Speaker 2 or subwoofer cable connector
4	SPKR1	Speaker 1 cable connector
5	FP1	Fingerprint or button connector
6	PWR_SAVING_CN1	Power saving cable connector
7	KB1	Keyboard cable connector
8	TP1	Touchpad cable connector
9	MDC1	Modem board connector
10	USB_CN1	USB cable connector
11	RTC1	RTC battery socket
12	LAUN_CH1	Launch board cable connector
13	PWE_BT_CN1	Power button cable connector

Aspire 7738/7738G, Aspire 7735/7735G/7735Z/7735ZG and
Aspire 7535/7535G/7235 Bottom View



No.	Code	Connector
1	CPU1	CPU socket
2	RJ45	Ethernet port
3	CRT1	VGA port
4	FAN1	Heatsink fan cable connector
5	HDMI1	HDMI port
6	USB1 & USB2	USB 2.0 ports
7	LIN_IN1	Line-in port
8	MIC_IN1	Microphone-in jack
9	SPDIF_LOUT1	Headphones/speaker/line-out jack with S/PDIF support
10	CARD1	SD card slot
11	DM1	DIMM slot 1
12	DM2	DIMM slot 2
13	SATA1	HDD1 connector
14	SATA2	HDD2 connector
15	ODD1	Optical disk drive connector

Clearing Password Check and BIOS Recovery

This section provides the standard operating procedures for clearing the password and BIOS recovery for Aspire 7738/7738G, Aspire 7735/7735G/7735Z/7735ZG and Aspire 7535/7535G/7235 Series. There is one Hardware Open Gap on the main board for clearing the password check and one Hotkey for enabling BIOS Recovery.


Clearing Password Check

Hardware Open Gap Description

Hardware	Default Setting	Operation Description
Gap	Open (Normal)	Short (Clearing Password Check)


HW Gap position on the main board:

Gap name in Aspire Aspire 7738/7738G and Aspire 7735/7735G/7735Z/7735ZG Series is **G97**.



G97

Gap name in Aspire 7535/7535G/7235 Series is **G62**.



G62

Steps for Clearing BIOS Password Check

If the user sets the BIOS Password (Supervisor Password and/or User Password) for a security reason, the BIOS will ask for the password during system POST or when the system enters into the BIOS Setup menu. If it is necessary to bypass the password check, the user needs to short the hardware gap to clear the password by following these steps:

- Power off the system, and remove the HDD, AC adapter and battery from the computer.
- Open the back cover of the computer and look for the hardware gap on the main board as shown in the picture(s) above.
- Use an electric conductivity tool to short the two points of the hardware gap.
- Plug in the AC adapter while retaining the short condition on the hardware gap. Press the power button to turn on the computer until the BIOS POST routine is finished. Finally, remove the tool from the hardware gap.
- Restart the system. Press the F2 key to enter BIOS Setup menu.
- If there is no password request, the BIOS Password is cleared. Otherwise, repeat the steps above and try again.

NOTE: The steps are only for clearing the BIOS password (Supervisor Password and User Password).

BIOS Recovery by Crisis Disk

BIOS Recovery Boot Block:

BIOS Recovery Boot Block is a special block of the BIOS. It is used to boot up the system with minimum BIOS initialization. Users can enable this feature to restore the BIOS firmware to a successful one once the previous BIOS flashing process failed.

BIOS Recovery Hotkey

The system provides a function hotkey: **Fn+Esc**, for enabling the BIOS Recovery process at system power-on during BIOS POST. To use this function, the AC adapter and the battery must be connected. If this function is enabled, the system will force the BIOS to enter a special BIOS block called Boot Block.

Steps for BIOS Recovery by Crisis Disk

Before doing this, prepare a Crisis Disk (refer to the “Steps for Creating the Crisis Disk in Windows XP/Vista” section below) and keep it ready in hand.

Follow these steps for BIOS recovery:

1. Power off the system.
2. Connect a removable USB storage device containing the Crisis Disk to a USB port connected to the BIOS flash failed system.
3. Under power-off state, press and hold **Fn+Esc** and then press the power button. The system should be powered on with the Crisis BIOS Recovery process.
4. BIOS Boot Block starts to restore the BIOS code from the Crisis Disk to BIOS ROM on the failed system.
5. After the crisis flashing process is finished, the system will restart.


After the Crisis Recovery process is finished, the system should have a successful and workable BIOS after power on. The user can then update the latest BIOS version for this system using the regular BIOS flashing process.

Creating the Crisis Disk in Windows XP/Vista


Follow these steps to create the Crisis Disk:

1. Prepare a removable USB storage device (size greater than 10MB). Note that all data on the USB storage device will be cleared during the creation of the Crisis Disk.
2. Set up another computer loaded with Windows XP or Vista operating system.


- Decompress the Crisis Package Source. Select **WINCRIS.EXE** and then select **Run as administrator** under Vista.




- Keep the default settings and then click on the **Start** button.




- When the pop-up warning dialog box appears, press **OK** to continue creating the Crisis Disk.




6. The Crisis Disk will be created after a few seconds.



7. Press No if you do not want to create another Crisis Disk.



8. Reconnect the USB removable storage device and check if it contains the 3 files shown in the following figure.




FRU (Field Replaceable Unit) List

This chapter gives you the FRU (Field Replaceable Unit) listing in global configurations of Aspire 7738/7738G, Aspire 7735/7735G/7735Z/7735ZG and Aspire 7535/7535G/7235 Series. Refer to this chapter whenever ordering for parts to repair or for RMA (Return Merchandise Authorization).

Please note that WHEN ORDERING FRU PARTS, you should check the most up-to-date information available on your regional web or channel. For whatever reasons a part number change is made, it will not be noted on the printed Service Guide. For ACER AUTHORIZED SERVICE PROVIDERS, your Acer office may have a DIFFERENT part number code from those given in the FRU list of this printed Service Guide. You MUST use the local FRU list provided by your regional Acer office to order FRU parts for repair and service of customer machines.

NOTE: To scrap or to return the defective parts, you should follow the local government ordinance or regulations on how to dispose it properly, or follow the rules set by your regional Acer office on how to return it.


Aspire 7738/7738G Series, Aspire7735/7735G/7735Z/ 7735ZG Series and Aspire 7535/7535G/7235 Series Exploded Diagram




Item	Part
1	LCD back panel
2	LCD module
3	Main board
4	Lower case
5	Upper case
6	Middle cover
7	LCD bezel

Aspire 7738/7738G Series FRU List

1. ACER_ASPIRE 7738G_N10PGE11GBTCFBKQ_JM70_MV (NO:LX.PC90X.002/3/4)


Category	No.	Part Name	Acer Part No.
ACCESSORY	1	REMOTE CONTROLLER FORMOSA21 RC804V-B EN	RT.22700.011
	1	REMOTE CONTROLLER FORMOSA21 RC804V-B EU	RT.22700.008
	1	REMOTE CONTROLLER FORMOSA21 RC804V-B TC	RT.22700.009
	1	REMOTE CONTROLLER FORMOSA21 RC804V-B SC	RT.22700.010
ADAPTER 	1	ADAPTER 120W 19V 1.7X5.5X11 DELTA ORANGE ADP-120ZB BBX LED LF	AP.12001.008
BATTERY 	1	BATTERY SANYO AS-2007B LI-ION 4S2P SANYO 8 CELL 4800MAH MAIN COMMON	BT.00807.015
	1	BATTERY SONY AS-2007B LI-ION 4S2P SONY 8 CELL 4800MAH MAIN COMMON	BT.00803.024
	1	BATTERY SIMPLO AS-2007B LI-ION 4S2P PANASONIC 8 CELL 4800MAH MAIN COMMON PSS	BT.00804.020
	1	BATTERY SONY AS-2007B LI-ION 3S2P SONY 6 CELL 4400MAH MAIN COMMON NORMAL TYPE	BT.00606.001
	1	BATTERY SANYO AS-2007B LI-ION 3S2P SANYO 6 CELL 4400MAH MAIN COMMON NORMAL TYPE	BT.00604.025
	1	BATTERY PANASONIC AS-2007B LI-ION 3S2P PANASONIC 6 CELL 4400MAH MAIN COMMON PSS	BT.00603.042
	1	BATTERY SIMPLO AS-2007B LI-ION 3S2P PANASONIC 6 CELL 4400MAH MAIN COMMON PSS	BT.00605.021
	1	BATTERY SIMPLO AS-2007B LI-ION 3S2P SAMSUNG 6 CELL 4400MAH MAIN COMMON SDI 2.2F	BT.00607.016
BOARDS	1	BLUETOOTH BOARD FOXCONN BCM2045 V2 T60H928.11	BT.21100.005
	1	FINGER PRINT BASE BOARD	55.PCC01.004
	1	FINGER PRINT SENSOR BOARD	55.PCC01.005
	1	LAN INTEL WLAN 512AN_MMWG2 SHIRLEY PEAK 5100 ME ENABLE MM#899541 (CENTRINO 2 WITH VPRO)	KI.SPM01.003
	1	LAN INTEL WLAN 533AN_MMWG2 SHIRLEY PEAK 5300 ME ENABLE / MM#899545 (CENTRINO 2 WITH VPRO)	KI.SPM01.009
	1	LAUNCH BOARD	55.PCC01.001
	1	MEDIA TOUCH CAPACITIVE BUTTON BOARD CASTLENET NS-JM70 WITH LIGHGUIDE	56.41010.261
	2	MODEM BOARD FOXCONN DELPHI-AM5 V2H 1.5_3.3V AUS T60M951.36	FX.22500.023

Category	No.	Part Name	Acer Part No.
	1	POWER SAVING BOARD	55.PCC01.002
	1	POWER BUTTON BOARD	55.PCC01.006
	1	TOUCHPAD BOARD SYNAPTICS TM-01253-001	56.PCC01.001
	1	MSI VGA CARD NVIDIA N10PGE1 DDRII 1024M 500MHZ 64*16 MXM 3.0 TYPE A W/ HYNIX H5PS1G63EFR-20L	54.02A30.021
	1	YUAN VGA CARD NVIDIA N10PGE1 DDRII 1024M 500MHZ 64*16 MXM 3.0 TYPE A W/ HYNIX H5PS1G63EFR-20L	54.02A30.031
	1	TV TUNER CARD DVB-T MINI-CARD A310 W/INTEL+MAXLINEAR	TU.23100.016
	1	TV TUNER CARD AVERMEDIA DVB-T MINI-CARD A309 W/ AFA AF9015	TU.23100.010
	1	USB BOARD	55.PCC01.003
	1	WIRELESS LAN BOARD 512AN_MMWG SHIRLEY PEAK 5100 MM#895361	KI.SPM01.008
	1	WIRELESS LAN BOARD 512AG_MMWG SHIRLEY PEAK 5100 MM#897004	KI.SPM01.005
CABLES	1	BLUETOOTH BOARD CABLE	50.4CD11.011
	1	BLUETOOTH BOARD CABLE	50.4CD11.001
	2	FINGER PRINT / TP BUTTON BOARD CABLE	50.4CD08.011
	2	FINGER PRINT / TP BUTTON BOARD CABLE	50.4CD08.001
	1	LAUNCH BOARD CABLE	50.4CD05.011
	1	LAUNCH BOARD CABLE	50.4CD05.001
	2	LED LCD/CAMERA/MICROPHONE CABLE	50.4CD12.011
	2	LED LCD/CAMERA/MICROPHONE CABLE	50.4CD12.001
	1	MEDIA CABLE	50.4CD06.011
	1	MEDIA CABLE	50.4CD06.001
	2	MODEM CABLE	50.4CD10.001
	2	POWER BUTTON BOARD CABLE	50.4CD03.011
	2	POWER BUTTON BOARD CABLE	50.4CD03.001
	1	POWER CORD ACA / ACNZ	27.03218.051
	1	POWER CORD 7.5A 250V 3P AUSTRALIA BK	27.03218.021
	1	POWER CORD 3A 250V 3PIN UK	27.03118.001
	1	POWER CORD 5A 250V 3PIN UK BK	27.01518.541

Category	No.	Part Name	Acer Part No.
CABLES	1	POWER CORD 250V 3PIN EUR BK	27.01518.731
	1	POWER CABLE 16A 250V 3PIN EUR BK	27.01518.601
	1	POWER CORD 10A 250V SWISS	27.01518.691
	1	POWER CORD 10A 250V 3PIN SWISS BK	27.01518.581
	1	POWER CORD 10A 250V ARGENTINE	27.01518.0U1
	1	POWER CORD 10A 125V US	27.01518.641
	1	POWER CORD 10A 125V 3PIN US BK	27.01518.521
	1	POWER CORD 7A 250V 2PIN KOREAN	27.01518.531
	1	POWER CORD 7A 125V 2PIN JAPAN	27.01518.551
	1	POWER CORD 10A 3PIN BK DENMARK	27.01518.671
	1	POWER CORD 10A 250V 3PIN DENMARK BK	27.01518.561
	1	POWER CORD 10A 250V 3PIN BK SOUTH AFRICA	27.01518.681
	1	POWER CORD 16A 250V SOUTH AFRICA BK	27.01518.571
	1	POWER CORD 10A 250V 3PIN CHINA	27.01518.701
	1	POWER CORD 10A 250V 3PIN CHINA BK	27.01518.591
	1	POWER CORD 10A 250V 3PIN ITALY	27.01518.711
	1	POWER CORD 10A 250V 3PIN ITALY BK	27.01518.611
	1	POWER CORD 2.5A 250V AUSTRALIA	27.01518.621
	1	POWER CORD 2.5A 250V SOUTH AFRICA BK (INDIA)	27.01518.721
	1	POWER CORD 10A 250V SOUTH AFRICA BK (INDIA)	27.01518.631
	1	POWER CORD 7A 125V 2PIN JAPAN BK	27.01518.661
	1	POWER CORD 250V 10A 3PIN ISRAEL	27.01518.761
	1	POWER CORD 2.5A 125V USA	27.01518.A11
	1	POWER CORD 2.5A 125V 1.8M BLACK TAIWANESE	27.01518.781
	1	POWER CORD 10A 250V 1.8M BRAZIL BLK	27.01518.A41
	1	POWER CODE 7A 125V 2PIN JAPAN	27.03518.161
	2	POWER SAVING BOARD CABLE	50.4CD04.011
	2	POWER SAVING BOARD CABLE	50.4CD04.001
	2	TOUCHPAD BOARD CABLE	50.4CD07.011
	2	TOUCHPAD BOARD CABLE	50.4CD07.001
	2	TV TUNER CARD CABLE	50.4CD22.001
	1	USB BOARD CABLE	50.4CD09.011
	1	USB BOARD CABLE	50.4CD09.001
CAMERA	2	CAMERA 1.0M CHICONY CNF714821004970L	56.18012.072
	2	CAMERA 1.0M SUYIN CN1014-S36B-OV01-1	56.18007.230
CASE/COVER/ BRACKET ASSEMBLY	2	BLUE-RAY COMBO BEZEL	42.PCC01.004
	1	CARD READER DUMMY CARD	42.TQ901.003
	2	DVD-RW SUPER-MULTI BEZEL	42.PCC01.003
	2	HDD BRACKET	33.PCC01.004
	2	HDD CONNECTOR SOCKET SATA 22P	22.10300.481
	2	HDD CONNECTOR SOCKET SATA 22P	62.10065.761
	2	LCD BEZEL 17.3" W/CAMERA HOLE	60.PCC01.004

Category	No.	Part Name	Acer Part No.
	2	LCD COVER17.3" IMR BLUE W/ANTENNA*2 & LOGO NONE 3G	60.PCC01.005
	2	LCD COVER 17.3" IMR BLUE W/ANTENNA*3 & LOGO NONE 3G	60.PCC01.006
	2	LED LCD BRACKET LEFT W/HINGE & DC-IN CABLE 120W	60.4CD37.001
	2	LED LCD BRACKET LEFT W/HINGE & DC-IN CABLE 120W	60.4CD39.001
	2	LED LCD BRACKET RIGHT W/HINGE & K-LOCK	60.4CD35.001
	2	LED LCD BRACKET RIGHT W/HINGE & K-LOCK	60.4CD32.001
	1	LOWER CASE W/MODEM CABLE&TV TUNER CARD CABLE&SPEAKER W/TUBA WOOFER&TV HOLE	60.PCC01.001
	1	MIDDLE COVER W/TUBA WOOFER	42.PCC01.001
	2	OPTICAL BRACKET	33.PCC01.003
	2	SECOND HDD DOOR	42.PCC01.006
	2	SECOND HDD DOOR FOR BLANK HDD	42.PCC01.005
	1	TOUCHPAD BOARD BRACKET	33.PCC01.001
	1	UNITLOAD COVER	42.PCC01.002
	1	VGA BRACKET	33.PCC01.002
	1	UPPER CASE BLACK W/POWER BUTTON CABLE&POWER SAVING CABLE&TOUCHPAD BOARD CABLE&FINGER PRINT / TP BUTTON BOARD CABLE WITH FINGER PRINT HOLE	60.PCC01.002
	1	BLU-RAY COMBO MODULE 4X 12.7MM SATA	6M.PCC01.002
	2	ODD SONY BD COMBO 12.7MM TRAY DL 4X BC-5500S LF W/O BEZEL SATA	KO.0040F.001
	2	ODD PANASONIC BD COMBO 12.7MM TRAY DL 4X UJ-130A LF W/O BEZEL SATA	KO.0040E.001
	2	ODD PLDS BD COMBO 12.7MM TRAY DL 4X DS-4E1S LF W/O BEZEL SATA	KO.00407.002
COMMUNICATION MODULE	1	EXTERNAL ANTENNA SET AVERMEDIA DI-POLE RF	LZ.23000.001
CPU/PROCESSOR	1	CPU INTEL CORE2DUAL Q9000 PGA 2.0G 6M 1066 45W	KC.90001.QQP
	1	DVD-RW SUPER-MULTI MODULE 8X SATA	6M.PCC01.001
	2	ODD TOSHIBA SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA TS-L633B LF W/O BEZEL	KU.00807.064
	2	ODD SONY SUPER-MULTI DRIVE 12.7MM TRAY DL 8X AD-7580S LF W/O BEZEL SATA	KU.00801.030
	2	ODD PLDS SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA DS-8A3S LF W/O BEZEL	KU.0080E.017
	2	ODD PANASONIC SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA UJ880A LF W/O BEZEL	KU.0080F.004


Category	No.	Part Name	Acer Part No.
HDD/HARD DISK DRIVE 	1	HDD MODULE 160GB 5400RPM SATA WITH 1ND	
	2	HDD 160GB 5400RPM SATA SEAGATE ST9160310AS F/W:2010	KH.16008.022
	2	HDD 160GB 5400RPM SATA TOSHIBA LIBRA-BS MK1655GSX F/W:FG0101J 5.4	KH.16001.034
	2	HDD 160GB 5400RPM 2.5" SATA HGST HTS543216L9A300 F/W:C30C	KH.16004.006
	2	HDD 160GB 5400RPM 2.5" SATA WD WD1600BEVT-22ZCT0 FW:11.01A11	KH.16007.019
	1	HDD MODULE 250GB 5400RPM SATA WITH 1ND	
	2	HDD 2.5" 5400RPM 250GB SEAGATE ST9250315AS WYATT SATA LF F/W:0001SDM1	KH.25008.021
	2	HDD 250GB 5400RPM SATA TOSHIBA LIBRA-BS MK2555GSX F/W:FG000J 5.4K	KH.25001.016
	2	HDD 250GB 5400RPM SATA HGST HTS545025B9A300 PANTHER-B LF	KH.25004.003
	2	HDD 250GB 5400RPM SATA WD WD2500BEVT-22ZCT0 F/W:11.01A11	KH.25007.015
	1	HDD MODULE 320GB 5400RPM SATA WITH 1ND	
	2	HDD 320GB 5400RPM SATA SEAGATE ST9320320AS F/W:2010	KH.32008.013
	2	HDD 320GB 5400RPM SATA TOSHIBA MK3255GSX LIBRA LF F/W:FG010J	KH.32001.008
	2	HDD 320GB 5400RPM SATA HGST HTS545032B9A300 PANTHER B LF	KH.32004.002
	2	HDD 320GB 5400RPM SATA WD WD3200BEVT-22ZCT0 ML125 F/W:01.01A01	KH.32007.007
	1	HDD MODULE 500GB 5400RPM SATA WITH 1ND	
	2	HDD 500GB 5400RPM HGST SATA HTS545050B9A300 PANTHER B LF	KH.50008.013
	2	HDD 500GB 5400RPM SEAGATE ST9500325AS SATA LF F/W:0001SDM1	KH.50007.009
	2	HDD 2.5" 5400RPM 500GB TOSHIBA MK5055GSX LIBRA SATA LF F/W:FG001J	KH.50001.011
	2	HDD 500GB 5400RPM WD SATA WD5000BEVT-22ZAT0 F/W:01.01A01	KH.50004.001
	1	HDD MODULE 160GB 5400RPM SATA WITH 2ND	
	2	HDD 160GB 5400RPM SATA SEAGATE ST9160310AS F/W:2010	KH.16008.022
	2	HDD 160GB 5400RPM SATA TOSHIBA LIBRA-BS MK1655GSX F/W:FG0101J 5.4	KH.16001.034
	2	HDD 160GB 5400RPM 2.5" SATA HGST HTS543216L9A300 F/W:C30C	KH.16004.006
	2	HDD 160GB 5400RPM 2.5" SATA WD WD1600BEVT-22ZCT0 FW:11.01A11	KH.16007.019
	1	HDD MODULE 250GB 5400RPM SATA WITH 2ND	
	2	HDD 2.5" 5400RPM 250GB SEAGATE ST9250315AS WYATT SATA LF F/W:0001SDM1	KH.25008.021
	2	HDD 250GB 5400RPM SATA TOSHIBA LIBRA-BS MK2555GSX F/W:FG000J 5.4K	KH.25001.016
	2	HDD 250GB 5400RPM SATA HGST HTS545025B9A300 PANTHER-B LF	KH.25004.003
	2	HDD 250GB 5400RPM SATA WD WD2500BEVT-22ZCT0 F/W:11.01A11	KH.25007.015


Category	No.	Part Name	Acer Part No.
HDD/HARD DISK DRIVE	1	HDD MODULE 320GB 5400RPM SATA WITH 2ND	
	2	HDD 320GB 5400RPM SATA SEAGATE ST9320320AS F/W:2010	KH.32008.013
	2	HDD 320GB 5400RPM SATA TOSHIBA MK3255GSX LIBRA LF F/W:FG010J	KH.32001.008
	2	HDD 320GB 5400RPM SATA HGST HTS545032B9A300 PANTHER B LF	KH.32004.002
	2	HDD 320GB 5400RPM SATA WD WD3200BEVT-22ZCT0 ML125 F/W:01.01A01	KH.32007.007
	1	HDD MODULE 500GB 5400RPM SATA WITH 2ND	
	2	HDD 500GB 5400RPM HGST SATA HTS545050B9A300 PANTHER B LF	KH.50008.013
	2	HDD 500GB 5400RPM SEAGATE ST9500325AS SATA LF F/W:0001SDM1	KH.50007.009
	2	HDD 2.5" 5400RPM 500GB TOSHIBA MK5055GSX LIBRA SATA LF F/W:FG001J	KH.50001.011
	2	HDD 500GB 5400RPM WD SATA WD5000BEVT-22ZAT0 F/W:01.01A01	KH.50004.001
HEATSINK 	1	CPU/VGA HEATSINK DIS NVIDIA W/FAN	60.4CD46.001
	1	CPU/VGA HEATSINK DIS NVIDIA W/FAN	60.4CD42.001
KEYBOARD 	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY US INTERNATIONAL	KB.I170A.083
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY UK	KB.I170A.082
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY GREEK	KB.I170A.068
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY CHINESE	KB.I170A.063
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY THAILAND	KB.I170A.080
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY US INTERNATIONAL W/ HEBREW	KB.I170A.084
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY ARABIC	KB.I170A.059
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY RUSSIAN	KB.I170A.075
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY SWEDEN	KB.I170A.078
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY FRENCH	KB.I170A.066
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY PORTUGUESE	KB.I170A.074
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY SLO/CRO	KB.I170A.076
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY BRAZILIAN PORTUGUESE	KB.I170A.061
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY SWISS/G	KB.I170A.079
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY DANISH	KB.I170A.064

Category	No.	Part Name	Acer Part No.
KEYBOARD	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY ITALIAN	KB.I170A.070
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY BELGIUM	KB.I170A.060
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY GERMAN	KB.I170A.067
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY NORWEGIAN	KB.I170A.073
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY HUNGARIAN	KB.I170A.069
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY SPANISH	KB.I170A.077
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY TURKISH	KB.I170A.081
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY NORDIC	KB.I170A.072
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY FR/ARABIC	KB.I170A.065
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY US W/ CANADIAN FRENCH	KB.I170A.085
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY CZ/SK	KB.I170A.062
	1	KEYBOARD 107KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY JAPANESE	KB.I170A.071
LCD	1	LED LCD MODULE 17.3" WXGA GLARE IMR BLUE W/ ANTENNA*2&CAMERA 1.0M&K-LOCK&DC-IN CABLE 120W	6M.PCA01.001
	2	LED LCD AUO 17.3" WXGA+ GLARE B173RW01-V0 LF 220NIT 8MS 600:1	LK.1730D.001
	2	LED LCD LPL 17.3" WXGA+ GLARE LP173WD1-TLA1 LF 220NIT 8MS 600:1	LK.17305.001
	2	LED LCD CMO 17.3" WXGA+ GLARE N173O6-L02 LF 220NIT 8MS 600:1	LK.17308.001
	1	LED LCD MODULE 17.3" WXGA GLARE IMR BLUE W/ ANTENNA*3&CAMERA 1.0M&K-LOCK&DC-IN CABLE 120W	6M.PCA01.002
	2	LED LCD AUO 17.3" WXGA+ GLARE B173RW01-V0 LF 220NIT 8MS 600:1	LK.1730D.001
	2	LED LCD LPL 17.3" WXGA+ GLARE LP173WD1-TLA1 LF 220NIT 8MS 600:1	LK.17305.001
	2	LED LCD CMO 17.3" WXGA+ GLARE N173O6-L02 LF 220NIT 8MS 600:1	LK.17308.001
MAINBOARD 	1	MAINBOARD JM70_MV DIS PM45 ICH9M LF W/RTC BATTERY&MODEM BOARD FOR TV NONE 3G	55.4CD01.071G

Category	No.	Part Name	Acer Part No.
MEMORY 	1	SODIMM 1GB DDRIII 1066MHZ ELPIDA EBJ11UE6BAU0-AE-E	KN.1GB04.003
	1	SODIMM 1GB DDRLLL 1066MHZ HYNIX HMT112S6AFP6C-G7N0	KN.1GB09.009
	1	SODIMM 1GB DDRIII 1066MHZ SAMSUNG M471B2873EH1-CF8	KN.1GB0G.019
	1	SODIMM 1GB DDRIII 1066MHZ SAMSUNG M471B2874DZ1-CF8	KN.1GB0B.028
	1	SODIMM 1GB DDRIII 1066MHZ MICRON MT8JSF12864HY-1G1D1	KN.1GB0B.019
	1	SODIMM 2GB DDRIII 1066MHZ ELPIDA EBJ21UE8BAU0-AE-E	KN.2GB04.004
	1	SODIMM 2GB DDRLLL 1066MHZ ELPIDA EBJ21UE8BBS0-AE-F	KN.2GB09.002
	1	SODIMM 2GB DDRIII 1066MHZ HYNIX HMT125S6AFP8C-G7N0	KN.2GB09.004
	1	SODIMM 2GB DDRIII 1066MHZ SAMSUNG M471B5673DZ1-CF8	KN.2GB0G.009
	1	SODIMM 2GB DDRIII 1066MHZ SAMSUNG M471B5673EH1-CF8	KN.2GB0B.005
	1	SODIMM 2GB DDRIII 1066MHZ MICRON MT16JSF25664HY-1G1D1	KN.2GB0B.012
MICROPHONE	2	MICROPHONE	23.42246.001
	2	MICROPHONE	23.42247.001
MISCELLANEOUS	1	LCD SCREW RUBBER	47.PCC01.001
	1	NAME PLATE AS7738	40.PCC01.001
SCREWS	1	SCREW M2.5*L6	86.00E12.536
	1	SCREW M2*L3 BLACK ZN	86.FR901.001
	1	SCREW M2.5*L5 BLACK ZN+NYLOK	86.TK501.001
	1	SCREW M2*L4 WAFER NI	86.9A552.4R0
	1	SCREW M2.5*L7 WAFER NI	86.9A553.7R0
	1	SCREW M3*L4 WAFER NI	86.9A554.4R0
	1	SCREW M2*L2	86.00H06.622
SPEAKER	2	SPEAKER	23.40551.001
	2	SPEAKER	23.40547.001
	2	SPEAKER	23.40549.001
	2	TUBA WOOFER	23.40550.001
	2	TUBA WOOFER	23.40546.001
	2	TUBA WOOFER	23.40548.001

2. ACER_ASPIRE 7738G_N10PGE11GBTCFBK_JM70_MV(NO:LX


Category	No.	Part Name	Acer Part No.
ACCESSORY	1	REMOTE CONTROLLER FORMOSA21 RC804V-B EN	RT.22700.011
	1	REMOTE CONTROLLER FORMOSA21 RC804V-B EU	RT.22700.008
	1	REMOTE CONTROLLER FORMOSA21 RC804V-B TC	RT.22700.009
	1	REMOTE CONTROLLER FORMOSA21 RC804V-B SC	RT.22700.010
ADAPTER	1	ADAPTER 90W 19V 3PIN DELTA ADP-90CD DB A LV5 LED LF BLUE	AP.0900A.005
	1	ADAPTER 90W 19V 3PIN LITEON PA-1900-34AR LV5 LED LF BLUE	AP.09001.027
	1	ADAPTER 90W 19V 3PIN HIPRO HP-A0904A3 B1LF LV5 LED LF BLUE	AP.09003.021
BATTERY	1	BATTERY SANYO AS-2007B LI-ION 4S2P SANYO 8 CELL 4800MAH MAIN COMMON	BT.00807.015
	1	BATTERY SONY AS-2007B LI-ION 4S2P SONY 8 CELL 4800MAH MAIN COMMON	BT.00803.024
	1	BATTERY SIMPLO AS-2007B LI-ION 4S2P PANASONIC 8 CELL 4800MAH MAIN COMMON PSS	BT.00804.020
	1	BATTERY SONY AS-2007B LI-ION 3S2P SONY 6 CELL 4400MAH MAIN COMMON NORMAL TYPE	BT.00606.001
	1	BATTERY SANYO AS-2007B LI-ION 3S2P SANYO 6 CELL 4400MAH MAIN COMMON NORMAL TYPE	BT.00604.025
	1	BATTERY PANASONIC AS-2007B LI-ION 3S2P PANASONIC 6 CELL 4400MAH MAIN COMMON PSS	BT.00603.042
	1	BATTERY SIMPLO AS-2007B LI-ION 3S2P PANASONIC 6 CELL 4400MAH MAIN COMMON PSS	BT.00605.021
	1	BATTERY SIMPLO AS-2007B LI-ION 3S2P SAMSUNG 6 CELL 4400MAH MAIN COMMON SDI 2.2F	BT.00607.016
BOARDS	1	BLUETOOTH BOARD FOXCONN BCM2045 V2 T60H928.11	BT.21100.005
	1	FINGER PRINT BASE BOARD	55.PCC01.004
	1	FINGER PRINT SENSOR BOARD	55.PCC01.005
	1	LAN INTEL WLAN 512AN_MMWG2 SHIRLEY PEAK 5100 ME ENABLE MM#899541 (CENTRINO 2 WITH VPRO)	KI.SPM01.003
	1	LAN INTEL WLAN 533AN_MMWG2 SHIRLEY PEAK 5300 ME ENABLE / MM#899545 (CENTRINO 2 WITH VPRO)	KI.SPM01.009
	1	LAUNCH BOARD	55.PCC01.001
	1	MEDIA TOUCH CAPACITIVE BUTTON BOARD CASTLENET NS-JM70 WITH LIGHGUIDE	56.41010.261
	2	MODEM BOARD FOXCONN DELPHI-AM5 V2H 1.5_3.3V AUS T60M951.36	FX.22500.023

Category	No.	Part Name	Acer Part No.
	1	MSI VGA CARD NVIDIA N10PGE1 DDRII 1024M 500MHZ 64*16 MXM 3.0 TYPE A W/ HYNIX H5PS1G63EFR-20L	54.02A30.021
	1	POWER BUTTON BOARD	55.PCC01.006
	1	POWER SAVING BOARD	55.PCC01.002
	1	TOUCHPAD BOARD SYNAPTICS TM-01253-001	56.PCC01.001
	1	TV TUNER CARD DVB-T MINI-CARD A310 W/INTEL+MAXLINEAR	TU.23100.016
	1	TV TUNER CARD AVERMEDIA DVB-T MINI-CARD A309 W/ AFA AF9015	TU.23100.010
	1	USB BOARD	55.PCC01.003
	1	YUAN VGA CARD NVIDIA N10PGE1 DDRII 1024M 500MHZ 64*16 MXM 3.0 TYPE A W/ HYNIX H5PS1G63EFR-20L	54.02A30.031
	1	WIRELESS LAN BOARD 512AN_MMWG SHIRLEY PEAK 5100 MM#895361	KI.SPM01.008
	1	WIRELESS LAN BOARD 512AG_MMWG SHIRLEY PEAK 5100 MM#897004	KI.SPM01.005
CABLES	1	BLUETOOTH BOARD CABLE	50.4CD11.011
	1	BLUETOOTH BOARD CABLE	50.4CD11.001
	2	FINGER PRINT / TP BUTTON BOARD CABLE	50.4CD08.011
	2	FINGER PRINT / TP BUTTON BOARD CABLE	50.4CD08.001
	1	LAUNCH BOARD CABLE	50.4CD05.011
	1	LAUNCH BOARD CABLE	50.4CD05.001
	2	LED LCD/CAMERA/MICROPHONE CABLE	50.4CD12.011
	2	LED LCD/CAMERA/MICROPHONE CABLE	50.4CD12.001
	1	MEDIA CABLE	50.4CD06.011
	1	MEDIA CABLE	50.4CD06.001
	2	MODEM CABLE	50.4CD10.001
	2	POWER BUTTON BOARD CABLE	50.4CD03.011


Category	No.	Part Name	Acer Part No.
CABLES	2	POWER BUTTON BOARD CABLE	50.4CD03.001
	1	POWER CORD ACA / ACNZ	27.03218.051
	1	POWER CORD 7.5A 250V 3P AUSTRALIA BK	27.03218.021
	1	POWER CORD 3A 250V 3PIN UK	27.03118.001
	1	POWER CORD 5A 250V 3PIN UK BK	27.01518.541
	1	POWER CORD 250V 3PIN EUR BK	27.01518.731
	1	POWER CABLE 16A 250V 3PIN EUR BK	27.01518.601
	1	POWER CORD 10A 250V SWISS	27.01518.691
	1	POWER CORD 10A 250V 3PIN SWISS BK	27.01518.581
	1	POWER CORD 10A 250V ARGENTINE	27.01518.0U1
	1	POWER CORD 10A 125V US	27.01518.641
	1	POWER CORD 10A 125V 3PIN US BK	27.01518.521
	1	POWER CORD 7A 250V 2PIN KOREAN	27.01518.531
	1	POWER CORD 7A 125V 2PIN JAPAN	27.01518.551
	1	POWER CORD 10A 3PIN BK DENMARK	27.01518.671
	1	POWER CORD 10A 250V 3PIN DENMARK BK	27.01518.561
	1	POWER CORD 10A 250V 3PIN BK SOUTH AFRICA	27.01518.681
	1	POWER CORD 16A 250V SOUTH AFRICA BK	27.01518.571
	1	POWER CORD 10A 250V 3PIN CHINA	27.01518.701
	1	POWER CORD 10A 250V 3PIN CHINA BK	27.01518.591
	1	POWER CORD 10A 250V 3PIN ITALY	27.01518.711
	1	POWER CORD 10A 250V 3PIN ITALY BK	27.01518.611
	1	POWER CORD 2.5A 250V AUSTRALIA	27.01518.621
	1	POWER CORD 2.5A 250V SOUTH AFRICA BK (INDIA)	27.01518.721
	1	POWER CORD 10A 250V SOUTH AFRICA BK (INDIA)	27.01518.631
	1	POWER CORD 7A 125V 2PIN JAPAN BK	27.01518.661
	1	POWER CORD 250V 10A 3PIN ISRAEL	27.01518.761
	1	POWER CORD 2.5A 125V USA	27.01518.A11
	1	POWER CORD 2.5A 125V 1.8M BLACK TAIWANESE	27.01518.781
	1	POWER CORD 10A 250V 1.8M BRAZIL BLK	27.01518.A41
	1	POWER CODE 7A 125V 2PIN JAPAN	27.03518.161
	2	POWER SAVING BOARD CABLE	50.4CD04.011
	2	POWER SAVING BOARD CABLE	50.4CD04.001
	2	TOUCHPAD BOARD CABLE	50.4CD07.011
	2	TOUCHPAD BOARD CABLE	50.4CD07.001
	2	TV TUNER CARD CABLE	50.4CD22.001
	1	USB BOARD CABLE	50.4CD09.011
	1	USB BOARD CABLE	50.4CD09.001
CAMERA	2	CAMERA 1.0M CHICONY CNF714821004970L	56.18012.072
	2	CAMERA 1.0M SUYIN CN1014-S36B-OV01-1	56.18007.230

Category	No.	Part Name	Acer Part No.
CASE/COVER/ BRACKET ASSEMBLY	2	BLUE-RAY COMBO BEZEL	42.PCC01.004
	1	CARD READER DUMMY CARD	42.TQ901.003
	2	DVD-RW SUPER-MULTI BEZEL	42.PCC01.003
	2	HDD BRACKET	33.PCC01.004
	2	HDD CONNECTOR SOCKET SATA 22P	22.10300.481
	2	HDD CONNECTOR SOCKET SATA 22P	62.10065.761
	2	LCD BEZEL 17.3" W/CAMERA HOLE	60.PCC01.004
	2	LCD COVER 17.3" IMR BLUE W/ANTENNA*2 & LOGO NONE 3G	60.PCC01.005
	2	LCD COVER 17.3" IMR BLUE W/ANTENNA*3 & LOGO NONE 3G	60.PCC01.006
	2	LED LCD BRACKET LEFT W/HINGE & DC-IN CABLE 90W	60.4CD36.001
	2	LED LCD BRACKET LEFT W/HINGE & DC-IN CABLE 90W	60.4CD38.001
	2	LED LCD BRACKET RIGHT W/HINGE & K-LOCK	60.4CD35.001
	2	LED LCD BRACKET RIGHT W/HINGE & K-LOCK	60.4CD32.001
	1	LOWER CASE W/MODEM CABLE&TV TUNER CARD CABLE&SPEAKER W/TUBA WOOFER&TV HOLE	60.PCC01.001
	1	MIDDLE COVER W/TUBA WOOFER	42.PCC01.001
	2	OPTICAL BRACKET	33.PCC01.003
	2	SECOND HDD DOOR	42.PCC01.006
	2	SECOND HDD DOOR FOR BLANK HDD	42.PCC01.005
	1	TOUCHPAD BOARD BRACKET	33.PCC01.001
	1	UNITLOAD COVER	42.PCC01.002
	1	UPPER CASE BLACK W/POWER BUTTON CABLE&POWER SAVING CABLE&TOUCHPAD BOARD CABLE&FINGER PRINT / TP BUTTON BOARD CABLE WITH FINGER PRINT HOLE	60.PCC01.002
	1	BLU-RAY COMBO MODULE 4X 12.7MM SATA	6M.PCC01.002
	2	ODD SONY BD COMBO 12.7MM TRAY DL 4X BC-5500S LF W/O BEZEL SATA	KO.0040F.001
	2	ODD PANASONIC BD COMBO 12.7MM TRAY DL 4X UJ-130A LF W/O BEZEL SATA	KO.0040E.001
	2	ODD PLDS BD COMBO 12.7MM TRAY DL 4X DS-4E1S LF W/O BEZEL SATA	KO.00407.002
COMMUNICATION MODULE	1	EXTERNAL ANTENNA SET AVERMEDIA DI-POLE RF	LZ.23000.001
	1	CPU INTEL CORE2DUAL PENRYN T9550 2.66G 6M 1066 35W E-0	KC.95501.DTP
	1	CPU INTEL CORE2DUAL P7450 2.13G 3M 1066 TJ NOV T	KC.74501.DPP
	1	CPU INTEL CORE2DUAL P8700 2.53G 3M 1066 25W R-0	KC.87R01.DPP
	1	CPU INTEL CORE2DUAL T6600 2.2G 2M 800 35W R-0	KC.66001.DTP
	1	CPU INTEL CORE2DUAL P8600 2.4G 3M 1066 25W R-0	KC.86R01.DPP



Category	No.	Part Name	Acer Part No.
DVD-RW DRIVE 	1	DVD-RW SUPER-MULTI MODULE 8X SATA	6M.PCC01.001
	2	ODD TOSHIBA SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA TS-L633B LF W/O BEZEL	KU.00807.064
	2	ODD SONY SUPER-MULTI DRIVE 12.7MM TRAY DL 8X AD-7580S LF W/O BEZEL SATA	KU.00801.030
	2	ODD PLDS SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA DS-8A3S LF W/O BEZEL	KU.0080E.017
	2	ODD PANASONIC SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA UJ880A LF W/O BEZEL	KU.0080F.004
HDD/HARD DISK DRIVE 	1	HDD MODULE 160GB 5400RPM SATA WITH 1ND	
	2	HDD 160GB 5400RPM SATA SEAGATE ST9160310AS F/W:2010	KH.16008.022
	2	HDD 160GB 5400RPM SATA TOSHIBA LIBRA-BS MK1655GSX F/W:FG0101J 5.4	KH.16001.034
	2	HDD 160GB 5400RPM 2.5" SATA HGST HTS543216L9A300 F/W:C30C	KH.16004.006
	2	HDD 160GB 5400RPM 2.5" SATA WD WD1600BEVT-22ZCT0 FW:11.01A11	KH.16007.019
	1	HDD MODULE 250GB 5400RPM SATA WITH 1ND	
	2	HDD 2.5" 5400RPM 250GB SEAGATE ST9250315AS WYATT SATA LF F/W:0001SDM1	KH.25008.021
	2	HDD 250GB 5400RPM SATA TOSHIBA LIBRA-BS MK2555GSX F/W:FG000J 5.4K	KH.25001.016
	2	HDD 250GB 5400RPM SATA HGST HTS545025B9A300 PANTHER-B LF	KH.25004.003
	2	HDD 250GB 5400RPM SATA WD WD2500BEVT-22ZCT0 F/W:11.01A11	KH.25007.015
	1	HDD MODULE 320GB 5400RPM SATA WITH 1ND	
	2	HDD 320GB 5400RPM SATA SEAGATE ST9320320AS F/W:2010	KH.32008.013
	2	HDD 320GB 5400RPM SATA TOSHIBA MK3255GSX LIBRA LF F/W:FG010J	KH.32001.008
	2	HDD 320GB 5400RPM SATA HGST HTS545032B9A300 PANTHER B LF	KH.32004.002
	2	HDD 320GB 5400RPM SATA WD WD3200BEVT-22ZCT0 ML125 F/W:01.01A01	KH.32007.007
	1	HDD MODULE 500GB 5400RPM SATA WITH 1ND	
	2	HDD 500GB 5400RPM HGST SATA HTS545050B9A300 PANTHER B LF	KH.50008.013
	2	HDD 500GB 5400RPM SEAGATE ST9500325AS SATA LF F/W:0001SDM1	KH.50007.009
	2	HDD 2.5" 5400RPM 500GB TOSHIBA MK5055GSX LIBRA SATA LF F/W:FG001J	KH.50001.011
	2	HDD 500GB 5400RPM WD SATA WD5000BEVT-22ZAT0 F/W:01.01A01	KH.50004.001
	1	HDD MODULE 160GB 5400RPM SATA WITH 2ND	
	2	HDD 160GB 5400RPM SATA SEAGATE ST9160310AS F/W:2010	KH.16008.022
	2	HDD 160GB 5400RPM SATA TOSHIBA LIBRA-BS MK1655GSX F/W:FG0101J 5.4	KH.16001.034
	2	HDD 160GB 5400RPM 2.5" SATA HGST HTS543216L9A300 F/W:C30C	KH.16004.006
	2	HDD 160GB 5400RPM 2.5" SATA WD WD1600BEVT-22ZCT0 FW:11.01A11	KH.16007.019


Category	No.	Part Name	Acer Part No.
HDD/HARD DISK DRIVE	1	HDD MODULE 250GB 5400RPM SATA WITH 2ND	
	2	HDD 2.5" 5400RPM 250GB SEAGATE ST9250315AS WYATT SATA LF F/W:0001SDM1	KH.25008.021
	2	HDD 250GB 5400RPM SATA TOSHIBA LIBRA-BS MK2555GSX F/W:FG000J 5.4K	KH.25001.016
	2	HDD 250GB 5400RPM SATA HGST HTS545025B9A300 PANTHER-B LF	KH.25004.003
	2	HDD 250GB 5400RPM SATA WD WD2500BEVT-22ZCT0 F/W:11.01A11	KH.25007.015
	1	HDD MODULE 320GB 5400RPM SATA WITH 2ND	
	2	HDD 320GB 5400RPM SATA SEAGATE ST9320320AS F/W:2010	KH.32008.013
	2	HDD 320GB 5400RPM SATA TOSHIBA MK3255GSX LIBRA LF F/W:FG010J	KH.32001.008
	2	HDD 320GB 5400RPM SATA HGST HTS545032B9A300 PANTHER B LF	KH.32004.002
	2	HDD 320GB 5400RPM SATA WD WD3200BEVT-22ZCT0 ML125 F/W:01.01A01	KH.32007.007
	1	HDD MODULE 500GB 5400RPM SATA WITH 2ND	
	2	HDD 500GB 5400RPM HGST SATA HTS545050B9A300 PANTHER B LF	KH.50008.013
	2	HDD 500GB 5400RPM SEAGATE ST9500325AS SATA LF F/W:0001SDM1	KH.50007.009
	2	HDD 2.5" 5400RPM 500GB TOSHIBA MK5055GSX LIBRA SATA LF F/W:FG001J	KH.50001.011
	2	HDD 500GB 5400RPM WD SATA WD5000BEVT-22ZAT0 F/W:01.01A01	KH.50004.001
HEATSINK 	1	CPU/VGA HEATSINK DIS NVIDIA W/FAN	60.4CD46.001
	1	CPU/VGA HEATSINK DIS NVIDIA W/FAN	60.4CD42.001
KEYBOARD 	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY US INTERNATIONAL	KB.I170A.083
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY UK	KB.I170A.082
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY GREEK	KB.I170A.068
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY CHINESE	KB.I170A.063
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY THAILAND	KB.I170A.080
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY US INTERNATIONAL W/ HEBREW	KB.I170A.084
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY ARABIC	KB.I170A.059
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY RUSSIAN	KB.I170A.075
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY SWEDEN	KB.I170A.078
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY FRENCH	KB.I170A.066
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY FRENCH	KB.I170A.066

Category	No.	Part Name	Acer Part No.
KEYBOARD	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY PORTUGUESE	KB.I170A.074
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY SLO/CRO	KB.I170A.076
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY BRAZILIAN PORTUGUESE	KB.I170A.061
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY SWISS/G	KB.I170A.079
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY DANISH	KB.I170A.064
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY ITALIAN	KB.I170A.070
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY BELGIUM	KB.I170A.060
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY GERMAN	KB.I170A.067
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY NORWEGIAN	KB.I170A.073
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY HUNGARIAN	KB.I170A.069
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY SPANISH	KB.I170A.077
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY TURKISH	KB.I170A.081
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY NORDIC	KB.I170A.072
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY FR/ARABIC	KB.I170A.065
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY US W/ CANADIAN FRENCH	KB.I170A.085
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY CZ/SK	KB.I170A.062
	1	KEYBOARD 107KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY JAPANESE	KB.I170A.071
LCD	1	LED LCD MODULE 17.3" WXGA GLARE IMR BLUE W/ ANTENNA*2&CAMERA 1.0M&K-LOCK&DC-IN CABLE 90W	6M.PCC01.003
	2	LED LCD AUO 17.3" WXGA+ GLARE B173RW01-V0 LF 220NIT 8MS 600:1	LK.1730D.001
	2	LED LCD LPL 17.3" WXGA+ GLARE LP173WD1-TLA1 LF 220NIT 8MS 600:1	LK.17305.001
	2	LED LCD CMO 17.3" WXGA+ GLARE N173O6-L02 LF 220NIT 8MS 600:1	LK.17308.001
	1	LED LCD MODULE 17.3" WXGA GLARE IMR BLUE W/ ANTENNA*3&CAMERA 1.0M&K-LOCK&DC-IN CABLE 90W	6M.PCC01.004
	2	LED LCD AUO 17.3" WXGA+ GLARE B173RW01-V0 LF 220NIT 8MS 600:1	LK.1730D.001
	2	LED LCD LPL 17.3" WXGA+ GLARE LP173WD1-TLA1 LF 220NIT 8MS 600:1	LK.17305.001
	2	LED LCD CMO 17.3" WXGA+ GLARE N173O6-L02 LF 220NIT 8MS 600:1	LK.17308.001

Category	No.	Part Name	Acer Part No.
MAINBOARD 	1	MAINBOARD JM70_MV DIS PM45 ICH9M LF W/RTC BATTERY&MODEM BOARD FOR TV NONE 3G	55.4CD01.071G
MEMORY 	1	SODIMM 1GB DDRIII 1066MHZ ELPIDA EBJ11UE6BAU0-AE-E	KN.1GB04.003
	1	SODIMM 1GB DDRLLL 1066MHZ HYNIX HMT112S6AFP6C-G7N0	KN.1GB09.009
	1	SODIMM 1GB DDRIII 1066MHZ SAMSUNG M471B2873EH1-CF8	KN.1GB0G.019
	1	SODIMM 1GB DDRIII 1066MHZ SAMSUNG M471B2874DZ1-CF8	KN.1GB0B.028
	1	SODIMM 1GB DDRIII 1066MHZ MICRON MT8JSF12864HY-1G1D1	KN.1GB0B.019
	1	SODIMM 2GB DDRIII 1066MHZ ELPIDA EBJ21UE8BAU0-AE-E	KN.2GB04.004
	1	SODIMM 2GB DDRLLL 1066MHZ ELPIDA EBJ21UE8BBS0-AE-F	KN.2GB09.002
	1	SODIMM 2GB DDRIII 1066MHZ HYNIX HMT125S6AFP8C-G7N0	KN.2GB09.004
	1	SODIMM 2GB DDRIII 1066MHZ SAMSUNG M471B5673DZ1-CF8	KN.2GB0G.009
	1	SODIMM 2GB DDRIII 1066MHZ SAMSUNG M471B5673EH1-CF8	KN.2GB0B.005
	1	SODIMM 2GB DDRIII 1066MHZ MICRON MT16JSF25664HY-1G1D1	KN.2GB0B.012
MICROPHONE	2	MICROPHONE	23.42246.001
	2	MICROPHONE	23.42247.001
MISCELLANEOUS	1	LCD SCREW RUBBER	47.PCC01.001
	1	NAME PLATE AS7738	40.PCC01.001
SCREWS	1	SCREW M2.5*L6	86.00E12.536
	1	SCREW M2*L3 BLACK ZN	86.FR901.001
	1	SCREW M2.5*L5 BLACK ZN+NYLOK	86.TK501.001
	1	SCREW M2*L4 WAFER NI	86.9A552.4R0
	1	SCREW M2.5*L7 WAFER NI	86.9A553.7R0
	1	SCREW M3*L4 WAFER NI	86.9A554.4R0
	1	SCREW M2*L2	86.00H06.622
SPEAKER	2	SPEAKER	23.40551.001
	2	SPEAKER	23.40547.001
	2	SPEAKER	23.40549.001
	2	TUBA WOOFER	23.40550.001
	2	TUBA WOOFER	23.40546.001
	2	TUBA WOOFER	23.40548.001


3. ACER_ASPIRE 7738G_N10PGE11GBCFBKQ_JM70_MV(NO:LX.PCA0X.001/2/3/5/6/8/9/10/11/12/13/14/15/16/18/19/20/21/22/24/25/26/27/28/29/30/31/32/33/34/35/36/37/38/39/40/42/43)

Category	No.	Part Name	Acer Part No.
ADAPTER 	1	ADAPTER 120W 19V 1.7X5.5X11 DELTA ORANGE ADP-120ZB BBX LED LF	AP.12001.008
BATTERY 	1	BATTERY SANYO AS-2007B LI-ION 4S2P SANYO 8 CELL 4800MAH MAIN COMMON	BT.00807.015
	1	BATTERY SONY AS-2007B LI-ION 4S2P SONY 8 CELL 4800MAH MAIN COMMON	BT.00803.024
	1	BATTERY SIMPLO AS-2007B LI-ION 4S2P PANASONIC 8 CELL 4800MAH MAIN COMMON PSS	BT.00804.020
	1	BATTERY SONY AS-2007B LI-ION 3S2P SONY 6 CELL 4400MAH MAIN COMMON NORMAL TYPE	BT.00606.001
	1	BATTERY SANYO AS-2007B LI-ION 3S2P SANYO 6 CELL 4400MAH MAIN COMMON NORMAL TYPE	BT.00604.025
	1	BATTERY PANASONIC AS-2007B LI-ION 3S2P PANASONIC 6 CELL 4400MAH MAIN COMMON PSS	BT.00603.042
	1	BATTERY SIMPLO AS-2007B LI-ION 3S2P PANASONIC 6 CELL 4400MAH MAIN COMMON PSS	BT.00605.021
	1	BATTERY SIMPLO AS-2007B LI-ION 3S2P SAMSUNG 6 CELL 4400MAH MAIN COMMON SDI 2.2F	BT.00607.016
BOARDS	1	BLUETOOTH BOARD FOXCONN BCM2045 V2 T60H928.11	BT.21100.005
	1	FINGER PRINT BASE BOARD	55.PCC01.004
	1	FINGER PRINT SENSOR BOARD	55.PCC01.005
	1	LAN INTEL WLAN 512AN_MMWG2 SHIRLEY PEAK 5100 ME ENABLE MM#899541 (CENTRINO 2 WITH VPRO)	KI.SPM01.003
	1	LAN INTEL WLAN 533AN_MMWG2 SHIRLEY PEAK 5300 ME ENABLE / MM#899545 (CENTRINO 2 WITH VPRO)	KI.SPM01.009
	1	LAUNCH BOARD	55.PCC01.001
	1	MEDIA TOUCH CAPACITIVE BUTTON BOARD CASTLENET NS-JM70 WITH LIGHGUIDE	56.41010.261
	2	MODEM BOARD FOXCONN DELPHI-AM5 V2H 1.5_3.3V AUS T60M951.36	FX.22500.023
	1	MSI VGA CARD NVIDIA N10PGE1 DDRII 1024M 500MHZ 64*16 MXM 3.0 TYPE A W/ HYNIX H5PS1G63EFR-20L	54.02A30.021


Category	No.	Part Name	Acer Part No.
	1	POWER BUTTON BOARD	55.PCC01.006
	1	POWER SAVING BOARD	55.PCC01.002
	1	TOUCHPAD BOARD SYNAPTICS TM-01253-001	56.PCC01.001
	1	USB BOARD	55.PCC01.003
	1	YUAN VGA CARD NVIDIA N10PGE1 DDRII 1024M 500MHZ 64*16 MXM 3.0 TYPE A W/ HYNIX H5PS1G63EFR-20L	54.02A30.031
	1	WIRELESS LAN BOARD 512AG_MMWG SHIRLEY PEAK 5100 MM#897004	KI.SPM01.005
	1	WIRELESS LAN BOARD 512AN_MMWG SHIRLEY PEAK 5100 MM#895361	KI.SPM01.008
CABLES	1	BLUETOOTH BOARD CABLE	50.4CD11.011
	1	BLUETOOTH BOARD CABLE	50.4CD11.001
	2	FINGER PRINT / TP BUTTON BOARD CABLE	50.4CD08.011
	2	FINGER PRINT / TP BUTTON BOARD CABLE	50.4CD08.001
	1	LAUNCH BOARD CABLE	50.4CD05.011
	1	LAUNCH BOARD CABLE	50.4CD05.001
	2	LED LCD/CAMERA/MICROPHONE CABLE	50.4CD12.011
	2	LED LCD/CAMERA/MICROPHONE CABLE	50.4CD12.001
	1	MEDIA CABLE	50.4CD06.011
	1	MEDIA CABLE	50.4CD06.001
	2	MODEM CABLE	50.4CD10.001
	2	POWER BUTTON BOARD CABLE	50.4CD03.011
	2	POWER BUTTON BOARD CABLE	50.4CD03.001
	1	POWER CABLE 16A 250V 3PIN EUR BK	27.01518.601
	1	POWER CORD ACA / ACNZ	27.03218.051
	1	POWER CORD 7.5A 250V 3P AUSTRALIA BK	27.03218.021
	1	POWER CORD 3A 250V 3PIN UK	27.03118.001
	1	POWER CORD 5A 250V 3PIN UK BK	27.01518.541
	1	POWER CORD 250V 3PIN EUR BK	27.01518.731
	1	POWER CORD 10A 250V SWISS	27.01518.691
	1	POWER CORD 10A 250V 3PIN SWISS BK	27.01518.581
	1	POWER CORD 10A 250V ARGENTINE	27.01518.0U1

Category	No.	Part Name	Acer Part No.
CABLES	1	POWER CORD 10A 125V US	27.01518.641
	1	POWER CORD 10A 125V 3PIN US BK	27.01518.521
	1	POWER CORD 7A 250V 2PIN KOREAN	27.01518.531
	1	POWER CORD 7A 125V 2PIN JAPAN	27.01518.551
	1	POWER CORD 10A 3PIN BK DENMARK	27.01518.671
	1	POWER CORD 10A 250V 3PIN DENMARK BK	27.01518.561
	1	POWER CORD 10A 250V 3PIN BK SOUTH AFRICA	27.01518.681
	1	POWER CORD 16A 250V SOUTH AFRICA BK	27.01518.571
	1	POWER CORD 10A 250V 3PIN CHINA	27.01518.701
	1	POWER CORD 10A 250V 3PIN CHINA BK	27.01518.591
	1	POWER CORD 10A 250V 3PIN ITALY	27.01518.711
	1	POWER CORD 10A 250V 3PIN ITALY BK	27.01518.611
	1	POWER CORD 2.5A 250V AUSTRALIA	27.01518.621
	1	POWER CORD 2.5A 250V SOUTH AFRICA BK (INDIA)	27.01518.721
	1	POWER CORD 10A 250V SOUTH AFRICA BK (INDIA)	27.01518.631
	1	POWER CORD 7A 125V 2PIN JAPAN BK	27.01518.661
	1	POWER CORD 250V 10A 3PIN ISRAEL	27.01518.761
	1	POWER CORD 2.5A 125V USA	27.01518.A11
	1	POWER CORD 2.5A 125V 1.8M BLACK TAIWANESE	27.01518.781
	1	POWER CORD 10A 250V 1.8M BRAZIL BLK	27.01518.A41
	1	POWER CODE 7A 125V 2PIN JAPAN	27.03518.161
	2	POWER SAVING BOARD CABLE	50.4CD04.011
	2	POWER SAVING BOARD CABLE	50.4CD04.001
	2	TOUCHPAD BOARD CABLE	50.4CD07.011
	2	TOUCHPAD BOARD CABLE	50.4CD07.001
	1	USB BOARD CABLE	50.4CD09.011
	1	USB BOARD CABLE	50.4CD09.001
CAMERA	2	CAMERA 1.0M CHICONY CNF714821004970L	56.18012.072
	2	CAMERA 1.0M SUYIN CN1014-S36B-OV01-1	56.18007.230
CASE/COVER/ BRACKET ASSEMBLY	2	BLUE-RAY COMBO BEZEL	42.PCC01.004
	1	CARD READER DUMMY CARD	42.TQ901.003
	2	DVD-RW SUPER-MULTI BEZEL	42.PCC01.003
	2	HDD BRACKET	33.PCC01.004
	2	HDD CONNECTOR SOCKET SATA 22P	22.10300.481
	2	HDD CONNECTOR SOCKET SATA 22P	62.10065.761
	2	LCD BEZEL 17.3" W/CAMERA HOLE	60.PCC01.004
	2	LCD COVER 17.3" IMR BLUE W/ANTENNA*2 & LOGO NONE 3G	60.PCC01.005
	2	LCD COVER 17.3" IMR BLUE W/ANTENNA*3 & LOGO NONE 3G	60.PCC01.006
	2	LED LCD BRACKET LEFT W/HINGE & DC-IN CABLE 120W	60.4CD37.001
	2	LED LCD BRACKET LEFT W/HINGE & DC-IN CABLE 120W	60.4CD39.001




Category	No.	Part Name	Acer Part No.
	2	LED LCD BRACKET RIGHT W/HINGE & K-LOCK	60.4CD35.001
	2	LED LCD BRACKET RIGHT W/HINGE & K-LOCK	60.4CD32.001
	1	LOWER CASE W/MODEM CABLE&USB BOARD&SPEAKER W/ TUBA WOOFER W/O TV HOLE	60.PCC01.001
	1	MIDDLE COVER W/TUBA WOOFER	42.PCC01.001
	2	OPTICAL BRACKET	33.PCC01.003
	2	SECOND HDD DOOR	42.PCC01.006
	2	SECOND HDD DOOR FOR BLANK HDD	42.PCC01.005
	1	TOUCHPAD BOARD BRACKET	33.PCC01.001
	1	UNITLOAD COVER	42.PCC01.002
	1	UPPER CASE BLACK W/POWER BUTTON CABLE&POWER SAVING CABLE&TOUCHPAD BOARD CABLE&FINGER PRINT / TP BUTTON BOARD CABLE WITH FINGER PRINT HOLE	60.PCC01.002
COMBO MODULE 	1	BLU-RAY COMBO MODULE 4X 12.7MM SATA	6M.PCC01.002
	2	ODD SONY BD COMBO 12.7MM TRAY DL 4X BC-5500S LF W/O BEZEL SATA	KO.0040F.001
	2	ODD PANASONIC BD COMBO 12.7MM TRAY DL 4X UJ-130A LF W/O BEZEL SATA	KO.0040E.001
	2	ODD PLDS BD COMBO 12.7MM TRAY DL 4X DS-4E1S LF W/O BEZEL SATA	KO.00407.002
CPU/PROCESSOR 	1	CPU INTEL CORE2DUAL Q9000 PGA 2.0G 6M 1066 45W	KC.90001.QQP
DVD-RW DRIVE 	1	DVD-RW SUPER-MULTI MODULE 8X SATA	6M.PCC01.001
	2	ODD TOSHIBA SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA TS-L633B LF W/O BEZEL	KU.00807.064
	2	ODD SONY SUPER-MULTI DRIVE 12.7MM TRAY DL 8X AD-7580S LF W/O BEZEL SATA	KU.00801.030
	2	ODD PLDS SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA DS-8A3S LF W/O BEZEL	KU.0080E.017
	2	ODD PANASONIC SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA UJ880A LF W/O BEZEL	KU.0080F.004
HDD/HARD DISK DRIVE 	1	HDD MODULE 160GB 5400RPM SATA WITH 1ND	
	2	HDD 160GB 5400RPM SATA SEAGATE ST9160310AS F/W:2010	KH.16008.022
	2	HDD 160GB 5400RPM SATA TOSHIBA LIBRA-BS MK1655GSX F/ W:FG0101J 5.4	KH.16001.034
	2	HDD 160GB 5400RPM 2.5" SATA HGST HTS543216L9A300 F/ W:C30C	KH.16004.006
	2	HDD 160GB 5400RPM 2.5" SATA WD WD1600BEVT-22ZCT0 FW:11.01A11	KH.16007.019
	1	HDD MODULE 250GB 5400RPM SATA WITH 1ND	
	2	HDD 2.5" 5400RPM 250GB SEAGATE ST9250315AS WYATT SATA LF F/W:0001SDM1	KH.25008.021
	2	HDD 250GB 5400RPM SATA TOSHIBA LIBRA-BS MK2555GSX F/ W:FG000J 5.4K	KH.25001.016




Category	No.	Part Name	Acer Part No.
HDD/HARD DISK DRIVE	2	HDD 250GB 5400RPM SATA HGST HTS545025B9A300 PANTHER-B LF	KH.25004.003
	2	HDD 250GB 5400RPM SATA WD WD2500BEVT-22ZCT0 F/ W:11.01A11	KH.25007.015
	1	HDD MODULE 320GB 5400RPM SATA WITH 1ND	
	2	HDD 320GB 5400RPM SATA SEAGATE ST9320320AS F/W:2010	KH.32008.013
	2	HDD 320GB 5400RPM SATA TOSHIBA MK3255GSX LIBRA LF F/ W:FG010J	KH.32001.008
	2	HDD 320GB 5400RPM SATA HGST HTS545032B9A300 PANTHER B LF	KH.32004.002
	2	HDD 320GB 5400RPM SATA WD WD3200BEVT-22ZCT0 ML125 F/ W:01.01A01	KH.32007.007
	1	HDD MODULE 500GB 5400RPM SATA WITH 1ND	
	2	HDD 500GB 5400RPM HGST SATA HTS545050B9A300 PANTHER B LF	KH.50008.013
	2	HDD 500GB 5400RPM SEAGATE ST9500325AS SATA LF F/ W:0001SDM1	KH.50007.009
	2	HDD 2.5" 5400RPM 500GB TOSHIBA MK5055GSX LIBRA SATA LF F/ W:FG001J	KH.50001.011
	2	HDD 500GB 5400RPM WD SATA WD5000BEVT-22ZAT0 F/ W:01.01A01	KH.50004.001
	1	HDD MODULE 160GB 5400RPM SATA WITH 2ND	
	1	HDD MODULE 250GB 5400RPM SATA WITH 2ND	
	1	HDD MODULE 320GB 5400RPM SATA WITH 2ND	
	1	HDD MODULE 500GB 5400RPM SATA WITH 2ND	
HEATSINK 	1	CPU/VGA HEATSINK DIS NVIDIA W/FAN	60.4CD46.001
	1	CPU/VGA HEATSINK DIS NVIDIA W/FAN	60.4CD42.001
KEYBOARD 	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY US INTERNATIONAL	KB.I170A.083
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY UK	KB.I170A.082
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY GREEK	KB.I170A.068
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY CHINESE	KB.I170A.063
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY THAILAND	KB.I170A.080
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY US INTERNATIONAL W/ HEBREW	KB.I170A.084
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY ARABIC	KB.I170A.059
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY RUSSIAN	KB.I170A.075
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY SWEDEN	KB.I170A.078
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY FRENCH	KB.I170A.066
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY FRENCH	KB.I170A.066


Category	No.	Part Name	Acer Part No.
KEYBOARD	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY PORTUGUESE	KB.I170A.074
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY SLO/CRO	KB.I170A.076
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY BRAZILIAN PORTUGUESE	KB.I170A.061
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY SWISS/G	KB.I170A.079
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY DANISH	KB.I170A.064
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY ITALIAN	KB.I170A.070
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY BELGIUM	KB.I170A.060
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY GERMAN	KB.I170A.067
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY NORWEGIAN	KB.I170A.073
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY HUNGARIAN	KB.I170A.069
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY SPANISH	KB.I170A.077
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY TURKISH	KB.I170A.081
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY NORDIC	KB.I170A.072
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY FR/ARABIC	KB.I170A.065
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY US W/ CANADIAN FRENCH	KB.I170A.085
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY CZ/SK	KB.I170A.062
	1	KEYBOARD 107KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY JAPANESE	KB.I170A.071
LCD	1	LED LCD MODULE 17.3" WXGA GLARE IMR BLUE W/ ANTENNA*2&CAMERA 1.0M&K-LOCK&DC-IN CABLE 120W	6M.PCA01.001
	2	LED LCD AUO 17.3" WXGA+ GLARE B173RW01-V0 LF 220NIT 8MS 600:1	LK.1730D.001
	2	LED LCD LPL 17.3" WXGA+ GLARE LP173WD1-TLA1 LF 220NIT 8MS 600:1	LK.17305.001
	2	LED LCD CMO 17.3" WXGA+ GLARE N173O6-L02 LF 220NIT 8MS 600:1	LK.17308.001
	1	LED LCD MODULE 17.3" WXGA GLARE IMR BLUE W/ ANTENNA*3&CAMERA 1.0M&K-LOCK&DC-IN CABLE 120W	6M.PCA01.002
	2	LED LCD AUO 17.3" WXGA+ GLARE B173RW01-V0 LF 220NIT 8MS 600:1	LK.1730D.001
	2	LED LCD LPL 17.3" WXGA+ GLARE LP173WD1-TLA1 LF 220NIT 8MS 600:1	LK.17305.001
	2	LED LCD CMO 17.3" WXGA+ GLARE N173O6-L02 LF 220NIT 8MS 600:1	LK.17308.001

Category	No.	Part Name	Acer Part No.
MAINBOARD 	1	MAINBOARD JM70_MV DIS PM45 ICH9M LF W/RTC BATTERY&MODEM BOARD W/O TV NONE 3G	MB.PCA01.001
MEMORY 	1	SODIMM 1GB DDRIII 1066MHZ ELPIDA EBJ11UE6BAU0-AE-E	KN.1GB04.003
	1	SODIMM 1GB DDRLLL 1066MHZ HYNIX HMT112S6AFP6C-G7N0	KN.1GB09.009
	1	SODIMM 1GB DDRIII 1066MHZ SAMSUNG M471B2873EH1-CF8	KN.1GB0G.019
	1	SODIMM 1GB DDRIII 1066MHZ SAMSUNG M471B2874DZ1-CF8	KN.1GB0B.028
	1	SODIMM 1GB DDRIII 1066MHZ MICRON MT8JSF12864HY-1G1D1	KN.1GB0B.019
	1	SODIMM 2GB DDRIII 1066MHZ ELPIDA EBJ21UE8BAU0-AE-E	KN.2GB04.004
	1	SODIMM 2GB DDRLLL 1066MHZ ELPIDA EBJ21UE8BBS0-AE-F	KN.2GB09.002
	1	SODIMM 2GB DDRIII 1066MHZ HYNIX HMT125S6AFP8C-G7N0	KN.2GB09.004
	1	SODIMM 2GB DDRIII 1066MHZ SAMSUNG M471B5673DZ1-CF8	KN.2GB0G.009
	1	SODIMM 2GB DDRIII 1066MHZ SAMSUNG M471B5673EH1-CF8	KN.2GB0B.005
	1	SODIMM 2GB DDRIII 1066MHZ MICRON MT16JSF25664HY-1G1D1	KN.2GB0B.012
MICROPHONE	2	MICROPHONE	23.42246.001
	2	MICROPHONE	23.42247.001
MISCELLANEOUS	1	LCD SCREW RUBBER	47.PCC01.001
	1	NAME PLATE AS7738	40.PCC01.001
SCREWS	1	SCREW M2.5*L6	86.00E12.536
	1	SCREW M2*L3 BLACK ZN	86.FR901.001
	1	SCREW M2.5*L5 BLACK ZN+NYLOK	86.TK501.001
	1	SCREW M2*L4 WAFER NI	86.9A552.4R0
	1	SCREW M2.5*L7 WAFER NI	86.9A553.7R0
	1	SCREW M3*L4 WAFER NI	86.9A554.4R0
	1	SCREW M2*L2	86.00H06.622
SPEAKER	2	SPEAKER	23.40551.001
	2	SPEAKER	23.40547.001
	2	SPEAKER	23.40549.001
	2	TUBA WOOFER	23.40550.001
	2	TUBA WOOFER	23.40546.001
	2	TUBA WOOFER	23.40548.001

4. Model:ACER_ASPIRE 7738G N10PGE11GBCFBK_JM70_MV(NO:LX.PCC0X.003/4/5/6/7/8/9/10/11/12/14/15/16/17/18/19/20/21/22/23/24/25/26/27/28/29/30/31/32/33/34/35/37/38/39/40/41/42/43/44/45/47/48/49/50/51/53/54/55/56/57/58/60/61/62/63/64/65/66/68/69/71/72/73/74/75/76/77/78/79/80/81/82/83/84/85/87/88/89/90/91/92/93/94/95/96/98/99/101/102/103/104/105/106/107/108/109/110/111/113/115/116/117/118/119/120/121/122/123/124/127/128/129/130/131/132/133)

Category	No.	Part Name	Acer Part No.
	1	ADAPTER 90W 19V 3PIN DELTA ADP-90CD DB A LV5 LED LF BLUE	AP.0900A.005
	1	ADPAPTER 90W 19V 3PIN LITEON PA-1900-34AR LV5 LED LF BLUE	AP.09001.027
	1	ADPAPTER 90W 19V 3PIN HIPRO HP-A0904A3 B1LF LV5 LED LF BLUE	AP.09003.021
	1	BATTERY SONY AS-2007B LI-ION 3S2P SONY 6 CELL 4400MAH MAIN COMMON NORMAL TYPE	BT.00606.001
	1	BATTERY SANYO AS-2007B LI-ION 3S2P SANYO 6 CELL 4400MAH MAIN COMMON NORMAL TYPE	BT.00604.025
	1	BATTERY PANASONIC AS-2007B LI-ION 3S2P PANASONIC 6 CELL 4400MAH MAIN COMMON PSS	BT.00603.042
	1	BATTERY SIMPLO AS-2007B LI-ION 3S2P PANASONIC 6 CELL 4400MAH MAIN COMMON PSS	BT.00605.021
	1	BATTERY SIMPLO AS-2007B LI-ION 3S2P SAMSUNG 6 CELL 4400MAH MAIN COMMON SDI 2.2F	BT.00607.016
	1	BATTERY SANYO AS-2007B LI-ION 4S2P SANYO 8 CELL 4800MAH MAIN COMMON	BT.00807.015
	1	BATTERY SONY AS-2007B LI-ION 4S2P SONY 8 CELL 4800MAH MAIN COMMON	BT.00803.024
	1	BATTERY SIMPLO AS-2007B LI-ION 4S2P PANASONIC 8 CELL 4800MAH MAIN COMMON PSS	BT.00804.020
BOARDS	1	BLUETOOTH BOARD FOXCONN BCM2045 V2 T60H928.11	BT.21100.005
	1	FINGER PRINT BASE BOARD	55.PCC01.004
	1	FINGER PRINT SENSOR BOARD	55.PCC01.005
	1	LAN INTEL WLAN 512AN_MMWG2 SHIRLEY PEAK 5100 ME ENABLE MM#899541 (CENTRINO 2 WITH VPRO)	KI.SPM01.003
	1	LAN INTEL WLAN 533AN_MMWG2 SHIRLEY PEAK 5300 ME ENABLE / MM#899545 (CENTRINO 2 WITH VPRO)	KI.SPM01.009
	1	LAUNCH BOARD	55.PCC01.001
	1	MEDIA TOUCH CAPACITIVE BUTTON BOARD CASTLENET NS-JM70 WITH LIGHGUIDE	56.41010.261
	2	MODEM BOARD FOXCONN DELPHI-AM5 V2H 1.5_3.3V AUS T60M951.36	FX.22500.023
	1	MSI VGA CARD NVIDIA N10PGE1 DDRII 1024M 500MHZ 64*16 MXM 3.0 TYPE A W/ HYNIX H5PS1G63EFR-20L	54.02A30.021


Category	No.	Part Name	Acer Part No.
	1	POWER BUTTON BOARD	55.PCC01.006
	1	POWER SAVING BOARD	55.PCC01.002
	1	TOUCHPAD BOARD SYNAPTICS TM-01253-001	56.PCC01.001
	1	USB BOARD	55.PCC01.003
	1	YUAN VGA CARD NVIDIA N10PGE1 DDRII 1024M 500MHZ 64*16 MXM 3.0 TYPE A W/ HYNIX H5PS1G63EFR-20L	54.02A30.031
	1	WIRELESS LAN BOARD 512AG_MMWG SHIRLEY PEAK 5100 MM#897004	KI.SPM01.005
	1	WIRELESS LAN BOARD 512AN_MMWG SHIRLEY PEAK 5100 MM#895361	KI.SPM01.008
CABLE	1	BLUETOOTH BOARD CABLE	50.4CD11.011
	1	BLUETOOTH BOARD CABLE	50.4CD11.001
	2	FINGER PRINT / TP BUTTON BOARD CABLE	50.4CD08.011
	2	FINGER PRINT / TP BUTTON BOARD CABLE	50.4CD08.001
	2	LED LCD/CAMERA/MICROPHONE CABLE	50.4CD12.011
	2	LED LCD/CAMERA/MICROPHONE CABLE	50.4CD12.001
	1	LAUNCH BOARD CABLE	50.4CD05.011
	1	LAUNCH BOARD CABLE	50.4CD05.001
	1	MEDIA CABLE	50.4CD06.011
	1	MEDIA CABLE	50.4CD06.001
	2	MODEM CABLE	50.4CD10.001
	2	POWER BUTTON BOARD CABLE	50.4CD03.011
	2	POWER BUTTON BOARD CABLE	50.4CD03.001
	1	POWER CORD ACA / ACNZ	27.03218.051
	1	POWER CORD 7.5A 250V 3P AUSTRALIA BK	27.03218.021
	1	POWER CORD 3A 250V 3PIN UK	27.03118.001
	1	POWER CORD 5A 250V 3PIN UK BK	27.01518.541
	1	POWER CORD 250V 3PIN EUR BK	27.01518.731
	1	POWER CABLE 16A 250V 3PIN EUR BK	27.01518.601
	1	POWER CORD 10A 250V SWISS	27.01518.691
	1	POWER CORD 10A 250V 3PIN SWISS BK	27.01518.581
	1	POWER CORD 10A 250V ARGENTINE	27.01518.0U1

Category	No.	Part Name	Acer Part No.
CABLE	1	POWER CORD 10A 125V US	27.01518.641
	1	POWER CORD 10A 125V 3PIN US BK	27.01518.521
	1	POWER CORD 7A 250V 2PIN KOREAN	27.01518.531
	1	POWER CORD 7A 125V 2PIN JAPAN	27.01518.551
	1	POWER CORD 10A 3PIN BK DENMARK	27.01518.671
	1	POWER CORD 10A 250V 3PIN DENMARK BK	27.01518.561
	1	POWER CORD 10A 250V 3PIN BK SOUTH AFRICA	27.01518.681
	1	POWER CORD 16A 250V SOUTH AFRICA BK	27.01518.571
	1	POWER CORD 10A 250V 3PIN CHINA	27.01518.701
	1	POWER CORD 10A 250V 3PIN CHINA BK	27.01518.591
	1	POWER CORD 10A 250V 3PIN ITALY	27.01518.711
	1	POWER CORD 10A 250V 3PIN ITALY BK	27.01518.611
	1	POWER CORD 2.5A 250V AUSTRALIA	27.01518.621
	1	POWER CORD 2.5A 250V SOUTH AFRICA BK (INDIA)	27.01518.721
	1	POWER CORD 10A 250V SOUTH AFRICA BK (INDIA)	27.01518.631
	1	POWER CORD 7A 125V 2PIN JAPAN BK	27.01518.661
	1	POWER CORD 250V 10A 3PIN ISRAEL	27.01518.761
	1	POWER CORD 2.5A 125V USA	27.01518.A11
	1	POWER CORD 2.5A 125V 1.8M BLACK TAIWANESE	27.01518.781
	1	POWER CORD 10A 250V 1.8M BRAZIL BLK	27.01518.A41
	1	POWER CODE 7A 125V 2PIN JAPAN	27.03518.161
	2	POWER SAVING BOARD CABLE	50.4CD04.011
	2	POWER SAVING BOARD CABLE	50.4CD04.001
	2	TOUCHPAD BOARD CABLE	50.4CD07.011
	2	TOUCHPAD BOARD CABLE	50.4CD07.001
	1	USB BOARD CABLE	50.4CD09.011
	1	USB BOARD CABLE	50.4CD09.001
CAMERA	2	CAMERA 1.0M CHICONY CNF714821004970L	56.18012.072
	2	CAMERA 1.0M SUYIN CN1014-S36B-OV01-1	56.18007.230
CASE/COVER/ BRACKET ASSEMBLY	2	BLUE-RAY COMBO BEZEL	42.PCC01.004
	1	CARD READER DUMMY CARD	42.TQ901.003
	2	DVD-RW SUPER-MULTI BEZEL	42.PCC01.003
	2	HDD BRACKET	33.PCC01.004
	2	HDD CONNECTOR SOCKET SATA 22P	22.10300.481
	2	HDD CONNECTOR SOCKET SATA 22P	62.10065.761
	2	LCD BEZEL 17.3" W/CAMERA HOLE	60.PCC01.004
	2	LCD COVER 17.3" IMR BLUE W/ANTENNA*2 & LOGO NONE 3G	60.PCC01.005
	2	LCD COVER 17.3" IMR BLUE W/ANTENNA*3 & LOGO NONE 3G	60.PCC01.006
	2	LED LCD BRACKET LEFT W/HINGE & DC-IN CABLE 90W	60.4CD36.001
	2	LED LCD BRACKET LEFT W/HINGE & DC-IN CABLE 90W	60.4CD38.001

Category	No.	Part Name	Acer Part No.
	2	LED LCD BRACKET RIGHT W/HINGE & K-LOCK	60.4CD35.001
	2	LED LCD BRACKET RIGHT W/HINGE & K-LOCK	60.4CD32.001
	1	LOWER CASE W/MODEM CABLE&USB BOARD&SPEAKER W/TUBA WOOFER W/O TV HOLE	60.PCC01.001
	1	MIDDLE COVER W/TUBA WOOFER	42.PCC01.001
	2	OPTICAL BRACKET	33.PCC01.003
	2	SECOND HDD DOOR	42.PCC01.006
	2	SECOND HDD DOOR FOR BLANK HDD	42.PCC01.005
	1	TOUCHPAD BOARD BRACKET	33.PCC01.001
	1	UNITLOAD COVER	42.PCC01.002
	1	UPPER CASE BLACK W/POWER BUTTON CABLE&POWER SAVING CABLE&TOUCHPAD BOARD CABLE&FINGER PRINT / TP BUTTON BOARD CABLE WITH FINGER PRINT HOLE	60.PCC01.002
	1	VGA BRACKET	33.PCC01.002
COMBO MODULE 	1	BLU-RAY COMBO MODULE 4X 12.7MM SATA	6M.PCC01.002
	2	ODD SONY BD COMBO 12.7MM TRAY DL 4X BC-5500S LF W/O BEZEL SATA	KO.0040F.001
	2	ODD PANASONIC BD COMBO 12.7MM TRAY DL 4X UJ-130A LF W/O BEZEL SATA	KO.0040E.001
	2	ODD PLDS BD COMBO 12.7MM TRAY DL 4X DS-4E1S LF W/O BEZEL SATA	KO.00407.002
CPU/PROCESSOR 	1	CPU INTEL CORE2DUAL P7450 2.13G 3M 1066 TJ NOV T	KC.74501.DPP
	1	CPU INTEL CORE2DUAL P8700 2.53G 3M 1066 25W R-0	KC.87R01.DPP
	1	CPU INTEL CORE2DUAL T6600 2.2G 2M 800 35W R-0	KC.66001.DTP
	1	CPU INTEL CORE2DUAL P8600 2.4G 3M 1066 25W R-0	KC.86R01.DPP
	1	CPU INTEL CORE2DUAL T6400 2.0G 3M 800 35W R-0	KC.64001.DTP
	1	CPU INTEL CORE2DUAL PENRYN T9550 2.66G 6M 1066 35W E-0	KC.95501.DTP
DVD-RW DRIVE 	1	DVD-RW SUPER-MULTI MODULE 8X SATA	6M.PCC01.001
	2	ODD TOSHIBA SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA TS-L633B LF W/O BEZEL	KU.00807.064
	2	ODD SONY SUPER-MULTI DRIVE 12.7MM TRAY DL 8X AD-7580S LF W/O BEZEL SATA	KU.00801.030
	2	ODD PLDS SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA DS-8A3S LF W/O BEZEL	KU.0080E.017
	2	ODD PANASONIC SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA UJ880A LF W/O BEZEL	KU.0080F.004
HDD/HARD DISK DRIVE 	1	HDD MODULE 160GB 5400RPM SATA WITH 1ND	
	2	HDD 160GB 5400RPM SATA SEAGATE ST9160310AS F/W:2010	KH.16008.022
	2	HDD 160GB 5400RPM SATA TOSHIBA LIBRA-BS MK1655GSX F/W:FG0101J 5.4	KH.16001.034
	2	HDD 160GB 5400RPM 2.5" SATA HGST HTS543216L9A300 F/W:C30C	KH.16004.006
	2	HDD 160GB 5400RPM 2.5" SATA WD WD1600BEVT-22ZCT0 FW:11.01A11	KH.16007.019
	1	HDD MODULE 250GB 5400RPM SATA WITH 1ND	
	2	HDD 2.5" 5400RPM 250GB SEAGATE ST9250315AS WYATT SATA LF F/W:0001SDM1	KH.25008.021


Category	No.	Part Name	Acer Part No.
HDD/HARD DISK DRIVE	2	HDD 250GB 5400RPM SATA TOSHIBA LIBRA-BS MK2555GSX F/ W:FG000J 5.4K	KH.25001.016
	2	HDD 250GB 5400RPM SATA HGST HTS545025B9A300 PANTHER-B LF	KH.25004.003
	2	HDD 250GB 5400RPM SATA WD WD2500BEVT-22ZCT0 F/W:11.01A11	KH.25007.015
	1	HDD MODULE 320GB 5400RPM SATA WITH 1ND	
	2	HDD 320GB 5400RPM SATA SEAGATE ST9320320AS F/W:2010	KH.32008.013
	2	HDD 320GB 5400RPM SATA TOSHIBA MK3255GSX LIBRA LF F/ W:FG010J	KH.32001.008
	2	HDD 320GB 5400RPM SATA HGST HTS545032B9A300 PANTHER B LF	KH.32004.002
	2	HDD 320GB 5400RPM SATA WD WD3200BEVT-22ZCT0 ML125 F/ W:01.01A01	KH.32007.007
	1	HDD MODULE 500GB 5400RPM SATA WITH 1ND	
	2	HDD 500GB 5400RPM HGST SATA HTS545050B9A300 PANTHER B LF	KH.50008.013
	2	HDD 500GB 5400RPM SEAGATE ST9500325AS SATA LF F/ W:0001SDM1	KH.50007.009
	2	HDD 2.5" 5400RPM 500GB TOSHIBA MK5055GSX LIBRA SATA LF F/ W:FG001J	KH.50001.011
	2	HDD 500GB 5400RPM WD SATA WD5000BEVT-22ZAT0 F/W:01.01A01	KH.50004.001
	1	HDD MODULE 160GB 5400RPM SATA WITH 2ND	
	1	HDD MODULE 250GB 5400RPM SATA WITH 2ND	
	1	HDD MODULE 320GB 5400RPM SATA WITH 2ND	
	1	HDD MODULE 500GB 5400RPM SATA WITH 2ND	
	2	HDD BRACKET	
HEATSINK 	1	CPU/VGA HEATSINK DIS NVIDIA W/FAN	60.4CD46.001
	1	CPU/VGA HEATSINK DIS NVIDIA W/FAN	60.4CD42.001
KEYBOARD 	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY US INTERNATIONAL	KB.I170A.083
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY UK	KB.I170A.082
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY GREEK	KB.I170A.068
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY CHINESE	KB.I170A.063
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY THAILAND	KB.I170A.080
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY US INTERNATIONAL W/ HEBREW	KB.I170A.084
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY ARABIC	KB.I170A.059
	1	KEYBOARD 103KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY RUSSIAN	KB.I170A.075
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY SWEDEN	KB.I170A.078

Category	No.	Part Name	Acer Part No.
KEYBOARD	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY FRENCH	KB.I170A.066
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY PORTUGUESE	KB.I170A.074
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY SLO/CRO	KB.I170A.076
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY BRAZILIAN PORTUGUESE	KB.I170A.061
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY SWISS/G	KB.I170A.079
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY DANISH	KB.I170A.064
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY ITALIAN	KB.I170A.070
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY BELGIUM	KB.I170A.060
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY GERMAN	KB.I170A.067
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY NORWEGIAN	KB.I170A.073
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY HUNGARIAN	KB.I170A.069
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY SPANISH	KB.I170A.077
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY TURKISH	KB.I170A.081
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY NORDIC	KB.I170A.072
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY FR/ARABIC	KB.I170A.065
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY US W/ CANADIAN FRENCH	KB.I170A.085
	1	KEYBOARD 104KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY CZ/SK	KB.I170A.062
	1	KEYBOARD 107KEYS AC7G JM51/JM70 INTERNAL 17 STANDARD BLACK UV GLOSSY JAPANESE	KB.I170A.071
LCD	1	LED LCD MODULE 17.3" WXGA GLARE IMR BLUE W/ ANTENNA*2&CAMERA 1.0M&K-LOCK&DC-IN CABLE 90W	6M.PCC01.003
	2	LED LCD AUO 17.3" WXGA+ GLARE B173RW01-V0 LF 220NIT 8MS 600:1	LK.1730D.001
	2	LED LCD LPL 17.3" WXGA+ GLARE LP173WD1-TLA1 LF 220NIT 8MS 600:1	LK.17305.001
	2	LED LCD CMO 17.3" WXGA+ GLARE N173O6-L02 LF 220NIT 8MS 600:1	LK.17308.001
	1	LED LCD MODULE 17.3" WXGA GLARE IMR BLUE W/ ANTENNA*3&CAMERA 1.0M&K-LOCK&DC-IN CABLE 90W	6M.PCC01.004
	2	LED LCD AUO 17.3" WXGA+ GLARE B173RW01-V0 LF 220NIT 8MS 600:1	LK.1730D.001
	2	LED LCD LPL 17.3" WXGA+ GLARE LP173WD1-TLA1 LF 220NIT 8MS 600:1	LK.17305.001
	2	LED LCD CMO 17.3" WXGA+ GLARE N173O6-L02 LF 220NIT 8MS 600:1	LK.17308.001

Category	No.	Part Name	Acer Part No.
MAINBOARD 	1	MAINBOARD JM70_MV DIS PM45 ICH9M LF W/RTC BATTERY&MODEM BOARD W/O TV NONE 3G	MB.PCA01.001
MEMORY 	1	SODIMM 1GB DDRIII 1066MHZ ELPIDA EBJ11UE6BAU0-AE-E	KN.1GB04.003
	1	SODIMM 1GB DDRLLL 1066MHZ HYNIX HMT112S6AFP6C-G7N0	KN.1GB09.009
	1	SODIMM 1GB DDRIII 1066MHZ SAMSUNG M471B2873EH1-CF8	KN.1GB0G.019
	1	SODIMM 1GB DDRIII 1066MHZ SAMSUNG M471B2874DZ1-CF8	KN.1GB0B.028
	1	SODIMM 1GB DDRIII 1066MHZ MICRON MT8JSF12864HY-1G1D1	KN.1GB0B.019
	1	SODIMM 2GB DDRIII 1066MHZ ELPIDA EBJ21UE8BAU0-AE-E	KN.2GB04.004
	1	SODIMM 2GB DDRLLL 1066MHZ ELPIDA EBJ21UE8BBS0-AE-F	KN.2GB09.002
	1	SODIMM 2GB DDRIII 1066MHZ HYNIX HMT125S6AFP8C-G7N0	KN.2GB09.004
	1	SODIMM 2GB DDRIII 1066MHZ SAMSUNG M471B5673DZ1-CF8	KN.2GB0G.009
	1	SODIMM 2GB DDRIII 1066MHZ SAMSUNG M471B5673EH1-CF8	KN.2GB0B.005
	1	SODIMM 2GB DDRIII 1066MHZ MICRON MT16JSF25664HY-1G1D1	KN.2GB0B.012
MICROPHONE	2	MICROPHONE	23.42246.001
	2	MICROPHONE	23.42247.001
MISCELLANEOUS	1	LCD SCREW RUBBER	47.PCC01.001
	1	NAME PLATE AS7738	40.PCC01.001
SCREWS	1	SCREW M2.5*L6	86.00E12.536
	1	SCREW M2*L3 BLACK ZN	86.FR901.001
	1	SCREW M2.5*L5 BLACK ZN+NYLOK	86.TK501.001
	1	SCREW M2*L4 WAFER NI	86.9A552.4R0
	1	SCREW M2.5*L7 WAFER NI	86.9A553.7R0
	1	SCREW M3*L4 WAFER NI	86.9A554.4R0
	1	SCREW M2*L2	86.00H06.622
SPEAKER	2	SPEAKER	23.40551.001
	2	SPEAKER	23.40547.001
	2	SPEAKER	23.40549.001
	2	TUBA WOOFER	23.40550.001
	2	TUBA WOOFER	23.40546.001
	2	TUBA WOOFER	23.40548.001


Aspire 7735/7735G/7735Z/7735ZG Series FRU List

1. ACER_ASPIRE 7735ZG M92XT512CBK_JV70_MV(NO:LX.PC30X.001)


Category	No.	Part Name	Acer Part No.
	1	ADAPTER 90W 19V 3PIN DELTA ADP-90CD DB A LV5 LED LF BLUE	AP.0900A.005
	1	ADAPTER 90W 19V 3PIN LITEON PA-1900-34AR LV5 LED LF BLUE	AP.09001.027
	1	ADAPTER 90W 19V 3PIN HIPRO HP-A0904A3 B1LF LV5 LED LF BLUE	AP.09003.021
	1	BATTERY SONY AS-2007B LI-ION 3S2P SONY 6 CELL 4400MAH MAIN COMMON NORMAL TYPE	BT.00606.001
	1	BATTERY SANYO AS-2007B LI-ION 3S2P SANYO 6 CELL 4400MAH MAIN COMMON NORMAL TYPE	BT.00604.025
	1	BATTERY PANASONIC AS-2007B LI-ION 3S2P PANASONIC 6 CELL 4400MAH MAIN COMMON PSS	BT.00603.042
	1	BATTERY SIMPLO AS-2007B LI-ION 3S2P PANASONIC 6 CELL 4400MAH MAIN COMMON PSS	BT.00605.021
	1	BATTERY SIMPLO AS-2007B LI-ION 3S2P SAMSUNG 6 CELL 4400MAH MAIN COMMON SDI 2.2F	BT.00607.016
	1	BATTERY SANYO AS-2007B LI-ION 4S2P SANYO 8 CELL 4800MAH MAIN COMMON	BT.00807.015
	1	BATTERY SONY AS-2007B LI-ION 4S2P SONY 8 CELL 4800MAH MAIN COMMON	BT.00803.024
	1	BATTERY SIMPLO AS-2007B LI-ION 4S2P PANASONIC 8 CELL 4800MAH MAIN COMMON PSS	BT.00804.020
	1	LAUNCH BOARD	55.PCC01.001
	1	MINI WLAN/B FOXCONN 802.11BGN ATHEROS XB63 BG T60H976.00 FW:V06 MINICARD	NI.23600.007
	2	MODEM BOARD FOXCONN DELPHI-AM5 V2H 1.5_3.3V AUS T60M951.36	FX.22500.023
	1	MSI VGA CARD AMD M92XT DDRII 512M 500MHZ 64*16 MXM 3.0 TYPE A W/ SAMSUNG K4N1G164QE-HC20	54.02A30.021
	1	MSI VGA CARD AMD M92XT DDRII 512M 500MHZ 64*16 MXM 3.0 TYPE A W/ HYNIX H5PS1G63EFR-20L	54.02A30.031
	1	POWER BUTTON BOARD	55.PCC01.006
	1	POWER SAVING BOARD	55.PCC01.002
	1	TOUCHPAD BOARD SYNAPTICS TM-01253-001	56.PCC01.001

Category	No.	Part Name	Acer Part No.
	1	USB BOARD	55.PCC01.003
	1	WIRELESS LAN BOARD 802.11BGN FOXCONN T77H028.00 RALINK RT2700E 1X2	NI.23600.031
	1	WIRELESS LAN BOARD 802.11BGN FOXCONN T77H053.00 ATHEROS AR5B91 1X2	NI.23600.030
	1	WIRELESS LAN BOARD 802.11BGN QMI EM303-AR ATHEROS AR5B91 1X2 MINICARD	NI.23600.033
	2	FINGER PRINT BASE BOARD CABLE	50.4CD08.011
	2	FINGER PRINT BASE BOARD CABLE	50.4CD08.001
CABLES	1	LAUNCH BOARD CABLE	50.4CD05.011
	1	LAUNCH BOARD CABLE	50.4CD05.001
	2	LED LCD/CAMERA/MICROPHONE CABLE	50.4CD12.001
	2	LED LCD/CAMERA/MICROPHONE CABLE	50.4CD12.011
	2	MODEM CABLE	RESERVE
	2	POWER BUTTON BOARD CABLE	RESERVE
	1	POWER CORD 250V 3PIN EUR BK	27.01518.731
	1	POWER CABLE 16A 250V 3PIN EUR BK	27.01518.601
	1	POWER CORD 10A 250V SWISS	27.01518.691
	1	POWER CORD 10A 250V 3PIN SWISS BK	27.01518.581
	1	POWER CORD 10A 250V ARGENTINE	27.01518.0U1
	1	POWER CORD 10A 125V US	27.01518.641
	1	POWER CORD 10A 125V 3PIN US BK	27.01518.521
	1	POWER CORD 7A 250V 2PIN KOREAN	27.01518.531
	1	POWER CORD 3A 250V 3PIN UK	27.03118.001
	1	POWER CORD 5A 250V 3PIN UK BK	27.01518.541
	1	POWER CORD 7A 125V 2PIN JAPAN	27.01518.551
	1	POWER CORD 10A 3PIN BK DENMARK	27.01518.671
	1	POWER CORD 10A 250V 3PIN DENMARK BK	27.01518.561
	1	POWER CORD 10A 250V 3PIN BK SOUTH AFRICA	27.01518.681
	1	POWER CORD 16A 250V SOUTH AFRICA BK	27.01518.571
	1	POWER CORD 10A 250V 3PIN CHINA	27.01518.701
	1	POWER CORD 10A 250V 3PIN CHINA BK	27.01518.591
	1	POWER CORD 10A 250V 3PIN ITALY	27.01518.711
	1	POWER CORD 10A 250V 3PIN ITALY BK	27.01518.611
	1	POWER CORD 2.5A 250V AUSTRALIA	27.01518.621
	1	POWER CORD 2.5A 250V SOUTH AFRICA BK (INDIA)	27.01518.721
	1	POWER CORD 10A 250V SOUTH AFRICA BK (INDIA)	27.01518.631
	1	POWER CORD 7A 125V 2PIN JAPAN BK	27.01518.661
	1	POWER CORD 250V 10A 3PIN ISRAEL	27.01518.761
	1	POWER CORD 2.5A 125V USA	27.01518.A11
	1	POWER CORD 2.5A 125V 1.8M BLACK TAIWANESE	27.01518.781
	1	POWER CORD 10A 250V 1.8M BRAZIL BLK	27.01518.A41
	1	POWER CORD ACA / ACNZ	27.03218.051
	1	POWER CORD 7.5A 250V 3P AUSTRALIA BK	27.03218.021


Category	No.	Part Name	Acer Part No.
CABLES	1	POWER CODE 7A 125V 2PIN JAPAN	27.03518.161
	2	POWER SAVING BOARD CABLE	RESERVE
	2	TOUCHPAD BOARD CABLE	RESERVE
	1	USB BOARD CABLE	50.4CD09.011
	1	USB BOARD CABLE	50.4CD09.001
CAMERA	2	CAMERA 0.3M SUYIN CN0314-SN30-OV03-5	56.18007.094
	2	CAMERA 0.3M CHICONY CNF701721004973L	56.18012.094
CASE/COVER/ BRACKET ASSEMBLY	2	LCD COVER 17.3" IMR BLUE W/ANTENNA*3 & LOGO NONE 3G	60.PCC01.006
	2	BLUE-RAY COMBO BEZEL	42.PCC01.004
	1	CARD READER DUMMY CARD	42.TQ901.003
	2	DVD-RW SUPER-MULTI BEZEL	42.PCC01.003
	2	HDD BRACKET	33.PCC01.004
	2	HDD CONNECTOR SOCKET SATA 22P	20.PCC01.001
	2	LCD BEZEL 17.3" W/CAMERA HOLE	60.PC301.004
	2	LCD COVER17.3" IMR BLUE W/ANTENNA*2 & LOGO NONE 3G	60.PCC01.005
	2	LED LCD BRACKET LEFT W/HINGE & DC-IN CABLE 90W	60.4CD36.001
	2	LED LCD BRACKET LEFT W/HINGE & DC-IN CABLE 90W	60.4CD38.001
	2	LED LCD BRACKET RIGHT W/HINGE & K-LOCK	60.4CD32.001
	2	LED LCD BRACKET RIGHT W/HINGE & K-LOCK	60.4CD35.001
	1	LOWER CASE W/MODEM CABLE&SPEAKER W/O TUBA WOOFER & TV HOLE	60.PC301.001
	1	MIDDLE COVER W/O TUBA WOOFER	42.PC301.001
	2	OPTICAL BRACKET	33.PCC01.003
	2	SECOND HDD DOOR FOR BLANK HDD	42.PCC01.005
	1	TOUCHPAD BOARD BRACKET	33.PCC01.001
	1	UNITLOAD COVER	42.PCC01.002
	1	UPPER CASE BLACK W/POWER BUTTON &POWER SAVING&TOUCHPAD&FINGER PRINT BASE BOARD CABLE W/O FINGER PRINT HOLE	60.PC301.002
	1	VGA BRACKET	33.PCC01.002
	1	BLU-RAY COMBO MODULE 4X 12.7MM SATA	6M.PC301.002
	2	ODD PANASONIC BD COMBO 12.7MM TRAY DL 4X UJ-130A LF W/O BEZEL SATA	KO.0040E.001
	2	ODD PLDS BD COMBO 12.7MM TRAY DL 4X DS-4E1S LF W/O BEZEL SATA	KO.00407.002
	2	ODD SONY BD COMBO 12.7MM TRAY DL 4X BC-5500S LF W/O BEZEL SATA	KO.0040F.001

Category	No.	Part Name	Acer Part No.
CPU/PROCESSOR 	1	CPU INTEL PENTIUM DUAL-CORE T4200 PGA 2.0G 1M 800 35W R-0	KC.42001.DTP
	1	CPU INTEL CORE2DUAL P7450 2.13G 3M 1066 TJ NOV7	KC.74501.DPP
	1	CPU INTEL CORE2DUAL T6400 2.0G 3M 800 35W R-0	KC.64001.DTP
	1	CPU INTEL CORE2DUAL T6600 2.2G 2M 800 35W R-0	KC.66001.DTP
DVD-RW DRIVE 	1	DVD-RW SUPER-MULTI MODULE 8X SATA	6M.PC301.001
	2	ODD TOSHIBA SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA TS-L633B LF W/O BEZEL	KU.00807.064
	2	ODD SONY SUPER-MULTI DRIVE 12.7MM TRAY DL 8X AD-7580S LF W/O BEZEL SATA	KU.00801.030
	2	ODD PLDS SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA DS-8A3S LF W/O BEZEL	KU.0080E.017
	2	ODD PANASONIC SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA UJ880A LF W/O BEZEL	KU.0080F.004
HDD/HARD DISK DRIVE 	2	HDD 160GB 5400RPM SATA SEAGATE ST9160310AS F/W:2010	KH.16008.022
	2	HDD 160GB 5400RPM SATA TOSHIBA LIBRA-BS MK1655GSX F/W:FG0101J 5.4	KH.16001.034
	2	HDD 160GB 5400RPM 2.5" SATA HGST HTS543216L9A300 F/W:C30C	KH.16004.006
	2	HDD 160GB 5400RPM 2.5" SATA WD WD1600BEVT-22ZCT0 FW:11.01A11	KH.16007.019
	2	HDD 2.5" 5400RPM 250GB SEAGATE ST9250315AS WYATT SATA LF F/W:0001SDM1	KH.25008.021
	2	HDD 250GB 5400RPM SATA TOSHIBA LIBRA-BS MK2555GSX F/W:FG000J 5.4K	KH.25001.016
	2	HDD 250GB 5400RPM SATA HGST HTS545025B9A300 PANTHER-B LF	KH.25004.003
	2	HDD 250GB 5400RPM SATA WD WD2500BEVT-22ZCT0 F/W:11.01A11	KH.25007.015
	2	HDD 320GB 5400RPM SATA SEAGATE ST9320320AS F/W:2010	KH.32008.013
	2	HDD 320GB 5400RPM SATA TOSHIBA MK3255GSX LIBRA LF F/W:FG010J	KH.32001.008
	2	HDD 320GB 5400RPM SATA HGST HTS545032B9A300 PANTHER B LF	KH.32004.002
	2	HDD 320GB 5400RPM SATA WD WD3200BEVT-22ZCT0 ML125 F/W:01.01A01	KH.32007.007
	2	HDD 500GB 5400RPM SEAGATE ST9500325AS SATA LF F/W:0001SDM1	KH.50008.013
	2	HDD 2.5" 5400RPM 500GB TOSHIBA MK5055GSX LIBRA SATA LF F/W:FG001J	KH.50001.011
	2	HDD 500GB 5400RPM HGST SATA HTS545050B9A300 PANTHER B LF	KH.50004.001
	2	HDD 500GB 5400RPM WD SATA WD5000BEVT-22ZAT0 F/W:01.01A01	KH.50007.009
HEATSINK 	1	CPU/VGA HEATSINK DIS M92 W/FAN	60.4CD44.001
	1	CPU/VGA HEATSINK DIS M92 W/FAN	60.4CD40.001

Category	No.	Part Name	Acer Part No.
KEYBOARD 	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE FRENCH	KB.I170A.039
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE UK	KB.I170A.055
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE US-INTERNATIONAL	KB.I170A.056
	1	KEYBOARD 107KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE JAPANESE	KB.I170A.044
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE GREEK	KB.I170A.041
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE TAIWAN	KB.I170A.036
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE THAILAND	KB.I170A.053
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE HEBREW	KB.I170A.057
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE ARABIC	KB.I170A.032
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE RUSSIAN	KB.I170A.048
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE SWEDISH	KB.I170A.051
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE PORTUGAL	KB.I170A.047
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE SLOVE	KB.I170A.049
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE BRAZILIAN PORTUGUESE	KB.I170A.034
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE SWISS	KB.I170A.052
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE DANISH	KB.I170A.037
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE ITALIAN	KB.I170A.043
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE BELGIAN	KB.I170A.033
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE GERMAN	KB.I170A.040
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE NORWEGIAN	KB.I170A.046
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE HUNGARIAN	KB.I170A.042
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE SPANISH	KB.I170A.050
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE TURKISH	KB.I170A.054
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE NORDIC	KB.I170A.045
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE FRENCH ARABIC	KB.I170A.038
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE FRENCH CANADIAN	KB.I170A.058
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE CZECH/SLOVAK	KB.I170A.035

Category	No.	Part Name	Acer Part No.
LCD	1	LED LCD MODULE 17.3" WXGA GLARE IMR BLUE W/ ANTENNA*2&CAMERA 0.3M&K-LOCK&DC-IN CABLE 90W	6M.PC301.003
	2	LED LCD AUO 17.3" WXGA+ GLARE B173RW01-V0 LF 220NIT 8MS 600:1	LK.17306.001
	2	LED LCD LPL 17.3" WXGA+ GLARE LP173WD1-TLA1 LF 220NIT 8MS 600:1	LK.17305.001
	2	LED LCD CMO 17.3" WXGA+ GLARE N173O6-L02 LF 220NIT 8MS 600:1	LK.17308.001
	2	LED LCD SAMSUNG 17.3" WXGA+ GLARE LTN173KT01-A01 LF 220NIT 8MS 600:1	LK.1730D.001
	1	LED LCD MODULE 17.3" WXGA GLARE IMR BLUE W/ ANTENNA*3&CAMERA 0.3M&K-LOCK&DC-IN CABLE 90W	6M.PC301.004
	2	LED LCD AUO 17.3" WXGA+ GLARE B173RW01-V0 LF 220NIT 8MS 600:1	LK.17306.001
	2	LED LCD LPL 17.3" WXGA+ GLARE LP173WD1-TLA1 LF 220NIT 8MS 600:1	LK.17305.001
	2	LED LCD CMO 17.3" WXGA+ GLARE N173O6-L02 LF 220NIT 8MS 600:1	LK.17308.001
	2	LED LCD SAMSUNG 17.3" WXGA+ GLARE LTN173KT01-A01 LF 220NIT 8MS 600:1	LK.1730D.001
MAINBOARD 	1	MAINBOARD JV70_MV DIS GM45 ICH9M LF W/RTC BATTERY&MODEM BOARD W/O TV NONE 3G	MB.P8201.001
MEMORY 	1	SODIMM 1GB DDRIII 1066MHZ MICRON MT8JSF12864HY-1G1D1	KN.1GB0G.019
	1	SODIMM 1GB DDRIII 1066MHZ ELPIDA EBJ11UE6BAU0-AE-E	KN.1GB04.003
	1	SODIMM 1GB DDRIII 1066MHZ SAMSUNG M471B2874DZ1-CF8	KN.1GB09.009
	1	SODIMM 1GB DDRIII 1066MHZ SAMSUNG M471B2873EH1-CF8	KN.1GB0B.019
	1	SODIMM 1GB DDRLLL 1066MHZ HYNIX HMT112S6AFP6C-G7N0	KN.1GB0B.028
	1	SODIMM 2GB DDRIII 1066MHZ ELPIDA EBJ21UE8BAU0-AE-E	KN.2GB0B.005
	1	SODIMM 2GB DDRIII 1066MHZ MICRON MT16JSF25664HY-1G1D1	KN.2GB09.002
	1	SODIMM 2GB DDRLLL 1066MHZ ELPIDA EBJ21UE8BBS0-AE-F	KN.2GB04.004
	1	SODIMM 2GB DDRIII 1066MHZ SAMSUNG M471B5673EH1-CF8	KN.2GB09.004
	1	SODIMM 2GB DDRIII 1066MHZ HYNIX HMT125S6AFP8C-G7N0	KN.2GB0B.012
	1	SODIMM 2GB DDRIII 1066MHZ SAMSUNG M471B5673DZ1-CF8	KN.2GB0G.009
MICROPHONE	2	MICROPHONE	23.42246.001
	2	MICROPHONE	23.42247.001
MISCELLANEOUS	1	LCD SCREW RUBBER	47.PCC01.001
	1	NAME PLATE AS7735Z	40.PC301.001
SCREWS	1	SCREW M2.5*L6	86.00E12.536
	1	SCREW M2*L3 BLACK ZN	86.FR901.001
	1	SCREW M2.5*L5 BLACK ZN+NYLOK	86.TK501.001
	1	SCREW M2*L4 WAFER NI	86.9A552.4R0
	1	SCREW M2.5*L7 WAFER NI	86.9A553.7R0
	1	SCREW M3*L4 WAFER NI	86.9A554.4R0
SPEAKER	2	SPEAKER	23.PCC01.001

2. ACER_ASPIRE 7735Z UMACBK_JV70_MV (NO:LX.PC60X.033)

Category	NO.	Part Name	Acer Part No.
ADAPTER 	1	ADAPTER 65W 19V 3PIN DELTA ADP-65JH DB A LV5 LED LF YELLOW	AP.0650A.012
	1	ADAPTER 65W 19V 3PIN LITEON PA-1650-22AC LV5 LED LF YELLOW	AP.06501.026
	1	ADAPTER 65W 19V 3PIN HIPRO HP-A0652R3B 1LF LV5 LED LF YELLOW	AP.06503.024
BATTERY 	1	BATTERY SONY AS-2007B LI-ION 3S2P SONY 6 CELL 4400MAH MAIN COMMON NORMAL TYPE	BT.00606.001
	1	BATTERY SANYO AS-2007B LI-ION 3S2P SANYO 6 CELL 4400MAH MAIN COMMON NORMAL TYPE	BT.00604.025
	1	BATTERY PANASONIC AS-2007B LI-ION 3S2P PANASONIC 6 CELL 4400MAH MAIN COMMON PSS	BT.00603.042
	1	BATTERY SIMPLO AS-2007B LI-ION 3S2P PANASONIC 6 CELL 4400MAH MAIN COMMON PSS	BT.00605.021
	1	BATTERY SIMPLO AS-2007B LI-ION 3S2P SAMSUNG 6 CELL 4400MAH MAIN COMMON SDI 2.2F	BT.00607.016
	1	BATTERY SANYO AS-2007B LI-ION 4S2P SANYO 8 CELL 4800MAH MAIN COMMON	BT.00807.015
	1	BATTERY SONY AS-2007B LI-ION 4S2P SONY 8 CELL 4800MAH MAIN COMMON	BT.00803.024
	1	BATTERY SIMPLO AS-2007B LI-ION 4S2P PANASONIC 8 CELL 4800MAH MAIN COMMON PSS	BT.00804.020
BOARDS 	1	LAUNCH BOARD	55.PCC01.001
	1	MINI WLAN/B FOXCONN 802.11BGN ATHEROS XB63 BG T60H976.00 FW:V06 MINICARD	NI.23600.007
	2	MODEM BOARD FOXCONN DELPHI-AM5 V2H 1.5_3.3V AUS T60M951.36	FX.22500.023
	1	POWER SAVING BOARD	55.PCC01.002
	1	POWER BUTTON BOARD	55.PCC01.006
	1	TOUCHPAD BOARD SYNAPTICS TM-01253-001	56.PCC01.001
	1	USB BOARD	55.PCC01.003

Category	NO.	Part Name	Acer Part No.
	1	WIRELESS LAN BOARD 802.11BGN FOXCONN T77H028.00 RALINK RT2700E 1X2	NI.23600.031
	1	WIRELESS LAN BOARD 802.11BGN FOXCONN T77H053.00 Atheros AR5B91 1X2	NI.23600.030
	1	WIRELESS LAN BOARD 802.11BGN QMI EM303-AR Atheros AR5B91 1X2 MINICARD	NI.23600.033
CABLES	2	FINGER PRINT BASE BOARD CABLE	50.4CD08.011
	2	FINGER PRINT BASE BOARD CABLE	50.4CD08.001
	1	LAUNCH BOARD CABLE	50.4CD05.011
	1	LAUNCH BOARD CABLE	50.4CD05.001
	2	LED LCD/CAMERA/MICROPHONE CABLE	50.4CD12.011
	2	LED LCD/CAMERA/MICROPHONE CABLE	50.4CD12.001
	2	MODEM CABLE	RESERVE
	2	POWER BUTTON BOARD CABLE	RESERVE
	1	POWER CORD 250V 3PIN EUR BK	27.01518.731
	1	POWER CABLE 16A 250V 3PIN EUR BK	27.01518.601
	1	POWER CORD 10A 250V SWISS	27.01518.691
	1	POWER CORD 10A 250V 3PIN SWISS BK	27.01518.581
	1	POWER CORD 10A 250V ARGENTINE	27.01518.0U1
	1	POWER CORD 10A 125V US	27.01518.641
	1	POWER CORD 10A 125V 3PIN US BK	27.01518.521
	1	POWER CORD 7A 250V 2PIN KOREAN	27.01518.531
	1	POWER CORD 3A 250V 3PIN UK	27.03118.001
	1	POWER CORD 5A 250V 3PIN UK BK	27.01518.541
	1	POWER CORD 7A 125V 2PIN JAPAN	27.01518.551
	1	POWER CORD 10A 3PIN BK DENMARK	27.01518.671
	1	POWER CORD 10A 250V 3PIN DENMARK BK	27.01518.561
	1	POWER CORD 10A 250V 3PIN BK SOUTH AFRICA	27.01518.681
	1	POWER CORD 16A 250V SOUTH AFRICA BK	27.01518.571
	1	POWER CORD 10A 250V 3PIN CHINA	27.01518.701
	1	POWER CORD 10A 250V 3PIN CHINA BK	27.01518.591
	1	POWER CORD 10A 250V 3PIN ITALY	27.01518.711
	1	POWER CORD 10A 250V 3PIN ITALY BK	27.01518.611
	1	POWER CORD 2.5A 250V AUSTRALIA	27.01518.621
	1	POWER CORD 2.5A 250V SOUTH AFRICA BK (INDIA)	27.01518.721
	1	POWER CORD 10A 250V SOUTH AFRICA BK (INDIA)	27.01518.631
	1	POWER CORD 7A 125V 2PIN JAPAN BK	27.01518.661
	1	POWER CORD 250V 10A 3PIN ISRAEL	27.01518.761
	1	POWER CORD 2.5A 125V USA	27.01518.A11
	1	POWER CORD 2.5A 125V 1.8M BLACK TAIWANESE	27.01518.781
	1	POWER CORD 10A 250V 1.8M BRAZIL BLK	27.01518.A41
	1	POWER CORD ACA / ACNZ	27.03218.051
	1	POWER CORD 7.5A 250V 3P AUSTRALIA BK	27.03218.021
	1	POWER CODE 7A 125V 2PIN JAPAN	27.03518.161
	2	POWER SAVING BOARD CABLE	RESERVE
	2	TOUCHPAD BOARD CABLE	RESERVE


Category	NO.	Part Name	Acer Part No.
CABLES	1	USB BOARD CABLE	50.4CD09.011
	1	USB BOARD CABLE	50.4CD09.001
CAMERA	2	CAMERA 0.3M SUYIN CN0314-SN30-OV03-5	56.18007.094
	2	CAMERA 0.3M CHICONY CNF701721004973L	56.18012.094
CASE/COVER/ BRACKET ASSEMBLY	2	BLUE-RAY COMBO BEZEL	42.PCC01.004
	1	CARD READER DUMMY CARD	42.TQ901.003
	2	DVD-RW SUPER-MULTI BEZEL	42.PCC01.003
	2	HDD BRACKET	33.PCC01.004
	2	HDD CONNECTOR SOCKET SATA 22P	20.PCC01.001
	2	LCD BEZEL 17.3" W/CAMERA HOLE	60.PC301.004
	2	LCD COVER17.3" IMR BLUE W/ANTENNA*2 & LOGO NONE 3G	60.PCC01.005
	2	LED LCD BRACKET LEFT W/HINGE & DC-IN CABLE 65W	60.4CD34.001
	2	LED LCD BRACKET LEFT W/HINGE & DC-IN CABLE 65W	60.4CD33.001
	2	LED LCD BRACKET RIGHT W/HINGE & K-LOCK	60.4CD35.001
	2	LED LCD BRACKET RIGHT W/HINGE & K-LOCK	60.4CD32.001
	2	LCD COVER 17.3" IMR BLUE W/ANTENNA*3 & LOGO NONE 3G	60.PCC01.006
	1	LOWER CASE W/MODEM CABLE&SPEAKER W/O TUBA WOOFER & TV HOLE	60.PC301.001
	1	MIDDLE COVER W/O TUBA WOOFER	42.PC301.001
	2	OPTICAL BRACKET	33.PCC01.003
	2	SECOND HDD DOOR FOR BLANK HDD	42.PCC01.005
	1	TOUCHPAD BOARD BRACKET	33.PCC01.001
	1	UNITLOAD COVER	42.PCC01.002
	1	UPPER CASE BLACK W/POWER BUTTON &POWER SAVING&TOUCHPAD&FINGER PRINT BASE BOARD CABLE W/O FINGER PRINT HOLE	60.PC301.002
COMBO MODULE 	1	BLU-RAY COMBO MODULE 4X 12.7MM SATA	
	2	ODD PANASONIC BD COMBO 12.7MM TRAY DL 4X UJ-130A LF W/O BEZEL SATA	KO.0040E.001
	2	ODD PLDS BD COMBO 12.7MM TRAY DL 4X DS-4E1S LF W/O BEZEL SATA	KO.00407.002
	2	ODD SONY BD COMBO 12.7MM TRAY DL 4X BC-5500S LF W/O BEZEL SATA	KO.0040F.001
CPU/PROCESSOR 	1	CPU INTEL PENTIUM DUAL-CORE T4200 PGA 2.0G 1M 800 35W R-0	KC.42001.DTP

Category	NO.	Part Name	Acer Part No.
DVD-RW DRIVE 	1	DVD-RW SUPER-MULTI MODULE 8X SATA	
	2	ODD TOSHIBA SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA TS-L633B LF W/O BEZEL	KU.00807.064
	2	ODD SONY SUPER-MULTI DRIVE 12.7MM TRAY DL 8X AD-7580S LF W/O BEZEL SATA	KU.00801.030
	2	ODD PLDS SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA DS-8A3S LF W/O BEZEL	KU.0080E.017
	2	ODD PANASONIC SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA UJ880A LF W/O BEZEL	KU.0080F.004
HDD/HARD DISK DRIVE 	2	HDD 160GB 5400RPM SATA SEAGATE ST9160310AS F/W:2010	KH.16008.022
	2	HDD 160GB 5400RPM SATA TOSHIBA LIBRA-BS MK1655GSX F/W:FG0101J 5.4	KH.16001.034
	2	HDD 160GB 5400RPM 2.5" SATA HGST HTS543216L9A300 F/W:C30C	KH.16004.006
	2	HDD 160GB 5400RPM 2.5" SATA WD WD1600BEVT-22ZCT0 FW:11.01A11	KH.16007.019
	2	HDD 2.5" 5400RPM 250GB SEAGATE ST9250315AS WYATT SATA LF F/W:0001SDM1	KH.25008.021
	2	HDD 250GB 5400RPM SATA TOSHIBA LIBRA-BS MK2555GSX F/W:FG000J 5.4K	KH.25001.016
	2	HDD 250GB 5400RPM SATA HGST HTS545025B9A300 PANTHER-B LF	KH.25004.003
	2	HDD 250GB 5400RPM SATA WD WD2500BEVT-22ZCT0 F/W:11.01A11	KH.25007.015
	2	HDD 320GB 5400RPM SATA SEAGATE ST9320320AS F/W:2010	KH.32008.013
	2	HDD 320GB 5400RPM SATA TOSHIBA MK3255GSX LIBRA LF F/W:FG010J	KH.32001.008
	2	HDD 320GB 5400RPM SATA HGST HTS545032B9A300 PANTHER B LF	KH.32004.002
	2	HDD 320GB 5400RPM SATA WD WD3200BEVT-22ZCT0 ML125 F/W:01.01A01	KH.32007.007
	2	HDD 500GB 5400RPM SEAGATE ST9500325AS SATA LF F/W:0001SDM1	KH.50008.013
	2	HDD 2.5" 5400RPM 500GB TOSHIBA MK5055GSX LIBRA SATA LF F/W:FG001J	KH.50001.011
	2	HDD 500GB 5400RPM HGST SATA HTS545050B9A300 PANTHER B LF	KH.50004.001
	2	HDD 500GB 5400RPM WD SATA WD5000BEVT-22ZAT0 F/W:01.01A01	KH.50007.009
HEATSINK	1	CPU/VGA HEATSINK UMA W/FAN	60.4CD47.001
	1	CPU/VGA HEATSINK UMA W/FAN	60.4CD43.001
KEYBOARD 	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE GERMAN	KB.1170A.040
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE FRENCH	KB.1170A.039
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE UK	KB.1170A.055
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE US-INTERNATIONAL	KB.1170A.056
	1	KEYBOARD 107KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE JAPANESE	KB.1170A.044
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE GREEK	KB.1170A.041

Category	NO.	Part Name	Acer Part No.
KEYBOARD	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE TAIWAN	KB.I170A.036
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE THAILAND	KB.I170A.053
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE HEBREW	KB.I170A.057
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE ARABIC	KB.I170A.032
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE RUSSIAN	KB.I170A.048
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE SWEDISH	KB.I170A.051
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE PORTUGAL	KB.I170A.047
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE SLOVE	KB.I170A.049
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE BRAZILIAN PORTUGUESE	KB.I170A.034
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE SWISS	KB.I170A.052
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE DANISH	KB.I170A.037
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE ITALIAN	KB.I170A.043
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE BELGIAN	KB.I170A.033
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE NORWEGIAN	KB.I170A.046
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE HUNGARIAN	KB.I170A.042
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE SPANISH	KB.I170A.050
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE TURKISH	KB.I170A.054
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE NORDIC	KB.I170A.045
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE FRENCH ARABIC	KB.I170A.038
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE FRENCH CANADIAN	KB.I170A.058
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE CZECH/SLOVAK	KB.I170A.035
LCD	1	LED LCD MODULE 17.3" WXGA GLARE IMR BLUE W/ ANTENNA*2&CAMERA 0.3M&K-LOCK&DC-IN CABLE 65W	6M.PC601.001
	2	LED LCD AUO 17.3" WXGA+ GLARE B173RW01-V0 LF 220NIT 8MS 600:1	LK.17306.001
	2	LED LCD LPL 17.3" WXGA+ GLARE LP173WD1-TLA1 LF 220NIT 8MS 600:1	LK.17305.001
	2	LED LCD CMO 17.3" WXGA+ GLARE N173O6-L02 LF 220NIT 8MS 600:1	LK.17308.001
	1	LED LCD MODULE 17.3" WXGA GLARE IMR BLUE W/ ANTENNA*3&CAMERA 0.3M&K-LOCK&DC-IN CABLE 65W	6M.PC601.002

Category	NO.	Part Name	Acer Part No.
LCD	2	LED LCD SAMSUNG 17.3" WXGA+ GLARE LTN173KT01-A01 LF 220NIT 8MS 600:1	LK.1730D.001
	2	LED LCD AUO 17.3" WXGA+ GLARE B173RW01-V0 LF 220NIT 8MS 600:1	LK.17306.001
	2	LED LCD LPL 17.3" WXGA+ GLARE LP173WD1-TLA1 LF 220NIT 8MS 600:1	LK.17305.001
	2	LED LCD CMO 17.3" WXGA+ GLARE N173O6-L02 LF 220NIT 8MS 600:1	LK.17308.001
	2	LED LCD SAMSUNG 17.3" WXGA+ GLARE LTN173KT01-A01 LF 220NIT 8MS 600:1	LK.1730D.001
MAINBOARD 	1	MAINBOARD JV70_MV UMA GL40 ICH9M LF W/RTC BATTERY&MODEM BOARD W/O TV NONE 3G	MB.PC601.001
MEMORY 	1	SODIMM 1GB DDRIII 1066MHZ SAMSUNG M471B2874DZ1-CF8	KN.1GB0G.019
	1	SODIMM 1GB DDRIII 1066MHZ MICRON MT8JSF12864HY-1G1D1	KN.1GB0B.019
	1	SODIMM 1GB DDRIII 1066MHZ ELPIDA EBJ11UE6BAU0-AE-E	KN.1GB04.003
	1	SODIMM 1GB DDRIII 1066MHZ SAMSUNG M471B2873EH1-CF8	KN.1GB09.009
	1	SODIMM 1GB DDRLLL 1066MHZ HYNIX HMT112S6AFP6C-G7N0	KN.1GB0B.028
	1	SODIMM 2GB DDRIII 1066MHZ ELPIDA EBJ21UE8BAU0-AE-E	KN.2GB0B.005
	1	SODIMM 2GB DDRIII 1066MHZ MICRON MT16JSF25664HY-1G1D1	KN.2GB09.002
	1	SODIMM 2GB DDRLLL 1066MHZ ELPIDA EBJ21UE8BBS0-AE-F	KN.2GB04.004
	1	SODIMM 2GB DDRIII 1066MHZ SAMSUNG M471B5673EH1-CF8	KN.2GB09.004
	1	SODIMM 2GB DDRIII 1066MHZ HYNIX HMT125S6AFP8C-G7N0	KN.2GB0B.012
	1	SODIMM 2GB DDRIII 1066MHZ SAMSUNG M471B5673DZ1-CF8	KN.2GB0G.009
MICROPHONE	2	MICROPHONE	23.42246.001
	2	MICROPHONE	23.42247.001
MISCELLANEOUS	1	LCD SCREW RUBBER	47.PCC01.001
	1	NAME PLATE AS7735Z	40.PC301.001
SCREWS	1	SCREW M2.5*L6	86.00E12.536
	1	SCREW M2*L3 BLACK ZN	86.FR901.001
	1	SCREW M2.5*L5 BLACK ZN+NYLOK	86.TK501.001
	1	SCREW M2*L4 WAFER NI	86.9A552.4R0
	1	SCREW M2.5*L7 WAFER NI	86.9A553.7R0
	1	SCREW M3*L4 WAFER NI	86.9A554.4R0
SPEAKER	2	SPEAKER	23.PCC01.001

3. ACER_ASPIRE 7735 UMACBK_JV70_MV (NO:LX.PC30X.001)


Category	No.	Part Name	Acer Part No.
ADAPTER 	1	ADAPTER 65W 19V 3PIN DELTA ADP-65JH DB A LV5 LED LF YELLOW	AP.0650A.012
	1	ADAPTER 65W 19V 3PIN LITEON PA-1650-22AC LV5 LED LF YELLOW	AP.06501.026
	1	ADAPTER 65W 19V 3PIN HIPRO HP-A0652R3B 1LF LV5 LED LF YELLOW	AP.06503.024
BATTERY 	1	BATTERY SONY AS-2007B LI-ION 3S2P SONY 6 CELL 4400MAH MAIN COMMON NORMAL TYPE	BT.00606.001
	1	BATTERY SANYO AS-2007B LI-ION 3S2P SANYO 6 CELL 4400MAH MAIN COMMON NORMAL TYPE	BT.00604.025
	1	BATTERY PANASONIC AS-2007B LI-ION 3S2P PANASONIC 6 CELL 4400MAH MAIN COMMON PSS	BT.00603.042
	1	BATTERY SIMPLO AS-2007B LI-ION 3S2P PANASONIC 6 CELL 4400MAH MAIN COMMON PSS	BT.00605.021
	1	BATTERY SIMPLO AS-2007B LI-ION 3S2P SAMSUNG 6 CELL 4400MAH MAIN COMMON SDI 2.2F	BT.00607.016
	1	BATTERY SANYO AS-2007B LI-ION 4S2P SANYO 8 CELL 4800MAH MAIN COMMON	BT.00807.015
	1	BATTERY SONY AS-2007B LI-ION 4S2P SONY 8 CELL 4800MAH MAIN COMMON	BT.00803.024
	1	BATTERY SIMPLO AS-2007B LI-ION 4S2P PANASONIC 8 CELL 4800MAH MAIN COMMON PSS	BT.00804.020
BOARDS 	1	LAUNCH BOARD	55.PCC01.001
	1	MINI WLAN/B FOXCONN 802.11BGN ATHEROS XB63 BG T60H976.00 FW:V06 MINICARD	NI.23600.007
	2	MODEM BOARD FOXCONN DELPHI-AM5 V2H 1.5_3.3V AUS T60M951.36	FX.22500.023
	1	POWER SAVING BOARD	55.PCC01.002
	1	POWER BUTTON BOARD	55.PCC01.006
	1	TOUCHPAD BOARD SYNAPTICS TM-01253-001	56.PCC01.001
	1	USB BOARD	55.PCC01.003

Category	No.	Part Name	Acer Part No.
	1	WIRELESS LAN BOARD 802.11BGN FOXCONN T77H028.00 RALINK RT2700E 1X2	NI.23600.031
	1	WIRELESS LAN BOARD 802.11BGN FOXCONN T77H053.00 ATHEROS AR5B91 1X2	NI.23600.030
	1	WIRELESS LAN BOARD 802.11BGN QMI EM303-AR ATHEROS AR5B91 1X2 MINICARD	NI.23600.033
CABLES	2	FINGER PRINT BASE BOARD CABLE	50.4CD08.011
	2	FINGER PRINT BASE BOARD CABLE	50.4CD08.001
	1	LAUNCH BOARD CABLE	50.4CD05.011
	1	LAUNCH BOARD CABLE	50.4CD05.001
	2	LED LCD/CAMERA/MICROPHONE CABLE	50.4CD12.011
	2	LED LCD/CAMERA/MICROPHONE CABLE	50.4CD12.001
	2	MODEM CABLE	RESERVE
	2	POWER BUTTON BOARD CABLE	RESERVE
	1	POWER CORD 2.5A 125V USA	27.01518.A11
	1	POWER CORD 2.5A 125V 1.8M BLACK TAIWANESE	27.01518.781
	1	POWER CORD 250V 3PIN EUR BK	27.01518.731
	1	POWER CABLE 16A 250V 3PIN EUR BK	27.01518.601
	1	POWER CORD 10A 250V SWISS	27.01518.691
	1	POWER CORD 10A 250V 3PIN SWISS BK	27.01518.581
	1	POWER CORD 10A 250V ARGENTINE	27.01518.0U1
	1	POWER CORD 10A 125V US	27.01518.641
	1	POWER CORD 10A 125V 3PIN US BK	27.01518.521
	1	POWER CORD 7A 250V 2PIN KOREAN	27.01518.531
	1	POWER CORD 3A 250V 3PIN UK	27.03118.001
	1	POWER CORD 5A 250V 3PIN UK BK	27.01518.541
	1	POWER CORD 7A 125V 2PIN JAPAN	27.01518.551
	1	POWER CORD 10A 3PIN BK DENMARK	27.01518.671
	1	POWER CORD 10A 250V 3PIN DENMARK BK	27.01518.561
	1	POWER CORD 10A 250V 3PIN BK SOUTH AFRICA	27.01518.681
	1	POWER CORD 16A 250V SOUTH AFRICA BK	27.01518.571
	1	POWER CORD 10A 250V 3PIN CHINA	27.01518.701
	1	POWER CORD 10A 250V 3PIN CHINA BK	27.01518.591
	1	POWER CORD 10A 250V 3PIN ITALY	27.01518.711
	1	POWER CORD 10A 250V 3PIN ITALY BK	27.01518.611
	1	POWER CORD 2.5A 250V AUSTRALIA	27.01518.621
	1	POWER CORD 2.5A 250V SOUTH AFRICA BK (INDIA)	27.01518.721
	1	POWER CORD 10A 250V SOUTH AFRICA BK (INDIA)	27.01518.631
	1	POWER CORD 7A 125V 2PIN JAPAN BK	27.01518.661
	1	POWER CORD 250V 10A 3PIN ISRAEL	27.01518.761
	1	POWER CORD 10A 250V 1.8M BRAZIL BLK	27.01518.A41
	1	POWER CORD ACA / ACNZ	27.03218.051
	1	POWER CORD 7.5A 250V 3P AUSTRALIA BK	27.03218.021
	1	POWER CODE 7A 125V 2PIN JAPAN	27.03518.161
	2	POWER SAVING BOARD CABLE	RESERVE
	2	TOUCHPAD BOARD CABLE	RESERVE

Category	No.	Part Name	Acer Part No.
CABLES	1	USB BOARD CABLE	50.4CD09.011
	1	USB BOARD CABLE	50.4CD09.001
CAMERA	2	CAMERA 0.3M SUYIN CN0314-SN30-OV03-5	56.18007.094
	2	CAMERA 0.3M CHICONY CNF701721004973L	56.18012.094
CASE/COVER/ BRACKET ASSEMBLY	2	BLUE-RAY COMBO BEZEL	42.PCC01.004
	1	CARD READER DUMMY CARD	42.TQ901.003
	2	DVD-RW SUPER-MULTI BEZEL	42.PCC01.003
	2	HDD BRACKET	33.PCC01.004
	2	HDD CONNECTOR SOCKET SATA 22P	20.PCC01.001
	2	LCD BEZEL 17.3" W/CAMERA HOLE	60.PC301.004
	2	LCD COVER IMR 17.3" BLUE W/ANTENNA*2 & LOGO NONE 3G	60.PCC01.005
	2	LCD COVER IMR 17.3" BLUE W/ANTENNA*3 & LOGO NONE 3G	60.PCC01.006
	2	LED LCD BRACKET LEFT W/HINGE & DC-IN CABLE 65W	60.4CD34.001
	2	LED LCD BRACKET LEFT W/HINGE & DC-IN CABLE 65W	60.4CD33.001
	2	LED LCD BRACKET RIGHT W/HINGE & K-LOCK	60.4CD35.001
	2	LED LCD BRACKET RIGHT W/HINGE & K-LOCK	60.4CD32.001
	1	LOWER CASE W/MODEM CABLE&SPEAKER W/O TUBA WOOFER & TV HOLE	60.PC301.001
	1	MIDDLE COVER W/O TUBA WOOFER	42.PC301.001
	2	OPTICAL BRACKET	33.PCC01.003
	2	SECOND HDD DOOR FOR BLANK HDD	42.PCC01.005
	1	TOUCHPAD BOARD BRACKET	33.PCC01.001
	1	UNITLOAD COVER	42.PCC01.002
	1	UPPER CASE BLACK W/POWER BUTTON &POWER SAVING&TOUCHPAD&FINGER PRINT BASE BOARD CABLE W/O FINGER PRINT HOLE	60.PC301.002
COMBO MODULE 	1	BLU-RAY COMBO MODULE 4X 12.7MM SATA	6M.PC301.002
	2	ODD PANASONIC BD COMBO 12.7MM TRAY DL 4X UJ-130A LF W/O BEZEL SATA	KO.0040E.001
	2	ODD PLDS BD COMBO 12.7MM TRAY DL 4X DS-4E1S LF W/O BEZEL SATA	KO.00407.002
	2	ODD SONY BD COMBO 12.7MM TRAY DL 4X BC-5500S LF W/O BEZEL SATA	KO.0040F.001
CPU/PROCESSOR 	1	CPU INTEL CORE2DUAL T6400 2.0G 3M 800 35W R-0	KC.64001.DTP
	1	CPU INTEL CORE2DUAL P7450 2.13G 3M 1066 TJ NOV7	KC.74501.DPP
	1	CPU INTEL CORE2DUAL T6600 2.2G 2M 800 35W R-0	KC.66001.DTP




Category	No.	Part Name	Acer Part No.
DVD-RW DRIVE 	1	DVD-RW SUPER-MULTI MODULE 8X SATA	6M.PC301.001
	2	ODD TOSHIBA SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA TS-L633B LF W/O BEZEL	KU.00807.064
	2	ODD SONY SUPER-MULTI DRIVE 12.7MM TRAY DL 8X AD-7580S LF W/O BEZEL SATA	KU.00801.030
	2	ODD PLDS SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA DS-8A3S LF W/O BEZEL	KU.0080E.017
	2	ODD PANASONIC SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA UJ880A LF W/O BEZEL	KU.0080F.004
HDD/HARD DISK DRIVE 	2	HDD 160GB 5400RPM SATA SEAGATE ST9160310AS F/W:2010	KH.16008.022
	2	HDD 160GB 5400RPM SATA TOSHIBA LIBRA-BS MK1655GSX F/W:FG0101J 5.4	KH.16001.034
	2	HDD 160GB 5400RPM 2.5" SATA HGST HTS543216L9A300 F/W:C30C	KH.16004.006
	2	HDD 160GB 5400RPM 2.5" SATA WD WD1600BEVT-22ZCT0 FW:11.01A11	KH.16007.019
	2	HDD 2.5" 5400RPM 250GB SEAGATE ST9250315AS WYATT SATA LF F/W:0001SDM1	KH.25008.021
	2	HDD 250GB 5400RPM SATA TOSHIBA LIBRA-BS MK2555GSX F/W:FG000J 5.4K	KH.25001.016
	2	HDD 250GB 5400RPM SATA HGST HTS545025B9A300 PANTHER-B LF	KH.25004.003
	2	HDD 250GB 5400RPM SATA WD WD2500BEVT-22ZCT0 F/W:11.01A11	KH.25007.015
	2	HDD 320GB 5400RPM SATA SEAGATE ST9320320AS F/W:2010	KH.32008.013
	2	HDD 320GB 5400RPM SATA TOSHIBA MK3255GSX LIBRA LF F/W:FG010J	KH.32001.008
	2	HDD 320GB 5400RPM SATA HGST HTS545032B9A300 PANTHER B LF	KH.32004.002
	2	HDD 320GB 5400RPM SATA WD WD3200BEVT-22ZCT0 ML125 F/W:01.01A01	KH.32007.007
	2	HDD 500GB 5400RPM SEAGATE ST9500325AS SATA LF F/W:0001SDM1	KH.50008.013
	2	HDD 2.5" 5400RPM 500GB TOSHIBA MK5055GSX LIBRA SATA LF F/W:FG001J	KH.50001.011
	2	HDD 500GB 5400RPM HGST SATA HTS545050B9A300 PANTHER B LF	KH.50004.001
	2	HDD 500GB 5400RPM WD SATA WD5000BEVT-22ZAT0 F/W:01.01A01	KH.50007.009
HEATSINK	1	CPU/VGA HEATSINK UMA W/FAN	60.4CD47.001
	1	CPU/VGA HEATSINK UMA W/FAN	60.4CD43.001
KEYBOARD 	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE SWISS	KB.1170A.052
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE GERMAN	KB.1170A.040
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE FRENCH	KB.1170A.039
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE UK	KB.1170A.055
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE US-INTERNATIONAL	KB.1170A.056
	1	KEYBOARD 107KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE JAPANESE	KB.1170A.044

Category	No.	Part Name	Acer Part No.
KEYBOARD	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE GREEK	KB.I170A.041
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE TAIWAN	KB.I170A.036
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE THAILAND	KB.I170A.053
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE HEBREW	KB.I170A.057
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE ARABIC	KB.I170A.032
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE RUSSIAN	KB.I170A.048
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE SWEDISH	KB.I170A.051
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE PORTUGAL	KB.I170A.047
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE SLOVE	KB.I170A.049
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE BRAZILIAN PORTUGUESE	KB.I170A.034
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE DANISH	KB.I170A.037
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE ITALIAN	KB.I170A.043
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE BELGIAN	KB.I170A.033
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE NORWEGIAN	KB.I170A.046
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE HUNGARIAN	KB.I170A.042
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE SPANISH	KB.I170A.050
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE TURKISH	KB.I170A.054
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE NORDIC	KB.I170A.045
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE FRENCH ARABIC	KB.I170A.038
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE FRENCH CANADIAN	KB.I170A.058
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE CZECH/SLOVAK	KB.I170A.035
LCD	1	LED LCD MODULE 17.3" WXGA GLARE BLUE W/ ANTENNA*2&CAMERA&K-LOCK&DC-IN CABLE 65W	6M.PC601.001
	2	LED LCD AUO 17.3" WXGA+ GLARE B173RW01-V0 LF 220NIT 8MS 600:1	LK.17306.001
	2	LED LCD LPL 17.3" WXGA+ GLARE LP173WD1-TLA1 LF 220NIT 8MS 600:1	LK.17305.001
	2	LED LCD CMO 17.3" WXGA+ GLARE N173O6-L02 LF 220NIT 8MS 600:1	LK.17308.001
	2	LED LCD SAMSUNG 17.3" WXGA+ GLARE LTN173KT01-A01 LF 220NIT 8MS 600:1	LK.1730D.001

Category	No.	Part Name	Acer Part No.
LCD	1	LED LCD MODULE 17.3" WXGA GLARE BLUE W/ ANTENNA*3&CAMERA&K-LOCK&DC-IN CABLE 65W	6M.PC601.002
	2	LED LCD AUO 17.3" WXGA+ GLARE B173RW01-V0 LF 220NIT 8MS 600:1	LK.17306.001
	2	LED LCD LPL 17.3" WXGA+ GLARE LP173WD1-TLA1 LF 220NIT 8MS 600:1	LK.17305.001
	2	LED LCD CMO 17.3" WXGA+ GLARE N173O6-L02 LF 220NIT 8MS 600:1	LK.17308.001
	2	LED LCD SAMSUNG 17.3" WXGA+ GLARE LTN173KT01-A01 LF 220NIT 8MS 600:1	LK.1730D.001
MAINBOARD 	1	MAINBOARD JV70_MV UMA GM45 ICH9M LF W/RTC BATTERY&MODEM BOARD W/O TV NONE 3G	MB.PC801.001
MEMORY 	1	SODIMM 1GB DDRIII 1066MHZ SAMSUNG M471B2874DZ1-CF8	KN.1GB0G.019
	1	SODIMM 1GB DDRIII 1066MHZ MICRON MT8JSF12864HY-1G1D1	KN.1GB0B.019
	1	SODIMM 1GB DDRIII 1066MHZ ELPIDA EBJ11UE6BAU0-AE-E	KN.1GB04.003
	1	SODIMM 1GB DDRIII 1066MHZ SAMSUNG M471B2873EH1-CF8	KN.1GB09.009
	1	SODIMM 1GB DDRLLL 1066MHZ HYNIX HMT112S6AFP6C-G7N0	KN.1GB0B.028
	1	SODIMM 2GB DDRIII 1066MHZ ELPIDA EBJ21UE8BAU0-AE-E	KN.2GB0B.005
	1	SODIMM 2GB DDRIII 1066MHZ MICRON MT16JSF25664HY-1G1D1	KN.2GB09.002
	1	SODIMM 2GB DDRLLL 1066MHZ ELPIDA EBJ21UE8BBS0-AE-F	KN.2GB04.004
	1	SODIMM 2GB DDRIII 1066MHZ SAMSUNG M471B5673EH1-CF8	KN.2GB09.004
	1	SODIMM 2GB DDRIII 1066MHZ HYNIX HMT125S6AFP8C-G7N0	KN.2GB0B.012
	1	SODIMM 2GB DDRIII 1066MHZ SAMSUNG M471B5673DZ1-CF8	KN.2GB0G.009
MICROPHONE	2	MICROPHONE	23.42246.001
	2	MICROPHONE	23.42247.001
MISCELLANEOUS	1	LCD SCREW RUBBER	47.PCC01.001
	1	NAME PLATE AS7735	40.PC801.001
SCREWS	1	SCREW M2.5*L6	86.00E12.536
	1	SCREW M2*L3 BLACK ZN	86.FR901.001
	1	SCREW M2.5*L5 BLACK ZN+NYLOK	86.TK501.001
	1	SCREW M2*L4 WAFER NI	86.9A552.4R0
	1	SCREW M2.5*L7 WAFER NI	86.9A553.7R0
	1	SCREW M3*L4 WAFER NI	86.9A554.4R0
SPEAKER	2	SPEAKER	23.PCC01.001

Aspire 7535/7535G/7235 Series FRU List

1. ACER_ASPIRE 7235G_M92XT512CE_JV70_PU (NO:S2.PAB0X.002)


Category	No.	Part Name	Acer Part No.
	1	ADAPTER 90W 19V 3PIN HIPRO HP-A0904A3 B1LF LV5 LED LF BLUE	AP.09003.021
	1	ADAPTER 90W 19V 3PIN DELTA ADP-90CD DB A LV5 LED LF BLUE	AP.0900A.005
	1	ADAPTER 90W 19V 3PIN LITEON PA-1900-34AR LV5 LED LF BLUE	AP.09001.027
	1	BATTERY SONY AS-2007B LI-ION 3S2P SONY 6 CELL 4400MAH MAIN COMMON NORMAL TYPE	BT.00606.001
	1	BATTERY SANYO AS-2007B LI-ION 3S2P SANYO 6 CELL 4400MAH MAIN COMMON NORMAL TYPE	BT.00604.025
	1	BATTERY PANASONIC AS-2007B LI-ION 3S2P PANASONIC 6 CELL 4400MAH MAIN COMMON PSS	BT.00603.042
	1	BATTERY SIMPLO AS-2007B LI-ION 3S2P PANASONIC 6 CELL 4400MAH MAIN COMMON PSS	BT.00605.021
	1	BATTERY SIMPLO AS-2007B LI-ION 3S2P SAMSUNG 6 CELL 4400MAH MAIN COMMON SDI 2.2F	BT.00607.016
	1	BATTERY SANYO AS-2007B LI-ION 4S2P SANYO 8 CELL 4800MAH MAIN COMMON	BT.00807.015
	1	BATTERY SONY AS-2007B LI-ION 4S2P SONY 8 CELL 4800MAH MAIN COMMON	BT.00803.024
	1	BATTERY SIMPLO AS-2007B LI-ION 4S2P PANASONIC 8 CELL 4800MAH MAIN COMMON PSS	BT.00804.020
BOARDS	1	BLUETOOTH BOARD FOXCONN BCM2045 V2 T60H928.11	BT.21100.005
	1	LAUNCH BOARD	55.PCC01.001
	1	MINI WLAN/B FOXCONN 802.11BGN ATHEROS XB63 BG T60H976.00 FW:V06 MINICARD	NI.23600.007
	2	MODEM BOARD FOXCONN DELPHI-AM5 V2H 1.5_3.3V AUS T60M951.36	FX.22500.023
	1	POWER BUTTON BOARD	55.PCK01.003
	1	POWER SAVING BOARD	55.PCK01.001
	1	TOUCHPAD BOARD ALPS KGDF0036A	56.PCK01.001
	1	USB BOARD	55.PCK01.002

Category	No.	Part Name	Acer Part No.
	1	WIRELESS LAN BOARD 802.11BGN FOXCONN T77H028.00 RALINK RT2700E 1X2	NI.23600.031
	1	WIRELESS LAN BOARD 802.11BGN FOXCONN T77H053.00 ATHEROS AR5B91 1X2	NI.23600.030
	1	WIRELESS LAN BOARD 802.11BGN QMI EM303-AR ATHEROS AR5B91 1X2 MINICARD	NI.23600.033
CABLES	2	BLUETOOTH BOARD CABLE	50.4CD11.011
	2	BLUETOOTH BOARD CABLE	50.4CD11.001
	2	FINGER PRINT BASE BOARD CABLE	50.4CD08.011
	2	FINGER PRINT BASE BOARD CABLE	50.4CD08.001
	1	LAUNCH BOARD CABLE	50.4CD05.011
	1	LAUNCH BOARD CABLE	50.4CD05.001
	2	LED LCD/CAMERA/MICROPHONE CABLE	50.4CD12.011
	2	LED LCD/CAMERA/MICROPHONE CABLE	50.4CD12.001
	2	MODEM CABLE	RESERVE
	2	POWER BUTTON BOARD CABLE	RESERVE
	1	POWER CORD 2.5A 125V USA	27.01518.A11
	1	POWER CORD 2.5A 125V 1.8M BLACK TAIWANESE	27.01518.781
	1	POWER CORD 250V 3PIN EUR BK	27.01518.731
	1	POWER CABLE 16A 250V 3PIN EUR BK	27.01518.601
	1	POWER CORD 10A 250V SWISS	27.01518.691
	1	POWER CORD 10A 250V 3PIN SWISS BK	27.01518.581
	1	POWER CORD 10A 250V ARGENTINE	27.01518.0U1
	1	POWER CORD 10A 125V US	27.01518.641
	1	POWER CORD 10A 125V 3PIN US BK	27.01518.521
	1	POWER CORD 7A 250V 2PIN KOREAN	27.01518.531
	1	POWER CORD 3A 250V 3PIN UK	27.03118.001
	1	POWER CORD 5A 250V 3PIN UK BK	27.01518.541
	1	POWER CORD 7A 125V 2PIN JAPAN	27.01518.551
	1	POWER CORD 10A 3PIN BK DENMARK	27.01518.671
	1	POWER CORD 10A 250V 3PIN DENMARK BK	27.01518.561
	1	POWER CORD 10A 250V 3PIN BK SOUTH AFRICA	27.01518.681
	1	POWER CORD 16A 250V SOUTH AFRICA BK	27.01518.571
	1	POWER CORD 10A 250V 3PIN CHINA	27.01518.701
	1	POWER CORD 10A 250V 3PIN CHINA BK	27.01518.591
	1	POWER CORD 10A 250V 3PIN ITALY	27.01518.711
	1	POWER CORD 10A 250V 3PIN ITALY BK	27.01518.611
	1	POWER CORD 2.5A 250V AUSTRALIA	27.01518.621
	1	POWER CORD 2.5A 250V SOUTH AFRICA BK (INDIA)	27.01518.721
	1	POWER CORD 10A 250V SOUTH AFRICA BK (INDIA)	27.01518.631
	1	POWER CORD 7A 125V 2PIN JAPAN BK	27.01518.661
	1	POWER CORD 250V 10A 3PIN ISRAEL	27.01518.761
	1	POWER CORD 10A 250V 1.8M BRAZIL BLK	27.01518.A41
	1	POWER CORD ACA / ACNZ	27.03218.051
	1	POWER CORD 7.5A 250V 3P AUSTRALIA BK	27.03218.021
	1	POWER CODE 7A 125V 2PIN JAPAN	27.03518.161
	2	POWER SAVING BOARD CABLE	RESERVE




Category	No.	Part Name	Acer Part No.
CABLES	2	TOUCHPAD BOARD CABLE	RESERVE
	1	USB BOARD CABLE	50.4CD09.011
	1	USB BOARD CABLE	50.4CD09.001
CAMERA	2	CAMERA 0.3M SUYIN CN0314-SN30-OV03-5	56.18007.094
	2	CAMERA 0.3M CHICONY CNF701721004973L	56.18012.094
CASE/COVER/ BRACKET ASSEMBLY	2	BLUE-RAY COMBO BEZEL	42.PCC01.004
	1	CARD READER DUMMY CARD	42.TQ901.003
	2	DVD-RW SUPER-MULTI BEZEL	42.PCC01.003
	2	HDD BRACKET	33.PCC01.004
	2	HDD CONNECTOR SOCKET SATA 22P	20.PCC01.001
	2	LCD BEZEL 17.3" W/CAMERA HOLE	60.PC301.004
	2	LCD COVER17.3" IMR BLUE W/ANTENNA*2 & LOGO NONE 3G	60.PCC01.005
	2	LCD COVER 17.3" IMR BLUE W/ANTENNA*3 & LOGO NONE 3G	60.PCC01.006
	2	LED LCD BRACKET LEFT W/HINGE & DC-IN CABLE 90W	60.4CD36.001
	2	LED LCD BRACKET LEFT W/HINGE & DC-IN CABLE 90W	60.4CD38.001
	2	LED LCD BRACKET RIGHT W/HINGE & K-LOCK	60.4CD35.001
	2	LED LCD BRACKET RIGHT W/HINGE & K-LOCK	60.4CD32.001
	1	LOWER CASE W/MODEM CABLE&SPEAKER W/O TUBA WOOFER & TV HOLE	60.PC301.001
	1	MIDDLE COVER W/O TUBA WOOFER	42.PCK01.001
	2	OPTICAL BRACKET	33.PCC01.003
	2	SECOND HDD DOOR FOR BLANK HDD	42.PCC01.005
	1	TOUCHPAD BOARD BRACKET	33.PCC01.001
	1	UNITLOAD COVER	42.PCC01.002
	1	UPPER CASE BLACK W/POWER BUTTON &POWER SAVING&TOUCHPAD&FINGER PRINT BASE BOARD CABLE W/O FINGER PRINT HOLE	60.PC301.002
	1	VGA BRACKET	33.PCC01.002
	1	BLU-RAY COMBO MODULE 4X 12.7MM SATA	6M.PCK01.002
	2	ODD PANASONIC BD COMBO 12.7MM TRAY DL 4X UJ-130A LF W/O BEZEL SATA	KO.0040E.001
	2	ODD PLDS BD COMBO 12.7MM TRAY DL 4X DS-4E1S LF W/O BEZEL SATA	KO.00407.002
	2	ODD SONY BD COMBO 12.7MM TRAY DL 4X BC-5500S LF W/O BEZEL SATA	KO.0040F.001
	1	CPU AMD ATHLON64X2 QL-64 2.1G 638 35W GRIFFIN B1	KC.AQL02.640
	1	CPU AMD TURION RM72 PGA 2.1G 1M 638 35W GRIFFIN B1	KC.TRM02.720
	1	CPU AMD TURION RM-74 2.2G 1M 638 35W GRIFFIN B1	KC.TRM02.740
	1	CPU AMD TURION RM75 PGA 2.2G 1M 638 35W GRIFFIN B1	KC.TRM02.750
	1	CPU AMD TURIONX2 ZM82 PGA 2.2G 2M 638 35W GRIFFIN B1	KC.TZM02.820
	1	CPU AMD TURIONX2 ZM84 PGA 2.3G 2M 638 35W GRIFFIN B1	KC.TZM02.840

Category	No.	Part Name	Acer Part No.
DVD-RW DRIVE 	1	DVD-RW SUPER-MULTI MODULE 8X SATA	6M.PCK01.001
	2	ODD PLDS SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA DS-8A3S LF W/O BEZEL	KU.0080E.017
	2	ODD TOSHIBA SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA TS-L633B LF W/O BEZEL	KU.0080F.004
	2	ODD SONY SUPER-MULTI DRIVE 12.7MM TRAY DL 8X AD-7580S LF W/O BEZEL SATA	KU.00801.030
HDD/HARD DISK DRIVE 	2	HDD 160GB 5400RPM SATA SEAGATE ST9160310AS F/W:2010	KH.16008.022
	2	HDD 160GB 5400RPM SATA TOSHIBA LIBRA-BS MK1655GSX F/W:FG0101J 5.4	KH.16001.034
	2	HDD 160GB 5400RPM 2.5" SATA HGST HTS543216L9A300 F/W:C30C	KH.16004.006
	2	HDD 160GB 5400RPM 2.5" SATA WD WD1600BEVT-22ZCT0 FW:11.01A11	KH.16007.019
	2	HDD 2.5" 5400RPM 250GB SEAGATE ST9250315AS WYATT SATA LF F/W:0001SDM1	KH.25008.021
	2	HDD 250GB 5400RPM SATA TOSHIBA LIBRA-BS MK2555GSX F/W:FG000J 5.4K	KH.25001.016
	2	HDD 250GB 5400RPM SATA HGST HTS545025B9A300 PANTHER-B LF	KH.25004.003
	2	HDD 250GB 5400RPM SATA WD WD2500BEVT-22ZCT0 F/W:11.01A11	KH.25007.015
	2	HDD 320GB 5400RPM SATA TOSHIBA MK3255GSX LIBRA LF F/W:FG010J	KH.32008.013
	2	HDD 320GB 5400RPM SATA SEAGATE ST9320320AS F/W:2010	KH.32004.002
	2	HDD 320GB 5400RPM SATA HGST HTS545032B9A300 PANTHER B LF	KH.32001.008
	2	HDD 320GB 5400RPM SATA WD WD3200BEVT-22ZCT0 ML125 F/W:01.01A01	KH.32007.007
	2	HDD 500GB 5400RPM SEAGATE ST9500325AS SATA LF F/W:0001SDM1	KH.50008.013
	2	HDD 2.5" 5400RPM 500GB TOSHIBA MK5055GSX LIBRA SATA LF F/W:FG001J	KH.50001.011
	2	HDD 500GB 5400RPM HGST SATA HTS545050B9A300 PANTHER B LF	KH.50004.001
	2	HDD 500GB 5400RPM WD SATA WD5000BEVT-22ZAT0 F/W:01.01A01	KH.50007.009
HEATSINK 	1	CPU/VGA HEATSINK DIS W/FAN	60.4CE02.001
	1	CPU/VGA HEATSINK DIS W/FAN	60.4CE01.001
KEYBOARD 	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE US-INTERNATIONAL	KB.I170A.056
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE FRENCH	KB.I170A.039
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE UK	KB.I170A.055
	1	KEYBOARD 107KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE JAPANESE	KB.I170A.044
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE GREEK	KB.I170A.041
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE TAIWAN	KB.I170A.036

Category	No.	Part Name	Acer Part No.
KEYBOARD	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE THAILAND	KB.I170A.053
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE HEBREW	KB.I170A.057
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE ARABIC	KB.I170A.032
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE RUSSIAN	KB.I170A.048
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE SWEDISH	KB.I170A.051
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE PORTUGAL	KB.I170A.047
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE SLOVE	KB.I170A.049
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE BRAZILIAN PORTUGUESE	KB.I170A.034
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE SWISS	KB.I170A.052
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE DANISH	KB.I170A.037
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE ITALIAN	KB.I170A.043
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE BELGIAN	KB.I170A.033
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE GERMAN	KB.I170A.040
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE NORWEGIAN	KB.I170A.046
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE HUNGARIAN	KB.I170A.042
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE SPANISH	KB.I170A.050
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE TURKISH	KB.I170A.054
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE NORDIC	KB.I170A.045
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE FRENCH ARABIC	KB.I170A.038
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE FRENCH CANADIAN	KB.I170A.058
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE CZECH/SLOVAK	KB.I170A.035
LCD	1	LED LCD MODULE 17.3" WXGA GLARE IMR BLUE W/ ANTENNA*2&CAMERA 0.3M&K-LOCK&DC-IN CABLE 90W	6M.PCE01.001
	2	LED LCD LPL 17.3" WXGA+ GLARE LP173WD1-TLA1 LF 220NIT 8MS 600:1	LK.17305.001
	2	LED LCD AUO 17.3" WXGA+ GLARE B173RW01-V0 LF 220NIT 8MS 600:1	LK.17308.001
	1	LED LCD MODULE 17.3" WXGA GLARE IMR BLUE W/ ANTENNA*3&CAMERA 0.3M&K-LOCK&DC-IN CABLE 90W	6M.PCE01.002
	2	LED LCD AUO 17.3" WXGA+ GLARE B173RW01-V0 LF 220NIT 8MS 600:1	LK.17308.001
	2	LED LCD LPL 17.3" WXGA+ GLARE LP173WD1-TLA1 LF 220NIT 8MS 600:1	LK.17305.001

Category	No.	Part Name	Acer Part No.
MAINBOARD 	1	MAINBOARD JV70_PU DIS RS780MN SB700 LF W/RTC BATTERY&MODEM BOARD&BLUETOOTH BOARD CABLE W/O TV NONE 3G	MB.PCE01.001
MEMORY 	1	SODIMM 1GB DDRII667 SAMSUNG M470T2864EH3-CE6 LF	KN.1GB0G.022
	1	SODIMM 1GB DDRII667 NANYA NT1GT64UH8D0FN-3C LF (0.07U)	KN.1GB0B.027
	1	SODIMM 1GB DDRII667 MICRON MT8HTF12864HDY-667G1 LF	KN.1GB03.026
	1	SODIMM 1GB DDRII667 HYNIX HMP112S6EFR6C-Y5 LF	KN.1GB04.010
	1	SODIMM 1GB DDRII800 NANYA NT1GT64UH8D0FN-AD LF 64*16 0.07UM	KN.1GB03.025
	1	SODIMM 2GB DDRII667 SAMSUNG M470T5663EH3-CE6 LF	KN.2GB0G.012
	1	SODIMM 2GB DDRII667 NANYA NT2GT64U8HD0BN-3C LF (0.07U)	KN.2GB0B.011
	1	SODIMM 2GB DDRII667 MICRON MT16HTF25664HY-667G1 LF	KN.2GB03.011
	1	SODIMM 2GB DDRII667 HYNIX HYMP125S64CP8-Y5 LF	KN.2GB04.010
	1	SODIMM 2GB DDRII667 HYNIX HMP125S6EFR8C-Y5 LF	KN.2GB0G.004
	1	SODIMM 2GB DDRII800 NANYA NT2GT64U8HD0BN-AD LF 128*8 0.07UM	KN.2GB03.010
MICROPHONE	2	MICROPHONE	23.42246.001
	2	MICROPHONE	23.42247.001
MISCELLANEOUS	1	LCD SCREW RUBBER	47.PCC01.001
	1	NAME PLATE AS7535	40.PCE01.001
SCREWS	1	SCREW M2.5*L6	86.00E12.536
	1	SCREW M2*L3 BLACK ZN	86.FR901.001
	1	SCREW M2.5*L5 BLACK ZN+NYLOK	86.TK501.001
	1	SCREW M2*L4 WAFER NI	86.9A552.4R0
	1	SCREW M3*L4 WAFER NI	86.9A554.4R0
SPEAKER	2	SPEAKER CABLE	23.PCC01.001


2. ACER_ASPIRE 7235_UMA_JV70_PU (NO:S2.PAB0X.002)

Category	No.	Part Name	Acer Part No.
ADAPTER 	1	ADAPTER 65W 19V 3PIN LITEON PA-1650-22AC LV5 LED LF YELLOW	AP.0650A.012
	1	ADAPTER 65W 19V 3PIN DELTA ADP-65JH DB A LV5 LED LF YELLOW	AP.06503.024
	1	ADAPTER 65W 19V 3PIN HIPRO HP-A0652R3B 1LF LV5 LED LF YELLOW	AP.06501.026
BATTERY 	1	BATTERY SANYO AS-2007B LI-ION 3S2P SANYO 6 CELL 4400MAH MAIN COMMON NORMAL TYPE	BT.00606.001
	1	BATTERY SONY AS-2007B LI-ION 3S2P SONY 6 CELL 4400MAH MAIN COMMON NORMAL TYPE	BT.00603.042
	1	BATTERY PANASONIC AS-2007B LI-ION 3S2P PANASONIC 6 CELL 4400MAH MAIN COMMON PSS	BT.00604.025
	1	BATTERY SIMPLO AS-2007B LI-ION 3S2P PANASONIC 6 CELL 4400MAH MAIN COMMON PSS	BT.00605.021
	1	BATTERY SIMPLO AS-2007B LI-ION 3S2P SAMSUNG 6 CELL 4400MAH MAIN COMMON SDI 2.2F	BT.00607.016
	1	BATTERY SANYO AS-2007B LI-ION 4S2P SANYO 8 CELL 4800MAH MAIN COMMON	BT.00807.015
	1	BATTERY SONY AS-2007B LI-ION 4S2P SONY 8 CELL 4800MAH MAIN COMMON	BT.00803.024
BOARDS 	2	BLUETOOTH BOARD CABLE	50.4CD11.011
	2	BLUETOOTH BOARD CABLE	50.4CD11.001
	1	BLUETOOTH BOARD FOXCONN BCM2045 V2 T60H928.11	BT.21100.005
	1	LAUNCH BOARD	55.PCC01.001
	1	MINI WLAN/B FOXCONN 802.11BGN ATHEROS XB63 BG T60H976.00 FW:V06 MINICARD	NI.23600.007
	2	MODEM BOARD LITEON CONEXANT -UNIZION 1.5_3.3V AUS B85247600G	FX.22500.021
	1	POWER BUTTON BOARD	55.PCK01.003
	1	POWER SAVING BOARD	55.PCK01.001
	1	TOUCHPAD BOARD ALPS KGDF0036A	56.PCK01.001
	1	USB BOARD	55.PCK01.002

Category	No.	Part Name	Acer Part No.
	1	WIRELESS LAN BOARD 802.11BGN FOXCONN T77H028.00 RALINK RT2700E 1X2	NI.23600.031
	1	WIRELESS LAN BOARD 802.11BGN FOXCONN T77H053.00 ATHEROS AR5B91 1X2	NI.23600.030
	1	WIRELESS LAN BOARD 802.11BGN QMI EM303-AR ATHEROS AR5B91 1X2 MINICARD	NI.23600.033
CABLES	2	FINGER PRINT BASE BOARD CABLE	50.4CD08.011
	2	FINGER PRINT BASE BOARD CABLE	50.4CD08.001
	1	LAUNCH BOARD CABLE	50.4CD05.011
	1	LAUNCH BOARD CABLE	50.4CD05.001
	2	LED LCD/CAMERA/MICROPHONE CABLE	50.4CD12.011
	2	LED LCD/CAMERA/MICROPHONE CABLE	50.4CD12.001
	2	MODEM CABLE	RESERVE
	2	POWER BUTTON BOARD CABLE	RESERVE
	1	POWER CORD 2.5A 125V USA	27.01518.A11
	1	POWER CORD 2.5A 125V 1.8M BLACK TAIWANESE	27.01518.781
	1	POWER CORD 250V 3PIN EUR BK	27.01518.731
	1	POWER CABLE 16A 250V 3PIN EUR BK	27.01518.601
	1	POWER CORD 10A 250V SWISS	27.01518.691
	1	POWER CORD 10A 250V 3PIN SWISS BK	27.01518.581
	1	POWER CORD 10A 250V ARGENTINE	27.01518.0U1
	1	POWER CORD 10A 125V US	27.01518.641
	1	POWER CORD 10A 125V 3PIN US BK	27.01518.521
	1	POWER CORD 7A 250V 2PIN KOREAN	27.01518.531
	1	POWER CORD 3A 250V 3PIN UK	27.03118.001
	1	POWER CORD 5A 250V 3PIN UK BK	27.01518.541
	1	POWER CORD 7A 125V 2PIN JAPAN	27.01518.551
	1	POWER CORD 10A 3PIN BK DENMARK	27.01518.671
	1	POWER CORD 10A 250V 3PIN DENMARK BK	27.01518.561
	1	POWER CORD 10A 250V 3PIN BK SOUTH AFRICA	27.01518.681
	1	POWER CORD 16A 250V SOUTH AFRICA BK	27.01518.571
	1	POWER CORD 10A 250V 3PIN CHINA	27.01518.701
	1	POWER CORD 10A 250V 3PIN CHINA BK	27.01518.591
	1	POWER CORD 10A 250V 3PIN ITALY	27.01518.711
	1	POWER CORD 10A 250V 3PIN ITALY BK	27.01518.611
	1	POWER CORD 2.5A 250V AUSTRALIA	27.01518.621
	1	POWER CORD 2.5A 250V SOUTH AFRICA BK (INDIA)	27.01518.721
	1	POWER CORD 10A 250V SOUTH AFRICA BK (INDIA)	27.01518.631
	1	POWER CORD 7A 125V 2PIN JAPAN BK	27.01518.661
	1	POWER CORD 250V 10A 3PIN ISRAEL	27.01518.761
	1	POWER CORD 10A 250V 1.8M BRAZIL BLK	27.01518.A41
	1	POWER CORD ACA / ACNZ	27.03218.051
	1	POWER CORD 7.5A 250V 3P AUSTRALIA BK	27.03218.021
	1	POWER CORD 7A 125V 2PIN JAPAN	27.03518.161
	2	POWER SAVING BOARD CABLE	RESERVE
	2	TOUCHPAD BOARD CABLE	RESERVE
	1	USB BOARD CABLE	50.4CD09.011

Category	No.	Part Name	Acer Part No.
CABLES	1	USB BOARD CABLE	50.4CD09.001
CASE/COVER/ BRACKET ASSEMBLY	2	BLUE-RAY COMBO BEZEL	42.PCC01.004
	1	CARD READER DUMMY CARD	42.TQ901.003
	2	DVD-RW SUPER-MULTI BEZEL	42.PCC01.003
	2	HDD BRACKET	33.PCC01.004
	2	HDD CONNECTOR SOCKET SATA 22P	20.PCC01.001
	2	LCD BEZEL 17.3" W/O CAMERA HOLE	60.PCK01.002
	2	LCD COVER 17.3" IMR BLUE W/ANTENNA*2 & LOGO NONE 3G	60.PCC01.005
	2	LCD COVER 17.3" IMR BLUE W/ANTENNA*3 & LOGO NONE 3G	60.PCC01.006
	2	LED LCD BRACKET LEFT W/HINGE & DC-IN CABLE 65W	60.4CD34.001
	2	LED LCD BRACKET LEFT W/HINGE & DC-IN CABLE 65W	60.4CD33.001
	2	LED LCD BRACKET RIGHT W/HINGE & K-LOCK	60.4CD35.001
	2	LED LCD BRACKET RIGHT W/HINGE & K-LOCK	60.4CD32.001
	1	LOWER CASE W/MODEM CABLE&SPEAKER W/O TUBA WOOFER & TV HOLE	60.PC301.001
	1	MIDDLE COVER W/O TUBA WOOFER	42.PCK01.001
	2	OPTICAL BRACKET	33.PCC01.003
	2	SECOND HDD DOOR FOR BLANK HDD	42.PCC01.005
	1	TOUCHPAD BOARD BRACKET	33.PCC01.001
	1	UNITLOAD COVER	42.PCC01.002
	1	UPPER CASE BLACK W/POWER BUTTON &POWER SAVING&TOUCHPAD&FINGER PRINT BASE BOARD CABLE W/O FINGER PRINT HOLE	60.PC301.002
	1	BLU-RAY COMBO MODULE 4X 12.7MM SATA	6M.PCK01.002
	2	ODD PANASONIC BD COMBO 12.7MM TRAY DL 4X UJ-130A LF W/O BEZEL SATA	KO.0040E.001
	2	ODD PLDS BD COMBO 12.7MM TRAY DL 4X DS-4E1S LF W/O BEZEL SATA	KO.00407.002
	2	ODD SONY BD COMBO 12.7MM TRAY DL 4X BC-5500S LF W/O BEZEL SATA	KO.0040F.001
	1	CPU AMD ATHLON64X2 QL-64 2.1G 638 35W GRIFFIN B1	KC.AQL02.640
	1	CPU AMD TURION RM72 PGA 2.1G 1M 638 35W GRIFFIN B1	KC.TRM02.720
	1	CPU AMD TURION RM-74 2.2G 1M 638 35W GRIFFIN B1	KC.TRM02.740
	1	CPU AMD TURION RM75 PGA 2.2G 1M 638 35W GRIFFIN B1	KC.TRM02.750
	1	CPU AMD TURIONX2 ZM82 PGA 2.2G 2M 638 35W GRIFFIN B1	KC.TZM02.820
	1	CPU AMD TURIONX2 ZM84 PGA 2.3G 2M 638 35W GRIFFIN B1	KC.TZM02.840
	1	DVD-RW SUPER-MULTI MODULE 8X SATA	6M.PCK01.001
	2	ODD SONY SUPER-MULTI DRIVE 12.7MM TRAY DL 8X AD-7580S LF W/O BEZEL SATA	KU.00801.030
	2	ODD PLDS SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA DS-8A3S LF W/O BEZEL	KU.0080E.017
	2	ODD TOSHIBA SUPER-MULTI DRIVE 12.7MM TRAY DL 8X SATA TS-L633B LF W/O BEZEL	KU.0080F.004

Category	No.	Part Name	Acer Part No.
HDD/HARD DISK DRIVE 	2	HDD 160GB 5400RPM SATA SEAGATE ST9160310AS F/W:2010	KH.16008.022
	2	HDD 160GB 5400RPM SATA TOSHIBA LIBRA-BS MK1655GSX F/W:FG0101J 5.4	KH.16001.034
	2	HDD 160GB 5400RPM 2.5" SATA HGST HTS543216L9A300 F/W:C30C	KH.16004.006
	2	HDD 160GB 5400RPM 2.5" SATA WD WD1600BEVT-22ZCT0 FW:11.01A11	KH.16007.019
	2	HDD 2.5" 5400RPM 250GB SEAGATE ST9250315AS WYATT SATA LF F/W:0001SDM1	KH.25008.021
	2	HDD 250GB 5400RPM SATA TOSHIBA LIBRA-BS MK2555GSX F/W:FG000J 5.4K	KH.25001.016
	2	HDD 250GB 5400RPM SATA HGST HTS545025B9A300 PANTHER-B LF	KH.25004.003
	2	HDD 250GB 5400RPM SATA WD WD2500BEVT-22ZCT0 F/W:11.01A11	KH.25007.015
	2	HDD 320GB 5400RPM SATA TOSHIBA MK3255GSX LIBRA LF F/W:FG010J	KH.32008.013
	2	HDD 320GB 5400RPM SATA SEAGATE ST9320320AS F/W:2010	KH.32004.002
	2	HDD 320GB 5400RPM SATA HGST HTS545032B9A300 PANTHER B LF	KH.32001.008
	2	HDD 320GB 5400RPM SATA WD WD3200BEVT-22ZCT0 ML125 F/W:01.01A01	KH.32007.007
	2	HDD 500GB 5400RPM SEAGATE ST9500325AS SATA LF F/W:0001SDM1	KH.50008.013
	2	HDD 2.5" 5400RPM 500GB TOSHIBA MK5055GSX LIBRA SATA LF F/W:FG001J	KH.50001.011
	2	HDD 500GB 5400RPM HGST SATA HTS545050B9A300 PANTHER B LF	KH.50004.001
	2	HDD 500GB 5400RPM WD SATA WD5000BEVT-22ZAT0 F/W:01.01A01	KH.50007.009
HEATSINK	1	CPU HEATSINK UMA W/FAN	60.4CE04.001
	1	CPU HEATSINK UMA W/FAN	60.4CE03.001
KEYBOARD 	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE US-INTERNATIONAL	KB.I170A.056
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE FRENCH	KB.I170A.039
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE UK	KB.I170A.055
	1	KEYBOARD 107KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE JAPANESE	KB.I170A.044
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE GREEK	KB.I170A.041
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE TAIWAN	KB.I170A.036
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE THAILAND	KB.I170A.053
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE HEBREW	KB.I170A.057
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE ARABIC	KB.I170A.032
	1	KEYBOARD 103KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE RUSSIAN	KB.I170A.048
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE SWEDISH	KB.I170A.051

Category	No.	Part Name	Acer Part No.
KEYBOARD	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE PORTUGAL	KB.I170A.047
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE SLOVE	KB.I170A.049
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE BRAZILIAN PORTUGUESE	KB.I170A.034
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE SWISS	KB.I170A.052
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE DANISH	KB.I170A.037
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE ITALIAN	KB.I170A.043
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE BELGIAN	KB.I170A.033
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE GERMAN	KB.I170A.040
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE NORWEGIAN	KB.I170A.046
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE HUNGARIAN	KB.I170A.042
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE SPANISH	KB.I170A.050
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE TURKISH	KB.I170A.054
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE NORDIC	KB.I170A.045
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE FRENCH ARABIC	KB.I170A.038
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE FRENCH CANADIAN	KB.I170A.058
	1	KEYBOARD 104KEYS NSK-ALA0J AC7T JV50 INTERNAL 17 STANDARD BLACK TEXTURE CZECH/SLOVAK	KB.I170A.035
LCD	1	LED LCD MODULE 17.3" WXGA GLARE IMR BLUE W/ANTENNA*2&K-LOCK&DC-IN CABLE 65W W/O CAMERA	6M.PCK01.003
	1	LED LCD MODULE 17.3" WXGA GLARE IMR BLUE W/ANTENNA*3&K-LOCK&DC-IN CABLE 65W W/O CAMERA	6M.PCK01.004
	2	LED LCD AUO 17.3" WXGA+ GLARE B173RW01-V0 LF 220NIT 8MS 600:1	LK.17308.001
	2	LED LCD LPL 17.3" WXGA+ GLARE LP173WD1-TLA1 LF 220NIT 8MS 600:1	LK.17305.001
	2	LED LCD AUO 17.3" WXGA+ GLARE B173RW01-V0 LF 220NIT 8MS 600:1	LK.17308.001
	2	LED LCD LPL 17.3" WXGA+ GLARE LP173WD1-TLA1 LF 220NIT 8MS 600:1	LK.17305.001
MAINBOARD 	1	MAINBOARD JV70_PU UMA RS780MN SB700 LF W/RTC BATTERY&MODEM BOARD&BLUETOOTH BOARD CABLE W/O TV NONE 3G	MB.PCF01.001

Category	No.	Part Name	Acer Part No.
MEMORY 	1	SODIMM 1GB DDRII667 NANYA NT1GT64UH8D0FN-3C LF (0.07U)	KN.1GB0G.022
	1	SODIMM 1GB DDRII667 SAMSUNG M470T2864EH3-CE6 LF	KN.1GB03.026
	1	SODIMM 1GB DDRII667 MICRON MT8HTF12864HDY-667G1 LF	KN.1GB0B.027
	1	SODIMM 1GB DDRII667 HYNIX HMP112S6EFR6C-Y5 LF	KN.1GB04.010
	1	SODIMM 1GB DDRII800 NANYA NT1GT64UH8D0FN-AD LF 64*16 0.07UM	KN.1GB03.025
	1	SODIMM 2GB DDRII667 SAMSUNG M470T5663EH3-CE6 LF	KN.2GB0G.012
	1	SODIMM 2GB DDRII667 NANYA NT2GT64U8HD0BN-3C LF (0.07U)	KN.2GB0B.011
	1	SODIMM 2GB DDRII667 MICRON MT16HTF25664HY-667G1 LF	KN.2GB03.011
	1	SODIMM 2GB DDRII667 HYNIX HYMP125S64CP8-Y5 LF	KN.2GB04.010
	1	SODIMM 2GB DDRII667 HYNIX HMP125S6EFR8C-Y5 LF	KN.2GB0G.004
	1	SODIMM 2GB DDRII800 NANYA NT2GT64U8HD0BN-AD LF 128*8 0.07UM	KN.2GB03.010
MICROPHONE	2	MICROPHONE	23.42246.001
	2	MICROPHONE	23.42247.001
MISCELLANEOUS	1	LCD SCREW RUBBER	47.PCC01.001
	1	NAME PLATE AS7235	40.PCK01.001
SCREWS	1	SCREW M2.5*L6	86.00E12.536
	1	SCREW M2*L3 BLACK ZN	86.FR901.001
	1	SCREW M2.5*L5 BLACK ZN+NYLOK	86.TK501.001
	1	SCREW M2*L4 WAFER NI	86.9A552.4R0
	1	SCREW M3*L4 WAFER NI	86.9A554.4R0
SPEAKER	2	SPEAKER CABLE	23.PCC01.001

Model Definition and Configuration

Aspire 7738/7738G Series

Model	RO	Country	Acer Part No	Description	CPU	LCD	VGA Chip	VRAM 1	Memory 1/ Memory 2	HDD 1 (GB)/ HDD 2 (GB)	ODD	Wireless LAN/ Wireless LAN1	Bluetooth	Finger Print	Battery	Adapter	Camera	Remote Controller 1	TV Tuner	TV Antenna	K/B	Power Cord
AS7735G-742G50bN	WW	WW	S2.P370Y001	AS7735G-742G50bN VHB32AWW1 MC M92XT6 ZCEF 1*2G500_L1BT8L/ CB_x2_FP_1.0D_HG_EN11	C2DP7450	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10 /N	N500GB 4KS/ N	NBDCB4XS	SP1x2MMW/ SP1x2MMW	BT 2.0	SS801U	8CELL2.4	90W	1.0M DV	N	N	Passive Antenna	US International	US and Continental
AS7735G-862G50bI	WW	WW	S2.P370Y002	AS7735G-862G50bI VHB4AWW1 MC M92XT6 ZCEF 1*2G500_L1BT8L/ CB_abg_FP_1.0D_HG_EN11	C2DP8600	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10 /N	N500GB 4KS/ N	NBDCB4XS	SP1x2MABG/ SP1x2MABG	BT 2.0	SS801U	8CELL2.4	90W	1.0M DV	N	N	Passive Antenna	US International	US and Continental
AS7735G-904G82bN	WW	GCTWN	S2.P800X.001	AS7735G-904G82bN VHP32AWW1 MC M961GBTCEF 2*2G500_L+320/6T8L/ CB_x3_DVB1 DPT_FP_1.0D_HG_ENK1	C2Q90000	NLED17.3 WXGA+G	M96	1G-DDR2 (64*16*8)	SO2GBIII10 /N	N500GB 4KS/ N320GB 4KS	NBDCB4XS	SP3x3MMW/ SP3x3MMW	BT 2.0	SS801U	8CELL2.4	120W	1.0M DV	RC804VB	DVB-T Mini-card	Passive Antenna	US International	US and Continental
AS7735G-904G82bN	WW	WW	S2.P800X.002	AS7735G-904G82bN VHP32AWW1 MC M961GBTCEF 2*2G500_L+320/6T8L/ CB_x3_DVB1 DPT_FP_1.0D_HG_EN11	C2Q90000	NLED17.3 WXGA+G	M96	1G-DDR2 (64*16*8)	SO2GBIII10 /SO2GBIII10	N500GB 4KS/ N320GB 4KS	NBDCB4XS	SP3x3MMW/ SP3x3MMW	BT 2.0	SS801U	8CELL2.4	120W	1.0M DV	RC804VB	DVB-T Mini-card	Passive Antenna	US International	US and Continental
AS7738G-644G100bN	EMEA	Finland	LX.PCC0X.133	AS7738G-644G100bN VHP32ATF2 MC N10PGE11GBCFrk 2*2G500_L+500_L/ SLCB_x2_FP_1.0D_HG_F111	C2DT6400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII10 /SO2GBIII10	N500GB 4KS/ N500GB 4KS	NBDCB4XS	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Sweden (KB.I170A.078)	Continental
AS7738G-644G50Mh	EMEA	Switzerland	LX.PCC0X.132	AS7738G-644G50Mh VHP32ATCH1 MC N10PGE11GBCFrk 2*2G500_L+500_L/ CB_x2_FP_1.0D_HG_IT42	C2DT6400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII10 /SO2GBIII10	N500GB 4KS/ N	NSMBXS	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Swiss/G (KB.I170A.079)	Swiss
AS7738G-744G32Mh	EMEA	France	LX.PCC0X.130	AS7738G-744G32Mh VHP32ATFR1 MC N10PGE11GBCFrk 2*2G320W/L/ CB_x2_FP_1.0D_HG_FR23	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII10 /SO2GBIII10	N320GB 4KS/ N	NSMBXS	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	French (KB.I170A.066)	Continental
AS7738G-864G50Mh	EMEA	France	LX.PCC0X.129	AS7738G-864G50Mh VHP32ATFR1 MC N10PGE11GBCFrk 2*2G500_L1BL/ CB_x2_FP_1.0D_HG_FR23	C2DP8600	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII10 /SO2GBIII10	N500GB 4KS/ N	NSMBXS	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	French (KB.I170A.066)	Continental
AS7738G-644G100Mh	EMEA	Switzerland	LX.PCC0X.131	AS7738G-644G100Mh VHP32ATCH1 MC N10PGE11GBCFrk 2*2G500_L+500_L/ SLCB_x2_FP_1.0D_HG_IT42	C2DT6400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII10 /SO2GBIII10	N500GB 4KS/ N500GB 4KS	NSMBXS	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Swiss/G (KB.I170A.079)	Swiss
AS7738G-644G32Mh	EMEA	South Africa	LX.PCC0X.125	AS7738G-644G32Mh EM VHP32ATZ2A MC N10PGE11GBCFrk 2*2G320W/L/ CB_x2_FP_1.0D_HG_EN16	C2DT6400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII10 /SO2GBIII10	N320GB 4KS/ N	NSMBXS	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International (KB.I170A.083)	AF
AS7738G-644G32Mh	EMEA	South Africa	LX.PCC0X.124	AS7738G-644G32Mh EM VHP32ATZ1A MC N10PGE11GBCFrk 2*2G320W/L/ CB_x2_FP_1.0D_HG_FR23	C2DT6400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII10 /SO2GBIII10	N320GB 4KS/ N	NSMBXS	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	French (KB.I170A.066)	Continental
AS7738G-644G32Mh	EMEA	Denmark	LX.PCC0X.123	AS7738G-644G32Mh VHP32ATDK1 MC N10PGE11GBCFrk 2*2G320W/L/ CB_x2_FP_1.0D_HG_N013	C2DT6400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII10 /SO2GBIII10	N320GB 4KS/ N	NSMBXS	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Danish (KB.I170A.064)	Danish
AS7738G-644G32Mh	EMEA	France	LX.PCC0X.122	AS7738G-644G32Mh VHP32ATFR1 MC N10PGE11GBCFrk 2*2G320W/L/ CB_x2_FP_1.0D_HG_FR23	C2DT6400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII10 /SO2GBIII10	N320GB 4KS/ N	NSMBXS	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	French (KB.I170A.066)	Continental
AS7738G-644G32Mh	EMEA	Germany	LX.PCC0X.121	AS7738G-644G32Mh VHP32ATDE1 MC N10PGE11GBCFrk 2*2G320W/L/ CB_x2_FP_1.0D_HG_DE13	C2DT6400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII10 /SO2GBIII10	N320GB 4KS/ N	NSMBXS	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	German (KB.I170A.067)	Continental
AS7738G-644G32Mh	EMEA	Belgium	LX.PCC0X.120	AS7738G-644G32Mh VHP32ATBE1 MC N10PGE11GBCFrk 2*2G320W/L/ CB_x2_FP_1.0D_HG_NL13	C2DT6400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII10 /SO2GBIII10	N320GB 4KS/ N	NSMBXS	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Belgium (KB.I170A.060)	Continental
AS7738G-744G32Mh	PA	USA	LX.PCC0X.128	AS7738G-744G32Mh VHP64ATU51 MC N10PGE11GBCFrk 2*2G320W/L/ CB_x2_FP_1.0D_HG_EN11	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII10 /SO2GBIII10	N320GB 4KS/ N	NSMBXS	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	90W	1.0M DV	N	N	N	US International (KB.I170A.083)	US-110V
AS7738G-644G32Mh	EMEA	Denmark	LX.PCC0X.127	AS7738G-644G32Mh VHP32ATDK2 MC N10PGE11GBCFrk 2*2G320W/L/ CB_x2_FP_1.0D_HG_EN53	C2DT6400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII10 /SO2GBIII10	N320GB 4KS/ N	NSMBXS	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Nordic (KB.I170A.072)	Danish/Continental
AS7738G-644G32Mh	EMEA	South Africa	LX.PCC0X.126	AS7738G-644G32Mh EM VHP32ATZ4A MC N10PGE11GBCFrk 2*2G320W/L/ CB_x2_FP_1.0D_HG_EN11	C2DT6400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII10 /SO2GBIII10	N320GB 4KS/ N	NSMBXS	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International (KB.I170A.083)	UK
AS7738G-644G32Mh	EMEA	Holland	LX.PCC0X.119	AS7738G-644G32Mh VHP32ATNL1 MC N10PGE11GBCFrk 2*2G320W/L/ CB_x2_FP_1.0D_HG_NL12	C2DT6400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII10S O2GBIII10	N320GB 4KS/ N	NSMBXS	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International (KB.I170A.083)	Continental
AS7738G-644G32Mh	EMEA	Norway	LX.PCC0X.117	AS7738G-644G32Mh VHP32ATNO1 MC N10PGE11GBCFrk 2*2G320W/L/ CB_x2_FP_1.0D_HG_N012	C2DT6400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII10 /SO2GBIII10	N320GB 4KS/ N	NSMBXS	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Norwegian (KB.I170A.073)	Continental
AS7738G-644G32Mh	EMEA	Russia	LX.PCC0X.115	AS7738G-644G32Mh VHP32ATRU1 MC N10PGE11GBCFrk 2*2G320W/L/ CB_abg_FP_1.0D_HG_RU11	C2DT6400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII10 /SO2GBIII10	N320GB 4KS/ N	NSMBXS	SP1x2MMW/ SP1x2MABG	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Russian (KB.I170A.075)	Continental
AS7738G-644G32Mh	EMEA	Norway	LX.PCC0X.116	AS7738G-644G32Mh VHP32ATNO3 MC N10PGE11GBCFrk 2*2G320W/L/ CB_x2_FP_1.0D_HG_EN53	C2DT6400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII10 /SO2GBIII10	N320GB 4KS/ N	NSMBXS	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Nordic (KB.I170A.072)	Danish/Continental
AS7738G-644G32Mh	EMEA	Luxembourg	LX.PCC0X.118	AS7738G-644G32Mh VHP32ATLJ3 MC N10PGE11GBCFrk 2*2G320W/L/ CB_x2_FP_1.0D_HG_IT41	C2DT6400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII10 /SO2GBIII10	N320GB 4KS/ N	NSMBXS	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Swiss/G (KB.I170A.079)	Continental

Model	RO	Country	Acer Part No	Description	CPU	LCD	VGA Chip	VRAM 1	Memory 1/ Memory 2	HDD 1 (GB)/ HDD 2 (GB)	ODD	Wireless LAN/ Wireless LAN1	Bluetooth	Finger Print	Battery	Adapter	Camera	Remote Controller 1	TV Tuner	TV Antenna	K/B	Power Cord
AS7738G-644G32Mn	EMEA	Austria	LX.PCC0X.114	AS7738G-644G32Mn VHP32ATAT1 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_SE11	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/0/ SO2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	German (KB.I170A.067)	Continental
AS7738G-644G32Mn	EMEA	Czech	LX.PCC0X.112	AS7738G-644G32Mn VHP32ATC2Z2 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_SK12	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/0/ SO2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	CZ/SK (KB.I170A.062)	Continental
AS7738G-644G32Mn	EMEA	Sweden	LX.PCC0X.113	AS7738G-644G32Mn VHP32ATE1 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_F113	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2(64*16*8)	SO2GBIIIH/0/ SO2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Sweden (KB.I170A.078)	Continental
AS7738G-644G32Mn	EMEA	Eastern Europe	LX.PCC0X.111	AS7738G-644G32Mn VHP32ATEU7 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_SL11	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2(64*16*8)	SO2GBIIIH/0/ SO2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	SLO/CRO (KB.I170A.076)	Continental
AS7738G-644G32Mn	EMEA	Eastern Europe	LX.PCC0X.110	AS7738G-644G32Mn VHP32ATEU7 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_ENR2	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2(64*16*8)	SO2GBIIIH/0/ SO2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	SLO/CRO (KB.I170A.076)	Continental
AS7738G-644G32Mn	EMEA	Eastern Europe	LX.PCC0X.109	AS7738G-644G32Mn VHP32ATEU4 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_SV22	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2(64*16*8)	SO2GBIIIH/0/ SO2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Sweden (KB.I170A.078)	Continental
AS7738G-644G32Mn	EMEA	Finland	LX.PCC0X.105	AS7738G-644G32Mn VHP32ATF12 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_F111	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2(64*16*8)	SO2GBIIIH/0/ SO2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Sweden (KB.I170A.078)	Continental
AS7738G-644G32Mn	EMEA	Israel	LX.PCC0X.099	AS7738G-644G32Mn VHP32AT1 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_HE12	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2(64*16*8)	SO2GBIIIH/0/ SO2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International w/ Hebrew (KB.I170A.084)	Israel
AS7738G-644G32Mn	EMEA	Greece	LX.PCC0X.101	AS7738G-644G32Mn VHP32ATGR1 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_EL32	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2(64*16*8)	SO2GBIIIH/0/ SO2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Greek (KB.I170A.068)	Continental
AS7738G-644G32Mn	EMEA	Spain	LX.PCC0X.102	AS7738G-644G32Mn VHP32ATES1 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_ES22	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2(64*16*8)	SO2GBIIIH/0/ SO2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Spanish (KB.I170A.077)	Continental
AS7738G-644G32Mn	EMEA	Portugal	LX.PCC0X.103	AS7738G-644G32Mn VHP32ATPT1 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_PT12	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2(64*16*8)	SO2GBIIIH/0/ SO2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Portuguese (KB.I170A.074)	Continental
AS7738G-644G32Mn	EMEA	Hungary	LX.PCC0X.104	AS7738G-644G32Mn VHP32ATHU1 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_HU13	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/0/ SO2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Hungarian (KB.I170A.069)	Continental
AS7738G-644G32Mn	EMEA	Eastern Europe	LX.PCC0X.106	AS7738G-644G32Mn VHP32ATEU5 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_R012	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/0S O2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International (KB.I170A.083)	Continental
AS7738G-644G32Mn	EMEA	Eastern Europe	LX.PCC0X.108	AS7738G-644G32Mn VHP32ATEU5 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_PL13	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/0S O2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International (KB.I170A.083)	Continental
AS7738G-644G32Mn	EMEA	Eastern Europe	LX.PCC0X.107	AS7738G-644G32Mn VHP32ATEU0 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_RU23	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/0S O2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Russian (KB.I170A.075)	Continental
AS7738G-644G32Mn	EMEA	Italy	LX.PCC0X.098	AS7738G-644G32Mn VHP32ATT11 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_IT12	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/0S O2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Italian (KB.I170A.070)	Italian
AS7738G-644G32Mn	EMEA	Middle East	LX.PCC0X.096	AS7738G-644G32Mn EM VHP32ATME8 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_EN15	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/0S O2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International (KB.I170A.083)	UK
AS7738G-644G32Mn	EMEA	Middle East	LX.PCC0X.095	AS7738G-644G32Mn EM VHP32ATME2 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_EN15	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/0/ SO2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Arabic (KB.I170A.059)	UK and US-110V
AS7738G-644G32Mn	EMEA	Middle East	LX.PCC0X.097	AS7738G-644G32Mn EM VHP32ATME9 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_FR22	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/0/ SO2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	FR/Arabic (KB.I170A.065)	Continental
AS7738G-644G32Mn	EMEA	Middle East	LX.PCC0X.094	AS7738G-644G32Mn EM VHP32ATME4 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_EN11	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/0/ SO2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Russian (KB.I170A.075)	Continental
AS7738G-644G32Mn	EMEA	Middle East	LX.PCC0X.092	AS7738G-644G32Mn EM VHP32ATME2 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_AR13	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/0/ SO2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Arabic (KB.I170A.059)	UK and US-110V
AS7738G-644G32Mn	EMEA	Middle East	LX.PCC0X.090	AS7738G-644G32Mn EM VHP32ATME2 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_AR23	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/0/ SO2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Arabic (KB.I170A.059)	UK and US-110V
AS7738G-644G32Mn	EMEA	Poland	LX.PCC0X.089	AS7738G-644G32Mn VHP32ATPL1 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_PL11	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/0/ SO2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International (KB.I170A.083)	Continental
AS7738G-644G32Mn	EMEA	Middle East	LX.PCC0X.091	AS7738G-644G32Mn EM VHP32ATME3 MC N10PGE11GBCFrk 2'2G/320BL/ CB_x2_FP_1_0D_HG_FR23	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/0/ SO2GBIIIH/0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	French (KB.I170A.066)	Continental

Model	RO	Country	Acer Part No	Description	CPU	LCD	VGA Chip	VRAM 1	Memory 1/ Memory 2	HDD 1 (GB)/ HDD 2 (GB)	ODD	Wireless LAN/ Wireless LAN1	Bluetooth	Finger Print	Battery	Adapter	Camera	Remote Controller 1	TV Tuner	TV Antenna	K/B	Power Cord
AS7738G-644G32Mn	EMEA	Middle East	LX.PCC0X.093	AS7738G-644G32Mn EM VHP32ATME4 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_x2_FP_1.0D_HG_R061	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Russian (KB.I170A.075)	Continental
AS7738G-644G32Mn	EMEA	Switzerland	LX.PCC0X.088	AS7738G-644G32Mn VHP32ATCH1 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_x2_FP_1.0D_HG_IT42	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Swiss/G (KB.I170A.079)	Swiss
AS7738G-644G32Mn	EMEA	Turkey	LX.PCC0X.087	AS7738G-644G32Mn EM VHP32ATTR1 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_x2_FP_1.0D_HG_TR33	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Turkish (KB.I170A.081)	Continental
AS7738G-644G32M	EMEA	Ukraine	LX.PCC0X.096	AS7738G-644G32M VHP32ATUK1 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_abg_FP_1.0D_HG_RU11	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MABG	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Russian (KB.I170A.075)	Continental
AS7738G-744G50Mn	EMEA	South Africa	LX.PCC0X.084	AS7738G-744G50Mn EM VHP32ATZA2 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_x2_FP_1.0D_HG_EN16	C2D7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International (KB.I170A.083)	AF
AS7738G-744G50Mn	EMEA	South Africa	LX.PCC0X.083	AS7738G-744G50Mn EM VHP32ATZA1 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_x2_FP_1.0D_HG_FR23	C2D7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	French (KB.I170A.066)	Continental
AS7738G-644G32Mn	EMEA	UK	LX.PCC0X.085	AS7738G-644G32Mn VHP32ATGB1 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_x2_FP_1.0D_HG_EN14	C2D76400	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N320GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	UK (KB.I170A.082)	UK
AS7738G-744G50Mn	EMEA	South Africa	LX.PCC0X.082	AS7738G-744G50Mn EM VHP32ATZA4 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_x2_FP_1.0D_HG_EN11	C2D7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International (KB.I170A.083)	UK
AS7738G-744G50Mn	EMEA	Denmark	LX.PCC0X.080	AS7738G-744G50Mn VHP32ATDK2 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_x2_FP_1.0D_HG_ENS3	C2D7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Nordic (KB.I170A.072)	Danish/Continental
AS7738G-744G50Mn	EMEA	France	LX.PCC0X.079	AS7738G-744G50Mn VHP32ATFR1 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_x2_FP_1.0D_HG_FR23	C2D7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	French (KB.I170A.066)	Continental
AS7738G-744G50Mn	EMEA	Denmark	LX.PCC0X.081	AS7738G-744G50Mn VHP32ATDK1 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_x2_FP_1.0D_HG_NO13	C2D7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Danish (KB.I170A.064)	Danish
AS7738G-744G50Mn	EMEA	Germany	LX.PCC0X.078	AS7738G-744G50Mn VHP32ATDE1 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_x2_FP_1.0D_HG_DE13	C2D7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	German (KB.I170A.067)	Continental
AS7738G-744G50Mn	EMEA	Holland	LX.PCC0X.076	AS7738G-744G50Mn VHP32ATNL1 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_x2_FP_1.0D_HG_NL12	C2D7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International (KB.I170A.083)	Continental
AS7738G-744G50Mn	EMEA	Norway	LX.PCC0X.074	AS7738G-744G50Mn VHP32ATNO1 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_x2_FP_1.0D_HG_NO12	C2D7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Norwegian (KB.I170A.073)	Continental
AS7738G-744G50M	EMEA	Russia	LX.PCC0X.072	AS7738G-744G50M VHP32ATRU1 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_abg_FP_1.0D_HG_RU11	C2D7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MABG	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Russian (KB.I170A.075)	Continental
AS7738G-744G50Mn	EMEA	Czech	LX.PCC0X.069	AS7738G-744G50Mn VHP32ATCZ2 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_x2_FP_1.0D_HG_SK12	C2D7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	CZ/SK (KB.I170A.082)	Continental
AS7738G-744G50Mn	EMEA	Sweden	LX.PCC0X.070	AS7738G-744G50Mn VHP32ATSE1 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_x2_FP_1.0D_HG_F113	C2D7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Sweden (KB.I170A.078)	Continental
AS7738G-744G50Mn	EMEA	Austria	LX.PCC0X.071	AS7738G-744G50Mn VHP32ATAT1 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_x2_FP_1.0D_HG_DE11	C2D7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	German (KB.I170A.067)	Continental
AS7738G-744G50Mn	EMEA	Norway	LX.PCC0X.073	AS7738G-744G50Mn VHP32ATNO3 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_x2_FP_1.0D_HG_ENS3	C2D7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Nordic (KB.I170A.072)	Danish/Continental
AS7738G-744G50Mn	EMEA	Luxembourg	LX.PCC0X.075	AS7738G-744G50Mn VHP32ATLU3 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_x2_FP_1.0D_HG_IT41	C2D7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Swiss/G (KB.I170A.079)	Continental
AS7738G-744G50Mn	EMEA	Belgium	LX.PCC0X.077	AS7738G-744G50Mn VHP32ATBE1 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_x2_FP_1.0D_HG_NL13	C2D7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Belgium (KB.I170A.060)	Continental
AS7738G-744G50Mn	EMEA	Eastern Europe	LX.PCC0X.068	AS7738G-744G50Mn VHP32ATEU7 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_x2_FP_1.0D_HG_SL11	C2D7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Sl/CRO (KB.I170A.076)	Continental
AS7738G-744G50Mn	EMEA	Eastern Europe	LX.PCC0X.064	AS7738G-744G50Mn VHP32ATEU3 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_x2_FP_1.0D_HG_RU23	C2D7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Russian (KB.I170A.075)	Continental
AS7738G-744G50Mn	EMEA	Spain	LX.PCC0X.059	AS7738G-744G50Mn VHP32ATE51 MC N10PGE11GBCFrk 2'2G/500_L/BL/ CB_x2_FP_1.0D_HG_ES22	C2D7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Spanish (KB.I170A.077)	Continental

Model	RO	Country	Acer Part No	Description	CPU	LCD	VGA Chip	VRAM 1	Memory 1/ Memory 2	HDD 1 (GB)/ HDD 2 (GB)	ODD	Wireless LAN/ Wireless LAN1	Bluetooth	Finger Print	Battery	Adapter	Camera	Remote Controller 1	TV Tuner	TV Antenna	K/B	Power Cord
AS7738G-744G50Mn	EMEA	Portugal	LX.PCC0X.060	AS7738G-744G50Mn VHP32ATP1 MC N10PGE11GBCFk 2'2G500_LiB/L/ CB_x2_FP_1.0D_HG_FT12	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Portuguese (KB.I170A.074)	Continental
AS7738G-744G50Mn	EMEA	Hungary	LX.PCC0X.061	AS7738G-744G50Mn VHP32ATH1 MC N10PGE11GBCFk 2'2G500_LiB/L/ CB_x2_FP_1.0D_HG_HU13	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Hungarian (KB.I170A.069)	Continental
AS7738G-744G50Mn	EMEA	Finland	LX.PCC0X.062	AS7738G-744G50Mn VHP32ATF12 MC N10PGE11GBCFk 2'2G500_LiB/L/ CB_x2_FP_1.0D_HG_FI11	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Sweden (KB.I170A.078)	Continental
AS7738G-744G50Mn	EMEA	Eastern Europe	LX.PCC0X.063	AS7738G-744G50Mn VHP32ATEU5 MC N10PGE11GBCFk 2'2G500_LiB/L/ CB_x2_FP_1.0D_HG_RO12	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International (KB.I170A.083)	Continental
AS7738G-744G50Mn	EMEA	Eastern Europe	LX.PCC0X.065	AS7738G-744G50Mn VHP32ATEU5 MC N10PGE11GBCFk 2'2G500_LiB/L/ CB_x2_FP_1.0D_HG_PL13	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International (KB.I170A.083)	Continental
AS7738G-744G50Mn	EMEA	Eastern Europe	LX.PCC0X.067	AS7738G-744G50Mn VHP32ATEU7 MC N10PGE11GBCFk 2'2G500_LiB/L/ CB_x2_FP_1.0D_HG_ENR2	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	SLO-CRO (KB.I170A.076)	Continental
AS7738G-744G50Mn	EMEA	Eastern Europe	LX.PCC0X.066	AS7738G-744G50Mn VHP32ATEU4 MC N10PGE11GBCFk 2'2G500_LiB/L/ CB_x2_FP_1.0D_HG_SV2	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Sweden (KB.I170A.078)	Continental
AS7738G-744G50Mn	EMEA	Greece	LX.PCC0X.058	AS7738G-744G50Mn VHP32ATGR1 MC N10PGE11GBCFk 2'2G500_LiB/L/ CB_x2_FP_1.0D_HG_EL32	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Greek (KB.I170A.068)	Continental
AS7738G-744G50Mn	EMEA	Israel	LX.PCC0X.057	AS7738G-744G50Mn VHP32ATIL1 MC N10PGE11GBCFk 2'2G500_LiB/L/ CB_x2_FP_1.0D_HG_HE12	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International w/ Hebrew (KB.I170A.084)	Israel
AS7738G-744G50Mn	EMEA	Italy	LX.PCC0X.056	AS7738G-744G50Mn VHP32ATT1 MC N10PGE11GBCFk 2'2G500_LiB/L/ CB_x2_FP_1.0D_HG_IT12	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Italian (KB.I170A.070)	Italian
AS7738G-744G50Mn	EMEA	Middle East	LX.PCC0X.055	AS7738G-744G50Mn EM VHP32ATME9 MC N10PGE11GBCFk 2'2G500_LiB/L/ CB_x2_FP_1.0D_HG_FR22	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	FR/Arabic (KB.I170A.065)	Continental
AS7738G-744G50Mn	EMEA	Middle East	LX.PCC0X.054	AS7738G-744G50Mn EM VHP32ATME6 MC N10PGE11GBCFk 2'2G500_LiB/L/ CB_x2_FP_1.0D_HG_EN15	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International (KB.I170A.083)	UK
AS7738G-744G50Mn	EMEA	Middle East	LX.PCC0X.052	AS7738G-744G50Mn EM VHP32ATME4 MC N10PGE11GBCFk 2'2G500_LiB/L/ CB_x2_FP_1.0D_HG_EN11	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Russian (KB.I170A.075)	Continental
AS7738G-744G50Mn	EMEA	Middle East	LX.PCC0X.050	AS7738G-744G50Mn EM VHP32ATME2 MC N10PGE11GBCFk 2'2G500_LiB/L/ CB_x2_FP_1.0D_HG_AR13	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Arabic (KB.I170A.059)	UK and US-110V
AS7738G-744G50Mn	EMEA	Middle East	LX.PCC0X.049	AS7738G-744G50Mn EM VHP32ATME3 MC N10PGE11GBCFk 2'2G500_LiB/L/ CB_x2_FP_1.0D_HG_FR23	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	French (KB.I170A.066)	Continental
AS7738G-744G50Mn	EMEA	Middle East	LX.PCC0X.051	AS7738G-744G50Mn EM VHP32ATME4 MC N10PGE11GBCFk 2'2G500_LiB/L/ CB_x2_FP_1.0D_HG_RU11	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Russian (KB.I170A.075)	Continental
AS7738G-744G50Mn	EMEA	Middle East	LX.PCC0X.053	AS7738G-744G50Mn EM VHP32ATME2 MC N10PGE11GBCFk 2'2G500_LiB/L/ CB_x2_FP_1.0D_HG_EN15	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Arabic (KB.I170A.059)	UK and US-110V
AS7738G-744G100Mn	EMEA	Sweden	LX.PCC0X.042	AS7738G-744G100Mn VHP32ATSE1 MC N10PGE11GBCFk 2'2G500_L+500_L/ BLUGB_x2_FP_1.0D_HG_FI13	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N500GB.4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Sweden (KB.I170A.078)	Continental
AS7738G-744G50Mn	EMEA	Middle East	LX.PCC0X.048	AS7738G-744G50Mn EM VHP32ATME2 MC N10PGE11GBCFk 2'2G500_LiB/L/ CB_x2_FP_1.0D_HG_AR23	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Arabic (KB.I170A.059)	UK and US-110V
AS7738G-744G50Mn	EMEA	Switzerland	LX.PCC0X.046	AS7738G-744G50Mn VHP32ATCHI1 MC N10PGE11GBCFk 2'2G500_LiB/L/ CB_x2_FP_1.0D_HG_IT42	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Swiss/G (KB.I170A.079)	Swiss
AS7738G-744G50Mn	EMEA	Ukraine	LX.PCC0X.044	AS7738G-744G50Mn VHP32ATUK1 MC N10PGE11GBCFk 2'2G500_LiB/L/ CB_abq_FP_1.0D_HG_RU11	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MABG	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Russian (KB.I170A.075)	Continental
AS7738G-744G50Mn	EMEA	UK	LX.PCC0X.043	AS7738G-744G50Mn VHP32ATGB1 MC N10PGE11GBCFk 2'2G500_LiB/L/ CB_x2_FP_1.0D_HG_EN14	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	UK (KB.I170A.082)	UK
AS7738G-744G50Mn	EMEA	Turkey	LX.PCC0X.045	AS7738G-744G50Mn EM VHP32ATTR1 MC N10PGE11GBCFk 2'2G500_LiB/L/ CB_x2_FP_1.0D_HG_TR33	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Turkish (KB.I170A.081)	Continental
AS7738G-744G50Mn	EMEA	Poland	LX.PCC0X.047	AS7738G-744G50Mn VHP32ATPL1 MC N10PGE11GBCFk 2'2G500_LiB/L/ CB_x2_FP_1.0D_HG_PL11	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International (KB.I170A.083)	Continental

Model	RO	Country	Acer Part No	Description	CPU	LCD	VGA Chip	VRAM 1	Memory 1/ Memory 2	HDD 1 (GB)/ HDD 2 (GB)	ODD	Wireless LAN/ Wireless LAN1	Bluetooth	Finger Print	Battery	Adapter	Camera	Remote Controller 1	TV Tuner	TV Antenna	K/B	Power Cord
AS7736G-744G100Mh	EMEA	Czech	LX.PCC0X.041	AS7736G-744G100Mh VHP32ATC22 MC N10PGE11GBCFRk 2'2G/500_L+500_U/ BL/CB_i2_FP_1.0D_HG_SK12	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/ SO2GBIIIH	N500GB 4K5/ N500GB 4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	CZ/SK (KB.I170A.062)	Continental
AS7736G-744G100Mh	EMEA	Eastern Europe	LX.PCC0X.039	AS7736G-744G100Mh VHP32ATEU7 MC N10PGE11GBCFRk 2'2G/500_L+500_U/ BL/CB_i2_FP_1.0D_HG_ENR2	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/ SO2GBIIIH	N500GB 4K5/ N500GB 4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	SLO/CRO (KB.I170A.076)	Continental
AS7736G-744G100Mh	EMEA	Eastern Europe	LX.PCC0X.040	AS7736G-744G100Mh VHP32ATEU7 MC N10PGE11GBCFRk 2'2G/500_L+500_U/ BL/CB_i2_FP_1.0D_HG_SL11	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/ SO2GBIIIH	N500GB 4K5/ N500GB 4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	SLO/CRO (KB.I170A.076)	Continental
AS7736G-744G100Mh	EMEA	Eastern Europe	LX.PCC0X.035	AS7736G-744G100Mh VHP32ATEU4 MC N10PGE11GBCFRk 2'2G/500_L+500_U/ BL/CB_i2_FP_1.0D_HG_SV22	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/ SO2GBIIIH	N500GB 4K5/ N500GB 4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Sweden (KB.I170A.078)	Continental
AS7736G-744G100Mh	EMEA	Israel	LX.PCC0X.029	AS7736G-744G100Mh VHP32ATL11 MC N10PGE11GBCFRk 2'2G/500_L+500_U/ BL/CB_i2_FP_1.0D_HG_HE12	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/ SO2GBIIIH	N500GB 4K5/ N500GB 4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International w/ Hebrew (KB.I170A.084)	Israel
AS7736G-744G100Mh	EMEA	Greece	LX.PCC0X.030	AS7736G-744G100Mh VHP32ATGR1 MC N10PGE11GBCFRk 2'2G/500_L+500_U/ BL/CB_i2_FP_1.0D_HG_EL32	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/ SO2GBIIIH	N500GB 4K5/ N500GB 4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Greek (KB.I170A.068)	Continental
AS7736G-744G100Mh	EMEA	Spain	LX.PCC0X.031	AS7736G-744G100Mh VHP32ATES1 MC N10PGE11GBCFRk 2'2G/500_L+500_U/ BL/CB_i2_FP_1.0D_HG_ES22	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/ SO2GBIIIH	N500GB 4K5/ N500GB 4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Spanish (KB.I170A.077)	Continental
AS7736G-744G100Mh	EMEA	Portugal	LX.PCC0X.034	AS7736G-744G100Mh VHP32ATP11 MC N10PGE11GBCFRk 2'2G/500_L+500_U/ BL/CB_i2_FP_1.0D_HG_FT12	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/ SO2GBIIIH	N500GB 4K5/ N500GB 4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Portuguese (KB.I170A.074)	Continental
AS7736G-744G100Mh	EMEA	Hungary	LX.PCC0X.033	AS7736G-744G100Mh VHP32ATHU1 MC N10PGE11GBCFRk 2'2G/500_L+500_U/ BL/CB_i2_FP_1.0D_HG_HU13	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/ SO2GBIIIH	N500GB 4K5/ N500GB 4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Hungarian (KB.I170A.069)	Continental
AS7736G-744G100Mh	EMEA	Finland	LX.PCC0X.032	AS7736G-744G100Mh VHP32ATF2 MC N10PGE11GBCFRk 2'2G/500_L+500_U/ BL/CB_i2_FP_1.0D_HG_FT11	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/ SO2GBIIIH	N500GB 4K5/ N500GB 4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Sweden (KB.I170A.078)	Continental
AS7736G-744G100Mh	EMEA	Eastern Europe	LX.PCC0X.036	AS7736G-744G100Mh VHP32ATEU5 MC N10PGE11GBCFRk 2'2G/500_L+500_U/ BL/CB_i2_FP_1.0D_HG_FL13	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/ SO2GBIIIH	N500GB 4K5/ N500GB 4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International (KB.I170A.083)	Continental
AS7736G-744G100Mh	EMEA	Eastern Europe	LX.PCC0X.038	AS7736G-744G100Mh VHP32ATEU5 MC N10PGE11GBCFRk 2'2G/500_L+500_U/ BL/CB_i2_FP_1.0D_HG_R012	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/ SO2GBIIIH	N500GB 4K5/ N500GB 4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International (KB.I170A.083)	Continental
AS7736G-744G100Mh	EMEA	Eastern Europe	LX.PCC0X.037	AS7736G-744G100Mh VHP32ATEU3 MC N10PGE11GBCFRk 2'2G/500_L+500_U/ BL/CB_i2_FP_1.0D_HG_RU23	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/ SO2GBIIIH	N500GB 4K5/ N500GB 4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Russian (KB.I170A.075)	Continental
AS7736G-744G100Mh	EMEA	Italy	LX.PCC0X.025	AS7736G-744G100Mh VHP32ATT11 MC N10PGE11GBCFRk 2'2G/500_L+500_U/ BL/CB_i2_FP_1.0D_HG_IT12	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/ SO2GBIIIH	N500GB 4K5/ N500GB 4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Italian (KB.I170A.070)	Italian
AS7736G-744G100Mh	EMEA	Middle East	LX.PCC0X.027	AS7736G-744G100Mh EM VHP32ATME6 MC N10PGE11GBCFRk 2'2G/ 500_L+500_L+BL/ CB_i2_FP_1.0D_HG_EN15	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/ SO2GBIIIH	N500GB 4K5/ N500GB 4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International (KB.I170A.083)	UK
AS7736G-744G100Mh	EMEA	Middle East	LX.PCC0X.026	AS7736G-744G100Mh EM VHP32ATME9 MC N10PGE11GBCFRk 2'2G/ 500_L+500_L+BL/ CB_i2_FP_1.0D_HG_FR22	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/ SO2GBIIIH	N500GB 4K5/ N500GB 4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	FR/Arabic (KB.I170A.065)	Continental
AS7736G-744G100Mh	EMEA	Middle East	LX.PCC0X.028	AS7736G-744G100Mh EM VHP32ATME2 MC N10PGE11GBCFRk 2'2G/ 500_L+500_L+BL/ CB_i2_FP_1.0D_HG_EN15	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/ SO2GBIIIH	N500GB 4K5/ N500GB 4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Arabic (KB.I170A.059)	UK and US-110V
AS7736G-744G100Mh	EMEA	Middle East	LX.PCC0X.023	AS7736G-744G100Mh EM VHP32ATME4 MC N10PGE11GBCFRk 2'2G/ 500_L+500_L+BL/ CB_i2_FP_1.0D_HG_RU81	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/ SO2GBIIIH	N500GB 4K5/ N500GB 4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Russian (KB.I170A.075)	Continental
AS7736G-744G100Mh	EMEA	Middle East	LX.PCC0X.021	AS7736G-744G100Mh EM VHP32ATME3 MC N10PGE11GBCFRk 2'2G/ 500_L+500_L+BL/ CB_i2_FP_1.0D_HG_FR23	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/ SO2GBIIIH	N500GB 4K5/ N500GB 4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	French (KB.I170A.066)	Continental
AS7736G-744G100Mh	EMEA	Poland	LX.PCC0X.019	AS7736G-744G100Mh VHP32ATPL1 MC N10PGE11GBCFRk 2'2G/500_L+500_U/ BL/CB_i2_FP_1.0D_HG_PL11	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/ SO2GBIIIH	N500GB 4K5/ N500GB 4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International (KB.I170A.083)	Continental
AS7736G-744G100Mh	EMEA	Middle East	LX.PCC0X.020	AS7736G-744G100Mh EM VHP32ATME2 MC N10PGE11GBCFRk 2'2G/ 500_L+500_L+BL/ CB_i2_FP_1.0D_HG_AR23	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/ SO2GBIIIH	N500GB 4K5/ N500GB 4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Arabic (KB.I170A.059)	UK and US-110V
AS7736G-744G100Mh	EMEA	Middle East	LX.PCC0X.024	AS7736G-744G100Mh EM VHP32ATME2 MC N10PGE11GBCFRk 2'2G/ 500_L+500_L+BL/ CB_i2_FP_1.0D_HG_AR13	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIIIH/ SO2GBIIIH	N500GB 4K5/ N500GB 4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Arabic (KB.I170A.059)	UK and US-110V

Model	RO	Country	Acer Part No	Description	CPU	LCD	VGA Chip	VRAM 1	Memory 1/ Memory 2	HDD 1 (GB)/ HDD 2 (GB)	ODD	Wireless LAN/ Wireless LAN1	Bluetooth	Finger Print	Battery	Adapter	Camera	Remote Controller 1	TV Tuner	TV Antenna	K/B	Power Cord
AS7738G-744G100Mh	EMEA	Middle East	LX.PCC0X.022	AS7738G-744G100Mh EM VHP32ATME4 MC N10PGE11GBCFrk 2'2G/ 500_L+500_L8U/ CB_x2_PP_1.0D_HG_EN11	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4Ks/ N500GB 4Ks	NSMBXs	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Russian (KB.I170A.075)	Continental
AS7738G-744G100Mh	EMEA	Switzerland	LX.PCC0X.015	AS7738G-744G100Mh VHP32ATCH1 MC N10PGE11GBCFrk 2'2G/500_L+500_L/ BLUCB_h2_PP_1.0D_HG_IT42	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4Ks/ N500GB 4Ks	NSMBXs	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Swiss/G (KB.I170A.079)	Swiss
AS7738G-744G100Mh	EMEA	Turkey	LX.PCC0X.016	AS7738G-744G100Mh EM VHP32ATTR1 MC N10PGE11GBCFrk 2'2G/ 500_L+500_L8U/ CB_x2_PP_1.0D_HG_TR33	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4Ks/ N500GB 4Ks	NSMBXs	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Turkish (KB.I170A.081)	Continental
AS7738G-744G100Mh	EMEA	UK	LX.PCC0X.018	AS7738G-744G100Mh VHP32ATGB1 MC N10PGE11GBCFrk 2'2G/500_L+500_L/ BLUCB_h2_PP_1.0D_HG_EN14	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4Ks/ N500GB 4Ks	NSMBXs	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	UK (KB.I170A.082)	UK
AS7738G-744G100Mh	EMEA	South Africa	LX.PCC0X.013	AS7738G-744G100Mh EM VHP32ATZA1 MC N10PGE11GBCFrk 2'2G/ 500_L+500_L8U/ CB_x2_PP_1.0D_HG_FR23	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4Ks/ N500GB 4Ks	NSMBXs	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	French (KB.I170A.086)	Continental
AS7738G-744G100Mh	EMEA	Denmark	LX.PCC0X.011	AS7738G-744G100Mh VHP32ATDK1 MC N10PGE11GBCFrk 2'2G/500_L+500_L/ BLUCB_h2_PP_1.0D_HG_N013	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4Ks/ N500GB 4Ks	NSMBXs	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Danish (KB.I170A.064)	Danish
AS7738G-744G100Mh	EMEA	France	LX.PCC0X.009	AS7738G-744G100Mh VHP32ATTR1 MC N10PGE11GBCFrk 2'2G/500_L+500_L/ BLUCB_h2_PP_1.0D_HG_FR23	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4Ks/ N500GB 4Ks	NSMBXs	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	French (KB.I170A.066)	Continental
AS7738G-744G100Mh	EMEA	Denmark	LX.PCC0X.010	AS7738G-744G100Mh VHP32ATDK2 MC N10PGE11GBCFrk 2'2G/500_L+500_L/ BLUCB_h2_PP_1.0D_HG_ENS3	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4Ks/ N500GB 4Ks	NSMBXs	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Nordic (KB.I170A.072)	Danish/Continental
AS7738G-744G100Mh	EMEA	South Africa	LX.PCC0X.012	AS7738G-744G100Mh EM VHP32ATZA4 MC N10PGE11GBCFrk 2'2G/ 500_L+500_L8U/ CB_x2_PP_1.0D_HG_EN11	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4Ks/ N500GB 4Ks	NSMBXs	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International (KB.I170A.083)	UK
AS7738G-744G100Mh	EMEA	South Africa	LX.PCC0X.014	AS7738G-744G100Mh EM VHP32ATZA2 MC N10PGE11GBCFrk 2'2G/ 500_L+500_L8U/ CB_x2_PP_1.0D_HG_EN16	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4Ks/ N500GB 4Ks	NSMBXs	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International (KB.I170A.083)	AF
AS7738G-744G100M	EMEA	Ukraine	LX.PCC0X.017	AS7738G-744G100Mh VHP32ATUK1 MC N10PGE11GBCFrk 2'2G/500_L+500_L/ BLUCB_h2_PP_1.0D_HG_RU11	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4Ks/ N500GB 4Ks	NSMBXs	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Russian (KB.I170A.075)	Continental
AS7738G-744G100Mh	EMEA	Germany	LX.PCC0X.008	AS7738G-744G100Mh VHP32ATDE1 MC N10PGE11GBCFrk 2'2G/500_L+500_L/ BLUCB_h2_PP_1.0D_HG_DE13	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4Ks/ N500GB 4Ks	NSMBXs	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	German (KB.I170A.067)	Continental
AS7738G-744G100Mh	EMEA	Luxembourg	LX.PCC0X.005	AS7738G-744G100Mh VHP32ATLU3 MC N10PGE11GBCFrk 2'2G/500_L+500_L/ BLUCB_h2_PP_1.0D_HG_IT41	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4Ks/ N500GB 4Ks	NSMBXs	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Swiss/G (KB.I170A.079)	Continental
AS7738G-744G100Mh	EMEA	Norway	LX.PCC0X.003	AS7738G-744G100Mh VHP32ATN03 MC N10PGE11GBCFrk 2'2G/500_L+500_L/ BLUCB_h2_PP_1.0D_HG_ENS3	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4Ks/ N500GB 4Ks	NSMBXs	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Nordic (KB.I170A.072)	Danish/Continental
AS7738G-744G100Mh	EMEA	Austria	LX.PCC0X.001	AS7738G-744G100Mh VHP32ATA1 MC N10PGE11GBCFrk 2'2G/500_L+500_L/ BLUCB_h2_PP_1.0D_HG_DE11	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4Ks/ N500GB 4Ks	NSMBXs	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	German (KB.I170A.067)	Continental
AS7738G-744G100M	EMEA	Russia	LX.PCC0X.002	AS7738G-744G100Mh VHP32ATRU1 MC N10PGE11GBCFrk 2'2G/500_L+500_L/ BLUCB_h2_PP_1.0D_HG_RU11	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4Ks/ N500GB 4Ks	NSMBXs	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Russian (KB.I170A.075)	Continental
AS7738G-744G100Mh	EMEA	Norway	LX.PCC0X.004	AS7738G-744G100Mh VHP32ATN01 MC N10PGE11GBCFrk 2'2G/500_L+500_L/ BLUCB_h2_PP_1.0D_HG_N012	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4Ks/ N500GB 4Ks	NSMBXs	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Norwegian (KB.I170A.073)	Continental
AS7738G-744G100Mh	EMEA	Holland	LX.PCC0X.006	AS7738G-744G100Mh VHP32ATNL1 MC N10PGE11GBCFrk 2'2G/500_L+500_L/ BLUCB_h2_PP_1.0D_HG_NL12	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4Ks/ N500GB 4Ks	NSMBXs	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	US International (KB.I170A.083)	Continental
AS7738G-744G100Mh	EMEA	Belgium	LX.PCC0X.007	AS7738G-744G100Mh VHP32ATBE1 MC N10PGE11GBCFrk 2'2G/500_L+500_L/ BLUCB_h2_PP_1.0D_HG_NL13	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0S O2GBIII10	N500GB 4Ks/ N500GB 4Ks	NSMBXs	SP1x2MMW/ SP1x2MMW	N	SS801U	6CELL2.2	90W	1.0M DV	N	N	N	Belgium (KB.I170A.060)	Continental
AS7738G-904G500Mh	EMEA	South Africa	LX.PCA0X.042	AS7738G-904G500Mh EM VHP32AZA2 MC N10PGE11GBCFrkQ 2'2G/500_L8U/ CB_x2_PP_1.0D_HG_EN16	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4Ks/ N	NSMBXs	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	US International (KB.I170A.083)	AF
AS7738G-904G500Mh	EMEA	South Africa	LX.PCA0X.041	AS7738G-904G500Mh EM VHP32AZA1 MC N10PGE11GBCFrkQ 2'2G/500_L8U/ CB_x2_PP_1.0D_HG_FR23	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4Ks/ N	NSMBXs	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	French (KB.I170A.066)	Continental
AS7738G-904G500Mh	EMEA	South Africa	LX.PCA0X.037	AS7738G-904G500Mh EM VHP32AZA4 MC N10PGE11GBCFrkQ 2'2G/500_L8U/ CB_x2_PP_1.0D_HG_EN11	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4Ks/ N	NSMBXs	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	US International (KB.I170A.083)	UK
AS7738G-904G500Mh	EMEA	France	LX.PCA0X.040	AS7738G-904G500Mh VHP32ATTR1 MC N10PGE11GBCFrkQ 2'2G/500_L8U/ CB_x2_PP_1.0D_HG_FR23	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4Ks/ N	NSMBXs	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	French (KB.I170A.086)	Continental

Model	RO	Country	Acer Part No	Description	CPU	LCD	VGA Chip	VRAM 1	Memory 1/ Memory 2	HDD 1 (GB)/ HDD 2 (GB)	ODD	Wireless LAN/ Wireless LAN1	Bluetooth	Finger Print	Battery	Adapter	Camera	Remote Controller 1	TV Tuner	TV Antenna	K/B	Power Cord
AS7738G-904G50Mn	EMEA	Belgium	LX.PCA0X.035	AS7738G-904G50Mn VHP32ATBE1 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_x2_FP_1.0D_HG_NL13	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Belgium (KB.I170A.060)	Continental
AS7738G-904G50Mn	EMEA	Norway	LX.PCA0X.031	AS7738G-904G50Mn VHP32ATN03 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_x2_FP_1.0D_HG_EN83	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Nordic (KB.I170A.072)	Danish/Continental
AS7738G-904G50Mn	EMEA	Norway	LX.PCA0X.032	AS7738G-904G50Mn VHP32ATN01 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_x2_FP_1.0D_HG_N012	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Norwegian (KB.I170A.073)	Continental
AS7738G-904G50Mn	EMEA	Luxembourg	LX.PCA0X.033	AS7738G-904G50Mn VHP32ATL13 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_x2_FP_1.0D_HG_IT41	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Swiss/G (KB.I170A.079)	Continental
AS7738G-904G50Mn	EMEA	Holland	LX.PCA0X.036	AS7738G-904G50Mn VHP32ATNL1 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_x2_FP_1.0D_HG_NL12	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	US International (KB.I170A.083)	Continental
AS7738G-904G50Mn	EMEA	Germany	LX.PCA0X.034	AS7738G-904G50Mn VHP32ATDE1 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_x2_FP_1.0D_HG_DE13	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	German (KB.I170A.067)	Continental
AS7738G-904G50Mn	EMEA	Denmark	LX.PCA0X.039	AS7738G-904G50Mn VHP32ATDK2 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_x2_FP_1.0D_HG_EN83	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Nordic (KB.I170A.072)	Danish/Continental
AS7738G-904G50Mn	EMEA	Denmark	LX.PCA0X.038	AS7738G-904G50Mn VHP32ATDK1 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_x2_FP_1.0D_HG_N013	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Danish (KB.I170A.064)	Danish
AS7738G-904G50Mn	EMEA	Russia	LX.PCA0X.027	AS7738G-904G50Mn VHP32ATRU1 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_abg_FP_1.0D_HG_RU11	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MABG	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Russian (KB.I170A.075)	Continental
AS7738G-904G50Mn	EMEA	Eastern Europe	LX.PCA0X.021	AS7738G-904G50Mn VHP32ATEU5 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_x2_FP_1.0D_HG_RO12	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	US International (KB.I170A.083)	Continental
AS7738G-904G50Mn	EMEA	Eastern Europe	LX.PCA0X.022	AS7738G-904G50Mn VHP32ATEU3 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_x2_FP_1.0D_HG_RU23	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Russian (KB.I170A.075)	Continental
AS7738G-904G50Mn	EMEA	Eastern Europe	LX.PCA0X.023	AS7738G-904G50Mn VHP32ATEU5 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_x2_FP_1.0D_HG_SL13	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	US International (KB.I170A.083)	Continental
AS7738G-904G50Mn	EMEA	Eastern Europe	LX.PCA0X.026	AS7738G-904G50Mn VHP32ATEU4 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_x2_FP_1.0D_HG_SV22	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Sweden (KB.I170A.078)	Continental
AS7738G-904G50Mn	EMEA	Eastern Europe	LX.PCA0X.025	AS7738G-904G50Mn VHP32ATEU7 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_x2_FP_1.0D_HG_ENR2	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	SLO/CRO (KB.I170A.076)	Continental
AS7738G-904G50Mn	EMEA	Eastern Europe	LX.PCA0X.024	AS7738G-904G50Mn VHP32ATEU7 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_x2_FP_1.0D_HG_SL11	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	SLO/CRO (KB.I170A.076)	Continental
AS7738G-904G50Mn	EMEA	Austria	LX.PCA0X.028	AS7738G-904G50Mn VHP32ATAT1 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_x2_FP_1.0D_HG_DE11	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	German (KB.I170A.067)	Continental
AS7738G-904G50Mn	EMEA	Czech	LX.PCA0X.030	AS7738G-904G50Mn VHP32ATCZ2 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_x2_FP_1.0D_HG_SK12	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	CZ/SK (KB.I170A.062)	Continental
AS7738G-904G50Mn	EMEA	Sweden	LX.PCA0X.029	AS7738G-904G50Mn VHP32ATSE1 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_x2_FP_1.0D_HG_F113	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Sweden (KB.I170A.078)	Continental
AS7738G-904G50Mn	EMEA	Finland	LX.PCA0X.017	AS7738G-904G50Mn VHP32ATF12 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_x2_FP_1.0D_HG_F111	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Sweden (KB.I170A.078)	Continental
AS7738G-904G50Mn	EMEA	Portugal	LX.PCA0X.019	AS7738G-904G50Mn VHP32ATPT1 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_x2_FP_1.0D_HG_PT12	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Portuguese (KB.I170A.074)	Continental
AS7738G-904G50Mn	EMEA	Hungary	LX.PCA0X.018	AS7738G-904G50Mn VHP32ATHU1 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_x2_FP_1.0D_HG_HU13	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Hungarian (KB.I170A.069)	Continental
AS7738G-904G50Mn	EMEA	Spain	LX.PCA0X.020	AS7738G-904G50Mn VHP32ATSE1 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_x2_FP_1.0D_HG_ES22	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Spanish (KB.I170A.077)	Continental
AS7738G-904G50Mn	EMEA	Israel	LX.PCA0X.015	AS7738G-904G50Mn VHP32ATIL1 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_x2_FP_1.0D_HG_HE12	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	US International w/ Hebrew (KB.I170A.084)	Israel
AS7738G-904G50Mn	EMEA	Middle East	LX.PCA0X.013	AS7738G-904G50Mn EM VHP32ATEI9 MC N10PGE11GBCFRQ 2*2G/500_LBL/ CB_x2_FP_1.0D_HG_FR22	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB.4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	FR/Arabic (KB.I170A.065)	Continental

Model	RO	Country	Acer Part No	Description	CPU	LCD	VGA Chip	VRAM 1	Memory 1/ Memory 2	HDD 1 (GB)/ HDD 2 (GB)	ODD	Wireless LAN/ Wireless LAN1	Bluetooth	Finger Print	Battery	Adapter	Camera	Remote Controller 1	TV Tuner	TV Antenna	K/B	Power Cord
AS7738G-904G50Mn	EMEA	Middle East	LX.PCA0X.011	AS7738G-904G50Mn EM VHP32ATME2 MC N10PGE11GBCFRQ 2*2G/500_L8/L/ CB_x2_FP_1.0D_HG_EN15	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Arabic (KB.170A.059)	UK and US-110V
AS7738G-904G50Mn	EMEA	Middle East	LX.PCA0X.012	AS7738G-904G50Mn EM VHP32ATME6 MC N10PGE11GBCFRQ 2*2G/500_L8/L/ CB_x2_FP_1.0D_HG_EN15	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5 4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	US International (KB.170A.053)	UK
AS7738G-904G50Mn	EMEA	Italy	LX.PCA0X.016	AS7738G-904G50Mn VHP32ATT11 MC N10PGE11GBCFRQ 2*2G/500_L8/L/ CB_x2_FP_1.0D_HG_IT12	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB 4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Italian (KB.170A.070)	Italian
AS7738G-904G50Mn	EMEA	Greece	LX.PCA0X.014	AS7738G-904G50Mn VHP32ATGR1 MC N10PGE11GBCFRQ 2*2G/500_L8/L/ CB_x2_FP_1.0D_HG_EL32	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5 4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Greek (KB.170A.066)	Continental
AS7738G-904G50Mn	EMEA	Middle East	LX.PCA0X.007	AS7738G-904G50Mn EM VHP32ATME4 MC N10PGE11GBCFRQ 2*2G/500_L8/L/ CB_x2_FP_1.0D_HG_EN11	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5 4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Russian (KB.170A.075)	Continental
AS7738G-904G50Mn	EMEA	Middle East	LX.PCA0X.008	AS7738G-904G50Mn EM VHP32ATME4 MC N10PGE11GBCFRQ 2*2G/500_L8/L/ CB_x2_FP_1.0D_HG_RU11	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5 4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Russian (KB.170A.075)	Continental
AS7738G-904G50Mn	EMEA	Middle East	LX.PCA0X.010	AS7738G-904G50Mn EM VHP32ATME3 MC N10PGE11GBCFRQ 2*2G/500_L8/L/ CB_x2_FP_1.0D_HG_FR2	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5 4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	French (KB.170A.066)	Continental
AS7738G-904G50Mn	EMEA	Poland	LX.PCA0X.005	AS7738G-904G50Mn VHP32ATPL1 MC N10PGE11GBCFRQ 2*2G/500_L8/L/ CB_x2_FP_1.0D_HG_PL11	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5 4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	US International (KB.170A.053)	Continental
AS7738G-904G50Mn	EMEA	Turkey	LX.PCA0X.003	AS7738G-904G50Mn EM VHP32ATT11 MC N10PGE11GBCFRQ 2*2G/500_L8/L/ CB_x2_FP_1.0D_HG_TR33	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5 4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Turkish (KB.170A.081)	Continental
AS7738G-904G50Mn	EMEA	UK	LX.PCA0X.001	AS7738G-904G50Mn VHP32ATGB1 MC N10PGE11GBCFRQ 2*2G/500_L8/L/ CB_x2_FP_1.0D_HG_EN14	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5 4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	UK (KB.170A.082)	UK
AS7738G-904G50Mn	EMEA	Ukraine	LX.PCA0X.002	AS7738G-904G50Mn VHP32ATUK1 MC N10PGE11GBCFRQ 2*2G/500_L8/L/ CB_x8g_FP_1.0D_HG_RU11	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5 4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MABG	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Russian (KB.170A.075)	Continental
AS7738G-904G50Mn	EMEA	Switzerland	LX.PCA0X.006	AS7738G-904G50Mn VHP32ATCH1 MC N10PGE11GBCFRQ 2*2G/500_L8/L/ CB_x2_FP_1.0D_HG_IT42	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5 4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Swiss/G (KB.170A.079)	Swiss
AS7738G-904G50Mn	EMEA	Middle East	LX.PCA0X.004	AS7738G-904G50Mn EM VHP32ATME2 MC N10PGE11GBCFRQ 2*2G/500_L8/L/ CB_x2_FP_1.0D_HG_AK23	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5 4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Arabic (KB.170A.059)	UK and US-110V
AS7738G-904G50Mn	EMEA	Middle East	LX.PCA0X.009	AS7738G-904G50Mn EM VHP32ATME2 MC N10PGE11GBCFRQ 2*2G/500_L8/L/ CB_x2_FP_1.0D_HG_AR13	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5 4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	120W	1.0M DV	N	N	N	Arabic (KB.170A.059)	UK and US-110V
AS7738G-904G50Mn	EMEA	Switzerland	LX.PCB0X.005	AS7738G-904G50Mn VHP32ATCH1 MC N10PGE11GBTCFRk 2*2G/500_L8/L6/L/ CB_x2_DVBT_FP_1.0D_HG_IT42	C2DT9550	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5 4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	BT 2.0	SS801U	8CELL2.2	90W	1.0M DV	RC804VB-B	DVB-T Mini-card	Passive Antenna	Swiss/G (KB.170A.079)	Swiss
AS7738G-904G50Mn	EMEA	Switzerland	LX.PCB0X.006	AS7738G-904G50Mn VHP32ATCH1 MC N10PGE11GBTCFRk 2*2G/500_L8/L6/L/ CB_x2_DVBT_FP_1.0D_HG_IT42	C2DP9600	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5 4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	BT 2.0	SS801U	8CELL2.2	90W	1.0M DV	RC804VB-B	DVB-T Mini-card	Passive Antenna	Swiss/G (KB.170A.079)	Swiss
AS7738G-904G1000Bn	AAP	Australia/New Zealand	LX.PCB0X.004	AS7738G-904G1000Bn VHP32ATAU1 MC N10PGE11GBTCFRk 2*2G/500_L+500/L/ 8TB/LCB_x2_DVBT U/ VHF_FP_1.0D_HG_EN12	C2DT9550	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5 4K5/ N500GB5 4K5	NBDCB4X5	SP1x2MMW/ SP1x2MMW	BT 2.0	SS801U	8CELL2.4	90W	1.0M DV	RC804VB-B	DVB-T Mini-card	Passive Antenna	US International (KB.170A.083)	Australia w/label
AS7738G-904G508Bn	AAP	Australia/New Zealand	LX.PCB0X.003	AS7738G-904G508Bn VHP32ATU1 MC N10PGE11GBTCFRk 2*2G/500_L8/L6/L/ CB_x2_DVBT U/ VHF_FP_1.0D_HG_EN12	C2DT9550	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5 4K5/ N	NBDCB4X5	SP1x2MMW/ SP1x2MMW	BT 2.0	SS801U	8CELL2.4	90W	1.0M DV	RC804VB-B	DVB-T Mini-card	Passive Antenna	US International (KB.170A.053)	Australia w/label
AS7738G-744G50Mn	EMEA	Switzerland	LX.PCB0X.002	AS7738G-744G50Mn VHP32ATCH1 MC N10PGE11GBTCFRk 2*2G/500_L8/L/ CB_x2_DVBT_FP_1.0D_HG_IT42	C2DP7450	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5 4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	N	SS801U	8CELL2.4	90W	1.0M DV	RC804VB-B	DVB-T Mini-card	Passive Antenna	Swiss/G (KB.170A.079)	Swiss
AS7738G-904G648Bn	AAP	Singapore	LX.PCB0X.001	AS7738G-904G648Bn VHP32ATSG1 MC N10PGE11GBTCFRk 2*2G/320+320B/T/ BL/CB_x2_76 U/ VHF_FP_1.0D_HG_EN12	C2DT9550	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N320GB5 4K5/ N320GB5 4K5	NBDCB4X5	SP1x2MMW/ SP1x2MMW	BT 2.0	SS801U	8CELL2.4	90W	1.0M DV	RC804VB-B	DVB-T Mini-card A309 rev1.0	Passive Antenna	US International (KB.170A.083)	UK
AS7738G-904G1000Mn	AAP	Australia/New Zealand	LX.PCB0X.004	AS7738G-904G1000Mn VHP32ATAU1 MC N10PGE11GBTCFRQ 2*2G/ 500_L+500_L8TB/LCB_x2_DVBT U/ VHF_FP_1.0D_HG_EN12	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5 4K5/ N500GB5 4K5	NSMBX5	SP1x2MMW/ SP1x2MMW	BT 2.0	SS801U	8CELL2.4	120W	1.0M DV	RC804VB-B	DVB-T Mini-card	Passive Antenna	US International (KB.170A.083)	Australia w/label
AS7738G-904G1000Bn	AAP	Australia/New Zealand	LX.PCB0X.003	AS7738G-904G1000Bn VHP32ATAU1 MC N10PGE11GBTCFRk 2*2G/ 500_L+500_L8TB/LCB_x2_DVBT U/ VHF_FP_1.0D_HG_EN12	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5 4K5/ N500GB5 4K5	NBDCB4X5	SP1x2MMW/ SP1x2MMW	BT 2.0	SS801U	8CELL2.4	120W	1.0M DV	RC804VB-B	DVB-T Mini-card	Passive Antenna	US International (KB.170A.083)	Australia w/label
AS7738G-904G50Mn	AAP	Australia/New Zealand	LX.PCB0X.002	AS7738G-904G50Mn VHP32ATAU1 MC N10PGE11GBTCFRQ 2*2G/500_L8/L/ BL/CB_x2_DVBT U/ VHF_FP_1.0D_HG_EN12	C2Q09000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII0/ SO2GBIII0	N500GB5 4K5/ N	NSMBX5	SP1x2MMW/ SP1x2MMW	BT 2.0	SS801U	8CELL2.4	120W	1.0M DV	RC804VB-B	DVB-T Mini-card	Passive Antenna	US International (KB.170A.083)	Australia w/label

Model	RO	Country	Acer Part No	Description	CPU	LCD	VGA Chip	VRAM 1	Memory 1/ Memory 2	HDD 1 (GB)/ HDD 2 (GB)	ODD	Wireless LAN/ Wireless LAN1	Bluetooth	Finger Print	Battery	Adapter	Camera	Remote Controller 1	TV Tuner	TV Antenna	K/B	Power Cord
AS7738G-904G50Bn	AAP	Australia/New Zealand	LX.PC90X.001	AS7738G-904G50Bn VHP32ATAL1 MC N10PGE11GBTCF59Q 2'2G500_L/6T/ SLUG_R2_DVBT U/ VHF_FP_1.0D_HG_EN12	C2Q0000	NLED17.3 WXGA+G	N10PGE1	1G-DDR2 (64*16*8)	SO2GBIII10/ SO2GBIII10	N500GB5.4KS/ N	NBDCB4XS	SP1x2MMW/ SP1x2MMW	BT 2.0	SS801U	8CELL2.4	120W	1.0M DV	RC804VB	DVB-T Mini-card	Passive Antenna	US International (KB.I170A.093)	Australia w/label

Aspire 7735/7735G/7735Z/7735ZG Series

Model	RO	Country	Acer Part No	Description	CPU	LCD	VGA Chip	VRAM 1	Memory 1/ Memory 2	HDD 1(GB)	ODD	Wireless LAN/Wireless LAN1	Bluetooth	Battery	Adapter	Camera	K/B	Power Cord
AS7735G-643G32Mn	AAP	India	LX.PC70C.001	AS7735G-643G32Mn LINPUSAINI M92XT512Cbk 2G+1G/320/8L/CB_n2_0.3D_HG_EN11	C2DT6400	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N320GB5.4KS	NSM8XS	SP1x2MMW/ SP1x2MMW	BT 2.0	6CELL2.2	90W	0.3M DV	US International (KB.1170A.056)	South Africa-S (India)
AS7735G-643G32Mn	AAP	India	LX.PC70X.002	AS7735G-643G32Mn VHP32ATIN1 MC M92XT512Cbk 2G+1G/320/8L/CB_n2_0.3D_HG_EN12	C2DT6400	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N320GB5.4KS	NSM8XS	SP1x2MMW/ SP1x2MMW	BT 2.0	6CELL2.2	90W	0.3M DV	US International (KB.1170A.056)	South Africa-S (India)
AS7735G-743G32Mn	AAP	Singapore	LX.PC70X.001	AS7735G-743G32Mn VHP32ATSG1 MC M92XT512Cbk 2G+1G/320/8L/CB_n2_0.3D_HG_EN12	C2DP7450	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N320GB5.4KS	NSM8XS	SP1x2MMW/ SP1x2MMW	BT 2.0	8CELL2.4	90W	0.3M DV	US International (KB.1170A.056)	UK
AS7735ZG-341G16Mn	WW	WW	S2.P810X.002	AS7735ZG-341G16Mn VHP32AWW1 MC M92XT512CE 1*1G/160/8L/CB_n2_0.3D_HG_EN11	PMDT3400	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO1GBIII10/N	N160GB5.4KS	NSM8XS	SP1x2MMW/ SP1x2MMW	BT 2.0	8CELL2.4	90W	0.3M DV	US International	US and Continental
AS7735ZG-341G16Mn	WW	GCTWN	S2.P810X.001	AS7735ZG-341G16Mn VHP32AWW1 MC M92XT512CE 1*1G/160/8L/CB_n2_0.3D_HG_ENX1	PMDT3400	NLED17.3 WXGA+G	M92XT	512M-DDR2(64*16*4)	SO1GBIII10/N	N160GB5.4KS	NSM8XS	SP1x2MMW/ SP1x2MMW	BT 2.0	8CELL2.4	90W	0.3M DV	US International	US and Continental
AS7735ZG-424G50Mn	EMEA	France	LX.PC30Y.001	AS7735ZG-424G50Mn VHB32ATFR1 MC M92XT512Cbk 2*2G/500_L6L/CB_bgn_0.3D_HG_FR23	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO2GBIII10	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	French (KB.1170A.039)	Continental
AS7735ZG-423G25Mn	EMEA	Turkey	LX.PC30X.008	AS7735ZG-423G25Mn EM VHP32ATTR1 MC M92XT512Cbk 2G+1G/250/6L/CB_bgn_0.3D_HG_TR33	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Turkish (KB.1170A.054)	Continental
AS7735ZG-423G25Mn	EMEA	Holland	LX.PC30X.040	AS7735ZG-423G25Mn VHP32ATNL1 MC M92XT512Cbk 2G+1G/250/6L/CB_bgn_0.3D_HG_NL12	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	US International (KB.1170A.056)	Continental
AS7735ZG-423G25Mn	EMEA	Sweden	LX.PC30X.036	AS7735ZG-423G25Mn VHP32ATSE1 MC M92XT512Cbk 2G+1G/250/6L/CB_bgn_0.3D_HG_FI13	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Sweden (KB.1170A.051)	Continental
AS7735ZG-423G25Mn	EMEA	Luxembourg	LX.PC30X.039	AS7735ZG-423G25Mn VHP32ATLU3 MC M92XT512Cbk 2G+1G/250/6L/CB_bgn_0.3D_HG_IT41	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Swiss/G (KB.1170A.052)	Continental
AS7735ZG-423G25Mn	EMEA	Norway	LX.PC30X.041	AS7735ZG-423G25Mn VHP32ATNO1 MC M92XT512Cbk 2G+1G/250/6L/CB_bgn_0.3D_HG_NO12	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Norwegian (KB.1170A.046)	Continental
AS7735ZG-423G25Mn	EMEA	Austria	LX.PC30X.037	AS7735ZG-423G25Mn VHP32ATAT1 MC M92XT512Cbk 2G+1G/250/6L/CB_bgn_0.3D_HG_DE11	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	German (KB.1170A.040)	Continental
AS7735ZG-423G25MI	EMEA	Russia	LX.PC30X.038	AS7735ZG-423G25MI VHP32ATRU1 MC M92XT512Cbk 2G+1G/250/6L/CB_bg_0.3D_HG_RU11	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi BG	N	6CELL2.2	90W	0.3M DV	Russian (KB.1170A.048)	Continental
AS7735ZG-423G25Mn	EMEA	Eastern Europe	LX.PC30X.032	AS7735ZG-423G25Mn VHP32ATEU7 MC M92XT512Cbk 2G+1G/250/6L/CB_bgn_0.3D_HG_SL11	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	SLO/CRO (KB.1170A.049)	Continental
AS7735ZG-423G25Mn	EMEA	Eastern Europe	LX.PC30X.034	AS7735ZG-423G25Mn VHP32ATEU5 MC M92XT512Cbk 2G+1G/250/6L/CB_bgn_0.3D_HG_PL13	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	US International (KB.1170A.056)	Continental
AS7735ZG-423G25Mn	EMEA	Finland	LX.PC30X.035	AS7735ZG-423G25Mn VHP32ATF12 MC M92XT512Cbk 2G+1G/250/6L/CB_bgn_0.3D_HG_FI11	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Sweden (KB.1170A.051)	Continental
AS7735ZG-423G25Mn	EMEA	Portugal	LX.PC30X.027	AS7735ZG-423G25Mn VHP32ATPT1 MC M92XT512Cbk 2G+1G/250/6L/CB_bgn_0.3D_HG_PT12	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Portuguese (KB.1170A.047)	Continental
AS7735ZG-423G25Mn	EMEA	Spain	LX.PC30X.026	AS7735ZG-423G25Mn VHP32ATES1 MC M92XT512Cbk 2G+1G/250/6L/CB_bgn_0.3D_HG_ES22	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Spanish (KB.1170A.050)	Continental
AS7735ZG-423G25Mn	EMEA	Hungary	LX.PC30X.028	AS7735ZG-423G25Mn VHP32ATHU1 MC M92XT512Cbk 2G+1G/250/6L/CB_bgn_0.3D_HG_HU13	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Hungarian (KB.1170A.042)	Continental

Model	RO	Country	Acer Part No	Description	CPU	LCD	VGA Chip	VRAM 1	Memory 1/ Memory 2	HDD 1(GB)	ODD	Wireless LAN/Wireless LAN1	Bluetooth	Battery	Adapter	Camera	K/B	Power Cord
AS7735ZG-423G25Mn	EMEA	Eastern Europe	LX.PC30X.029	AS7735ZG-423G25Mn VHP32ATEU3 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0_3D_HG_RU23	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	90W	0.3M DV	Russian (KB.I170A.048)	Continental
AS7735ZG-423G25Mn	EMEA	Eastern Europe	LX.PC30X.030	AS7735ZG-423G25Mn VHP32ATEU7 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0_3D_HG_ENR2	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	90W	0.3M DV	SLO/CRO (KB.I170A.049)	Continental
AS7735ZG-423G25Mn	EMEA	Eastern Europe	LX.PC30X.031	AS7735ZG-423G25Mn VHP32ATEU4 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0_3D_HG_SV22	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	90W	0.3M DV	Sweden (KB.I170A.051)	Continental
AS7735ZG-423G25Mn	EMEA	Eastern Europe	LX.PC30X.033	AS7735ZG-423G25Mn VHP32ATEU5 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0_3D_HG_RO12	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	90W	0.3M DV	US International (KB.I170A.056)	Continental
AS7735ZG-423G25Mn	EMEA	Greece	LX.PC30X.022	AS7735ZG-423G25Mn VHP32ATGR1 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0_3D_HG_EL32	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	90W	0.3M DV	Greek (KB.I170A.041)	Continental
AS7735ZG-423G25Mn	EMEA	Middle East	LX.PC30X.019	AS7735ZG-423G25Mn EM VHP32ATME2 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0_3D_HG_EN15	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	90W	0.3M DV	Arabic (KB.I170A.032)	UK and US-110V
AS7735ZG-423G25Mn	EMEA	Israel	LX.PC30X.021	AS7735ZG-423G25Mn VHP32ATIL1 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0_3D_HG_HE12	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	90W	0.3M DV	US International w/ Hebrew (KB.I170A.057)	Israel
AS7735ZG-423G25Mn	EMEA	Denmark	LX.PC30X.016	AS7735ZG-423G25Mn VHP32ATDK1 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0_3D_HG_NO13	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	90W	0.3M DV	Danish (KB.I170A.037)	Danish
AS7735ZG-423G25Mn	EMEA	South Africa	LX.PC30X.017	AS7735ZG-423G25Mn EM VHP32ATZ44 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0_3D_HG_EN11	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	90W	0.3M DV	US International (KB.I170A.056)	UK
AS7735ZG-423G25Mn	EMEA	South Africa	LX.PC30X.018	AS7735ZG-423G25Mn EM VHP32ATZ1A1 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0_3D_HG_FR23	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	90W	0.3M DV	French (KB.I170A.039)	Continental
AS7735ZG-423G25Mn	EMEA	South Africa	LX.PC30X.025	AS7735ZG-423G25Mn EM VHP32ATZ2A2 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0_3D_HG_EN16	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	90W	0.3M DV	US International (KB.I170A.056)	AF
AS7735ZG-423G25Mn	EMEA	Italy	LX.PC30X.023	AS7735ZG-423G25Mn VHP32ATIT1 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0_3D_HG_IT12	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	90W	0.3M DV	Italian (KB.I170A.043)	Italian
AS7735ZG-423G25Mn	EMEA	Middle East	LX.PC30X.024	AS7735ZG-423G25Mn EM VHP32ATME8 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0_3D_HG_EN15	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	90W	0.3M DV	US International (KB.I170A.056)	UK
AS7735ZG-423G25Mn	EMEA	Middle East	LX.PC30X.020	AS7735ZG-423G25Mn EM VHP32ATME9 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0_3D_HG_FR22	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	90W	0.3M DV	FR/Arabic (KB.I170A.038)	Continental
AS7735ZG-423G25Mn	EMEA	Middle East	LX.PC30X.012	AS7735ZG-423G25Mn EM VHP32ATME4 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0_3D_HG_EN11	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	90W	0.3M DV	Russian (KB.I170A.048)	Continental
AS7735ZG-423G25Mn	EMEA	Poland	LX.PC30X.007	AS7735ZG-423G25Mn VHP32ATPL1 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0_3D_HG_PL11	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	90W	0.3M DV	US International (KB.I170A.056)	Continental
AS7735ZG-423G25Mn	EMEA	Belgium	LX.PC30X.013	AS7735ZG-423G25Mn VHP32ATBE1 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0_3D_HG_NL13	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	90W	0.3M DV	Belgium (KB.I170A.033)	Continental
AS7735ZG-423G25Mn	EMEA	Germany	LX.PC30X.014	AS7735ZG-423G25Mn VHP32ATDE1 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0_3D_HG_DE13	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	90W	0.3M DV	German (KB.I170A.040)	Continental
AS7735ZG-423G25Mn	EMEA	France	LX.PC30X.015	AS7735ZG-423G25Mn VHP32ATFR1 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0_3D_HG_FR23	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	90W	0.3M DV	French (KB.I170A.039)	Continental
AS7735ZG-423G25Mn	EMEA	Switzerland	LX.PC30X.006	AS7735ZG-423G25Mn VHP32ATCH1 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0_3D_HG_IT42	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	90W	0.3M DV	Swiss/G (KB.I170A.052)	Swiss
AS7735ZG-423G25Mn	EMEA	Middle East	LX.PC30X.011	AS7735ZG-423G25Mn EM VHP32ATME2 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0_3D_HG_AR23	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	90W	0.3M DV	Arabic (KB.I170A.032)	UK and US-110V

Model	RO	Country	Acer Part No	Description	CPU	LCD	VGA Chip	VRAM 1	Memory 1/ Memory 2	HDD 1(GB)	ODD	Wireless LAN/Wireless LAN1	Bluetooth	Battery	Adapter	Camera	K/B	Power Cord
AS7735ZG-423G25Mn	EMEA	Middle East	LX.PC30X.009	AS7735ZG-423G25Mn EM VHP32ATME2 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0.3D_HG_AR13	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Arabic (KB.1170A.032)	UK and US-110V
AS7735ZG-423G25Mn	EMEA	Middle East	LX.PC30X.010	AS7735ZG-423G25Mn EM VHP32ATME3 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0.3D_HG_FR23	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	French (KB.1170A.039)	Continental
AS7735ZG-423G25Mn	EMEA	Ukraine	LX.PC30X.005	AS7735ZG-423G25Mn VHP32ATUK1 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0.3D_HG_RU11	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi BG	N	6CELL2.2	90W	0.3M DV	Russian (KB.1170A.048)	Continental
AS7735ZG-423G25Mn	EMEA	UK	LX.PC30X.004	AS7735ZG-423G25Mn VHP32ATGB1 MC M92XT512Cbk 2G+1G/250/6L/ CB_bgn_0.3D_HG_EN14	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10SO1 GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	UK (KB.1170A.055)	UK
AS7735ZG-424G32Mn	EMEA	Switzerland	LX.PC30X.003	AS7735ZG-424G32Mn VHP32ATCH1 MC M92XT512Cbk 2*2G/320/6L/ CB_bgn_0.3D_HG_IT42	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO2GBIII10	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Swiss/G (KB.1170A.052)	Swiss
AS7735ZG-424G50Mn	EMEA	Switzerland	LX.PC30X.002	AS7735ZG-424G50Mn VHP32ATCH1 MC M92XT512Cbk 2*2G/500_L6L/ CB_bgn_0.3D_HG_IT42	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO2GBIII10	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Swiss/G (KB.1170A.052)	Swiss
AS7735ZG-424G32Mn	EMEA	France	LX.PC30X.001	AS7735ZG-424G32Mn VHP32ATFR1 MC M92XT512Cbk 2*2G/320/6L/ CB_bgn_0.3D_HG_FR23	PMDT4200	NLED17.3 WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBIII10/ SO2GBIII10	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	French (KB.1170A.039)	Continental
AS7735ZG-424G50Bn	WW	GCTWN	S2.P820X.001	AS7735ZG-424G50Bn VHP32AWW1 MC N10PGE11GBCE 2*2G/500_L/BT/8L/ CB_n3_0.3D_HG_ENX1	PMDT4200	NLED17.3 WXGA+G	N10PG E1	1G-DDR2 (64*16*8)	SO2GBIII10/ SO2GBIII10	N500GB5.4KS	NBDCB4X S	SP3x3MMW/ SP3x3MMW	BT 2.0	8CELL2.4	90W	0.3M DV	US International	US and Continental
AS7735ZG-424G50Bn	WW	WW	S2.P820X.002	AS7735ZG-424G50Bn VHP32AWW1 MC N10PGE11GBCE 2*2G/500_L/BT/8L/ CB_n3_0.3D_HG_EN11	PMDT4200	NLED17.3 WXGA+G	N10PG E1	1G-DDR2 (64*16*8)	SO2GBIII10/ SO2GBIII10	N500GB5.4KS	NBDCB4X S	SP3x3MMW/ SP3x3MMW	BT 2.0	8CELL2.4	90W	0.3M DV	US International	US and Continental
AS7735Z-423G25Mn	EMEA	Turkey	LX.PC60X.005	AS7735Z-423G25Mn EM VHP32ATTR1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_TR33	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Turkish (KB.1170A.054)	Continental
AS7735Z-423G25Mn	EMEA	South Africa	LX.PC60X.037	AS7735Z-423G25Mn EM VHP32ATZA2 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_EN16	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	US International (KB.1170A.056)	AF
AS7735Z-423G25Mn	EMEA	South Africa	LX.PC60X.038	AS7735Z-423G25Mn EM VHP32ATZA1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_FR23	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	French (KB.1170A.039)	Continental
AS7735Z-423G25Mn	EMEA	South Africa	LX.PC60X.034	AS7735Z-423G25Mn EM VHP32ATZA4 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_EN1	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	US International (KB.1170A.056)	UK
AS7735Z-423G25Mn	EMEA	Denmark	LX.PC60X.035	AS7735Z-423G25Mn VHP32ATDK1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_NO13	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Danish (KB.1170A.037)	Danish
AS7735Z-423G25Mn	EMEA	France	LX.PC60X.036	AS7735Z-423G25Mn VHP32ATFR1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_FR23	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	French (KB.1170A.039)	Continental
AS7735Z-423G25Mn	EMEA	Germany	LX.PC60X.033	AS7735Z-423G25Mn VHP32ATDE1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_DE13	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	German (KB.1170A.040)	Continental
AS7735Z-423G25Mn	EMEA	Belgium	LX.PC60X.032	AS7735Z-423G25Mn VHP32ATBE1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_NL13	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Belgium (KB.1170A.033)	Continental
AS7735Z-423G25Mn	EMEA	Holland	LX.PC60X.031	AS7735Z-423G25Mn VHP32ATNL1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_NL12	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	US International (KB.1170A.056)	Continental
AS7735Z-423G25Mn	EMEA	Austria	LX.PC60X.030	AS7735Z-423G25Mn VHP32ATAT1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_DE11	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	German (KB.1170A.040)	Continental
AS7735Z-423G25Mn	EMEA	Luxembourg	LX.PC60X.027	AS7735Z-423G25Mn VHP32ATLU3 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_IT41	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Swiss/G (KB.1170A.052)	Continental
AS7735Z-423G25Mn	EMEA	Eastern Europe	LX.PC60X.023	AS7735Z-423G25Mn VHP32ATEU5 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_RO12	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	US International (KB.1170A.056)	Continental

Model	RO	Country	Acer Part No	Description	CPU	LCD	VGA Chip	VRAM 1	Memory 1/ Memory 2	HDD 1(GB)	ODD	Wireless LAN/Wireless LAN1	Bluetooth	Battery	Adapter	Camera	K/B	Power Cord
AS7735Z-423G25Mn	EMEA	Eastern Europe	LX.PC60X.021	AS7735Z-423G25Mn VHP32ATEU5 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_PL13	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	65W	0.3M DV	US International (KB.I170A.056)	Continental
AS7735Z-423G25Mn	EMEA	Eastern Europe	LX.PC60X.022	AS7735Z-423G25Mn VHP32ATEU7 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_ENR2	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	65W	0.3M DV	SLO/CRO (KB.I170A.049)	Continental
AS7735Z-423G25Mn	EMEA	Eastern Europe	LX.PC60X.026	AS7735Z-423G25Mn VHP32ATEU4 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_SV22	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	65W	0.3M DV	Sweden (KB.I170A.051)	Continental
AS7735Z-423G25Mn	EMEA	Norway	LX.PC60X.028	AS7735Z-423G25Mn VHP32ATNO1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_NO12	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	65W	0.3M DV	Norwegian (KB.I170A.046)	Continental
AS7735Z-423G25Mn	EMEA	Sweden	LX.PC60X.024	AS7735Z-423G25Mn VHP32ATSE1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_F113	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	65W	0.3M DV	Sweden (KB.I170A.051)	Continental
AS7735Z-423G25Mn	EMEA	Eastern Europe	LX.PC60X.025	AS7735Z-423G25Mn VHP32ATEU7 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_SL11	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	65W	0.3M DV	SLO/CRO (KB.I170A.049)	Continental
AS7735Z-423G25Mn	EMEA	Russia	LX.PC60X.029	AS7735Z-423G25Mn VHP32ATRU1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_RU11	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	65W	0.3M DV	Russian (KB.I170A.048)	Continental
AS7735Z-423G25Mn	EMEA	Eastern Europe	LX.PC60X.017	AS7735Z-423G25Mn VHP32ATEU3 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_RU23	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	65W	0.3M DV	Russian (KB.I170A.048)	Continental
AS7735Z-423G25Mn	EMEA	Finland	LX.PC60X.018	AS7735Z-423G25Mn VHP32ATFI2 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_F111	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	65W	0.3M DV	Sweden (KB.I170A.051)	Continental
AS7735Z-423G25Mn	EMEA	Hungary	LX.PC60X.019	AS7735Z-423G25Mn VHP32ATHU1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_HU13	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	65W	0.3M DV	Hungarian (KB.I170A.042)	Continental
AS7735Z-423G25Mn	EMEA	Portugal	LX.PC60X.020	AS7735Z-423G25Mn VHP32ATPT1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_PT12	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	65W	0.3M DV	Portuguese (KB.I170A.047)	Continental
AS7735Z-423G25Mn	EMEA	Spain	LX.PC60X.016	AS7735Z-423G25Mn VHP32ATES1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_ES22	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	65W	0.3M DV	Spanish (KB.I170A.050)	Continental
AS7735Z-423G25Mn	EMEA	Greece	LX.PC60X.015	AS7735Z-423G25Mn VHP32ATGR1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_EL32	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	65W	0.3M DV	Greek (KB.I170A.041)	Continental
AS7735Z-423G25Mn	EMEA	Israel	LX.PC60X.014	AS7735Z-423G25Mn VHP32ATIL1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_HE12	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	65W	0.3M DV	US International w/ Hebrew (KB.I170A.057)	Israel
AS7735Z-423G25Mn	EMEA	Italy	LX.PC60X.013	AS7735Z-423G25Mn VHP32ATIT1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_IT12	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	65W	0.3M DV	Italian (KB.I170A.043)	Italian
AS7735Z-423G25Mn	EMEA	Middle East	LX.PC60X.012	AS7735Z-423G25Mn EM VHP32ATME9 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_FR22	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	65W	0.3M DV	FR/Arabic (KB.I170A.038)	Continental
AS7735Z-423G25Mn	EMEA	Middle East	LX.PC60X.011	AS7735Z-423G25Mn EM VHP32ATME6 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_EN15	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	65W	0.3M DV	US International (KB.I170A.056)	UK
AS7735Z-423G25Mn	EMEA	Middle East	LX.PC60X.010	AS7735Z-423G25Mn EM VHP32ATME2 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_EN15	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	65W	0.3M DV	Arabic (KB.I170A.032)	UK and US-110V
AS7735Z-423G25Mn	EMEA	Middle East	LX.PC60X.009	AS7735Z-423G25Mn EM VHP32ATME4 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_EN11	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	65W	0.3M DV	Russian (KB.I170A.048)	Continental
AS7735Z-423G25Mn	EMEA	Middle East	LX.PC60X.008	AS7735Z-423G25Mn EM VHP32ATME2 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_AR13	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	65W	0.3M DV	Arabic (KB.I170A.032)	UK and US-110V
AS7735Z-423G25Mn	EMEA	Poland	LX.PC60X.004	AS7735Z-423G25Mn VHP32ATPL1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_PL11	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL.2.2	65W	0.3M DV	US International (KB.I170A.056)	Continental

Model	RO	Country	Acer Part No	Description	CPU	LCD	VGA Chip	VRAM 1	Memory 1/ Memory 2	HDD 1(GB)	ODD	Wireless LAN/Wireless LAN1	Bluetooth	Battery	Adapter	Camera	K/B	Power Cord
AS7735Z-423G25Mn	EMEA	Middle East	LX.PC60X.007	AS7735Z-423G25Mn EM VHP32ATME3 MC UMABck 2G+1G/250/6L/CB_bgn_0.3D_HG_FR23	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	French (KB.1170A.039)	Continental
AS7735Z-423G25Mn	EMEA	Middle East	LX.PC60X.006	AS7735Z-423G25Mn EM VHP32ATME2 MC UMABck 2G+1G/250/6L/CB_bgn_0.3D_HG_AR23	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Arabic (KB.1170A.032)	UK and US-110V
AS7735Z-423G25Mn	EMEA	Switzerland	LX.PC60X.003	AS7735Z-423G25Mn VHP32ATCH1 MC UMABck 2G+1G/250/6L/CB_bgn_0.3D_HG_IT42	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Swiss/G (KB.1170A.052)	Swiss
AS7735Z-423G25Mn	EMEA	Ukraine	LX.PC60X.002	AS7735Z-423G25Mn VHP32ATUK1 MC UMABck 2G+1G/250/6L/CB_bg_0.3D_HG_RU11	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Russian (KB.1170A.048)	Continental
AS7735Z-423G25Mn	EMEA	UK	LX.PC60X.001	AS7735Z-423G25Mn VHP32ATGB1 MC UMABck 2G+1G/250/6L/CB_bgn_0.3D_HG_EN14	PMDT4200	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/3rd WiFi BG	N	6CELL2.2	65W	0.3M DV	UK (KB.1170A.055)	UK
AS7735-643G32Mn	AAP	India	LX.PC80C.001	AS7735-643G32Mn LINPUSAIN1 UMABck 2G+1G/320/B7/6L/CB_n2_0.3D_HG_EN11	C2DT6400	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N320GB5.4KS	NSM8XS	SP1x2MMW/ SP1x2MMW	BT 2.0	6CELL2.2	65W	0.3M DV	US International (KB.1170A.056)	South Africa-S (India)
AS7735-643G32Mn	AAP	India	LX.PC80X.003	AS7735-643G32Mn VHP32ATIN1 MC UMABck 2G+1G/320/B7/6L/CB_n2_0.3D_HG_EN12	C2DT6400	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO1GBIII10	N320GB5.4KS	NSM8XS	SP1x2MMW/ SP1x2MMW	BT 2.0	6CELL2.2	65W	0.3M DV	US International (KB.1170A.056)	South Africa-S (India)
AS7735-644G32Mn	PA	Canada	LX.PC80X.002	AS7735-644G32Mn VHP64ATCA2 MC UMABck 2*2G/320/6L/CB_n2_0.3D_HG_FR31	C2DT6400	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO2GBIII10	N320GB5.4KS	NSM8XS	SP1x2MMW/ SP1x2MMW	N	6CELL2.2	65W	0.3M DV	US w/ Canadian French (KB.1170A.058)	US-110V
AS7735-644G32Mn	EMEA	Switzerland	LX.PC80X.001	AS7735-644G32Mn VHP32ATCH1 MC UMABck 2*2G/320/6L/CB_n2_0.3D_HG_IT42	C2DT6400	NLED17.3 WXGA+G	UMA	N	SO2GBIII10/ SO2GBIII10	N320GB5.4KS	NSM8XS	SP1x2MMW/ SP1x2MMW	N	6CELL2.2	65W	0.3M DV	Swiss/G (KB.1170A.052)	Swiss

Aspire 7535/7535G/7235 Series

Model	RO	Country	Acer Part No	Description	CPU	LCD	VGA Chip	VRAM 1	Memory 1/ Memory 2	HDD 1(GB)	ODD	Wireless LAN/ Wireless LAN1	Bluetooth h	Battery	Adap ter	Camera	K/B
AS7235G-643G32Mn	WW	GCTWN	S2.PAB0X.001	AS7235G-643G32Mn VHP64AWW1 MC M92XT512CE 1G+2G/320/8L/CB_bgn_0.3D_HG_ENX1pre-sales	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO1GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	BT 2.0	8CELL2.4	90W	0.3M DV	US International
AS7235G-643G32Mn	WW	WW	S2.PAB0X.002	AS7235G-643G32Mn VHP64AWW1 MC M92XT512CE 1G+2G/320/8L/CB_bgn_0.3D_HG_EN11pre-sales	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO1GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	BT 2.0	8CELL2.4	90W	0.3M DV	US International
AS7235G-754G50Bn	WW	GCTWN	S2.P980X.001	AS7235G-754G50Bn VHP32AWW1 MC M961GBCE 2*2G/500_L/8L/CB_bgn_0.3D_HG_ENX1media review	ATRM75	NLED17.3WXGA+G	M96	1G-DDR2 (64*16*8)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NBDCB4 XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	BT 2.0	8CELL2.4	90W	0.3M DV	US International
AS7235G-754G50Bn	WW	WW	S2.P980X.002	AS7235G-754G50Bn VHP32AWW1 MC M961GBCE 2*2G/500_L/8L/CB_bgn_0.3D_HG_EN11media review	ATRM75	NLED17.3WXGA+G	M96	1G-DDR2 (64*16*8)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NBDCB4 XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	BT 2.0	8CELL2.4	90W	0.3M DV	US International
AS7535G-644G50Mn	EMEA	France	LX.PCE0X.085	AS7535G-644G50Mn VHP32ATFR1 MC M92XT512Cbk 2*2G/500_L/6L/CB_bgn_0.3D_HG_FR23	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	French (KB.I170A.039)
AS7535G-824G25Mn	EMEA	Greece	LX.PCE0X.087	AS7535G-824G25Mn VHP32ATGR1 MC M92XT512Cbk 2*2G/250/6L/CB_bgn_0.3D_HG_EL32	ATU2M82	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Greek (KB.I170A.041)
AS7535G-824G25Mn	EMEA	Israel	LX.PCE0X.088	AS7535G-824G25Mn VHP32ATIL1 MC M92XT512Cbk 2*2G/250/6L/CB_bgn_0.3D_HG_HE12	ATU2M82	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	US International w/ Hebrew (KB.I170A.057)
AS7535G-824G25Mn	EMEA	Italy	LX.PCE0X.086	AS7535G-824G25Mn VHP32ATIT1 MC M92XT512Cbk 2*2G/250/6L/CB_bgn_0.3D_HG_IT12	ATU2M82	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Italian (KB.I170A.043)
AS7535G-644G32Mn	EMEA	South Africa	LX.PCE0X.083	AS7535G-644G32Mn EM VHP32ATZA2 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_EN16	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	US International (KB.I170A.056)
AS7535G-644G32Mn	EMEA	South Africa	LX.PCE0X.084	AS7535G-644G32Mn EM VHP32ATZA4 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_EN11	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	US International (KB.I170A.056)
AS7535G-644G32Mn	EMEA	Denmark	LX.PCE0X.080	AS7535G-644G32Mn VHP32ATDK2 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_ENS3	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Nordic (KB.I170A.045)
AS7535G-644G32Mn	EMEA	France	LX.PCE0X.079	AS7535G-644G32Mn VHP32ATFR1 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_FR23	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	French (KB.I170A.039)
AS7535G-644G32Mn	EMEA	Denmark	LX.PCE0X.081	AS7535G-644G32Mn VHP32ATDK1 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_NO13	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Danish (KB.I170A.037)
AS7535G-644G32Mn	EMEA	South Africa	LX.PCE0X.082	AS7535G-644G32Mn EM VHP32ATZA1 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_FR23	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	French (KB.I170A.039)
AS7535G-644G32Mn	EMEA	Germany	LX.PCE0X.075	AS7535G-644G32Mn VHP32ATDE1 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_DE13	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	German (KB.I170A.040)
AS7535G-644G32Mn	EMEA	Belgium	LX.PCE0X.074	AS7535G-644G32Mn VHP32ATBE1 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_NL13	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Belgium (KB.I170A.033)
AS7535G-644G32Mn	EMEA	Holland	LX.PCE0X.076	AS7535G-644G32Mn VHP32ATNL1 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_NL12	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	US International (KB.I170A.056)
AS7535G-644G32Mn	EMEA	Norway	LX.PCE0X.077	AS7535G-644G32Mn VHP32ATNO1 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_NO12	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Norwegian (KB.I170A.046)
AS7535G-644G32Mn	EMEA	Russia	LX.PCE0X.078	AS7535G-644G32Mn VHP32ATRU1 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_RU11	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi BG	N	6CELL2.2	90W	0.3M DV	Russian (KB.I170A.048)
AS7535G-644G32Mn	EMEA	Sweden	LX.PCE0X.070	AS7535G-644G32Mn VHP32ATSE1 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_F113	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Sweden (KB.I170A.051)
AS7535G-644G32Mn	EMEA	Czech	LX.PCE0X.069	AS7535G-644G32Mn VHP32ATCZ2 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_SK12	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	CZ/SK (KB.I170A.035)
AS7535G-644G32Mn	EMEA	Austria	LX.PCE0X.071	AS7535G-644G32Mn VHP32ATAT1 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_DE11	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	German (KB.I170A.040)
AS7535G-644G32Mn	EMEA	Norway	LX.PCE0X.072	AS7535G-644G32Mn VHP32ATNO3 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_ENS3	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Nordic (KB.I170A.045)

Model	RO	Country	Acer Part No	Description	CPU	LCD	VGA Chip	VRAM 1	Memory 1/ Memory 2	HDD 1(GB)	ODD	Wireless LAN/ Wireless LAN1	Bluetooth h	Battery	Adap ter	Camera	K/B
AS7535G-644G32Mn	EMEA	Luxembourg	LX.PCE0X.073	AS7535G-644G32Mn VHP32ATLU3 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_IT41	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Swiss/G (KB.I170A.052)
AS7535G-644G32Mn	EMEA	Eastern Europe	LX.PCE0X.065	AS7535G-644G32Mn VHP32ATEU7 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_SL11	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	SLO/CRO (KB.I170A.049)
AS7535G-644G32Mn	EMEA	Eastern Europe	LX.PCE0X.066	AS7535G-644G32Mn VHP32ATEU4 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_SV22	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Sweden (KB.I170A.051)
AS7535G-644G32Mn	EMEA	Eastern Europe	LX.PCE0X.067	AS7535G-644G32Mn VHP32ATEU3 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_RU23	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Russian (KB.I170A.048)
AS7535G-644G32Mn	EMEA	Finland	LX.PCE0X.068	AS7535G-644G32Mn VHP32ATFI2 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_FI11	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Sweden (KB.I170A.051)
AS7535G-644G32Mn	EMEA	Spain	LX.PCE0X.059	AS7535G-644G32Mn VHP32ATES1 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_ES22	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Spanish (KB.I170A.050)
AS7535G-644G32Mn	EMEA	Portugal	LX.PCE0X.060	AS7535G-644G32Mn VHP32ATPT1 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_FT12	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Portuguese (KB.I170A.047)
AS7535G-644G32Mn	EMEA	Hungary	LX.PCE0X.061	AS7535G-644G32Mn VHP32ATHU1 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_HU13	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Hungarian (KB.I170A.042)
AS7535G-644G32Mn	EMEA	Eastern Europe	LX.PCE0X.062	AS7535G-644G32Mn VHP32ATEU5 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_RO12	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	US International (KB.I170A.056)
AS7535G-644G32Mn	EMEA	Eastern Europe	LX.PCE0X.063	AS7535G-644G32Mn VHP32ATEU5 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_PL13	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	US International (KB.I170A.056)
AS7535G-644G32Mn	EMEA	Eastern Europe	LX.PCE0X.064	AS7535G-644G32Mn VHP32ATEU7 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_ENR2	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	SLO/CRO (KB.I170A.049)
AS7535G-644G32Mn	EMEA	Greece	LX.PCE0X.055	AS7535G-644G32Mn VHP32ATGR1 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_EL32	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Greek (KB.I170A.041)
AS7535G-644G32Mn	EMEA	Middle East	LX.PCE0X.057	AS7535G-644G32Mn EM VHP32ATME6 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_EN15	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	US International (KB.I170A.056)
AS7535G-644G32Mn	EMEA	Switzerland	LX.PCE0X.049	AS7535G-644G32Mn VHP32ATCH1 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_IT42	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Swiss/G (KB.I170A.052)
AS7535G-644G32Mn	EMEA	Middle East	LX.PCE0X.050	AS7535G-644G32Mn EM VHP32ATME2 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_AR23	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Arabic (KB.I170A.032)
AS7535G-644G32Mn	EMEA	Middle East	LX.PCE0X.051	AS7535G-644G32Mn EM VHP32ATME2 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_AR13	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Arabic (KB.I170A.032)
AS7535G-644G32Mn	EMEA	Middle East	LX.PCE0X.058	AS7535G-644G32Mn EM VHP32ATME4 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_EN11	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Russian (KB.I170A.048)
AS7535G-644G32Mn	EMEA	Middle East	LX.PCE0X.052	AS7535G-644G32Mn EM VHP32ATME2 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_EN15	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Arabic (KB.I170A.032)
AS7535G-644G32Mn	EMEA	Middle East	LX.PCE0X.053	AS7535G-644G32Mn EM VHP32ATME9 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_FR22	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	FR/Arabic (KB.I170A.038)
AS7535G-644G32Mn	EMEA	Israel	LX.PCE0X.054	AS7535G-644G32Mn VHP32ATIL1 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_HE12	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	US International w/ Hebrew (KB.I170A.057)
AS7535G-644G32Mn	EMEA	Italy	LX.PCE0X.056	AS7535G-644G32Mn VHP32ATIT1 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_IT12	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Italian (KB.I170A.043)
AS7535G-724G50Mn	EMEA	Eastern Europe	LX.PCE0X.042	AS7535G-724G50Mn VHP32ATEU7 MC M92XT512Cbk 2*2G/500 L/6L/CB_bgn_0.3D_HG_SL11	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	SLO/CRO (KB.I170A.049)
AS7535G-724G50Mn	EMEA	Eastern Europe	LX.PCE0X.041	AS7535G-724G50Mn VHP32ATEU7 MC M92XT512Cbk 2*2G/500 L/6L/CB_bgn_0.3D_HG_ENR2	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	SLO/CRO (KB.I170A.049)
AS7535G-724G50Mn	EMEA	Eastern Europe	LX.PCE0X.040	AS7535G-724G50Mn VHP32ATEU4 MC M92XT512Cbk 2*2G/500 L/6L/CB_bgn_0.3D_HG_SV22	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Sweden (KB.I170A.051)
AS7535G-644G32Mn	EMEA	Middle East	LX.PCE0X.047	AS7535G-644G32Mn EM VHP32ATME3 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_FR23	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	French (KB.I170A.039)
AS7535G-644G32Mn	EMEA	Ukraine	LX.PCE0X.044	AS7535G-644G32Mn VHP32ATUK1 MC M92XT512Cbk 2*2G/320/6L/CB_bgn_0.3D_HG_RU11	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Russian (KB.I170A.048)

Model	RO	Country	Acer Part No	Description	CPU	LCD	VGA Chip	VRAM 1	Memory 1/ Memory 2	HDD 1(GB)	ODD	Wireless LAN/ Wireless LAN1	Bluetooth h	Battery	Adap ter	Camera	K/B
AS7535G-644G32Mn	EMEA	UK	LX.PCE0X.043	AS7535G-644G32Mn VHP32ATGB1 MC M92XT512Cbk 2*2G/320/L/ CB_bgn_0.3D_HG_EN14	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL 2.2	90W	0.3M DV	UK (KB.I170A.055)
AS7535G-644G32Mn	EMEA	Turkey	LX.PCE0X.045	AS7535G-644G32Mn EM VHP32ATTR1 MC M92XT512Cbk 2*2G/320/L/ CB_bgn_0.3D_HG_TR33	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL 2.2	90W	0.3M DV	Turkish (KB.I170A.054)
AS7535G-644G32Mn	EMEA	Poland	LX.PCE0X.046	AS7535G-644G32Mn VHP32ATPL1 MC M92XT512Cbk 2*2G/320/L/ CB_bgn_0.3D_HG_PL11	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL 2.2	90W	0.3M DV	US International (KB.I170A.056)
AS7535G-644G32Mn	EMEA	Middle East	LX.PCE0X.048	AS7535G-644G32Mn EM VHP32ATME4 MC M92XT512Cbk 2*2G/320/L/ CB_bgn_0.3D_HG_RU61	AAQL64	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL 2.2	90W	0.3M DV	Russian (KB.I170A.048)
AS7535G-724G50Mn	EMEA	Eastern Europe	LX.PCE0X.039	AS7535G-724G50Mn VHP32ATEU5 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_PL13	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL 2.2	90W	0.3M DV	US International (KB.I170A.056)
AS7535G-724G50Mn	EMEA	Eastern Europe	LX.PCE0X.035	AS7535G-724G50Mn VHP32ATEU3 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_RU23	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL 2.2	90W	0.3M DV	Russian (KB.I170A.048)
AS7535G-724G50Mn	EMEA	Denmark	LX.PCE0X.029	AS7535G-724G50Mn VHP32ATDK2 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_ENS3	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2(64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL 2.2	90W	0.3M DV	Nordic (KB.I170A.045)
AS7535G-724G50Mn	EMEA	Denmark	LX.PCE0X.030	AS7535G-724G50Mn VHP32ATDK1 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_NO13	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL 2.2	90W	0.3M DV	Danish (KB.I170A.037)
AS7535G-724G50Mn	EMEA	South Africa	LX.PCE0X.031	AS7535G-724G50Mn EM VHP32ATZA4 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_EN11	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL 2.2	90W	0.3M DV	US International (KB.I170A.056)
AS7535G-724G50Mn	EMEA	South Africa	LX.PCE0X.034	AS7535G-724G50Mn EM VHP32ATZA1 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_FR23	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL 2.2	90W	0.3M DV	French (KB.I170A.039)
AS7535G-724G50Mn	EMEA	South Africa	LX.PCE0X.033	AS7535G-724G50Mn EM VHP32ATZA2 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_EN16	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL 2.2	90W	0.3M DV	US International (KB.I170A.056)
AS7535G-724G50Mn	EMEA	Portugal	LX.PCE0X.032	AS7535G-724G50Mn VHP32ATPT1 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_PT12	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL 2.2	90W	0.3M DV	Portuguese (KB.I170A.047)
AS7535G-724G50Mn	EMEA	Hungary	LX.PCE0X.038	AS7535G-724G50Mn VHP32ATHU1 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_HU13	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL 2.2	90W	0.3M DV	Hungarian (KB.I170A.042)
AS7535G-724G50Mn	EMEA	Finland	LX.PCE0X.037	AS7535G-724G50Mn VHP32ATFI2 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_FI11	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL 2.2	90W	0.3M DV	Sweden (KB.I170A.051)
AS7535G-724G50Mn	EMEA	Eastern Europe	LX.PCE0X.036	AS7535G-724G50Mn VHP32ATEU5 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_RO12	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL 2.2	90W	0.3M DV	US International (KB.I170A.056)
AS7535G-724G50Mn	EMEA	Norway	LX.PCE0X.028	AS7535G-724G50Mn VHP32ATNO3 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_ENS3	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL 2.2	90W	0.3M DV	Nordic (KB.I170A.045)
AS7535G-724G50Mn	EMEA	France	LX.PCE0X.025	AS7535G-724G50Mn VHP32ATFR1 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_FR23	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL 2.2	90W	0.3M DV	French (KB.I170A.039)
AS7535G-724G50Mn	EMEA	Germany	LX.PCE0X.024	AS7535G-724G50Mn VHP32ATDE1 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_DE13	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL 2.2	90W	0.3M DV	German (KB.I170A.040)
AS7535G-724G50Mn	EMEA	Belgium	LX.PCE0X.026	AS7535G-724G50Mn VHP32ATBE1 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_NL13	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL 2.2	90W	0.3M DV	Belgium (KB.I170A.033)
AS7535G-724G50Mn	EMEA	Luxembourg	LX.PCE0X.027	AS7535G-724G50Mn VHP32ATLU3 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_LT41	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL 2.2	90W	0.3M DV	Swiss/G (KB.I170A.052)
AS7535G-724G50Mn	EMEA	Austria	LX.PCE0X.020	AS7535G-724G50Mn VHP32ATAT1 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_DE11	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL 2.2	90W	0.3M DV	German (KB.I170A.040)
AS7535G-724G50Mn	EMEA	Sweden	LX.PCE0X.019	AS7535G-724G50Mn VHP32ATSE1 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_FI13	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL 2.2	90W	0.3M DV	Sweden (KB.I170A.051)

Model	RO	Country	Acer Part No	Description	CPU	LCD	VGA Chip	VRAM 1	Memory 1/ Memory 2	HDD 1(GB)	ODD	Wireless LAN/ Wireless LAN1	Bluetooth h	Battery	Adap ter	Camera	K/B
AS7535G-724G50Mn	EMEA	Russia	LX.PCE0X.021	AS7535G-724G50Mn VHP32ATRU1 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_RU11	ATRM72	NLED17.3WXGA+G	M92XT	512M- DDR2(64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi BG	N	6CELL2.2	90W	0.3M DV	Russian (KB.1170A.048)
AS7535G-724G50Mn	EMEA	Norway	LX.PCE0X.022	AS7535G-724G50Mn VHP32ATNO1 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_NO12	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Norwegian (KB.1170A.046)
AS7535G-724G50Mn	EMEA	Holland	LX.PCE0X.023	AS7535G-724G50Mn VHP32ATNL1 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_NL12	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	US International (KB.1170A.056)
AS7535G-724G50Mn	EMEA	Spain	LX.PCE0X.015	AS7535G-724G50Mn VHP32ATES1 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_ES22	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Spanish (KB.1170A.050)
AS7535G-724G50Mn	EMEA	Greece	LX.PCE0X.016	AS7535G-724G50Mn VHP32ATGR1 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_EL32	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Greek (KB.1170A.041)
AS7535G-724G50Mn	EMEA	Israel	LX.PCE0X.017	AS7535G-724G50Mn VHP32ATIL1 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_HE12	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	US International w/ Hebrew (KB.1170A.057)
AS7535G-724G50Mn	EMEA	Middle East	LX.PCE0X.013	AS7535G-724G50Mn EM VHP32ATME9 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_FR22	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	FR/Arabic (KB.1170A.038)
AS7535G-724G50Mn	EMEA	Czech	LX.PCE0X.018	AS7535G-724G50Mn VHP32ATCZ2 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_SK12	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	CZ/SK (KB.1170A.035)
AS7535G-724G50Mn	EMEA	Middle East	LX.PCE0X.009	AS7535G-724G50Mn EM VHP32ATME4 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_RU61	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Russian (KB.1170A.048)
AS7535G-724G50Mn	EMEA	Middle East	LX.PCE0X.010	AS7535G-724G50Mn EM VHP32ATME4 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_EN11	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Russian (KB.1170A.048)
AS7535G-724G50Mn	EMEA	Middle East	LX.PCE0X.011	AS7535G-724G50Mn EM VHP32ATME2 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_EN15	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Arabic (KB.1170A.032)
AS7535G-724G50Mn	EMEA	Middle East	LX.PCE0X.014	AS7535G-724G50Mn EM VHP32ATME6 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_EN15	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	US International (KB.1170A.056)
AS7535G-724G50Mn	EMEA	Italy	LX.PCE0X.012	AS7535G-724G50Mn VHP32ATIT1 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_IT12	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Italian (KB.1170A.043)
AS7535G-724G50Mn	EMEA	Middle East	LX.PCE0X.005	AS7535G-724G50Mn EM VHP32ATME2 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_AR13	ATRM72	NLED17.3WXGA+G	M92XT	512M- DDR2(64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Arabic (KB.1170A.032)
AS7535G-724G50Mn	EMEA	Middle East	LX.PCE0X.006	AS7535G-724G50Mn EM VHP32ATME3 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_FR23	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	French (KB.1170A.039)
AS7535G-724G50Mn	EMEA	Poland	LX.PCE0X.008	AS7535G-724G50Mn VHP32ATPL1 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_PL11	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	US International (KB.1170A.056)
AS7535G-724G50Mn	EMEA	Ukraine	LX.PCE0X.004	AS7535G-724G50Mn VHP32ATUK1 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_RU11	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Russian (KB.1170A.048)
AS7535G-724G50Mn	EMEA	Middle East	LX.PCE0X.007	AS7535G-724G50Mn EM VHP32ATME2 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_AR23	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Arabic (KB.1170A.032)
AS7535G-724G50Mn	EMEA	Switzerland	LX.PCE0X.002	AS7535G-724G50Mn VHP32ATCH1 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_IT42	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Swiss/G (KB.1170A.052)
AS7535G-724G50Mn	EMEA	Turkey	LX.PCE0X.003	AS7535G-724G50Mn EM VHP32ATTR1 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_TR33	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	Turkish (KB.1170A.054)
AS7535G-724G50Mn	EMEA	UK	LX.PCE0X.001	AS7535G-724G50Mn VHP32ATGB1 MC M92XT512Cbk 2*2G/500_L/6L/ CB_bgn_0.3D_HG_EN14	ATRM72	NLED17.3WXGA+G	M92XT	512M-DDR2 (64*16*4)	SO2GBII6/ SO2GBII6	N500GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	90W	0.3M DV	UK (KB.1170A.055)

Model	RO	Country	Acer Part No	Description	CPU	LCD	VGA Chip	VRAM 1	Memory 1/ Memory 2	HDD 1(GB)	ODD	Wireless LAN/ Wireless LAN1	Bluetooth h	Battery	Adap ter	Camera	K/B
AS7535-643G25Mn	EMEA	South Africa	LX.PCF0X.043	AS7535-643G25Mn EM VHP32ATZ2 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_EN16	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	US International (KB.I170A.056)
AS7535-643G25Mn	EMEA	South Africa	LX.PCF0X.042	AS7535-643G25Mn EM VHP32ATZA1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_FR23	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	French (KB.I170A.039)
AS7535-643G25Mn	EMEA	Holland	LX.PCF0X.041	AS7535-643G25Mn VHP32ATNL1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_NL12	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	US International (KB.I170A.056)
AS7535-643G25Mn	EMEA	South Africa	LX.PCF0X.038	AS7535-643G25Mn EM VHP32ATZA4 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_EN11	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	US International (KB.I170A.056)
AS7535-643G25Mn	EMEA	Germany	LX.PCF0X.040	AS7535-643G25Mn VHP32ATDE1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_DE13	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	German (KB.I170A.040)
AS7535-643G25Mn	EMEA	Norway	LX.PCF0X.033	AS7535-643G25Mn VHP32ATNO1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_NO12	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Norwegian (KB.I170A.046)
AS7535-643G25Mn	EMEA	Norway	LX.PCF0X.032	AS7535-643G25Mn VHP32ATNO3 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_ENS3	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Nordic (KB.I170A.045)
AS7535-643G25Mn	EMEA	Luxembourg	LX.PCF0X.034	AS7535-643G25Mn VHP32ATLU3 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_IT41	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Swiss/G (KB.I170A.052)
AS7535-643G25Mn	EMEA	Belgium	LX.PCF0X.035	AS7535-643G25Mn VHP32ATBE1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_NL13	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Belgium (KB.I170A.033)
AS7535-643G25Mn	EMEA	France	LX.PCF0X.036	AS7535-643G25Mn VHP32ATFR1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_FR23	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	French (KB.I170A.039)
AS7535-643G25Mn	EMEA	Denmark	LX.PCF0X.037	AS7535-643G25Mn VHP32ATDK1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_NO13	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Danish (KB.I170A.037)
AS7535-643G25Mn	EMEA	Denmark	LX.PCF0X.039	AS7535-643G25Mn VHP32ATDK2 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_ENS3	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Nordic (KB.I170A.045)
AS7535-643G25Mn	EMEA	Russia	LX.PCF0X.028	AS7535-643G25Mn VHP32ATRU1 MC UMACbk 2G+1G/250/6L/CB_bg_0.3D_HG_RU11	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi BG	N	6CELL2.2	65W	0.3M DV	Russian (KB.I170A.048)
AS7535-643G25Mn	EMEA	Eastern Europe	LX.PCF0X.031	AS7535-643G25Mn VHP32ATEU4 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_SV22	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Sweden (KB.I170A.051)
AS7535-643G25Mn	EMEA	Eastern Europe	LX.PCF0X.023	AS7535-643G25Mn VHP32ATEU3 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_RU23	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Russian (KB.I170A.048)
AS7535-643G25Mn	EMEA	Eastern Europe	LX.PCF0X.024	AS7535-643G25Mn VHP32ATEU5 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_PL13	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	US International (KB.I170A.056)
AS7535-643G25Mn	EMEA	Eastern Europe	LX.PCF0X.025	AS7535-643G25Mn VHP32ATEU7 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_ENR2	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	SLO/CRO (KB.I170A.049)
AS7535-643G25Mn	EMEA	Austria	LX.PCF0X.027	AS7535-643G25Mn VHP32ATAT1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_DE11	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	German (KB.I170A.040)
AS7535-643G25Mn	EMEA	Sweden	LX.PCF0X.029	AS7535-643G25Mn VHP32ATSE1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_FI13	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Sweden (KB.I170A.051)
AS7535-643G25Mn	EMEA	Eastern Europe	LX.PCF0X.030	AS7535-643G25Mn VHP32ATEU7 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_SL11	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	SLO/CRO (KB.I170A.049)
AS7535-643G25Mn	EMEA	Czech	LX.PCF0X.026	AS7535-643G25Mn VHP32ATCZ2 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_SK12	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	CZ/SK (KB.I170A.035)
AS7535-643G25Mn	EMEA	Eastern Europe	LX.PCF0X.022	AS7535-643G25Mn VHP32ATEU5 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_Ro12	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	US International (KB.I170A.056)
AS7535-643G25Mn	EMEA	Finland	LX.PCF0X.021	AS7535-643G25Mn VHP32ATFI2 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_FI11	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Sweden (KB.I170A.051)
AS7535-643G25Mn	EMEA	Middle East	LX.PCF0X.012	AS7535-643G25Mn EM VHP32ATME2 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_EN15	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Arabic (KB.I170A.032)
AS7535-643G25Mn	EMEA	Middle East	LX.PCF0X.013	AS7535-643G25Mn EM VHP32ATME6 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_EN15	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	US International (KB.I170A.056)
AS7535-643G25Mn	EMEA	Middle East	LX.PCF0X.014	AS7535-643G25Mn EM VHP32ATME9 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_FR22	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	FR/Arabic (KB.I170A.038)
AS7535-643G25Mn	EMEA	Portugal	LX.PCF0X.019	AS7535-643G25Mn VHP32ATPT1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_PT12	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Portuguese (KB.I170A.047)
AS7535-643G25Mn	EMEA	Spain	LX.PCF0X.018	AS7535-643G25Mn VHP32ATES1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_ES22	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Spanish (KB.I170A.050)

Model	RO	Country	Acer Part No	Description	CPU	LCD	VGA Chip	VRAM 1	Memory 1/ Memory 2	HDD 1(GB)	ODD	Wireless LAN/ Wireless LAN1	Bluetoot h	Battery	Adap ter	Camera	K/B
AS7535-643G25Mn	EMEA	Greece	LX.PCF0X.016	AS7535-643G25Mn VHP32ATGR1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_EL32	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Greek (KB.I170A.041)
AS7535-643G25Mn	EMEA	Italy	LX.PCF0X.017	AS7535-643G25Mn VHP32ATIT1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_IT12	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Italian (KB.I170A.043)
AS7535-643G25Mn	EMEA	Israel	LX.PCF0X.015	AS7535-643G25Mn VHP32ATIL1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_HE12	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	US International w/ Hebrew (KB.I170A.057)
AS7535-643G25Mn	EMEA	Hungary	LX.PCF0X.020	AS7535-643G25Mn VHP32ATHU1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_HU13	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Hungarian (KB.I170A.042)
AS7535-643G25Mn	EMEA	Middle East	LX.PCF0X.008	AS7535-643G25Mn EM VHP32ATME4 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_EN11	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Russian (KB.I170A.048)
AS7535-643G25Mn	EMEA	Middle East	LX.PCF0X.009	AS7535-643G25Mn EM VHP32ATME2 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_AR13	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Arabic (KB.I170A.032)
AS7535-643G25Mn	EMEA	Middle East	LX.PCF0X.010	AS7535-643G25Mn EM VHP32ATME2 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_AR23	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Arabic (KB.I170A.032)
AS7535-643G25Mn	EMEA	Switzerland	LX.PCF0X.011	AS7535-643G25Mn VHP32ATCH1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_IT42	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Swiss/G (KB.I170A.052)
AS7535-643G25Mn	EMEA	Middle East	LX.PCF0X.006	AS7535-643G25Mn EM VHP32ATME3 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_FR23	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	French (KB.I170A.039)
AS7535-643G25Mn	EMEA	Middle East	LX.PCF0X.007	AS7535-643G25Mn EM VHP32ATME4 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_RU61	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Russian (KB.I170A.048)
AS7535-643G25Mn	EMEA	Poland	LX.PCF0X.005	AS7535-643G25Mn VHP32ATPL1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_PL11	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	US International (KB.I170A.056)
AS7535-643G25Mn	EMEA	Ukraine	LX.PCF0X.003	AS7535-643G25Mn VHP32ATUK1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_RU11	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Russian (KB.I170A.048)
AS7535-643G25Mn	EMEA	UK	LX.PCF0X.002	AS7535-643G25Mn VHP32ATGB1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_EN14	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	UK (KB.I170A.055)
AS7535-643G25Mn	EMEA	Turkey	LX.PCF0X.004	AS7535-643G25Mn EM VHP32ATTR1 MC UMACbk 2G+1G/250/6L/CB_bgn_0.3D_HG_TR33	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N250GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	Turkish (KB.I170A.054)
AS7535-643G32Mn	PA	USA	LX.PCF0X.001	AS7535-643G32Mn VHP32ATUS1 MC UMACbk 2G+1G/320/6L/CB_bgn_0.3D_HG_EN32	AAQL64	NLED17.3WXGA+G	UMA	N	SO2GBII6/ SO1GBII6	N320GB5.4KS	NSM8XS	3rd WiFi 1x2 BGN/ 3rd WiFi 1x2 BGN	N	6CELL2.2	65W	0.3M DV	US International (KB.I170A.056)

Test Compatible Components

This computer's compatibility is tested and verified by Acer's internal testing department. All of its system functions are tested under Windows® XP Home, Windows® XP Pro environment, Windows® Vista.

Refer to the following lists for components, adapter cards, and peripherals which have passed these tests. Regarding configuration, combination and test procedures, please refer to the Aspire 7738/7738G, Aspire 7735/7735G/7735Z/7735ZG series and Aspire 7535/7535G/7235 Series Compatibility Test Report released by the Acer Mobile System Testing Department.

Microsoft® Windows® Vista Environment Test

Item	Specification
CRT Port Test	
CRT Monitor	Acer 211c 21", ViewSonic G220F, ViewSonic PF790 19"
LCD Monitor	Acer FP751 17" TFT LCD, Acer AL1521, Acer AL1721, ViewSonic VD201b, Westinghouse W37G, HP LP2065, HP S9500
Projector	Dell 3300MP
USB Port Test	
USB Keyboard/Mouse	Microsoft Natural Keyboard Pro Dell USB Keyboard Logicoool USB Mouse (OWCM-USB) Logitech USB Wheel Mouse Logitech First Wheel Mouse Dell by Logitech Dell Internet Navigator Keyboard Dell Smart Card Keyboard HP USB Optical Austin Mouse Belkin Miniglow Optical USB Mouse HP USB Optical Mouse (RB129AA)
USB Speaker/Joystick	Aiwa Multimedia Digital Speaker (SC-UC78) Panasonic USB Speaker EAB-MPC57USB
USB Storage Drive	Iomega USB Zip 250MB Transcend 80G HDD Plextor DVD+R/RW LG DVD+R/RW Sony DVD+R/RW
USB Camera	Intel Easy PC Camera (A20953-001) Orange Micro USB 2.0 Web Cam
USB HUB and Others	A TEN UH-204 IOGEAR 4-Port Hub Corega CG-WLUSBST11
USB Printer/Scanner	HP 450WBT Deskjet Printer
USB Flash Drive	Sony Memory Key 128MB Sony Micro Vault Pro USD-5G IBM 128MB Memory Key IBM 512MB Memory Key Apacer Handy Drive Apacer The USB Flash Drive 256MB
USB ODD	Logitec CDRW+DVDROM combo LG DVD+R/RW Sony DVD+R/RW
1394 Camera	Sony DV-TRV10
Access Point 802.11a	Intel Pro/Wireless 5000 NetGear HE 102
Access Point 802.11g	D-Link Building Networks People WiFi Certified a/b/g Wireless 108AG
Access Point 802.11n	Belkin N1MIMO Wireless Router High Performance wireless 802.11n
Bluetooth Device	Sony Ericsson Wireless Headset Sony Ericsson T610 X Bridge Bluetooth Access Point BT300

Item	Specification
PCMCIA Test	
LAN/Modem Card	TDK CardBus Ethernet 10/100 32-Bit CBE-10/100BTX
Storage Card	Hitachi Microdrive 4G
1394 Card	Buffalo 1394 Interface Cardbus (IFC-ILCB/DV)
USB2.0 Card	IBM EtherJet CardBus Adapter 10/100
Wireless Lan Card (Not recommended for wireless ready model)	Cisco Wireless LAN Card 802.11a NETGEAR Wireless LAN card 802.11a
ISDN Card	Toshiba Type B for Bluetooth 128K ISDN Card
GPRS Card	Vodafone QL1ACC-21581 3G/GPRS card Sony Ericsson GC83 GPRS card Sony Ericsson GC89 GPRS card
ExpressCard Test	
Express Card	Abcom 5-in-1 Adapter ExpressCard Reader Abcom GigaLan ExpressCard Sunix ECF2400 2 Ports 1394A ExpressCard
Memory Card Test (SD/MS/MMC/SM/CF/Microdrive/XD)	
SD Card	Apacer 128/256MB SanDisk 256MB Apacer 2GB (150x Hi-Speed) KINGMAX 1GB (66x Hi-Speed) SanDisk 1GB RiDATA 4GB SD PRO Memory Card
MS Card	Sony 512 MS PRO Lexar 512MB MS PRO Lexar 1GB MS PRO Sony 2GB MS PRO
MMC Card	SanDisk 32MB Transcend 64/128MB Transcend 256MB SanDisk RS-MMC 128MB PQI RS-MMC 256MB Transcend 512MB A-DATA Turbo 200X 2GB MMC Card
XD Card	Apacer 256/512MB SanDisk 2GB Olympus 512MB
CF Card	Apacer 256/512 SanDisk 2GB

Online Support Information

This section describes online technical support services available to help you repair your Acer Systems.

If you are a distributor, dealer, ASP or TPM, please refer your technical queries to your local Acer branch office. Acer Branch Offices and Regional Business Units may access our website. However some information sources will require a user i.d. and password. These can be obtained directly from Acer CSD Taiwan.

Acer's Website offers you convenient and valuable support resources whenever you need them.

In the Technical Information section you can download information on all of Acer's Notebook, Desktop and Server models including:

- Service guides for all models
- User's manuals
- Training materials
- Bios updates
- Software utilities
- Spare parts lists
- TABs (Technical Announcement Bulletin)

For these purposes, we have included an Acrobat File to facilitate the problem-free downloading of our technical material.

Also contained on this website are:

- Detailed information on Acer's International Traveller's Warranty (ITW)
- Returned material authorization procedures
- An overview of all the support services we offer, accompanied by a list of telephone, fax and email contacts for all your technical queries.

We are always looking for ways to optimize and improve our services, so if you have any suggestions or comments, please do not hesitate to communicate these to us.

A

- AFLASH Utility 39
- antennas
 - removing 94
- Audio 23

B

- back cover
 - removing 48
- battery pack
 - removing 44
- BIOS 19
 - vendor 19
 - Version 19
- BIOS Recovery 115
- BIOS Recovery Boot Block 117
- BIOS Recovery by Crisis Disk 117
 - steps 117
- BIOS Recovery Hotkey 117
- BIOS Utility 27–39
 - Navigating 28
 - System Security 38
- block diagram
 - Aspire 7535/7535G/7235 Series 5
 - Aspire 7738/7738G Series and 7735/7735G/7735Z/7735ZG Series 4
- button/indicator
 - Bluetooth 7, 11
 - Wireless LAN 7, 11
- buttons
 - easy-launch 11

C

- caps lock
 - on indicator 6
- Clearing BIOS Password
 - steps 116
- Clearing Password 115
- CPU
 - removing 82
- CPU Fan True Value Table 19
- Crisis Disk
 - creating 117
- Crisis Recovery Disk 39

D

- DIMM module
 - removing 53

E

- Environment Test 206
- Euro 15
- External CD-ROM Drive Check 96
- External Module Disassembly
 - Flowchart 43

F

- Fingerprint/button and touchpad boards
 - removing 68
- Flash Utility 39
- FRU (Field Replaceable Unit) List 121

H

- Hard disk 21
- HDD 21
- HDD activity indicator 6
- HDD1 module
 - removing 48
- HDD2 module
 - removing 46
- Hot Keys 13, 15
- Hotkeys
 - sleep 15
- hotkeys
 - Bluetooth 15
 - brightness down 15
 - brightness up 15
 - display 15
 - Screen blank 15
 - speaker 15
 - System property 15
 - volume down 15
 - volume up 15
- HW Gap position 115

I

- Indicator
 - battery 7
 - touchpad toggle 7
- indicator
 - battery 10
 - power-on 7, 10
- Indicators 10
- Intermittent Problems 111

K

- Key
 - Special 15

key

- Acer PowerSmart 7
- Backup 7, 11
- US dollar 15

Keyboard 7, 13, 25

- removing 60

Keyboard or Auxiliary Input Device Check 96

L

Launch board

- removing 70

LCD bezel

- removing 85

LCD Brackets

- removing 90

LCD Module Disassembly

- Flowchart 84

LCD with the brackets

- removing 88

Locations

- connectors 113

M

Main Screw List 42

Main Unit Disassembly

- Flowchart 56

Memory Check 97

menu

- Boot 37

- Exit 38

- Information 29

- Security 33

middle cover

- removing 57

Model Definition 183

N

notebook tour 6

num lock

- on indicator 6

O

Online Support Information 209

P

Palmrest 7

password

- changing 35

- removing 35

- setting 34

Power Adapter Check 97

Power System Check 97

Battery Pack 98

Power-On Self-Test (POST) Error Message 98

Processor 19

S

Screw List 42

Speakers 7

System 4

- Block Diagram 4

System Check Procedures 96

System Memory 19

System Utilities 17, 27

System utilities

- Acer GridVista 18

T

Test Compatible Components 205

Touchpad 7

touchpad

- using 11

Touchpad Check 98

Troubleshooting 95

U

Undetermined Problems 112

utility

- BIOS 27–39

V

view

- bottom 10

- left 8

- rear 9

- right 9

view front 6

W

Windows 2000 Environment Test 206

www.s-manuals.com