

# Windows Help

# HP Photosmart D110 series



# **Contents**

1	HP Photosmart D110 series Help	3
2	Get to know the HP Photosmart Printer parts Control panel features. TouchSmart Web	6
3	How do I?	7
4	Print Tips for print success	12
5	Copy and scan Copy text or mixed documents Scan to a computer	15
6	Work with cartridges Replace the cartridges. Cartridge warranty information.	19 21
	Order ink supplies	22 22
7	Connectivity Add the HP Photosmart to a network Tips for setting up and using a networked printer	
9	HP support Phone support period Placing a call Additional warranty options Clear the paper jam from the rear access door	35 35
10	Technical information Notice	37 38
	Regulatory wireless statements	45
Inc	lex	49

# 1 HP Photosmart D110 series Help

## For information about the HP Photosmart, see:


- "How do I?" on page 7
- "Get to know the HP Photosmart" on page 5
- "Print" on page 9
- "Copy and scan" on page 13
- "Work with cartridges" on page 19
- "Connectivity" on page 25
- "<u>Technical information</u>" on page 37

## 2 Get to know the HP Photosmart

- Printer parts
- Control panel features
- TouchSmart Web

## **Printer parts**

Figure 2-1 Printer parts



1	Color graphics display (also referred to as the display)
2	Control panel
3	On button
4	Photo light
5	Memory card slots for Memory Stick DUO and Secure Digital (SD-MMC) cards
6	Wireless button: Launches the wireless menu. Pushing and holding the wireless button launches Wi-Fi Protected Setup (WPS).
7	Paper tray
8	Paper tray extender (also referred to as the tray extender)
9	Cartridge door
10	Cartridge access area
11	Print carriage
12	Glass
13	Lid-backing
14	Lid
15	Rear door
16	Rear USB port
17	Power connection (Use only with the power adapter supplied by HP.)

## **Control panel features**

Figure 2-2 Control panel features

OK

OK

OK

OK

OK

- 1 Back: Returns to the previous screen.
- 2 Cancel: Stops the current operation, restores default settings, and clears the current photo selection.
- 3 Directional keys: Allow you to navigate through photos and menu options.
- 4 **Setup**: Opens the **Setup** menu where you can change product settings and perform maintenance functions.
- 5 **OK**: Selects a menu setting, value, or photo.
- 6 Copy: Opens the Copy menu where you can select a copy type or change the copy settings.
- 7 **Photo**: Opens the **Photo** Menu.
- 8 Scan: Opens the Scan Destination Menu menu where you can select a destination for your scan.
- 9 Apps: TouchSmart Web provides a quick and easy way to access and print information from the Web, such as coupons, coloring pages, and puzzles.

## **TouchSmart Web**

The **TouchSmart Web** Manager can be used to add new **Apps** or to remove **Apps**.

### Manage Apps

- ▲ Add new **Apps**.
  - a. Press the directional keys to scroll to the Web menu option. Press OK.
  - b. Press the directional keys to scroll to the More menu option. Press OK. Check desired Apps. Press OK. Follow prompts.

# How do 12

## 3 How do I?

This section contains links to commonly performed tasks, such as printing photos, scanning, and making copies.

"TouchSmart Web" on page 6

"Replace the cartridges" on page 19

"Load media" on page 31

"Scan to a computer" on page 15

"Copy text or mixed documents" on page 13

"Clear the paper jam from the rear access door" on page 35

## 4 Print



"Print documents" on page 9



"Print photos" on page 10



"Print envelopes" on page 11

#### Related topics

- "Load media" on page 31
- "Tips for print success" on page 12

## **Print documents**

Most print settings are automatically handled by the software application. You need to change the settings manually only when you change print quality, print on specific types of paper or transparency film, or use special features.

## To print from a software application

- 1. Make sure you have paper loaded in the paper tray.
- 2. On the File menu in your software application, click Print.
- 3. Make sure the product is the selected printer.
- If you need to change settings, click the button that opens the Properties dialog box.
   Depending on your software application, this button might be called Properties,
   Options, Printer Setup, Printer, or Preferences.
  - NOTE: When printing a photo, you must select options for the specific photo paper and photo enhancement.
- Select the appropriate options for your print job by using the features available in the Advanced, Printing Shortcuts, Features, and Color tabs.
  - TIP: You can easily select the appropriate options for your print job by choosing one of the predefined print tasks on the **Printing Shortcuts** tab. Click a type of print task in the **Printing Shortcuts** list. The default settings for that type of print task are set and summarized on the **Printing Shortcuts** tab. If necessary, you can adjust the settings here and save your custom settings as a new printing shortcut. To save a custom printing shortcut, select the shortcut and click **Save**As. To delete a shortcut, select the shortcut and click **Delete**.

- 6. Click **OK** to close the **Properties** dialog box.
- 7. Click **Print** or **OK** to begin printing.

### Related topics

- "Load media" on page 31
- "Tips for print success" on page 12

## **Print photos**

"Print photos saved on your computer" on page 10

## Print photos saved on your computer

### To print a photo on photo paper

- 1. Remove all paper from the paper tray.
- 2. Place the photo paper print side down on the right side of the paper tray.



- 3. Slide the paper-width guide inward until it stops at the edge of the paper.
- 4. On the File menu in your software application, click Print.
- 5. Make sure the product is the selected printer.
- Click the button that opens the Properties dialog box.
   Depending on your software application, this button might be called Properties,
   Options, Printer Setup, Printer, or Preferences.
- Click the Features tab.
- 8. In the **Basic Options** area, from the **Paper Type** drop-down list, select **More**. Then, select the appropriate photo paper type.
- In the Resizing Options area, from the Size drop-down list, select More. Then, select the appropriate paper size.
  - If the paper size and paper type are not compatible, the printer software displays an alert and allows you to select a different type or size.
- 10. (Optional) Select the Borderless printing check box if it is not already checked. If the borderless paper size and paper type are not compatible, the product software displays an alert and allows you to select a different type or size.

- 11. In the Basic Options area, select a high print quality, such as Best, from the Print Quality drop-down list.
  - NOTE: To achieve the highest dpi resolution, you can use the Maximum dpi setting with supported types of photo paper. If Maximum dpi is not listed in the Print quality drop-down list, you can enable it from the Advanced tab.
- 12. In the HP Real Life Technologies area, click the Photo fix drop-down list and select from the following options:
  - Off: applies no HP Real Life Technologies to the image.
  - Basic: enhances low-resolution images; moderately adjusts image sharpness.
- 13. Click **OK** to return to the **Properties** dialog box.
- 14. Click **OK**, and then click **Print** or **OK** in the **Print** dialog box.
- NOTE: Do not leave unused photo paper in the paper tray. The paper might start to curl, which could reduce the quality of your printout. For best results, do not allow printed photos to stack up in the paper tray.

### Related topics

- "Load media" on page 31
- "<u>Tips for print success</u>" on page 12

## **Print envelopes**

With the HP Photosmart, you can print on a single envelope, a group of envelopes, or label sheets designed for inkjet printers.

#### To print a group of addresses on labels or envelopes

- 1. Print a test page on plain paper first.
- Place the test page on top of the label sheet or envelope, and hold both up to the light. Check the spacing for each block of text. Make adjustments as needed.
- 3. Load the labels or envelopes into the paper tray.
  - △ **CAUTION:** Do not use envelopes with clasps or windows. They can get stuck in the rollers and cause paper jams.
- Slide the paper-width guide inward against the stack of labels or envelopes until the guide stops.
- **5.** If you are printing on envelopes, do the following:
  - a. Display the print settings, and click the Features tab.
  - b. In the Resizing Options area, click the appropriate envelope size in the Size list.
- 6. Click **OK**, and then click **Print** or **OK** in the **Print** dialog box.

#### Related topics

- "Load media" on page 31
- "Tips for print success" on page 12

## Tips for print success

Use the following tips to print successfully.

#### **Print tips**

- Use genuine HP cartridges. Genuine HP cartridges are designed for and tested with HP printers to help you produce great results, time after time.
- Make sure the cartridges have sufficient ink. To check the estimated ink levels, follow
  the instruction in the **Tools** menu on the display. Alternatively, you can check the ink
  levels in **Printer Toolbox** from the software.
- Load a stack of paper, not just one page. Use clean and flat paper of the same size.
   Make sure only one type of paper is loaded at a time.
- Adjust the paper-width guide in the input tray to fit snugly against all paper. Make sure
  the paper-width guide does not bend the paper in the input tray.
- Set the print quality and paper size settings according to the type and size of paper loaded in the input tray.
- Use print preview to check margins. Do not let the margin settings for the document exceed the printable area of the printer.
- Learn how to share your photos online and order prints. <u>Click here to go online for</u> more information.
- Learn about TouchSmart Web Manager for printing recipes, coupons, and other content from the web, simply and easily. <u>Click here to go online for more information</u>.

# 5 Copy and scan

- Copy text or mixed documents
- Scan to a computer
- Tips for copy and scan success

## Copy text or mixed documents

## Copy text or mixed documents

1. Do one of the following:

## Make a black and white copy


- a. Load paper.
  - □ Load full-size paper in paper tray.



- b. Load original.
  - Lift lid on product.



- TIP: To make copies of thick originals, such as books, you can remove the lid.
- □ Load original print side down on right front corner of glass.



- ☐ Close lid.
- c. Select Copy.
  - $\hfill \Box$  On the Home screen, highlight Copy, and then press OK.
  - ☐ Highlight **Black Copy**, and then press **OK**.
  - □ Press the **Settings** button to change the copy size.
  - □ Press **Directional keys** to change the number of copies.
- d. Start copy.
  - □ Press **OK**.

## Make a color copy


- a. Load paper.
  - □ Load full-size paper in paper tray.



- **b**. Load original.
  - ☐ Lift lid on product.



- TIP: To make copies of thick originals, such as books, you can remove the lid.
- Load original print side down on right front corner of glass.



- Close lid.
- c. Select Copy.
  - □ On the Home screen, highlight **Copy**, and then press **OK**.
  - ☐ Highlight Color Copy, and then press OK.
  - □ Press the **Settings** button to change the copy size.
  - □ Press **Directional keys** to change the number of copies.
- d. Start copy.
  - □ Press **OK**.
- 2. View the animation for this topic.

## **Related topics**

"Tips for copy and scan success" on page 16


## Scan to a computer

#### To scan to a computer

- 1. Load original.
  - **a**. Lift lid on product.



**b**. Load original print side down on right front corner of glass.



- c. Close lid.
- 2. Start scan.
  - a. On the Home screen, highlight Scan, and then press OK.
  - b. Highlight Scan to PC, and then press OK.
    If product is network-connected, a list of available computers appears. Select computer to which you want to transfer to start the scan.
- 3. View the animation for this topic.

#### Related topics

"Tips for copy and scan success" on page 16

## Tips for copy and scan success

Use the following tips to copy and scan successfully:

- Keep the glass and the back of the lid clean. The scanner interprets anything it detects on the glass as part of the image.
- Load your original, print side down, on the right front corner of the glass.
- To copy or scan a book or other thick originals, remove the lid.
- To make a large copy of a small original, scan the original into the computer, resize
  the image in the scanning software, and then print a copy of the enlarged image.

- To avoid incorrect or missing scanned text, make sure the brightness is set appropriately in the software.
- If the document to be scanned has a complex layout, select framed text as the scan document setting in the software. With this setting, the text layout and formatting are retained.
- If the scanned image is incorrectly cropped, turn off the autocropping feature in the software and crop the scanned image manually.

# 6 Work with cartridges

- Replace the cartridges
- Cartridge warranty information
- Order ink supplies
- Ink-backup mode
- · Check the estimated ink levels
- Tips for working with print cartridges

## Replace the cartridges


## To replace the cartridges

- 1. Check that power is on.
- 2. Remove cartridge.
  - a. Open cartridge access door.




Wait for print carriage to move to center of the product.


b. Lightly press down on the cartridge to release it, then remove it from slot.



- 1 Cartridge slot for tri-color cartridge
- 2 Cartridge slot for black cartridge
- 3. Insert new cartridge.
  - a. Remove cartridge from packaging.
  - **b**. Remove plastic tape by using the pink pull tab.



c. Line up colored shaped icons, then slide cartridge into slot until it clicks into place.



d. Close cartridge door.



- 4. Align cartridges.
  - a. When prompted, press **OK** to print a cartridge alignment page.
  - **b**. Load page print side down on right front corner of glass, and then press **OK** to scan page.
  - c. Remove alignment page and recycle or discard it.
- 5. View the animation for this topic.

#### Related topics

- "Order ink supplies" on page 21
- "Ink-backup mode" on page 22

## **Cartridge warranty information**

The HP cartridge warranty is applicable when the product is used in its designated HP printing device. This warranty does not cover HP ink products that have been refilled, remanufactured, refurbished, misused, or tampered with.

During the warranty period the product is covered as long as the HP ink is not depleted and the end of warranty date has not been reached. The end of warranty date, in YYYY/ MM/DD format, may be found on the product as indicated:



For a copy of the HP Limited Warranty Statement, see the printed documentation that came with the product.

## Order ink supplies

To learn which HP supplies work with your product, order supplies online, or create a printable shopping list, open HP Solution Center, and select the online shopping feature.

Cartridge information and links to online shopping also appear on ink alert messages. In addition, you can find cartridge information and order online by visiting www.hp.com/buy/ supplies.



NOTE: Ordering cartridges online is not supported in all countries/regions. If it is not supported in your country/region, contact a local HP reseller for information about purchasing cartridges.

## Ink-backup mode

Use the ink-backup mode to operate the HP Photosmart with only one print cartridge. The ink-backup mode is initiated when a print cartridge is removed from the print cartridge carriage. During ink-backup mode, the product can only print jobs from the computer.



NOTE: When the HP Photosmart operates in ink-backup mode, a message is displayed on screen. If the message is displayed and two print cartridges are installed in the product, verify that the protective piece of plastic tape has been removed from each print cartridge. When plastic tape covers the print cartridge contacts, the product cannot detect that the print cartridge is installed.

For more information about ink-backup mode, see the following topics:

- "Ink-backup mode output" on page 22
- "Exit ink-backup mode" on page 22

## Ink-backup mode output

Printing in ink-backup mode slows the printer and affects the quality of printouts.

Installed print cartridge	Result			
Black print cartridge	Colors print as grayscale.			
Tri-color print cartridge	Colors print but black is grayed and is not a true black.			

### Exit ink-backup mode

Install two print cartridges in the HP Photosmart to exit ink-backup mode.

#### Related topics

"Replace the cartridges" on page 19

## Check the estimated ink levels

You can easily check the ink supply level to determine how soon you might need to replace a cartridge. The ink supply level shows an estimate of the amount of ink remaining in the cartridges.



NOTE: If you have installed a refilled or remanufactured cartridge, or a cartridge that has been used in another printer, the ink level indicator might be inaccurate or unavailable.

**NOTE:** Ink level warnings and indicators provide estimates for planning purposes only. When you receive a low-ink warning message, consider having a replacement cartridge available to avoid possible printing delays. You do not have to replace the cartridges until the print quality is unacceptable.

NOTE: Ink from the cartridges is used in the printing process in a number of different ways, including in the initialization process, which prepares the product and cartridges for printing, and in printhead servicing, which keeps print nozzles clear and ink flowing smoothly. In addition, some residual ink is left in the cartridge after it is used. For more information, see www.hp.com/go/inkusage.

#### To check the ink levels from the HP Photosmart Software

1. In the HP Solution Center, click **Settings**, point to **Print Settings**, and then click Printer Toolbox.



NOTE: You can also open the **Printer Toolbox** from the **Print Properties** dialog box. In the Print Properties dialog box, click the Features tab, and then click the Printer Services button.

The **Printer Toolbox** appears.

Click the Estimated Ink Level tab.

The estimated ink levels for the print cartridges appear.

#### Related topics

"Order ink supplies" on page 21

## Tips for working with print cartridges

Use the following tips to work with print cartridges:

- Use the correct print cartridges for your printer. For a list of compatible print cartridges, see the printed documentation that came with the printer. Alternatively, look in Printer **Toolbox** in the software.
- To install print cartridges, verify that the protective piece of plastic tape has been removed from each print cartridge. When plastic tape covers the print cartridge contacts, the printer cannot detect that the print cartridge is installed.
- Insert the print cartridges into the correct slots. Match the color and icon of each cartridge to the color and icon for each slot. Make sure both cartridges snap down into place.
- Use genuine HP print cartridges. Genuine HP print cartridges are designed for and tested with HP printers to help you produce great results, time after time.
- Use the ink-backup mode to operate the printer by using only one print cartridge. The ink-backup mode is initiated when a print cartridge is removed from the print cartridge carriage. During ink-backup mode, the printer can only print jobs from the computer.

- Consider getting replacement print cartridges when you receive a low-ink warning message. This avoids possible printing delays. You do not need to replace the print cartridges until print quality becomes unacceptable.
- Make sure the printhead is clean. Follow the instructions from Tools menu on the printer display. Alternatively, look in Printer Toolbox in the software.
- After you insert new print cartridges, align the printer for best print quality. Follow the
  instructions from Tools menu on the printer display. Alternatively, look in Printer
  Toolbox in the software.

# Connectivity

## 7 Connectivity

## Add the HP Photosmart to a network

- WiFi Protected Setup (WPS)
- Wireless with a router (infrastructure network)
- Wireless without a router (ad hoc connection)
- · Install the software for a network connection

## WiFi Protected Setup (WPS)

To connect the HP Photosmart to a wireless network using WiFi Protected Setup (WPS), you will need the following:

- □ A wireless 802.11 network that includes a WPS-enabled wireless router or access point.
- A desktop computer or laptop with either wireless networking support, or a network interface card (NIC). The computer must be connected to the wireless network that you intend to install the HP Photosmart on.

## To connect the HP Photosmart using WiFi Protected Setup (WPS)

1. Do one of the following:

#### Use Push Button (PBC) method

- Set up wireless connection.
  - Press and hold the Wireless button.
    - Press corresponding button on WPS-enabled router or other networking device.
    - □ Press **OK**.
- b. Install software.
- NOTE: The product begins a timer for approximately two minutes in which the corresponding button on the networking device needs to be pressed.

#### **Use PIN method**

- a. Set up wireless connection.
  - Press the Wireless button.
  - ☐ Highlight Wireless Settings. Press **OK**.
  - Highlight WiFi Protected Setup. Press OK.
  - ☐ Highlight PIN. Press **OK**.
    - The device displays a PIN.
  - ☐ Enter the PIN on WPS-enabled router or other networking device.
  - □ Press **OK**.
- **b**. Install software.

- NOTE: The product begins a timer for approximately two minutes in which the PIN needs to be entered on the networking device.
- 2. View the animation for this topic.

#### Related topics

- "Install the software for a network connection" on page 29
- "Tips for setting up and using a networked printer" on page 30

## Wireless with a router (infrastructure network)

To connect the HP Photosmart to an integrated wireless WLAN 802.11 network, you will need the following:

_	A	000 44		41					
	A wireless	XO2 11	network	tnat in	cilides a	WITELESS	router (	or access	noint

- A desktop computer or laptop with either wireless networking support, or a network interface card (NIC). The computer must be connected to the wireless network that you intend to install the HP Photosmart on.
- □ Broadband Internet access (recommended) such as cable or DSL.
  - If you connect the HP Photosmart on a wireless network that has Internet access, HP recommends that you use a wireless router (access point or base station) that uses Dynamic Host Configuration Protocol (DHCP).
- □ Network name (SSID).
- □ WEP key or WPA Passphrase (if needed).

## To connect the product with the Wireless Setup Wizard


- 1. Write down your network name (SSID) and WEP key or WPA passphrase.
- Turn on wireless radio.
  - a. Unplug the network cable.
  - b. Touch Setup.
  - c. Touch Network.
  - d. Touch Wireless Radio, and then touch On.
- 3. Start Wireless Setup Wizard.
  - ▲ Touch Network Setup Wizard.
- Connect to wireless network.
  - Select your network from the list of detected networks.
- Follow prompts.
- Install software.
- View the animation for this topic.

#### Related topics

- "Install the software for a network connection" on page 29
- "Tips for setting up and using a networked printer" on page 30

## Wireless without a router (ad hoc connection)

Use this section if you want to connect the HP Photosmart to a wireless-capable computer without using a wireless router or access point.



There are two methods you can use to connect the HP Photosmart to your computer using an ad hoc wireless network connection. Once connected, you can install the HP Photosmart software.

Turn on the wireless radio for the HP Photosmart and the wireless radio on your computer. On your computer, connect to the network name (SSID) hp (product model).(6-digit unique identifier), which is the default ad hoc network created by the HP Photosmart. The 6-digit identifier is unique to each printer.

#### OR

Use an ad hoc network profile on your computer to connect to the product. If your computer is not currently configured with an ad hoc network profile, consult the Help file for your computer Operating System for the proper method to create an ad hoc profile on your computer. Once the ad hoc network profile has been created, insert the installation CD that came with the product and install the software. Connect to the ad hoc network profile you created on your computer.



NOTE: An ad hoc connection can be used if you do not have a wireless router or access point but do have a wireless radio on your computer. However, an ad hoc connection may result in a lower level of network security and possibly reduced performance when compared to an infrastructure network connection using a wireless router or access point.

To connect the HP Photosmart to a Windows computer with an ad hoc connection, the computer must have a wireless network adapter and an ad hoc profile. Create a network profile for a Windows Vista or Windows XP computer using the directions below.



NOTE: The product comes configured with a network profile with hp (product model).(6-digit unique identifier) as the network name (SSID). However, for security and privacy HP recommends you create a new network profile on your computer as described here.


## To create a network profile (Windows Vista)



NOTE: The product comes configured with a network profile with hp (product model).(6-digit unique identifier) as the network name (SSID). However, for security and privacy HP recommends you create a new network profile on your computer as described here.

- In the Control Panel, double-click Network and Internet, then Network and Sharing Center..
- In the Network and Sharing Center (under Tasks on the left), select Set up a connection or network.
- Choose the connection option Set up a wireless ad hoc (computer-to-computer) network, then click Next. Read the description and warnings about ad hoc networks, then click Next>
- 4. Enter details, including Network name (the SSID for your ad hoc connection), Security type, and SecurityPassphrase. If you are going to save this network connection, check Save this network. Make a note of the SSID and the Security key/ Passphrase for future reference. Click Next
- **5.** Continue to follow the prompts to complete setup of the ad hoc network connection.

#### To create a network profile (Windows XP)



- 1. In the Control Panel, double-click Network Connections.
- On the Network Connections window, right-click the Wireless Network
   Connection. If you see Enable on the pop-up menu, select it. Otherwise, if you see
   Disable on the menu, the wireless connection is already enabled.
- 3. Right-click the Wireless Network Connection icon, and then click Properties.
- 4. Click the Wireless Networks tab.
- 5. Select the Use Windows to configure my wireless network settings check box.
- 6. Click Add, and then do the following:
  - a. In **Network name (SSID)** box, type in a unique network name of your choice.
    - NOTE: The network name is case sensitive, so it is important to remember any uppercase (capital) and lowercase (small) letters.
  - b. If there is a Network Authentication list, select Open. Otherwise, go to the next step.
  - c. In the Data encryption list, select WEP.
  - d. Make sure that the check box is **not** selected next to **The key is provided for me automatically**. If it is selected, click the check box to clear it.
  - e. In the Network key box, type a WEP key that has exactly 5 or exactly 13 alphanumeric (ASCII) characters. For example, if you enter 5 characters, you might enter ABCDE or 12345. Or, if you enter 13 characters, you might enter ABCDEF1234567. (12345 and ABCDE are examples only. Select a combination of your choosing.)
    - Alternatively, you can use HEX (hexadecimal) characters for the WEP key. A HEX WEP key must be 10 characters for 40 bit encryption, or 26 characters for 128 bit encryption.

f. In the Confirm network key box, type the same WEP key you typed in the previous step.



NOTE: You must remember the exact uppercase (capital) and lowercase (small) letters. If you enter your WEP key incorrectly on the product, the wireless connection will fail.

- g. Write down the WEP key exactly as you typed it, including uppercase and lowercase letters.
- h. Select the check box for This is a computer-to-computer (ad hoc) network; wireless access points are not used.
- i. Click **OK** to close the **Wireless network properties** window, and then click **OK** again.
- j. Click **OK** again to close the **Wireless Network Properties Connection** window.

#### Related topics

- "Install the software for a network connection" on page 29
- "Tips for setting up and using a networked printer" on page 30

### Install the software for a network connection

Use this section to install the HP Photosmart software on a computer connected to a network. Before you install the software, make sure you have connected the HP Photosmart to a network. If the HP Photosmart has not been connected to a network, follow the onscreen instructions during the software installation to connect the product to the network.



NOTE: If your computer is configured to connect to a series of network drives, make sure that your computer is currently connected to these drives before installing the software. Otherwise, the HP Photosmart software installer might try to use one of the reserved drive letters and you will not be able to access that network drive on your computer.

NOTE: Installation time can range from 20 to 45 minutes depending on your operating system, the amount of available space, and the processor speed of your computer.

## To install the Windows HP Photosmart Software on a networked computer

- 1. Quit all applications running on your computer.
- 2. Insert the Windows CD that came with the product into the CD-ROM drive on your computer and follow the onscreen instructions.
- 3. If a dialog box about firewalls appears, follow the instructions. If you see firewall popup messages, you must always accept or allow the pop-up messages.
- 4. On the Connection Type screen, select an appropriate option, and then click Next. The **Searching** screen appears as the Setup program searches for the product on the network.
- 5. On the **Printer Found** screen, verify that the printer description is correct. If more than one printer is found on the network, the **Printers Found** screen appears. Select the product you want to connect.

- **6.** Follow the prompts to install the software. When you have finished installing the software, the product is ready for use.
- To test your network connection, go to your computer and print a self-test report to the product.

## Tips for setting up and using a networked printer

Use the following tips to set up and use a networked printer:

- When setting up the wireless networked printer, make sure your wireless router or access point is powered on. The printer searches for wireless routers, then lists the detected network names on the display.
- When entering the WEP or WPA key, use the button next to Change Mode on the lower left to switch among Alpha Keypad, Numeric Keypad, and Symbol Keypad.
- To verify the wireless connection, check the wireless radio light in the Wireless Settings menu on the display. If the light is off, select Enable Wireless to enable the wireless connection. It also displays the IP address of the printer.
- If your computer is connected to a Virtual Private Network (VPN), you need to
  disconnect from the VPN before you can access any other device on your network.,
  including the printer.
- Learn how to find your network security settings. <u>Click here to go online for more</u> information.
- Learn about the Network Diagnostic Utility and other troubleshooting tips. <u>Click here</u> to go online for more information.
- Learn how to change from a USB to wireless connection. <u>Click here to go online for</u> more information.
- Learn how to work with your firewall and anti-virus programs during printer setup.
   Click here to go online for more information.


# 8 Paper basics

## Load media

1. Do one of the following:

## Load small-size paper


- a. Lower paper tray.
  - □ Slide paper-width guide outwards.



- **b**. Load paper.
  - Insert stack of photo paper into paper tray with short edge forward and print side down.




- □ Slide stack of paper forward until it stops.
  - NOTE: If the photo paper you are using has perforated tabs, load photo paper so that tabs are closest to you.
- □ Slide paper-width guide inward until it stops at edge of paper.



## Load full-size paper


- a. Lower paper tray.
  - □ Slide paper-width guide outwards.



- **b**. Load paper.
  - □ Insert stack of paper into paper tray with short edge forward and print side down.



- □ Slide stack of paper forward until it stops.
- □ Slide paper-width guide inward until it stops at edge of paper.



2. View the animation for this topic.

# 9 HP support

- Phone support period
- Placing a call
- Additional warranty options
- Clear the paper jam from the rear access door

# Phone support period

One year of phone support is available in North America, Asia Pacific, and Latin America (including Mexico). To determine the duration of phone support in Europe, the Middle East, and Africa, go to <a href="https://example.com/support">HP.com/support</a>. Standard phone company charges apply.

# Placing a call

Call HP support while you are in front of the computer and the product. Be prepared to provide the following information:

- Product name (HP Photosmart D110 series)
- Serial number (located on the back or bottom of the product)
- · Messages that appear when the situation occurs
- Answers to these questions:
  - Has this situation happened before?
  - Can you re-create it?
  - Did you add any new hardware or software to your computer at about the time that this situation began?
  - Did anything else occur prior to this situation (such as a thunderstorm, product was moved, etc.)?

For the list of support phone numbers, visit HP.com/support.

# Additional warranty options

Extended service plans are available for the HP Photosmart at additional costs. Go to <u>HP.com/support</u>, select your country/region and language, then explore the services and warranty area for information about the extended service plans.


# Clear the paper jam from the rear access door

To clear a paper jam from the rear access door

- 1. Turn product off.
- Remove rear door.



- 3. Remove jammed paper.
- 4. Replace rear door.



- 5. Turn on product.
- 6. Try printing again.

# 10 Technical information

The technical specifications and international regulatory information for the HP Photosmart are provided in this section.

For additional specifications, see the printed documentation that came with the HP Photosmart. This section contains the following topics:

- Notice
- Specifications
- · Environmental product stewardship program
- Regulatory notices
- Regulatory wireless statements

### **Notice**

#### **Hewlett-Packard Company notices**

The information contained in this document is subject to change without notice.

All rights reserved. Reproduction, adaptation, or translation of this material is prohibited without prior written permission of Hewlett-Packard, except as allowed under copyright laws. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

© 2009 Hewlett-Packard Development Company, L.P.

Microsoft, Windows, Windows XP, and Windows Vista are U.S. registered trademarks of Microsoft Corporation.

Windows 7 is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries

Intel and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

# **Specifications**

Technical specifications for the HP Photosmart are provided in this section. For complete product specifications, see the Product Data Sheet at <a href="https://example.com/support">HP.com/support</a>.

#### System requirements

Software and system requirements are located in the Readme file.

For information about future operating system releases and support, visit the HP online support Web site at HP.com/support.

#### **Environmental specifications**

- Recommended operating temperature range: 15 °C to 32 °C (59 °F to 90 °F)
- Allowable operating temperature range: 5 °C to 40 °C (41 °F to 104 °F)
- Humidity: 20% to 80% RH non-condensing (recommended); 28 °C maximum dewpoint
- Non-operating (Storage) temperature range: –25 °C to 60 °C (13 °F to 140 °F)
- In the presence of high electromagnetic fields, it is possible the output from the HP Photosmart may be slightly distorted
- HP recommends using a USB cable less than or equal to 3 m (10 feet) in length to minimize injected noise due to potential high electromagnetic fields

#### Paper specifications

Туре	Paper weight	Paper tray
Plain paper	20 to 24 lb. (75 to 90 gsm)	Up to 80 (20 lb. paper)

Туре	Paper weight	Paper tray
Legal paper	20 to 24 lb. (75 to 90 gsm)	Up to 80 (20 lb. paper)
Index cards	110 lb. index max (200 gsm)	Up to 30
Hagaki cards	110 lb. index max (200 gsm)	Up to 40
Envelopes	20 to 24 lb. (75 to 90 gsm)	Up to 10
5 x 7 inch (13 x 18 cm) Photo paper	145 lb. (236 gsm)	Up to 30
4 x 6 inch (10 x 15 cm) Photo paper	145 lb. (236 gsm)	Up to 30
8.5 x 11 inch (216 x 279 mm) Photo paper	145 lb. (236 gsm)	Up to 30

Maximum capacity.



NOTE: For a complete list of supported media sizes, see the printer driver.

#### Print specifications

- Print speeds vary according to the complexity of the document
- Panorama-size printing
- Method: drop-on-demand thermal inkjet
- Language: PCL3 GUI

#### Scan specifications

- Image editor included
- Twain-compliant software interface
- Resolution: up to 1200 x 2400 ppi optical; 19200 ppi enhanced (software) For more information about ppi resolution, see the scanner software.
- Color: 48-bit color, 8-bit grayscale (256 levels of gray)
- Maximum scan size from glass: 21.6 x 29.7 cm (8.5 x 11.7 inches)

#### Copy specifications

- Digital image processing
- Maximum number of copies varies by model
- Copy speeds vary according to the complexity of the document and model

#### Print resolution

To find out about the printer resolution, see the printer software.

#### Cartridge yield

Visit www.hp.com/go/learnaboutsupplies for more information on estimated cartridge yields.

# **Environmental product stewardship program**

Hewlett-Packard is committed to providing quality products in an environmentally sound manner. Design for recycling has been incorporated into this product. The number of materials has been kept to a minimum while ensuring proper functionality and reliability. Dissimilar materials have been designed to separate easily. Fasteners and other connections are easy to locate, access, and remove using common tools. High priority parts have been designed to access quickly for efficient disassembly and repair.

For more information, visit HP's Commitment to the Environment Web site at:

www.hp.com/hpinfo/globalcitizenship/environment/index.html

This section contains the following topics:

- Eco-Tips
- Paper use
- Plastics
- Material safety data sheets
- Recycling program
- Power consumption
- HP inkjet supplies recycling program
- Power consumption
- · Disposal of waste equipment by users in private households in the European Union
- Chemical Substances

#### **Eco-Tips**

HP is committed to helping customers reduce their environmental footprint. HP has provided the Eco-Tips below to help you focus on ways to assess and reduce the impact of your printing choices. In addition to specific features in this product, please visit the HP Eco Solutions web site for more information on HP's environmental initiatives.

www.hp.com/hpinfo/globalcitizenship/environment/

#### Your product's Eco features

- Smart Web printing: The HP Smart Web Printing interface includes a Clip Book and Edit Clips window where you can store, organize, or print clips you have gathered from the Web.
- Energy Savings information: To determine the ENERGY STAR® qualification status for this
  product, see "Power consumption" on page 40.
- Recycled Materials: For more information regarding recycling of HP products, please visit: www.hp.com/hpinfo/globalcitizenship/environment/recycle/

#### Paper use

This product is suited for the use of recycled paper according to DIN 19309 and EN 12281:2002.

#### **Plastics**

Plastic parts over 25 grams are marked according to international standards that enhance the ability to identify plastics for recycling purposes at the end of product life.

#### Material safety data sheets

Material safety data sheets (MSDS) can be obtained from the HP Web site at: www.hp.com/go/msds

#### Recycling program

HP offers an increasing number of product return and recycling programs in many countries/regions, and partners with some of the largest electronic recycling centers throughout the world. HP conserves resources by reselling some of its most popular products. For more information regarding recycling of HP products, please visit:

www.hp.com/hpinfo/globalcitizenship/environment/recycle/

#### **Power consumption**

Hewlett-Packard printing and imaging equipment marked with the ENERGY STAR® logo is qualified to the U.S. Environmental Protection Agency's ENERGY STAR specifications for imaging equipment. The following mark will appear on ENERGY STAR qualified imaging products:



Additional ENERGY STAR qualified imaging product model information is listed at: <a href="www.hp.com/go/energystar">www.hp.com/go/energystar</a>

#### HP inkjet supplies recycling program

HP is committed to protecting the environment. The HP Inkjet Supplies Recycling Program is available in many countries/regions, and lets you recycle used print cartridges and ink cartridges free of charge. For more information, go to the following Web site:

www.hp.com/hpinfo/globalcitizenship/environment/recycle/

### **Power consumption**

Power usage drops significantly while in Sleep mode, which saves natural resources and saves money without affecting the high performance of this product. To determine the ENERGY STAR® qualification status for this product see the Product Data Sheet or Specifications Sheet. Qualified products are also listed at <a href="https://www.hp.com/go/energystar">www.hp.com/go/energystar</a>.

#### Disposal of waste equipment by users in private households in the European Union



Disposal of Waste Equipment by Users in Private Households in the European Union
This symbol on the product or on its pockaging indicates that this product must not be disposed of with your other household waste. Instead, it is your responsibility to dispose of your
expenser by handles of ever to a designed collection point of the recycling of waste electrical and electronic equipment. The separate collection and experting of your waste equipment by handles of everyone the product of the product of the environment. For more instantion about you can dop off your waste equipment for recycling place worked you for control you for your waste equipment for recycling. Place are control you for waste equipment for recycling places are control you for any other special place waste for the stop where you purchased the product. Focusorilon des équipements usagés par les utilisateurs dans les foyeres privés au sein de l'Union européenne.

La piecne de ce symbole sur le produit ou sur son enbollage indique que vous ne pouver pas vous débornases de ce produit de la même façon que vou deben sous les presentes de ce produit de la même façon que vou deben sous les presentes de ce produit de la même façon que vou deben sous les presentes de celebrates de l'entrepart d Telestragrung von Elektrogerichen durch Benutzer in privaten Hausholten in der EU
Diese Symbol auf den Produkt oder desen Verpockung gild an, dass das Produkt nicht zusammen mit dem Restmill entorgt werden danf. Es söbliegt daher ihrer Verantwortung, das
Gericht on einer einstgerichende Stelle für die Ertsüngeng oder Wirkstermerungs und Ertsüngender und Ertsüngender Verstermerungs, das
Gericht on einer einstgerichende Stelle für die Ertsüngeng oder Wirkstermerungs und Ertsüngender und Ertsüngender Stelle für die Ertsüngeng oder Wirkstermerungs und Ertsüngender und Ertsüngender Stelle der Stelle St sen d'incerni exercitaire, versionimente doir cont, vois de das Centre evirotien notest.

Immillimente di apprecel·chiarre de rottename de paret di privati nell'Unione Europea

Luedo simbolo che oppure sal prodoto o sallo confescione indica che il prodoto non diver essere smallito sastema qui chir riflari domestic. Cili utenti devero provvedene allo

luedo simbolo che oppure sal prodoto o sallo confescione indica che il prodoto non diver essere smallito dalla apposizionimente eleritate de della minibili. Lo no costa e il ridioggio

personali della componicionale dei nottamente in face di similiminato forniciono lo conservazione della fromestica con che la capacioniminato e il rispetto della confescionale della confes Eliminación de residuos de aparatos eléctricos y electrónicos por parte de usuarios domésticos en la Unión Europea Este simbolo en el producto o en el embalgie indica que no se puede desechar el producto junto con los residuos domésticos. For el contrario, si debe elimin tats statubol en el producto o en el maboligi indico, que fo os podet descriptions de producto de consensation de la consensati Bortskaffelse af offoldsudstyr for brugere i private husholdninger i EU
Dete symbol på produktel eller på det emballage indikere, at produktel klær må bortskaffels sammen med andet husholdningsaffold. I stedet er det dit ansvar at bortskaffe offoldsudsty ved at aflerere det på det han begreder indikamlingsadere med herbils på geletning af elektrinsk affoldsudstyr. Den separate indamling og genbrug af dit afladsudstyr på träppriket for bortskaffelse premet en en ett flat berene naturlige resourcer og sikre, at gentrug finder stel på en måde, de beskytter mennesken helberd samt miljøet. Hvis du vil vide meer om, har at kan after ett affallsudstyr i gjentrug, kan at kontakte kommenne, det delabe remortionsvessen eller den forentning, har af skalet per stellere skalet skal on, nor au au anteriered an intrapously in generoig, son to unanse commune, see touch environment en even en internating, mor ou acceptance. Affever van affegedankte apparatuur door gebruikers in particuliere huishoudens in de Europees Unit.
Dit symbol op het product of de verpokking geeft oan dat dit product niet may worden algreced met het huishoudelijk hind. Het is uv verentwoordelijkheid uw afgedankte apparatuur of de ieverten gee not ongevenen insannephyl voor de ervereiking van afgedankte elektrische en elektrische produktion. De gescheiden insanneling en ervereiking van ow afgedankte opporatuur. De gescheiden insanneling en ervereiking van ow afgedankte vereiking van de vereiking van elektrische en elektrische en personale opporatuur. De gescheiden insanneling en ervereiking van van digedankte opporatuur kunt inleveen voor recycling kunt u contact openenen met het gemeentelnus in ow woorsploats, de reinigingsdienst of de winkel waar u het product heter onagsefichet. Hervitettivien laitetelen käsittely katitaloksisse Survapen valenin alusella Oma kolteksa tai ke apolaksiksasa loise melintia asalina, etti havitettivia laitetelen mukana. Käyttäjän vehallasus on huolehtia siita, että havitettivia laite olimitelaan sähkö, ja elatteniikikalaiteronnu keräypsiteseen. Hävitettivien laiteiden erillinen keräys ja kieratys säädää luonnovaraja. Näin tainimalla vamiteletaan myös, tai keräryty hapohia tuorilla, jaksa valetele himitela terveytiä ja vapprissiös. Saat ehvitesessi laiteides järidede liereträposjakoista palaitalilai vannonassilia, jaleyhtiölikä tai kute ρισειεπιγγρατών συσκτυάν στην Ευρωπαϊκή Ένωση. Το περόν αρβόλο στον εξαιλισμό ή στη συστευσεία του υποδιανέεια ότι το προϊόν αυτό ότι πρέπε να πεσχεί μεζί με όλλο ουτοιά αποφρίματο. Ανέβατε, παθένη σες είναι να συστευλική το πρέπου καταιτών το προτού του προϊόν το προϊόν το προϊόν το προϊόν το προτού του η Ευρωπαϊκό το Αμέρου Αλουρικό αναστευλική το περίπου αναστευδε το αρβόλα της διατήρηση των ερουπών το μετών το προϊόν με πέσων το προσιανέτεια η υγεία των αναφείνεια το περίδολον. Το περιοσότερε πλουροφείες αρτικό με το πού μπορείτε να απορείμετε τις άρρηστε συστευές για ανακύλωση επικονωγήσει με τις κατά τόπους αρμόδει αρφές ή με το κατόπομα από το ποίο αγορόσει το προϊόν. Lietotiju altrīvičanās naudzia laukse izespietem laujausva valuanius valga alemes talgamizacijaus.

Lietotiju altrīvičanās na nederlijām ieričem Eiropas Savienības prividajās malgiaminecības izeliminem. Jūs est albildīga par athrividanas na nederlijās ierīcas. Sai simbots va ierīces val izis iepskojuma norida, iza io ierīci nedritat izmest kopā ar pārējem majpiaminecības athrivimēm. Jūs est albildīga par athrividanas no nederigās ierīcas, to nododa nordalīgās savoklanas vela, is litāt velāta nederijās ierīcas savaklana va otravētāja pārstrāde. Speciāla nederlijās ierīcas savaklana va otravētāja pārstrāde savaklanas valdas par partija valdas ierīcas, to nodosina taka diversēja pārstrāde var negatār ierīcas, to nodosina taka diversēja pārstrāde var negatār ierīcas, to iesņīta partija informativa partija valdas v Europos Squingos varteloly ir privateling namy úkly aftiekamos į rangos Emetlimos.
Sis simbolis ari produkto arbo jo pakudes nurodo, kad produkto negal bibli timetas kartu sulkinnis namy úkio alliekamis. Jis privalote itimeta savo allekamą įrangą atduodomi ją infeliamos elektorias ir elektoria įranga perdiribmo praktus. Le alliekamo irapos bus aktiviris usvenkama ir perdiribamo, bus išsuogomi natūralis štieklai ir užliktiriamos, kad įranga vipediribta žiedys. Le alliekamos jedenikas ir elektorias praktivas perdiribta praktus. Le alliekama jaroga bus aktiviris usvenkama ir perdiribamo, bus išsuogomi natūralis štieklai ir užliktiriamos, kad įranga vipediribta žiedys. Le alliekama gravas perdiribta žiedys. Le alliekama jaroga kas aktiviris iranga krejaktės į altitiniamą vietos tamyba, namy ūkio alliekti siemos prakti arba; karinge iraktor produktą. affielty live/limo tamyora anto i partiuotrure, turnge praner prouvae;

Uptilizacja uzbyżego sprzętu przez użytkowników domowych w Unil Europejskiej

Symbol ke numieszczny na produkich ub opokowniu canacza, że lego produktu nie należy wyżzcać razem z innymi odpadami domowymi. Użytkownik jest odpowiedzialny za

dostarczenie użytkogo przętu do wyznaczonego ponklu gomadesnia użytych urządzie elektrycznych i elektronicznych. Gromadzenie acobno i necykling lego typu odpadów

przycznia się do ochrony zasobów naturalnych i jest bezpieczny dia zdowia i środowista naturalnego. Dależe informacje na tema typochownia zwietych urządzeń można

uzyskać u odpowiednich wdaź leslanych, w przedsjelowistwe zajmiącym się uwowniem odpadow to w miejscu zakupy produku. reina Syllion to pocione tieze o to jen o liveze zatunenty, a reina de situation e promise de la constanta de Rovnanje z odpadno opremo v gospodinjstvih znotraj Evropske unije
To znok na izdeliku ali embidali židelika pomeni, da izdelika ne smele odlogati skupoj z drugimi gospodinjskimi odpadki. Odpadno opremo ste dolizni oddali na določenem zbirm
este za reciklimaje odpodne elektrinice premez. Zloterim zbirmejem recikliranjem odpodne opremo ste dolizni oddali na določenem zbirm
da bo odpodna opremo ste dolizni oddali na določenem zbirme
da bo odpodna opremo ste doliznima bila, da se vanje stavoje kodi in okolje. Već informacij o mestlik, kjer bila oddate odpodno opremo za recikliranje, žalika dobite na občini,
t komunicanje pojelju ali Togovil, kjer ta izdesk kipili.

Kassering ur Grörvfunlingsmarterlat, för hem- och privatanvändare i EU
Produkter eller produktiopsocknings med den här symbolen fär inke kassens med vanligh kushbliosvfall. I ställe har du ansvar för att produkten lämnas till en behörig dete
för handering av el- och elektranlipsockdare. Genom att illama tässerade produkter till äverinning hjälper du till att bevara våra gemensamma nahurseuser. Dessution sky
människor och miljön när produkter ätervinns på rätt sätt. Kommunala myndigheter, sophanteringsförebg eller butiken där varan köptes kan ge mer information om var di
kasserade produkter för förerinning.

#### **Chemical Substances**

HP is committed to providing our customers with information about the chemical substances in our products as needed to comply with legal requirements such as REACH (*Regulation EC No 1907/2006 of the European Parliament and the Council*). A chemical information report for this product can be found at: www.hp.com/go/reach.

# Regulatory notices

 $\label{thm:controller} The \ HP \ Photosmart \ meets \ product \ requirements \ from \ regulatory \ agencies \ in \ your \ country/region.$ 

This section contains the following topics:

- Regulatory model identification number
- FCC statement
- VCCI (Class B) compliance statement for users in Japan
- · Notice to users in Japan about the power cord
- · Notice to users in Korea
- HP Photosmart D110 series declaration of conformity

#### Regulatory model identification number

For regulatory identification purposes, your product is assigned a Regulatory Model Number. The Regulatory Model Number for your product is SNPRH-0901. This regulatory number should not be confused with the marketing name (HP Photosmart D110 series, etc.) or product numbers (Q8380A, etc.).

#### **FCC** statement

#### **FCC** statement

The United States Federal Communications Commission (in 47 CFR 15.105) has specified that the following notice be brought to the attention of users of this product.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient the receiving antenna.
- Increase the separation between the equipment and the receiver.
- Connect the equipment into an outlet on a circuit different from that to which the
  receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

For further information, contact:

Manager of Corporate Product Regulations Hewlett-Packard Company 3000 Hanover Street Palo Alto, Ca 94304 (650) 857-1501

Modifications (part 15.21)

The FCC requires the user to be notified that any changes or modifications made to this device that are not expressly approved by HP may void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

#### VCCI (Class B) compliance statement for users in Japan

この装置は、クラスB情報技術装置です。この装置は、家庭環境で使用することを目的としていますが、この装置がラジオやテレビジョン受信機に近接して使用されると、受信障害を引き起こすことがあります。取扱説明書に従って正しい取り扱いをして下さい。

VCCI-B

#### Notice to users in Japan about the power cord

製品には、同梱された電源コードをお使い下さい。 同梱された電源コードは、他の製品では使用出来ません。

#### Notice to users in Korea

B 급 기기
(가정용 방송통신기기)

이 기기는 가정용(B급)으로 전자파적합등록을 한 기기로서 주 로 가정에서 사용하는 것을 목적으로 하며, 모든 지역에서 사 용할 수 있습니다.

## HP Photosmart D110 series declaration of conformity



#### **DECLARATION OF CONFORMITY**

according to ISO/IEC 17050-1 and EN 17050-1

DoC #: SNPRH-0901 Rev A

Supplier's Name: Hewlett-Packard Company

Supplier's Address: 20, Jia Feng Road Waigaoqiao Free Trade Zone Pudong, Shanghai

declares, that the product , PRC 200131

Product Name and Model: HP Photosmart D110 series

 Regulatory Model Number: 10
 SNPRH-0901

 Radio Module:
 SDGOB-0892

 Power Adapter:
 0957-2269

 Product Options:
 All

conforms to the following Product Specifications and Regulations:

#### EMC:

FCC CFR 47 Part 15 Class B / ICES-003,Issue 4 Class B

#### Safety

EN 60950-1:2001+A11:2004 / IEC 60950-1:2001 EN 60825-1 1994+A1:2002+A2:2001 IEC 62311:2007 / EN 62311:2008

#### Telecom:

EN 300 328 V1.7.1:2006 EN 301 489-1 V1.8.1:2008 / EN 301 489-17 V1.3.2:2008

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

#### Additional Information:

 This product is assigned a Regulatory Model Number which stays with the regulatory aspects of the design. The Regulatory Model Number is the main product identifier in the regulatory documentation and test reports, this number should not be confused with the marketing name or the product numbers.

18th Sep 2009

ICS Product Hardware Quality Engineering Manager

#### Local contact for regulatory topics only:

EMEA: Hewlett-Packard GmbH, HQ-TRE, Herrenberger Strasse 140, 71034 Boeblingen, Germany U.S.: Hewlett-Packard, 3000 Hanover St., Palo Alto 94304, U.S.A. 650-857-1501

www.hp.com/go/certificates

# Regulatory wireless statements

This section contains the following regulatory information pertaining to wireless products:

- Exposure to radio frequency radiation
- Notice to users in Brazil
- Notice to users in Canada
- · Notice to users in Taiwan
- European Union regulatory notice

#### **Exposure to radio frequency radiation**

## **Exposure to radio frequency radiation**



**Caution** The radiated output power of this device is far below the FCC radio frequency exposure limits. Nevertheless, the device shall be used in such a manner that the potential for human contact during normal operation is minimized. This product and any attached external antenna, if supported, shall be placed in such a manner to minimize the potential for human contact during normal operation. In order to avoid the possibility of exceeding the FCC radio frequency exposure limits, human proximity to the antenna shall not be less than 20 cm (8 inches) during normal operation.

#### Notice to users in Brazil

#### Aviso aos usuários no Brasil

Este equipamento opera em caráter secundário, isto é, não tem direito à proteção contra interferência prejudicial, mesmo de estações do mesmo tipo, e não pode causar interferência a sistemas operando em caráter primário. (Res.ANATEL 282/2001).

#### Notice to users in Canada

#### Notice to users in Canada/Note à l'attention des utilisateurs canadiens

**For Indoor Use.** This digital apparatus does not exceed the Class B limits for radio noise emissions from the digital apparatus set out in the Radio Interference Regulations of the Canadian Department of Communications. The internal wireless radio complies with RSS 210 and RSS GEN of Industry Canada.

**Utiliser à l'intérieur.** Le présent appareil numérique n'émet pas de bruit radioélectrique dépassant les limites applicables aux appareils numériques de la classe B prescrites dans le Règlement sur le brouillage radioélectrique édicté par le ministère des Communications du Canada. Le composant RF interne est conforme a la norme RSS-210 and RSS GEN d'Industrie Canada.

#### Notice to users in Taiwan

# 低功率電波輻射性電機管理辦法

## 第十二條

經型式認證合格之低功率射頻電機,非經許可,公司、商號或使用者均不得擅自變更頻率、加大功率或變更設計之特性及功能。

#### 第十四條

低功率射頻電機之使用不得影響飛航安全及干擾合法通信;經發現有干擾現象時,應立即停用,並改善至無干擾時方得繼續使用。

前項合法通信,指依電信法規定作業之無線電通信。低功率射頻電機須忍受合法通信或 工業、科學及醫藥用電波輻射性電機設備之干擾。

#### **European Union regulatory notice**

#### **European Union Regulatory Notice**

Products bearing the CE marking comply with the following EU Directives:

- Low Voltage Directive 2006/95/EC
- EMC Directive 2004/108/EC

CE compliance of this product is valid only if powered with the correct CE-marked AC adapter provided by HP.

If this product has telecommunications functionality, it also complies with the essential requirements of the following EU Directive:

• R&TTE Directive 1999/5/EC

Compliance with these directives implies conformity to harmonized European standards (European Norms) that are listed in the EU Declaration of Conformity issued by HP for this product or product family. This compliance is indicated by the following conformity marking placed on the product.



The wireless telecommunications functionality of this product may be used in the following EU and EFTA countries:

Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Liechtenstein, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovak Republic, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

#### Products with 2.4-GHz wireless LAN devices

#### France

For 2.4 GHz Wireless LAN operation of this product certain restrictions apply: This product may be used indoor for the entire 2400-2483.5 MHz frequency band (channels 1-13). For outdoor use, only 2400-2454 MHz frequency band (channels 1-9) may be used. For the latest requirements, see http://www.art-telecom.fr.

#### Italy

License required for use. Verify with your dealer or directly with the General Direction for Frequency Planning and Management (Direzione Generale Pianificazione e Gestione Frequenze).

# Index

Symbols/Numerics 10 x 15 cm photo paper	<b>P</b> paper
specifications 37	specifications 37 phone support period
В	period for support 35
buttons, control panel 6	photo paper specifications 37
C	print
control panel	specifications 38
buttons 6	printer found screen,
features 6	Windows 29
сору	printing
specifications 38	with one ink cartridge 22
customer support	_
warranty 35	R
	recycle
E	ink cartridges 40
encryption	regulatory notices
WEP key 28	regulatory model identification number 42
envelopes	wireless statements 45
specifications 37	wireless statements 45
environment	S
Environmental product	scan
stewardship program 38 environmental	scan specifications 38
specifications 37	security
specifications 37	network, WEP key 28, 29
1	troubleshoot 28
ink hookun mada 22	system requirements 37
ink-backup mode 22 interface card 25, 26	,
interface card 25, 20	Т
L	technical information
labels	copy specifications 38
specifications 37	environmental
legal paper	specifications 37
specifications 37	paper specifications 37
letter paper	print specifications 38
specifications 37	scan specifications 38
•	system requirements 37
N	transparencies
network	specifications 37
interface card 25, 26	107
security 28	W
	warranty 35