

GPS tracker

Tail it User Guide





↑
Charging

It needs around 3 hours to fully charge the tracker until the indicator light flickers which means the battery is full. The indicator light is on all the time when charging.

4. Interface Description

4.1 right side of the tracker



POWER KEY

(1): POWER KEY

- long press the button to turn on the tracker

5. Indicator light and the button's functions

5.1 The light is on all the time when charging

5.2 The light flickers when the battery is full.

5.3 When the tracker is working, press the Power button and the light flickers twice

5.4 Turn on the tracker. Long press the Power button for 3 seconds and the light lasts 3 seconds. Then press the Power button once and The light flickers once.

5.5 Turn off the tracker. Long press the Power button for 3 seconds and the light go out.

6 . Location

Send #LOCATION#TAIL IT# to the tracker ,there is no reply from the tracker and the App update new location within 2 minutes .

7 . FCC Statement

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: 1) this device may not cause harmful interference, and 2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that

interference will not occur in particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

- Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

RF Exposure Statement

SAR tests are conducted using standard operating positions According FCC standards with the device transmitting at its highest certified power level in all tested frequency bands, although the SAR is determined at the highest certified power level, the actual SAR level of the device while operating can be well below the maximum value.

This model product has been tested and meets the FCC RF exposure guidelines with the test distance 0mm for body worn. The use of belt clips, holsters and similar accessories should not contain metallic components in its assembly. The use of accessories that do not satisfy these requirements may not comply with FCC exposure requirements, and should be avoided