



One Identity Starling Two-Factor
Desktop Login 1.1

Administration Guide

Copyright 2020 One Identity LLC.

ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of One Identity LLC.

The information in this document is provided in connection with One Identity products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of One Identity LLC products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, ONE IDENTITY ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL ONE IDENTITY BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF ONE IDENTITY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. One Identity makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. One Identity does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

One Identity LLC.
Attn: LEGAL Dept
4 Polaris Way
Aliso Viejo, CA 92656

Refer to our Web site (<http://www.OneIdentity.com>) for regional and international office information.

Patents

One Identity is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <http://www.OneIdentity.com/legal/patents.aspx>.

Trademarks

One Identity and the One Identity logo are trademarks and registered trademarks of One Identity LLC. in the U.S.A. and other countries. For a complete list of One Identity trademarks, please visit our website at www.OneIdentity.com/legal. All other trademarks are the property of their respective owners.

Legend

 **WARNING:** A WARNING icon highlights a potential risk of bodily injury or property damage, for which industry-standard safety precautions are advised. This icon is often associated with electrical hazards related to hardware.

 **CAUTION:** A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.

Starling Two-Factor Desktop Login Administration Guide
Updated - April 2020
Version - 1.1

Contents

Overview	4
Deployment overview	5
Connectivity requirements	6
Starling Two-Factor Desktop Login Network Diagram	6
Installing Starling Two-Factor Desktop Login	7
Prerequisites	7
Downloading and running the Starling Two-Factor Desktop Login installer	7
Starling Two-Factor Desktop Login Configuration	9
Connecting with Starling for Authentication	9
Configuring Push Notifications	10
Configuring Active Directory Attributes	11
Configuring Log On Settings	11
Addition or Removal of Groups	12
Bypassing Starling Two-Factor Authentication	12
Test your setup	13
Login to the system	13
OTP through SMS	14
OTP through phone call	14
OTP through Starling 2FA app	14
Diagnostic logging	15
Enabling diagnostic logging	15
Disabling diagnostic logging	15
Uninstalling Starling Two-Factor Desktop Login	16
About us	17
Contacting us	17
Technical support resources	17


Overview

One Identity Starling Two-Factor Desktop Login offers companies and organizations the ability to add strong Two-Factor Authentication to Microsoft's Windows client and server operating systems. It provides a simple and consistent login experience, even when the user logs in to a local or terminal session. Starling Two-Factor Desktop Login ensures secured identity authentication by requiring user to approve push notification on Starling 2FA app or provide their Starling Two-Factor one-time password during the login process.

Deployment overview

One Identity Starling Two-Factor Desktop Login adds Two-Factor Authentication to all Windows login attempts. Use Starling Two-Factor Desktop Login to enhance typical Windows Login functions by adding a Two-Factor Authentication requirement to the username and password validation. Starling Two-Factor Desktop Login supports usage of **Login and Unlock Windows functions**.

Figure 1: Starling Two-Factor Desktop Login deployment overview




Connectivity requirements

Starling Two-Factor Desktop Login communicates with Starling Two-Factor Authentication using HTTPS. As the IP addresses can change over time, you must not lock down the firewall to an individual IP address.

Starling Two-Factor Desktop Login Network Diagram

Figure 2: Starling Two-Factor Desktop Login Network diagram



Installing Starling Two-Factor Desktop Login

One Identity Starling Two-Factor Desktop Login supports both client and server operating systems. The following sections brief about the prerequisites and the steps to download and install the latest version of the Starling Two-Factor Desktop Login.

- [Prerequisites](#)
- [Downloading and running the Starling Two-Factor Desktop Login installer](#)

Prerequisites

Before installing Starling Two-Factor Desktop Login on the computer, verify the following:

- Microsoft .NET Framework 4.5.2 or later is installed.
- Starling Two-Factor Authentication subscription is available and active.
- The computer is joined to an Active Directory domain.
- The computer on which Starling Two-Factor Desktop Login is installed, has network access.

Downloading and running the Starling Two-Factor Desktop Login installer

The following sections brief about the steps to download the latest version of the Starling Two-Factor Desktop Login.

To download the installer

1. On the support.oneidentity.com site, sign in to the One Identity account by entering the appropriate credentials. If you do not have an account, click **Sign up for a new account**. You also have the option to sign in through the Microsoft account.

The **One Identity Support** page is displayed.

2. In the **Identity as a Service** section, click **Starling Two-Factor Authentication**.

The **Product Support - Starling Two-Factor Authentication** page is displayed.

3. Click **Install & Upgrade**.

4. Click **Starling Two-Factor Desktop Login 1.1**.

The **Download Starling Two-Factor Desktop Login 1.1** page is displayed.

5. Click **Add to Downloads**.

6. Review the terms and conditions and click **Continue**.

The **Add to My Downloads** page is displayed.

7. Click **Download Now** to download the .msi file.

8. Alternatively, click **Add to My Downloads** to save the application in the My Downloads cart. It is recommended to use this option when you download multiple products.

The **StarlingTwoFactorDesktopLogin.msi** file is downloaded.

Download the installer based on windows platform (x64 or x86).

Ensure that the caution detailed below is thoroughly read and followed before installing One Identity Starling Two-Factor Desktop Login.

⚠ CAUTION: Once the installation is complete, the user must configure Starling Two-Factor Desktop Login settings to log in to the system.

To run the installer

1. Launch Starling Two-Factor Desktop Login installer MSI from an elevated command prompt or double-click the installer.
2. Follow the instructions on the installer to complete the installation.

NOTE: The account under which you will be running the Setup must be a member of the local administrators group.

Starling Two-Factor Desktop Login Configuration

After installation, the One Identity Starling Two-Factor Desktop Login Configuration utility starts by default. The user can also start the utility from the **Start** menu. There are four tiles in the **Home** window. Each tile represents a configuration that must be done before using the product. Click **Manage Settings** to navigate to the required window and perform the following:

- [Connecting with Starling for Authentication](#)
- [Configuring Push Notifications](#)
- [Configuring Active Directory Attributes](#)
- [Configuring Log On Settings](#)

Connecting with Starling for Authentication

Starling Two-Factor Desktop Login enhances the authentication of Windows login by using Starling Two-Factor Authentication. To use One Identity Starling Two-Factor Desktop Login, you must have a valid Starling Two-Factor Authentication subscription.

NOTE: To obtain a Starling Two-Factor Authentication subscription, click the following link: <https://www.cloud.oneidentity.com/>

To configure One Identity Starling for authentication

1. On the Starling Two-Factor Desktop Login window, click **Connect Starling**. The **Connect Starling** window is displayed.
2. Click **Connect my account**. You are redirected to **One Identity Starling** authentication window.
3. Provide your Starling credentials and click **Log in**.

If you are a member of more than one Starling organization, choose the organization you want to connect to, from the dropdown box. Click **Connect**.

After successful authentication, you will be redirected to One Identity Starling Two-Factor Desktop Login **Connect Starling** window. You can connect to a different organization in your One Identity Starling account by clicking **Change Account**. If the process of changing accounts is not successful, the previously connected account will be used.

- NOTE:** If there are network issues or if Starling is down, your account is disconnected. In such cases, click **Reconnect account**. To test the validity of your account connection, click **Test connection**.
- NOTE:** If you have a Starling account, when a subscription is created for you, you will receive a Starling invitation email. Click the link in the email and log in to the Starling account. If your Starling account belongs to multiple organizations, you can select the organization to which Starling Two-Factor Desktop Login must be joined.
- NOTE:** If you do not have a Starling account, when a subscription is created for you, you will get a Starling Sign-Up email to complete a registration process to create a Starling account. Complete the registration and login using the credentials that you have provided during registration. For account creation details, see the *One Identity Starling User Guide*.

Configuring Push Notifications

Push notifications enable Starling 2FA mobile app to receive requests to approve an authentication attempt. Configuration of push notifications facilitate an end-to-end encrypted communication between the application and a secured authentication service. Accurate configuration of push notification enables the user to **Approve** or **Deny** a login attempt. Push notifications are configured by default.

Configure the following Starling 2FA push notification settings:

- **Message:** This is the message that would be displayed in the Starling 2FA app. The character limit for the message is mentioned below:
 - The message must comprise of less than or equal to 50 characters.
 - The message must comprise of more than or equal to 10 characters.
- **Timeout (seconds):** Timeout determines the duration for which the push notification request received on Starling 2FA app is valid. For example, if the value of the timeout is set as 30 seconds, the validity of the notification would last for 30 seconds only. The value can be selected from the drop-down menu. If **Other** is selected from the drop-down menu, the timeout value must be entered in the **Other** field that appears below the drop-down menu. The **Other** option is provided so that a user can customize the timeout value. The default value for timeout is 30 seconds.

Click **Save settings** after completing the configuration.

Configuring Active Directory Attributes

You can specify the user attributes that would be used to retrieve values of the log on user. In the **Active Directory attributes** window, the config tool allows you to specify the user attributes that would be used to retrieve the user's email address and phone number from Active Directory. The following drop-down menus are available to specify the user attributes:

- **E-Mail attribute** (default attribute name - mail) - Select the attribute from the drop-down menu, or type the name of the attribute. The entered name must be an AD user attribute. By default, the following values are available as part of the drop-down menu.
 - mail
 - userPrincipalName
- **Phone number attribute** (default attribute name - mobile) - Select the attribute from the drop-down menu, or type the name of the attribute. The entered name must be an AD user attribute. By default, the following values are available as part of the drop-down menu.
 - mobile
 - otherMobile
 - homephone

NOTE: The mobile phone number value must be in the *E.164* format.

The above mentioned user attributes are used to retrieve the user's email address and phone number from the Active Directory.

Select the **Enable LDAP over SSL** check box to communicate over secured LDAP connection with Active Directory server.

Click **Save settings** after completing the configuration.

Configuring Log On Settings

This configuration enables segregation of users into those who must be authenticated or bypassed, by including or excluding a specific Active Directory group, during login to a computer.

NOTE: By default all domain users who log on to the computer must authenticate via Starling Two-Factor Authentication. Local users will not be able to log on.

To configure authentication for the user groups, select one of the following options:

- **Require specified users log on using Starling Two-Factor authentication:**
Specifies that the users in groups added to the **Groups list** must authenticate via Starling Two-Factor Authentication when logging on to computers that have Starling Two-Factor Desktop Login installed. By default, this option is selected.
- **Allow specified users to bypass Starling Two-Factor authentication:**
Specifies that the users in groups added to the **Groups list** do not have to authenticate via Starling Two-Factor Authentication when logging on to computers that have Starling Two-Factor Desktop Login installed.

Addition or Removal of Groups

To add groups into the list box

1. In the **Log on settings** page, click **Add**.
A **Select Group** dialog box is displayed.
2. Search an existing AD group that has to be included/excluded for Two-Factor authentication, and click **OK**.
Based on the selected group, the group name and its Active Directory container gets reflected in the list box.

To remove a group

Select a group and click **Remove**.

Bypassing Starling Two-Factor Authentication

To bypass Starling Two-Factor Authentication for local user accounts, select the **Allow local users to bypass Starling Two-Factor authentication** check box. By default, the check box is not selected.

To bypass Starling Two-Factor Authentication, when the Starling service is unavailable, select the **Allow users to bypass Starling Two-Factor authentication when Starling services are unavailable** check box. By default, the check box is unchecked and this setting does not permit the user to bypass Starling Two-Factor Authentication, when the Starling service is not available.

Click **Save settings** after completing the configuration.

Test your setup

After the installation and configuration of Starling Two-Factor Desktop Login on the computer, **Sign out** and **Sign In** to the computer again.

Login to the system

When you log in to Windows locally or remotely with a valid Active Directory username and password, Starling Two-Factor Desktop Login sends a push notification to Starling 2FA app automatically after the primary authentication is successful. To use another method to log in, click **Sign in with another option** link from the **Verify Your Account** window. After clicking, the **Verify With A Token** window is displayed. Based on the option selected, the token response is provided through SMS, Phone Call or the Starling 2FA app.

NOTE:

- When you try to log in to the Starling Two-Factor Desktop Login application for the first time and if the Starling 2FA app is not installed, you will receive an SMS asking you to install the Starling 2FA app.
- When Starling Two-Factor Desktop Login sends a push notification, the push notification details contains the computer name instead of the IP address.

Use one of the following methods for Two-Factor Authentication.

Using push notifications

To receive a push notification, your phone number must be registered with your Starling account. You can approve or deny a push notification that is sent to your phone.

NOTE: If your phone does not receive a push notification, perform the following procedure:

1. Open Starling 2FA app and go to **Requests** menu.
2. Approve the request in the **Pending** tab to log in to the system.

Using OTP

OTP can be obtained through one of the following methods.

- [OTP through SMS](#)
- [OTP through phone call](#)
- [OTP through Starling 2FA app](#)

OTP through SMS

To generate OTP through SMS

1. On Starling Two-Factor Authentication **Verify With A Token** window, click **Text Message**. You will receive an OTP through SMS on the registered phone number.
2. Enter the received OTP in the token response field of the Starling Two-Factor Authentication **Verify With A Token** window, and click **Verify** to log in.

OTP through phone call

To generate OTP through phone call

1. On the Starling Two-Factor Authentication **Verify With A Token** window, click **Phone Call**. Your phone with the registered phone number will receive a call.
2. Enter the received OTP in the token response field of the Starling Two-Factor Authentication **Verify With A Token** window, and click **Verify** to log in.

OTP through Starling 2FA app

To generate OTP through Starling 2FA app

1. If you have installed the Starling 2FA app, your account is added to Starling 2FA app. If you have not installed the Starling 2FA app, install the app and register your phone number. Your account will be added to the Starling 2FA app.

NOTE: Install the Starling 2FA app either by clicking the link in the SMS you have received or from the app store.

2. Enter the received OTP in the token response field of the Starling Two-Factor Authentication **Verify With A Token** window, and click **Verify** to log in.

NOTE:

- The Starling 2FA app is available on Android and iOS for Mobile versions, and Windows and Macintosh for Desktop versions.
- You can download the Starling 2FA app using **Get the app** link (<https://2fa.cloud.oneidentity.com/install>) to automatically detect which version to install.

Diagnostic logging

To troubleshoot issues that may occur during authentication with Starling Two-Factor Authentication, enable diagnostic logging for Starling Two-Factor Desktop Login.

Enabling diagnostic logging

To enable diagnostic logging for Starling Two-Factor Desktop Login:

- On a computer where Starling Two-Factor Desktop Login is installed, create the following value in the

HKEY_LOCAL_MACHINE\SOFTWARE\One Identity\Starling Two-Factor Desktop Login registry key using the Registry Editor:

Value type: **REG_DWORD**

Value name: **Diagnostics**

Value data: **1**

The path to the log file: **%ProgramData%\One Identity\Starling Two-Factor Desktop Login\Diagnostics**

The filename for Starling Two-Factor Desktop Login Configuration tool log file: **Configuration.txt**

The filename for Starling Two-Factor Desktop Login logs: **2FA Desktop Login.txt**

Disabling diagnostic logging

To disable diagnostic logging for Starling Two-Factor Desktop Login:

Delete the Diagnostics value from the Starling Two-Factor Desktop Login registry key or set the value data to **0**.

Uninstalling Starling Two-Factor Desktop Login

The following section briefs about the steps to uninstall Starling Two-Factor Desktop Login.

To uninstall the Starling Two-Factor Desktop Login

1. Navigate to **Programs and Features** in Control Panel.
2. Click **One Identity Starling Two-Factor Desktop Login**, and then click **Uninstall**.

NOTE: After uninstalling the One Identity Starling Two-Factor Desktop Login, details regarding the Starling Two-Factor Desktop Login gets deleted from the Starling account.

One Identity solutions eliminate the complexities and time-consuming processes often required to govern identities, manage privileged accounts and control access. Our solutions enhance business agility while addressing your IAM challenges with on-premises, cloud and hybrid environments.

Contacting us

For sales and other inquiries, such as licensing, support, and renewals, visit <https://www.oneidentity.com/company/contact-us.aspx>.

Technical support resources

Technical support is available to One Identity customers with a valid maintenance contract and customers who have trial versions. You can access the Support Portal at <https://support.oneidentity.com/>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request
- View Knowledge Base articles
- Sign up for product notifications
- Download software and technical documentation
- View how-to videos at www.YouTube.com/OneIdentity
- Engage in community discussions
- Chat with support engineers online
- View services to assist you with your product