



# SMART Notebook® 19

## SYSTEM ADMINISTRATOR'S GUIDE

For Windows operating systems



## Learn more

This guide and other resources for SMART Notebook and SMART Learning Suite are available in the Support section of the SMART website ([smarttech.com/support](https://smarttech.com/support)). Scan this QR code to view these resources on your mobile device.

### Trademark notice

SMART Notebook, SMART Ink, SMART Document Camera, smarttech, the SMART logo and all SMART taglines are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries. Microsoft, Windows, Internet Explorer, ActiveX, DirectX and Visual Studio are either registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. Adobe Reader is either registered a trademark or trademark of Adobe Systems Incorporated in the U.S. and/or other countries. Firefox is a registered trademark of the Mozilla Foundation. InstallShield is a registered trademark or trademark of Flexera Software, Inc. and/or InstallShield Co. Inc. in the United States of America and/or other countries. All other third-party product and company names may be trademarks of their respective owners.

### Copyright notice

© 2019 SMART Technologies ULC. All rights reserved. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system or translated into any language in any form by any means without the prior written consent of SMART Technologies ULC. Information in this manual is subject to change without notice and does not represent a commitment on the part of SMART.

This product and/or use thereof covered by one or more of the following U.S. patents.

[www.smarttech.com/patents](https://www.smarttech.com/patents)

06/2019

# Contents

<b>Chapter 1: Getting started</b>	<b>1</b>
Computer requirements	2
Locating installation and supporting files	3
Activation connectivity	6
<b>Chapter 2: Customizing the software</b>	<b>7</b>
Using SMART Install Manager	7
Using third-party tools	13
<b>Chapter 3: Deploying the software</b>	<b>21</b>
Using the command-line interface	22
Using third-party imaging or remote management software	25
<b>Chapter 4: Activating and renewing the software</b>	<b>27</b>
Activating the software during installation	27
Activating the software after installation	28
Renewing keys	30
Using SMART Product Update (SPU) to retrieve activation status	32
Returning a product key activation with a command-line script	34
<b>Chapter 5: Updating the software</b>	<b>35</b>
Using a Windows Installer update installation package (MSI file)	36
Using a Windows Installer patch (MSP file)	37
<b>Chapter 6: Uninstalling the software</b>	<b>39</b>
Using the SMART Uninstaller user interface	39
Using the SMART Uninstaller command line interface	40
<b>Appendix A: Language files and codes</b>	<b>47</b>
Installation language files and codes	47
Handwriting recognition resources	48
<b>Appendix B: Installing and maintaining Gallery content</b>	<b>51</b>
Configuring Gallery content using SMART Install Manager	51
Working with Gallery content locations	52



## Chapter 1

# Getting started

Computer requirements .....	2
Minimum processor .....	2
Locating installation and supporting files .....	3
Locating the complete installer .....	4
Locating installation packages .....	4
Required third-party packages .....	5
Language files .....	5
Activation connectivity .....	6
Using SMART Install Manager .....	6
Using Activation Wizard .....	6

---

This guide explains how to customize and deploy the following software:

- SMART Notebook® 19 collaborative learning software
- SMART Product Drivers
- SMART Ink®

---

### NOTE

For information on customizing and deploying previous versions of this software, see the appropriate system administrator's guides, available from [smarttech.com/support](https://smarttech.com/support).

---

This guide is intended for IT administrators and others experienced with customizing, deploying and administering Windows® software in a networked environment. To use this guide, you must

- Know IT terminology such as “registry” and “domain controller”
- Know how to complete basic administrative tasks in Windows operating systems such as modifying the registry
- Have administrative privileges and access to servers
- Have access to the Internet

 **IMPORTANT**

You must run the commands documented in this guide in an *Administrator Command Prompt* window. To open an *Administrator Command Prompt* window, right-click the **Command Prompt** icon, and then select **Run as Administrator**.

## Computer requirements

**NOTE**

Operating systems and other third-party software released after this SMART software might not be supported.

Before you install the software, ensure your teachers' computers meet the minimum requirements:

**General**

**Supported operating systems**

Windows 10  
Windows 8.1  
Windows 7 SP1 (with Platform Update [KB2670838](#) and Security Update [KB3033929](#), or any future update that supersedes it).

**Minimum hard disk space**

4.7 GB

**Minimum specs for standard and high definition displays (up to 1080p and similar)**

**Minimum processor**

Intel® Core™ m3

**Minimum RAM**

4 GB

**Minimum specs for ultra high definition displays (4K)**

**Minimum graphics card**

Discrete GPU

**Minimum processor**

Intel Core i3

**Minimum RAM**

8 GB

### Other requirements

#### Programs

Microsoft® .NET Framework 4.5.1 or later for SMART Notebook software and SMART Ink  
Microsoft Visual Studio® Tools 2010 for Office for SMART Ink  
Adobe Reader® 8.0 or later  
DirectX® technology 10 or later for SMART Notebook software  
DirectX 10 compatible graphics hardware for SMART Notebook software

#### NOTES

- All prerequisite third-party software is built into the installation executable and is automatically installed in the correct order when you run the EXE.
- These are the minimum requirements for SMART Learning Suite, however SMART recommends updating to the most recent versions of the software listed above.

#### Web access

Internet Explorer® 11 or later  
Internet access to download and activate SMART software

### IMPORTANT

- Some features require access to specific websites. You might need to white list those websites if your network restricts outbound Internet access. See [default.htm](#). See SMART's list of [websites to white list](#).
- All prerequisite third-party software is built into the EXE file and is automatically installed in the correct order if you deploy the EXE file.
- The required Microsoft .NET Framework and Microsoft Visual Studio Tools 2010 for Office prerequisites will be installed automatically when you run the EXE file.

## Locating installation and supporting files

Before you can customize or deploy SMART software, you must decide which type of file to use for the installation, and then locate the installation and supporting files. Select one of the following available installation file types.

- Complete installer, also known as an executable (EXE) file
- Installation package, also known as an MSI file

## Locating the complete installer

You can download a version of the complete installer (**USB installer - smart19-0usb.exe**) from <https://education.smarttech.com/en/products/notebook/download#admin>.

### To download the complete installer

1. Go to <https://education.smarttech.com/en/products/notebook/download#admin>.
2. Select **SMART Notebook 19** from *Select your version*.
3. Select **Windows** from *Change operating system*.
4. Select **USB installer** from *Select install package*.
5. Click **DOWNLOAD - WINDOWS**.
6. Browse to and unzip the .zip file you downloaded.

When the third-party installation packages are unzipped, they can be found in the root of the *Support* folder.

## Locating installation packages

The SMART Learning Suite installation package (**SMARTLearningSuite.msi**), supporting third-party installers, and supporting handwriting language packages can be found within the .zip file and you can download the installation packages from <https://education.smarttech.com/en/products/notebook/download#admin>.

Extract and save the installation packages in a location on your network that's accessible to all computers on which you plan to install the software.

---

### IMPORTANT

SMART recommends that you use the **SMARTLearningSuite.msi** installation package to deploy the SMART software. If you deploy the software using individual installation packages, you need to do the following:

- Ensure you use one path for the **INSTALLDIR** property for SMART Product Drivers and SMART Ink, and use a second path for the **INSTALLDIR** property for SMART Notebook software.
  - If you deploy any handwriting recognition resource with the administrator installer, ensure the **Support\Language** folder exists in the root of the **admin.zip** and the folder structure is intact if you install handwriting languages. This allows the administrator installer to find the resources to install.
-

## Required third-party packages

Before deploying the SMART Learning Suite installation package, you must deploy the following third-party installation packages:

If you want to install this software:	Deploy these installation packages:
SMART Notebook software	<ul style="list-style-type: none"><li>• Microsoft .NET Framework 4.5.1 files (<b>dotNetFx451_Full_setup.exe</b>)</li></ul>
SMART Ink	<ul style="list-style-type: none"><li>• Microsoft .NET Framework 4.5.1 files (<b>dotNetFx451_Full_setup.exe</b>)</li><li>• Microsoft Visual Studio Tools for Office (<b>vstor_redist.exe</b> for both 32-bit and 64-bit computers)</li></ul>

### IMPORTANT

- Install all the prerequisite third-party installation packages before you deploy the **SMARTLearningSuite.msi** package. Some SMART Notebook software features will not function as expected if the prerequisite third-party software is not installed first. For more information, see *Installing prerequisite third-party software* on page 22.
- You can run the **dotNetFx451\_Full\_setup.exe** file to install all required Microsoft .NET Framework prerequisites and the Microsoft .NET Framework 4 Client Profile files. However, SMART recommends that you download the latest version of the Microsoft .NET Framework files from the Microsoft website. For information on deploying the Microsoft .NET Framework, refer to the *.NET Framework deployment guide for administrators* on the MSDN website ([msdn.microsoft.com/en-us/library/ee390831.aspx](http://msdn.microsoft.com/en-us/library/ee390831.aspx)).

An internet connection is required to download and install the full .NET package.

## Language files

If you plan to deploy the installation packages in a language other than English (U.S.), ensure the corresponding MST file for the language is in the same folder as the MSI file (see *Installation language files and codes* on page 47).

Similarly, if you want users to be able to view and use the handwriting recognition feature in a language other than English, you must download and install the appropriate handwriting recognition resources (see *Handwriting recognition resources* on page 48).

---

## NOTE

For users running from the EXE file, the handwriting recognition feature will automatically download and install the selected languages.

---

## Activation connectivity

When you deploy SMART Notebook software, make sure the computers can access SMART's web activation services. Otherwise, the computers will not be able to activate product keys, during or after installation.

The activation web services are accessible at the following URLs:

- [https://webservices.smarttech.com/products/Activation\\_advanced.asmx?WSDL](https://webservices.smarttech.com/products/Activation_advanced.asmx?WSDL)
- <https://entitlement.smarttech-prod.com/reachability>

When viewed in a web browser, each of the above URLs should display a WSDL document. The last URL should display a XML document: `<?xml version="1.0"?><reachable/>`.

---

## NOTE

If these sites are blocked by a proxy in your organization, add the URLs to the proxies.

---

SMART Install Manager and Activation Wizard will test these URLs and indicate success or failure. When you use the SMART Install Manager tool, consider that you, as an administrator, may have less restricted access to the Internet than standard users. It is important to install SMART Notebook software on a standard user's computer and use the Activation Wizard connectivity tester to confirm connectivity.

## Using SMART Install Manager

Start the connectivity tester by clicking the **Check Activation Server** button. The tester will appear and show green check marks to indicate success. SMART Install Manager will also prompt you to use the connectivity tester at the time of publishing customizations.

## Using Activation Wizard

In the Activation Wizard you can access the connectivity tester from the Advanced drop-down menu in the lower left of the Activation Wizard. The tester will appear and show green check marks to indicate success.

## Chapter 2

# Customizing the software

Using SMART Install Manager .....	7
Selecting an installation file .....	8
Using SMART Install Manager with the complete installer .....	9
Using SMART Install Manager with the installation packages .....	9
SMART Install Manager controls .....	10
Using third-party tools .....	13
Windows Installer properties .....	13

---

## Using SMART Install Manager

You can use SMART Install Manager to customize the software. SMART Install Manager works with the complete installer (EXE file) or the installation package (MSI file).

You can customize SMART software complete installers by publishing XML files. You can also customize SMART software installation packages by publishing MST files. You can then deploy the SMART software to computers.

### To download and install SMART Install Manager

1. Go to [smarttech.com/administratordownloads](https://smarttech.com/administratordownloads).
2. Select **SMART Notebook 19** from *Select your version*.
3. Select **Windows** from *Change operating system*.
4. Select **SMART Install Manager** from *Select install package*.
5. Click **DOWNLOAD - WINDOWS**.
6. Save the EXE file to your computer.
7. Double-click the EXE file.

The SMART Install Manager installation wizard appears.

8. Follow the on-screen instructions.

### To customize SMART Notebook using SMART Install Manager

1. Start SMART Install Manager.
2. Drag the complete installer or the installation package to the *SMART Install Manager* window.
3. Set the controls on each page (see *SMART Install Manager controls* on page 10).
4. Select **File > Publish**.

The *Save file* dialog box appears.

5. Browse to the location where you extracted the complete installer or the installation package.
6. Type a name for the XML file (for the complete installer) or MST file (for the installation package) in the *File name* box, and then tap **Save**.
7. Close SMART Install Manager.

### Selecting an installation file

After you install SMART Install Manager, shortcuts to the software appear on the desktop and in the Start menu (Windows 7 or 10 operating systems) or the Apps screen (Windows 8 operating system).

You can use SMART Install Manager with either the complete installer or with the installation packages. Depending on which file type you select, you can do the following:

Installation file	Tasks
Complete installer (.exe file)	<ul style="list-style-type: none"><li>• Open and customize the complete installer (.exe file).</li><li>• Save your changes to the installation package as an XML file.</li><li>• Publish your changes to the installation packages as an XML file.</li></ul>
Installation package (.msi file)	<ul style="list-style-type: none"><li>• Open and customize an installation package (.msi file).</li><li>• Save your changes to the installation package as an XML file.</li><li>• Publish your changes to the installation packages as an MST file.</li></ul>

## Using SMART Install Manager with the complete installer

Use the following instructions if you selected the complete installer.


<b>Opening a complete installer file</b>	<p>To customize the complete installer, drag the file into the SMART Install Manager window.</p> <p>After you open the complete installer, a set of pages for that installer appears in SMART Install Manager. Customize the complete installer using the controls on these pages.</p>
<b>Saving your changes</b>	<p>After you customize the complete installer, save your changes as an XML file by selecting <b>File &gt; Save As</b>. When you next start SMART Install Manager, load the XML file by selecting <b>File &gt; Open</b>, or by opening the EXE file and then selecting <b>File &gt; Import</b>.</p>
<b>Publishing your changes as an XML file</b>	<p>The final step in using SMART Install Manager to customize the complete installer is to publish your changes as an XML file. To do this, select <b>File &gt; Publish</b>, and then use the dialog box to define a location for and create the XML file.</p>

## Using SMART Install Manager with the installation packages

Use the following instructions if you selected the installation packages.

<b>Opening a complete installer file</b>	<p>To customize an installation package, drag the file into the SMART Install Manager window.</p> <hr/> <p><b>NOTE</b></p> <p>All installation packages you've previously opened in SMART Install Manager appear in the <i>Unmodified Packages</i> tab.</p> <hr/> <p>After you open an installation package, a set of pages for that installation package appears in SMART Install Manager. Customize the installation package using the controls on these pages.</p>
<b>Saving your changes</b>	<p>After you customize an installation package, save your changes as an XML file by selecting <b>File &gt; Save As</b>. When you next start SMART Install Manager, load the XML file by selecting <b>File &gt; Open</b>, or by opening the MSI file and then selecting <b>File &gt; Import</b>.</p>
<b>Publishing your changes as an XML file</b>	<p>The final step in using SMART Install Manager to customize an installation package is to publish your changes as an MST file. To do this, select <b>File &gt; Publish</b>, and then use the dialog box to define a location for and create the MST file.</p> <hr/> <p><b>TIP</b></p> <p>If you use an older MST file created with an earlier version of the MSI file, it might not work properly. Use the current MSI file to create your MST file. Publish the MST file in the same location as the MSI file.</p>

## SMART Install Manager controls

Control	Procedure	Notes
<b>General Options: Product Selection</b>		
SMART Product Drivers	Select to install SMART Product Drivers.	[N/A]
SMART Ink	Select to install SMART Ink.	If you install SMART Ink, you must install SMART Product Drivers. When you select this check box, SMART Install Manager selects SMART Product Drivers automatically.
SMART Notebook software	Select to install SMART Notebook software.	[N/A]
Product key	Type your 25-character product key for SMART Notebook software.	You can type the product key with or without hyphens.  When you type a volume product key, the software activates when you deploy it to your network computers.
SMART response 2	SMART response 2 software is now included in the installation and replaces SMART Response.	<div>  <b>IMPORTANT</b> </div> <p>Please review the details of the SMART response 2 update to ensure it will not disrupt current teach work flows. Existing data may need to be backed up. Learn more ( <a href="https://education.smarttech.com/en/products/smart-learning-suite/smart-response-2/smart-response-2-faqs">https://education.smarttech.com/en/products/smart-learning-suite/smart-response-2/smart-response-2-faqs</a> ).</p>
SMART Notebook Math Tools	Select to install SMART Notebook Math Tool software.	If you choose to install SMART Notebook Math Tools software, you must also install SMART Notebook software.
Product key	Type you 22- or 25-character product key for SMART Notebook Math Tools software.	You can type the product key with or without hyphens. When you type a volume product key, the software activates when you deploy it to your network computers.
Remove SMART products that aren't selected above if they exist on the system	Select to remove SMART software products available in the current SMART Learning Suite package found on any machine on your system (except the SMART products you selected above). If you don't select this setting, all SMART Learning Suite software found is upgraded, even if the SMART software isn't selected above.	This affects the behavior of the installer when you perform an upgrade. It enables you to remove any software in the current SMART Learning Suite package that isn't selected in the SMART Install Manager.
Delay activation	Select to register the product keys on a system without activating them. Registered keys can be activated when users start SMART Notebook software.  If you don't select this setting, the software automatically activates during installation rather than manually after installation.	Delaying activation is useful for uniform deployments that include users who don't use SMART Notebook software. Only users who start SMART Notebook software activate registered keys and consume a license.

CHAPTER 2  
CUSTOMIZING THE SOFTWARE

Control	Procedure	Notes
Disable the License Status dialog box	Select to prevent the software activation reminder from appearing after SMART Notebook software starts.	When this check box is selected, the software activation reminder appears only when the SMART Notebook software trial period expires.
<b>General Options: Installation Options</b>		
Installation directory	Type the path to your preferred folder where program installation files are stored. Once you specify the path, selected programs are installed in sub-directories of this location.	<p>If you specify a folder, include a back slash (\) at the end of the path.</p> <p>If you don't specify a folder, Windows Installer installs the software in sub-directories of the default folder C:\Program Files\SMART Technologies (32-bit systems) or C:\Program Files (x86) SMART Technologies (64-bit systems).</p> <hr/> <p><b>! IMPORTANT</b></p> <p>Ensure the folder path valid.</p> <p>SMART Installer Manager doesn't verify the folder path.</p> <hr/>
Start SMART System Menu at logon	Select to start the SMART System Menu when the user logs on.	[N/A]
SMART Technologies Error Report	SMART Technologies Error Report installs by default as part of the installation.	This application installs by default as part of the installation, but can be turned off through Install Manager.
Install desktop shortcuts	Select to create shortcuts on the desktop.	<p>In the Windows 7 operating system, this option creates shortcuts on the desktop.</p> <p>In the Windows 8.1 operating system, shortcuts are created in the Windows 8.1 Apps menu.</p>
<b>General Options: Network/Firewall Settings</b>		
SMART lab features operates as expected	Add the URLs to your teacher and student network's whitelist.	This setting confirms that the SMART lab features operate correctly in SMART Notebook.
<b>Handwriting recognition: Language selection</b>		
<b>General Options: Language Selection</b>		
Select the handwriting recognition resources you want to install	Select the handwriting recognition resources you want to install.	Don't select more than 18 handwriting recognition resources if you're running an administrator installation with the SMARTLearningSuite.msi file (see <a href="http://smarttech.com/kb/170081">smarttech.com/kb/170081</a> ).

CHAPTER 2  
CUSTOMIZING THE SOFTWARE

Control	Procedure	Notes
<b>General Options: SMART Product Update</b>		
Install SMART Product Update in Full mode	Select to install SMART Product Update (SPU) in Full mode.	[N/A]
Install SMART Product Update in Dashboard mode	Select to install SPU in Dashboard mode.	[N/A]
Do not install SMART Product Update	Select to not install SPU.	[N/A]
Check for updates	Type the number of days (1 to 60) between SPU checks.	This option is available only if you install SPU in Full mode. By default, SPU checks for product updates every 30 days.
Notify users about SMART product updates	Select to notify users of available SMART product updates.	This option is available only if you install SPU in Full mode.
Reset per-user changes to the previous two settings	Select to remove existing <b>Check for updates</b> and <b>Notify users about SMART product updates</b> values the next time the user runs SPU.	This enables administrators to push new values for these settings to computers and ensures the new values are accepted. Individual users can still modify these settings.
<b>General Options: Customer Experience</b>		
Enable the Customer Experience Program on all devices	Select to automatically enable the Customer Experience Program for all users.	[N/A]
Disable the Customer Experience Program on all devices	Select to automatically disable the Customer Experience Program for all users.	[N/A]
<b>SMART Notebook: Gallery Content</b>		
Gallery Content Team Content My Content	Team Content path: Type the path to the <b>Team Content</b> folder, which is a location on your school's network where users can store shared content  My Content path: Type the path to the <b>My Content</b> folder, which is a location on the user's computer where he or she can store individual content.	See <i>Appendix B: Installing and maintaining Gallery content</i> on page 51
Install print capture driver	Select to include the Print Capture Driver in the installation.	The Print Capture Driver is a printer driver that enables users to export content from other programs to SMART Notebook software by using the SMART Notebook Document Writer.
Register SMART Document Camera drivers	Select to enable the registration of SMART Document Camera™ drivers.	Disable the registration of SMART Document Camera drivers if they conflict with the third-party drivers on the computer.

Control	Procedure	Notes
Update the Windows Firewall exception list	Select to allow SMART Notebook software to communicate through the Windows Firewall for advanced SMART Notebook software developer kit (NBSDK) functionality.	This property updates the Windows Firewall exception list for Domain and Private networks.
SMART Product Drivers: Optional Settings		
Enable Tablet PC Support	Select to use Tablet PC functionality with your SMART interactive display without having to connect a Tablet PC.	This property is applicable for the Windows 7 operating systems. It has no effect on other operating systems.
Start SNMP Agent services at logon	Select to enable SNMP Agent services.	[N/A]
<b>SMART Ink: Optional Settings</b>		
Start SMART Ink at logon	Select to start SMART Ink when the user logs on.	[N/A]

## Using third-party tools

You can customize SMART software installation packages by creating MST files using a third-party tool, such as Orca database editor, and the Windows Installer properties (see *Windows Installer properties* below).

### Windows Installer properties

Property	Allowed values	Notes
<b>General properties</b>		
TRANSFORMS	[String]: A language MST file for the installation (see <i>Installation language files and codes</i> on page 47).	<p>Ensure the specified MST file is in the same folder as the MSI file.</p> <p>This property defines the language of the installer's user interface and the installed software's icons and shortcuts. It doesn't define the installed software's user interface language. The installed software uses the computer's operating system language if it's supported, or English (U.S.) if not.</p> <p>You can also use the TRANSFORMS property to apply an MST file created by SMART Install Manager or a third-party tool.</p>

CHAPTER 2  
CUSTOMIZING THE SOFTWARE

Property	Allowed values	Notes
MSIFASTINSTALL	1: Disable creating a system restore point. 0 (default): Ask Windows to create a system restore point.	This property applies to the complete installer (EXE) only. The MSI installer follows Windows Installer conventions and doesn't create a system restore point in quiet (/qn) mode, but asks Windows to create a system restore point in full, reduced or basic UI modes.  By default, Windows 8.1 operating system and later creates a maximum of one system restore point in a 24-hour period.
ACTIVATE_LICENSE	1 (default): Register the product keys and automatically activate the software. 0: Register the product keys and don't automatically activate the software (delay activation). Registered keys can be activated when users start SMART Notebook software.	Delaying activation (0) is useful for uniform deployments that include users who don't use SMART Notebook software. Only users who start SMART Notebook software activate registered keys and consume a license.
DISABLE_NAG	1: Prevent the software activation reminder from appearing after SMART Notebook software starts. 0 (default): Allow the software activation reminder to appear after SMART Notebook software starts.	When 1 is selected, the software activation reminder appears only when the SMART Notebook software trial period expires.
INSTALL_BOARD	1: Install SMART Product Drivers. [Empty string]: The product is turned off.	[N/A]
LAUNCH_SYSTEM_MENU	1 (default): Automatically start SMART System Menu after installation and each time the system is started. [Empty string]: Don't automatically start SMART System Menu after installation and each time the system is started.	[N/A]
INSTALL_INK	1: Install SMART Ink [Empty string]: The product is turned off.	[N/A]
INSTALL_NOTEBOOK	1: Install SMART Notebook software. [Empty string]: The product is turned off.	[N/A]
NB_PROD_KEY	[String]: The 25-character product key for SMART Notebook software you received from SMART.	[N/A]
MATH_PROD_KEY	[String]: The 22- or 25-character product key for SMART Notebook Math Tools software you received from SMART.	[N/A]

CHAPTER 2  
CUSTOMIZING THE SOFTWARE

Property	Allowed values	Notes
UNINSTALL_EXISTING	1: Remove SMART software products available in the current SMART Learning Suite package found on any machine on your system (except any SMART products you included in your command).  [Empty string] (default): Upgrade all SMART Learning Suite software found on your system, even if the SMART software isn't selected above.	This enables you to remove any software in the current package that isn't included in your command.
INSTALLDIR	[String]: Type the path to your preferred folder where program installation files are stored.  Once you specify the path, selected programs are installed in sub-directories of this location	[N/A]
DESKTOP_ICONS	1 (default): Creates desktop shortcuts to the software.  [Empty string]: Does not create desktop shortcuts.	[N/A]
CR_ENABLED	1 (default): Enables SMART Technologies Error Report.  0: Disables SMART Technologies Error Report.	[N/A]
SPU properties		
INSTALL_SPU	1 (default): Install SPU in Full mode. 2: Install SPU in Dashboard mode. 0: Don't install SPU.	In Full mode, users can view the installed versions of SMART software as well as their product keys, and download and install updates.
SPU_TIME_FRAME	[Integer]: The time in days (1 to 60) between SPU checks.	By default, SPU checks for product updates every 30 days.  This property is applicable only if you install SPU.
PRODUCT_NOTIFICATION	1 (default): Notify the user when updates are available from SPU.  0: Don't notify the user when updates are available from SPU.	This property is applicable only if you install SPU.
INVALIDATE_HKCU_INTERVAL	1: Remove existing <b>Check for updates</b> and <b>Notify users about SMART product updates</b> values the next time the user runs SPU.  0 (default): Don't remove existing <b>Check for updates</b> and <b>Notify users about SMART product updates</b> values the next time the user runs SPU.	This enables administrators to push new values for these settings to computers and ensures the new values are accepted. Individual users can still modify these settings
Customer Experience Program properties		
CUSTOMER_LOGGING	1 (default): Enable the Customer Experience Program.  0: Disable the Customer Experience Program.	[N/A]

CHAPTER 2  
CUSTOMIZING THE SOFTWARE

Property	Allowed values	Notes
<b>SMART Notebook software properties</b>		
FULL_GALLERY	1: Install the full product. [Empty string]: The product is turned off.	[N/A]
LAT_CONTENT	1: Install the Lesson Activity Toolkit collection. [Empty string]: The product is turned off.	[N/A]
TEAM_CONTENT_PATH	[String]: Specify the path to the <b>Team Content</b> folder, which is a location on your school's network where users can store shared content.	You must specify a path to an existing folder in this property.
MY_CONTENT	[String]: Specify the path to the <b>My Content</b> folder, which is a location on the user's computer where he or she can store individual content.	You can include environment variables in the path. This property is useful if you want to store content in a shared network folder so users can access their <b>My Content</b> folder from any computer on the network.
PRINT_CAPTURE	1 (default): Install the Print Capture Driver. [Empty string]: Don't install the Print Capture Driver.	The Print Capture Driver is a printer driver that enables users to export content from other programs to SMART Notebook software by using the SMART Notebook Document Writer.
INSTALL_DOCCAM_DRIVERS	1 (default): Enable the registration of SMART Document Camera drivers. [Empty string]: Disable the registration of SMART Document Camera drivers.	Disable the registration of SMART Document Camera drivers if they conflict with existing third-party drivers on the computer.
ENABLE_NB_FIREWALL	1 (default): Allow SMART Notebook software to communicate through the Windows Firewall for advanced NBSDK functionality. 0: Don't allow SMART Notebook software to communicate through the Windows Firewall. SMART Notebook software can listen locally but is unable to communicate through the Windows Firewall.	This property updates the Windows Firewall exception list for Domain and Private networks.
<b>SMART Product Drivers properties</b>		
ENABLE_STPCS	1 (default): Use Tablet PC functionality with the SMART Board interactive whiteboard without connecting a Tablet PC. 0: Don't use Tablet PC functionality with the SMART Board interactive whiteboard without connecting a Tablet PC.	This property is applicable for the Windows 7 operating systems. It has no effect on other operating systems. If you specify 0, users don't have touch support at the Windows logon screen.
START_SNMP_SERVICE	1: Start Simple Network Management Protocol (SNMP) when the user logs on. 0 (default): Don't start SNMP when the user logs on.	[N/A]

CHAPTER 2  
CUSTOMIZING THE SOFTWARE

Property	Allowed values	Notes
INSTALL_UNSIGNED_DRIVERS	1: Enable the registration of unsigned third-party drivers. 0 (default): Disable the registration of unsigned third-party drivers.	If you enable the registration of unsigned third-party drivers, the installation process could ask users if they trust the makers of the drivers during installation. This can cause issues if you deploy the installation in Silent mode. Therefore, it's best to disable the registration of third-party drivers if you deploy the installation in Silent mode.
<b>SMART Ink properties</b>		
LOSU_INK	1 (default): Start SMART Ink when the user logs on. 0: Don't start SMART Ink when the user logs on.	[N/A]
Handwriting recognition resources properties Don't select more than 18 handwriting recognition resources if you're running an administrator installation with the <b>SMARTLearningSuite.msi</b> file (see <a href="http://smarttech.com/kb/170081">smarttech.com/kb/170081</a> ).		
AR	1: Install the Arabic handwriting recognition resource.	[N/A]
ZH_CN	1: Install the Chinese (Simplified) handwriting recognition resource.	[N/A]
ZH_TW	1: Install the Chinese (Traditional) handwriting recognition resource.	[N/A]
CS	1: Install the Czech handwriting recognition resource.	[N/A]
DA	1: Install the Danish handwriting recognition resource.	[N/A]
NL	1: Install the Dutch handwriting recognition resource.	[N/A]
EN_GB	1: Install the English (UK) handwriting recognition resource.	[N/A]
ET	1: Install the Estonian handwriting recognition resource.	[N/A]
FI	1: Install the Finnish handwriting recognition resource.	[N/A]
FR	1: Install the French handwriting recognition resource.	[N/A]
DE	1: Install the German handwriting recognition resource.	[N/A]
EL	1: Install the Greek handwriting recognition resource.	[N/A]
HE	1: Install the Hebrew handwriting recognition resource.	[N/A]

CHAPTER 2  
CUSTOMIZING THE SOFTWARE

Property	Allowed values	Notes
HU	1: Install the Hungarian handwriting recognition resource.	[N/A]
IT	1: Install the Italian handwriting recognition resource.	[N/A]
JA	1: Install the Japanese handwriting recognition resource.	[N/A]
KO	1: Install the Korean handwriting recognition resource.	[N/A]
LT	1: Install the Lithuanian handwriting recognition resource.	[N/A]
LV	1: Install the Latvian handwriting recognition resource.	[N/A]
MS	1: Install the Malay handwriting recognition resource.	[N/A]
NB	1: Install the Norwegian handwriting recognition resource.	[N/A]
PL	1: Install the Polish handwriting recognition resource.	[N/A]
PT_BR	1: Install the Portuguese (Brazil) handwriting recognition resource.	[N/A]
RO	1: Install the Romanian handwriting recognition resource.	[N/A]
RU	1: Install the Russian handwriting recognition resource.	[N/A]
SK	1: Install the Slovak handwriting recognition resource.	[N/A]
SL	1: install the Slovenian handwriting recognition resource.	[N/A]
ES	1: Install the Spanish (Spain) handwriting recognition resource.	[N/A]
SV	1: Install the Swedish handwriting recognition resource.	[N/A]
TR	1: Install the Turkish handwriting recognition resource.	[N/A]
UK	1: Install the Ukrainian handwriting recognition resource.	[N/A]
VI	1: Install the Vietnamese handwriting recognition resource.	[N/A]

CHAPTER 2  
CUSTOMIZING THE SOFTWARE

Property	Allowed values	Notes
Internet access properties		
ACC	[Integer]: Enable Internet access for specified components. <ul style="list-style-type: none"><li>• 0: No components</li><li>• 2: Language Setup</li><li>• 4: SMART Product Update</li><li>• 8: Customer Experience Program</li><li>• 13: All components except Language Setup</li><li>• 15 (default): All components</li></ul>	[N/A]



## Chapter 3

# Deploying the software

Using the command-line interface .....	22
Installing prerequisite third-party software .....	22
Installing SMART software with the complete installer .....	23
Installing SMART software with the installation package .....	23
Examples .....	24
Windows Installer parameters .....	24
Using third-party imaging or remote management software .....	25

You can deploy the software using one of the following methods:

- Deploy the complete installer using the command line interface.
- Deploy the installation packages using the command line interface.
- Deploying the installation packages using third-party imaging or remote management software.

### ! IMPORTANT

- Install all the prerequisite third-party installation packages before you deploy the **SMARTLearningSuite.msi** package. Some SMART Notebook software features will not function as expected if the prerequisite third-party software is not installed first. For more information, see *Installing prerequisite third-party software* on the next page.
- If you are deploying SMART Product Drivers, the user must log off and log back on after you deploy the software to start the SMART Board Service. In addition, an error message might appear after you deploy the software stating that the **SMARTBoardService.exe** file could not be found, the user can close this error message. This message will appear only when the system is not connected to a SMART Board interactive flat panel.
- If you want to install handwriting recognition resources, do so when you first deploy the software. If you install a handwriting recognition resource after the first deployment use the resource's individual MSI file.

---

## NOTES

- You might need to manually activate the software after you deploy it.
  - Once the software products are installed, users can use SMART Language Setup to download and install handwriting recognition languages that were not installed by the admin.
- 

## Using the command-line interface

Using the command-line interface, you can deploy installation packages in many ways, such as by running commands from the command prompt or by including commands in batch script files.

### Installing prerequisite third-party software

#### To install the Microsoft .NET Framework 4.5.1 files

---

##### NOTE

Follow the instructions on the MSDN website ([msdn.microsoft.com/en-us/library/ee390831.aspx](https://msdn.microsoft.com/en-us/library/ee390831.aspx)) when deploying the Microsoft .NET Framework in the *.NET Framework Deployment Guide for Administrators*.

---

Run the following command to install the files in UI mode:

```
[Path]\dotNetFx451_Full_setup.exe /passive /showfinalerror
```

OR

Run the following command to install the files in silent mode:

```
[Path]\dotNetFx451_Full_setup.exe /q
```

Where *[Path]* is the path to the **dotNetFx451\_Full\_setup.exe** file.

#### To install Microsoft Visual Studio Tools for Office for 32-bit and 64-bit computers

Run the following command:

```
[Path]\vstor_redist.exe /q
```

Where *[Path]* is the path to the **vstor\_redist.exe** file.

## Installing SMART software with the complete installer

Run the following command if you created an XML file to customize the complete installer:

```
"[Path]\SMART Learning Suite.exe" --adminfile [XML file][Parameter]
```

OR

Run the following command if you didn't create an XML file to customize the installation package:

```
"[Path]\SMART Learning Suite.exe" [Properties][Parameter]
```

Where

- *[Path]* is the path to the **SMART Learning Suite.exe** file and XML file.
- *[XML file]* is the name of the XML file.
- *[Properties]* is a set of properties you can include to customize the installation (see *Windows Installer properties* on page 13).
- *[Parameter]* is the installation parameter (see *Windows Installer parameters* on the next page).

## Installing SMART software with the installation package

### To install SMART software

Run the following command if you created an MST file to customize the installation package:

```
msiexec /i "[Path]\SMARTLearningSuite.msi" TRANSFORMS="[MST file]"  
[Parameter]
```

OR

Run the following command if you didn't create an MST file to customize the installation package:

```
msiexec /i "[Path]\SMARTLearningSuite.msi" [Properties][Parameter]
```

Where

- *[Path]* is the path to the **SMARTLearningSuite.msi** file and MST file.
- *[MST file]* is the name of the MST file.
- *[Properties]* is a set of properties you can include to customize the installation (see *Windows Installer properties* on page 13).
- *[Parameter]* is the installation parameter (see *Windows Installer parameters* below).

## Examples

The following example installs SMART Notebook software and SMART Product Drivers in Silent mode:

```
msiexec /i "[Path]\SMARTLearningSuite.msi" INSTALL_NOTEBOOK=1 INSTALL_BOARD=1  
INSTALL_INK="" LAT_CONTENT="" FULL_GALLERY=""
```

The following example installs the default software products, SMART Notebook software, SMART Product Drivers, SMART Ink, Gallery Essentials, and Lesson Activity Toolkit:

```
msiexec /i "[path]\SMARTLearningSuite.msi /q
```

## Windows Installer parameters

The following are the standard Windows Installer parameters for the msiexec command.

Parameter	Use
/q	Hide the installation wizard.
	<b>NOTE</b> This is Silent mode.
/qb	Show a basic installation wizard.
/qb!	Show a basic installation wizard without a <i>Cancel</i> button.
/qb+	Show a basic installation wizard with a dialog box signaling the end of the installation.
/qb+!	Show a basic installation wizard without a <i>Cancel</i> button but with a dialog box signaling the end of the installation.
/qr	Show a reduced installation wizard.

Parameter	Use
/qf	Show the full installation wizard, including a dialog box signaling the end of the installation or the <i>Fatal Error</i> , <i>User Exit</i> or <i>Exit</i> dialog box.
/qn	Hide the installation wizard and the dialog box signaling the end of the installation.
/qn+	Hide the installation wizard but show the dialog box signaling the end of the installation.

## Using third-party imaging or remote management software

The following procedure shows how to deploy SMART software using Group Policy-based deployment software. For information on deploying SMART software using your organization's third-party imaging or remote management software, see the software's documentation.

---

### NOTES

- This procedure may vary depending on your version of Windows operating system and your system preferences.
  - Ensure your domain controller has Windows Installer 4.5.
- 

### To deploy an installation package

1. Copy all contents of the admin .zip file (including subfolders) to **\\Domain Controller\NETLOGON**, where *[Domain Controller]* is your domain controller.

---

#### IMPORTANT

If you want users to be able to view and use the handwriting recognition feature in a language other than English, you must also copy the **Support** folder to **\\Domain Controller\NETLOGON**.

The installer looks for handwriting recognition resources in the **Support** folder only. The **Support** folder is located in the downloaded .zip file.

Also, for both Gallery and Lesson Activity Toolkit to install and operate successfully, verify that all folders and subfolders of the Support folder is copied over.

---

It is important you follow these guidelines to ensure a successful installation:

- You must maintain the **Support** folder structure.
  - The **Support** folder must reside in the root of the folder where the MSI file is stored.
- 

2. Open Control Panel, double-click **Administrative Tools**, and then double-click **Active Directory Users and Computers**.

The *Active Directory Users and Computers* window appears.

3. Right-click your domain, and then select **Properties**.

The *Properties* dialog box appears.

4. Click the **Group Policy** tab, and then click **Edit**.

The *Group Policy Object Editor* dialog box appears.

5. Browse to **Computer Configuration\Software Settings**.

6. Right-click **Software Installation**, select **New > Package**, and then browse to and select the MSI file from step 1.

7. In the *Deploy Software* section, click **Advanced**, and then click **OK**.

8. Click the **Modifications** tab, click **Add**, and then browse to and select the MST file from step 1.

9. Click **OK** to apply the MST file to the MSI file.

10. Close all open windows and dialog boxes.

The next time each computer on the domain starts, the computer automatically installs the software in Silent mode with the customizations defined in the MST file.

## Chapter 4

# Activating and renewing the software

Activating the software during installation .....	27
Activating the software after installation .....	28
Renewing keys .....	30
Renewing keys in unattended mode .....	30
Renewing keys in user interface mode .....	31
Using SMART Product Update (SPU) to retrieve activation status .....	32
Returning a product key activation with a command-line script .....	34

---

### NOTE

SMART has recently redesigned its licensing model to focus on subscriptions and users rather than product keys and activated computers. This simplified subscription model is available for SMART Notebook 17 and later (18 recommended) through SMART's new software portal.

Consult the [new software portal help](#) to learn how to eliminate the need for product keys by adding users to the portal.

---

## Activating the software during installation

If you want to activate SMART Notebook software during deployment, you can use either of the following practices, depending on your deployment method:

- **System imaging:** If you use system imaging, do not activate the software before you freeze the image. You can use the Delayed Activation feature to register your product key on the system before freezing it. After the image is deployed, SMART Notebook software will prompt you to activate the registered product key. (see *Delay Activation procedure* in the table under *SMART Install Manager controls* on page 10).
- **Network deployment:** If you use a network deployment tool, such as Group Policy software installation, start up scripts, or Microsoft SCCM, you can specify your product key normally in Install Manager or by using command-line parameters. Activation will occur during installation on each individual computer.

## Activating the software after installation

There are two situations in which the software doesn't activate completely:

- **Imaging a computer:** Activation is linked to the hardware identifier of the computer on which the software is installed and activated. If you clone a hard drive image with installed and activated software, you must activate the software on each cloned computer.
- **Reverting a computer to an earlier state:** If you use system recovery or protection software that periodically restores the computer to an earlier state, you might need to activate the software before locking the computer so that the activation record is not cleared each time the computer is restored.

Run the activation wizard while the computer is connected to the network, or complete the following procedure to activate the software on each computer.

---

### NOTE

SMART Product Drivers and SMART Ink don't require activation.

---

Flag	Purpose
--a	Activate the product key automatically.
--pks="[Product keys]"	Specify the product keys. When there are one or more product keys use commas to separate.
--pk	Specify the product key.
--v=5	Activation version for this release.
--puid <Product ID>	Specify the <i>Product ID</i> .
--monitor=[Number]	Specify the monitor to display the activation wizard.
--proxy=[Host:Port]	Specify the proxy host and port number to use for activation.
--proxyuser=[User]	Specify the proxy user name to use for activation.
--proxypassword=[Password]	Specify the proxy password to use for activation.
--locale=[Code]	Display the activation wizard user interface in a specific language, where [Code] is your language code (see <i>Installation language files and codes</i> on page 47).

### To activate SMART software after installation

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\  
SMART Activation Wizard\activationwizard.exe"  
--puid notebook_14 --m=[Value] --v=5 --a [Optional flags] --pks="[Product  
keys]"
```

Where

- *[Value]* is 4 to run the activation wizard in unattended mode.  
OR  
*[Value]* is 6 to run the activation wizard in user interface mode.
- *[Optional flags]* are options you can include to configure the activation wizard.
- Where *[Product keys]* are one or more software product keys, separated by commas.

### To activate only SMART Notebook Math Tools software after installation

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\  
SMART Activation Wizard\activationwizard.exe"  
--puid notebook_14 --m=[Value] --v=5 --a [Optional flags]  
--pks="[Product keys]"
```

Where

- *[Value]* is 4 to run the activation wizard in unattended mode.  
OR  
*[Value]* is 6 to run the activation wizard in user interface mode.

- *[Optional flags]* are optional flags you can include to configure the activation wizard.

Flag	Purpose
<b>--monitor=[<i>Number</i>]</b>	Specify the monitor to display the activation wizard.
<b>--proxy=[<i>Host:Port</i>]</b>	Specify the proxy host and port number to use for activation.
<b>--proxyuser=[<i>User</i>]</b>	Specify the proxy user name to use for activation.
<b>--proxypassword=[<i>Password</i>]</b>	Specify the proxy password to use for activation.
<b>--locale=[<i>Code</i>]</b>	Display the activation wizard user interface in a specific language, where <i>[Code]</i> is your language code (see <i>Installation language files and codes</i> on page 47).

- Where *[Product keys]* are one or more software product keys separated by commas.

## Renewing keys

If your school has purchased maintenance or subscription licenses, SMART software attempts to renew the keys automatically on a scheduled basis before and after the keys' expiry dates. However, you can choose to explicitly renew the keys at a specified time.

---

### TIP

The activation wizard user interface distinguishes between maintenance and subscription licenses:

- Maintenance licenses are labeled with "Premium features will expire on *[Date]* without an active subscription".
  - Subscription licenses are labeled with "Expires on *[Date]*".
- 

## Renewing keys in unattended mode

### To renew all keys

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\
```

```
SMART Activation Wizard\activationwizard.exe" --m=15 --v=5  
--renewal-mode all
```

### To renew all keys associated with a single product

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\  
SMART Activation Wizard\activationwizard.exe" --m=15 --v=5  
--renewal-mode product --puid=[Product]
```

Where *[Product]* is **notebook\_14**.

---

#### NOTE

This command renews all keys associated with the specified product.

---

### To renew specific keys

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\  
SMART Activation Wizard\activationwizard.exe" --m=15 --v=5  
--renewal-mode product --puid=[Product] --pks="[Product keys]"
```

Where

- *[Product]* is **notebook\_14**.
- Where *[Product keys]* are one or more software product keys separated by commas.

## Renewing keys in user interface mode

### To renew all keys associated with a single product

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\  
SMART Activation Wizard\activationwizard.exe" --m=16 --v=5  
--renewal-mode product --puid=[Product] --uipack=[UI pack]
```

Where

- *[Product]* is **notebook\_14**.
- *[UI pack]* is the corresponding UI pack for the selected product (**notebook\_10**).

---

#### NOTE

This command renews all keys associated with the specified product.

---

#### To renew specific keys

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\  
SMART Activation Wizard\activationwizard.exe" --m=16 --v=5  
--renewal-mode product --puid=[Product] --uipack=[UI pack]  
--pks="[Product keys]"
```

Where

- *[Product]* is **notebook\_14**.
- *[UI pack]* is the corresponding UI pack for the selected product (**notebook\_10**).
- Where *[Product keys]* are one or more software product keys separated by commas.

## Using SMART Product Update (SPU) to retrieve activation status

You can use SMART Product Update (SPU) from the command line to retrieve information on SPU settings and activation status. You could use this in scripts with industry standard execution tools to retrieve information on your network's computers.

#### To use SPU on 32-bit Windows

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\  
SMART Product Update\SPUCmdLine.exe" --query [Options] > OutputFile.txt  
2>nul
```

---

## NOTES

- **OutputFile.txt** is the file in which you record the results. The path to this file can be absolute or relative. When specifying a path to a folder, make sure you have write permissions to that folder.
- The **2>nul** command suppresses any messages that appear on the Standard Error output stream.
- *[Options]* is used for the following optional parameters:
  - **--format [Format]**

Valid values for *[Format]* are csv, json or xml. The json and xml format provides full details, and csv formats provide basic information.
  - **--key [Key]**

This parameter is used to narrow down the returned results. The appropriate format for this parameter is json or xml.
- The 64-bit version of this command uses the same options and parameters as the 32-bit version.

---

## To use SPU on 64-bit Windows

Run the following command:

```
"C:\Program Files (x86)\Common Files\SMART Technologies\  
SMART Product Update\SPUCmdLine.exe" --query [Options] > OutputFile.txt  
2>nul
```

---

## NOTES

- **OutputFile.txt** is the file in which you record the results. The path to this file can be absolute or relative. When specifying a path to a folder, make sure you have write permissions to that folder.
  - The **2>nul** command suppresses any messages that appear on the Standard Error output stream.
-

- 
- *[Options]* is used for the following optional parameters:

- `--format [Format]`

Valid values for *[Format]* are csv, json or xml. The json and xml format provides full details, and csv formats provide basic information.

- `--key [Key]`

This parameter is used to narrow down the returned results. The appropriate format for this parameter is json or xml.

---

## Returning a product key activation with a command-line script

As of version 17.0, SMART Notebook supports the return of a product key activation with a command-line script. An **activationwizard.exe** command can be deployed across the network to return the activation from several computers, making the product key available for use on other computers.

You can specify multiple keys in one command by using the command format below.

### To return product keys on 32-bit Windows

Run the following command:

```
"C:\Program Files\Common Files\SMART Technologies\SMART Activation Wizard\activationwizard.exe" --puid notebook_14 --m=4 --v=5 --return --pks=[Product key],[Product key]
```

### To return product keys on 64-bit Windows

Run the following command:

```
"C:\Program Files (x86)\Common Files\SMART Technologies\SMART Activation Wizard\activationwizard.exe" --puid notebook_14 --m=4 --v=5 --return --pks=[Product key],[Product key]
```

## Chapter 5

# Updating the software

Using a Windows Installer update installation package (MSI file) .....	36
Using a Windows Installer patch (MSP file) .....	37

SMART periodically releases updates to its software. These updates add new features and resolve issues.

Go to [smarttech.com/software](http://smarttech.com/software) to download the latest installation package. SMART provides updates in two file formats in the installation package:

- Windows Installer update installation packages (MSI files)
- Windows Installer patches (MSP files)

### NOTE

MSP files are available only for select updates as identified on the SMART website.

Which file format you use depends on the version of the software installed on your computers and the version of the update. If these versions are the same, you can use the MSP file, if available, to install the update. If these versions are different (because, for example, a previous version of the software is installed on your computers), you must first upgrade the software on your computers to the same version as the update using the MSI file and then install the update using the MSP file, if available.

After you download an installation package and extract the update files, place the update files in a location on your network that's accessible to all the computers you plan to update.

### ! IMPORTANT

You cannot roll back an update after installing it on your computers. You must uninstall the full version of the software using Control Panel or the command line interface (see *Chapter 6: Uninstalling the software* on page 39), and then install the previous version of the software.

## Using a Windows Installer update installation package (MSI file)

The command line for running an update using a Windows Installer update installation package varies depending on whether the update is major or minor.

---

### NOTE

The SMART website indicates whether an update is major or minor.

---

### To run a major software update using a Windows Installer update installation package

Run the following command:

```
msiexec /i "[Path]\[File].msi" [Parameter]
```

Where

- *[Path]* is the path to the MSI file.
- *[File]* is the name of the MSI file.
- *[Parameter]* is the installation parameter (see *Windows Installer parameters* on page 24).

---

### IMPORTANT

Do not include the REINSTALLMODE and REINSTALL properties.

---

### To run a minor software update using a Windows Installer update installation package

Run the following command:

```
msiexec /i "[Path]\[File].msi" REINSTALLMODE=vomus REINSTALL=ALL [Parameter]
```

Where

- *[Path]* is the path to the MSI file.
- *[File]* is the name of the MSI file.
- *[Parameter]* is the installation parameter (see *Windows Installer parameters* on page 24).

 **IMPORTANT**

You must include the REINSTALLMODE=vomus and REINSTALL=ALL properties for a minor update to succeed.

## Using a Windows Installer patch (MSP file)

### To run a software update using a Windows Installer patch

Run one of the following commands:

```
msiexec /p "[Path]\[File].msp" REINSTALLMODE=omus /q
```

```
msiexec /update "[Path]\[File].msp" /quiet
```

Where

- *[Path]* is the path to the MSP file.
- *[File]* is the name of the MSP file.



## Chapter 6

# Uninstalling the software

Using the SMART Uninstaller user interface .....	39
Using the SMART Uninstaller command line interface .....	40
Other commands .....	43
Product codes .....	44

---

After installing SMART Notebook, you can use SMART Uninstaller to uninstall the software.

## Using the SMART Uninstaller user interface

You can uninstall SMART Notebook from individual computers using the SMART Uninstaller user interface.

### To uninstall SMART Notebook using the SMART Uninstaller user interface

1. In Windows 7 operating system, select **Start > All Programs > SMART Technologies > SMART Tools > SMART Uninstaller**.

OR

In Windows 8.1 operating system, go to the *Apps* screen and then scroll to and select **SMART Technologies > SMART Uninstaller**.

OR

In Windows 10 operating system, tap **Start**, and then scroll to and select **SMART Technologies > SMART Uninstaller**.

2. Tap **Next**.

3. Select the check boxes of the SMART software and supporting packages that you want to uninstall, and then tap **Next**.

---

#### NOTES

- Some SMART software is dependent on other SMART software. If you select this software, SMART Uninstaller automatically selects the software on which it depends.
- SMART Uninstaller automatically uninstalls any supporting packages that are no longer being used.
- If you choose to uninstall all SMART software, SMART Uninstaller automatically uninstalls all supporting packages, including itself.

---

#### TIPS

- To select all software and supporting packages, tap **Select All**.
- To clear the selection of all software and supporting packages, tap **Clear All**.

- 
4. Tap **Uninstall**.

SMART Uninstaller uninstalls the selected software and supporting packages.

5. Tap **Finish**.

## Using the SMART Uninstaller command line interface

In addition to the user interface, SMART Uninstaller provides a command-line interface. You can use this interface to automate the removal of SMART Notebook and uninstall SMART Notebook remotely.

---

#### NOTE

SMART recommends that you copy SMART Uninstaller to a temporary location before running command lines and prefix command lines with **start /wait**.

---

### To uninstall all SMART software

1. Copy SMART Uninstaller to a temporary location by running one of the following commands:
  - For 32-bit operating systems:

```
copy "%CommonProgramFiles%\SMART Technologies\SMART Uninstaller\SMART  
Uninstaller.exe" "%TEMP%"
```

- For 64-bit operating systems:

```
copy "%CommonProgramFiles(x86)%\SMART Technologies\SMART  
Uninstaller\SMART Uninstaller.exe" "%TEMP%"
```

2. Uninstall all software by running the following command:

```
start /wait "SMART Uninstaller" "%TEMP%\SMART Uninstaller.exe" --noui  
--uninstall-all --uilevel none
```

3. Delete the copy of SMART Uninstaller in the temporary location by running the following command:

```
del "%TEMP%\SMART Uninstaller.exe"
```

### To uninstall SMART software by product name

1. Copy SMART Uninstaller to a temporary location by running one of the following commands:
  - For 32-bit operating systems:

```
copy "%CommonProgramFiles%\SMART Technologies\SMART Uninstaller\SMART  
Uninstaller.exe" "%TEMP%"
```

- For 64-bit operating systems:

```
copy "%CommonProgramFiles(x86)%\SMART Technologies\SMART  
Uninstaller\SMART Uninstaller.exe" "%TEMP%"
```

2. Uninstall select software by running the following command:

```
start /wait "SMART Uninstaller" "%TEMP%\SMART Uninstaller.exe" --noui  
--uninstall "[Product names]" --uilevel none
```

Where *[Product names]* is a comma delimited list of product names.

3. Delete the copy of SMART Uninstaller in the temporary location by running the following command:

```
del "%TEMP%\SMART Uninstaller.exe"
```

### To uninstall SMART software by product code

1. Copy SMART Uninstaller to a temporary location by running one of the following commands:

- For 32-bit operating systems:

```
copy "%CommonProgramFiles%\SMART Technologies\SMART Uninstaller\SMART  
Uninstaller.exe" "%TEMP%"
```

- For 64-bit operating systems:

```
copy "%CommonProgramFiles(x86)%\SMART Technologies\SMART  
Uninstaller\SMART Uninstaller.exe" "%TEMP%"
```

2. Uninstall select software by running the following command:

```
start /wait "SMART Uninstaller" "%TEMP%\SMART Uninstaller.exe" --noui  
--uninstall-pc [Product codes] --uilevel none
```

Where *[Product codes]* is a comma delimited list of product codes.

3. Delete the copy of SMART Uninstaller in the temporary location by running the following command:

```
del "%TEMP%\SMART Uninstaller.exe"
```

## Other commands

The following is a list of all the commands you can use with SMART Uninstaller.

Command	Description	Notes
--dry-run	Runs the command line but doesn't uninstall the software.	This is useful for testing command lines before running them.
--locale <i>[Language code]</i> Where <i>[Language code]</i> is a language code (for example, <b>fr</b> for French)	Displays SMART Uninstaller in a language other than the operating system's language.	The appropriate language pack must be installed to display SMART Uninstaller in the language.
--uilevel <i>[Level]</i> Where <i>[Level]</i> is <b>none</b> , <b>basic</b> (default), <b>reduced</b> or <b>full</b>	Specifies the user interface that displays when SMART Uninstaller uninstalls the software.	Normally, --uilevel <b>none</b> is used only in combination with --noui.
--no-auto-remove	Disables the automatic removal of supporting packages (for example, SMART Common Files) that are no longer required after the selected packages are uninstalled.	This is used only if --noui is also included.
--noui	Doesn't display the SMART Uninstaller user interface.	Normally, --noui is used only in combination with --uilevel <b>none</b> .
--uninstall-all	Uninstalls all detected SMART packages.	[N/A]
--uninstall <i>[Product names]</i> Where <i>[Product names]</i> is a comma delimited list of product names	Uninstalls the specified products.	[N/A]
--uninstall-pc <i>[Product codes]</i> Where <i>[Product codes]</i> is a comma delimited list of product codes	Uninstalls the specified products.	[N/A]

## Product codes

Version	Product code
<b>SMART Notebook software</b>	
11.4	{79660EE7-9C0B-4962-B566-2693FE34719D}
14.0	{4DF72C85-33C5-4297-A0DE-FC6DB766695D}
14.1	{84579080-E961-4DE7-93AB-5E2B81A96387}
14.2	{D4C0DEF0-8D83-4884-91D9-83A07D0F2CB5}
14.3	{18E53BBD-971F-4A77-9620-EB2C1539E308}
15.0	{955F23AC-CABC-4F34-A3E4-3DF2305B64BE}
15.1	{5E112563-E291-4C20-849F-49CE3BAD73D1}
15.2	{E6EE86DD-5B8B-483D-83EB-18B9E1FD9BB8}
16.0	{47F91537-12BD-4B30-8726-5A033FE61CDA}
16.1	{AA217CD3-F8C1-4AEA-A145-5850078BFB17}
16.2	{87948734-3F7C-4E9D-8702-3B05AF3CDA23}
17.0	{6C0FDF5B-142D-4F0D-8DED-3B563A20B033}
17.0.1	{5EBEDBC2-0986-4311-8C52-52C5C69E8182}
17.1	{ACB84BD5-8E84-4103-B611-9836534DED54}
18	{A93177EC-FC8C-4DE5-9988-BD36B93D1B66}
18.1	{38AB20FE-C03E-47B2-A769-F2E548031F9B}
19	{67A22506-25EF-4F7A-97A8-9293345093E1}
<b>SMART Product Drivers</b>	
11.4	{53330A17-78DE-458E-9997-292A2D6D3ADD}
11.5	{B1209081-5D82-4F8A-8318-BE7583B6E265}
11.6	{890680EC-2F88-47F0-970C-593081E62593}
12	{111A1715-267A-4387-B63D-D7E6E7D97677}
12.1	{67F35E75-A186-4F80-B291-8283331D5550}
12.2	{C3C9E674-3FD2-4535-B733-C7C62074DC4A}
12.3	{A418B556-1E81-4D42-B54E-979720B3DEBF}

Version	Product code
12.4	{BFF16FAE-1B84-40EA-B60E-385F5A392512}
12.5	{696243E7-E4BB-4696-ACF0-C6D2FC012136}
12.6	{1E280E41-ED8E-424C-9EA9-FD52963B21BE} (shipped with SMART Notebook 16.1) {3298B999-38D0-4650-8FB7-3C9E71325465} (shipped with SMART Notebook 16.2)
12.7	{1E280E41-ED8E-424C-9EA9-FD52963B21BE}
12.8	{A292B5F2-F55A-4960-A58F-07569554D321}
12.9	{663AF146-1736-49B3-B96D-A1006692BB0E}
12.10	{91BF2AF1-380E-46EB-A49A-7CFE80B59631}
12.11	{3DC4D966-FBCF-45E5-AC7E-9ED104AA3132}
12.12	{BF782898-838D-4FA4-9D3E-FC6F27E76D89}
<b>SMART Ink</b>	
2.0	{5ABC49B5-D0DC-428D-A082-4AEFF6490F04}
2.1	{B4F5D378-9784-442B-97D5-24CAAF3299AA}
2.2	{FC69B741-DC56-4591-97A2-A6BA211B7E76}
2.3	{FAF3CC40-F647-4AA7-84D6-7BD67C4F2362}
2.3.1	{232C8EC0-4856-4EEA-B99F-5FCC4E103A09}
3.1	{52ECF84B-09E9-4C98-B4FD-17EE1BC09921}
3.2	{57E67FAF-87D9-4573-BC7F-C95B1A71287A}
4.0	{A5AEF478-1170-4335-86B8-561328B193EC}
4.1	{7AB1FDF1-6998-43AD-B705-EA8AF7439407}
4.2	{11ECCC34-FC75-4DA0-B13D-E89D1E6661BF}
5.0	{89E25BCE-F949-405E-ADA9-8537B4F4E2B8}
5.1	{A292B5F2-F55A-4960-A58F-07569554D321}
5.2	{A60BAFDD-6BFF-4F65-8364-499ED8EB91DB}
5.3	{1805AF15-EFAC-4C99-824B-81EC8CD6DC66}
5.4	{1B6934C5-BA75-4C7D-B3BA-D73B4DDB42A5}
5.5	{1B6934C5-BA75-4C7D-B3BA-D73B4DDB42A5}

CHAPTER 6  
UNINSTALLING THE SOFTWARE

Version	Product code
<b>SMART Common Files</b>	
2013 (11.3)	{BBA07B40-F7C6-44F7-BF08-767F8835685F}
2013 (11.4)	{26A95DBF-A866-4838-A8C9-FA219FCBD22E}

## Appendix A

# Language files and codes

Installation language files and codes .....	47
Handwriting recognition resources .....	48

---

## Installation language files and codes

Language	Code	File
English (U.S.)	1033	<b>1033.mst</b>
English (UK)	2057	<b>2057.mst</b>
Arabic	1025	<b>1025.mst</b>
Chinese (Simplified)	2052	<b>2052.mst</b>
Chinese (Traditional)	1028	<b>1028.mst</b>
Czech	1029	<b>1029.mst</b>
Danish	1030	<b>1030.mst</b>
Dutch	1043	<b>1043.mst</b>
Estonian	1061	<b>1061.mst</b>
Finnish	1035	<b>1035.mst</b>
French (France)	1036	<b>1036.mst</b>
German	1031	<b>1031.mst</b>
Greek	1032	<b>1032.mst</b>
Hebrew	1037	<b>1037.mst</b>
Hungarian	1038	<b>1038.mst</b>
Italian	1040	<b>1040.mst</b>
Japanese	1041	<b>1041.mst</b>

Language	Code	File
Korean	1042	<b>1042.mst</b>
Latvian	1062	<b>1062.mst</b>
Lithuanian	1063	<b>1063.mst</b>
Norwegian	1044	<b>1044.mst</b>
Polish	1045	<b>1045.mst</b>
Portuguese (Brazil)	1046	<b>1046.mst</b>
Romanian	1048	<b>1048.mst</b>
Russian	1049	<b>1049.mst</b>
Spanish (Spain)	1034	<b>1034.mst</b>
Slovak	1051	<b>1051.mst</b>
Slovenian	1053	<b>1053.mst</b>
Swedish	1053	<b>1053.mst</b>
Turkish	1055	<b>1055.mst</b>
Ukrainian	1058	<b>1058.mst</b>
Vietnamese	N/A	<b>N/A</b>
<b>NOTE</b>  The SMART Notebook installer doesn't support Vietnamese translations.		

## Handwriting recognition resources

The SMART Learning Suite 16 and later language packs contain handwriting recognition resources only. Additional localization resources previously contained in language packs are included in the product installation files.

File	Code
<b>arabic_handwriting.msi</b>	{648C7144-1B6F-497B-9F1A-6DFE8773816E}
<b>chinese_(simplified)_handwriting.msi</b>	{CA05B824-9AA6-455B-8DF5-2453C865FAF3}
<b>chinese_(traditional)_handwriting.msi</b>	{74B9E115-5E23-4928-92E3-73B8631AA524}
<b>czech_handwriting.msi</b>	{65A75580-36A0-4490-8181-0967DD6C1464}

APPENDIX A  
LANGUAGE FILES AND CODES

File	Code
<b>danish_handwriting.msi</b>	{6218930D-3F77-4768-8C43-CD3FA4168914}
<b>dutch_handwriting.msi</b>	{B4D49CAE-EF29-4775-B0BA-0DFD6B2D69D9}
<b>english_(united_kingdom)_handwriting.msi</b>	{B5D5D9DC-3361-43D7-ADED-916CC6E90A03}
<b>estonian_handwriting.msi</b>	{87C03A3D-8B0B-424D-AE43-4ECD74C3CC8E}
<b>finnish_handwriting.msi</b>	{D2BFFB26-00CD-4CA3-932F-818A5C8C7CD8}
<b>french_handwriting.msi</b>	{EF73F0B8-7EBE-4D36-92FA-6BF638F52732}
<b>german_handwriting.msi</b>	{2B73B4A7-03E4-437F-9E7F-AE533A93D4A2}
<b>greek_handwriting.msi</b>	{5066774D-FF40-45EA-B797-F7F36DBC70B7}
<b>hebrew_handwriting.msi</b>	{3623E3DE-104A-4651-B8E3-9D2851636A2F}
<b>hungarian_handwriting.msi</b>	{3AE061AF-B255-4052-9918-849AD4FE0C56}
<b>italian_handwriting.msi</b>	{AF09A64A-245A-458A-8290-421D611A21F5}
<b>japanese_handwriting.msi</b>	{3FB8FA79-CAF4-47CD-A599-D68F72D1CAD1}
<b>korean_handwriting.msi</b>	{C106402C-BC3E-4EA4-A3AE-6BDBC785DC3}
<b>latvian_handwriting.msi</b>	{0EB8A795-CCF7-46CD-9E8A-1739A539A382}
<b>lithuanian_handwriting.msi</b>	{EE96CAF4-2439-4CD9-BFF7-DC3DFBC7781B}
<b>malay_handwriting.msi</b>	{33A07CFE-B356-45A7-B2E5-99F536CC84B9}
<b>norwegian_handwriting.msi</b>	{AE4A8476-F602-4FC0-A40D-336DC76DD7EE}
<b>polish_handwriting.msi</b>	{11725848-ECA6-4E79-874C-E59D1DA6A122}
<b>portuguese_(brazil)_handwriting.msi</b>	{3C2062D0-82F6-4CE3-ADAD-F993CBE2F4F5}
<b>romanian_handwriting.msi</b>	{84BCEABF-4624-447D-89D8-5D0B5F4DFFBC}
<b>russian_handwriting.msi</b>	{4CF5A60A-8E02-4376-A9F5-8C343D473FCD}
<b>slovak_handwriting.msi</b>	{5E6F10F3-9006-4F78-B231-18866B792E06}
<b>vietnamese_handwriting.msi</b>	{7EE498CF-EFBC-4B15-B42D-0DBAE6FBC693}
<b>spanish_handwriting.msi</b>	{62F6F0A3-FB04-4FDF-ABB4-11F3A042EB8A}
<b>swedish_handwriting.msi</b>	{9B9B50A8-84A4-4547-A9E5-FA3868CDF78B}
<b>turkish_handwriting.msi</b>	{9D3E3459-395A-4514-8C67-064C123C77C4}
<b>ukrainian_handwriting.msi</b>	{CEAEC5BE-99AA-4D82-A06D-4D5B5895DB3F}
<b>vietnamese_handwriting.msi</b>	{A85B8742-487B-4D66-92C2-1687F23889A8}



## Appendix B

# Installing and maintaining Gallery content

Gallery content includes the following:

- Gallery Essentials, which is a collection of educational photos, images, and audio files compatible files.
- Lesson Activity Toolkit, which contains objects teachers can use to create their own lesson activities.

You can access Gallery content from the Gallery tab in SMART Notebook software.

## Configuring Gallery content using SMART Install Manager

If you're customizing the software using SMART Install Manager, complete the procedure in this section to configure Gallery content.

### To configure Gallery content using SMART Install Manager

1. Open the software installation package in SMART Install Manager.
2. Click **Product Selection**.
3. Select **SMART Notebook** (and any other products you want to install).
4. Click **Gallery Content**.

The *Gallery Content* page appears.

5. Select the Gallery content to be installed on each computer.  
Gallery Essentials  
Lesson Activity Toolkit

6. Publish your changes, and then deploy the files.

If you loaded the ESI .EXE with Install Manager, publish will produce a .xml file.

If you loaded the ESI .MSI with Install Manager, publish will produce a .mst file.

7. Make sure the .xml or .mst file is saved into the same folder as the ESI installation package to be deployed.

## Working with Gallery content locations

After installing the software, you can do the following:

- Starting the software in Administration mode.
- Change the location of the My Content folder.
- Create or connect to a Team Content folder.
- Connect to an RSS feed.

### Starting the software in Administration mode

Before you can maintain content folders, you must start the software in Administration mode.

#### To start SMART Notebook software in Administration mode

1. Open a Command Prompt window.
2. Type the following command:

```
"[Path]\Notebook.exe" /admin
```

Where *[Path]* is the path to the SMART Notebook software program folder.

3. Click ENTER.

SMART Notebook software starts in Administration mode.

### Changing the location of the My Content folder

The **My Content** folder is a location where teachers and students can store content for their individual use.

You can specify the location of the My Content folder during installation or afterward.

### To change the location of the My Content folder after installation

1. Start the software in Administration mode.
2. Click the **Gallery** tab.
3. Click the **Click here for more Gallery options** icon , and then select **Administration: Content Locations**.

The *Administration: Content Locations* dialog box appears.

4. Click **Browse**.
5. Browse to and select the new **My Content** folder, and then click **OK**.
6. Click **Close**.
7. Close the software.

## Creating or connecting to Team Content folders

All users can create new content and save it in their **My Content** folders. To allow users to share content, you must create or connect to a **Team Content** folder.

---

### TIP

If you create a **Team Content** folder on a computer's hard disk, the folder is available only to users of that computer. However, if you create a **Team Content** folder on a server, the folder is available to all users on the school's network with read and write access to the folder.

---

### To create a new Team Content folder

1. Start the software in Administration mode.
2. Click the Gallery tab.
3. Click the **Click here for more Gallery options** icon, and then select **Administration: Content Locations**.

The *Administration: Content Locations* dialog box appears.

4. Click **Connect to Team Content**.

5. Browse to and select the folder you want to designate as a Team Content folder, and then click **OK**.

---

**NOTE**

The software adds an **imsmanifest.xml** file to the Team Content folder after you click **OK**.  
This file identifies the folder as a Team Content folder.

---

6. Click **Close**.
7. Close the software.

**To connect to an existing Team Content folder**

1. Start the software in Administration mode.
2. Click the **Gallery** tab.
3. Click the **Click here for more Gallery options** icon, and select **Administration: Content Location**.

The *Administration: Content Location* dialog box appears.

4. Click **Add Existing**.

---

**NOTE**

The Team Content folder should appear in the list of content folders under the Gallery tab.

---

5. Browse to and select the Team Content folder, and then click **OK**.
6. Click **Close**.
7. Close the software.

**To disconnect a Team Content folder**

1. Start the software in Administration mode.
2. Click the **Gallery** tab.
3. Click the Click here for more Gallery option icon, and then select **Administration: Content Locations**.

The *Administration: Content Locations* dialog box appears.

4. Select the folder in the *Team Content* list, and then click **Remove**.

---

 **IMPORTANT**

If you installed the Gallery Essentials and Lesson Activity Toolkit collections, folders for those collections appear in the Team Content list. Do not remove these folders from the list, or users will not be able to access these collections.

---

5. Click **Close**.
6. Close the software.

## Connecting to and RSS feed

You can connect to a public or private RSS feed to send information to your school's SMART Notebook software through the Gallery tab.

RSS is a format for delivering regularly changing web content. Many news-related websites, blogs and other publishers broadcast their content as RSS feeds.

### To connect to an RSS feed

1. Start the software in Administration mode.
2. Click the **Gallery** tab.
3. Click the **Click here for more Gallery options** icon , and then select **Administration: Content Locations**.

The *Administration: Content Locations* dialog box appears.

4. Type the URL of the RSS feed in the *Online Resources* box.
5. Click **Close**.
6. Close the software.





**SMART TECHNOLOGIES**

[smarttech.com/support](https://smarttech.com/support)

[smarttech.com/contactsupport](https://smarttech.com/contactsupport)

[smarttech.com/kb/171425](https://smarttech.com/kb/171425)